




802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47124G	57.82	68.20	-10.38	18.12	3	Horizontal	345	2.12	-	39.70	39.67	13.03	34.58



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1214G	45.06	54.00	-8.94	7.96	3	Vertical	100	2.26	-	37.10	31.96	10.08	34.08
AV	5.254G	100.74	Inf	-Inf	7.33	3	Vertical	100	2.26	-	93.41	31.29	10.11	34.07
AV	5.4034G	43.34	54.00	-10.66	7.64	3	Vertical	100	2.26	-	35.70	31.51	10.19	34.06
PK	5.137G	56.52	74.00	-17.48	7.94	3	Vertical	100	2.26	-	48.58	31.93	10.08	34.07
PK	5.2588G	109.61	Inf	-Inf	7.32	3	Vertical	100	2.26	-	102.29	31.28	10.11	34.07
PK	5.3536G	55.18	74.00	-18.82	7.31	3	Vertical	100	2.26	-	47.87	31.22	10.16	34.07



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1304G	45.27	54.00	-8.73	7.95	3	Horizontal	81	1.99	-	37.32	31.94	10.08	34.07
AV	5.257G	104.79	Inf	-Inf	7.33	3	Horizontal	81	1.99	-	97.46	31.29	10.11	34.07
AV	5.3638G	44.07	54.00	-9.93	7.38	3	Horizontal	81	1.99	-	36.69	31.28	10.17	34.07
PK	5.11G	57.22	74.00	-16.78	7.98	3	Horizontal	81	1.99	-	49.24	31.98	10.08	34.08
PK	5.2618G	113.82	Inf	-Inf	7.32	3	Horizontal	81	1.99	-	106.50	31.28	10.11	34.07
PK	5.3944G	55.92	74.00	-18.08	7.59	3	Horizontal	81	1.99	-	48.33	31.47	10.18	34.06



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52504G	59.47	68.20	-8.73	18.27	3	Vertical	312	1.92	-	41.20	39.75	13.06	34.54



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52038G	57.91	68.20	-10.29	18.25	3	Horizontal	329	1.29	-	39.66	39.74	13.06	34.55



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.294G	99.08	Inf	-Inf	7.27	3	Vertical	101	2.21	-	91.81	31.21	10.13	34.07
AV	5.35G	44.20	54.00	-9.80	7.29	3	Vertical	101	2.21	-	36.91	31.20	10.16	34.07
PK	5.2988G	108.22	Inf	-Inf	7.26	3	Vertical	101	2.21	-	100.96	31.20	10.13	34.07
PK	5.3544G	57.23	74.00	-16.77	7.32	3	Vertical	101	2.21	-	49.91	31.23	10.16	34.07

802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2972G	104.09	Inf	-Inf	7.27	3	Horizontal	84	1.96	-	96.82	31.21	10.13	34.07
AV	5.3516G	46.36	54.00	-7.64	7.30	3	Horizontal	84	1.96	-	39.06	31.21	10.16	34.07
PK	5.3016G	113.08	Inf	-Inf	7.26	3	Horizontal	84	1.96	-	105.82	31.20	10.13	34.07
PK	5.3524G	60.93	74.00	-13.07	7.30	3	Horizontal	84	1.96	-	53.63	31.21	10.16	34.07



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.59836G	58.37	68.20	-9.83	18.51	3	Vertical	82	1.27	-	39.86	39.90	13.10	34.49



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.59578G	57.89	68.20	-10.31	18.50	3	Horizontal	252	2.36	-	39.39	39.89	13.10	34.49

802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.314G	98.80	Inf	-Inf	7.27	3	Vertical	101	2.35	-	91.53	31.20	10.14	34.07
AV	5.35G	49.01	54.00	-4.99	7.29	3	Vertical	101	2.35	-	41.72	31.20	10.16	34.07
PK	5.3188G	107.73	Inf	-Inf	7.27	3	Vertical	101	2.35	-	100.46	31.20	10.14	34.07
PK	5.35G	61.24	74.00	-12.76	7.29	3	Vertical	101	2.35	-	53.95	31.20	10.16	34.07



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3172G	104.05	Inf	-Inf	7.27	3	Horizontal	85	2.31	-	96.78	31.20	10.14	34.07
AV	5.3502G	53.21	54.00	-0.79	7.29	3	Horizontal	85	2.31	-	45.92	31.20	10.16	34.07
PK	5.322G	113.34	Inf	-Inf	7.27	3	Horizontal	85	2.31	-	106.07	31.20	10.14	34.07
PK	5.3516G	70.23	74.00	-3.77	7.30	3	Horizontal	85	2.31	-	62.93	31.21	10.16	34.07



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62084G	45.02	54.00	-8.98	18.54	3	Vertical	233	1.04	-	26.48	39.90	13.12	34.48
PK	10.62084G	57.54	74.00	-16.46	18.54	3	Vertical	233	1.04	-	39.00	39.90	13.12	34.48



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64632G	45.02	54.00	-8.98	18.57	3	Horizontal	329	2.06	-	26.45	39.90	13.13	34.46
PK	10.64528G	57.44	74.00	-16.56	18.57	3	Horizontal	329	2.06	-	38.87	39.90	13.13	34.46

802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4578G	45.26	54.00	-8.74	7.77	3	Vertical	90	3.00	-	37.49	31.63	10.20	34.06
AV	5.494G	97.77	Inf	-Inf	7.93	3	Vertical	90	3.00	-	89.84	31.78	10.21	34.06
PK	5.4698G	63.02	68.20	-5.18	7.83	3	Vertical	90	3.00	-	55.19	31.68	10.21	34.06
PK	5.4988G	106.61	Inf	-Inf	7.95	3	Vertical	90	3.00	-	98.66	31.80	10.21	34.06



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	48.37	54.00	-5.63	7.77	3	Horizontal	85	1.82	-	40.60	31.63	10.20	34.06
AV	5.4972G	103.64	Inf	-Inf	7.94	3	Horizontal	85	1.82	-	95.70	31.79	10.21	34.06
PK	5.4676G	67.93	68.20	-0.27	7.82	3	Horizontal	85	1.82	-	60.11	31.67	10.21	34.06
PK	5.502G	113.46	Inf	-Inf	7.96	3	Horizontal	85	1.82	-	105.50	31.80	10.22	34.06



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00012G	45.70	54.00	-8.30	19.33	3	Vertical	126	2.13	-	26.37	40.20	13.34	34.21
PK	11.00482G	58.46	74.00	-15.54	19.31	3	Vertical	126	2.13	-	39.15	40.18	13.34	34.21



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99646G	45.84	54.00	-8.16	19.32	3	Horizontal	86	1.32	-	26.52	40.20	13.33	34.21
PK	11.00876G	58.40	74.00	-15.60	19.29	3	Horizontal	86	1.32	-	39.11	40.16	13.34	34.21



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.442G	42.94	54.00	-11.06	7.72	3	Vertical	64	2.77	-	35.22	31.58	10.20	34.06
AV	5.5776G	98.35	Inf	-Inf	7.81	3	Vertical	64	2.77	-	90.54	31.64	10.24	34.07
PK	5.469G	55.28	68.20	-12.92	7.83	3	Vertical	64	2.77	-	47.45	31.68	10.21	34.06
PK	5.5782G	107.48	Inf	-Inf	7.81	3	Vertical	64	2.77	-	99.67	31.64	10.24	34.07
PK	5.7276G	55.68	68.20	-12.52	8.16	3	Vertical	64	2.77	-	47.52	31.86	10.40	34.10



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4546G	43.62	54.00	-10.38	7.76	3	Horizontal	86	2.02	-	35.86	31.62	10.20	34.06
AV	5.5824G	105.11	Inf	-Inf	7.81	3	Horizontal	86	2.02	-	97.30	31.64	10.24	34.07
PK	5.463G	55.36	68.20	-12.84	7.79	3	Horizontal	86	2.02	-	47.57	31.65	10.20	34.06
PK	5.5818G	114.45	Inf	-Inf	7.81	3	Horizontal	86	2.02	-	106.64	31.64	10.24	34.07
PK	5.7288G	55.85	68.20	-12.35	8.16	3	Horizontal	86	2.02	-	47.69	31.86	10.40	34.10



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16584G	45.65	54.00	-8.35	18.90	3	Vertical	157	1.89	-	26.75	39.67	13.43	34.20
PK	11.16558G	58.26	74.00	-15.74	18.90	3	Vertical	157	1.89	-	39.36	39.67	13.43	34.20



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16088G	45.58	54.00	-8.42	18.91	3	Horizontal	187	2.45	-	26.67	39.68	13.43	34.20
PK	11.16584G	58.21	74.00	-15.79	18.90	3	Horizontal	187	2.45	-	39.31	39.67	13.43	34.20



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6972G	98.38	Inf	-Inf	8.06	3	Vertical	9	2.99	-	90.32	31.79	10.36	34.09
PK	5.702G	107.55	Inf	-Inf	8.08	3	Vertical	9	2.99	-	99.47	31.80	10.37	34.09
PK	5.7256G	63.33	68.20	-4.87	8.15	3	Vertical	9	2.99	-	55.18	31.85	10.40	34.10



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6972G	103.54	Inf	-Inf	8.06	3	Horizontal	87	2.18	-	95.48	31.79	10.36	34.09
PK	5.702G	113.14	Inf	-Inf	8.08	3	Horizontal	87	2.18	-	105.06	31.80	10.37	34.09
PK	5.726G	67.94	68.20	-0.26	8.15	3	Horizontal	87	2.18	-	59.79	31.85	10.40	34.10



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40148G	44.81	54.00	-9.19	19.19	3	Vertical	294	2.04	-	25.62	39.80	13.57	34.18
PK	11.40036G	57.23	74.00	-16.77	19.19	3	Vertical	294	2.04	-	38.04	39.80	13.57	34.18



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4071G	44.58	54.00	-9.42	19.20	3	Horizontal	145	1.67	-	25.38	39.81	13.57	34.18
PK	11.4096G	57.52	74.00	-16.48	19.20	3	Horizontal	145	1.67	-	38.32	39.81	13.57	34.18



802.11a_Nss1,(6Mbps)_2TX

08/08/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	42.73	54.00	-11.27	7.77	3	Vertical	220	2.94	-	34.96	31.63	10.20	34.06
AV	5.7188G	101.20	Inf	-Inf	8.13	3	Vertical	220	2.94	-	93.07	31.84	10.39	34.10
PK	5.4692G	55.12	68.20	-13.08	7.83	3	Vertical	220	2.94	-	47.29	31.68	10.21	34.06
PK	5.7176G	110.67	Inf	-Inf	8.14	3	Vertical	220	2.94	-	102.53	31.84	10.39	34.09
PK	5.99G	56.98	68.20	-11.22	8.84	3	Vertical	220	2.94	-	48.14	32.40	10.58	34.14



802.11a_Nss1,(6Mbps)_2TX

08/08/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	43.40	54.00	-10.60	7.76	3	Horizontal	80	1.88	-	35.64	31.62	10.20	34.06
AV	5.7212G	105.22	Inf	-Inf	8.13	3	Horizontal	80	1.88	-	97.09	31.84	10.39	34.10
PK	5.4692G	55.62	68.20	-12.58	7.83	3	Horizontal	80	1.88	-	47.79	31.68	10.21	34.06
PK	5.7128G	114.76	Inf	-Inf	8.12	3	Horizontal	80	1.88	-	106.64	31.83	10.38	34.09
PK	5.9048G	57.34	68.20	-10.86	8.82	3	Horizontal	80	1.88	-	48.52	32.40	10.54	34.12



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5720MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42698G	44.71	54.00	-9.29	19.23	3	Vertical	215	2.23	-	25.48	39.83	13.58	34.18
PK	11.4445G	57.39	74.00	-16.61	19.26	3	Vertical	215	2.23	-	38.13	39.84	13.59	34.17



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5720MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43352G	44.74	54.00	-9.26	19.24	3	Horizontal	189	1.50	-	25.50	39.83	13.59	34.18
PK	11.45398G	57.75	74.00	-16.25	19.28	3	Horizontal	189	1.50	-	38.47	39.85	13.60	34.17



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	101.57	Inf	-Inf	8.21	3	Vertical	197	3.00	-	93.36	31.89	10.42	34.10
PK	5.5326G	57.35	68.20	-10.85	7.88	3	Vertical	197	3.00	-	49.47	31.73	10.22	34.07
PK	5.7426G	110.24	Inf	-Inf	8.21	3	Vertical	197	3.00	-	102.03	31.89	10.42	34.10
PK	5.961G	56.58	68.20	-11.62	8.84	3	Vertical	197	3.00	-	47.74	32.40	10.57	34.13



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	105.47	Inf	-Inf	8.21	3	Horizontal	267	2.23	-	97.26	31.89	10.42	34.10
PK	5.583G	56.95	68.20	-11.25	7.80	3	Horizontal	267	2.23	-	49.15	31.63	10.24	34.07
PK	5.741G	114.06	Inf	-Inf	8.20	3	Horizontal	267	2.23	-	105.86	31.88	10.42	34.10
PK	5.961G	57.27	68.20	-10.93	8.84	3	Horizontal	267	2.23	-	48.43	32.40	10.57	34.13



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5002G	45.12	54.00	-8.88	19.35	3	Vertical	57	1.36	-	25.77	39.90	13.62	34.17
PK	11.49678G	57.50	74.00	-16.50	19.35	3	Vertical	57	1.36	-	38.15	39.90	13.62	34.17



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.47782G	45.07	54.00	-8.93	19.32	3	Horizontal	134	2.02	-	25.75	39.88	13.61	34.17
PK	11.49636G	57.83	74.00	-16.17	19.35	3	Horizontal	134	2.02	-	38.48	39.90	13.62	34.17

802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7814G	101.05	Inf	-Inf	8.38	3	Vertical	199	3.00	-	92.67	32.03	10.46	34.11
PK	5.5942G	56.29	68.20	-11.91	7.77	3	Vertical	199	3.00	-	48.52	31.61	10.24	34.08
PK	5.7874G	110.57	Inf	-Inf	8.41	3	Vertical	199	3.00	-	102.16	32.05	10.47	34.11
PK	5.9578G	56.93	68.20	-11.27	8.83	3	Vertical	199	3.00	-	48.10	32.40	10.56	34.13

802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	104.98	Inf	-Inf	8.39	3	Horizontal	267	1.85	-	96.59	32.03	10.47	34.11
PK	5.5402G	56.82	68.20	-11.38	7.88	3	Horizontal	267	1.85	-	48.94	31.72	10.23	34.07
PK	5.7874G	114.36	Inf	-Inf	8.41	3	Horizontal	267	1.85	-	105.95	32.05	10.47	34.11
PK	5.9338G	57.39	68.20	-10.81	8.82	3	Horizontal	267	1.85	-	48.57	32.40	10.55	34.13



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57876G	45.25	54.00	-8.75	19.31	3	Vertical	213	1.29	-	25.94	39.82	13.67	34.18
PK	11.56622G	57.97	74.00	-16.03	19.31	3	Vertical	213	1.29	-	38.66	39.83	13.66	34.18



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56988G	45.33	54.00	-8.67	19.31	3	Horizontal	181	1.26	-	26.02	39.83	13.66	34.18
PK	11.57792G	58.20	74.00	-15.80	19.31	3	Horizontal	181	1.26	-	38.89	39.82	13.67	34.18



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	100.65	Inf	-Inf	8.58	3	Vertical	199	3.00	-	92.07	32.19	10.50	34.11
PK	5.6354G	56.58	68.20	-11.62	7.88	3	Vertical	199	3.00	-	48.70	31.67	10.29	34.08
PK	5.831G	109.83	Inf	-Inf	8.61	3	Vertical	199	3.00	-	101.22	32.22	10.50	34.11
PK	5.9378G	57.28	68.20	-10.92	8.82	3	Vertical	199	3.00	-	48.46	32.40	10.55	34.13



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	104.28	Inf	-Inf	8.58	3	Horizontal	266	2.39	-	95.70	32.19	10.50	34.11
PK	5.5406G	56.79	68.20	-11.41	7.88	3	Horizontal	266	2.39	-	48.91	31.72	10.23	34.07
PK	5.8226G	113.66	Inf	-Inf	8.58	3	Horizontal	266	2.39	-	105.08	32.19	10.50	34.11
PK	5.9354G	58.15	68.20	-10.05	8.82	3	Horizontal	266	2.39	-	49.33	32.40	10.55	34.13



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66134G	45.40	54.00	-8.60	18.95	3	Vertical	73	2.46	-	26.45	39.43	13.72	34.20
PK	11.6353G	58.09	74.00	-15.91	19.10	3	Vertical	73	2.46	-	38.99	39.59	13.70	34.19



802.11a_Nss1,(6Mbps)_2TX

07/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66272G	45.47	54.00	-8.53	18.94	3	Horizontal	269	1.15	-	26.53	39.42	13.72	34.20
PK	11.65276G	58.04	74.00	-15.96	18.99	3	Horizontal	269	1.15	-	39.05	39.48	13.71	34.20

802.11ac VHT20_Nss1,(MCS0)_2TX

07/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.83	54.00	-2.17	7.91	3	Vertical	279	2.20	-	43.92	31.90	10.08	34.07
AV	5.177G	98.17	Inf	-Inf	7.75	3	Vertical	279	2.20	-	90.42	31.74	10.08	34.07
PK	5.1496G	64.65	74.00	-9.35	7.91	3	Vertical	279	2.20	-	56.74	31.90	10.08	34.07
PK	5.1746G	108.13	Inf	-Inf	7.76	3	Vertical	279	2.20	-	100.37	31.75	10.08	34.07

802.11ac VHT20_Nss1,(MCS0)_2TX

07/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.60	54.00	-0.40	7.91	3	Horizontal	75	2.21	-	45.69	31.90	10.08	34.07
AV	5.1796G	102.04	Inf	-Inf	7.73	3	Horizontal	75	2.21	-	94.31	31.72	10.08	34.07
PK	5.1476G	68.39	74.00	-5.61	7.91	3	Horizontal	75	2.21	-	60.48	31.90	10.08	34.07
PK	5.1846G	111.06	Inf	-Inf	7.70	3	Horizontal	75	2.21	-	103.36	31.69	10.08	34.07



802.11ac VHT20_Nss1,(MCS0)_2TX

07/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36744G	57.58	68.20	-10.62	17.80	3	Vertical	201	2.09	-	39.78	39.47	12.97	34.64



802.11ac VHT20_Nss1,(MCS0)_2TX

07/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37248G	57.33	68.20	-10.87	17.82	3	Horizontal	98	1.02	-	39.51	39.49	12.97	34.64

802.11ac VHT20_Nss1,(MCS0)_2TX

07/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.74	54.00	-8.26	7.91	3	Vertical	276	2.42	-	37.83	31.90	10.08	34.07
AV	5.202G	98.15	Inf	-Inf	7.60	3	Vertical	276	2.42	-	90.55	31.59	10.08	34.07
PK	5.1416G	57.67	74.00	-16.33	7.93	3	Vertical	276	2.42	-	49.74	31.92	10.08	34.07
PK	5.2044G	107.55	Inf	-Inf	7.58	3	Vertical	276	2.42	-	99.97	31.57	10.08	34.07

802.11ac VHT20_Nss1,(MCS0)_2TX

07/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	47.02	54.00	-6.98	7.91	3	Horizontal	271	2.45	-	39.11	31.90	10.08	34.07
AV	5.1988G	102.18	Inf	-Inf	7.62	3	Horizontal	271	2.45	-	94.56	31.61	10.08	34.07
PK	5.1484G	59.94	74.00	-14.06	7.91	3	Horizontal	271	2.45	-	52.03	31.90	10.08	34.07
PK	5.2032G	112.08	Inf	-Inf	7.59	3	Horizontal	271	2.45	-	104.49	31.58	10.08	34.07



802.11ac VHT20_Nss1,(MCS0)_2TX

07/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40942G	58.48	68.20	-9.72	17.98	3	Vertical	63	2.48	-	40.50	39.61	12.99	34.62



802.11ac VHT20_Nss1,(MCS0)_2TX

07/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41116G	58.32	68.20	-9.88	17.98	3	Horizontal	236	2.42	-	40.34	39.61	12.99	34.62



802.11ac VHT20_Nss1,(MCS0)_2TX

07/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0972G	44.95	54.00	-9.05	7.99	3	Vertical	273	3.00	-	36.96	31.99	10.08	34.08
AV	5.2424G	97.78	Inf	-Inf	7.38	3	Vertical	273	3.00	-	90.40	31.35	10.10	34.07
AV	5.3696G	43.04	54.00	-10.96	7.42	3	Vertical	273	3.00	-	35.62	31.32	10.17	34.07
PK	5.108G	57.70	74.00	-16.30	7.98	3	Vertical	273	3.00	-	49.72	31.98	10.08	34.08
PK	5.2448G	107.11	Inf	-Inf	7.36	3	Vertical	273	3.00	-	99.75	31.33	10.10	34.07
PK	5.3582G	55.45	74.00	-18.55	7.34	3	Vertical	273	3.00	-	48.11	31.25	10.16	34.07

802.11ac VHT20_Nss1,(MCS0)_2TX

07/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0936G	45.16	54.00	-8.84	7.99	3	Horizontal	263	1.93	-	37.17	31.99	10.08	34.08
AV	5.234G	102.59	Inf	-Inf	7.43	3	Horizontal	263	1.93	-	95.16	31.40	10.10	34.07
AV	5.3834G	43.71	54.00	-10.29	7.52	3	Horizontal	263	1.93	-	36.19	31.40	10.18	34.06
PK	5.0996G	57.79	74.00	-16.21	8.00	3	Horizontal	263	1.93	-	49.79	32.00	10.08	34.08
PK	5.2424G	111.91	Inf	-Inf	7.38	3	Horizontal	263	1.93	-	104.53	31.35	10.10	34.07
PK	5.3558G	55.26	74.00	-18.74	7.32	3	Horizontal	263	1.93	-	47.94	31.23	10.16	34.07



802.11ac VHT20_Nss1,(MCS0)_2TX

07/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48474G	58.14	68.20	-10.06	18.15	3	Vertical	40	1.67	-	39.99	39.68	13.04	34.57



802.11ac VHT20_Nss1,(MCS0)_2TX

07/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48162G	58.72	68.20	-9.48	18.14	3	Horizontal	127	1.41	-	40.58	39.68	13.03	34.57

802.11ac VHT20_Nss1,(MCS0)_2TX

07/08/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1226G	44.69	54.00	-9.31	7.95	3	Vertical	227	2.97	-	36.74	31.95	10.08	34.08
AV	5.254G	99.87	Inf	-Inf	7.33	3	Vertical	227	2.97	-	92.54	31.29	10.11	34.07
AV	5.3614G	43.06	54.00	-10.94	7.37	3	Vertical	227	2.97	-	35.69	31.27	10.17	34.07
PK	5.137G	57.19	74.00	-16.81	7.94	3	Vertical	227	2.97	-	49.25	31.93	10.08	34.07
PK	5.2564G	108.59	Inf	-Inf	7.33	3	Vertical	227	2.97	-	101.26	31.29	10.11	34.07
PK	5.3788G	55.14	74.00	-18.86	7.49	3	Vertical	227	2.97	-	47.65	31.37	10.18	34.06



802.11ac VHT20_Nss1,(MCS0)_2TX

07/08/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1184G	44.89	54.00	-9.11	7.96	3	Horizontal	80	2.01	-	36.93	31.96	10.08	34.08
AV	5.254G	102.75	Inf	-Inf	7.33	3	Horizontal	80	2.01	-	95.42	31.29	10.11	34.07
AV	5.401G	43.60	54.00	-10.40	7.63	3	Horizontal	80	2.01	-	35.97	31.50	10.19	34.06
PK	5.1148G	58.76	74.00	-15.24	7.97	3	Horizontal	80	2.01	-	50.79	31.97	10.08	34.08
PK	5.2624G	112.21	Inf	-Inf	7.32	3	Horizontal	80	2.01	-	104.89	31.28	10.11	34.07
PK	5.4094G	56.58	74.00	-17.42	7.65	3	Horizontal	80	2.01	-	48.93	31.52	10.19	34.06



802.11ac VHT20_Nss1,(MCS0)_2TX

07/08/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52098G	60.01	68.20	-8.19	18.25	3	Vertical	147	1.56	-	41.76	39.74	13.06	34.55



802.11ac VHT20_Nss1,(MCS0)_2TX

07/08/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52552G	59.68	68.20	-8.52	18.27	3	Horizontal	313	1.24	-	41.41	39.75	13.06	34.54

802.11ac VHT20_Nss1,(MCS0)_2TX

07/08/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2944G	97.77	Inf	-Inf	7.27	3	Vertical	100	2.21	-	90.50	31.21	10.13	34.07
AV	5.3516G	44.11	54.00	-9.89	7.30	3	Vertical	100	2.21	-	36.81	31.21	10.16	34.07
PK	5.2972G	107.26	Inf	-Inf	7.27	3	Vertical	100	2.21	-	99.99	31.21	10.13	34.07
PK	5.368G	55.96	74.00	-18.04	7.41	3	Vertical	100	2.21	-	48.55	31.31	10.17	34.07

802.11ac VHT20_Nss1,(MCS0)_2TX

07/08/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2952G	102.88	Inf	-Inf	7.27	3	Horizontal	256	2.13	-	95.61	31.21	10.13	34.07
AV	5.35G	46.02	54.00	-7.98	7.29	3	Horizontal	256	2.13	-	38.73	31.20	10.16	34.07
PK	5.2948G	111.92	Inf	-Inf	7.27	3	Horizontal	256	2.13	-	104.65	31.21	10.13	34.07
PK	5.35G	58.26	74.00	-15.74	7.29	3	Horizontal	256	2.13	-	50.97	31.20	10.16	34.07



802.11ac VHT20_Nss1,(MCS0)_2TX

07/08/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.592666G	58.18	68.20	-10.02	18.49	3	Vertical	59	2.07	-	39.69	39.89	13.10	34.50



802.11ac VHT20_Nss1,(MCS0)_2TX

07/08/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.59418G	58.53	68.20	-9.67	18.50	3	Horizontal	173	1.00	-	40.03	39.89	13.10	34.49



802.11ac VHT20_Nss1,(MCS0)_2TX

07/08/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3222G	97.59	Inf	-Inf	7.27	3	Vertical	102	2.35	-	90.32	31.20	10.14	34.07
AV	5.35G	49.69	54.00	-4.31	7.29	3	Vertical	102	2.35	-	42.40	31.20	10.16	34.07
PK	5.317G	107.32	Inf	-Inf	7.27	3	Vertical	102	2.35	-	100.05	31.20	10.14	34.07
PK	5.3524G	64.46	74.00	-9.54	7.30	3	Vertical	102	2.35	-	57.16	31.21	10.16	34.07



802.11ac VHT20_Nss1,(MCS0)_2TX

07/08/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.315G	102.56	Inf	-Inf	7.27	3	Horizontal	259	2.30	-	95.29	31.20	10.14	34.07
AV	5.35G	53.80	54.00	-0.20	7.29	3	Horizontal	259	2.30	-	46.51	31.20	10.16	34.07
PK	5.3126G	111.92	Inf	-Inf	7.27	3	Horizontal	259	2.30	-	104.65	31.20	10.14	34.07
PK	5.3506G	69.10	74.00	-4.90	7.29	3	Horizontal	259	2.30	-	61.81	31.20	10.16	34.07



802.11ac VHT20_Nss1,(MCS0)_2TX

07/08/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64372G	45.04	54.00	-8.96	18.57	3	Vertical	280	1.38	-	26.47	39.90	13.13	34.46
PK	10.64066G	57.81	74.00	-16.19	18.57	3	Vertical	280	1.38	-	39.24	39.90	13.13	34.46



802.11ac VHT20_Nss1,(MCS0)_2TX

07/08/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.66446G	44.99	54.00	-9.01	18.60	3	Horizontal	335	1.78	-	26.39	39.90	13.14	34.44
PK	10.64006G	57.50	74.00	-16.50	18.57	3	Horizontal	335	1.78	-	38.93	39.90	13.13	34.46

802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	44.74	54.00	-9.26	7.78	3	Vertical	97	2.84	-	36.96	31.64	10.20	34.06
AV	5.502G	95.79	Inf	-Inf	7.96	3	Vertical	97	2.84	-	87.83	31.80	10.22	34.06
PK	5.467G	61.69	68.20	-6.51	7.82	3	Vertical	97	2.84	-	53.87	31.67	10.21	34.06
PK	5.5048G	104.92	Inf	-Inf	7.95	3	Vertical	97	2.84	-	96.97	31.79	10.22	34.06

802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	48.76	54.00	-5.24	7.78	3	Horizontal	85	2.16	-	40.98	31.64	10.20	34.06
AV	5.4986G	102.42	Inf	-Inf	7.94	3	Horizontal	85	2.16	-	94.48	31.79	10.21	34.06
PK	5.4688G	68.08	68.20	-0.12	7.83	3	Horizontal	85	2.16	-	60.25	31.68	10.21	34.06
PK	5.4988G	113.41	Inf	-Inf	7.95	3	Horizontal	85	2.16	-	105.46	31.80	10.21	34.06



802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00522G	45.61	54.00	-8.39	19.31	3	Vertical	179	2.37	-	26.30	40.18	13.34	34.21
PK	11.0117G	58.61	74.00	-15.39	19.28	3	Vertical	179	2.37	-	39.33	40.15	13.34	34.21



802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0072G	45.74	54.00	-8.26	19.30	3	Horizontal	47	2.36	-	26.44	40.17	13.34	34.21
PK	10.99614G	58.27	74.00	-15.73	19.32	3	Horizontal	47	2.36	-	38.95	40.20	13.33	34.21



802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4462G	42.82	54.00	-11.18	7.73	3	Vertical	6	2.82	-	35.09	31.59	10.20	34.06
AV	5.5764G	97.57	Inf	-Inf	7.82	3	Vertical	6	2.82	-	89.75	31.65	10.24	34.07
PK	5.4624G	55.45	68.20	-12.75	7.79	3	Vertical	6	2.82	-	47.66	31.65	10.20	34.06
PK	5.5764G	107.12	Inf	-Inf	7.82	3	Vertical	6	2.82	-	99.30	31.65	10.24	34.07
PK	5.7276G	56.36	68.20	-11.84	8.16	3	Vertical	6	2.82	-	48.20	31.86	10.40	34.10



802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4504G	43.51	54.00	-10.49	7.74	3	Horizontal	86	2.35	-	35.77	31.60	10.20	34.06
AV	5.574G	104.38	Inf	-Inf	7.82	3	Horizontal	86	2.35	-	96.56	31.65	10.24	34.07
PK	5.4696G	55.54	68.20	-12.66	7.83	3	Horizontal	86	2.35	-	47.71	31.68	10.21	34.06
PK	5.5764G	114.33	Inf	-Inf	7.82	3	Horizontal	86	2.35	-	106.51	31.65	10.24	34.07
PK	5.7276G	56.19	68.20	-12.01	8.16	3	Horizontal	86	2.35	-	48.03	31.86	10.40	34.10



802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16094G	45.69	54.00	-8.31	18.91	3	Vertical	110	1.52	-	26.78	39.68	13.43	34.20
PK	11.16064G	58.22	74.00	-15.78	18.91	3	Vertical	110	1.52	-	39.31	39.68	13.43	34.20



802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16066G	45.62	54.00	-8.38	18.91	3	Horizontal	336	1.86	-	26.71	39.68	13.43	34.20
PK	11.15994G	58.76	74.00	-15.24	18.91	3	Horizontal	336	1.86	-	39.85	39.68	13.43	34.20



802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6962G	97.70	Inf	-Inf	8.06	3	Vertical	12	2.95	-	89.64	31.79	10.36	34.09
PK	5.6986G	107.87	Inf	-Inf	8.07	3	Vertical	12	2.95	-	99.80	31.80	10.36	34.09
PK	5.726G	64.92	68.20	-3.28	8.15	3	Vertical	12	2.95	-	56.77	31.85	10.40	34.10



802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.701G	101.65	Inf	-Inf	8.08	3	Horizontal	80	2.35	-	93.57	31.80	10.37	34.09
PK	5.6988G	112.62	Inf	-Inf	8.07	3	Horizontal	80	2.35	-	104.55	31.80	10.36	34.09
PK	5.7252G	67.93	68.20	-0.27	8.15	3	Horizontal	80	2.35	-	59.78	31.85	10.40	34.10



802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.402G	44.65	54.00	-9.35	19.19	3	Vertical	77	1.34	-	25.46	39.80	13.57	34.18
PK	11.40G	57.50	74.00	-16.50	19.19	3	Vertical	77	1.34	-	38.31	39.80	13.57	34.18



802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3901G	44.64	54.00	-9.36	19.16	3	Horizontal	266	1.56	-	25.48	39.78	13.56	34.18
PK	11.4018G	57.22	74.00	-16.78	19.19	3	Horizontal	266	1.56	-	38.03	39.80	13.57	34.18



802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	42.85	54.00	-11.15	7.76	3	Vertical	229	2.95	-	35.09	31.62	10.20	34.06
AV	5.7164G	99.75	Inf	-Inf	8.13	3	Vertical	229	2.95	-	91.62	31.83	10.39	34.09
PK	5.46G	55.06	74.00	-18.94	7.78	3	Vertical	229	2.95	-	47.28	31.64	10.20	34.06
PK	5.7224G	108.38	Inf	-Inf	8.13	3	Vertical	229	2.95	-	100.25	31.84	10.39	34.10
PK	5.8856G	57.22	68.20	-10.98	8.78	3	Vertical	229	2.95	-	48.44	32.37	10.53	34.12



802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	43.16	54.00	-10.84	7.78	3	Horizontal	81	2.25	-	35.38	31.64	10.20	34.06
AV	5.7236G	103.93	Inf	-Inf	8.14	3	Horizontal	81	2.25	-	95.79	31.85	10.39	34.10
PK	5.462G	55.17	68.20	-13.03	7.79	3	Horizontal	81	2.25	-	47.38	31.65	10.20	34.06
PK	5.7236G	114.01	Inf	-Inf	8.14	3	Horizontal	81	2.25	-	105.87	31.85	10.39	34.10
PK	5.912G	57.93	68.20	-10.27	8.81	3	Horizontal	81	2.25	-	49.12	32.40	10.54	34.13



802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5720MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42554G	44.78	54.00	-9.22	19.23	3	Vertical	8	2.06	-	25.55	39.83	13.58	34.18
PK	11.4343G	57.34	74.00	-16.66	19.24	3	Vertical	8	2.06	-	38.10	39.83	13.59	34.18



802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5720MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42662G	44.98	54.00	-9.02	19.23	3	Horizontal	83	2.03	-	25.75	39.83	13.58	34.18
PK	11.42698G	57.58	74.00	-16.42	19.23	3	Horizontal	83	2.03	-	38.35	39.83	13.58	34.18

802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	99.56	Inf	-Inf	8.19	3	Vertical	193	2.99	-	91.37	31.88	10.41	34.10
PK	5.6454G	56.14	68.20	-12.06	7.91	3	Vertical	193	2.99	-	48.23	31.69	10.30	34.08
PK	5.751G	110.25	Inf	-Inf	8.23	3	Vertical	193	2.99	-	102.02	31.90	10.43	34.10
PK	5.9454G	57.18	68.20	-11.02	8.83	3	Vertical	193	2.99	-	48.35	32.40	10.56	34.13



802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	104.10	Inf	-Inf	8.21	3	Horizontal	270	2.20	-	95.89	31.89	10.42	34.10
PK	5.5806G	57.07	68.20	-11.13	7.81	3	Horizontal	270	2.20	-	49.26	31.64	10.24	34.07
PK	5.7534G	113.30	Inf	-Inf	8.24	3	Horizontal	270	2.20	-	105.06	31.91	10.43	34.10
PK	5.949G	57.51	68.20	-10.69	8.83	3	Horizontal	270	2.20	-	48.68	32.40	10.56	34.13



802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49918G	45.04	54.00	-8.96	19.35	3	Vertical	152	2.25	-	25.69	39.90	13.62	34.17
PK	11.48286G	58.23	74.00	-15.77	19.32	3	Vertical	152	2.25	-	38.91	39.88	13.61	34.17



802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50272G	44.86	54.00	-9.14	19.36	3	Horizontal	205	1.45	-	25.50	39.90	13.63	34.17
PK	11.50416G	57.75	74.00	-16.25	19.36	3	Horizontal	205	1.45	-	38.39	39.90	13.63	34.17



802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	100.10	Inf	-Inf	8.41	3	Vertical	198	3.00	-	91.69	32.05	10.47	34.11
PK	5.6494G	56.16	68.20	-12.04	7.92	3	Vertical	198	3.00	-	48.24	31.70	10.30	34.08
PK	5.791G	109.77	Inf	-Inf	8.43	3	Vertical	198	3.00	-	101.34	32.06	10.48	34.11
PK	5.9554G	56.93	68.20	-11.27	8.83	3	Vertical	198	3.00	-	48.10	32.40	10.56	34.13

802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	102.99	Inf	-Inf	8.40	3	Horizontal	264	1.86	-	94.59	32.04	10.47	34.11
PK	5.6398G	56.61	68.20	-11.59	7.89	3	Horizontal	264	1.86	-	48.72	31.68	10.29	34.08
PK	5.779G	112.86	Inf	-Inf	8.38	3	Horizontal	264	1.86	-	104.48	32.02	10.46	34.10
PK	5.9518G	57.16	68.20	-11.04	8.83	3	Horizontal	264	1.86	-	48.33	32.40	10.56	34.13



802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57798G	45.18	54.00	-8.82	19.31	3	Vertical	129	2.06	-	25.87	39.82	13.67	34.18
PK	11.57372G	58.59	74.00	-15.41	19.32	3	Vertical	129	2.06	-	39.27	39.83	13.67	34.18



802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56814G	45.29	54.00	-8.71	19.31	3	Horizontal	81	1.97	-	25.98	39.83	13.66	34.18
PK	11.58356G	57.59	74.00	-16.41	19.30	3	Horizontal	81	1.97	-	38.29	39.82	13.67	34.19

802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.819G	99.98	Inf	-Inf	8.57	3	Vertical	167	2.96	-	91.41	32.18	10.50	34.11
PK	5.5406G	55.85	68.20	-12.35	7.88	3	Vertical	167	2.96	-	47.97	31.72	10.23	34.07
PK	5.8238G	109.52	Inf	-Inf	8.59	3	Vertical	167	2.96	-	100.93	32.20	10.50	34.11
PK	5.957G	56.73	68.20	-11.47	8.83	3	Vertical	167	2.96	-	47.90	32.40	10.56	34.13



802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	103.32	Inf	-Inf	8.60	3	Horizontal	262	2.24	-	94.72	32.21	10.50	34.11
PK	5.6438G	56.57	68.20	-11.63	7.91	3	Horizontal	262	2.24	-	48.66	31.69	10.30	34.08
PK	5.8262G	112.57	Inf	-Inf	8.59	3	Horizontal	262	2.24	-	103.98	32.20	10.50	34.11
PK	5.9786G	57.12	68.20	-11.08	8.83	3	Horizontal	262	2.24	-	48.29	32.40	10.57	34.14



802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65714G	45.33	54.00	-8.67	18.98	3	Vertical	201	1.40	-	26.35	39.46	13.72	34.20
PK	11.66434G	58.06	74.00	-15.94	18.93	3	Vertical	201	1.40	-	39.13	39.41	13.72	34.20



802.11ac VHT20_Nss1,(MCS0)_2TX

08/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6617G	45.38	54.00	-8.62	18.95	3	Horizontal	244	2.70	-	26.43	39.43	13.72	34.20
PK	11.63788G	58.26	74.00	-15.74	19.08	3	Horizontal	244	2.70	-	39.18	39.57	13.70	34.19



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	52.91	54.00	-1.09	7.91	3	Vertical	278	2.21	-	45.00	31.90	10.08	34.07
AV	5.1944G	93.44	Inf	-Inf	7.64	3	Vertical	278	2.21	-	85.80	31.63	10.08	34.07
PK	5.1472G	64.11	74.00	-9.89	7.92	3	Vertical	278	2.21	-	56.19	31.91	10.08	34.07
PK	5.1944G	102.79	Inf	-Inf	7.64	3	Vertical	278	2.21	-	95.15	31.63	10.08	34.07



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	53.86	54.00	-0.14	7.91	3	Horizontal	270	2.09	-	45.95	31.90	10.08	34.07
AV	5.1812G	97.51	Inf	-Inf	7.72	3	Horizontal	270	2.09	-	89.79	31.71	10.08	34.07
PK	5.1464G	67.89	74.00	-6.11	7.92	3	Horizontal	270	2.09	-	59.97	31.91	10.08	34.07
PK	5.1836G	106.78	Inf	-Inf	7.71	3	Horizontal	270	2.09	-	99.07	31.70	10.08	34.07



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38452G	58.32	68.20	-9.88	17.89	3	Vertical	312	1.33	-	40.43	39.54	12.98	34.63



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38054G	58.12	68.20	-10.08	17.87	3	Horizontal	246	1.18	-	40.25	39.52	12.98	34.63



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.37	54.00	-4.63	7.91	3	Vertical	276	2.18	-	41.46	31.90	10.08	34.07
AV	5.2244G	96.71	Inf	-Inf	7.47	3	Vertical	276	2.18	-	89.24	31.45	10.09	34.07
PK	5.1472G	61.43	74.00	-12.57	7.92	3	Vertical	276	2.18	-	53.51	31.91	10.08	34.07
PK	5.2244G	106.45	Inf	-Inf	7.47	3	Vertical	276	2.18	-	98.98	31.45	10.09	34.07



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	51.52	54.00	-2.48	7.91	3	Horizontal	262	1.98	-	43.61	31.90	10.08	34.07
AV	5.2336G	100.64	Inf	-Inf	7.43	3	Horizontal	262	1.98	-	93.21	31.40	10.10	34.07
PK	5.1416G	63.44	74.00	-10.56	7.93	3	Horizontal	262	1.98	-	55.51	31.92	10.08	34.07
PK	5.236G	109.16	Inf	-Inf	7.41	3	Horizontal	262	1.98	-	101.75	31.38	10.10	34.07



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46004G	59.06	68.20	-9.14	18.10	3	Vertical	88	1.80	-	40.96	39.66	13.02	34.58



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46032G	58.05	68.20	-10.15	18.10	3	Horizontal	170	1.33	-	39.95	39.66	13.02	34.58



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2672G	95.48	Inf	-Inf	7.31	3	Vertical	95	2.50	-	88.17	31.27	10.11	34.07
AV	5.35G	45.50	54.00	-8.50	7.29	3	Vertical	95	2.50	-	38.21	31.20	10.16	34.07
PK	5.2744G	104.98	Inf	-Inf	7.30	3	Vertical	95	2.50	-	97.68	31.25	10.12	34.07
PK	5.354G	56.71	74.00	-17.29	7.31	3	Vertical	95	2.50	-	49.40	31.22	10.16	34.07

802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2672G	100.15	Inf	-Inf	7.31	3	Horizontal	255	2.48	-	92.84	31.27	10.11	34.07
AV	5.35G	47.38	54.00	-6.62	7.29	3	Horizontal	255	2.48	-	40.09	31.20	10.16	34.07
PK	5.2676G	108.89	Inf	-Inf	7.30	3	Horizontal	255	2.48	-	101.59	31.26	10.11	34.07
PK	5.3544G	58.99	74.00	-15.01	7.32	3	Horizontal	255	2.48	-	51.67	31.23	10.16	34.07



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.54536G	59.48	68.20	-8.72	18.33	3	Vertical	106	1.95	-	41.15	39.79	13.07	34.53



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.54518G	60.14	68.20	-8.06	18.33	3	Horizontal	336	2.48	-	41.81	39.79	13.07	34.53

802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3148G	92.54	Inf	-Inf	7.27	3	Vertical	99	2.90	-	85.27	31.20	10.14	34.07
AV	5.35G	50.64	54.00	-3.36	7.29	3	Vertical	99	2.90	-	43.35	31.20	10.16	34.07
PK	5.3176G	101.92	Inf	-Inf	7.27	3	Vertical	99	2.90	-	94.65	31.20	10.14	34.07
PK	5.352G	63.47	74.00	-10.53	7.30	3	Vertical	99	2.90	-	56.17	31.21	10.16	34.07

802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3G	98.05	Inf	-Inf	7.26	3	Horizontal	268	2.09	-	90.79	31.20	10.13	34.07
AV	5.35G	53.89	54.00	-0.11	7.29	3	Horizontal	268	2.09	-	46.60	31.20	10.16	34.07
PK	5.3052G	106.61	Inf	-Inf	7.27	3	Horizontal	268	2.09	-	99.34	31.20	10.14	34.07
PK	5.3552G	69.07	74.00	-4.93	7.32	3	Horizontal	268	2.09	-	61.75	31.23	10.16	34.07



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62046G	46.05	54.00	-7.95	18.54	3	Vertical	178	1.54	-	27.51	39.90	13.12	34.48
PK	10.61814G	58.45	74.00	-15.55	18.53	3	Vertical	178	1.54	-	39.92	39.90	13.11	34.48



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62182G	45.85	54.00	-8.15	18.55	3	Horizontal	9	1.00	-	27.30	39.90	13.12	34.47
PK	10.62112G	58.31	74.00	-15.69	18.54	3	Horizontal	9	1.00	-	39.77	39.90	13.12	34.48



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	47.41	54.00	-6.59	7.76	3	Vertical	64	3.00	-	39.65	31.62	10.20	34.06
AV	5.504G	91.78	Inf	-Inf	7.95	3	Vertical	64	3.00	-	83.83	31.79	10.22	34.06
PK	5.4616G	65.23	68.20	-2.97	7.79	3	Vertical	64	3.00	-	57.44	31.65	10.20	34.06
PK	5.5016G	101.85	Inf	-Inf	7.96	3	Vertical	64	3.00	-	93.89	31.80	10.22	34.06



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	53.61	54.00	-0.39	7.75	3	Horizontal	84	1.95	-	45.86	31.61	10.20	34.06
AV	5.5088G	99.05	Inf	-Inf	7.94	3	Horizontal	84	1.95	-	91.11	31.78	10.22	34.06
PK	5.4688G	68.13	68.20	-0.07	7.83	3	Horizontal	84	1.95	-	60.30	31.68	10.21	34.06
PK	5.5036G	108.20	Inf	-Inf	7.95	3	Horizontal	84	1.95	-	100.25	31.79	10.22	34.06



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02242G	46.48	54.00	-7.52	19.25	3	Vertical	315	1.19	-	27.23	40.11	13.35	34.21
PK	11.02502G	58.36	74.00	-15.64	19.24	3	Vertical	315	1.19	-	39.12	40.10	13.35	34.21



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02246G	46.58	54.00	-7.42	19.25	3	Horizontal	136	1.71	-	27.33	40.11	13.35	34.21
PK	11.02422G	59.33	74.00	-14.67	19.24	3	Horizontal	136	1.71	-	40.09	40.10	13.35	34.21



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.25	54.00	-7.75	7.78	3	Vertical	222	3.00	-	38.47	31.64	10.20	34.06
AV	5.5428G	94.80	Inf	-Inf	7.87	3	Vertical	222	3.00	-	86.93	31.71	10.23	34.07
PK	5.4688G	58.13	68.20	-10.07	7.83	3	Vertical	222	3.00	-	50.30	31.68	10.21	34.06
PK	5.5376G	103.71	Inf	-Inf	7.88	3	Vertical	222	3.00	-	95.83	31.72	10.23	34.07

802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	50.19	54.00	-3.81	7.78	3	Horizontal	85	2.36	-	42.41	31.64	10.20	34.06
AV	5.5488G	101.23	Inf	-Inf	7.86	3	Horizontal	85	2.36	-	93.37	31.70	10.23	34.07
PK	5.4692G	64.04	68.20	-4.16	7.83	3	Horizontal	85	2.36	-	56.21	31.68	10.21	34.06
PK	5.5564G	110.57	Inf	-Inf	7.85	3	Horizontal	85	2.36	-	102.72	31.69	10.23	34.07



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09926G	46.48	54.00	-7.52	18.99	3	Vertical	126	1.95	-	27.49	39.80	13.39	34.20
PK	11.09208G	58.16	74.00	-15.84	19.02	3	Vertical	126	1.95	-	39.14	39.83	13.39	34.20



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10534G	46.44	54.00	-7.56	18.99	3	Horizontal	271	1.57	-	27.45	39.79	13.40	34.20
PK	11.09124G	58.76	74.00	-15.24	19.03	3	Horizontal	271	1.57	-	39.73	39.84	13.39	34.20



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6676G	96.44	Inf	-Inf	7.98	3	Vertical	217	2.99	-	88.46	31.74	10.33	34.09
PK	5.6676G	106.22	Inf	-Inf	7.98	3	Vertical	217	2.99	-	98.24	31.74	10.33	34.09
PK	5.7252G	63.91	68.20	-4.29	8.15	3	Vertical	217	2.99	-	55.76	31.85	10.40	34.10



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6664G	101.40	Inf	-Inf	7.96	3	Horizontal	80	1.87	-	93.44	31.73	10.32	34.09
PK	5.6832G	110.94	Inf	-Inf	8.02	3	Horizontal	80	1.87	-	102.92	31.77	10.34	34.09
PK	5.7276G	67.93	68.20	-0.27	8.16	3	Horizontal	80	1.87	-	59.77	31.86	10.40	34.10



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34594G	45.34	54.00	-8.66	19.05	3	Vertical	56	2.37	-	26.29	39.69	13.54	34.18
PK	11.3418G	58.16	74.00	-15.84	19.03	3	Vertical	56	2.37	-	39.13	39.68	13.53	34.18



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34584G	45.34	54.00	-8.66	19.05	3	Horizontal	45	1.83	-	26.29	39.69	13.54	34.18
PK	11.34224G	57.40	74.00	-16.60	19.03	3	Horizontal	45	1.83	-	38.37	39.68	13.53	34.18

802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4412G	43.74	54.00	-10.26	7.72	3	Vertical	222	2.96	-	36.02	31.58	10.20	34.06
AV	5.704G	98.14	Inf	-Inf	8.09	3	Vertical	222	2.96	-	90.05	31.81	10.37	34.09
PK	5.4616G	55.13	68.20	-13.07	7.79	3	Vertical	222	2.96	-	47.34	31.65	10.20	34.06
PK	5.716G	106.34	Inf	-Inf	8.12	3	Vertical	222	2.96	-	98.22	31.83	10.38	34.09
PK	5.956G	57.10	68.20	-11.10	8.83	3	Vertical	222	2.96	-	48.27	32.40	10.56	34.13



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4484G	44.11	54.00	-9.89	7.74	3	Horizontal	80	2.28	-	36.37	31.60	10.20	34.06
AV	5.7232G	101.71	Inf	-Inf	8.14	3	Horizontal	80	2.28	-	93.57	31.85	10.39	34.10
PK	5.4628G	56.70	68.20	-11.50	7.79	3	Horizontal	80	2.28	-	48.91	31.65	10.20	34.06
PK	5.716G	110.69	Inf	-Inf	8.12	3	Horizontal	80	2.28	-	102.57	31.83	10.38	34.09
PK	5.9656G	57.66	68.20	-10.54	8.84	3	Horizontal	80	2.28	-	48.82	32.40	10.57	34.13



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5710MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42096G	45.67	54.00	-8.33	19.22	3	Vertical	223	1.86	-	26.45	39.82	13.58	34.18
PK	11.41976G	57.12	74.00	-16.88	19.22	3	Vertical	223	1.86	-	37.90	39.82	13.58	34.18



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5710MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4137G	45.53	54.00	-8.47	19.20	3	Horizontal	45	2.07	-	26.33	39.81	13.57	34.18
PK	11.41922G	57.49	74.00	-16.51	19.22	3	Horizontal	45	2.07	-	38.27	39.82	13.58	34.18



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7562G	98.58	Inf	-Inf	8.25	3	Vertical	192	3.00	-	90.33	31.92	10.43	34.10
PK	5.6518G	59.47	69.53	-10.06	7.93	3	Vertical	192	3.00	-	51.54	31.70	10.31	34.08
PK	5.7514G	107.11	Inf	-Inf	8.24	3	Vertical	192	3.00	-	98.87	31.91	10.43	34.10
PK	5.9302G	57.37	68.20	-10.83	8.82	3	Vertical	192	3.00	-	48.55	32.40	10.55	34.13



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.749G	102.96	Inf	-Inf	8.22	3	Horizontal	266	2.20	-	94.74	31.90	10.42	34.10
PK	5.641G	61.47	68.20	-6.73	7.89	3	Horizontal	266	2.20	-	53.58	31.68	10.29	34.08
PK	5.7514G	111.65	Inf	-Inf	8.24	3	Horizontal	266	2.20	-	103.41	31.91	10.43	34.10
PK	5.929G	57.01	68.20	-11.19	8.82	3	Horizontal	266	2.20	-	48.19	32.40	10.55	34.13



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51008G	46.06	54.00	-7.94	19.35	3	Vertical	306	1.97	-	26.71	39.89	13.63	34.17
PK	11.51032G	58.33	74.00	-15.67	19.35	3	Vertical	306	1.97	-	38.98	39.89	13.63	34.17



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5107G	46.01	54.00	-7.99	19.35	3	Horizontal	30	2.05	-	26.66	39.89	13.63	34.17
PK	11.51052G	57.74	74.00	-16.26	19.35	3	Horizontal	30	2.05	-	38.39	39.89	13.63	34.17



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7926G	102.52	Inf	-Inf	8.44	3	Vertical	295	1.25	-	94.08	32.07	10.48	34.11
PK	5.5058G	57.65	68.20	-10.55	7.95	3	Vertical	295	1.25	-	49.70	31.79	10.22	34.06
PK	5.8022G	110.74	Inf	-Inf	8.49	3	Vertical	295	1.25	-	102.25	32.11	10.49	34.11
PK	5.9306G	58.34	68.20	-9.86	8.82	3	Vertical	295	1.25	-	49.52	32.40	10.55	34.13



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7806G	104.81	Inf	-Inf	8.38	3	Horizontal	72	2.29	-	96.43	32.02	10.46	34.10
PK	5.639G	59.06	68.20	-9.14	7.89	3	Horizontal	72	2.29	-	51.17	31.68	10.29	34.08
PK	5.7782G	114.09	Inf	-Inf	8.37	3	Horizontal	72	2.29	-	105.72	32.01	10.46	34.10
PK	5.927G	60.30	68.20	-7.90	8.82	3	Horizontal	72	2.29	-	51.48	32.40	10.55	34.13



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59434G	46.42	54.00	-7.58	19.30	3	Vertical	60	1.96	-	27.12	39.81	13.68	34.19
PK	11.59392G	58.23	74.00	-15.77	19.30	3	Vertical	60	1.96	-	38.93	39.81	13.68	34.19



802.11ac VHT40_Nss1,(MCS0)_2TX

08/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59858G	46.24	54.00	-7.76	19.29	3	Horizontal	35	2.20	-	26.95	39.80	13.68	34.19
PK	11.59588G	57.79	74.00	-16.21	19.29	3	Horizontal	35	2.20	-	38.50	39.80	13.68	34.19



802.11ac VHT80_Nss1,(MCS0)_2TX

08/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	51.86	54.00	-2.14	7.93	3	Vertical	106	2.46	-	43.93	31.92	10.08	34.07
AV	5.22G	88.35	Inf	-Inf	7.50	3	Vertical	106	2.46	-	80.85	31.48	10.09	34.07
AV	5.439G	47.81	54.00	-6.19	7.72	3	Vertical	106	2.46	-	40.09	31.58	10.20	34.06
PK	5.143G	62.74	74.00	-11.26	7.92	3	Vertical	106	2.46	-	54.82	31.91	10.08	34.07
PK	5.228G	97.81	Inf	-Inf	7.45	3	Vertical	106	2.46	-	90.36	31.43	10.09	34.07
PK	5.394G	59.14	74.00	-14.86	7.58	3	Vertical	106	2.46	-	51.56	31.46	10.18	34.06



802.11ac VHT80_Nss1,(MCS0)_2TX

08/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.76	54.00	-0.24	7.91	3	Horizontal	80	2.39	-	45.85	31.90	10.08	34.07
AV	5.221G	92.51	Inf	-Inf	7.49	3	Horizontal	80	2.39	-	85.02	31.47	10.09	34.07
AV	5.377G	48.02	54.00	-5.98	7.47	3	Horizontal	80	2.39	-	40.55	31.36	10.17	34.06
PK	5.118G	65.91	74.00	-8.09	7.96	3	Horizontal	80	2.39	-	57.95	31.96	10.08	34.08
PK	5.222G	101.55	Inf	-Inf	7.49	3	Horizontal	80	2.39	-	94.06	31.47	10.09	34.07
PK	5.385G	58.93	74.00	-15.07	7.53	3	Horizontal	80	2.39	-	51.40	31.41	10.18	34.06



802.11ac VHT80_Nss1,(MCS0)_2TX

08/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.42064G	58.05	68.20	-10.15	18.01	3	Vertical	157	2.05	-	40.04	39.62	13.00	34.61



802.11ac VHT80_Nss1,(MCS0)_2TX

08/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.42056G	57.89	68.20	-10.31	18.01	3	Horizontal	259	2.07	-	39.88	39.62	13.00	34.61



802.11ac VHT80_Nss1,(MCS0)_2TX

08/08/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	47.07	54.00	-6.93	7.92	3	Vertical	98	2.20	-	39.15	31.91	10.08	34.07
AV	5.302G	89.96	Inf	-Inf	7.26	3	Vertical	98	2.20	-	82.70	31.20	10.13	34.07
AV	5.354G	50.59	54.00	-3.41	7.31	3	Vertical	98	2.20	-	43.28	31.22	10.16	34.07
PK	5.116G	57.71	74.00	-16.29	7.97	3	Vertical	98	2.20	-	49.74	31.97	10.08	34.08
PK	5.277G	100.31	Inf	-Inf	7.30	3	Vertical	98	2.20	-	93.01	31.25	10.12	34.07
PK	5.354G	62.52	74.00	-11.48	7.31	3	Vertical	98	2.20	-	55.21	31.22	10.16	34.07



802.11ac VHT80_Nss1,(MCS0)_2TX

08/08/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	48.80	54.00	-5.20	7.91	3	Horizontal	267	2.21	-	40.89	31.90	10.08	34.07
AV	5.285G	94.74	Inf	-Inf	7.28	3	Horizontal	267	2.21	-	87.46	31.23	10.12	34.07
AV	5.358G	53.69	54.00	-0.31	7.34	3	Horizontal	267	2.21	-	46.35	31.25	10.16	34.07
PK	5.135G	59.91	74.00	-14.09	7.94	3	Horizontal	267	2.21	-	51.97	31.93	10.08	34.07
PK	5.28G	103.68	Inf	-Inf	7.29	3	Horizontal	267	2.21	-	96.39	31.24	10.12	34.07
PK	5.367G	67.30	74.00	-6.70	7.40	3	Horizontal	267	2.21	-	59.90	31.30	10.17	34.07



802.11ac VHT80_Nss1,(MCS0)_2TX

08/08/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.57268G	57.68	68.20	-10.52	18.43	3	Vertical	125	1.59	-	39.25	39.85	13.09	34.51



802.11ac VHT80_Nss1,(MCS0)_2TX

08/08/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.57556G	57.78	68.20	-10.42	18.43	3	Horizontal	235	2.08	-	39.35	39.85	13.09	34.51



802.11ac VHT80_Nss1,(MCS0)_2TX

08/08/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	47.33	54.00	-6.67	7.76	3	Vertical	3	2.98	-	39.57	31.62	10.20	34.06
AV	5.522G	87.68	Inf	-Inf	7.92	3	Vertical	3	2.98	-	79.76	31.76	10.22	34.06
PK	5.467G	58.20	68.20	-10.00	7.82	3	Vertical	3	2.98	-	50.38	31.67	10.21	34.06
PK	5.527G	97.10	Inf	-Inf	7.91	3	Vertical	3	2.98	-	89.19	31.75	10.22	34.06
PK	5.749G	56.25	68.20	-11.95	8.22	3	Vertical	3	2.98	-	48.03	31.90	10.42	34.10



802.11ac VHT80_Nss1,(MCS0)_2TX

08/08/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	53.72	54.00	-0.28	7.78	3	Horizontal	81	2.36	-	45.94	31.64	10.20	34.06
AV	5.521G	93.43	Inf	-Inf	7.92	3	Horizontal	81	2.36	-	85.51	31.76	10.22	34.06
PK	5.466G	65.10	68.20	-3.10	7.81	3	Horizontal	81	2.36	-	57.29	31.66	10.21	34.06
PK	5.519G	103.60	Inf	-Inf	7.92	3	Horizontal	81	2.36	-	95.68	31.76	10.22	34.06
PK	5.767G	57.33	68.20	-10.87	8.32	3	Horizontal	81	2.36	-	49.01	31.97	10.45	34.10



802.11ac VHT80_Nss1,(MCS0)_2TX

08/08/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06768G	46.98	54.00	-7.02	19.10	3	Vertical	245	1.66	-	27.88	39.93	13.37	34.20
PK	11.07074G	58.29	74.00	-15.71	19.10	3	Vertical	245	1.66	-	39.19	39.92	13.38	34.20



802.11ac VHT80_Nss1,(MCS0)_2TX

08/08/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.075G	46.91	54.00	-7.09	19.08	3	Horizontal	356	1.73	-	27.83	39.90	13.38	34.20
PK	11.05256G	58.46	74.00	-15.54	19.15	3	Horizontal	356	1.73	-	39.31	39.99	13.37	34.21



802.11ac VHT80_Nss1,(MCS0)_2TX

08/08/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.451G	45.37	54.00	-8.63	7.74	3	Vertical	252	3.00	-	37.63	31.60	10.20	34.06
AV	5.629G	89.93	Inf	-Inf	7.86	3	Vertical	252	3.00	-	82.07	31.66	10.28	34.08
PK	5.467G	56.78	68.20	-11.42	7.82	3	Vertical	252	3.00	-	48.96	31.67	10.21	34.06
PK	5.619G	99.44	Inf	-Inf	7.83	3	Vertical	252	3.00	-	91.61	31.64	10.27	34.08
PK	5.756G	57.88	68.20	-10.32	8.25	3	Vertical	252	3.00	-	49.63	31.92	10.43	34.10



802.11ac VHT80_Nss1,(MCS0)_2TX

08/08/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	51.12	54.00	-2.88	7.76	3	Horizontal	78	1.91	-	43.36	31.62	10.20	34.06
AV	5.619G	97.05	Inf	-Inf	7.83	3	Horizontal	78	1.91	-	89.22	31.64	10.27	34.08
PK	5.462G	64.64	68.20	-3.56	7.79	3	Horizontal	78	1.91	-	56.85	31.65	10.20	34.06
PK	5.623G	106.77	Inf	-Inf	7.84	3	Horizontal	78	1.91	-	98.93	31.65	10.27	34.08
PK	5.726G	62.02	68.20	-6.18	8.15	3	Horizontal	78	1.91	-	53.87	31.85	10.40	34.10



802.11ac VHT80_Nss1,(MCS0)_2TX

08/08/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21112G	46.03	54.00	-7.97	18.87	3	Vertical	90	2.10	-	27.16	39.60	13.46	34.19
PK	11.235G	58.34	74.00	-15.66	18.88	3	Vertical	90	2.10	-	39.46	39.60	13.47	34.19



802.11ac VHT80_Nss1,(MCS0)_2TX

08/08/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21544G	46.05	54.00	-7.95	18.87	3	Horizontal	158	1.87	-	27.18	39.60	13.46	34.19
PK	11.20716G	58.06	74.00	-15.94	18.86	3	Horizontal	158	1.87	-	39.20	39.60	13.45	34.19



802.11ac VHT80_Nss1,(MCS0)_2TX

08/08/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4368G	44.00	54.00	-10.00	7.71	3	Vertical	220	3.00	-	36.29	31.57	10.20	34.06
AV	5.6804G	92.62	Inf	-Inf	8.01	3	Vertical	220	3.00	-	84.61	31.76	10.34	34.09
PK	5.468G	55.54	68.20	-12.66	7.82	3	Vertical	220	3.00	-	47.72	31.67	10.21	34.06
PK	5.6744G	102.17	Inf	-Inf	7.99	3	Vertical	220	3.00	-	94.18	31.75	10.33	34.09
PK	5.8628G	57.45	68.20	-10.75	8.73	3	Vertical	220	3.00	-	48.72	32.33	10.52	34.12



802.11ac VHT80_Nss1,(MCS0)_2TX

08/08/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	45.05	54.00	-8.95	7.78	3	Horizontal	83	2.27	-	37.27	31.64	10.20	34.06
AV	5.684G	97.24	Inf	-Inf	8.03	3	Horizontal	83	2.27	-	89.21	31.77	10.35	34.09
PK	5.4692G	56.57	68.20	-11.63	7.83	3	Horizontal	83	2.27	-	48.74	31.68	10.21	34.06
PK	5.6816G	106.99	Inf	-Inf	8.01	3	Horizontal	83	2.27	-	98.98	31.76	10.34	34.09
PK	5.852G	58.24	68.20	-9.96	8.69	3	Horizontal	83	2.27	-	49.55	32.30	10.51	34.12



802.11ac VHT80_Nss1,(MCS0)_2TX

08/08/2019

5690MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37964G	45.53	54.00	-8.47	19.13	3	Vertical	248	1.96	-	26.40	39.76	13.55	34.18
PK	11.36506G	58.14	74.00	-15.86	19.10	3	Vertical	248	1.96	-	39.04	39.73	13.55	34.18



802.11ac VHT80_Nss1,(MCS0)_2TX

08/08/2019

5690MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3815G	45.41	54.00	-8.59	19.14	3	Horizontal	36	2.27	-	26.27	39.76	13.56	34.18
PK	11.37598G	57.58	74.00	-16.42	19.12	3	Horizontal	36	2.27	-	38.46	39.75	13.55	34.18

802.11ac VHT80_Nss1,(MCS0)_2TX

08/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7894G	94.78	Inf	-Inf	8.42	3	Vertical	1	2.76	-	86.36	32.06	10.47	34.11
PK	5.6442G	62.85	68.20	-5.35	7.91	3	Vertical	1	2.76	-	54.94	31.69	10.30	34.08
PK	5.7666G	104.74	Inf	-Inf	8.32	3	Vertical	1	2.76	-	96.42	31.97	10.45	34.10
PK	5.925G	58.78	68.20	-9.42	8.82	3	Vertical	1	2.76	-	49.96	32.40	10.55	34.13



802.11ac VHT80_Nss1,(MCS0)_2TX

08/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7666G	98.89	Inf	-Inf	8.32	3	Horizontal	78	2.26	-	90.57	31.97	10.45	34.10
PK	5.6478G	68.12	68.20	-0.08	7.92	3	Horizontal	78	2.26	-	60.20	31.70	10.30	34.08
PK	5.7738G	108.59	Inf	-Inf	8.36	3	Horizontal	78	2.26	-	100.23	32.00	10.46	34.10
PK	5.9286G	60.23	68.20	-7.97	8.82	3	Horizontal	78	2.26	-	51.41	32.40	10.55	34.13



802.11ac VHT80_Nss1,(MCS0)_2TX

08/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55084G	46.04	54.00	-7.96	19.32	3	Vertical	235	1.31	-	26.72	39.85	13.65	34.18
PK	11.55096G	58.54	74.00	-15.46	19.32	3	Vertical	235	1.31	-	39.22	39.85	13.65	34.18



802.11ac VHT80_Nss1,(MCS0)_2TX

08/08/2019

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5497G	46.03	54.00	-7.97	19.32	3	Horizontal	12	2.24	-	26.71	39.85	13.65	34.18
PK	11.54996G	58.02	74.00	-15.98	19.32	3	Horizontal	12	2.24	-	38.70	39.85	13.65	34.18