


5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.57	54.00	-5.43	6.15	3	Vertical	153	1.95	42.42	33.20	7.21	34.26
AV	5.2204G	94.49	Inf	-Inf	6.20	3	Vertical	153	1.95	88.29	33.16	7.30	34.26
PK	5.148G	61.14	74.00	-12.86	6.15	3	Vertical	153	1.95	54.99	33.20	7.21	34.26
PK	5.2256G	107.08	Inf	-Inf	6.19	3	Vertical	153	1.95	100.89	33.15	7.30	34.26

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	52.76	54.00	-1.24	6.15	3	Horizontal	246	2.04	46.61	33.20	7.21	34.26
AV	5.2344G	101.02	Inf	-Inf	6.16	3	Horizontal	246	2.04	94.86	33.13	7.29	34.26
PK	5.1492G	67.99	74.00	-6.01	6.15	3	Horizontal	246	2.04	61.84	33.20	7.21	34.26
PK	5.2148G	113.79	Inf	-Inf	6.21	3	Horizontal	246	2.04	107.58	33.17	7.30	34.26

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68983G	44.01	54.00	-9.99	16.82	3	Vertical	13	1.04	27.19	38.43	12.59	34.20
PK	15.68938G	57.47	74.00	-16.53	16.82	3	Vertical	13	1.04	40.65	38.43	12.59	34.20

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69026G	43.96	54.00	-10.04	16.82	3	Horizontal	154	2.60	27.14	38.43	12.59	34.20
PK	15.68902G	56.52	74.00	-17.48	16.82	3	Horizontal	154	2.60	39.70	38.43	12.59	34.20

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2744G	96.46	Inf	-Inf	6.08	3	Vertical	232	1.98	90.38	33.05	7.28	34.25
AV	5.3528G	49.51	54.00	-4.49	5.90	3	Vertical	232	1.98	43.61	32.91	7.24	34.25
PK	5.2616G	108.52	Inf	-Inf	6.11	3	Vertical	232	1.98	102.41	33.08	7.28	34.25
PK	5.3504G	62.93	74.00	-11.07	5.89	3	Vertical	232	1.98	57.04	32.90	7.24	34.25

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.262G	100.73	Inf	-Inf	6.11	3	Horizontal	245	2.04	94.62	33.08	7.28	34.25
AV	5.3504G	52.39	54.00	-1.61	5.89	3	Horizontal	245	2.04	46.50	32.90	7.24	34.25
PK	5.2548G	112.54	Inf	-Inf	6.13	3	Horizontal	245	2.04	106.41	33.09	7.29	34.25
PK	5.3508G	67.62	74.00	-6.38	5.89	3	Horizontal	245	2.04	61.73	32.90	7.24	34.25

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81028G	43.57	54.00	-10.43	16.82	3	Vertical	43	1.48	26.75	38.38	12.65	34.21
PK	15.81059G	56.52	74.00	-17.48	16.82	3	Vertical	43	1.48	39.70	38.38	12.65	34.21

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80967G	43.54	54.00	-10.46	16.82	3	Horizontal	193	2.47	26.72	38.38	12.65	34.21
PK	15.81058G	56.65	74.00	-17.35	16.82	3	Horizontal	193	2.47	39.83	38.38	12.65	34.21

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3048G	90.88	Inf	-Inf	6.00	3	Vertical	236	1.98	84.88	32.99	7.26	34.25
AV	5.35G	51.19	54.00	-2.81	5.89	3	Vertical	236	1.98	45.30	32.90	7.24	34.25
PK	5.3144G	103.46	Inf	-Inf	5.98	3	Vertical	236	1.98	97.48	32.97	7.26	34.25
PK	5.3544G	65.94	74.00	-8.06	5.90	3	Vertical	236	1.98	60.04	32.91	7.24	34.25

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3132G	92.30	Inf	-Inf	5.98	3	Horizontal	134	2.10	86.32	32.97	7.26	34.25
AV	5.3508G	53.24	54.00	-0.76	5.89	3	Horizontal	134	2.10	47.35	32.90	7.24	34.25
PK	5.3136G	105.24	Inf	-Inf	5.98	3	Horizontal	134	2.10	99.26	32.97	7.26	34.25
PK	5.3536G	69.35	74.00	-4.65	5.90	3	Horizontal	134	2.10	63.45	32.91	7.24	34.25

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.92988G	43.71	54.00	-10.29	16.65	3	Vertical	164	1.38	27.06	38.17	12.71	34.23
PK	15.9303G	56.98	74.00	-17.02	16.65	3	Vertical	164	1.38	40.33	38.17	12.71	34.23

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.93042G	43.96	54.00	-10.04	16.65	3	Horizontal	65	2.12	27.31	38.17	12.71	34.23
PK	15.93091G	56.18	74.00	-17.82	16.65	3	Horizontal	65	2.12	39.53	38.17	12.71	34.23

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	46.18	54.00	-7.82	6.04	3	Vertical	233	2.04	40.14	33.00	7.28	34.24
AV	5.5076G	86.64	Inf	-Inf	6.09	3	Vertical	233	2.04	80.55	33.00	7.33	34.24
PK	5.4696G	61.99	68.20	-6.21	6.05	3	Vertical	233	2.04	55.94	33.00	7.29	34.24
PK	5.5156G	98.93	Inf	-Inf	6.10	3	Vertical	233	2.04	92.83	33.00	7.34	34.24

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	47.70	54.00	-6.30	6.04	3	Horizontal	100	2.06	41.66	33.00	7.28	34.24
AV	5.5168G	93.30	Inf	-Inf	6.09	3	Horizontal	100	2.06	87.21	33.00	7.34	34.25
PK	5.4692G	66.67	68.20	-1.53	6.05	3	Horizontal	100	2.06	60.62	33.00	7.29	34.24
PK	5.5244G	105.36	Inf	-Inf	6.09	3	Horizontal	100	2.06	99.27	33.00	7.34	34.25


5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5510MHz\_TX





5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4564G	47.74	54.00	-6.26	6.04	3	Vertical	229	2.60	41.70	33.00	7.28	34.24
AV	5.5556G	93.33	Inf	-Inf	6.13	3	Vertical	229	2.60	87.20	33.01	7.38	34.26
PK	5.4696G	61.97	68.20	-6.23	6.05	3	Vertical	229	2.60	55.92	33.00	7.29	34.24
PK	5.548G	106.09	Inf	-Inf	6.12	3	Vertical	229	2.60	99.97	33.00	7.37	34.25

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	51.09	54.00	-2.91	6.04	3	Horizontal	100	2.03	45.05	33.00	7.28	34.24
AV	5.5444G	101.11	Inf	-Inf	6.11	3	Horizontal	100	2.03	95.00	33.00	7.36	34.25
PK	5.4692G	67.38	68.20	-0.82	6.05	3	Horizontal	100	2.03	61.33	33.00	7.29	34.24
PK	5.5444G	114.76	Inf	-Inf	6.11	3	Horizontal	100	2.03	108.65	33.00	7.36	34.25


5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.673G	90.61	Inf	-Inf	6.53	3	Vertical	231	2.71	84.08	33.38	7.44	34.29
PK	5.676G	103.50	Inf	-Inf	6.56	3	Vertical	231	2.71	96.94	33.41	7.44	34.29
PK	5.727G	61.19	68.20	-7.01	6.95	3	Vertical	231	2.71	54.24	33.81	7.45	34.31

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6766G	98.77	Inf	-Inf	6.57	3	Horizontal	100	1.91	92.20	33.42	7.44	34.29
PK	5.6772G	110.09	Inf	-Inf	6.58	3	Horizontal	100	1.91	103.51	33.43	7.44	34.29
PK	5.7294G	67.30	68.20	-0.90	6.96	3	Horizontal	100	1.91	60.34	33.82	7.45	34.31


5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4364G	45.65	54.00	-8.35	6.02	3	Vertical	205	2.47	39.63	33.00	7.26	34.24
AV	5.704G	94.27	Inf	-Inf	6.87	3	Vertical	205	2.47	87.40	33.72	7.45	34.30
PK	5.4688G	57.38	68.20	-10.82	6.05	3	Vertical	205	2.47	51.33	33.00	7.29	34.24
PK	5.7124G	106.32	Inf	-Inf	6.90	3	Vertical	205	2.47	99.42	33.75	7.45	34.30
PK	5.8792G	60.52	68.20	-7.68	7.53	3	Vertical	205	2.47	52.99	34.28	7.60	34.35

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	46.27	54.00	-7.73	6.04	3	Horizontal	100	2.06	40.23	33.00	7.28	34.24
AV	5.7112G	101.56	Inf	-Inf	6.89	3	Horizontal	100	2.06	94.67	33.74	7.45	34.30
PK	5.47G	58.00	68.20	-10.20	6.05	3	Horizontal	100	2.06	51.95	33.00	7.29	34.24
PK	5.6968G	113.92	Inf	-Inf	6.80	3	Horizontal	100	2.06	107.12	33.66	7.44	34.30
PK	5.8552G	62.35	68.20	-5.85	7.34	3	Horizontal	100	2.06	55.01	34.13	7.56	34.35


5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7466G	94.69	Inf	-Inf	7.04	3	Vertical	205	2.34	87.65	33.89	7.46	34.31
PK	5.5858G	58.43	68.20	-9.77	6.21	3	Vertical	205	2.34	52.22	33.07	7.41	34.27
PK	5.7442G	107.63	Inf	-Inf	7.03	3	Vertical	205	2.34	100.60	33.88	7.46	34.31
PK	5.9758G	59.54	68.20	-8.66	7.52	3	Vertical	205	2.34	52.02	34.15	7.75	34.38

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	101.36	Inf	-Inf	7.08	3	Horizontal	100	2.02	94.28	33.94	7.46	34.32
PK	5.6494G	67.11	68.20	-1.09	6.25	3	Horizontal	100	2.02	60.86	33.10	7.43	34.28
PK	5.7442G	113.17	Inf	-Inf	7.03	3	Horizontal	100	2.02	106.14	33.88	7.46	34.31
PK	5.9626G	60.56	68.20	-7.64	7.52	3	Horizontal	100	2.02	53.04	34.17	7.73	34.38


5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5755MHz\_TX





5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7998G	95.02	Inf	-Inf	7.24	3	Vertical	197	2.89	87.78	34.10	7.47	34.33
PK	5.5766G	58.09	68.20	-10.11	6.19	3	Vertical	197	2.89	51.90	33.05	7.40	34.26
PK	5.7974G	106.02	Inf	-Inf	7.23	3	Vertical	197	2.89	98.79	34.09	7.47	34.33
PK	5.9642G	59.82	68.20	-8.38	7.52	3	Vertical	197	2.89	52.30	34.17	7.73	34.38

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7998G	100.53	Inf	-Inf	7.24	3	Horizontal	100	1.97	93.29	34.10	7.47	34.33
PK	5.6462G	60.94	68.20	-7.26	6.25	3	Horizontal	100	1.97	54.69	33.10	7.43	34.28
PK	5.7986G	111.87	Inf	-Inf	7.23	3	Horizontal	100	1.97	104.64	34.09	7.47	34.33
PK	5.9258G	60.97	68.20	-7.23	7.60	3	Horizontal	100	1.97	53.37	34.30	7.67	34.37

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX



5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.85	54.00	-3.15	6.15	3	Vertical	153	2.18	44.70	33.20	7.21	34.26
AV	5.172G	86.13	Inf	-Inf	6.19	3	Vertical	153	2.18	79.94	33.20	7.25	34.26
AV	5.41G	47.40	54.00	-6.60	5.98	3	Vertical	153	2.18	41.42	33.00	7.23	34.25
PK	5.135G	63.64	74.00	-10.36	6.09	3	Vertical	153	2.18	57.55	33.17	7.18	34.26
PK	5.205G	97.76	Inf	-Inf	6.24	3	Vertical	153	2.18	91.52	33.19	7.31	34.26
PK	5.369G	58.27	74.00	-15.73	5.92	3	Vertical	153	2.18	52.35	32.94	7.23	34.25

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.39	54.00	-0.61	6.15	3	Horizontal	245	2.18	47.24	33.20	7.21	34.26
AV	5.224G	92.65	Inf	-Inf	6.19	3	Horizontal	245	2.18	86.46	33.15	7.30	34.26
AV	5.426G	48.26	54.00	-5.74	6.01	3	Horizontal	245	2.18	42.25	33.00	7.25	34.24
PK	5.134G	66.87	74.00	-7.13	6.09	3	Horizontal	245	2.18	60.78	33.17	7.18	34.26
PK	5.225G	103.69	Inf	-Inf	6.19	3	Horizontal	245	2.18	97.50	33.15	7.30	34.26
PK	5.438G	59.03	74.00	-14.97	6.02	3	Horizontal	245	2.18	53.01	33.00	7.26	34.24

5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63133G	45.13	54.00	-8.87	16.98	3	Vertical	321	2.26	28.15	38.61	12.56	34.19
PK	15.63174G	57.08	74.00	-16.92	16.98	3	Vertical	321	2.26	40.10	38.60	12.57	34.19

5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63131G	45.16	54.00	-8.84	16.98	3	Horizontal	116	1.54	28.18	38.61	12.56	34.19
PK	15.63199G	56.59	74.00	-17.41	16.98	3	Horizontal	116	1.54	39.61	38.60	12.57	34.19

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	48.63	54.00	-5.37	6.11	3	Vertical	152	2.11	42.52	33.18	7.19	34.26
AV	5.253G	87.26	Inf	-Inf	6.13	3	Vertical	152	2.11	81.13	33.09	7.29	34.25
AV	5.351G	50.59	54.00	-3.41	5.89	3	Vertical	152	2.11	44.70	32.90	7.24	34.25
PK	5.136G	61.33	74.00	-12.67	6.09	3	Vertical	152	2.11	55.24	33.17	7.18	34.26
PK	5.253G	98.26	Inf	-Inf	6.13	3	Vertical	152	2.11	92.13	33.09	7.29	34.25
PK	5.357G	66.45	74.00	-7.55	5.90	3	Vertical	152	2.11	60.55	32.91	7.24	34.25

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	48.32	54.00	-5.68	6.15	3	Horizontal	135	1.94	42.17	33.20	7.21	34.26
AV	5.303G	90.31	Inf	-Inf	6.00	3	Horizontal	135	1.94	84.31	32.99	7.26	34.25
AV	5.361G	53.60	54.00	-0.40	5.91	3	Horizontal	135	1.94	47.69	32.92	7.24	34.25
PK	5.143G	58.76	74.00	-15.24	6.13	3	Horizontal	135	1.94	52.63	33.19	7.20	34.26
PK	5.301G	101.71	Inf	-Inf	6.01	3	Horizontal	135	1.94	95.70	33.00	7.26	34.25
PK	5.356G	70.88	74.00	-3.12	5.90	3	Horizontal	135	1.94	64.98	32.91	7.24	34.25

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86968G	45.02	54.00	-8.98	16.72	3	Vertical	139	1.87	28.30	38.26	12.68	34.22
PK	15.87012G	56.74	74.00	-17.26	16.72	3	Vertical	139	1.87	40.02	38.26	12.68	34.22

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87066G	45.21	54.00	-8.79	16.72	3	Horizontal	128	2.11	28.49	38.26	12.68	34.22
PK	15.86951G	56.47	74.00	-17.53	16.72	3	Horizontal	128	2.11	39.75	38.26	12.68	34.22

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	49.31	54.00	-4.69	6.04	3	Vertical	239	2.03	43.27	33.00	7.28	34.24
AV	5.518G	84.76	Inf	-Inf	6.09	3	Vertical	239	2.03	78.67	33.00	7.34	34.25
PK	5.467G	60.66	68.20	-7.54	6.05	3	Vertical	239	2.03	54.61	33.00	7.29	34.24
PK	5.553G	95.99	Inf	-Inf	6.12	3	Vertical	239	2.03	89.87	33.01	7.37	34.26
PK	5.768G	59.17	68.20	-9.03	7.11	3	Vertical	239	2.03	52.06	33.97	7.46	34.32

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	53.86	54.00	-0.14	6.04	3	Horizontal	100	2.03	47.82	33.00	7.28	34.24
AV	5.514G	91.75	Inf	-Inf	6.09	3	Horizontal	100	2.03	85.66	33.00	7.33	34.24
PK	5.465G	66.05	68.20	-2.15	6.04	3	Horizontal	100	2.03	60.01	33.00	7.28	34.24
PK	5.542G	104.48	Inf	-Inf	6.11	3	Horizontal	100	2.03	98.37	33.00	7.36	34.25
PK	5.731G	59.70	68.20	-8.50	6.96	3	Horizontal	100	2.03	52.74	33.82	7.45	34.31


5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX





5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.451G	47.57	54.00	-6.43	6.03	3	Vertical	234	2.67	41.54	33.00	7.27	34.24
AV	5.618G	88.93	Inf	-Inf	6.24	3	Vertical	234	2.67	82.69	33.10	7.42	34.28
PK	5.466G	58.01	68.20	-10.19	6.05	3	Vertical	234	2.67	51.96	33.00	7.29	34.24
PK	5.614G	100.72	Inf	-Inf	6.25	3	Vertical	234	2.67	94.47	33.10	7.42	34.27
PK	5.859G	59.46	68.20	-8.74	7.36	3	Vertical	234	2.67	52.10	34.15	7.56	34.35

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	49.97	54.00	-4.03	6.04	3	Horizontal	100	2.02	43.93	33.00	7.28	34.24
AV	5.617G	95.44	Inf	-Inf	6.24	3	Horizontal	100	2.02	89.20	33.10	7.42	34.28
PK	5.467G	62.82	68.20	-5.38	6.05	3	Horizontal	100	2.02	56.77	33.00	7.29	34.24
PK	5.617G	106.79	Inf	-Inf	6.24	3	Horizontal	100	2.02	100.55	33.10	7.42	34.28
PK	5.738G	66.46	68.20	-1.74	6.99	3	Horizontal	100	2.02	59.47	33.85	7.45	34.31


5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4452G	47.95	54.00	-6.05	6.03	3	Vertical	213	2.71	41.92	33.00	7.27	34.24
AV	5.6804G	89.67	Inf	-Inf	6.61	3	Vertical	213	2.71	83.06	33.46	7.44	34.29
PK	5.468G	58.32	68.20	-9.88	6.05	3	Vertical	213	2.71	52.27	33.00	7.29	34.24
PK	5.7176G	100.43	Inf	-Inf	6.91	3	Vertical	213	2.71	93.52	33.77	7.45	34.31
PK	5.882G	61.81	68.20	-6.39	7.54	3	Vertical	213	2.71	54.27	34.29	7.60	34.35

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	52.24	54.00	-1.76	6.04	3	Horizontal	100	1.94	46.20	33.00	7.28	34.24
AV	5.6768G	97.26	Inf	-Inf	6.57	3	Horizontal	100	1.94	90.69	33.42	7.44	34.29
PK	5.4416G	63.32	74.00	-10.68	6.02	3	Horizontal	100	1.94	57.30	33.00	7.26	34.24
PK	5.4656G	64.02	68.20	-4.18	6.05	3	Horizontal	100	1.94	57.97	33.00	7.29	34.24
PK	5.6816G	108.70	Inf	-Inf	6.63	3	Horizontal	100	1.94	102.07	33.48	7.44	34.29
PK	5.8784G	68.01	68.20	-0.19	7.52	3	Horizontal	100	1.94	60.49	34.27	7.60	34.35


5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX



5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.805G	86.49	Inf	-Inf	7.25	3	Vertical	231	2.49	79.24	34.10	7.48	34.33
PK	5.601G	58.36	68.20	-9.84	6.25	3	Vertical	231	2.49	52.11	33.10	7.42	34.27
PK	5.7474G	97.75	Inf	-Inf	7.04	3	Vertical	231	2.49	90.71	33.89	7.46	34.31
PK	6.009G	60.83	68.20	-7.37	7.52	3	Vertical	231	2.49	53.31	34.12	7.79	34.39

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7642G	95.00	Inf	-Inf	7.10	3	Horizontal	100	2.03	87.90	33.96	7.46	34.32
PK	5.643G	65.84	68.20	-2.36	6.25	3	Horizontal	100	2.03	59.59	33.10	7.43	34.28
PK	5.7666G	105.67	Inf	-Inf	7.11	3	Horizontal	100	2.03	98.56	33.97	7.46	34.32
PK	5.937G	62.45	68.20	-5.75	7.57	3	Horizontal	100	2.03	54.88	34.25	7.69	34.37

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX



5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX

