

Diffusion: Internal External
Status: Confidential Restricted Extended

LABEL SAMPLE

PRODUCT NAME: WUS UNIVERSEL 434MHZ - RS3M

PRODUCT REF : 030165

	<i>Author</i>	<i>Checker</i>	<i>Approver</i>
Name Dept.	V.GAMONAL	M.GUERIN	S.DUBOIS
Date			
Visa			

ALLIGATOR Ventilfabrik GmbH
 Richard-Steff-Strasse 4
 89537 Giengen (Brenz)

03.07.12 i.A. C.



Postfach 1120
 D-89526 Giengen/Brenz
 Telefon +49 (0) 7322 130-1
 Telefax +49 (0) 7322 130-359

<i>Index</i>	<i>Date</i>	<i>Evolutions</i>
A0	28/08/12	establishment


1	Label sample	3
2	Label position.....	3
3	Label information.....	4
3.1	LABEL Specifications:.....	4
4	CE Marking.....	5

Sitz der Gesellschaft:
 Richard-Steiff-Str. 4, D-89537 Giengen/Brenz
 Tel. +49 (0) 7322 130-1 Fax +49 (0) 7322 130-359
 Internet: www.alligator-ventilfabrik.de
 E-mail: info@alligator-ventilfabrik.de

Geschäftsführer: Dipl.-Ing. (FH) Josef Seidl
 Registergericht: Amtsgericht Ulm
 Register-Nr. HRB 660042

Commerzbank AG Heidenheim, BLZ 632 400 16, Kto-Nr. 2 011 773
 IBAN: DE67 6324 0016 0201 1773 00, Swift-BIC: COBA DE FF
 Deutsche Bank AG Heidenheim, BLZ 613 700 86, Kto-Nr. 2 110 047
 IBAN: DE80 6137 0086 0211 0047 00, Swift-BIC: DEUT DESS 614
 Volksbank Brenztal eG, BLZ 600 695 27, Kto-Nr. 200 005 006
 IBAN: DE44 6006 9527 0200 0050 06, Swift-BIC: GENO DES 1 RNS

1 LABEL SAMPLE



2 LABEL POSITION



3 LABEL INFORMATION

The adhesive label is placed manually on product.

3.1 LABEL SPECIFICATIONS:

Material Type: Polyester


Material Description: Permanent Polyester

Adhesive: Permanent acrylic

RoHS Compatibility: Compliant with RoHS Directive. NOTE: All statements concerning RoHS Directive compliance refer to 2005/618/EC MCV amendment to RoHS Directive 2002/95/EC. Product compliance is based upon information provided by suppliers of the raw materials used by Brady to manufacture these products, or by independent laboratory testing of these products. As such, Brady makes no independent representations or warranties, express or implied, and assumes no liability in connection with the use of this information.

4 CE MARKING

CE marking is located on the top face molded into the housing



cf