

No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057

Telephone:	+86 (0) 755 2601 2053
Fax:	+86 (0) 755 2671 0594
Email:	ee.shenzhen@sgs.com

Report No.: SZEM150500280802 Page: 1 of 19

	FCC REPORT
Application No. :	SZEM1505002808CR (SGS SZ No.:T51510200129EM)
Applicant:	Jazwares Inc.
Manufacturer:	Jazwares Inc.
Factory:	Top King International Enterprises Ltd.
Product Name:	10035 - BARBIE GEO POP - Walkie Talkie
Style/ Item No.:	10035
FCC ID:	YNIJAZWARES10035
Standards:	47 CFR Part 15, Subpart C (2014)
Date of Receipt:	2015-05-21
Date of Test:	2015-05-29 to 2015-06-15
Date of Issue:	2015-06-24
Test Result:	PASS *

In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:



Jack Zhang EMC Laboratory Manager

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. All test results in this report can be traceable to National or International Standards.



Report No.: SZEM150500280802 Page: 2 of 19

2 Version

Revision Record				
Version	Chapter	Date	Modifier	Remark
00		2015-06-24		Original

Authorized for issue by:		
	Chros Zhrong	2015-06-15
Tested By	(Chris Zhong) /Project Engineer	Date
	Hedy Wen.	2015-06-24
Prepared By	(Hedy Wen) /Clerk	Date
	Emen-Li	2015-06-24
Checked By	(Emen Li) /Reviewer	Date

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150500280802 Page: 3 of 19

3 Test Summary

Test Item	Test Requirement	Test method	Result
Radiated Emission	47 CFR Part 15, Subpart C Section 15.235	ANSI C63.10 (2009)	PASS
Occupied Bandwidth	47 CFR Part 15, Subpart C Section 15.235	ANSI C63.10 (2009)	PASS



Report No.: SZEM150500280802 Page: 4 of 19

4 Contents

		Pa	ge
1	CC	OVER PAGE	1
2	VE	ERSION	2
3	TE	EST SUMMARY	3
4	С	ONTENTS	4
5	GI	ENERAL INFORMATION	5
		CLIENT INFORMATION	
	5.2	GENERAL DESCRIPTION OF EUT	5
	5.3	TEST ENVIRONMENT AND MODE	
	5.4	DESCRIPTION OF SUPPORT UNITS	
			-
	5.6 5.7	TEST FACILITY DEVIATION FROM STANDARDS	
	5.7 5.8	ABNORMALITIES FROM STANDARD CONDITIONS	
		Other Information Requested by the Customer	
	5.10		
6	TE	EST RESULT & MEASUREMENT DATA	
	6.1	ANTENNA REQUIREMENT	10
	6.2	RADIATED EMISSIONS	11
	6.3	OCCUPIED BANDWIDTH	16
7	Pł	HOTOGRAPHS – EUT TEST SETUP	18
		RADIATED EMISSION	
8	Pł	HOTOGRAPHS – EUT CONSTRUCTION DETAILS	.19

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150500280802 Page: 5 of 19

5 General Information

5.1 Client Information

Applicant:	Jazwares Inc.
Address of Applicant:	1067 SHOTGUN ROAD, Sunrise, FL, 33326
Manufacturer:	Jazwares Inc.
Address of Manufacturer:	1067 SHOTGUN ROAD, Sunrise, FL, 33326
Factory:	Top King International Enterprises Ltd.
Address of Factory:	No. 10 East Xiangyang Road, Tian Xin Village, Qiaotou Town, Dongguan City, Guangdong Province, China

5.2 General Description of EUT

Product Name:	10035 - BARBIE GEO POP - Walkie Talkie
Style/ Item No.:	10035
Request Age Grading:	3+
Country of Destination:	US
Sample Type:	Portable production
Operation Frequency:	49.860MHz
Modulation Type:	AM
Antenna Type:	Integral
Antenna Gain:	0dBi
EUT Power Supply:	DC 1*9V (6LF22)

5.3 Test Environment and Mode

Operating Environment:	Operating Environment:		
Temperature:	24.0 °C		
Humidity:	52 % RH		
Atmospheric Pressure:	1010 mbar		
Test mode:	Test mode:		
Transmitting mode:	Keep the EUT in transmitting mode with modulation.		

5.4 Description of Support Units

The EUT has been tested independent unit.



Report No.: SZEM150500280802 Page: 6 of 19

5.5 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch E&E Lab, No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, Guangdong, China. 518057. Tel: +86 755 2601 2053 Fax: +86 755 2671 0594 No tests were sub-contracted.

5.6 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• CNAS (No. CNAS L2929)

CNAS has accredited SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab to ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

• VCCI

The 10m Semi-anechoic chamber and Shielded Room (7.5m x 4.0m x 3.0m) of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-823, R-4188, T-1153 and C-2383 respectively.

• FCC – Registration No.: 556682

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 556682.

• Industry Canada (IC)

Two 3m Semi-anechoic chambers of SGS-CSTC Standards Technical Services Co., Ltd. have been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 4620C-1 & 4620C-2.





Report No.: SZEM150500280802 Page: 7 of 19

5.7 Deviation from Standards

None.

5.8 Abnormalities from Standard Conditions

None.

5.9 Other Information Requested by the Customer

None.



Report No.: SZEM150500280802 Page: 8 of 19

	RE in Chamber				
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal.Due date (yyyy-mm-dd)
1	3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEL0017	2016-05-13
2	EMI Test Receiver	Agilent Technologies	N9038A	SEL0312	2015-09-16
3	EMI Test software	AUDIX	E3	SEL0050	N/A
4	Coaxial cable	SGS	N/A	SEL0027	2016-05-13
5	Coaxial cable	SGS	N/A	SEL0189	2016-05-13
6	Coaxial cable	SGS	N/A	SEL0121	2016-05-13
7	Coaxial cable	SGS	N/A	SEL0178	2016-05-13
8	BiConiLog Antenna (26-3000MHz)	ETS-LINDGREN	3142C	SEL0015	2015-10-24
9	Double-ridged horn (1-18GHz)	ETS-LINDGREN	3117	SEL0006	2015-10-24
10	Pre-amplifier (0.1-1300MHz)	Agilent Technologies	8447D	SEL0053	2016-05-13
11	Pre-Amplifier (0.1-26.5GHz)	Compliance Directions Systems Inc.	PAP-0126	SEL0168	2015-10-24
12	Barometer	ChangChun	DYM3	SEL0088	2016-05-13
13	DC Power Supply	Zhao Xin	RXN-305D	SEL0117	2015-10-24
14	Humidity/ Temperature Indicator	Shanhai Qixiang	ZJ1-2B	SEL0103	2015-10-24
15	Signal Generator	Rohde & Schwarz	SMY01	SEL0155	2015-10-24
16	Signal Generator (10M-27GHz)	Rohde & Schwarz	SMR27	SEL0067	2016-05-13
17	Loop Antenna	Beijing Daze	ZN30401	SEL0203	2016-05-13

5.10 Equipment List

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150500280802 Page: 9 of 19

	RF connected test				
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal.Due date (yyyy-mm-dd)
1	DC Power Supply	Zhao Xin	RXN-305D	SEL0117	2015-10-24
2	Humidity/ Temperature Indicator	HYGRO	ZJ1-2B	SEL0033	2015-10-24
3	Spectrum Analyzer	Rohde & Schwarz	FSP	SEL0154	2015-10-24
4	Coaxial cable	SGS	N/A	SEL0178	2016-05-13
5	Coaxial cable	SGS	N/A	SEL0179	2016-05-13
6	Barometer	ChangChun	DYM3	SEL0088	2016-05-13
7	Signal Generator	Rohde & Schwarz	SML03	SEL0068	2016-04-25
8	Band filter	amideon	82346	SEL0094	2016-05-13
9	POWER METER	R & S	NRVS	SEL0144	2015-10-24
10	Attenuator	Beijin feihang taida	TST-2-6dB	SEL0205	2016-04-25
11	Power Divider(splitter)	Agilent Technologies	11636B	SEL0130	2015-10-24

Note: The calibration interval is one year, all the instruments are valid.



Report No.: SZEM150500280802 Page: 10 of 19

6 Test Result & Measurement Data

6.1 Antenna Requirement

Standard requirement:	47 CFR Part 15C Section 15.203
15.203 requirement:	
An intentional radiator shall	be designed to ensure that no antenna other than that furnished by the
responsible party shall be u	sed with the device. The use of a permanently attached antenna or of an
antenna that uses a unique	coupling to the intentional radiator, the manufacturer may design the unit so
that a broken antenna can b	be replaced by the user, but the use of a standard antenna jack or electrical
connector is prohibited.	
EUT Antenna:	
	Antenna Image: Constrained and the second and

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150500280802 Page: 11 of 19

Test Requirement:	47 CFR Part 15C Section 15.235								
Test Method:	ANSI C63.10: 2009								
Test Site:	Mea	Measurement Distance: 3m (Semi-Anechoic Chamber)							
Receiver Setup:		Frequency		Detector	RBW	VB	BW	Remark	
	(0.009MHz-0.090MHz		Peak	10kHz	30k	κHz	Peak	
	(0.009MHz-0.090MH	z	Average	10kHz	30k	κHz	Average	
	().090MHz-0.110MH	z (Quasi-peak	10kHz	30k	(Hz	Quasi-peak	
	().110MHz-0.490MH	z	Peak	10kHz	30k	κHz	Peak	
	().110MHz-0.490MH	z	Average	10kHz	30k	κHz	Average	
		0.490MHz -30MHz	(Quasi-peak	10kHz	30k	Hz	Quasi-peak	
		30MHz-1GHz	(Quasi-peak	100 kHz	300	kHz	Quasi-peak	
				Peak	1MHz	ЗM	Hz	Peak	
		Above 1GHz		Peak	1MHz	10	Hz	Average	
Limit:	Field strength			Limit	Remark		Measurement		
(Spurious Emissions)			rovolt/meter)	(dBuV/m)	Re	emark	distance	(m)	
	0.0	09MHz-0.490MHz	90MHz 2400/F(kHz)		-		-	300	
	0.4	490MHz-1.705MHz 24000/F(kHz)		-		-	30		
	1	1.705MHz-30MHz 30		30	-		-	30	
		30MHz-88MHz 100		100	40.0	Quasi-peak		k 3	
		88MHz-216MHz		150	43.5	Quasi-peak		k 3	
	2	216MHz-960MHz		200	46.0	Quasi-peak		k 3	
		960MHz-1GHz		500	54.0	Quasi-peak		k 3	
		Above 1GHz		500	54.0	Average		3	
	Not	e: 15.35(b), Unless	otherv	wise specified	d, the limit	on pe	eak rad	io frequency	
		emissions is 20d	B abo	ve the maxin	num permi	tted a	verage	e emission lin	nit
	applicable to the equipment under test. This peak limit applies to the total					tal			
	peak emission level radiated by the device.								
Limit:	Carrier frequency will not exceed 80dBuV/m AT 3m.								
(Field strength of		Frequency Limit			BuV/m @3m) R			Remark	
the fundamental	40.0001411				80 Average			rage Value	
signal)		49.860MHz		100			Peak Value		

6.2 Radiated Emissions

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM150500280802 Page: 12 of 19

Test Procedure:	a.	The EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. The EUT was set 3 meters away from the interference-receiving antenna,
	0.	which was mounted on the top of a variable-height antenna tower.
	C.	The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
	d.	For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
	e.	The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
	f.	If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
	g.	The radiation measurements are performed in X, Y, Z axis positioning. And found the X axis positioning which it is worse case, only the test worst case mode is recorded in the report.



Report No.: SZEM150500280802 Page: 13 of 19



Measurement Data

Intentional emission

Test Frequency	Peak (dBµV/m)	Limits	Margin (dB)		
(MHz)	Vertical	Horizontal	(dBµV/m)	Vertical	Horizontal	
49.860	64.03	45.43	100.00	-35.97	-54.57	

Test Frequency	Average	(dBµV/m)	Limits	Margin (dB)		
(MHz)	Vertical	Vertical Horizontal		Vertical	Horizontal	
49.860	61.61	42.85	80.00	-18.39	-17.15	


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150500280802 Page: 14 of 19

Other emissions (QP value)

Vertical




Condition: FCC PART 15C 3m Vertical Job No. : 2808CR Mode : TX mode

Freq							Over Limit
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
99.88	1.20	9.10	27.20	47.12	30.22	43.50	-13.28
149.60	1.32	8.96	26.91	57.00	40.37	43.50	-3.13
298.27	1.89	13.82	26.41	40.73	30.03	46.00	-15.97
497.68	2.59	17.80	27.70	39.88	32.57	46.00	-13.43
547.10	2.65	18.85	27.62	41.74	35.62	46.00	-10.38
599.32	2.70	19.78	27.54	37.31	32.25	46.00	-13.75
	MHz 99.88 149.60 298.27 497.68 547.10	Freq Loss MHz dB 99.88 1.20 149.60 1.32 298.27 1.89 497.68 2.59 547.10 2.65	Freq Loss Factor MHz dB dB/m 99.88 1.20 9.10 149.60 1.32 8.96 298.27 1.89 13.82 497.68 2.59 17.80 547.10 2.65 18.85	Freq Loss Factor Factor MHz dB dB/m dB 99.88 1.20 9.10 27.20 149.60 1.32 8.96 26.91 298.27 1.89 13.82 26.41 497.68 2.59 17.80 27.70 547.10 2.65 18.85 27.62	Freq Loss Factor Factor Level MHz dB dB/m dB dBuV 99.88 1.20 9.10 27.20 47.12 149.60 1.32 8.96 26.91 57.00 298.27 1.89 13.82 26.41 40.73 497.68 2.59 17.80 27.70 39.88 547.10 2.65 18.85 27.62 41.74	Freq Loss Factor Factor Level Level MHz dB dB/m dB dBuV dBuV/m 99.88 1.20 9.10 27.20 47.12 30.22 149.60 1.32 8.96 26.91 57.00 40.37 298.27 1.89 13.82 26.41 40.73 30.03 497.68 2.59 17.80 27.70 39.88 32.57 547.10 2.65 18.85 27.62 41.74 35.62	MHz dB dB/m dB dBuV dBuV/m dBuV/m 99.88 1.20 9.10 27.20 47.12 30.22 43.50 149.60 1.32 8.96 26.91 57.00 40.37 43.50 298.27 1.89 13.82 26.41 40.73 30.03 46.00 497.68 2.59 17.80 27.70 39.88 32.57 46.00 547.10 2.65 18.85 27.62 41.74 35.62 46.00



Report No.: SZEM150500280802 Page: 15 of 19

Horizontal



	Freq	Cable Loss		Preamp Factor			Limit Line	Over Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 2	99.88 149.49	1.20		27.20 26.91			43.50 43.50	
3	199.99	1.32	10.20	26.70	35.90	20.80	43.50	-22.70
4 5	249.43 298.27	1.67 1.89	12.28 13.82			26.79 29.09		-19.21 -16.91
6	349.25	2.06	13.93	26.79	34.54	23.74	46.00	-22.26

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor - Preamplifier Factor

2) The disturbance below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150500280802 Page: 16 of 19

Test Requirement:	47 CFR Part 15C Section 15.235		
Test Method:	ANSI C63.10: 2009		
Limit::	The field strength of any emissions appearing between the band edges and up to 10 kHz above and below the band edges shall be attenuated at least 26 dB below the level of the un-modulated carrier or to the general limits in Section 15.209, whichever permits the higher emission levels.		
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane		
Test Mode:	Transmitting mode.		
Instruments Used:	Refer to section 5.10 for details.		
Test Results:	Pass		


6.3 Occupied Bandwidth





Report No.: SZEM150500280802 Page: 17 of 19

Test plot as follows:





Report No.: SZEM150500280802 Page: 18 of 19

7 Photographs – EUT Test Setup

Test Model No.: 10035

7.1 Radiated Emission





"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM150500280802 Page: 19 of 19

8 Photographs – EUT Construction Details

Test Model No.: 10035

Refer to Appendix A - Photographs of EUT Constructional Details for SZEM1505002808CR.