## Synology Inc.

9F., No.1, Yuandong Rd., Banqiao Dist., New Taipei City 220632

Date: 8/17/2022

## **UNII Device Declaration Letter**

	n it may concern :				
	e declared below feature	ed for FCC equipment a	uthorization,		
	CC ID: YOR-WRX560				
(1)	DFS Device Master				
	☐ Client without radar detection capability , ☐ N/A				
(2)	Active / Passive Scanning	adhaa mada accass na	nt canability		
(2)	Frequency Band	Active Scanning	passive scanning	Ad Hoc Mode	Access point
	(MHz)	(the device can	(where the device is	capability	capability
	(···· · <del>-</del> /	transmit a probe	can listen only with no	, ,	
		(beacon))	probes)		
	5150-5250	Yes , 🔲 No	☐ Yes , ■ No	Yes , No	Yes , No
	5250-5350	Yes , 🔲 No	Yes, No	Yes, No	Yes , No
	5470-5725	Yes , 🔲 No	Yes , No	Yes, No	Yes , No
	5725-5850	Yes , 🔲 No	Yes , No	Yes, No	Yes , No
	5850-5895	Yes , 🔲 No	Yes, No	Yes , Mo	Yes , No
(4)	Meet 15.202 requirement - ■ Yes, □ No, pls check below:  A master device is defined as a device operating in a mode in which it has the capability to transmit without receiving an enabling signal. In this mode it is able to select a channel and initiate a network by sending enabling signals to other devices □ A client device is defined as a device operating in a mode in which the transmissions of the device are under control of the master. A device in client mode is not able to initiate a network.				
(5)	For client devices that have software configuration control to operate in different modes (active scanning in some and passive scanning in others) in different bands (devices with multiple equipment classes or those that operate on non-DFS frequencies) modular devices which configure the modes of operations through software, the application must provide software and operations description on how the software and / or hardware is implemented to ensure that proper operations modes can not be modified by end user or an installer.  Apply, No Apply, (If apply, pls help to provide explanation on it was implement, and how software was controlled)				
(6)	Indoor devices:  Clients  Client device (EUT) will not directly connect to another client device.  Client device (EUT) will only associate and connect with an indoor Access Point (AP) or indoor Subordinate.  Client device (EUT) will always be under the control of an indoor AP. However, there may exist situations where the client mat transmit brief messages, prior to being under the control of an AP, to join an AP network. But these brief messages will only ccur if the client has detected a signal confirming that an AP is operating on a particular channel. These brief messages will have a time-out mechanism if the client does not receive a response from an AP.				
	Subordinates  1) No direct connection to	internet			

- 2) Prohibited for control of or communications with unmanned aircraft systems including drones.
- 3) Supplied power from a wired connection and has no batteries.
- 4) Indoor installation only.

## Access Points

- 1) Supplied power from a wired connection and has no batteries.
- 2) Indoor installation only.

Signature: Mice chen

Name / Title : Mike Chen/Product Manager

Contact address: 9F., No.1, Yuandong Rd., Banqiao Dist., New Taipei City 220632

Telephone Number: +886229551814#8207

Fax Number: N/A

Email: mchen@synology.com