


Annex A.3 Occupied Bandwidth


1. GSM_PCS

1.1. GSM Occupied Bandwidth(NTNV)(Channel:512)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.2	99	26	0.004	Peak	0.249	0.315	0.3	Pass



1.2. GSM Occupied Bandwidth(NTNV)(Channel:661)



1.3. GSM Occupied Bandwidth(NTNV)(Channel:810)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.8	99	26	0.004	Peak	0.245	0.312	0.3	Pass

Agilent

Ch Freq 1.9098 GHz Trig Free

Occupied Bandwidth Averages: 8

Ref 30 dBm #Atten 40 dB

Center 1.909 800 GHz Span 2 MHz

#Res BW 3.9 kHz #VBW 12 kHz #Sweep 10 s (2564 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

245.1683 kHz x dB -26.00 dB

Transmit Freq Error 270.966 Hz

x dB Bandwidth 312.484 kHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq 1.90980000 GHz

Start Freq 1.90880000 GHz

Stop Freq 1.91080000 GHz


CF Step 200.000000 kHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off


2. EGPRS_PCS

2.1. EGPRS Occupied Bandwidth(NTNV)(Channel:512)




2.2. EGPRS Occupied Bandwidth(NTNV)(Channel:661)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.004	Peak	0.26	0.334	0.3	Pass




2.3. EGPRS Occupied Bandwidth(NTNV)(Channel:810)



3. WCDMA_Band2

3.1. WCDMA Occupied Bandwidth(NTNV)(Channel:9262)



3.2. WCDMA Occupied Bandwidth(NTNV)(Channel:9400)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.192	4.831	5	Pass

Agilent

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.2 dB

Center 1.880 000 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.1921 MHz	x dB	-26.00 dB
Transmit Freq Error	-11.838 kHz	
x dB Bandwidth	4.831 MHz	

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq
1.88000000 GHz

Start Freq
1.87500000 GHz


Stop Freq
1.88500000 GHz

CF Step
1.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off


3.3. WCDMA Occupied Bandwidth(NTNV)(Channel:9538)



4. LTE_Band2

4.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.7	99	26	0.027	Peak	1.086	1.261	1.4	Pass



4.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.7	99	26	0.027	Peak	1.094	1.269	1.4	Pass

Agilent

Ch Freq 1.8507 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.1 dB

Center 1.850 700 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0945 MHz x dB -26.00 dB

Transmit Freq Error -1.415 kHz

x dB Bandwidth 1.269 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq
1.85070000 GHz

Start Freq
1.84930000 GHz


Stop Freq
1.85210000 GHz

CF Step
280.000000 kHz
Auto Man


Freq Offset
0.00000000 Hz

Signal Track
On Off

4.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



4.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)



4.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.3	99	26	0.027	Peak	1.092	1.25	1.4	Pass

Agilent

Ch Freq 1.9093 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.909 300 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Freq/Channel

Center Freq 1.90930000 GHz

Start Freq 1.90790000 GHz

Stop Freq 1.91070000 GHz

CF Step 280.000000 kHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

1.0924 MHz


x dB -26.00 dB

Transmit Freq Error -1.357 kHz


x dB Bandwidth 1.250 MHz

Copyright 2000-2012 Agilent Technologies


4.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)



4.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)



4.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)



4.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)



4.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)




4.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)



4.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1908.5	99	26	0.062	Peak	2.696	2.959	3	Pass




4.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




4.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)




4.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




4.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



4.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



4.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



4.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.2	Peak	8.969	10.007	10	Pass

Agilent

Ch Freq 1.855 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.1 dB

Center 1.855 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9688 MHz x dB -26.00 dB

Transmit Freq Error -10.052 kHz

x dB Bandwidth 10.007 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq 1.85500000 GHz

Start Freq 1.84500000 GHz

Stop Freq 1.86500000 GHz

CF Step 2.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz


Signal Track On Off

4.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)



4.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.2	Peak	8.979	9.906	10	Pass



4.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.2	Peak	8.97	9.862	10	Pass

Agilent

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.2 dB

Center 1.880 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9702 MHz	x dB	-26.00 dB
Transmit Freq Error		-539.013 Hz
x dB Bandwidth		9.862 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq 1.88000000 GHz

Start Freq 1.87000000 GHz


Stop Freq 1.89000000 GHz

CF Step 2.00000000 MHz (Auto/Man)

Freq Offset 0.00000000 Hz

Signal Track On/Off

4.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



4.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)



4.25. LTE Occupied Bandwidth(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.3	Peak	13.486	14.924	15	Pass

Agilent

Ch Freq 1.8575 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.1 dB

Center 1.857 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

13.4862 MHz x dB -26.00 dB

Transmit Freq Error 4.964 kHz

x dB Bandwidth 14.924 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq 1.85750000 GHz

Start Freq 1.84250000 GHz


Stop Freq 1.87250000 GHz

CF Step 3.00000000 MHz Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

4.26. LTE Occupied Bandwidth(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)



4.27. LTE Occupied Bandwidth(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.3	Peak	13.448	14.752	15	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The plot is set to a center frequency of 1.88 GHz and a span of 30 MHz. The vertical axis is labeled 'dB/Offst' with a value of 10.2 dB. The horizontal axis is labeled 'Span 30 MHz'. The plot shows a signal with a peak at approximately 1.88 GHz. The 'Occupied Bandwidth' is highlighted in a green box, showing a value of 13.4482 MHz. The 'Occ BW % Pwr' is 99.00% and the 'x dB' is -26.00 dB. The 'Transmit Freq Error' is -3.951 kHz and the 'x dB Bandwidth' is 14.752 MHz. The 'Copyright 2000-2012 Agilent Technologies' is displayed at the bottom.

Agilent		Freq/Channel	
Ch Freq	1.88 GHz	Center Freq	1.88000000 GHz
Occupied Bandwidth	Averages: 2	Start Freq	1.86500000 GHz
Ref 30 dBm	#Atten 30 dB	Stop Freq	1.89500000 GHz
#Peak		CF Step	3.00000000 MHz Auto Man
Log		Freq Offset	0.00000000 Hz
10		Signal Track	On Off
dB/Offst			
10.2			
dB			
Center	1.880 00 GHz		
#Res BW	300 kHz		
#VBW	1 MHz		
#Sweep	1 s (500 pts)		
Occupied Bandwidth		Occ BW % Pwr	99.00 %
13.4482 MHz		x dB	-26.00 dB
Transmit Freq Error	-3.951 kHz		
x dB Bandwidth	14.752 MHz		
Copyright 2000-2012 Agilent Technologies			

4.28. LTE Occupied Bandwidth(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.3	Peak	13.457	14.869	15	Pass

Agilent

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dB #Atten 30 dB

#Peak Log 10 dB/Offst 10.2 dB

Center 1.880 00 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

13.4574 MHz x dB -26.00 dB

Transmit Freq Error 5.791 kHz

x dB Bandwidth 14.869 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq
1.88000000 GHz

Start Freq
1.86500000 GHz

Stop Freq
1.89500000 GHz

CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

4.29. LTE Occupied Bandwidth(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.3	Peak	13.45	14.852	15	Pass

Agilent

Ch Freq 1.9025 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.902 50 GHz Span 30 MHz

#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

13.4499 MHz x dB -26.00 dB

Transmit Freq Error -42.878 kHz

x dB Bandwidth 14.852 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq
1.90250000 GHz

Start Freq
1.88750000 GHz


Stop Freq
1.91750000 GHz

CF Step
3.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

4.30. LTE Occupied Bandwidth(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)



4.31. LTE Occupied Bandwidth(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	17.936	19.47	20	Pass


The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The center frequency is 1.86 GHz, and the span is 40 MHz. The occupied bandwidth is measured as 17.9363 MHz, which is 99.00% of the power. The XdB down is -26.00 dB. The transmit frequency error is -2.754 kHz, and the XdB bandwidth is 19.470 MHz. The interface also shows various settings like Res BW (390 kHz), VBW (1.2 MHz), and Sweep (1 s).

Occupied Bandwidth		Occ BW % Pwr	99.00 %
17.9363 MHz		x dB	-26.00 dB
Transmit Freq Error		-2.754 kHz	
x dB Bandwidth		19.470 MHz	


Copyright 2000-2012 Agilent Technologies

4.32. LTE Occupied Bandwidth(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	17.987	19.652	20	Pass



4.33. LTE Occupied Bandwidth(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)



4.34. LTE Occupied Bandwidth(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)



4.35. LTE Occupied Bandwidth(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.39	Peak	17.94	19.753	20	Pass

Agilent

Ch Freq 1.9 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.2 dB

Center 1.900 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Freq/Channel

Center Freq 1.90000000 GHz

Start Freq 1.88000000 GHz

Stop Freq 1.92000000 GHz

CF Step 4.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.9398 MHz x dB -26.00 dB

Transmit Freq Error -54.259 kHz

x dB Bandwidth 19.753 MHz

Copyright 2000-2012 Agilent Technologies

4.36. LTE Occupied Bandwidth(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.39	Peak	17.914	19.63	20	Pass

Agilent
Freq/Channel

Ch Freq 1.9 GHz **Trig** Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak

Log

10

dB/

Offst

10.2

dB

Center 1.900 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Center Freq
1.90000000 GHz

Start Freq
1.88000000 GHz

Stop Freq
1.92000000 GHz

CF Step
4.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz


Signal Track
On Off

Occupied Bandwidth	Occ BW % Pwr 99.00 %
17.9142 MHz	x dB -26.00 dB
Transmit Freq Error	-31.313 kHz
x dB Bandwidth	19.630 MHz

Copyright 2000-2012 Agilent Technologies


5. LTE_Band4

5.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




5.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1710.7	99	26	0.027	Peak	1.089	1.273	1.4	Pass



5.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




5.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)




5.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




5.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)




5.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)




5.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)




5.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)



5.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)




5.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)




5.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)




5.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



5.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)




5.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




5.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



5.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



5.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



5.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.96	10.04	10	Pass

Agilent

Ch Freq 1.715 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.93 dBm #Atten 30 dB

Center 1.715 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9600 MHz x dB -26.00 dB

Transmit Freq Error 7.347 kHz

x dB Bandwidth 10.040 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq 1.71500000 GHz

Start Freq 1.70500000 GHz

Stop Freq 1.72500000 GHz

CF Step 2.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

5.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.962	9.844	10	Pass

Agilent

Ch Freq 1.715 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.93 dBm #Atten 30 dB

Center 1.715 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9618 MHz x dB -26.00 dB

Transmit Freq Error 10.983 kHz

x dB Bandwidth 9.844 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq
1.71500000 GHz

Start Freq
1.70500000 GHz

Stop Freq
1.72500000 GHz

CF Step
2.00000000 MHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

5.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.2	Peak	8.958	9.835	10	Pass

Agilent

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 29.91 dBm #Atten 30 dB

Center 1.732 50 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Freq/Channel

Center Freq 1.73250000 GHz

Start Freq 1.72250000 GHz

Stop Freq 1.74250000 GHz

CF Step 2.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %


8.9579 MHz x dB -26.00 dB

Transmit Freq Error -11.307 kHz

x dB Bandwidth 9.835 MHz

Copyright 2000-2012 Agilent Technologies


5.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




5.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



5.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)




5.25. LTE Occupied Bandwidth(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)




5.26. LTE Occupied Bandwidth(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.427	14.814	15	Pass



5.27. LTE Occupied Bandwidth(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)



5.28. LTE Occupied Bandwidth(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)



5.29. LTE Occupied Bandwidth(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1747.5	99	26	0.3	Peak	13.427	14.89	15	Pass

The screenshot displays the Agilent spectrum analyzer interface. The main display shows a spectrum plot with a yellow trace. The plot is set to a center frequency of 1.7475 GHz and a span of 30 MHz. The vertical axis is labeled 'dB/Offst' with a reference of 29.91 dB and an offset of 9.91 dB. The horizontal axis is labeled 'Span 30 MHz'. The plot shows a signal with a peak at approximately 1.7475 GHz. The 'Occupied Bandwidth' is highlighted in a green box, showing a value of 13.4268 MHz. The 'Occ BW % Pwr' is 99.00% and the 'x dB' is -26.00 dB. The 'Transmit Freq Error' is 2.732 kHz and the 'x dB Bandwidth' is 14.890 MHz. The 'Copyright 2000-2012 Agilent Technologies' is displayed at the bottom.

Agilent		Freq/Channel	
Ch Freq	1.7475 GHz	Center Freq	1.74750000 GHz
Occupied Bandwidth	Averages: 2	Start Freq	1.73250000 GHz
		Stop Freq	1.76250000 GHz
		CF Step	3.00000000 MHz Auto Man
		Freq Offset	0.00000000 Hz
		Signal Track	On Off

Ref 29.91 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 9.91 dB

Center 1.747 50 GHz Span 30 MHz


#Res BW 300 kHz #VBW 1 MHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %
13.4268 MHz x dB -26.00 dB

Transmit Freq Error 2.732 kHz
x dB Bandwidth 14.890 MHz


Copyright 2000-2012 Agilent Technologies

5.30. LTE Occupied Bandwidth(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)




5.31. LTE Occupied Bandwidth(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.879	19.429	20	Pass




5.32. LTE Occupied Bandwidth(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.858	19.475	20	Pass



5.33. LTE Occupied Bandwidth(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




5.34. LTE Occupied Bandwidth(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




5.35. LTE Occupied Bandwidth(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.976	19.669	20	Pass




5.36. LTE Occupied Bandwidth(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)



6. LTE_Band12


6.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



6.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)




6.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




6.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)




6.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)




6.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)



6.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)



6.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)



6.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)



6.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.062	Peak	2.697	2.976	3	Pass

Agilent

Ch Freq 707.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.37 dBm #Atten 30 dB

Center 707.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Freq/Channel

Center Freq 707.500000 MHz

Start Freq 704.500000 MHz

Stop Freq 710.500000 MHz

CF Step 600.000000 kHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.6967 MHz x dB -26.00 dB

Transmit Freq Error -2.406 kHz

x dB Bandwidth 2.976 MHz

Copyright 2000-2012 Agilent Technologies

6.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
714.5	99	26	0.062	Peak	2.703	2.964	3	Pass

Agilent

Ch Freq 714.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.36 dBm #Atten 30 dB

Center 714.500 MHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

2.7032 MHz

x dB -26.00 dB

Transmit Freq Error -6.367 kHz

x dB Bandwidth 2.964 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq 714.500000 MHz

Start Freq 711.500000 MHz


Stop Freq 717.500000 MHz

CF Step 600.000000 kHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

6.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)



6.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
701.5	99	26	0.1	Peak	4.521	5.03	5	Pass

Agilent

Ch Freq 701.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.37 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 8.37 dB

Center 701.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %
4.5215 MHz x dB -26.00 dB

Transmit Freq Error -5.617 kHz
 x dB Bandwidth 5.030 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq 701.500000 MHz

Start Freq 696.500000 MHz

Stop Freq 706.500000 MHz

CF Step 1.00000000 MHz
 Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off


6.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



6.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



6.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



6.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.494	5.009	5	Pass

Agilent

Ch Freq 713.5 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.11 dBm #Atten 30 dB

Center 713.500 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.4942 MHz x dB -26.00 dB

Transmit Freq Error -7.559 kHz

x dB Bandwidth 5.009 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq 713.500000 MHz

Start Freq 708.500000 MHz

Stop Freq 718.500000 MHz

CF Step 1.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

6.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



6.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.2	Peak	9.011	9.971	10	Pass

Agilent

Ch Freq 704 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.37 dBm #Atten 30 dB

Center 704.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

9.0111 MHz x dB -26.00 dB

Transmit Freq Error -6.210 kHz

x dB Bandwidth 9.971 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq 704.000000 MHz

Start Freq 694.000000 MHz

Stop Freq 714.000000 MHz

CF Step 2.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

6.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.2	Peak	8.98	9.898	10	Pass

Agilent

Ch Freq 704 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.37 dBm #Atten 30 dB

Center 704.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9796 MHz	x dB	-26.00 dB
Transmit Freq Error	-8.566 kHz	
x dB Bandwidth	9.898 MHz	

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq 704.000000 MHz

Start Freq 694.000000 MHz

Stop Freq 714.000000 MHz


CF Step 2.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz


Signal Track On Off

6.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.2	Peak	9.017	10.018	10	Pass



6.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)



6.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.2	Peak	8.954	9.911	10	Pass

Agilent

Ch Freq 711 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.37 dBm #Atten 30 dB

Center 711.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9540 MHz x dB -26.00 dB

Transmit Freq Error -18.202 kHz

x dB Bandwidth 9.911 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq 711.000000 MHz

Start Freq 701.000000 MHz

Stop Freq 721.000000 MHz

CF Step 2.00000000 MHz

Auto Man

Freq Offset 0.00000000 Hz

Signal Track On Off

6.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.2	Peak	8.946	9.985	10	Pass

Agilent

Ch Freq 711 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.37 dBm #Atten 30 dB

Center 711.00 MHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

8.9459 MHz x dB -26.00 dB

Transmit Freq Error -18.321 kHz

x dB Bandwidth 9.985 MHz

Copyright 2000-2012 Agilent Technologies

Freq/Channel

Center Freq 711.000000 MHz

Start Freq 701.000000 MHz

Stop Freq 721.000000 MHz

CF Step 2.00000000 MHz
Auto Man

Freq Offset 0.00000000 Hz


Signal Track On Off

7. LTE_Band13


7.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



7.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



7.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)




7.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



7.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



7.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)



7.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



7.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)



END