


Annex C. Spurious Emission at Antenna Terminals

1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-64.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.21	-13	Pass	2986
30	1000	0.1	RMS	871.915	-63.65	-13	Pass	9701
1000	1840	1	RMS	1840	-50.31	-13	Pass	841
1840	1920	1	RMS	1850.2	23.49	60	Pass	401
1920	3000	1	RMS	2872	-48.08	-13	Pass	1081
3000	12000	1	RMS	11900	-40.29	-13	Pass	9002
12000	20000	1	RMS	16402	-34.17	-13	Pass	8001




**1.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-65.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.17	-13	Pass	2986
30	1000	0.1	RMS	880.02	-63.54	-13	Pass	9701
1000	1840	1	RMS	1840	-50.83	-13	Pass	841
1840	1920	1	RMS	1850.2	22.54	60	Pass	401
1920	3000	1	RMS	2867	-48.17	-13	Pass	1081
3000	12000	1	RMS	11914	-40.28	-13	Pass	9002
12000	20000	1	RMS	17302	-34.18	-13	Pass	8001




**1.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-65.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.31	-13	Pass	2986
30	1000	0.1	RMS	871.615	-63.63	-13	Pass	9701
1000	1840	1	RMS	1840	-51.82	-13	Pass	841
1840	1920	1	RMS	1879.4	23.73	60	Pass	401
1920	3000	1	RMS	2870	-48.12	-13	Pass	1081
3000	12000	1	RMS	11903	-40.31	-13	Pass	9002
12000	20000	1	RMS	16401	-34.18	-13	Pass	8001




**1.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-65.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.94	-13	Pass	2986
30	1000	0.1	RMS	885.424	-63.58	-13	Pass	9701
1000	1840	1	RMS	1838	-51.85	-13	Pass	841
1840	1920	1	RMS	1879.4	22.84	60	Pass	401
1920	3000	1	RMS	2870	-48.12	-13	Pass	1081
3000	12000	1	RMS	11935	-40.35	-13	Pass	9002
12000	20000	1	RMS	16400	-34.2	-13	Pass	8001




**1.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-65.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.3	-13	Pass	2986
30	1000	0.1	RMS	884.223	-63.61	-13	Pass	9701
1000	1840	1	RMS	1837	-51.84	-13	Pass	841
1840	1920	1	RMS	1908.8	22.49	60	Pass	401
1920	3000	1	RMS	2872	-48.09	-13	Pass	1081
3000	12000	1	RMS	11904	-40.27	-13	Pass	9002
12000	20000	1	RMS	17303	-34.23	-13	Pass	8001




**1.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-64.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.19	-13	Pass	2986
30	1000	0.1	RMS	884.523	-63.73	-13	Pass	9701
1000	1840	1	RMS	1838	-51.89	-13	Pass	841
1840	1920	1	RMS	1908.8	21.65	60	Pass	401
1920	3000	1	RMS	2870	-48.13	-13	Pass	1081
3000	12000	1	RMS	11907	-40.31	-13	Pass	9002
12000	20000	1	RMS	16400	-34.19	-13	Pass	8001




**1.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.5	-13	Pass	2986
30	1000	0.1	RMS	869.514	-63.54	-13	Pass	9701
1000	1840	1	RMS	1840	-49.08	-13	Pass	841
1840	1920	1	RMS	1850.2	23.41	60	Pass	401
1920	3000	1	RMS	2872	-48.12	-13	Pass	1081
3000	12000	1	RMS	11907	-40.34	-13	Pass	9002
12000	20000	1	RMS	16400	-34.19	-13	Pass	8001




**1.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-64.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.21	-13	Pass	2986
30	1000	0.1	RMS	875.518	-63.62	-13	Pass	9701
1000	1840	1	RMS	1840	-49.42	-13	Pass	841
1840	1920	1	RMS	1850.2	22.63	60	Pass	401
1920	3000	1	RMS	2870	-48.16	-13	Pass	1081
3000	12000	1	RMS	11902	-40.34	-13	Pass	9002
12000	20000	1	RMS	16399	-34.23	-13	Pass	8001




**1.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-64.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.75	-13	Pass	2986
30	1000	0.1	RMS	886.625	-63.53	-13	Pass	9701
1000	1840	1	RMS	1835	-51.87	-13	Pass	841
1840	1920	1	RMS	1878.6	23.73	60	Pass	401
1920	3000	1	RMS	2866	-48.13	-13	Pass	1081
3000	12000	1	RMS	11901	-40.35	-13	Pass	9002
12000	20000	1	RMS	16403	-34.23	-13	Pass	8001




**1.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-64.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.62	-13	Pass	2986
30	1000	0.1	RMS	883.523	-63.48	-13	Pass	9701
1000	1840	1	RMS	1837	-51.88	-13	Pass	841
1840	1920	1	RMS	1878.6	22.86	60	Pass	401
1920	3000	1	RMS	2871	-48.14	-13	Pass	1081
3000	12000	1	RMS	11898	-40.34	-13	Pass	9002
12000	20000	1	RMS	16397	-34.17	-13	Pass	8001




**1.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-65.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.03	-13	Pass	2986
30	1000	0.1	RMS	890.527	-63.57	-13	Pass	9701
1000	1840	1	RMS	1840	-51.85	-13	Pass	841
1840	1920	1	RMS	1907.2	22.67	60	Pass	401
1920	3000	1	RMS	2867	-48.12	-13	Pass	1081
3000	12000	1	RMS	11908	-40.33	-13	Pass	9002
12000	20000	1	RMS	16402	-34.23	-13	Pass	8001




**1.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.87	-13	Pass	2986
30	1000	0.1	RMS	870.114	-63.62	-13	Pass	9701
1000	1840	1	RMS	1840	-51.85	-13	Pass	841
1840	1920	1	RMS	1907.2	21.81	60	Pass	401
1920	3000	1	RMS	2872	-48.08	-13	Pass	1081
3000	12000	1	RMS	11913	-40.34	-13	Pass	9002
12000	20000	1	RMS	17301	-34.25	-13	Pass	8001




**1.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-65.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.25	-13	Pass	2986
30	1000	0.1	RMS	872.015	-63.71	-13	Pass	9701
1000	1840	1	RMS	1840	-50.25	-13	Pass	841
1840	1920	1	RMS	1850.2	23.59	60	Pass	401
1920	3000	1	RMS	2871	-48.1	-13	Pass	1081
3000	12000	1	RMS	11897	-40.33	-13	Pass	9002
12000	20000	1	RMS	16401	-34.26	-13	Pass	8001




**1.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-65.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.23	-13	Pass	2986
30	1000	0.1	RMS	882.022	-63.51	-13	Pass	9701
1000	1840	1	RMS	1840	-50.5	-13	Pass	841
1840	1920	1	RMS	1850.2	22.69	60	Pass	401
1920	3000	1	RMS	2872	-48.12	-13	Pass	1081
3000	12000	1	RMS	11798	-41.23	-13	Pass	9002
12000	20000	1	RMS	17299	-34.98	-13	Pass	8001




**1.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-63.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.01	-13	Pass	2986
30	1000	0.1	RMS	896.231	-63.75	-13	Pass	9701
1000	1840	1	RMS	1839	-51.82	-13	Pass	841
1840	1920	1	RMS	1877.8	23.95	60	Pass	401
1920	3000	1	RMS	2869	-48.08	-13	Pass	1081
3000	12000	1	RMS	11901	-40.36	-13	Pass	9002
12000	20000	1	RMS	16401	-34.19	-13	Pass	8001




**1.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.65	-13	Pass	2986
30	1000	0.1	RMS	886.024	-63.6	-13	Pass	9701
1000	1840	1	RMS	1837	-51.86	-13	Pass	841
1840	1920	1	RMS	1877.8	23.07	60	Pass	401
1920	3000	1	RMS	2874	-48.13	-13	Pass	1081
3000	12000	1	RMS	11897	-40.36	-13	Pass	9002
12000	20000	1	RMS	17294	-34.24	-13	Pass	8001




**1.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-65.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.12	-13	Pass	2986
30	1000	0.1	RMS	880.821	-63.57	-13	Pass	9701
1000	1840	1	RMS	1837	-51.88	-13	Pass	841
1840	1920	1	RMS	1905.2	23.01	60	Pass	401
1920	3000	1	RMS	2868	-48.1	-13	Pass	1081
3000	12000	1	RMS	11893	-40.29	-13	Pass	9002
12000	20000	1	RMS	16406	-34.23	-13	Pass	8001




**1.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-64.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.22	-13	Pass	2986
30	1000	0.1	RMS	880.121	-63.47	-13	Pass	9701
1000	1840	1	RMS	1838	-51.86	-13	Pass	841
1840	1920	1	RMS	1905.2	22.32	60	Pass	401
1920	3000	1	RMS	2873	-48.13	-13	Pass	1081
3000	12000	1	RMS	11913	-40.31	-13	Pass	9002
12000	20000	1	RMS	17298	-34.19	-13	Pass	8001




**1.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-65.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.03	-13	Pass	2986
30	1000	0.1	RMS	878.319	-63.63	-13	Pass	9701
1000	1840	1	RMS	1833	-44.39	-13	Pass	841
1840	1920	1	RMS	1850.4	23.58	60	Pass	401
1920	3000	1	RMS	2869	-48.08	-13	Pass	1081
3000	12000	1	RMS	11901	-40.35	-13	Pass	9002
12000	20000	1	RMS	17304	-34.18	-13	Pass	8001




**1.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-64.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.71	-13	Pass	2986
30	1000	0.1	RMS	873.616	-63.56	-13	Pass	9701
1000	1840	1	RMS	1833	-44.2	-13	Pass	841
1840	1920	1	RMS	1850.4	22.75	60	Pass	401
1920	3000	1	RMS	2869	-48.14	-13	Pass	1081
3000	12000	1	RMS	11907	-40.35	-13	Pass	9002
12000	20000	1	RMS	16402	-34.24	-13	Pass	8001




**1.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-64.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.21	-13	Pass	2986
30	1000	0.1	RMS	873.916	-63.59	-13	Pass	9701
1000	1840	1	RMS	1840	-51.69	-13	Pass	841
1840	1920	1	RMS	1875.4	24.14	60	Pass	401
1920	3000	1	RMS	2862	-48.13	-13	Pass	1081
3000	12000	1	RMS	11915	-40.32	-13	Pass	9002
12000	20000	1	RMS	16399	-34.19	-13	Pass	8001




**1.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-64.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.76	-13	Pass	2986
30	1000	0.1	RMS	885.024	-63.68	-13	Pass	9701
1000	1840	1	RMS	1840	-51.85	-13	Pass	841
1840	1920	1	RMS	1875.4	23.19	60	Pass	401
1920	3000	1	RMS	2873	-48.11	-13	Pass	1081
3000	12000	1	RMS	11894	-40.3	-13	Pass	9002
12000	20000	1	RMS	16400	-34.16	-13	Pass	8001




**1.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-64.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.46	-13	Pass	2986
30	1000	0.1	RMS	894.63	-63.61	-13	Pass	9701
1000	1840	1	RMS	1840	-51.86	-13	Pass	841
1840	1920	1	RMS	1900.4	23.26	60	Pass	401
1920	3000	1	RMS	2872	-48.1	-13	Pass	1081
3000	12000	1	RMS	11906	-40.36	-13	Pass	9002
12000	20000	1	RMS	16400	-34.21	-13	Pass	8001




**1.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-64.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.88	-13	Pass	2986
30	1000	0.1	RMS	871.815	-63.7	-13	Pass	9701
1000	1840	1	RMS	1840	-51.88	-13	Pass	841
1840	1920	1	RMS	1900.4	22.41	60	Pass	401
1920	3000	1	RMS	2873	-48.07	-13	Pass	1081
3000	12000	1	RMS	11911	-40.32	-13	Pass	9002
12000	20000	1	RMS	17302	-34.22	-13	Pass	8001




**1.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-65.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.44	-13	Pass	2986
30	1000	0.1	RMS	877.419	-63.56	-13	Pass	9701
1000	1840	1	RMS	1838	-45.11	-13	Pass	841
1840	1920	1	RMS	1850.8	23.55	60	Pass	401
1920	3000	1	RMS	2872	-48.09	-13	Pass	1081
3000	12000	1	RMS	11902	-40.36	-13	Pass	9002
12000	20000	1	RMS	17300	-34.23	-13	Pass	8001




**1.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-65.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.32	-13	Pass	2986
30	1000	0.1	RMS	878.92	-63.68	-13	Pass	9701
1000	1840	1	RMS	1838	-44.86	-13	Pass	841
1840	1920	1	RMS	1850.8	22.75	60	Pass	401
1920	3000	1	RMS	2870	-48.1	-13	Pass	1081
3000	12000	1	RMS	11898	-40.22	-13	Pass	9002
12000	20000	1	RMS	17300	-34.2	-13	Pass	8001




**1.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-64.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.48	-13	Pass	2986
30	1000	0.1	RMS	874.317	-63.58	-13	Pass	9701
1000	1840	1	RMS	1838	-51.79	-13	Pass	841
1840	1920	1	RMS	1873.2	24.33	60	Pass	401
1920	3000	1	RMS	2872	-48.1	-13	Pass	1081
3000	12000	1	RMS	11903	-40.33	-13	Pass	9002
12000	20000	1	RMS	16400	-34.17	-13	Pass	8001




**1.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.52	-13	Pass	2986
30	1000	0.1	RMS	870.214	-63.61	-13	Pass	9701
1000	1840	1	RMS	1838	-51.77	-13	Pass	841
1840	1920	1	RMS	1873.2	23.34	60	Pass	401
1920	3000	1	RMS	2870	-48.08	-13	Pass	1081
3000	12000	1	RMS	11899	-40.29	-13	Pass	9002
12000	20000	1	RMS	17303	-34.23	-13	Pass	8001




**1.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-64.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.41	-13	Pass	2986
30	1000	0.1	RMS	872.215	-63.6	-13	Pass	9701
1000	1840	1	RMS	1840	-51.84	-13	Pass	841
1840	1920	1	RMS	1895.8	23.1	60	Pass	401
1920	3000	1	RMS	2867	-48.1	-13	Pass	1081
3000	12000	1	RMS	11916	-40.31	-13	Pass	9002
12000	20000	1	RMS	17306	-34.2	-13	Pass	8001




**1.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-65.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.45	-13	Pass	2986
30	1000	0.1	RMS	871.915	-63.74	-13	Pass	9701
1000	1840	1	RMS	1840	-51.82	-13	Pass	841
1840	1920	1	RMS	1895.8	22.27	60	Pass	401
1920	3000	1	RMS	2870	-48.12	-13	Pass	1081
3000	12000	1	RMS	11907	-40.31	-13	Pass	9002
12000	20000	1	RMS	16398	-34.22	-13	Pass	8001




**1.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.19	-13	Pass	2986
30	1000	0.1	RMS	866.812	-63.51	-13	Pass	9701
1000	1840	1	RMS	1833	-44.46	-13	Pass	841
1840	1920	1	RMS	1851	23.5	60	Pass	401
1920	3000	1	RMS	2873	-48.1	-13	Pass	1081
3000	12000	1	RMS	11901	-40.28	-13	Pass	9002
12000	20000	1	RMS	16399	-34.18	-13	Pass	8001




**1.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-64.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.76	-13	Pass	2986
30	1000	0.1	RMS	873.216	-63.65	-13	Pass	9701
1000	1840	1	RMS	1833	-44.13	-13	Pass	841
1840	1920	1	RMS	1851	22.76	60	Pass	401
1920	3000	1	RMS	2873	-48.08	-13	Pass	1081
3000	12000	1	RMS	11909	-40.34	-13	Pass	9002
12000	20000	1	RMS	16401	-34.16	-13	Pass	8001




**1.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-65.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.69	-13	Pass	2986
30	1000	0.1	RMS	994.296	-63.72	-13	Pass	9701
1000	1840	1	RMS	1835	-47.54	-13	Pass	841
1840	1920	1	RMS	1871	24.19	60	Pass	401
1920	3000	1	RMS	2867	-48.09	-13	Pass	1081
3000	12000	1	RMS	11927	-40.34	-13	Pass	9002
12000	20000	1	RMS	16401	-34.2	-13	Pass	8001




**1.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.41	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.52	-13	Pass	2986
30	1000	0.1	RMS	871.015	-63.54	-13	Pass	9701
1000	1840	1	RMS	1835	-47.41	-13	Pass	841
1840	1920	1	RMS	1871	23.27	60	Pass	401
1920	3000	1	RMS	2872	-48.11	-13	Pass	1081
3000	12000	1	RMS	11892	-40.3	-13	Pass	9002
12000	20000	1	RMS	16401	-34.2	-13	Pass	8001




**1.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.68	-13	Pass	2986
30	1000	0.1	RMS	878.319	-63.63	-13	Pass	9701
1000	1840	1	RMS	1838	-51.8	-13	Pass	841
1840	1920	1	RMS	1891	22.96	60	Pass	401
1920	3000	1	RMS	2874	-48.12	-13	Pass	1081
3000	12000	1	RMS	11923	-40.32	-13	Pass	9002
12000	20000	1	RMS	16401	-34.21	-13	Pass	8001



**1.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-64.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.35	-13	Pass	2986
30	1000	0.1	RMS	881.021	-63.64	-13	Pass	9701
1000	1840	1	RMS	1840	-51.85	-13	Pass	841
1840	1920	1	RMS	1891	22.13	60	Pass	401
1920	3000	1	RMS	2870	-48.12	-13	Pass	1081
3000	12000	1	RMS	11886	-40.35	-13	Pass	9002
12000	20000	1	RMS	16402	-34.17	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-65.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.36	-13	Pass	2986
30	1000	0.1	RMS	871.015	-63.71	-13	Pass	9701
1000	1700	1	RMS	1700	-51.09	-13	Pass	701
1700	1765	1	RMS	1710.238	22.98	60	Pass	401
1765	3000	1	RMS	2870	-48.1	-13	Pass	1236
3000	12000	1	RMS	11901	-40.35	-13	Pass	9002
12000	20000	1	RMS	16401	-34.19	-13	Pass	8001




**2.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-64.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.66	-13	Pass	2986
30	1000	0.1	RMS	886.525	-63.64	-13	Pass	9701
1000	1700	1	RMS	1700	-51.18	-13	Pass	701
1700	1765	1	RMS	1710.238	22.1	60	Pass	401
1765	3000	1	RMS	2872	-48.15	-13	Pass	1236
3000	12000	1	RMS	11894	-40.25	-13	Pass	9002
12000	20000	1	RMS	17302	-34.2	-13	Pass	8001




**2.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-65.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.07	-13	Pass	2986
30	1000	0.1	RMS	885.324	-63.65	-13	Pass	9701
1000	1700	1	RMS	1675	-52.42	-13	Pass	701
1700	1765	1	RMS	1732.013	24.02	60	Pass	401
1765	3000	1	RMS	2870	-48.01	-13	Pass	1236
3000	12000	1	RMS	11899	-40.32	-13	Pass	9002
12000	20000	1	RMS	16398	-34.19	-13	Pass	8001




**2.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-64.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.22	-13	Pass	2986
30	1000	0.1	RMS	893.029	-63.65	-13	Pass	9701
1000	1700	1	RMS	1680	-52.42	-13	Pass	701
1700	1765	1	RMS	1732.013	23.08	60	Pass	401
1765	3000	1	RMS	2868	-48.09	-13	Pass	1236
3000	12000	1	RMS	11915	-40.33	-13	Pass	9002
12000	20000	1	RMS	16398	-34.26	-13	Pass	8001




**2.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-65.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.05	-13	Pass	2986
30	1000	0.1	RMS	885.224	-63.58	-13	Pass	9701
1000	1700	1	RMS	1674	-52.43	-13	Pass	701
1700	1765	1	RMS	1753.788	24.72	60	Pass	401
1765	3000	1	RMS	2870	-48.14	-13	Pass	1236
3000	12000	1	RMS	11916	-40.36	-13	Pass	9002
12000	20000	1	RMS	16401	-34.19	-13	Pass	8001




**2.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-65.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.08	-13	Pass	2986
30	1000	0.1	RMS	873.416	-63.43	-13	Pass	9701
1000	1700	1	RMS	1680	-52.42	-13	Pass	701
1700	1765	1	RMS	1753.788	23.78	60	Pass	401
1765	3000	1	RMS	2872	-48.11	-13	Pass	1236
3000	12000	1	RMS	11905	-40.36	-13	Pass	9002
12000	20000	1	RMS	16403	-34.24	-13	Pass	8001




**2.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-65.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.07	-13	Pass	2986
30	1000	0.1	RMS	874.517	-63.56	-13	Pass	9701
1000	1700	1	RMS	1700	-50.93	-13	Pass	701
1700	1765	1	RMS	1710.075	23.31	60	Pass	401
1765	3000	1	RMS	2856	-48.14	-13	Pass	1236
3000	12000	1	RMS	11887	-40.35	-13	Pass	9002
12000	20000	1	RMS	17301	-34.23	-13	Pass	8001




**2.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-65.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.03	-13	Pass	2986
30	1000	0.1	RMS	872.716	-63.54	-13	Pass	9701
1000	1700	1	RMS	1700	-51.25	-13	Pass	701
1700	1765	1	RMS	1710.238	22.41	60	Pass	401
1765	3000	1	RMS	2870	-48.11	-13	Pass	1236
3000	12000	1	RMS	11895	-40.31	-13	Pass	9002
12000	20000	1	RMS	17300	-34.18	-13	Pass	8001




**2.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-65.98	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.96	-13	Pass	2986
30	1000	0.1	RMS	870.214	-63.67	-13	Pass	9701
1000	1700	1	RMS	1683	-52.47	-13	Pass	701
1700	1765	1	RMS	1731.2	24.22	60	Pass	401
1765	3000	1	RMS	2871	-48.04	-13	Pass	1236
3000	12000	1	RMS	11898	-40.32	-13	Pass	9002
12000	20000	1	RMS	16400	-34.18	-13	Pass	8001




**2.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-65.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.05	-13	Pass	2986
30	1000	0.1	RMS	872.516	-63.63	-13	Pass	9701
1000	1700	1	RMS	1679	-52.43	-13	Pass	701
1700	1765	1	RMS	1731.2	23.28	60	Pass	401
1765	3000	1	RMS	2864	-48.11	-13	Pass	1236
3000	12000	1	RMS	11895	-40.36	-13	Pass	9002
12000	20000	1	RMS	17301	-34.19	-13	Pass	8001




**2.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-65.02	-13	Pass	401
0.15	30	0.01	RMS	0.19	-69.59	-13	Pass	2986
30	1000	0.1	RMS	882.622	-63.56	-13	Pass	9701
1000	1700	1	RMS	1677	-52.41	-13	Pass	701
1700	1765	1	RMS	1752.163	24.64	60	Pass	401
1765	3000	1	RMS	2870	-48.09	-13	Pass	1236
3000	12000	1	RMS	11892	-40.35	-13	Pass	9002
12000	20000	1	RMS	17293	-34.2	-13	Pass	8001




**2.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-65.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.68	-13	Pass	2986
30	1000	0.1	RMS	886.125	-63.39	-13	Pass	9701
1000	1700	1	RMS	1679	-52.43	-13	Pass	701
1700	1765	1	RMS	1752.163	23.75	60	Pass	401
1765	3000	1	RMS	2858	-48.14	-13	Pass	1236
3000	12000	1	RMS	11916	-40.3	-13	Pass	9002
12000	20000	1	RMS	16402	-34.21	-13	Pass	8001




**2.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-65.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.69	-13	Pass	2986
30	1000	0.1	RMS	876.218	-63.6	-13	Pass	9701
1000	1700	1	RMS	1700	-51.47	-13	Pass	701
1700	1765	1	RMS	1710.238	23.54	60	Pass	401
1765	3000	1	RMS	2864	-48.12	-13	Pass	1236
3000	12000	1	RMS	11896	-40.3	-13	Pass	9002
12000	20000	1	RMS	17302	-34.16	-13	Pass	8001




**2.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.51	-13	Pass	2986
30	1000	0.1	RMS	890.527	-63.67	-13	Pass	9701
1000	1700	1	RMS	1700	-51.67	-13	Pass	701
1700	1765	1	RMS	1710.238	22.66	60	Pass	401
1765	3000	1	RMS	2874	-48.08	-13	Pass	1236
3000	12000	1	RMS	11914	-40.34	-13	Pass	9002
12000	20000	1	RMS	16399	-34.2	-13	Pass	8001




**2.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-50.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.06	-13	Pass	2986
30	1000	0.1	RMS	895.931	-63.63	-13	Pass	9701
1000	1700	1	RMS	1697	-52.4	-13	Pass	701
1700	1765	1	RMS	1730.225	24.36	60	Pass	401
1765	3000	1	RMS	2868	-48.04	-13	Pass	1236
3000	12000	1	RMS	11888	-40.39	-13	Pass	9002
12000	20000	1	RMS	16401	-34.18	-13	Pass	8001




**2.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-66.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.38	-13	Pass	2986
30	1000	0.1	RMS	884.123	-63.57	-13	Pass	9701
1000	1700	1	RMS	1680	-52.41	-13	Pass	701
1700	1765	1	RMS	1730.225	23.57	60	Pass	401
1765	3000	1	RMS	2870	-48.05	-13	Pass	1236
3000	12000	1	RMS	11924	-40.32	-13	Pass	9002
12000	20000	1	RMS	16403	-34.22	-13	Pass	8001




**2.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-65.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.62	-13	Pass	2986
30	1000	0.1	RMS	875.317	-63.57	-13	Pass	9701
1000	1700	1	RMS	1681	-52.38	-13	Pass	701
1700	1765	1	RMS	1750.213	24.64	60	Pass	401
1765	3000	1	RMS	2871	-48.16	-13	Pass	1236
3000	12000	1	RMS	11905	-40.34	-13	Pass	9002
12000	20000	1	RMS	16401	-34.2	-13	Pass	8001




**2.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-66.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.09	-13	Pass	2986
30	1000	0.1	RMS	879.32	-63.6	-13	Pass	9701
1000	1700	1	RMS	1678	-52.4	-13	Pass	701
1700	1765	1	RMS	1750.213	23.76	60	Pass	401
1765	3000	1	RMS	2874	-48.06	-13	Pass	1236
3000	12000	1	RMS	11891	-40.32	-13	Pass	9002
12000	20000	1	RMS	17299	-34.18	-13	Pass	8001




**2.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-65.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.37	-13	Pass	2986
30	1000	0.1	RMS	870.414	-63.53	-13	Pass	9701
1000	1700	1	RMS	1693	-49.58	-13	Pass	701
1700	1765	1	RMS	1710.563	23.65	60	Pass	401
1765	3000	1	RMS	2870	-48.07	-13	Pass	1236
3000	12000	1	RMS	11903	-40.31	-13	Pass	9002
12000	20000	1	RMS	16401	-34.21	-13	Pass	8001




**2.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-65.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.99	-13	Pass	2986
30	1000	0.1	RMS	876.118	-63.65	-13	Pass	9701
1000	1700	1	RMS	1693	-49.88	-13	Pass	701
1700	1765	1	RMS	1710.563	22.82	60	Pass	401
1765	3000	1	RMS	2869	-48.08	-13	Pass	1236
3000	12000	1	RMS	11913	-40.28	-13	Pass	9002
12000	20000	1	RMS	17301	-34.27	-13	Pass	8001




**2.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-65.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.34	-13	Pass	2986
30	1000	0.1	RMS	887.125	-63.66	-13	Pass	9701
1000	1700	1	RMS	1700	-52.36	-13	Pass	701
1700	1765	1	RMS	1727.95	24.49	60	Pass	401
1765	3000	1	RMS	2873	-48.12	-13	Pass	1236
3000	12000	1	RMS	11904	-40.33	-13	Pass	9002
12000	20000	1	RMS	17303	-34.17	-13	Pass	8001




**2.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-66.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.35	-13	Pass	2986
30	1000	0.1	RMS	867.012	-63.62	-13	Pass	9701
1000	1700	1	RMS	1680	-52.44	-13	Pass	701
1700	1765	1	RMS	1727.95	23.51	60	Pass	401
1765	3000	1	RMS	2872	-48.08	-13	Pass	1236
3000	12000	1	RMS	11908	-40.34	-13	Pass	9002
12000	20000	1	RMS	17299	-34.21	-13	Pass	8001




**2.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-65.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.17	-13	Pass	2986
30	1000	0.1	RMS	995.997	-63.59	-13	Pass	9701
1000	1700	1	RMS	1676	-52.41	-13	Pass	701
1700	1765	1	RMS	1745.5	24.2	60	Pass	401
1765	3000	1	RMS	2868	-48.04	-13	Pass	1236
3000	12000	1	RMS	11909	-40.28	-13	Pass	9002
12000	20000	1	RMS	16401	-34.24	-13	Pass	8001




**2.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-52.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.53	-13	Pass	2986
30	1000	0.1	RMS	889.7	-62.56	-13	Pass	9701
1000	1700	1	RMS	1681	-51.19	-13	Pass	701
1700	1765	1	RMS	1745.5	21.97	60	Pass	401
1765	3000	1	RMS	2798	-47.71	-13	Pass	1236
3000	12000	1	RMS	11448	-39.18	-13	Pass	9001
12000	20000	1	RMS	19415	-33.41	-13	Pass	8001




**2.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.74	-13	Pass	2986
30	1000	0.1	RMS	849.9	-62.61	-13	Pass	9701
1000	1700	1	RMS	1698	-47.46	-13	Pass	701
1700	1765	1	RMS	1710.888	22.3	60	Pass	401
1765	3000	1	RMS	2994	-47.67	-13	Pass	1236
3000	12000	1	RMS	11451	-39.16	-13	Pass	9001
12000	20000	1	RMS	19415	-33.39	-13	Pass	8001




**2.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.3	-13	Pass	2986
30	1000	0.1	RMS	948.5	-62.56	-13	Pass	9701
1000	1700	1	RMS	1698	-47.24	-13	Pass	701
1700	1765	1	RMS	1710.888	21.75	60	Pass	401
1765	3000	1	RMS	2816	-47.71	-13	Pass	1236
3000	12000	1	RMS	11452	-39.12	-13	Pass	9001
12000	20000	1	RMS	19424	-33.47	-13	Pass	8001




**2.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.44	-13	Pass	2986
30	1000	0.1	RMS	906.7	-62.5	-13	Pass	9701
1000	1700	1	RMS	1699	-48.81	-13	Pass	701
1700	1765	1	RMS	1725.838	23.63	60	Pass	401
1765	3000	1	RMS	2794	-47.66	-13	Pass	1236
3000	12000	1	RMS	11693	-39.23	-13	Pass	9001
12000	20000	1	RMS	19403	-33.5	-13	Pass	8001




**2.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-50.79	-13	Pass	401
0.15	30	0.01	RMS	0.17	-64.47	-13	Pass	2986
30	1000	0.1	RMS	892.6	-62.6	-13	Pass	9701
1000	1700	1	RMS	1699	-48.6	-13	Pass	701
1700	1765	1	RMS	1725.838	22.69	60	Pass	401
1765	3000	1	RMS	2808	-47.7	-13	Pass	1236
3000	12000	1	RMS	11456	-39.17	-13	Pass	9001
12000	20000	1	RMS	19405	-33.51	-13	Pass	8001




**2.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.83	-13	Pass	2986
30	1000	0.1	RMS	877.4	-62.53	-13	Pass	9701
1000	1700	1	RMS	1682	-51.16	-13	Pass	701
1700	1765	1	RMS	1740.788	23.15	60	Pass	401
1765	3000	1	RMS	1767	-41.66	-13	Pass	1236
3000	12000	1	RMS	11706	-39.19	-13	Pass	9001
12000	20000	1	RMS	19405	-33.49	-13	Pass	8001




**2.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.28	-13	Pass	2986
30	1000	0.1	RMS	849.2	-62.59	-13	Pass	9701
1000	1700	1	RMS	1680	-51.23	-13	Pass	701
1700	1765	1	RMS	1740.788	22.54	60	Pass	401
1765	3000	1	RMS	1767	-41.67	-13	Pass	1236
3000	12000	1	RMS	11705	-39.19	-13	Pass	9001
12000	20000	1	RMS	19428	-33.43	-13	Pass	8001




**2.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.2	-13	Pass	2986
30	1000	0.1	RMS	886.6	-62.62	-13	Pass	9701
1000	1700	1	RMS	1693	-45.23	-13	Pass	701
1700	1765	1	RMS	1711.05	23.12	60	Pass	401
1765	3000	1	RMS	2804	-47.75	-13	Pass	1236
3000	12000	1	RMS	11703	-39.16	-13	Pass	9001
12000	20000	1	RMS	19380	-33.47	-13	Pass	8001




**2.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.11	-13	Pass	2986
30	1000	0.1	RMS	877.2	-62.57	-13	Pass	9701
1000	1700	1	RMS	1693	-45.31	-13	Pass	701
1700	1765	1	RMS	1711.05	22.22	60	Pass	401
1765	3000	1	RMS	2808	-47.73	-13	Pass	1236
3000	12000	1	RMS	11825	-39.2	-13	Pass	9001
12000	20000	1	RMS	19412	-33.52	-13	Pass	8001




**2.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.74	-13	Pass	2986
30	1000	0.1	RMS	909.1	-62.28	-13	Pass	9701
1000	1700	1	RMS	1697	-50.26	-13	Pass	701
1700	1765	1	RMS	1723.563	24.06	60	Pass	401
1765	3000	1	RMS	2805	-47.63	-13	Pass	1236
3000	12000	1	RMS	11803	-39.15	-13	Pass	9001
12000	20000	1	RMS	19420	-33.46	-13	Pass	8001




**2.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.02	-13	Pass	2986
30	1000	0.1	RMS	890.3	-62.62	-13	Pass	9701
1000	1700	1	RMS	1697	-50.6	-13	Pass	701
1700	1765	1	RMS	1723.563	22.98	60	Pass	401
1765	3000	1	RMS	2820	-47.67	-13	Pass	1236
3000	12000	1	RMS	11448	-39.17	-13	Pass	9001
12000	20000	1	RMS	19417	-33.39	-13	Pass	8001




2.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-52.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-63.02	-13	Pass	2986
30	1000	0.1	RMS	895.7	-62.59	-13	Pass	9701
1000	1700	1	RMS	1700	-47.36	-13	Pass	701
1700	1765	1	RMS	1736.075	23.45	60	Pass	401
1765	3000	1	RMS	1772	-42.87	-13	Pass	1236
3000	12000	1	RMS	11706	-39.18	-13	Pass	9001
12000	20000	1	RMS	19408	-33.48	-13	Pass	8001



**2.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.27	-13	Pass	2986
30	1000	0.1	RMS	907.8	-62.36	-13	Pass	9701
1000	1700	1	RMS	1700	-47.38	-13	Pass	701
1700	1765	1	RMS	1736.075	22.49	60	Pass	401
1765	3000	1	RMS	1772	-42.85	-13	Pass	1236
3000	12000	1	RMS	11459	-39.12	-13	Pass	9001
12000	20000	1	RMS	19413	-33.41	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.76	-13	Pass	2986
30	814	0.1	RMS	812.7	-62.97	-13	Pass	7841
814	860	0.1	RMS	824.2	20.68	60	Pass	461
860	1000	0.1	RMS	926.4	-62.9	-13	Pass	1401
1000	3000	1	RMS	1648	-32.9	-13	Pass	2001
3000	10000	1	RMS	9756	-40.18	-13	Pass	7001




**3.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-51.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.6	-13	Pass	2986
30	814	0.1	RMS	814	-63.05	-13	Pass	7841
814	860	0.1	RMS	824.3	19.82	60	Pass	461
860	1000	0.1	RMS	900.7	-62.93	-13	Pass	1401
1000	3000	1	RMS	1648	-33.63	-13	Pass	2001
3000	10000	1	RMS	9747	-40.11	-13	Pass	7001




**3.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-52.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.84	-13	Pass	2986
30	814	0.1	RMS	812.9	-62.93	-13	Pass	7841
814	860	0.1	RMS	836.1	19.51	60	Pass	461
860	1000	0.1	RMS	895.6	-62.87	-13	Pass	1401
1000	3000	1	RMS	1672	-35.42	-13	Pass	2001
3000	10000	1	RMS	9741	-40.18	-13	Pass	7001




**3.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.05	-13	Pass	2986
30	814	0.1	RMS	801	-63.21	-13	Pass	7841
814	860	0.1	RMS	836.1	18.66	60	Pass	461
860	1000	0.1	RMS	873	-63.05	-13	Pass	1401
1000	3000	1	RMS	1672	-35.87	-13	Pass	2001
3000	10000	1	RMS	9772	-40.22	-13	Pass	7001




**3.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-63.85	-13	Pass	2986
30	814	0.1	RMS	804.4	-63.08	-13	Pass	7841
814	860	0.1	RMS	847.9	20.08	60	Pass	461
860	1000	0.1	RMS	991.8	-62.91	-13	Pass	1401
1000	3000	1	RMS	1696	-35.63	-13	Pass	2001
3000	10000	1	RMS	9769	-40.23	-13	Pass	7001




**3.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.68	-13	Pass	2986
30	814	0.1	RMS	812.7	-63.2	-13	Pass	7841
814	860	0.1	RMS	847.9	19.06	60	Pass	461
860	1000	0.1	RMS	869	-62.99	-13	Pass	1401
1000	3000	1	RMS	1696	-36.41	-13	Pass	2001
3000	10000	1	RMS	9754	-40.24	-13	Pass	7001




**3.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.1	-13	Pass	2986
30	814	0.1	RMS	814	-62.48	-13	Pass	7841
814	860	0.1	RMS	824.2	21.02	60	Pass	461
860	1000	0.1	RMS	973.1	-62.92	-13	Pass	1401
1000	3000	1	RMS	1648	-32.74	-13	Pass	2001
3000	10000	1	RMS	9737	-40.2	-13	Pass	7001




**3.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-64.21	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.53	-13	Pass	7841
814	860	0.1	RMS	824.2	20.16	60	Pass	461
860	1000	0.1	RMS	923.7	-62.97	-13	Pass	1401
1000	3000	1	RMS	1648	-33.38	-13	Pass	2001
3000	10000	1	RMS	9754	-40.23	-13	Pass	7001




**3.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.05	-13	Pass	2986
30	814	0.1	RMS	799.9	-63.07	-13	Pass	7841
814	860	0.1	RMS	835.2	19.78	60	Pass	461
860	1000	0.1	RMS	909.9	-62.93	-13	Pass	1401
1000	3000	1	RMS	1670	-37.08	-13	Pass	2001
3000	10000	1	RMS	9726	-40.2	-13	Pass	7001




**3.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.67	-13	Pass	2986
30	814	0.1	RMS	811.8	-63.18	-13	Pass	7841
814	860	0.1	RMS	835.2	18.9	60	Pass	461
860	1000	0.1	RMS	997.5	-63.03	-13	Pass	1401
1000	3000	1	RMS	1670	-37.55	-13	Pass	2001
3000	10000	1	RMS	9759	-40.23	-13	Pass	7001




**3.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.56	-13	Pass	2986
30	814	0.1	RMS	808.8	-63.09	-13	Pass	7841
814	860	0.1	RMS	846.2	20.02	60	Pass	461
860	1000	0.1	RMS	861.2	-62.97	-13	Pass	1401
1000	3000	1	RMS	1692	-35.02	-13	Pass	2001
3000	10000	1	RMS	9716	-40.22	-13	Pass	7001




**3.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64	-13	Pass	2986
30	814	0.1	RMS	811	-63.17	-13	Pass	7841
814	860	0.1	RMS	846.2	19.04	60	Pass	461
860	1000	0.1	RMS	879.9	-63.05	-13	Pass	1401
1000	3000	1	RMS	1692	-35.88	-13	Pass	2001
3000	10000	1	RMS	9743	-40.24	-13	Pass	7001




**3.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.08	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.9	-13	Pass	7841
814	860	0.1	RMS	824.3	21.3	60	Pass	461
860	1000	0.1	RMS	968.4	-62.86	-13	Pass	1401
1000	3000	1	RMS	1649	-31.88	-13	Pass	2001
3000	10000	1	RMS	9749	-40.22	-13	Pass	7001




**3.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-62.86	-13	Pass	2986
30	814	0.1	RMS	813.9	-63.14	-13	Pass	7841
814	860	0.1	RMS	824.3	20.36	60	Pass	461
860	1000	0.1	RMS	904.1	-62.84	-13	Pass	1401
1000	3000	1	RMS	1649	-32.45	-13	Pass	2001
3000	10000	1	RMS	9765	-40.18	-13	Pass	7001




**3.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.03	-13	Pass	2986
30	814	0.1	RMS	800.3	-63.06	-13	Pass	7841
814	860	0.1	RMS	834.3	19.93	60	Pass	461
860	1000	0.1	RMS	908.5	-63	-13	Pass	1401
1000	3000	1	RMS	1669	-36.61	-13	Pass	2001
3000	10000	1	RMS	9737	-40.23	-13	Pass	7001




**3.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.11	-13	Pass	2986
30	814	0.1	RMS	809	-63.15	-13	Pass	7841
814	860	0.1	RMS	834.3	19.28	60	Pass	461
860	1000	0.1	RMS	972.9	-63	-13	Pass	1401
1000	3000	1	RMS	1669	-36.98	-13	Pass	2001
3000	10000	1	RMS	9709	-40.26	-13	Pass	7001




**3.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-63.94	-13	Pass	2986
30	814	0.1	RMS	779	-63.2	-13	Pass	7841
814	860	0.1	RMS	844.3	20.01	60	Pass	461
860	1000	0.1	RMS	887	-63.06	-13	Pass	1401
1000	3000	1	RMS	1689	-34.57	-13	Pass	2001
3000	10000	1	RMS	9766	-40.17	-13	Pass	7001




**3.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.04	-13	Pass	2986
30	814	0.1	RMS	803.5	-63.08	-13	Pass	7841
814	860	0.1	RMS	844.3	19.12	60	Pass	461
860	1000	0.1	RMS	876.7	-63.04	-13	Pass	1401
1000	3000	1	RMS	1689	-35.15	-13	Pass	2001
3000	10000	1	RMS	9704	-40.23	-13	Pass	7001




3.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-52.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.78	-13	Pass	2986
30	814	0.1	RMS	807	-57.03	-13	Pass	7841
814	860	0.1	RMS	824.6	22.19	60	Pass	461
860	1000	0.1	RMS	860.1	-62.61	-13	Pass	1401
1000	3000	1	RMS	1649	-30.98	-13	Pass	2001
3000	10000	1	RMS	9707	-40.25	-13	Pass	7001




**3.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.26	-13	Pass	2986
30	814	0.1	RMS	807	-58.41	-13	Pass	7841
814	860	0.1	RMS	824.6	21.25	60	Pass	461
860	1000	0.1	RMS	860	-62.73	-13	Pass	1401
1000	3000	1	RMS	1649	-31.63	-13	Pass	2001
3000	10000	1	RMS	9770	-40.19	-13	Pass	7001




3.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-62.68	-13	Pass	2986
30	814	0.1	RMS	814	-52.25	-13	Pass	7841
814	860	0.1	RMS	832.1	20.91	60	Pass	461
860	1000	0.1	RMS	884.7	-62.86	-13	Pass	1401
1000	3000	1	RMS	1664	-35.6	-13	Pass	2001
3000	10000	1	RMS	9771	-40.21	-13	Pass	7001




**3.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-51.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-63.83	-13	Pass	2986
30	814	0.1	RMS	814	-55.02	-13	Pass	7841
814	860	0.1	RMS	832.1	19.87	60	Pass	461
860	1000	0.1	RMS	885.1	-62.95	-13	Pass	1401
1000	3000	1	RMS	1664	-35.98	-13	Pass	2001
3000	10000	1	RMS	9758	-40.24	-13	Pass	7001




**3.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-63.06	-13	Pass	2986
30	814	0.1	RMS	809.2	-63.19	-13	Pass	7841
814	860	0.1	RMS	839.6	19.45	60	Pass	461
860	1000	0.1	RMS	983.5	-62.97	-13	Pass	1401
1000	3000	1	RMS	1679	-34.88	-13	Pass	2001
3000	10000	1	RMS	9735	-40.23	-13	Pass	7001



**3.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-64.17	-13	Pass	2986
30	814	0.1	RMS	800.3	-63.15	-13	Pass	7841
814	860	0.1	RMS	839.6	18.72	60	Pass	461
860	1000	0.1	RMS	886.3	-62.98	-13	Pass	1401
1000	3000	1	RMS	1679	-35.49	-13	Pass	2001
3000	10000	1	RMS	9713	-40.21	-13	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.79	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.5	-25	Pass	2986
30	1000	0.1	RMS	865.311	-63.96	-25	Pass	9701
1000	2480	1	RMS	2479	-50.77	-25	Pass	1481
2480	2590	1	RMS	2500.075	23.65	60	Pass	401
2590	3000	1	RMS	2874	-48.43	-25	Pass	411
3000	12000	1	RMS	11921	-50.75	-25	Pass	9002
12000	26000	1	RMS	25898	-40.68	-25	Pass	14002




**4.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-70.94	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.42	-25	Pass	2986
30	1000	0.1	RMS	895.231	-63.95	-25	Pass	9701
1000	2480	1	RMS	2479	-50.8	-25	Pass	1481
2480	2590	1	RMS	2500.075	23.26	60	Pass	401
2590	3000	1	RMS	2867	-48.4	-25	Pass	411
3000	12000	1	RMS	11896	-50.74	-25	Pass	9002
12000	26000	1	RMS	25903	-40.73	-25	Pass	14002




**4.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.86	-25	Pass	2986
30	1000	0.1	RMS	868.413	-63.86	-25	Pass	9701
1000	2480	1	RMS	2475	-50.85	-25	Pass	1481
2480	2590	1	RMS	2532.8	23.96	60	Pass	401
2590	3000	1	RMS	2865	-48.44	-25	Pass	411
3000	12000	1	RMS	11900	-50.71	-25	Pass	9002
12000	26000	1	RMS	25896	-40.69	-25	Pass	14002




**4.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.15	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.8	-25	Pass	2986
30	1000	0.1	RMS	882.722	-63.83	-25	Pass	9701
1000	2480	1	RMS	2480	-50.83	-25	Pass	1481
2480	2590	1	RMS	2532.8	23.23	60	Pass	401
2590	3000	1	RMS	2871	-48.38	-25	Pass	411
3000	12000	1	RMS	11900	-50.76	-25	Pass	9002
12000	26000	1	RMS	25902	-40.71	-25	Pass	14002




**4.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.78	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.72	-25	Pass	2986
30	1000	0.1	RMS	881.822	-63.91	-25	Pass	9701
1000	2480	1	RMS	2477	-50.78	-25	Pass	1481
2480	2590	1	RMS	2565.25	24.23	60	Pass	401
2590	3000	1	RMS	2870	-48.42	-25	Pass	411
3000	12000	1	RMS	11909	-50.73	-25	Pass	9002
12000	26000	1	RMS	25901	-40.56	-25	Pass	14002




**4.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.46	-25	Pass	2986
30	1000	0.1	RMS	874.317	-63.88	-25	Pass	9701
1000	2480	1	RMS	2478	-50.79	-25	Pass	1481
2480	2590	1	RMS	2565.25	23.98	60	Pass	401
2590	3000	1	RMS	2871	-48.41	-25	Pass	411
3000	12000	1	RMS	11908	-50.72	-25	Pass	9002
12000	26000	1	RMS	25875	-40.68	-25	Pass	14002




4.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-63.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.45	-25	Pass	2986
30	1000	0.1	RMS	878.319	-63.99	-25	Pass	9701
1000	2480	1	RMS	2480	-50.66	-25	Pass	1481
2480	2590	1	RMS	2500.35	23.57	60	Pass	401
2590	3000	1	RMS	2869	-48.41	-25	Pass	411
3000	12000	1	RMS	11914	-50.76	-25	Pass	9002
12000	26000	1	RMS	25904	-40.73	-25	Pass	14002




**4.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.56	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.15	-25	Pass	2986
30	1000	0.1	RMS	881.622	-63.88	-25	Pass	9701
1000	2480	1	RMS	2479	-50.72	-25	Pass	1481
2480	2590	1	RMS	2500.35	23.33	60	Pass	401
2590	3000	1	RMS	2874	-48.42	-25	Pass	411
3000	12000	1	RMS	11880	-50.74	-25	Pass	9002
12000	26000	1	RMS	25866	-40.74	-25	Pass	14002




**4.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71	-25	Pass	2986
30	1000	0.1	RMS	874.817	-64.01	-25	Pass	9701
1000	2480	1	RMS	2480	-50.88	-25	Pass	1481
2480	2590	1	RMS	2530.325	23.8	60	Pass	401
2590	3000	1	RMS	2874	-48.42	-25	Pass	411
3000	12000	1	RMS	11898	-50.79	-25	Pass	9002
12000	26000	1	RMS	25854	-40.71	-25	Pass	14002




**4.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.35	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.09	-25	Pass	2986
30	1000	0.1	RMS	992.895	-63.99	-25	Pass	9701
1000	2480	1	RMS	2478	-50.8	-25	Pass	1481
2480	2590	1	RMS	2530.325	23.2	60	Pass	401
2590	3000	1	RMS	2868	-48.37	-25	Pass	411
3000	12000	1	RMS	11907	-50.74	-25	Pass	9002
12000	26000	1	RMS	25891	-40.74	-25	Pass	14002




4.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.74	-25	Pass	2986
30	1000	0.1	RMS	885.924	-64.06	-25	Pass	9701
1000	2480	1	RMS	2480	-50.85	-25	Pass	1481
2480	2590	1	RMS	2560.575	24.47	60	Pass	401
2590	3000	1	RMS	2871	-48.4	-25	Pass	411
3000	12000	1	RMS	11909	-50.76	-25	Pass	9002
12000	26000	1	RMS	25882	-40.67	-25	Pass	14002




**4.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-68.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.56	-25	Pass	2986
30	1000	0.1	RMS	870.514	-64.01	-25	Pass	9701
1000	2480	1	RMS	2479	-50.77	-25	Pass	1481
2480	2590	1	RMS	2560.575	24.03	60	Pass	401
2590	3000	1	RMS	2872	-48.4	-25	Pass	411
3000	12000	1	RMS	11898	-50.67	-25	Pass	9002
12000	26000	1	RMS	25900	-40.67	-25	Pass	14002




**4.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.41	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.18	-25	Pass	2986
30	1000	0.1	RMS	872.716	-63.81	-25	Pass	9701
1000	2480	1	RMS	2480	-49.41	-25	Pass	1481
2480	2590	1	RMS	2500.625	23.77	60	Pass	401
2590	3000	1	RMS	2874	-48.44	-25	Pass	411
3000	12000	1	RMS	11888	-50.71	-25	Pass	9002
12000	26000	1	RMS	25894	-40.72	-25	Pass	14002




**4.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.46	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.47	-25	Pass	2986
30	1000	0.1	RMS	870.614	-63.96	-25	Pass	9701
1000	2480	1	RMS	2480	-49.59	-25	Pass	1481
2480	2590	1	RMS	2500.625	23.43	60	Pass	401
2590	3000	1	RMS	2871	-48.42	-25	Pass	411
3000	12000	1	RMS	11899	-50.72	-25	Pass	9002
12000	26000	1	RMS	25868	-40.56	-25	Pass	14002




**4.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.28	-25	Pass	2986
30	1000	0.1	RMS	859.907	-64	-25	Pass	9701
1000	2480	1	RMS	2479	-50.78	-25	Pass	1481
2480	2590	1	RMS	2528.125	24.03	60	Pass	401
2590	3000	1	RMS	2871	-48.39	-25	Pass	411
3000	12000	1	RMS	11893	-50.63	-25	Pass	9002
12000	26000	1	RMS	25866	-40.7	-25	Pass	14002




**4.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.92	-25	Pass	2986
30	1000	0.1	RMS	871.315	-64	-25	Pass	9701
1000	2480	1	RMS	2478	-50.81	-25	Pass	1481
2480	2590	1	RMS	2528.125	23.41	60	Pass	401
2590	3000	1	RMS	2873	-48.42	-25	Pass	411
3000	12000	1	RMS	11900	-50.61	-25	Pass	9002
12000	26000	1	RMS	25871	-40.64	-25	Pass	14002




**4.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.26	-25	Pass	2986
30	1000	0.1	RMS	889.227	-63.97	-25	Pass	9701
1000	2480	1	RMS	2478	-50.8	-25	Pass	1481
2480	2590	1	RMS	2555.625	24.65	60	Pass	401
2590	3000	1	RMS	2873	-48.36	-25	Pass	411
3000	12000	1	RMS	5112	-50.47	-25	Pass	9002
12000	26000	1	RMS	25887	-40.59	-25	Pass	14002




**4.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.34	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.71	-25	Pass	2986
30	1000	0.1	RMS	884.924	-64	-25	Pass	9701
1000	2480	1	RMS	2480	-50.79	-25	Pass	1481
2480	2590	1	RMS	2555.625	23.89	60	Pass	401
2590	3000	1	RMS	2870	-48.35	-25	Pass	411
3000	12000	1	RMS	11902	-50.72	-25	Pass	9002
12000	26000	1	RMS	25899	-40.67	-25	Pass	14002




4.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.22	-25	Pass	2986
30	1000	0.1	RMS	890.928	-63.98	-25	Pass	9701
1000	2480	1	RMS	2480	-49.77	-25	Pass	1481
2480	2590	1	RMS	2500.9	23.75	60	Pass	401
2590	3000	1	RMS	2868	-48.41	-25	Pass	411
3000	12000	1	RMS	11911	-50.72	-25	Pass	9002
12000	26000	1	RMS	25891	-40.69	-25	Pass	14002




**4.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.75	-25	Pass	2986
30	1000	0.1	RMS	994.997	-64.05	-25	Pass	9701
1000	2480	1	RMS	2480	-49.77	-25	Pass	1481
2480	2590	1	RMS	2500.9	23.53	60	Pass	401
2590	3000	1	RMS	2871	-48.39	-25	Pass	411
3000	12000	1	RMS	11896	-50.75	-25	Pass	9002
12000	26000	1	RMS	25848	-40.72	-25	Pass	14002




**4.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.88	-25	Pass	2986
30	1000	0.1	RMS	885.424	-63.94	-25	Pass	9701
1000	2480	1	RMS	2480	-50.79	-25	Pass	1481
2480	2590	1	RMS	2525.925	23.97	60	Pass	401
2590	3000	1	RMS	2873	-48.41	-25	Pass	411
3000	12000	1	RMS	11904	-50.75	-25	Pass	9002
12000	26000	1	RMS	25892	-40.62	-25	Pass	14002




**4.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.7	-25	Pass	2986
30	1000	0.1	RMS	877.519	-64.06	-25	Pass	9701
1000	2480	1	RMS	2480	-50.69	-25	Pass	1481
2480	2590	1	RMS	2525.925	23.53	60	Pass	401
2590	3000	1	RMS	2868	-48.38	-25	Pass	411
3000	12000	1	RMS	11901	-50.72	-25	Pass	9002
12000	26000	1	RMS	25886	-40.68	-25	Pass	14002




**4.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.37	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.88	-25	Pass	2986
30	1000	0.1	RMS	887.425	-63.88	-25	Pass	9701
1000	2480	1	RMS	2478	-50.78	-25	Pass	1481
2480	2590	1	RMS	2550.95	24.38	60	Pass	401
2590	3000	1	RMS	2871	-48.41	-25	Pass	411
3000	12000	1	RMS	5102	-50.24	-25	Pass	9002
12000	26000	1	RMS	25864	-40.64	-25	Pass	14002



**4.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.72	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.07	-25	Pass	2986
30	1000	0.1	RMS	876.018	-63.94	-25	Pass	9701
1000	2480	1	RMS	2480	-50.76	-25	Pass	1481
2480	2590	1	RMS	2550.95	23.71	60	Pass	401
2590	3000	1	RMS	2868	-48.4	-25	Pass	411
3000	12000	1	RMS	11921	-50.75	-25	Pass	9002
12000	26000	1	RMS	25898	-40.7	-25	Pass	14002



5. GPRS_GSM850


5.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-53.91	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.87	-13	Pass	2986
30	500	0.1	Peak	472.8	-43.38	-13	Pass	4701
500	1000	0.1	Peak	824.3	32.82	-13	N/A	5001
1000	10000	1	Peak	7622	-20.52	-13	Pass	9002




5.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-51.8	-13	Pass	401
0.15	30	0.01	Peak	0.26	-51.94	-13	Pass	2986
30	500	0.1	Peak	449.5	-44.09	-13	Pass	4701
500	1000	0.1	Peak	836.6	32.43	-13	N/A	5001
1000	10000	1	Peak	7102	-20.82	-13	Pass	9002



5.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-53.67	-13	Pass	401
0.15	30	0.01	Peak	0.18	-51.99	-13	Pass	2986
30	500	0.1	Peak	468.2	-43.6	-13	Pass	4701
500	1000	0.1	Peak	848.9	32.35	-13	N/A	5001
1000	10000	1	Peak	8882	-20.45	-13	Pass	9002



6. GPRS_PCS


6.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-58.79	-13	Pass	401
0.15	30	0.01	Peak	0.22	-58.74	-13	Pass	2986
30	1000	0.1	Peak	964.276	-48.95	-13	Pass	9701
1000	3000	1	Peak	1850	30.26	-13	N/A	2001
3000	20000	1	Peak	5551	-38.9	-13	Pass	17003




6.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.062	-36.92	-13	Pass	401
0.15	30	0.01	Peak	0.17	-56.79	-13	Pass	2986
30	1000	0.1	Peak	870.314	-48.55	-13	Pass	9701
1000	3000	1	Peak	1880	29.28	-13	N/A	2001
3000	20000	1	Peak	5640	-35.5	-13	Pass	17003



6.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.088	-40.14	-13	Pass	401
0.15	30	0.01	Peak	0.25	-57.84	-13	Pass	2986
30	1000	0.1	Peak	868.013	-46.97	-13	Pass	9701
1000	3000	1	Peak	1910	29.54	-13	N/A	2001
3000	20000	1	Peak	5729	-35.99	-13	Pass	17003



7. EGPRS_GSM850


7.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.111	-35.74	-13	Pass	401
0.15	30	0.01	Peak	0.19	-52	-13	Pass	2986
30	500	0.1	Peak	372.2	-43.81	-13	Pass	4701
500	1000	0.1	Peak	824.1	25.69	-13	N/A	5001
1000	10000	1	Peak	7390	-20.59	-13	Pass	9002




7.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-53.56	-13	Pass	401
0.15	30	0.01	Peak	0.2	-51.98	-13	Pass	2986
30	500	0.1	Peak	107.4	-33.48	-13	Pass	4701
500	1000	0.1	Peak	836.6	29.33	-13	N/A	5001
1000	10000	1	Peak	7206	-19.76	-13	Pass	9002



7.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.119	-22.84	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.94	-13	Pass	2986
30	500	0.1	Peak	476.8	-42.7	-13	Pass	4701
500	1000	0.1	Peak	848.8	28.75	-13	N/A	5001
1000	10000	1	Peak	8072	-20.19	-13	Pass	9002



8. EGPRS_PCS


8.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-58.16	-13	Pass	401
0.15	30	0.01	Peak	0.16	-57.66	-13	Pass	2986
30	1000	0.1	Peak	41.2	-32.22	-13	Pass	9701
1000	3000	1	Peak	1850	29.31	-13	N/A	2001
3000	20000	1	Peak	5551	-42.84	-13	Pass	17003




8.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-42.66	-13	Pass	401
0.15	30	0.01	Peak	0.18	-58.57	-13	Pass	2986
30	1000	0.1	Peak	882.422	-47.6	-13	Pass	9701
1000	3000	1	Peak	1880	29.39	-13	N/A	2001
3000	20000	1	Peak	5640	-38.8	-13	Pass	17003



8.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-33.36	-13	Pass	401
0.15	30	0.01	Peak	0.15	-57.54	-13	Pass	2986
30	1000	0.1	Peak	790.6	-48.46	-13	Pass	9701
1000	3000	1	Peak	1910	28.77	-13	N/A	2001
3000	20000	1	Peak	5729	-39.67	-13	Pass	17003



--BLANK BELOW--