


Annex 5. Spurious Emission at Antenna Terminals

1. GPRS_GSM850


1.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-52.56	-13	Pass	401
0.15	30	0.01	Peak	0.2	-52.74	-13	Pass	2986
30	500	0.1	Peak	351	-43.85	-13	Pass	4701
500	1000	0.1	Peak	824.3	33.02	-13	N/A	5001
1000	10000	1	Peak	7184	-20.8	-13	Pass	9002




1.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.06	-13	Pass	401
0.15	30	0.01	Peak	0.17	-52.72	-13	Pass	2986
30	500	0.1	Peak	351.2	-43.36	-13	Pass	4701
500	1000	0.1	Peak	836.6	32.79	-13	N/A	5001
1000	10000	1	Peak	7526	-20.51	-13	Pass	9002



1.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-52.81	-13	Pass	401
0.15	30	0.01	Peak	0.15	-53.12	-13	Pass	2986
30	500	0.1	Peak	478.2	-44.05	-13	Pass	4701
500	1000	0.1	Peak	848.9	32.88	-13	N/A	5001
1000	10000	1	Peak	7034	-20.22	-13	Pass	9002



2. GPRS_PCS


2.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.9	-13	Pass	401
0.15	30	0.01	Peak	0.15	-58.53	-13	Pass	2986
30	1000	0.1	Peak	910.841	-49.17	-13	Pass	9701
1000	3000	1	Peak	1851	25.15	-13	N/A	2001
3000	20000	1	Peak	16654	-42.45	-13	Pass	17003




2.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-59.08	-13	Pass	401
0.15	30	0.01	Peak	0.18	-58.59	-13	Pass	2986
30	1000	0.1	Peak	740	-49.02	-13	Pass	9701
1000	3000	1	Peak	1880	30.78	-13	N/A	2001
3000	20000	1	Peak	5640	-42.11	-13	Pass	17003



2.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-59.32	-13	Pass	401
0.15	30	0.01	Peak	0.16	-58.27	-13	Pass	2986
30	1000	0.1	Peak	697.4	-48.92	-13	Pass	9701
1000	3000	1	Peak	1910	30.46	-13	N/A	2001
3000	20000	1	Peak	5729	-38.84	-13	Pass	17003



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-52.47	-13	Pass	401
0.15	30	0.01	Peak	0.18	-51.51	-13	Pass	2986
30	500	0.1	Peak	490.4	-43.13	-13	Pass	4701
500	1000	0.1	Peak	824.2	29.35	-13	N/A	5001
1000	10000	1	Peak	7995	-20.52	-13	Pass	9002




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-54.01	-13	Pass	401
0.15	30	0.01	Peak	0.2	-52.3	-13	Pass	2986
30	500	0.1	Peak	484.7	-43.62	-13	Pass	4701
500	1000	0.1	Peak	836.6	29.14	-13	N/A	5001
1000	10000	1	Peak	6796	-20.38	-13	Pass	9002



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-51.16	-13	Pass	401
0.15	30	0.01	Peak	0.18	-53.86	-13	Pass	2986
30	500	0.1	Peak	455	-43.64	-13	Pass	4701
500	1000	0.1	Peak	848.8	28.45	-13	N/A	5001
1000	10000	1	Peak	6818	-20.32	-13	Pass	9002



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-59.17	-13	Pass	401
0.15	30	0.01	Peak	0.15	-56.17	-13	Pass	2986
30	1000	0.1	Peak	926.151	-48.06	-13	Pass	9701
1000	3000	1	Peak	1850	29.77	-13	N/A	2001
3000	20000	1	Peak	17445	-41.76	-13	Pass	17003




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-59.41	-13	Pass	401
0.15	30	0.01	Peak	0.15	-58.78	-13	Pass	2986
30	1000	0.1	Peak	881.221	-48.45	-13	Pass	9701
1000	3000	1	Peak	1880	29.42	-13	N/A	2001
3000	20000	1	Peak	17219	-43.09	-13	Pass	17003



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-59.09	-13	Pass	401
0.15	30	0.01	Peak	0.18	-58.75	-13	Pass	2986
30	1000	0.1	Peak	743.6	-47.77	-13	Pass	9701
1000	3000	1	Peak	1910	29.53	-13	N/A	2001
3000	20000	1	Peak	18330	-42.64	-13	Pass	17003



5. LTE_Band2


5.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.91	-13	Pass	2986
30	1000	0.1	RMS	865.611	-63.75	-13	Pass	9701
1000	1840	1	RMS	1840	-49.16	-13	Pass	841
1840	1920	1	RMS	1850.2	23.56	60	Pass	401
1920	3000	1	RMS	2874	-48.27	-13	Pass	1081
3000	12000	1	RMS	11815	-41.4	-13	Pass	9002
12000	20000	1	RMS	17303	-35.18	-13	Pass	8001




**5.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.16	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.31	-13	Pass	2986
30	1000	0.1	RMS	887.325	-63.5	-13	Pass	9701
1000	1840	1	RMS	1840	-50.38	-13	Pass	841
1840	1920	1	RMS	1850.2	22.36	60	Pass	401
1920	3000	1	RMS	2870	-48.16	-13	Pass	1081
3000	12000	1	RMS	11804	-41.42	-13	Pass	9002
12000	20000	1	RMS	17296	-35.14	-13	Pass	8001




5.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.87	-13	Pass	2986
30	1000	0.1	RMS	866.812	-63.79	-13	Pass	9701
1000	1840	1	RMS	1838	-51.98	-13	Pass	841
1840	1920	1	RMS	1879.4	23.21	60	Pass	401
1920	3000	1	RMS	2870	-48.17	-13	Pass	1081
3000	12000	1	RMS	3759	-40.8	-13	Pass	9002
12000	20000	1	RMS	17304	-35.14	-13	Pass	8001




**5.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.95	-13	Pass	2986
30	1000	0.1	RMS	871.915	-63.67	-13	Pass	9701
1000	1840	1	RMS	1840	-51.99	-13	Pass	841
1840	1920	1	RMS	1879.4	22.24	60	Pass	401
1920	3000	1	RMS	2874	-48.18	-13	Pass	1081
3000	12000	1	RMS	11803	-41.38	-13	Pass	9002
12000	20000	1	RMS	17307	-35.09	-13	Pass	8001




**5.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.47	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.63	-13	Pass	2986
30	1000	0.1	RMS	868.513	-63.62	-13	Pass	9701
1000	1840	1	RMS	1839	-51.96	-13	Pass	841
1840	1920	1	RMS	1908.8	22.08	60	Pass	401
1920	3000	1	RMS	2871	-48.2	-13	Pass	1081
3000	12000	1	RMS	3818	-40.03	-13	Pass	9002
12000	20000	1	RMS	17305	-35.16	-13	Pass	8001




**5.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.12	-13	Pass	2986
30	1000	0.1	RMS	883.523	-63.7	-13	Pass	9701
1000	1840	1	RMS	1836	-52.02	-13	Pass	841
1840	1920	1	RMS	1908.8	21.21	60	Pass	401
1920	3000	1	RMS	2867	-48.17	-13	Pass	1081
3000	12000	1	RMS	3818	-40.74	-13	Pass	9002
12000	20000	1	RMS	17304	-35.15	-13	Pass	8001




**5.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.16	-13	Pass	2986
30	1000	0.1	RMS	870.514	-63.8	-13	Pass	9701
1000	1840	1	RMS	1840	-49.04	-13	Pass	841
1840	1920	1	RMS	1850.2	23.18	60	Pass	401
1920	3000	1	RMS	2870	-48.2	-13	Pass	1081
3000	12000	1	RMS	11803	-41.41	-13	Pass	9002
12000	20000	1	RMS	17297	-35.13	-13	Pass	8001




**5.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.88	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.39	-13	Pass	2986
30	1000	0.1	RMS	993.796	-63.74	-13	Pass	9701
1000	1840	1	RMS	1840	-49.49	-13	Pass	841
1840	1920	1	RMS	1850.2	22.29	60	Pass	401
1920	3000	1	RMS	2875	-48.23	-13	Pass	1081
3000	12000	1	RMS	11824	-41.35	-13	Pass	9002
12000	20000	1	RMS	17298	-35.07	-13	Pass	8001




**5.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.52	-13	Pass	2986
30	1000	0.1	RMS	875.317	-63.73	-13	Pass	9701
1000	1840	1	RMS	1839	-51.92	-13	Pass	841
1840	1920	1	RMS	1878.6	23.14	60	Pass	401
1920	3000	1	RMS	2875	-48.2	-13	Pass	1081
3000	12000	1	RMS	11796	-41.37	-13	Pass	9002
12000	20000	1	RMS	17301	-35.08	-13	Pass	8001




**5.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.28	-13	Pass	2986
30	1000	0.1	RMS	892.929	-63.79	-13	Pass	9701
1000	1840	1	RMS	1835	-51.99	-13	Pass	841
1840	1920	1	RMS	1878.6	22.18	60	Pass	401
1920	3000	1	RMS	2867	-48.17	-13	Pass	1081
3000	12000	1	RMS	11802	-41.44	-13	Pass	9002
12000	20000	1	RMS	17300	-35.08	-13	Pass	8001




**5.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.94	-13	Pass	2986
30	1000	0.1	RMS	884.824	-63.7	-13	Pass	9701
1000	1840	1	RMS	1836	-52.01	-13	Pass	841
1840	1920	1	RMS	1907.2	22.12	60	Pass	401
1920	3000	1	RMS	2872	-48.16	-13	Pass	1081
3000	12000	1	RMS	3814	-41.23	-13	Pass	9002
12000	20000	1	RMS	17300	-35.17	-13	Pass	8001




5.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.59	-13	Pass	2986
30	1000	0.1	RMS	877.619	-63.81	-13	Pass	9701
1000	1840	1	RMS	1840	-51.94	-13	Pass	841
1840	1920	1	RMS	1907.2	21.29	60	Pass	401
1920	3000	1	RMS	2876	-48.27	-13	Pass	1081
3000	12000	1	RMS	11902	-41.43	-13	Pass	9002
12000	20000	1	RMS	17291	-35.1	-13	Pass	8001




**5.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.46	-13	Pass	2986
30	1000	0.1	RMS	875.217	-63.8	-13	Pass	9701
1000	1840	1	RMS	1840	-50.37	-13	Pass	841
1840	1920	1	RMS	1850.2	23.4	60	Pass	401
1920	3000	1	RMS	2869	-48.1	-13	Pass	1081
3000	12000	1	RMS	11808	-41.41	-13	Pass	9002
12000	20000	1	RMS	17305	-35.12	-13	Pass	8001




**5.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.01	-13	Pass	2986
30	1000	0.1	RMS	865.911	-63.83	-13	Pass	9701
1000	1840	1	RMS	1840	-50.79	-13	Pass	841
1840	1920	1	RMS	1850.2	22.34	60	Pass	401
1920	3000	1	RMS	2873	-48.21	-13	Pass	1081
3000	12000	1	RMS	11799	-41.38	-13	Pass	9002
12000	20000	1	RMS	17291	-35.08	-13	Pass	8001




**5.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-70.69	-13	Pass	401
0.15	30	0.01	RMS	0.18	-69.68	-13	Pass	2986
30	1000	0.1	RMS	869.113	-63.67	-13	Pass	9701
1000	1840	1	RMS	1839	-51.9	-13	Pass	841
1840	1920	1	RMS	1877.8	23.42	60	Pass	401
1920	3000	1	RMS	2871	-48.21	-13	Pass	1081
3000	12000	1	RMS	3756	-41.36	-13	Pass	9002
12000	20000	1	RMS	17298	-35.12	-13	Pass	8001




**5.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.48	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.48	-13	Pass	2986
30	1000	0.1	RMS	891.928	-63.75	-13	Pass	9701
1000	1840	1	RMS	1840	-51.93	-13	Pass	841
1840	1920	1	RMS	1877.8	22.63	60	Pass	401
1920	3000	1	RMS	2867	-48.2	-13	Pass	1081
3000	12000	1	RMS	11791	-41.36	-13	Pass	9002
12000	20000	1	RMS	17307	-35.11	-13	Pass	8001




**5.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.47	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.2	-13	Pass	2986
30	1000	0.1	RMS	878.319	-63.69	-13	Pass	9701
1000	1840	1	RMS	1839	-51.97	-13	Pass	841
1840	1920	1	RMS	1905.2	22.72	60	Pass	401
1920	3000	1	RMS	2867	-48.18	-13	Pass	1081
3000	12000	1	RMS	3811	-40.45	-13	Pass	9002
12000	20000	1	RMS	17298	-35.06	-13	Pass	8001




**5.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.12	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.79	-13	Pass	2986
30	1000	0.1	RMS	882.022	-63.67	-13	Pass	9701
1000	1840	1	RMS	1839	-51.95	-13	Pass	841
1840	1920	1	RMS	1905.2	22.02	60	Pass	401
1920	3000	1	RMS	2875	-48.19	-13	Pass	1081
3000	12000	1	RMS	3811	-41.03	-13	Pass	9002
12000	20000	1	RMS	17297	-35.09	-13	Pass	8001




**5.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.63	-13	Pass	2986
30	1000	0.1	RMS	880.221	-63.71	-13	Pass	9701
1000	1840	1	RMS	1833	-42.89	-13	Pass	841
1840	1920	1	RMS	1850.4	23.45	60	Pass	401
1920	3000	1	RMS	2870	-48.14	-13	Pass	1081
3000	12000	1	RMS	11815	-41.38	-13	Pass	9002
12000	20000	1	RMS	17300	-35.11	-13	Pass	8001




5.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.83	-13	Pass	2986
30	1000	0.1	RMS	871.415	-63.65	-13	Pass	9701
1000	1840	1	RMS	1833	-43.36	-13	Pass	841
1840	1920	1	RMS	1850.6	22.45	60	Pass	401
1920	3000	1	RMS	2870	-48.15	-13	Pass	1081
3000	12000	1	RMS	11900	-41.36	-13	Pass	9002
12000	20000	1	RMS	17301	-35.09	-13	Pass	8001




**5.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.05	-13	Pass	2986
30	1000	0.1	RMS	870.714	-63.72	-13	Pass	9701
1000	1840	1	RMS	1840	-51.97	-13	Pass	841
1840	1920	1	RMS	1875.4	23.71	60	Pass	401
1920	3000	1	RMS	2875	-48.21	-13	Pass	1081
3000	12000	1	RMS	3751	-41.06	-13	Pass	9002
12000	20000	1	RMS	17297	-35.12	-13	Pass	8001




**5.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.72	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.36	-13	Pass	2986
30	1000	0.1	RMS	874.117	-63.62	-13	Pass	9701
1000	1840	1	RMS	1840	-51.99	-13	Pass	841
1840	1920	1	RMS	1875.4	22.68	60	Pass	401
1920	3000	1	RMS	2869	-48.21	-13	Pass	1081
3000	12000	1	RMS	11806	-41.38	-13	Pass	9002
12000	20000	1	RMS	17293	-35.13	-13	Pass	8001




**5.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.48	-13	Pass	2986
30	1000	0.1	RMS	887.425	-63.75	-13	Pass	9701
1000	1840	1	RMS	1840	-51.97	-13	Pass	841
1840	1920	1	RMS	1900.4	23.26	60	Pass	401
1920	3000	1	RMS	2870	-48.18	-13	Pass	1081
3000	12000	1	RMS	3801	-39.75	-13	Pass	9002
12000	20000	1	RMS	17598	-35.13	-13	Pass	8001




**5.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.08	-13	Pass	2986
30	1000	0.1	RMS	873.016	-63.71	-13	Pass	9701
1000	1840	1	RMS	1838	-52.05	-13	Pass	841
1840	1920	1	RMS	1900.6	22.28	60	Pass	401
1920	3000	1	RMS	2871	-48.19	-13	Pass	1081
3000	12000	1	RMS	3801	-40.49	-13	Pass	9002
12000	20000	1	RMS	17298	-35.09	-13	Pass	8001




**5.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.31	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.24	-13	Pass	2986
30	1000	0.1	RMS	875.417	-63.85	-13	Pass	9701
1000	1840	1	RMS	1838	-44.97	-13	Pass	841
1840	1920	1	RMS	1850.8	23.48	60	Pass	401
1920	3000	1	RMS	2869	-48.15	-13	Pass	1081
3000	12000	1	RMS	11797	-41.43	-13	Pass	9002
12000	20000	1	RMS	17304	-35.11	-13	Pass	8001




5.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.63	-13	Pass	2986
30	1000	0.1	RMS	886.425	-63.68	-13	Pass	9701
1000	1840	1	RMS	1838	-47.07	-13	Pass	841
1840	1920	1	RMS	1850.8	22.57	60	Pass	401
1920	3000	1	RMS	2870	-48.22	-13	Pass	1081
3000	12000	1	RMS	11799	-41.34	-13	Pass	9002
12000	20000	1	RMS	17279	-35.11	-13	Pass	8001




**5.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-70.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.84	-13	Pass	2986
30	1000	0.1	RMS	989.793	-63.76	-13	Pass	9701
1000	1840	1	RMS	1840	-51.86	-13	Pass	841
1840	1920	1	RMS	1873.2	23.97	60	Pass	401
1920	3000	1	RMS	2866	-48.22	-13	Pass	1081
3000	12000	1	RMS	11805	-41.35	-13	Pass	9002
12000	20000	1	RMS	17300	-35.09	-13	Pass	8001




**5.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.04	-13	Pass	2986
30	1000	0.1	RMS	865.111	-63.87	-13	Pass	9701
1000	1840	1	RMS	1837	-51.91	-13	Pass	841
1840	1920	1	RMS	1873.2	22.93	60	Pass	401
1920	3000	1	RMS	2869	-48.22	-13	Pass	1081
3000	12000	1	RMS	11795	-41.4	-13	Pass	9002
12000	20000	1	RMS	17300	-35.13	-13	Pass	8001




**5.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.56	-13	Pass	2986
30	1000	0.1	RMS	873.116	-63.6	-13	Pass	9701
1000	1840	1	RMS	1840	-51.96	-13	Pass	841
1840	1920	1	RMS	1895.8	22.96	60	Pass	401
1920	3000	1	RMS	2868	-48.19	-13	Pass	1081
3000	12000	1	RMS	3792	-40.06	-13	Pass	9002
12000	20000	1	RMS	17298	-35.11	-13	Pass	8001




**5.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.93	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.06	-13	Pass	2986
30	1000	0.1	RMS	881.021	-63.72	-13	Pass	9701
1000	1840	1	RMS	1839	-52	-13	Pass	841
1840	1920	1	RMS	1895.8	22.18	60	Pass	401
1920	3000	1	RMS	2868	-48.1	-13	Pass	1081
3000	12000	1	RMS	3792	-40.5	-13	Pass	9002
12000	20000	1	RMS	17305	-35.13	-13	Pass	8001




5.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.97	-13	Pass	2986
30	1000	0.1	RMS	864.61	-63.75	-13	Pass	9701
1000	1840	1	RMS	1833	-47.51	-13	Pass	841
1840	1920	1	RMS	1851	23.45	60	Pass	401
1920	3000	1	RMS	2867	-48.28	-13	Pass	1081
3000	12000	1	RMS	11826	-41.42	-13	Pass	9002
12000	20000	1	RMS	17304	-35.09	-13	Pass	8001




5.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.86	-13	Pass	2986
30	1000	0.1	RMS	870.014	-63.71	-13	Pass	9701
1000	1840	1	RMS	1833	-47.6	-13	Pass	841
1840	1920	1	RMS	1851	22.41	60	Pass	401
1920	3000	1	RMS	2871	-48.24	-13	Pass	1081
3000	12000	1	RMS	11795	-41.38	-13	Pass	9002
12000	20000	1	RMS	17296	-35.1	-13	Pass	8001




**5.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.42	-13	Pass	401
0.15	30	0.01	RMS	0.18	-69.93	-13	Pass	2986
30	1000	0.1	RMS	888.526	-63.8	-13	Pass	9701
1000	1840	1	RMS	1835	-45.26	-13	Pass	841
1840	1920	1	RMS	1871	23.89	60	Pass	401
1920	3000	1	RMS	2873	-48.2	-13	Pass	1081
3000	12000	1	RMS	11802	-41.46	-13	Pass	9002
12000	20000	1	RMS	17297	-35.1	-13	Pass	8001




5.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.77	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.8	-13	Pass	2986
30	1000	0.1	RMS	885.024	-63.78	-13	Pass	9701
1000	1840	1	RMS	1835	-45.67	-13	Pass	841
1840	1920	1	RMS	1871	22.88	60	Pass	401
1920	3000	1	RMS	2875	-48.19	-13	Pass	1081
3000	12000	1	RMS	11804	-41.33	-13	Pass	9002
12000	20000	1	RMS	17300	-35.12	-13	Pass	8001




**5.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.78	-13	Pass	2986
30	1000	0.1	RMS	888.526	-63.65	-13	Pass	9701
1000	1840	1	RMS	1840	-51.98	-13	Pass	841
1840	1920	1	RMS	1891	22.66	60	Pass	401
1920	3000	1	RMS	2870	-48.2	-13	Pass	1081
3000	12000	1	RMS	3782	-39.87	-13	Pass	9002
12000	20000	1	RMS	17305	-35.15	-13	Pass	8001



5.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.93	-13	Pass	2986
30	1000	0.1	RMS	871.615	-63.88	-13	Pass	9701
1000	1840	1	RMS	1837	-51.87	-13	Pass	841
1840	1920	1	RMS	1891	21.61	60	Pass	401
1920	3000	1	RMS	2869	-48.19	-13	Pass	1081
3000	12000	1	RMS	3782	-40.89	-13	Pass	9002
12000	20000	1	RMS	17294	-35.14	-13	Pass	8001



6. LTE_Band4


6.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.8	-13	Pass	2986
30	1000	0.1	RMS	885.724	-63.82	-13	Pass	9701
1000	1700	1	RMS	1700	-50.74	-13	Pass	701
1700	1765	1	RMS	1710.238	23.93	60	Pass	401
1765	3000	1	RMS	2869	-48.2	-13	Pass	1236
3000	12000	1	RMS	11791	-41.42	-13	Pass	9002
12000	20000	1	RMS	17302	-35.11	-13	Pass	8001




**6.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.37	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.07	-13	Pass	2986
30	1000	0.1	RMS	877.219	-63.62	-13	Pass	9701
1000	1700	1	RMS	1700	-50.65	-13	Pass	701
1700	1765	1	RMS	1710.238	22.66	60	Pass	401
1765	3000	1	RMS	2859	-48.19	-13	Pass	1236
3000	12000	1	RMS	11792	-41.43	-13	Pass	9002
12000	20000	1	RMS	17292	-35.1	-13	Pass	8001




**6.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.5	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.82	-13	Pass	2986
30	1000	0.1	RMS	869.213	-63.89	-13	Pass	9701
1000	1700	1	RMS	1683	-52.54	-13	Pass	701
1700	1765	1	RMS	1732.013	24.12	60	Pass	401
1765	3000	1	RMS	2870	-48.17	-13	Pass	1236
3000	12000	1	RMS	11902	-41.35	-13	Pass	9002
12000	20000	1	RMS	17294	-35.16	-13	Pass	8001




**6.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.46	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.88	-13	Pass	2986
30	1000	0.1	RMS	879.32	-63.78	-13	Pass	9701
1000	1700	1	RMS	1674	-52.53	-13	Pass	701
1700	1765	1	RMS	1732.013	23.12	60	Pass	401
1765	3000	1	RMS	2872	-48.18	-13	Pass	1236
3000	12000	1	RMS	11806	-41.41	-13	Pass	9002
12000	20000	1	RMS	17293	-35.08	-13	Pass	8001




6.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.15	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.18	-13	Pass	2986
30	1000	0.1	RMS	881.421	-63.76	-13	Pass	9701
1000	1700	1	RMS	1681	-52.5	-13	Pass	701
1700	1765	1	RMS	1753.788	23.83	60	Pass	401
1765	3000	1	RMS	2867	-48.15	-13	Pass	1236
3000	12000	1	RMS	11799	-41.28	-13	Pass	9002
12000	20000	1	RMS	17297	-35.13	-13	Pass	8001




**6.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.66	-13	Pass	2986
30	1000	0.1	RMS	882.022	-63.79	-13	Pass	9701
1000	1700	1	RMS	1679	-52.51	-13	Pass	701
1700	1765	1	RMS	1753.788	22.91	60	Pass	401
1765	3000	1	RMS	2870	-48.15	-13	Pass	1236
3000	12000	1	RMS	11801	-41.38	-13	Pass	9002
12000	20000	1	RMS	17294	-35.09	-13	Pass	8001




**6.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.16	-13	Pass	2986
30	1000	0.1	RMS	870.214	-63.51	-13	Pass	9701
1000	1700	1	RMS	1700	-51.39	-13	Pass	701
1700	1765	1	RMS	1710.238	23.4	60	Pass	401
1765	3000	1	RMS	2869	-48.14	-13	Pass	1236
3000	12000	1	RMS	11808	-41.42	-13	Pass	9002
12000	20000	1	RMS	17297	-35.11	-13	Pass	8001




**6.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.77	-13	Pass	2986
30	1000	0.1	RMS	901.034	-62.81	-13	Pass	9701
1000	1700	1	RMS	1700	-51.31	-13	Pass	701
1700	1765	1	RMS	1710.075	22.46	60	Pass	401
1765	3000	1	RMS	2865	-48.18	-13	Pass	1236
3000	12000	1	RMS	11801	-41.31	-13	Pass	9002
12000	20000	1	RMS	17297	-35.1	-13	Pass	8001




**6.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.89	-13	Pass	2986
30	1000	0.1	RMS	881.121	-63.73	-13	Pass	9701
1000	1700	1	RMS	1679	-52.52	-13	Pass	701
1700	1765	1	RMS	1731.2	23.88	60	Pass	401
1765	3000	1	RMS	2866	-48.19	-13	Pass	1236
3000	12000	1	RMS	11798	-41.33	-13	Pass	9002
12000	20000	1	RMS	17300	-35.09	-13	Pass	8001



**6.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.91	-13	Pass	2986
30	1000	0.1	RMS	876.918	-63.75	-13	Pass	9701
1000	1700	1	RMS	1681	-52.52	-13	Pass	701
1700	1765	1	RMS	1731.2	22.91	60	Pass	401
1765	3000	1	RMS	2869	-48.17	-13	Pass	1236
3000	12000	1	RMS	11799	-41.39	-13	Pass	9002
12000	20000	1	RMS	17299	-35.14	-13	Pass	8001



**6.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.56	-13	Pass	2986
30	1000	0.1	RMS	893.329	-63.6	-13	Pass	9701
1000	1700	1	RMS	1683	-52.53	-13	Pass	701
1700	1765	1	RMS	1752.163	23.52	60	Pass	401
1765	3000	1	RMS	2865	-48.23	-13	Pass	1236
3000	12000	1	RMS	11808	-41.36	-13	Pass	9002
12000	20000	1	RMS	17309	-35.13	-13	Pass	8001

