



**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -45.53 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.15 | -56.51 | -13 | Pass | 2986 |
| 30 | 809 | 0.1 | Peak | 796.8 | -52.33 | -13 | Pass | 7791 |
| 809 | 829 | 0.1 | Peak | 814.35 | 23.24 | 60 | Pass | 401 |
| 829 | 1000 | 0.1 | Peak | 936.2 | -52.01 | -13 | Pass | 1711 |
| 1000 | 3000 | 1 | Peak | 2700 | -34.28 | -13 | Pass | 2001 |
| 3000 | 10000 | 1 | Peak | 9813 | -28.46 | -13 | Pass | 7001 |




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.016 | -45.61 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.15 | -57.03 | -13 | Pass | 2986 |
| 30 | 809 | 0.1 | Peak | 704.9 | -51.93 | -13 | Pass | 7791 |
| 809 | 829 | 0.1 | Peak | 814.3 | 23.31 | 60 | Pass | 401 |
| 829 | 1000 | 0.1 | Peak | 963.9 | -51.16 | -13 | Pass | 1711 |
| 1000 | 3000 | 1 | Peak | 2961 | -34.72 | -13 | Pass | 2001 |
| 3000 | 10000 | 1 | Peak | 9806 | -28.82 | -13 | Pass | 7001 |




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.012 | -45.48 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.15 | -56.4 | -13 | Pass | 2986 |
| 30 | 809 | 0.1 | Peak | 808.2 | -45.37 | -13 | Pass | 7791 |
| 809 | 829 | 0.1 | Peak | 816.9 | 22.95 | 60 | Pass | 401 |
| 829 | 1000 | 0.1 | Peak | 975.3 | -51.96 | -13 | Pass | 1711 |
| 1000 | 3000 | 1 | Peak | 2963 | -35.24 | -13 | Pass | 2001 |
| 3000 | 10000 | 1 | Peak | 9836 | -28.13 | -13 | Pass | 7001 |




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.014 | -46.75 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.16 | -56.9 | -13 | Pass | 2986 |
| 30 | 809 | 0.1 | Peak | 808.3 | -41.96 | -13 | Pass | 7791 |
| 809 | 829 | 0.1 | Peak | 816.85 | 23.2 | 60 | Pass | 401 |
| 829 | 1000 | 0.1 | Peak | 849.4 | -38.1 | -13 | Pass | 1711 |
| 1000 | 3000 | 1 | Peak | 2814 | -34.88 | -13 | Pass | 2001 |
| 3000 | 10000 | 1 | Peak | 9759 | -28.44 | -13 | Pass | 7001 |




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.01 | -45.06 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.15 | -55.77 | -13 | Pass | 2986 |
| 30 | 809 | 0.1 | Peak | 804 | -51.53 | -13 | Pass | 7791 |
| 809 | 829 | 0.1 | Peak | 819.4 | 23.59 | 60 | Pass | 401 |
| 829 | 1000 | 0.1 | Peak | 842.5 | -51.19 | -13 | Pass | 1711 |
| 1000 | 3000 | 1 | Peak | 2703 | -34.71 | -13 | Pass | 2001 |
| 3000 | 10000 | 1 | Peak | 9752 | -28.73 | -13 | Pass | 7001 |




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.013 | -45.21 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.15 | -57.4 | -13 | Pass | 2986 |
| 30 | 809 | 0.1 | Peak | 738 | -52.7 | -13 | Pass | 7791 |
| 809 | 829 | 0.1 | Peak | 819.3 | 23.66 | 60 | Pass | 401 |
| 829 | 1000 | 0.1 | Peak | 839 | -36.8 | -13 | Pass | 1711 |
| 1000 | 3000 | 1 | Peak | 2630 | -35.24 | -13 | Pass | 2001 |
| 3000 | 10000 | 1 | Peak | 9782 | -28.57 | -13 | Pass | 7001 |




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.015 | -45.37 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.16 | -56.6 | -13 | Pass | 2986 |
| 30 | 809 | 0.1 | Peak | 808.4 | -49.73 | -13 | Pass | 7791 |
| 809 | 829 | 0.1 | Peak | 814.55 | 22.96 | 60 | Pass | 401 |
| 829 | 1000 | 0.1 | Peak | 832.2 | -34.65 | -13 | Pass | 1711 |
| 1000 | 3000 | 1 | Peak | 2790 | -35 | -13 | Pass | 2001 |
| 3000 | 10000 | 1 | Peak | 9716 | -28.85 | -13 | Pass | 7001 |



**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.01 | -44.6 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.15 | -56.34 | -13 | Pass | 2986 |
| 30 | 809 | 0.1 | Peak | 808.4 | -47.91 | -13 | Pass | 7791 |
| 809 | 829 | 0.1 | Peak | 814.65 | 23.5 | 60 | Pass | 401 |
| 829 | 1000 | 0.1 | Peak | 832.2 | -33.35 | -13 | Pass | 1711 |
| 1000 | 3000 | 1 | Peak | 2930 | -34.84 | -13 | Pass | 2001 |
| 3000 | 10000 | 1 | Peak | 9795 | -28.2 | -13 | Pass | 7001 |



10. LTE_Band38


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -47.9 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -58.58 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 859.8 | -58.38 | -25 | Pass | 9701 |
| 1000 | 2560 | 1 | RMS | 2560 | -42.23 | -25 | Pass | 1561 |
| 2560 | 2630 | 1 | RMS | 2570.5 | 22.61 | 60 | Pass | 401 |
| 2630 | 3000 | 1 | RMS | 2997.225 | -44.2 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11798 | -46.19 | -25 | Pass | 9001 |
| 12000 | 26500 | 1 | RMS | 26291 | -37.83 | -25 | Pass | 14501 |




**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -47.9 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -59.68 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 890 | -58.44 | -25 | Pass | 9701 |
| 1000 | 2560 | 1 | RMS | 2560 | -42.34 | -25 | Pass | 1561 |
| 2560 | 2630 | 1 | RMS | 2570.325 | 21.26 | 60 | Pass | 401 |
| 2630 | 3000 | 1 | RMS | 2999.075 | -44.15 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11812 | -46.2 | -25 | Pass | 9001 |
| 12000 | 26500 | 1 | RMS | 26292 | -37.86 | -25 | Pass | 14501 |




**10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -47.18 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -59.73 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 891 | -58.38 | -25 | Pass | 9701 |
| 1000 | 2560 | 1 | RMS | 2539 | -43.42 | -25 | Pass | 1561 |
| 2560 | 2630 | 1 | RMS | 2592.9 | 22.8 | 60 | Pass | 401 |
| 2630 | 3000 | 1 | RMS | 2989.825 | -44.18 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11798 | -46.17 | -25 | Pass | 9001 |
| 12000 | 26500 | 1 | RMS | 26295 | -37.84 | -25 | Pass | 14501 |




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.012 | -48.54 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -59.66 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 887.4 | -58.35 | -25 | Pass | 9701 |
| 1000 | 2560 | 1 | RMS | 2539 | -43.47 | -25 | Pass | 1561 |
| 2560 | 2630 | 1 | RMS | 2592.9 | 21.89 | 60 | Pass | 401 |
| 2630 | 3000 | 1 | RMS | 3000 | -44.14 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11799 | -46.17 | -25 | Pass | 9001 |
| 12000 | 26500 | 1 | RMS | 26290 | -37.86 | -25 | Pass | 14501 |




**10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -47.78 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -59.98 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 880.3 | -58.25 | -25 | Pass | 9701 |
| 1000 | 2560 | 1 | RMS | 2507 | -43.38 | -25 | Pass | 1561 |
| 2560 | 2630 | 1 | RMS | 2615.475 | 22.43 | 60 | Pass | 401 |
| 2630 | 3000 | 1 | RMS | 2632.775 | -43.82 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11817 | -46.19 | -25 | Pass | 9001 |
| 12000 | 26500 | 1 | RMS | 26288 | -37.89 | -25 | Pass | 14501 |




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.013 | -48.39 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -60.26 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 895 | -58.26 | -25 | Pass | 9701 |
| 1000 | 2560 | 1 | RMS | 2534 | -43.45 | -25 | Pass | 1561 |
| 2560 | 2630 | 1 | RMS | 2615.475 | 21.56 | 60 | Pass | 401 |
| 2630 | 3000 | 1 | RMS | 2632.775 | -44.14 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11807 | -46.2 | -25 | Pass | 9001 |
| 12000 | 26500 | 1 | RMS | 26284 | -37.92 | -25 | Pass | 14501 |




10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.013 | -48.3 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.16 | -59.26 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 920.7 | -58.39 | -25 | Pass | 9701 |
| 1000 | 2560 | 1 | RMS | 2553 | -35.73 | -25 | Pass | 1561 |
| 2560 | 2630 | 1 | RMS | 2570.5 | 22.28 | 60 | Pass | 401 |
| 2630 | 3000 | 1 | RMS | 3000 | -44.12 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11800 | -46.12 | -25 | Pass | 9001 |
| 12000 | 26500 | 1 | RMS | 26270 | -37.88 | -25 | Pass | 14501 |




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.014 | -48.5 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -58.58 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 877.7 | -58.4 | -25 | Pass | 9701 |
| 1000 | 2560 | 1 | RMS | 2551 | -38.18 | -25 | Pass | 1561 |
| 2560 | 2630 | 1 | RMS | 2570.5 | 21.45 | 60 | Pass | 401 |
| 2630 | 3000 | 1 | RMS | 2995.375 | -44.2 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11797 | -46.26 | -25 | Pass | 9001 |
| 12000 | 26500 | 1 | RMS | 26281 | -37.85 | -25 | Pass | 14501 |




10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.013 | -49.17 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -60.14 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 892.1 | -58.32 | -25 | Pass | 9701 |
| 1000 | 2560 | 1 | RMS | 2542 | -43.42 | -25 | Pass | 1561 |
| 2560 | 2630 | 1 | RMS | 2590.45 | 22.95 | 60 | Pass | 401 |
| 2630 | 3000 | 1 | RMS | 3000 | -44.17 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11799 | -46.09 | -25 | Pass | 9001 |
| 12000 | 26500 | 1 | RMS | 26286 | -37.89 | -25 | Pass | 14501 |




**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -48.38 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -59.79 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 889.7 | -55.11 | -25 | Pass | 9701 |
| 1000 | 2560 | 1 | RMS | 2552 | -43.4 | -25 | Pass | 1561 |
| 2560 | 2630 | 1 | RMS | 2590.45 | 21.58 | 60 | Pass | 401 |
| 2630 | 3000 | 1 | RMS | 3000 | -44.14 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11801 | -46.24 | -25 | Pass | 9001 |
| 12000 | 26500 | 1 | RMS | 26249 | -37.85 | -25 | Pass | 14501 |




10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.014 | -47.29 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -61.26 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 904.3 | -58.33 | -25 | Pass | 9701 |
| 1000 | 2560 | 1 | RMS | 2533 | -43.4 | -25 | Pass | 1561 |
| 2560 | 2630 | 1 | RMS | 2610.575 | 22.44 | 60 | Pass | 401 |
| 2630 | 3000 | 1 | RMS | 2630 | -34.8 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11803 | -46.14 | -25 | Pass | 9001 |
| 12000 | 26500 | 1 | RMS | 26306 | -37.86 | -25 | Pass | 14501 |




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.013 | -48.12 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.16 | -60.4 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 910.1 | -58.37 | -25 | Pass | 9701 |
| 1000 | 2560 | 1 | RMS | 2540 | -43.39 | -25 | Pass | 1561 |
| 2560 | 2630 | 1 | RMS | 2610.4 | 21.4 | 60 | Pass | 401 |
| 2630 | 3000 | 1 | RMS | 2630 | -36.62 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11453 | -45.34 | -25 | Pass | 9001 |
| 12000 | 26500 | 1 | RMS | 26296 | -36.85 | -25 | Pass | 14501 |




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -48.09 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.16 | -60.03 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 884.9 | -58.39 | -25 | Pass | 9701 |
| 1000 | 2560 | 1 | RMS | 2559 | -37.92 | -25 | Pass | 1561 |
| 2560 | 2630 | 1 | RMS | 2570.675 | 22.55 | 60 | Pass | 401 |
| 2630 | 3000 | 1 | RMS | 3000 | -44.18 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11709 | -45.34 | -25 | Pass | 9001 |
| 12000 | 26500 | 1 | RMS | 26267 | -36.85 | -25 | Pass | 14501 |




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -48.16 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -58.11 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 880.3 | -58.24 | -25 | Pass | 9701 |
| 1000 | 2560 | 1 | RMS | 2559 | -38.35 | -25 | Pass | 1561 |
| 2560 | 2630 | 1 | RMS | 2570.85 | 21.84 | 60 | Pass | 401 |
| 2630 | 3000 | 1 | RMS | 2999.075 | -44.18 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11711 | -45.34 | -25 | Pass | 9001 |
| 12000 | 26500 | 1 | RMS | 26290 | -36.83 | -25 | Pass | 14501 |




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -48.2 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -59.1 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 922 | -58.16 | -25 | Pass | 9701 |
| 1000 | 2560 | 1 | RMS | 2560 | -39.08 | -25 | Pass | 1561 |
| 2560 | 2630 | 1 | RMS | 2588.35 | 22.37 | 60 | Pass | 401 |
| 2630 | 3000 | 1 | RMS | 2630 | -41.59 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11699 | -45.36 | -25 | Pass | 9001 |
| 12000 | 26500 | 1 | RMS | 26294 | -36.87 | -25 | Pass | 14501 |




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.013 | -48.29 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -59.22 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 872.8 | -58.25 | -25 | Pass | 9701 |
| 1000 | 2560 | 1 | RMS | 2560 | -41.2 | -25 | Pass | 1561 |
| 2560 | 2630 | 1 | RMS | 2588.175 | 21.05 | 60 | Pass | 401 |
| 2630 | 3000 | 1 | RMS | 2630 | -42.68 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11805 | -45.31 | -25 | Pass | 9001 |
| 12000 | 26500 | 1 | RMS | 26298 | -36.76 | -25 | Pass | 14501 |




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.014 | -47.71 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.16 | -59.76 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 864.7 | -58.26 | -25 | Pass | 9701 |
| 1000 | 2560 | 1 | RMS | 2537 | -43.33 | -25 | Pass | 1561 |
| 2560 | 2630 | 1 | RMS | 2605.85 | 22.89 | 60 | Pass | 401 |
| 2630 | 3000 | 1 | RMS | 2632.775 | -30.12 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11697 | -45.29 | -25 | Pass | 9001 |
| 12000 | 26500 | 1 | RMS | 26276 | -36.82 | -25 | Pass | 14501 |




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -48.04 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -60.12 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 864.7 | -58.14 | -25 | Pass | 9701 |
| 1000 | 2560 | 1 | RMS | 2554 | -43.37 | -25 | Pass | 1561 |
| 2560 | 2630 | 1 | RMS | 2605.675 | 21.17 | 60 | Pass | 401 |
| 2630 | 3000 | 1 | RMS | 2631.85 | -32.22 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11702 | -45.32 | -25 | Pass | 9001 |
| 12000 | 26500 | 1 | RMS | 26269 | -36.78 | -25 | Pass | 14501 |




**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.013 | -49.24 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -59.12 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 903.1 | -58.27 | -25 | Pass | 9701 |
| 1000 | 2560 | 1 | RMS | 2534 | -40.92 | -25 | Pass | 1561 |
| 2560 | 2630 | 1 | RMS | 2571.2 | 22.13 | 60 | Pass | 401 |
| 2630 | 3000 | 1 | RMS | 2645.725 | -43.73 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11711 | -45.31 | -25 | Pass | 9001 |
| 12000 | 26500 | 1 | RMS | 26270 | -36.84 | -25 | Pass | 14501 |




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.014 | -47.55 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -60.04 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 891.5 | -58.03 | -25 | Pass | 9701 |
| 1000 | 2560 | 1 | RMS | 2533 | -40.29 | -25 | Pass | 1561 |
| 2560 | 2630 | 1 | RMS | 2571.025 | 21 | 60 | Pass | 401 |
| 2630 | 3000 | 1 | RMS | 2645.725 | -43.66 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11711 | -45.27 | -25 | Pass | 9001 |
| 12000 | 26500 | 1 | RMS | 26280 | -36.78 | -25 | Pass | 14501 |




**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -47.89 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.16 | -59.39 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 920.4 | -58.25 | -25 | Pass | 9701 |
| 1000 | 2560 | 1 | RMS | 2549 | -39.75 | -25 | Pass | 1561 |
| 2560 | 2630 | 1 | RMS | 2586.075 | 22.94 | 60 | Pass | 401 |
| 2630 | 3000 | 1 | RMS | 2634.625 | -41.77 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11707 | -45.36 | -25 | Pass | 9001 |
| 12000 | 26500 | 1 | RMS | 26291 | -36.79 | -25 | Pass | 14501 |




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -47.94 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -59.94 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 861.5 | -58.29 | -25 | Pass | 9701 |
| 1000 | 2560 | 1 | RMS | 2549 | -41.16 | -25 | Pass | 1561 |
| 2560 | 2630 | 1 | RMS | 2586.075 | 21.4 | 60 | Pass | 401 |
| 2630 | 3000 | 1 | RMS | 2634.625 | -42.64 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11798 | -45.37 | -25 | Pass | 9001 |
| 12000 | 26500 | 1 | RMS | 26266 | -36.87 | -25 | Pass | 14501 |




10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.016 | -48.53 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -59.3 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 891 | -58.22 | -25 | Pass | 9701 |
| 1000 | 2560 | 1 | RMS | 2557 | -43.03 | -25 | Pass | 1561 |
| 2560 | 2630 | 1 | RMS | 2601.125 | 22.91 | 60 | Pass | 401 |
| 2630 | 3000 | 1 | RMS | 2636.475 | -28.98 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11449 | -45.28 | -25 | Pass | 9001 |
| 12000 | 26500 | 1 | RMS | 26298 | -36.79 | -25 | Pass | 14501 |



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.013 | -47.75 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -58.82 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 899.9 | -58.2 | -25 | Pass | 9701 |
| 1000 | 2560 | 1 | RMS | 2558 | -42.65 | -25 | Pass | 1561 |
| 2560 | 2630 | 1 | RMS | 2601.125 | 21.88 | 60 | Pass | 401 |
| 2630 | 3000 | 1 | RMS | 2636.475 | -31.97 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11713 | -45.31 | -25 | Pass | 9001 |
| 12000 | 26500 | 1 | RMS | 26291 | -36.78 | -25 | Pass | 14501 |



11. LTE_Band41


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.015 | -48.82 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -60.37 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 904.6 | -58.49 | -25 | Pass | 9701 |
| 1000 | 2486 | 1 | RMS | 2486 | -42.76 | -25 | Pass | 1487 |
| 2486 | 2700 | 1 | RMS | 2496.165 | 21.62 | 60 | Pass | 401 |
| 2700 | 3000 | 1 | RMS | 2999.25 | -44.18 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11707 | -45.33 | -25 | Pass | 9001 |
| 12000 | 27000 | 1 | RMS | 26287 | -36.85 | -25 | Pass | 15001 |




**11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -48.3 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -59.02 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 908.1 | -58.22 | -25 | Pass | 9701 |
| 1000 | 2486 | 1 | RMS | 2486 | -42.42 | -25 | Pass | 1487 |
| 2486 | 2700 | 1 | RMS | 2496.165 | 20.21 | 60 | Pass | 401 |
| 2700 | 3000 | 1 | RMS | 3000 | -44.17 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11448 | -45.31 | -25 | Pass | 9001 |
| 12000 | 27000 | 1 | RMS | 26299 | -36.82 | -25 | Pass | 15001 |




**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.013 | -48.59 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -59.9 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 918.2 | -58.35 | -25 | Pass | 9701 |
| 1000 | 2486 | 1 | RMS | 2471 | -43.52 | -25 | Pass | 1487 |
| 2486 | 2700 | 1 | RMS | 2590.86 | 22.59 | 60 | Pass | 401 |
| 2700 | 3000 | 1 | RMS | 2999.25 | -44.14 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11702 | -45.29 | -25 | Pass | 9001 |
| 12000 | 27000 | 1 | RMS | 26270 | -36.79 | -25 | Pass | 15001 |




**11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -48.83 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -59.91 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 879.5 | -58.37 | -25 | Pass | 9701 |
| 1000 | 2486 | 1 | RMS | 2485 | -43.54 | -25 | Pass | 1487 |
| 2486 | 2700 | 1 | RMS | 2590.86 | 21.1 | 60 | Pass | 401 |
| 2700 | 3000 | 1 | RMS | 2997.75 | -44.17 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11451 | -45.29 | -25 | Pass | 9001 |
| 12000 | 27000 | 1 | RMS | 26287 | -36.83 | -25 | Pass | 15001 |




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -47.97 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -59.4 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 899.9 | -58.09 | -25 | Pass | 9701 |
| 1000 | 2486 | 1 | RMS | 2485 | -43.56 | -25 | Pass | 1487 |
| 2486 | 2700 | 1 | RMS | 2685.02 | 20.82 | 60 | Pass | 401 |
| 2700 | 3000 | 1 | RMS | 2998.5 | -44.13 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11722 | -45.29 | -25 | Pass | 9001 |
| 12000 | 27000 | 1 | RMS | 26318 | -36.85 | -25 | Pass | 15001 |




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -47.95 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -59.99 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 891.9 | -58.27 | -25 | Pass | 9701 |
| 1000 | 2486 | 1 | RMS | 2482 | -43.47 | -25 | Pass | 1487 |
| 2486 | 2700 | 1 | RMS | 2685.02 | 20.19 | 60 | Pass | 401 |
| 2700 | 3000 | 1 | RMS | 2998.5 | -44.14 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11820 | -45.32 | -25 | Pass | 9001 |
| 12000 | 27000 | 1 | RMS | 26274 | -36.75 | -25 | Pass | 15001 |




11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -48.28 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.16 | -59.91 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 875.8 | -58.33 | -25 | Pass | 9701 |
| 1000 | 2486 | 1 | RMS | 2483 | -41.28 | -25 | Pass | 1487 |
| 2486 | 2700 | 1 | RMS | 2496.7 | 22.46 | 60 | Pass | 401 |
| 2700 | 3000 | 1 | RMS | 3000 | -44.15 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11699 | -45.28 | -25 | Pass | 9001 |
| 12000 | 27000 | 1 | RMS | 26276 | -36.81 | -25 | Pass | 15001 |




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.013 | -47.82 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -59.73 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 895.6 | -58.3 | -25 | Pass | 9701 |
| 1000 | 2486 | 1 | RMS | 2480 | -40.31 | -25 | Pass | 1487 |
| 2486 | 2700 | 1 | RMS | 2496.7 | 20.77 | 60 | Pass | 401 |
| 2700 | 3000 | 1 | RMS | 2998.5 | -44.16 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11710 | -45.33 | -25 | Pass | 9001 |
| 12000 | 27000 | 1 | RMS | 26278 | -36.77 | -25 | Pass | 15001 |




11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.015 | -48.23 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.16 | -60.24 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 893.2 | -58.32 | -25 | Pass | 9701 |
| 1000 | 2486 | 1 | RMS | 2483 | -43.52 | -25 | Pass | 1487 |
| 2486 | 2700 | 1 | RMS | 2588.72 | 22.04 | 60 | Pass | 401 |
| 2700 | 3000 | 1 | RMS | 2999.25 | -44.17 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11467 | -45.32 | -25 | Pass | 9001 |
| 12000 | 27000 | 1 | RMS | 26252 | -36.8 | -25 | Pass | 15001 |




**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -48.11 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -58.32 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 883 | -58.31 | -25 | Pass | 9701 |
| 1000 | 2486 | 1 | RMS | 2485 | -43.52 | -25 | Pass | 1487 |
| 2486 | 2700 | 1 | RMS | 2588.72 | 21.63 | 60 | Pass | 401 |
| 2700 | 3000 | 1 | RMS | 3000 | -44.16 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11811 | -45.33 | -25 | Pass | 9001 |
| 12000 | 27000 | 1 | RMS | 26292 | -36.82 | -25 | Pass | 15001 |




**11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -47.98 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -59.57 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 898 | -58.27 | -25 | Pass | 9701 |
| 1000 | 2486 | 1 | RMS | 2472 | -43.47 | -25 | Pass | 1487 |
| 2486 | 2700 | 1 | RMS | 2680.74 | 22.08 | 60 | Pass | 401 |
| 2700 | 3000 | 1 | RMS | 2700 | -37.77 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11461 | -45.32 | -25 | Pass | 9001 |
| 12000 | 27000 | 1 | RMS | 26296 | -36.79 | -25 | Pass | 15001 |




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.014 | -48.91 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -59.77 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 919.1 | -58.4 | -25 | Pass | 9701 |
| 1000 | 2486 | 1 | RMS | 2483 | -43.47 | -25 | Pass | 1487 |
| 2486 | 2700 | 1 | RMS | 2680.205 | 19.96 | 60 | Pass | 401 |
| 2700 | 3000 | 1 | RMS | 2700 | -38.78 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11462 | -45.32 | -25 | Pass | 9001 |
| 12000 | 27000 | 1 | RMS | 26287 | -36.83 | -25 | Pass | 15001 |




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.011 | -47.83 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -60.07 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 883.1 | -58.22 | -25 | Pass | 9701 |
| 1000 | 2486 | 1 | RMS | 2484 | -41.92 | -25 | Pass | 1487 |
| 2486 | 2700 | 1 | RMS | 2496.7 | 21.5 | 60 | Pass | 401 |
| 2700 | 3000 | 1 | RMS | 3000 | -44.15 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11444 | -45.29 | -25 | Pass | 9001 |
| 12000 | 27000 | 1 | RMS | 26288 | -36.77 | -25 | Pass | 15001 |




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.015 | -48.36 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -59.52 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 894.6 | -58.27 | -25 | Pass | 9701 |
| 1000 | 2486 | 1 | RMS | 2483 | -41.46 | -25 | Pass | 1487 |
| 2486 | 2700 | 1 | RMS | 2496.7 | 21.23 | 60 | Pass | 401 |
| 2700 | 3000 | 1 | RMS | 2999.25 | -44.17 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11449 | -45.28 | -25 | Pass | 9001 |
| 12000 | 27000 | 1 | RMS | 26299 | -36.82 | -25 | Pass | 15001 |




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -48.43 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -59.42 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 908.8 | -58.33 | -25 | Pass | 9701 |
| 1000 | 2486 | 1 | RMS | 2482 | -43.52 | -25 | Pass | 1487 |
| 2486 | 2700 | 1 | RMS | 2586.045 | 21.34 | 60 | Pass | 401 |
| 2700 | 3000 | 1 | RMS | 2998.5 | -44.12 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11452 | -45.32 | -25 | Pass | 9001 |
| 12000 | 27000 | 1 | RMS | 26284 | -36.88 | -25 | Pass | 15001 |




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.012 | -47.63 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -58.63 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 902.9 | -58.3 | -25 | Pass | 9701 |
| 1000 | 2486 | 1 | RMS | 2484 | -43.48 | -25 | Pass | 1487 |
| 2486 | 2700 | 1 | RMS | 2586.045 | 20.09 | 60 | Pass | 401 |
| 2700 | 3000 | 1 | RMS | 2999.25 | -44.15 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11806 | -45.33 | -25 | Pass | 9001 |
| 12000 | 27000 | 1 | RMS | 26306 | -36.66 | -25 | Pass | 15001 |




11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -48.73 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -59.42 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 884.2 | -58.28 | -25 | Pass | 9701 |
| 1000 | 2486 | 1 | RMS | 2486 | -43.5 | -25 | Pass | 1487 |
| 2486 | 2700 | 1 | RMS | 2675.925 | 21.91 | 60 | Pass | 401 |
| 2700 | 3000 | 1 | RMS | 2703.75 | -35.11 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11707 | -45.34 | -25 | Pass | 9001 |
| 12000 | 27000 | 1 | RMS | 26248 | -36.83 | -25 | Pass | 15001 |




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -47.87 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -60.08 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 894.8 | -58.4 | -25 | Pass | 9701 |
| 1000 | 2486 | 1 | RMS | 2485 | -43.5 | -25 | Pass | 1487 |
| 2486 | 2700 | 1 | RMS | 2675.925 | 21.32 | 60 | Pass | 401 |
| 2700 | 3000 | 1 | RMS | 2702.25 | -36.7 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11448 | -45.32 | -25 | Pass | 9001 |
| 12000 | 27000 | 1 | RMS | 26279 | -36.81 | -25 | Pass | 15001 |




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.01 | -47.14 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -59.27 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 891.6 | -58.28 | -25 | Pass | 9701 |
| 1000 | 2486 | 1 | RMS | 2486 | -42.66 | -25 | Pass | 1487 |
| 2486 | 2700 | 1 | RMS | 2497.235 | 21.01 | 60 | Pass | 401 |
| 2700 | 3000 | 1 | RMS | 2995.5 | -44.17 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11459 | -45.32 | -25 | Pass | 9001 |
| 12000 | 27000 | 1 | RMS | 26244 | -36.75 | -25 | Pass | 15001 |




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.012 | -48.62 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -59.63 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 920.7 | -58.28 | -25 | Pass | 9701 |
| 1000 | 2486 | 1 | RMS | 2485 | -42.97 | -25 | Pass | 1487 |
| 2486 | 2700 | 1 | RMS | 2496.7 | 19.43 | 60 | Pass | 401 |
| 2700 | 3000 | 1 | RMS | 2993.25 | -44.14 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11694 | -45.32 | -25 | Pass | 9001 |
| 12000 | 27000 | 1 | RMS | 26301 | -36.8 | -25 | Pass | 15001 |




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.013 | -48.45 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -58.69 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 891.8 | -58.25 | -25 | Pass | 9701 |
| 1000 | 2486 | 1 | RMS | 2480 | -43.53 | -25 | Pass | 1487 |
| 2486 | 2700 | 1 | RMS | 2583.905 | 22.08 | 60 | Pass | 401 |
| 2700 | 3000 | 1 | RMS | 3000 | -44.09 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11703 | -45.21 | -25 | Pass | 9001 |
| 12000 | 27000 | 1 | RMS | 26275 | -36.71 | -25 | Pass | 15001 |




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -47.98 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.17 | -59.93 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 904.7 | -58.28 | -25 | Pass | 9701 |
| 1000 | 2486 | 1 | RMS | 2482 | -43.51 | -25 | Pass | 1487 |
| 2486 | 2700 | 1 | RMS | 2584.44 | 20.2 | 60 | Pass | 401 |
| 2700 | 3000 | 1 | RMS | 2999.25 | -44.18 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11803 | -45.38 | -25 | Pass | 9001 |
| 12000 | 27000 | 1 | RMS | 26251 | -36.81 | -25 | Pass | 15001 |




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.012 | -48.76 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -59.54 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 919.9 | -58.23 | -25 | Pass | 9701 |
| 1000 | 2486 | 1 | RMS | 2484 | -43.56 | -25 | Pass | 1487 |
| 2486 | 2700 | 1 | RMS | 2671.11 | 21.43 | 60 | Pass | 401 |
| 2700 | 3000 | 1 | RMS | 2706.75 | -33.85 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11702 | -45.37 | -25 | Pass | 9001 |
| 12000 | 27000 | 1 | RMS | 26299 | -36.93 | -25 | Pass | 15001 |



**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.009 | -47.75 | -25 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -60.61 | -25 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 881.9 | -58.27 | -25 | Pass | 9701 |
| 1000 | 2486 | 1 | RMS | 2484 | -43.5 | -25 | Pass | 1487 |
| 2486 | 2700 | 1 | RMS | 2671.11 | 21.1 | 60 | Pass | 401 |
| 2700 | 3000 | 1 | RMS | 2706.75 | -37.41 | -25 | Pass | 401 |
| 3000 | 12000 | 1 | RMS | 11705 | -45.19 | -25 | Pass | 9001 |
| 12000 | 27000 | 1 | RMS | 26285 | -36.7 | -25 | Pass | 15001 |



12. GPRS_GSM850


12.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.014 | -33.67 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.16 | -45.98 | -13 | Pass | 2986 |
| 30 | 500 | 0.1 | Peak | 498.7 | -43.29 | -13 | Pass | 4701 |
| 500 | 1000 | 0.1 | Peak | 824.3 | 28.05 | -13 | N/A | 5001 |
| 1000 | 10000 | 1 | Peak | 9043 | -18.93 | -13 | Pass | 9001 |




12.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.013 | -35.61 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.17 | -46.6 | -13 | Pass | 2986 |
| 30 | 500 | 0.1 | Peak | 478 | -42.96 | -13 | Pass | 4701 |
| 500 | 1000 | 0.1 | Peak | 836.7 | 31.62 | -13 | N/A | 5001 |
| 1000 | 10000 | 1 | Peak | 8944 | -19.4 | -13 | Pass | 9001 |



12.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -33 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.15 | -45.08 | -13 | Pass | 2986 |
| 30 | 500 | 0.1 | Peak | 400.1 | -43.93 | -13 | Pass | 4701 |
| 500 | 1000 | 0.1 | Peak | 848.7 | 31.56 | -13 | N/A | 5001 |
| 1000 | 10000 | 1 | Peak | 9858 | -18.86 | -13 | Pass | 9001 |



13. GPRS_PCS


13.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.014 | -35.59 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.18 | -46.38 | -13 | Pass | 2986 |
| 30 | 1000 | 0.1 | Peak | 845.7 | -40.96 | -13 | Pass | 9701 |
| 1000 | 3000 | 1 | Peak | 1850 | 28.62 | -13 | N/A | 2001 |
| 3000 | 20000 | 1 | Peak | 19281 | -41.22 | -13 | Pass | 17001 |




13.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.014 | -34.62 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.16 | -45.46 | -13 | Pass | 2986 |
| 30 | 1000 | 0.1 | Peak | 892.6 | -41.22 | -13 | Pass | 9701 |
| 1000 | 3000 | 1 | Peak | 1880 | 29.39 | -13 | N/A | 2001 |
| 3000 | 20000 | 1 | Peak | 19452 | -41.6 | -13 | Pass | 17001 |



13.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.013 | -34.12 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.15 | -45.72 | -13 | Pass | 2986 |
| 30 | 1000 | 0.1 | Peak | 941.6 | -41.41 | -13 | Pass | 9701 |
| 1000 | 3000 | 1 | Peak | 1911 | 22.86 | -13 | N/A | 2001 |
| 3000 | 20000 | 1 | Peak | 19250 | -41.51 | -13 | Pass | 17001 |



14. EGPRS_GSM850


14.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -52.38 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.15 | -51.99 | -13 | Pass | 2986 |
| 30 | 500 | 0.1 | Peak | 488.6 | -43.58 | -13 | Pass | 4701 |
| 500 | 1000 | 0.1 | Peak | 824.2 | 28.93 | -13 | N/A | 5001 |
| 1000 | 10000 | 1 | Peak | 7729 | -20.08 | -13 | Pass | 9002 |




14.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.011 | -51.67 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.15 | -51.53 | -13 | Pass | 2986 |
| 30 | 500 | 0.1 | Peak | 402.8 | -43.49 | -13 | Pass | 4701 |
| 500 | 1000 | 0.1 | Peak | 836.6 | 25.05 | -13 | N/A | 5001 |
| 1000 | 10000 | 1 | Peak | 7742 | -20.11 | -13 | Pass | 9002 |



14.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -53.17 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.17 | -51.49 | -13 | Pass | 2986 |
| 30 | 500 | 0.1 | Peak | 470.4 | -43.85 | -13 | Pass | 4701 |
| 500 | 1000 | 0.1 | Peak | 848.8 | 28.57 | -13 | N/A | 5001 |
| 1000 | 10000 | 1 | Peak | 7155 | -19.98 | -13 | Pass | 9002 |



15. EGPRS_PCS


15.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.009 | -59.43 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.19 | -57.89 | -13 | Pass | 2986 |
| 30 | 1000 | 0.1 | Peak | 861.308 | -48.37 | -13 | Pass | 9701 |
| 1000 | 3000 | 1 | Peak | 1850 | 28.73 | -13 | N/A | 2001 |
| 3000 | 20000 | 1 | Peak | 17288 | -42.47 | -13 | Pass | 17003 |




15.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.012 | -57.77 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.17 | -58.76 | -13 | Pass | 2986 |
| 30 | 1000 | 0.1 | Peak | 714.5 | -48.8 | -13 | Pass | 9701 |
| 1000 | 3000 | 1 | Peak | 1879 | 23.21 | -13 | N/A | 2001 |
| 3000 | 20000 | 1 | Peak | 16778 | -42.44 | -13 | Pass | 17003 |



15.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.012 | -58.68 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.16 | -58.09 | -13 | Pass | 2986 |
| 30 | 1000 | 0.1 | Peak | 889.627 | -45.62 | -13 | Pass | 9701 |
| 1000 | 3000 | 1 | Peak | 1910 | 28.36 | -13 | N/A | 2001 |
| 3000 | 20000 | 1 | Peak | 16909 | -41.93 | -13 | Pass | 17003 |



16. WCDMA_Band2


16.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.015 | -46.04 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.15 | -54.33 | -13 | Pass | 2986 |
| 30 | 1000 | 0.1 | Peak | 792.7 | -51.11 | -13 | Pass | 9701 |
| 1000 | 3000 | 1 | Peak | 1851 | 22.37 | -13 | N/A | 2001 |
| 3000 | 20000 | 1 | Peak | 19186 | -23.14 | -13 | Pass | 17001 |




16.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.012 | -45.88 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.15 | -54.91 | -13 | Pass | 2986 |
| 30 | 1000 | 0.1 | Peak | 873.7 | -51.34 | -13 | Pass | 9701 |
| 1000 | 3000 | 1 | Peak | 1881 | 22.56 | -13 | N/A | 2001 |
| 3000 | 20000 | 1 | Peak | 19197 | -22.59 | -13 | Pass | 17001 |



16.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.013 | -45.65 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.15 | -55.68 | -13 | Pass | 2986 |
| 30 | 1000 | 0.1 | Peak | 973.5 | -51.02 | -13 | Pass | 9701 |
| 1000 | 3000 | 1 | Peak | 1909 | 22.15 | -13 | N/A | 2001 |
| 3000 | 20000 | 1 | Peak | 19453 | -22.51 | -13 | Pass | 17001 |



17. WCDMA_Band4


17.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.012 | -52 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -61.92 | -13 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 933.7 | -62.47 | -13 | Pass | 9701 |
| 1000 | 3000 | 1 | RMS | 1712 | 17.76 | -13 | N/A | 2001 |
| 3000 | 20000 | 1 | RMS | 19403 | -34.59 | -13 | Pass | 17001 |




17.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.012 | -51.59 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -61.34 | -13 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 895.2 | -62.26 | -13 | Pass | 9701 |
| 1000 | 3000 | 1 | RMS | 1733 | 17.19 | -13 | N/A | 2001 |
| 3000 | 20000 | 1 | RMS | 19425 | -34.57 | -13 | Pass | 17001 |



17.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | RMS | 0.014 | -50.96 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | RMS | 0.15 | -62.91 | -13 | Pass | 2986 |
| 30 | 1000 | 0.1 | RMS | 897.6 | -62.3 | -13 | Pass | 9701 |
| 1000 | 3000 | 1 | RMS | 1752 | 17.39 | -13 | N/A | 2001 |
| 3000 | 20000 | 1 | RMS | 19406 | -34.54 | -13 | Pass | 17001 |



18. WCDMA_Band5


18.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.013 | -44.96 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.15 | -56.64 | -13 | Pass | 2986 |
| 30 | 500 | 0.1 | Peak | 484.2 | -53.69 | -13 | Pass | 4701 |
| 500 | 1000 | 0.1 | Peak | 827.1 | 15.92 | -13 | N/A | 5001 |
| 1000 | 10000 | 1 | Peak | 9825 | -29.2 | -13 | Pass | 9001 |




18.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.014 | -44.87 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.15 | -54.9 | -13 | Pass | 2986 |
| 30 | 500 | 0.1 | Peak | 485.5 | -54.44 | -13 | Pass | 4701 |
| 500 | 1000 | 0.1 | Peak | 837.3 | 15.91 | -13 | N/A | 5001 |
| 1000 | 10000 | 1 | Peak | 9829 | -29.69 | -13 | Pass | 9001 |



18.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009 | 0.15 | 0.001 | Peak | 0.015 | -45.51 | -13 | Pass | 401 |
| 0.15 | 30 | 0.01 | Peak | 0.17 | -56.52 | -13 | Pass | 2986 |
| 30 | 500 | 0.1 | Peak | 496.7 | -53.86 | -13 | Pass | 4701 |
| 500 | 1000 | 0.1 | Peak | 847.9 | 16.87 | -13 | N/A | 5001 |
| 1000 | 10000 | 1 | Peak | 9559 | -29.28 | -13 | Pass | 9001 |



--BLANK BELOW--