






Mode	802.11a	Channel	144
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11440	29.29	18.63	47.92	74	-26.08	PK
Vertical	*	11440	29.8	18.63	48.43	74	-25.57	PK



Mode	802.11a	Channel	149
------	---------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5596.5	41.31	19.6	60.91	68.2	-7.29	PK
		5692.5	40.09	19.61	59.7	99.67	-39.97	PK
	@	5745	88.67	20.01	108.68	N/A	N/A	PK
	*	11490	29.34	18.86	48.2	74	-25.8	PK
Vertical		5578.5	40.83	19.57	60.4	68.2	-7.8	PK
		5692	40.53	19.61	60.14	99.3	-39.16	PK
	@	5745	90.04	20.01	110.05	N/A	N/A	PK
	*	11490	29.17	18.86	48.03	74	-25.97	PK




Mode	802.11a	Channel	157
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5565	40.23	19.56	59.79	68.2	-8.41	PK
		5682.5	40.49	19.62	60.11	92.29	-32.18	PK
		5785	88.01	20.37	108.38	N/A	N/A	PK
		5900	40.47	20.7	61.17	86.66	-25.49	PK
		5983.5	39.54	20.78	60.32	68.2	-7.88	PK
		11570	30.36	18.65	49.01	74	-24.99	PK
Vertical	@	5572.5	40.38	19.57	59.95	68.2	-8.25	PK
		5682	39.55	19.62	59.17	91.92	-32.75	PK
		5785	88.99	20.37	109.36	N/A	N/A	PK
		5898.5	39.62	20.7	60.32	87.77	-27.45	PK
		5982.5	40.08	20.78	60.86	68.2	-7.34	PK
		11570	30.14	18.65	48.79	74	-25.21	PK


TX, 802.11a (Ch 157)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 157)
Radiated Spurious Emission, Vertical



TX, 802.11a (Ch 157)
Band Edge (Peak), Horizontal




TX, 802.11a (Ch 157)
Band Edge (Peak), Vertical



Mode	802.11a	Channel	165
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	86.36	20.57	106.93	N/A	N/A	PK
		5894	40.38	20.69	61.07	91.1	-30.03	PK
		5994.5	39.84	20.79	60.63	68.2	-7.57	PK
	*	11650	30.23	18.38	48.61	74	-25.39	PK
Vertical	@	4995	48.73	2.39	51.12	74	-22.88	PK
		5825	89.48	20.57	110.05	N/A	N/A	PK
		5898.5	41.09	20.7	61.79	87.77	-25.98	PK
		5953.5	40.06	20.76	60.82	68.2	-7.38	PK
	*	11650	30.31	18.38	48.69	74	-25.31	PK



Mode	802.11ax(HE20)	Channel	36
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5106.75	42.97	19.25	62.22	74	-11.78	PK
		5149.8	30.23	19.22	49.45	54	-4.55	AVG
	@	5180	87.24	19.14	106.38	N/A	N/A	PK
	@	5180	77.54	19.14	96.68	N/A	N/A	AVG
	*	10360	32.29	17.03	49.32	68.2	-18.88	PK
Vertical		5070	41.58	19.09	60.67	74	-13.33	PK
		5149.45	31.7	19.22	50.92	54	-3.08	AVG
	@	5180	90.24	19.14	109.38	N/A	N/A	PK
	@	5180	79.19	19.14	98.33	N/A	N/A	AVG
	*	10360	31.16	17.03	48.19	68.2	-20.01	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	44
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5099.05	29.68	19.25	48.93	54	-5.07	AVG
		5135.45	41.62	19.23	60.85	74	-13.15	PK
	@	5220	86.98	19.04	106.02	N/A	N/A	PK
	@	5220	77.38	19.04	96.42	N/A	N/A	AVG
	*	10440	32.76	17.45	50.21	68.2	-17.99	PK
Vertical		5054.6	41.97	19.01	60.98	74	-13.02	PK
		5092.05	29.84	19.22	49.06	54	-4.94	AVG
	@	5220	87.6	19.04	106.64	N/A	N/A	PK
	@	5220	79.25	19.04	98.29	N/A	N/A	AVG
	*	10440	30.7	17.45	48.15	68.2	-20.05	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 44)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 44)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 44)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 44)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 44)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 44)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	48
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5103.95	29.75	19.24	48.99	54	-5.01	AVG
		5114.45	41.5	19.24	60.74	74	-13.26	PK
	@	5240	85.62	18.99	104.61	N/A	N/A	PK
	@	5240	76.92	18.99	95.91	N/A	N/A	AVG
	*	10480	31.12	17.55	48.67	68.2	-19.53	PK
Vertical		5106.4	29.63	19.25	48.88	54	-5.12	AVG
		5115.85	42.34	19.24	61.58	74	-12.42	PK
	@	5240	88.01	18.99	107	N/A	N/A	PK
	@	5240	78.34	18.99	97.33	N/A	N/A	AVG
	*	10480	31.92	17.55	49.47	68.2	-18.73	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	52
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5260	87.42	18.91	106.33	N/A	N/A	PK
	@	5260	78.34	18.91	97.25	N/A	N/A	AVG
		5457	27.92	19.63	47.55	54	-6.45	AVG
		5459.7	39.62	19.64	59.26	74	-14.74	PK
	*	10520	31.28	17.63	48.91	68.2	-19.29	PK
Vertical	@	5260	90.58	18.91	109.49	N/A	N/A	PK
	@	5260	80.09	18.91	99	N/A	N/A	AVG
		5398.8	39.41	19.15	58.56	74	-15.44	PK
		5458.5	27.89	19.64	47.53	54	-6.47	AVG
	*	10520	30.43	17.63	48.06	68.2	-20.14	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	60
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	88.12	18.73	106.85	N/A	N/A	PK
	@	5300	79.34	18.73	98.07	N/A	N/A	AVG
		5432.7	40.24	19.47	59.71	74	-14.29	PK
		5459.7	27.85	19.64	47.49	54	-6.51	AVG
	*	10600	31.33	17.71	49.04	74	-24.96	PK
Vertical	@	5300	87.13	18.73	105.86	N/A	N/A	PK
	@	5300	79.33	18.73	98.06	N/A	N/A	AVG
		5412.6	39.88	19.27	59.15	74	-14.85	PK
		5451.6	27.93	19.62	47.55	54	-6.45	AVG
	*	10600	30.08	17.71	47.79	74	-26.21	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	64
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	92.11	18.72	110.83	N/A	N/A	PK
	@	5320	79.26	18.72	97.98	N/A	N/A	AVG
		5350.2	28.95	18.7	47.65	54	-6.35	AVG
		5432.1	39.5	19.46	58.96	74	-15.04	PK
	*	10640	30.59	17.67	48.26	74	-25.74	PK
Vertical	@	5320	86.88	18.72	105.6	N/A	N/A	PK
	@	5320	78.79	18.72	97.51	N/A	N/A	AVG
		5350.5	28.96	18.7	47.66	54	-6.34	AVG
		5352.6	40.26	18.72	58.98	74	-15.02	PK
	*	10640	30.86	17.67	48.53	74	-25.47	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	100
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5457.4	39.87	19.63	59.5	74	-14.5	PK
		5458.8	28.06	19.64	47.7	54	-6.3	AVG
		5469.65	40.28	19.65	59.93	68.2	-8.27	PK
	@	5500	88.66	19.69	108.35	N/A	N/A	PK
	@	5500	80.54	19.69	100.23	N/A	N/A	AVG
	*	11000	30.74	17.88	48.62	74	-25.38	PK
Vertical		5453.2	39.66	19.63	59.29	74	-14.71	PK
		5457.4	28.23	19.63	47.86	54	-6.14	AVG
		5460.55	40.68	19.64	60.32	68.2	-7.88	PK
	@	5500	87.18	19.69	106.87	N/A	N/A	PK
	@	5500	79.13	19.69	98.82	N/A	N/A	AVG
	*	11000	30.39	17.88	48.27	74	-25.73	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 100)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 100)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 100)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 100)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 100)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 100)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	116
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5458.45	40.23	19.64	59.87	74	-14.13	PK
		5459.85	28.2	19.64	47.84	54	-6.16	AVG
		5465.45	38.15	19.65	57.8	68.2	-10.4	PK
	@	5580	89.38	19.58	108.96	N/A	N/A	PK
	@	5580	81.18	19.58	100.76	N/A	N/A	AVG
		5727.6	40.1	19.85	59.95	68.2	-8.25	PK
	*	11160	30.14	18.05	48.19	74	-25.81	PK
Vertical		5450.4	39.71	19.62	59.33	74	-14.67	PK
		5459.85	28.13	19.64	47.77	54	-6.23	AVG
		5465.1	39.33	19.65	58.98	68.2	-9.22	PK
	@	5580	88.83	19.58	108.41	N/A	N/A	PK
	@	5580	79.69	19.58	99.27	N/A	N/A	AVG
		5739.5	39.41	19.96	59.37	68.2	-8.83	PK
	*	11160	30.22	18.05	48.27	74	-25.73	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 116)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 116)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 116)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 116)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 116)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 116)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	140
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5454.25	39.37	19.63	59	74	-15	PK
		5459.15	27.93	19.64	47.57	54	-6.43	AVG
		5466.85	39.93	19.65	59.58	68.2	-8.62	PK
	@	5700	88.57	19.6	108.17	N/A	N/A	PK
	@	5700	79.59	19.6	99.19	N/A	N/A	AVG
		5726.55	41.49	19.84	61.33	68.2	-6.87	PK
	*	11400	30.13	18.46	48.59	74	-25.41	PK
Vertical		5447.95	39.22	19.6	58.82	74	-15.18	PK
		5449.7	27.87	19.62	47.49	54	-6.51	AVG
		5462.3	39.47	19.64	59.11	68.2	-9.09	PK
	@	5700	87.73	19.6	107.33	N/A	N/A	PK
	@	5700	78.24	19.6	97.84	N/A	N/A	AVG
		5725	42.99	19.83	62.82	68.2	-5.38	PK
	*	11400	29.7	18.46	48.16	74	-25.84	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 140)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 140)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 140)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 140)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 140)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE20) (Ch 140)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	144
------	----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		11420	29.52	18.55	48.07	74	-25.93	PK
Vertical		11420	29.38	18.55	47.93	74	-26.07	PK




Mode	802.11ax(HE20)	Channel	149
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5588	40.58	19.59	60.17	68.2	-8.03	PK
		5698.5	41.15	19.6	60.75	104.09	-43.34	PK
	@	5745	90.92	20.01	110.93	N/A	N/A	PK
	*	11490	29.68	18.86	48.54	74	-25.46	PK
Vertical		5626	40.57	19.62	60.19	68.2	-8.01	PK
		5698	40.76	19.6	60.36	103.73	-43.37	PK
	@	5745	91.2	20.01	111.21	N/A	N/A	PK
	*	11490	30.54	18.86	49.4	74	-24.6	PK


TX, 802.11ax(HE20) (Ch 149)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 149)
Radiated Spurious Emission, Vertical



TX, 802.11ax(HE20) (Ch 149)
Band Edge (Peak), Horizontal







TX, 802.11ax(HE20) (Ch 149)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	157
------	----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5558	40.42	19.55	59.97	68.2	-8.23	PK
		5659	39.79	19.64	59.43	74.88	-15.45	PK
		5785	86.74	20.37	107.11	N/A	N/A	PK
		5913	40.32	20.71	61.03	77.05	-16.02	PK
		6024.5	39.9	20.89	60.79	68.2	-7.41	PK
		11570	30.09	18.65	48.74	74	-25.26	PK
Vertical	@	5634	39.92	19.63	59.55	68.2	-8.65	PK
		5695.5	39.91	19.6	59.51	101.88	-42.37	PK
		5785	90.43	20.37	110.8	N/A	N/A	PK
		5919.5	39.67	20.72	60.39	72.25	-11.86	PK
		5949.5	39.95	20.75	60.7	68.2	-7.5	PK
		11570	29.17	18.65	47.82	74	-26.18	PK

TX, 802.11ax(HE20) (Ch 157)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE20) (Ch 157)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE20) (Ch 157)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE20) (Ch 157)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	165
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	85.98	20.57	106.55	N/A	N/A	PK
		5880	40.43	20.69	61.12	101.49	-40.37	PK
		6007.5	40.13	20.82	60.95	68.2	-7.25	PK
	*	11650	30.09	18.38	48.47	74	-25.53	PK
Vertical	@	5825	89.79	20.57	110.36	N/A	N/A	PK
		5924	40.82	20.73	61.55	68.94	-7.39	PK
		6007.5	40.56	20.82	61.38	68.2	-6.82	PK
	*	11650	29.54	18.38	47.92	74	-26.08	PK


TX, 802.11ax(HE20) (Ch 165)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 165)
Radiated Spurious Emission, Vertical



TX, 802.11ax(HE20) (Ch 165)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 165)
Band Edge (Peak), Vertical



Mode	802.11ax(HE40)	Channel	38
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5063.7	42.61	19.05	61.66	74	-12.34	PK
		5149.8	31.38	19.22	50.6	54	-3.4	AVG
	@	5190	80.72	19.12	99.84	N/A	N/A	PK
	@	5190	72.26	19.12	91.38	N/A	N/A	AVG
	*	10380	32.97	17.19	50.16	68.2	-18.04	PK
Vertical		5149.8	43.56	19.22	62.78	74	-11.22	PK
		5149.8	34	19.22	53.22	54	-0.78	AVG
	@	5190	83.69	19.12	102.81	N/A	N/A	PK
	@	5190	72.82	19.12	91.94	N/A	N/A	AVG
	*	10380	31.16	17.19	48.35	68.2	-19.85	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	46
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5100.1	41.38	19.25	60.63	74	-13.37	PK
		5112	29.64	19.25	48.89	54	-5.11	AVG
	@	5230	82.97	19.01	101.98	N/A	N/A	PK
	@	5230	74.09	19.01	93.1	N/A	N/A	AVG
	*	10460	32.33	17.5	49.83	68.2	-18.37	PK
Vertical		5088.2	41.89	19.19	61.08	74	-12.92	PK
		5118.65	29.64	19.24	48.88	54	-5.12	AVG
	@	5230	84.38	19.01	103.39	N/A	N/A	PK
	@	5230	75.34	19.01	94.35	N/A	N/A	AVG
	*	10460	31.81	17.5	49.31	68.2	-18.89	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	54
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5270	82.03	18.87	100.9	N/A	N/A	PK
	@	5270	73.63	18.87	92.5	N/A	N/A	AVG
		5445.9	39.68	19.59	59.27	74	-14.73	PK
		5460	27.9	19.64	47.54	54	-6.46	AVG
	*	10540	30.49	17.65	48.14	68.2	-20.06	PK
Vertical	@	5270	84.55	18.87	103.42	N/A	N/A	PK
	@	5270	75.65	18.87	94.52	N/A	N/A	AVG
		5372.7	39.92	18.9	58.82	74	-15.18	PK
		5459.1	27.83	19.64	47.47	54	-6.53	AVG
	*	10540	29.79	17.65	47.44	68.2	-20.76	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	62
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5310	82.4	18.72	101.12	N/A	N/A	PK
	@	5310	74.37	18.72	93.09	N/A	N/A	AVG
		5350.2	42.77	18.7	61.47	74	-12.53	PK
		5350.5	33.73	18.7	52.43	54	-1.57	AVG
	*	10620	31.11	17.68	48.79	74	-25.21	PK
Vertical	@	5310	81.06	18.72	99.78	N/A	N/A	PK
	@	5310	74.1	18.72	92.82	N/A	N/A	AVG
		5350.2	33.11	18.7	51.81	54	-2.19	AVG
		5353.2	42.14	18.73	60.87	74	-13.13	PK
	*	10620	29.75	17.68	47.43	74	-26.57	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE40) (Ch 62)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE40) (Ch 62)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE40) (Ch 62)
Band Edge (Average), Horizontal



TX, 802.11ax(HE40) (Ch 62)
Band Edge (Average), Vertical



TX, 802.11ax(HE40) (Ch 62)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE40) (Ch 62)
Band Edge (Peak), Vertical

