




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baoan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180	Phase: L1
Standard: FCC Part15 CE-Class B_QP	Power Source: AC 120V/60Hz
Test item: Conduction Test	Date: 2012/02/16
Temp.(C)/Hum.(%): 25.5 C / 51 %	Time: 09:38:01
EUT: G-eye 1080 camera	Engineer Signature:
Mode: DATA COMMUNICATION	
Model: 8216201	

Note:



No.	Freq. (MHz)	Reading (dBuV)	Factor (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Detector	Remark
1	0.2140	26.10	10.66	36.76	63.04	-26.28	QP	
2	0.2140	21.88	10.66	32.54	53.04	-20.50	AVG	
3	0.7980	20.49	12.17	32.66	56.00	-23.34	QP	
4	0.7980	18.35	12.17	30.52	46.00	-15.48	AVG	
5	2.3420	22.93	12.26	35.19	56.00	-20.81	QP	
6	2.3420	21.33	12.26	33.59	46.00	-12.41	AVG	
7	9.7540	13.37	11.93	25.30	60.00	-34.70	QP	
8	9.7540	3.74	11.93	15.67	50.00	-34.33	AVG	
9	15.4260	24.79	12.12	36.91	60.00	-23.09	QP	
10	15.4260	20.27	12.12	32.39	50.00	-17.61	AVG	
11	17.7300	22.28	12.36	34.64	60.00	-25.36	QP	
12	17.7300	18.29	12.36	30.65	50.00	-19.35	AVG	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baoan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180	Phase: N
Standard: FCC Part15 CE-Class B_QP	Power Source: AC 120V/60Hz
Test item: Conduction Test	Date: 2012/02/16
Temp.(C)/Hum.(%): 25.5 C / 51 %	Time: 09:40:57
EUT: G-eye 1080 camera	Engineer Signature:
Mode: DATA COMMUNICATION	
Model: 8216201	

Note:



No.	Freq. (MHz)	Reading (dBuV)	Factor (dB)	Result (dBuV)	Limit dBuV	Margin (dB)	Detector	Remark
1	0.2100	26.87	10.66	37.53	63.20	-25.67	QP	
2	0.2100	22.05	10.66	32.71	53.20	-20.49	AVG	
3	2.1980	23.95	12.25	36.20	56.00	-19.80	QP	
4	2.1980	21.18	12.25	33.43	46.00	-12.57	AVG	
5	2.3420	26.62	12.26	38.88	56.00	-17.12	QP	
6	2.3420	24.02	12.26	36.28	46.00	-9.72	AVG	
7	9.6700	19.11	11.92	31.03	60.00	-28.97	QP	
8	9.6700	7.24	11.92	19.16	50.00	-30.84	AVG	
9	15.7500	23.62	12.13	35.75	60.00	-24.25	QP	
10	15.7500	18.35	12.13	30.48	50.00	-19.52	AVG	
11	17.3819	22.07	12.44	34.51	60.00	-25.49	QP	
12	17.3819	16.58	12.44	29.02	50.00	-20.98	AVG	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baoan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180	Polarization: Horizontal
Standard: FCC Part15 RE-Class B_30-1000MHz	Power Source:
Test item: Radiation Test	Date: 2012-1-11
Temp.(C)/Hum.(%): 25.5 C / 51 %	Time: 15:35:06
EUT: G-eye 1080 camera	Engineer Signature:
Mode: REC	Distance: 3m
Model: 8216201	
Note: WITH DISPLAY	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	133.5493	19.90	12.08	31.98	43.50	-11.52	QP	
2	216.1197	16.65	15.33	31.98	46.00	-14.02	QP	
3	346.0740	16.43	20.17	36.60	46.00	-9.40	QP	
4	483.2061	18.12	23.68	41.80	46.00	-4.20	QP	
5	531.2910	18.75	23.82	42.57	46.00	-3.43	QP	
6	850.7603	13.00	29.60	42.60	46.00	-3.40	QP	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baonan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180	Polarization: Vertical
Standard: FCC Part15 RE-Class B_30-1000MHz	Power Source:
Test item: Radiation Test	Date: 2012-1-11
Temp.(C)/Hum.(%): 25.5 C / 51 %	Time: 15:32:36
EUT: G-eye 1080 camera	Engineer Signature:
Mode: REC	Distance: 3m
Model: 8216201	
Note: WITH DISPLAY	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	95.6485	5.49	13.26	18.75	43.50	-24.75	QP	
2	133.5493	15.80	12.08	27.88	43.50	-15.62	QP	
3	143.7760	16.41	11.39	27.80	43.50	-15.70	QP	
4	239.3020	9.39	15.53	24.92	46.00	-21.08	QP	
5	483.2061	8.62	23.68	32.30	46.00	-13.70	QP	
6	565.9776	12.19	23.48	35.67	46.00	-10.33	QP	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baonan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT1127180	Polarization: Horizontal
Standard: FCC Part15 RE-Class B_30-1000MHz	Power Source:
Test item: Radiation Test	Date: 2012-1-11
Temp.(C)/Hum.(%): 25.5 C / 51 %	Time: 15:38:14
EUT: G-eye 1080 camera	Engineer Signature:
Mode: REC	Distance: 3m
Model: 8216201	
Note: WITHOUT DISPLAY	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	143.7760	6.95	11.39	18.34	43.50	-25.16	QP	
2	189.1076	8.72	14.02	22.74	43.50	-20.76	QP	
3	216.1197	10.90	15.33	26.23	46.00	-19.77	QP	
4	322.5896	4.88	18.78	23.66	46.00	-22.34	QP	
5	399.6981	14.73	20.91	35.64	46.00	-10.36	QP	
6	565.9776	10.14	23.48	33.62	46.00	-12.38	QP	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baonan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180	Polarization: Vertical
Standard: FCC Part15 RE-Class B_30-1000MHz	Power Source:
Test item: Radiation Test	Date: 2012-1-11
Temp.(C)/Hum.(%): 25.5 C / 51 %	Time: 15:39:21
EUT: G-eye 1080 camera	Engineer Signature:
Mode: REC	Distance: 3m
Model: 8216201	
Note: WITHOUT DISPLAY	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	51.3557	1.59	14.52	16.11	40.00	-23.89	QP	
2	95.6485	5.70	13.26	18.96	43.50	-24.54	QP	
3	143.7760	18.53	11.39	29.92	43.50	-13.58	QP	
4	236.7928	10.71	15.66	26.37	46.00	-19.63	QP	
5	428.7960	9.87	20.50	30.37	46.00	-15.63	QP	
6	565.9776	13.80	23.48	37.28	46.00	-8.72	QP	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baonan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180	Polarization: Horizontal
Standard: FCC Part15 RE-Class B_30-1000MHz	Power Source:
Test item: Radiation Test	Date: 2012-1-11
Temp.(C)/Hum.(%): 25.5 C / 51 %	Time: 15:43:23
EUT: G-eye 1080 camera	Engineer Signature:
Mode: PLAYING	Distance: 3m
Model: 8216201	
Note: WITH DISPLAY	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	133.5493	20.07	12.08	32.15	43.50	-11.35	QP	
2	216.1197	15.84	15.33	31.17	46.00	-14.83	QP	
3	265.9035	15.73	16.41	32.14	46.00	-13.86	QP	
4	483.2061	16.40	23.68	40.08	46.00	-5.92	QP	
5	531.2910	18.11	23.82	41.93	46.00	-4.07	QP	
6	850.7603	13.23	29.60	42.83	46.00	-3.17	QP	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baoan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180	Polarization: Vertical
Standard: FCC Part15 RE-Class B_30-1000MHz	Power Source:
Test item: Radiation Test	Date: 2012-1-11
Temp.(C)/Hum.(%): 25.5 C / 51 %	Time: 15:42:10
EUT: G-eye 1080 camera	Engineer Signature:
Mode: PLAYING	Distance: 3m
Model: 8216201	
Note: WITH DISPLAY	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	133.5493	14.02	12.08	26.10	43.50	-17.40	QP	
2	143.7760	14.62	11.39	26.01	43.50	-17.49	QP	
3	236.7928	10.60	15.66	26.26	46.00	-19.74	QP	
4	483.2061	8.32	23.68	32.00	46.00	-14.00	QP	
5	507.5694	9.73	23.54	33.27	46.00	-12.73	QP	
6	565.9776	10.67	23.48	34.15	46.00	-11.85	QP	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baonan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180	Polarization: Horizontal
Standard: FCC Part15 RE-Class B_30-1000MHz	Power Source:
Test item: Radiation Test	Date: 2012-1-11
Temp.(C)/Hum.(%): 25.5 C / 51 %	Time: 16:01:11
EUT: G-eye 1080 camera	Engineer Signature:
Mode: AV OUT	Distance: 3m
Model: 8216201	
Note: WITHOUT DISPLAY	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	163.7366	18.91	11.78	30.69	43.50	-12.81	QP	
2	239.3020	19.94	15.53	35.47	46.00	-10.53	QP	
3	294.4260	20.90	16.83	37.73	46.00	-8.27	QP	
4	346.0740	22.05	20.17	42.22	46.00	-3.78	QP	
5	520.2078	19.24	23.55	42.79	46.00	-3.21	QP	
6	565.9776	18.39	23.48	41.87	46.00	-4.13	QP	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baoan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180	Polarization: Vertical
Standard: FCC Part15 RE-Class B_30-1000MHz	Power Source:
Test item: Radiation Test	Date: 2012-1-11
Temp.(C)/Hum.(%): 25.5 C / 51 %	Time: 16:02:33
EUT: G-eye 1080 camera	Engineer Signature:
Mode: AV OUT	Distance: 3m
Model: 8216201	
Note: WITHOUT DISPLAY	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	48.8906	10.90	14.62	25.52	40.00	-14.48	QP	
2	57.4670	12.02	13.13	25.15	40.00	-14.85	QP	
3	163.7366	14.73	11.78	26.51	43.50	-16.99	QP	
4	236.7928	14.47	15.66	30.13	46.00	-15.87	QP	
5	346.0740	13.01	20.17	33.18	46.00	-12.82	QP	
6	565.9776	16.89	23.48	40.37	46.00	-5.63	QP	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baonan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180	Polarization: Horizontal
Standard: FCC Part15 RE-Class B_30-1000MHz	Power Source:
Test item: Radiation Test	Date: 2012-1-11
Temp.(C)/Hum.(%): 25.5 C / 51 %	Time: 16:27:52
EUT: G-eye 1080 camera	Engineer Signature:
Mode: CHARING	Distance: 3m
Model: 8216201	
Note: WITH DISPLAY	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	93.9829	18.72	12.86	31.58	43.50	-11.92	QP	
2	119.3471	23.09	12.01	35.10	43.50	-8.40	QP	
3	147.3560	22.28	11.19	33.47	43.50	-10.03	QP	
4	185.8143	22.58	14.08	36.66	43.50	-6.84	QP	
5	346.0740	22.41	20.17	42.58	46.00	-3.42	QP	
6	821.3871	12.33	29.53	41.86	46.00	-4.14	QP	



WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baonan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180

Polarization: Vertical

Standard: FCC Part15 RE-Class B_30-1000MHz

Power Source:

Test item: Radiation Test

Date: 2012-1-11

Temp.(C)/Hum.(%): 25.5 C / 51 %

Time: 16:26:12

EUT: G-eye 1080 camera


Engineer Signature:

Mode: CHARING

Distance: 3m

Model: 8216201

Note: WITH DISPLAY



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	30.1056	10.41	16.17	26.58	40.00	-13.42	QP	
2	51.5365	12.96	14.52	27.48	40.00	-12.52	QP	
3	119.3471	19.16	12.01	31.17	43.50	-12.33	QP	
4	133.5493	16.54	12.08	28.62	43.50	-14.88	QP	
5	185.8143	16.11	14.08	30.19	43.50	-13.31	QP	
6	346.0740	13.91	20.17	34.08	46.00	-11.92	QP	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baonan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180	Polarization: Horizontal
Standard: FCC Part15 RE-Class B_30-1000MHz	Power Source:
Test item: Radiation Test	Date: 2012-1-11
Temp.(C)/Hum.(%): 25.5 □ C / 51 %	Time: 16:31:52
EUT: G-eye 1080 camera	Engineer Signature:
Mode: CHARGING	Distance: 3m
Model: 8216201	
Note: WITHOUT DISPLAY	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	57.2653	19.01	13.19	32.20	40.00	-7.80	QP	
2	81.6603	23.49	9.44	32.93	40.00	-7.07	QP	
3	119.3469	23.09	12.01	35.10	43.50	-8.40	QP	
4	200.7470	20.26	15.32	35.58	43.50	-7.92	QP	
5	346.0740	21.51	20.17	41.68	46.00	-4.32	QP	
6	821.3871	12.02	29.53	41.55	46.00	-4.45	QP	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baoan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180	Polarization: Vertical
Standard: FCC Part15 RE-Class B_30-1000MHz	Power Source:
Test item: Radiation Test	Date: 2012-1-11
Temp.(C)/Hum.(%): 25.5 □ C / 51 %	Time: 16:30:12
EUT: G-eye 1080 camera	Engineer Signature:
Mode: CHARGING	Distance: 3m
Model: 8216201	
Note: WITHOUT DISPLAY	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	30.1052	8.90	16.17	25.07	40.00	-14.93	QP	
2	119.3469	21.16	12.01	33.17	43.50	-10.33	QP	
3	133.5491	20.04	12.08	32.12	43.50	-11.38	QP	
4	185.8143	17.61	14.08	31.69	43.50	-11.81	QP	
5	346.0740	13.91	20.17	34.08	46.00	-11.92	QP	
6	771.0475	6.20	28.38	34.58	46.00	-11.42	QP	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baoan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180	Polarization: Horizontal
Standard: FCC Part15 RE-Class B_30-1000MHz	Power Source:
Test item: Radiation Test	Date: 2012-1-11
Temp.(C)/Hum.(%): 25.5 □ C / 51 %	Time: 16:35:08
EUT: G-eye 1080 camera	Engineer Signature:
Mode: DATA COMMUNICATION	Distance: 3m
Model: 8216201	
Note: WITH DISPLAY	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	93.9829	23.29	12.86	36.15	43.50	-7.35	QP	
2	119.3469	24.47	12.01	36.48	43.50	-7.02	QP	
3	239.3017	22.38	15.53	37.91	46.00	-8.09	QP	
4	346.0740	18.48	20.17	38.65	46.00	-7.35	QP	
5	558.0788	14.34	23.62	37.96	46.00	-8.04	QP	
6	824.2780	9.34	29.48	38.82	46.00	-7.18	QP	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baonan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180	Polarization: Vertical
Standard: FCC Part15 RE-Class B_30-1000MHz	Power Source:
Test item: Radiation Test	Date: 2012-1-11
Temp.(C)/Hum.(%): 25.5 □ C / 51 %	Time: 16:36:18
EUT: G-eye 1080 camera	Engineer Signature:
Mode: DATA COMMUNICATION	Distance: 3m
Model: 8216201	
Note: WITH DISPLAY	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	53.0056	20.36	14.26	34.62	40.00	-5.38	QP	
2	119.3469	24.30	12.01	36.31	43.50	-7.19	QP	
3	141.2718	24.34	11.57	35.91	43.50	-7.59	QP	
4	221.5010	18.82	16.20	35.02	46.00	-10.98	QP	
5	363.5230	16.91	20.69	37.60	46.00	-8.40	QP	
6	469.8129	16.66	21.73	38.39	46.00	-7.61	QP	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baoan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180	Polarization: Horizontal
Standard: FCC Part15 RE-Class B_30-1000MHz	Power Source:
Test item: Radiation Test	Date: 2012-1-11
Temp.(C)/Hum.(%): 25.5 C / 51 %	Time: 16:39:07
EUT: G-eye 1080 camera	Engineer Signature:
Mode: DATA COMMUNICATION	Distance: 3m
Model: 8216201	
Note: WITHOUT DISPLAY	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	93.9829	22.29	12.86	35.15	43.50	-8.35	QP	
2	119.3471	23.05	12.01	35.06	43.50	-8.44	QP	
3	185.8143	20.29	14.08	34.37	43.50	-9.13	QP	
4	346.0740	18.48	20.17	38.65	46.00	-7.35	QP	
5	558.0788	11.84	23.62	35.46	46.00	-10.54	QP	
6	824.2782	6.84	29.48	36.32	46.00	-9.68	QP	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baoan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180	Polarization: Vertical
Standard: FCC Part15 RE-Class B_30-1000MHz	Power Source:
Test item: Radiation Test	Date: 2012-1-11
Temp.(C)/Hum.(%): 25.5 C / 51 %	Time: 16:42:28
EUT: G-eye 1080 camera	Engineer Signature:
Mode: DATA COMMUNICATION	Distance: 3m
Model: 8216201	
Note: WITHOUT DISPLAY	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	33.2180	8.59	16.56	25.15	40.00	-14.85	QP	
2	53.0056	18.36	14.26	32.62	40.00	-7.38	QP	
3	93.9829	20.43	12.86	33.29	43.50	-10.21	QP	
4	119.3471	20.68	12.01	32.69	43.50	-10.81	QP	
5	141.2722	20.84	11.57	32.41	43.50	-11.09	QP	
6	221.5010	13.82	16.20	30.02	46.00	-15.98	QP	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baonan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180	Polarization: Horizontal
Standard: FCC Part15 RE-Class B_30-1000MHz	Power Source:
Test item: Radiation Test	Date: 2012-1-11
Temp.(C)/Hum.(%): 25.5 □ C / 51 %	Time: 16:52:21
EUT: G-eye 1080 camera	Engineer Signature:
Mode: HDMI	Distance: 3m
Model: 8216201	
Note: WITHOUT DISPLAY	






WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baonan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180	Polarization: Vertical
Standard: FCC Part15 RE-Class B_30-1000MHz	Power Source:
Test item: Radiation Test	Date: 2012-1-11
Temp.(C)/Hum.(%): 25.5 °C / 51 %	Time: 16:54:51
EUT: G-eye 1080 camera	Engineer Signature:
Mode: HDMI	Distance: 3m
Model: 8216201	
Note: WITHOUT DISPLAY	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	147.8745	25.19	11.17	36.36	43.50	-7.14	QP	
2	294.4259	25.95	16.83	42.78	46.00	-3.22	QP	
3	734.0371	15.35	27.09	42.44	46.00	-3.56	QP	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baoan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT12031610	Polarization: Horizontal
Standard: FCC Part15 RE-Class B_30-1000MHz	Power Source:
Test item: Radiation Test	Date: 2012-03-21
Temp.(C)/Hum.(%): 25.5 C / 51 %	Time: 9:26:28
EUT: Camera	Engineer Signature:
Mode: Rx Mode	Distance:
Model:	

Note: Receiver Mode



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	31.4021	0.98	17.15	18.13	40.00	-21.87	peak	
2	107.7853	1.78	13.35	15.13	43.50	-28.37	peak	
3	215.3616	2.36	16.80	19.16	43.50	-24.34	peak	
4	248.7316	2.26	17.17	19.43	46.00	-26.57	peak	
5	442.5722	4.09	21.62	25.71	46.00	-20.29	peak	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baoan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT12031610	Polarization: Vertical
Standard: FCC Part15 RE-Class B_30-1000MHz	Power Source:
Test item: Radiation Test	Date: 2012-03-21
Temp.(C)/Hum.(%): 25.5 C / 51 %	Time: 9:15:00
EUT: Camera	Engineer Signature:
Mode:RX Mode	Distance:
Model:	

Note:Receiver Mode



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	30.0000	1.60	17.40	19.00	40.00	-21.00	peak	
2	37.8297	0.95	16.27	17.22	40.00	-22.78	peak	
3	107.0306	0.80	13.31	14.11	43.50	-29.39	peak	
4	209.3924	1.37	16.71	18.08	43.50	-25.42	peak	
5	246.9901	2.73	17.57	20.30	46.00	-25.70	peak	
6	450.4159	2.48	21.70	24.18	46.00	-21.82	peak	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baoan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180	Polarization: Horizontal
Standard: FCC Part15 RE-Class B_Above 1GHz_PK	Power Source:
Test item: Radiation Test	Date: 12/02/01/
Temp.(C)/Hum.(%): 25.5 C / 51 %	Time: 14/56/48
EUT: G-eye 1080 camera	Engineer Signature:
Mode: REC	Distance: 3m
Model: 8216201	
Note: WITH DISPLAY	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	1004.008	48.53	-15.10	33.43	74.00	-40.57	peak	
2	1004.008	48.53	-15.10	33.43	54.00	-20.57	AVG	
3	1154.309	48.40	-14.83	33.57	74.00	-40.43	peak	
4	1154.309	48.40	-14.83	33.57	54.00	-20.43	AVG	
5	1234.469	48.56	-14.08	34.48	74.00	-39.52	peak	
6	1234.469	48.56	-14.08	34.48	54.00	-19.52	AVG	
7	1380.762	49.16	-13.78	35.38	74.00	-38.62	peak	
8	1380.762	49.16	-13.78	35.38	54.00	-18.62	AVG	
9	1553.106	49.92	-14.00	35.92	74.00	-38.08	peak	
10	1553.106	49.92	-14.00	35.92	54.00	-18.08	AVG	
11	1821.643	49.49	-13.24	36.25	74.00	-37.75	peak	
12	1821.643	49.49	-13.24	36.25	54.00	-17.75	AVG	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baoan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180	Polarization: Vertical
Standard: FCC Part15 RE-Class B_Above 1GHz_PK	Power Source:
Test item: Radiation Test	Date: 12/02/01/
Temp.(C)/Hum.(%): 25.5 C / 51 %	Time: 14/54/02
EUT: G-eye 1080 camera	Engineer Signature:
Mode: REC	Distance: 3m
Model: 8216201	
Note: WITH DISPLAY	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	1057.114	57.07	-15.26	41.81	74.00	-32.19	peak	
2	1057.114	57.07	-15.26	41.81	54.00	-12.19	AVG	
3	1232.465	49.58	-14.10	35.48	74.00	-38.52	peak	
4	1232.465	49.58	-14.10	35.48	54.00	-18.52	AVG	
5	1494.990	54.40	-13.97	40.43	74.00	-33.57	peak	
6	1494.990	54.40	-13.97	40.43	54.00	-13.57	AVG	
7	1554.108	53.46	-14.00	39.46	74.00	-34.54	peak	
8	1554.108	53.46	-14.00	39.46	54.00	-14.54	AVG	
9	1659.319	51.09	-14.03	37.06	74.00	-36.94	peak	
10	1659.319	51.09	-14.03	37.06	54.00	-16.94	AVG	
11	1875.752	49.27	-12.89	36.38	74.00	-37.62	peak	
12	1875.752	49.27	-12.89	36.38	54.00	-17.62	AVG	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baoan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180	Polarization: Horizontal
Standard: FCC Part15 RE-Class B_Above 1GHz_PK	Power Source:
Test item: Radiation Test	Date: 12/02/01/
Temp.(C)/Hum.(%): 25.5 C / 51 %	Time: 14/59/18
EUT: G-eye 1080 camera	Engineer Signature:
Mode: HDMI	Distance: 3m
Model: 8216201	
Note: WITHOUT DISPLAY	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	1154.309	48.39	-14.83	33.56	74.00	-40.44	peak	
2	1154.309	48.39	-14.83	33.56	54.00	-20.44	AVG	
3	1233.466	49.07	-14.09	34.98	74.00	-39.02	peak	
4	1233.466	49.07	-14.09	34.98	54.00	-19.02	AVG	
5	1484.970	49.54	-13.94	35.60	74.00	-38.40	peak	
6	1484.970	49.54	-13.94	35.60	54.00	-18.40	AVG	
7	1554.108	49.50	-14.00	35.50	74.00	-38.50	peak	
8	1554.108	49.50	-14.00	35.50	54.00	-18.50	AVG	
9	1821.643	49.49	-13.24	36.25	74.00	-37.75	peak	
10	1821.643	49.49	-13.24	36.25	54.00	-17.75	AVG	
11	1899.800	49.78	-12.73	37.05	74.00	-36.95	peak	
12	1899.800	49.78	-12.73	37.05	54.00	-16.95	AVG	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baoan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180	Polarization: Vertical
Standard: FCC Part15 RE-Class B_Above 1GHz_PK	Power Source:
Test item: Radiation Test	Date: 12/02/01/
Temp.(C)/Hum.(%): 25.5 C / 51 %	Time: 15/03/02
EUT: G-eye 1080 camera	Engineer Signature:
Mode: HDMI	Distance: 3m
Model: 8216201	
Note: WITHOUT DISPLAY	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	1057.114	59.07	-15.26	43.81	74.00	-30.19	peak	
2	1057.114	59.07	-15.26	43.81	54.00	-10.19	AVG	
3	1232.465	49.58	-14.10	35.48	74.00	-38.52	peak	
4	1232.465	49.58	-14.10	35.48	54.00	-18.52	AVG	
5	1346.693	48.75	-13.62	35.13	74.00	-38.87	peak	
6	1346.693	48.75	-13.62	35.13	54.00	-18.87	AVG	
7	1494.990	55.90	-13.97	41.93	74.00	-32.07	peak	
8	1494.990	55.90	-13.97	41.93	54.00	-12.07	AVG	
9	1659.319	53.59	-14.03	39.56	74.00	-34.44	peak	
10	1659.319	53.59	-14.03	39.56	54.00	-14.44	AVG	
11	1875.752	48.77	-12.89	35.88	74.00	-38.12	peak	
12	1875.752	48.77	-12.89	35.88	54.00	-18.12	AVG	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baoan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180	Polarization: Horizontal
Standard: FCC Part15 RE-Class B_Above 1GHz_PK	Power Source:
Test item: Radiation Test	Date: 12/02/01/
Temp.(C)/Hum.(%): 25.5 C / 51 %	Time: 15/06/42
EUT: G-eye 1080 camera	Engineer Signature:
Mode: AV OUT	Distance: 3m
Model: 8216201	
Note: WITHOUT DISPLAY	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	1062.124	49.12	-15.24	33.88	74.00	-40.12	peak	
2	1062.124	49.12	-15.24	33.88	54.00	-20.12	AVG	
3	1207.415	49.30	-14.34	34.96	74.00	-39.04	peak	
4	1207.415	49.30	-14.34	34.96	54.00	-19.04	AVG	
5	1380.762	49.66	-13.78	35.88	74.00	-38.12	peak	
6	1380.762	49.66	-13.78	35.88	54.00	-18.12	AVG	
7	1553.106	50.42	-14.00	36.42	74.00	-37.58	peak	
8	1553.106	50.42	-14.00	36.42	54.00	-17.58	AVG	
9	1673.347	49.05	-13.96	35.09	74.00	-38.91	peak	
10	1673.347	49.05	-13.96	35.09	54.00	-18.91	AVG	
11	1821.643	49.99	-13.24	36.75	74.00	-37.25	peak	
12	1821.643	49.99	-13.24	36.75	54.00	-17.25	AVG	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baoan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180	Polarization: Vertical
Standard: FCC Part15 RE-Class B_Above 1GHz_PK	Power Source:
Test item: Radiation Test	Date: 12/02/01/
Temp.(C)/Hum.(%): 25.5 C / 51 %	Time: 15/09/37
EUT: G-eye 1080 camera	Engineer Signature:
Mode: AV OUT	Distance: 3m
Model: 8216201	
Note: WITHOUT DISPLAY	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	1057.114	55.07	-15.26	39.81	74.00	-34.19	peak	
2	1057.114	55.07	-15.26	39.81	54.00	-14.19	AVG	
3	1232.465	49.58	-14.10	35.48	74.00	-38.52	peak	
4	1232.465	49.58	-14.10	35.48	54.00	-18.52	AVG	
5	1346.693	48.75	-13.62	35.13	74.00	-38.87	peak	
6	1346.693	48.75	-13.62	35.13	54.00	-18.87	AVG	
7	1494.990	51.90	-13.97	37.93	74.00	-36.07	peak	
8	1494.990	51.90	-13.97	37.93	54.00	-16.07	AVG	
9	1554.108	51.46	-14.00	37.46	74.00	-36.54	peak	
10	1554.108	51.46	-14.00	37.46	54.00	-16.54	AVG	
11	1659.319	52.09	-14.03	38.06	74.00	-35.94	peak	
12	1659.319	52.09	-14.03	38.06	54.00	-15.94	AVG	



WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baoan District, Shenzhen 518105, China.

TEL: +86-755-27553488

FAX: +86-755-27553868

Job No.: WT11127180

Polarization: Horizontal

Standard: FCC Part15 RE-Class B_Above 1GHz_PK

Power Source:

Test item: Radiation Test

Date: 12/02/01/

Temp.(C)/Hum.(%): 25.5 C / 51 %

Time: 15/15/34

EUT: G-eye 1080 camera


Engineer Signature:

Mode: DATA COMMUNICATION

Distance: 3m

Model: 8216201

Note: WITH DISPLAY



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	1062.124	51.62	-15.24	36.38	74.00	-37.62	peak	
2	1062.124	51.62	-15.24	36.38	54.00	-17.62	AVG	
3	1186.372	49.48	-14.54	34.94	74.00	-39.06	peak	
4	1186.372	49.48	-14.54	34.94	54.00	-19.06	AVG	
5	1380.762	49.66	-13.78	35.88	74.00	-38.12	peak	
6	1380.762	49.66	-13.78	35.88	54.00	-18.12	AVG	
7	1616.233	50.28	-14.05	36.23	74.00	-37.77	peak	
8	1616.233	50.28	-14.05	36.23	54.00	-17.77	AVG	
9	1821.643	50.49	-13.24	37.25	74.00	-36.75	peak	
10	1821.643	50.49	-13.24	37.25	54.00	-16.75	AVG	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baoan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT11127180	Polarization: Vertical
Standard: FCC Part15 RE-Class B_Above 1GHz_PK	Power Source:
Test item: Radiation Test	Date: 12/02/01/
Temp.(C)/Hum.(%): 25.5 C / 51 %	Time: 15/12/22
EUT: G-eye 1080 camera	Engineer Signature:
Mode: DATA COMMUNICATION	Distance: 3m
Model: 8216201	
Note: WITH DISPLAY	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	1057.114	57.57	-15.26	42.31	74.00	-31.69	peak	
2	1057.114	57.57	-15.26	42.31	54.00	-11.69	AVG	
3	1232.465	49.58	-14.10	35.48	74.00	-38.52	peak	
4	1232.465	49.58	-14.10	35.48	54.00	-18.52	AVG	
5	1492.986	52.54	-13.96	38.58	74.00	-35.42	peak	
6	1492.986	52.54	-13.96	38.58	54.00	-15.42	AVG	
7	1554.108	52.46	-14.00	38.46	74.00	-35.54	peak	
8	1554.108	52.46	-14.00	38.46	54.00	-15.54	AVG	
9	1659.319	51.59	-14.03	37.56	74.00	-36.44	peak	
10	1659.319	51.59	-14.03	37.56	54.00	-16.44	AVG	
11	1869.739	49.73	-12.92	36.81	74.00	-37.19	peak	
12	1869.739	49.73	-12.92	36.81	54.00	-17.19	AVG	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baoan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT12031610	Polarization: Horizontal
Standard: FCC Part15 RE-Class B_Above 1GHz_PK	Power Source:
Test item: Radiation Test	Date: 12/03/23/
Temp.(C)/Hum.(%): 25.5 C / 51 %	Time: 14/59/48
EUT: Camera	Engineer Signature:
Mode: Rx Mode	Distance: 3m
Model:	
Note: Receiver Mode	



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	1062.124	51.62	-15.24	36.38	74.00	-37.62	peak	
2	1186.372	49.48	-14.54	34.94	74.00	-39.06	peak	
3	1380.762	49.66	-13.78	35.88	74.00	-38.12	peak	
4	1616.233	50.28	-14.05	36.23	74.00	-37.77	peak	
5	1821.643	50.49	-13.24	37.25	74.00	-36.75	peak	




WALTEK SERVICES CO., LTD.

1/F, Fukangtai Building, West Baima Rd., Songgang Street,
Baoan District, Shenzhen 518105, China.

TEL: +86-755-27553488
FAX: +86-755-27553868

Job No.: WT12031610	Polarization: Vertical
Standard: FCC Part15 RE-Class B_Above 1GHz_PK	Power Source:
Test item: Radiation Test	Date: 12/03/23/
Temp.(C)/Hum.(%): 25.5 C / 51 %	Time: 14/51/02
EUT: Camera	Engineer Signature:
Mode: Rx Mode	Distance: 3m
Model:	

Note: Receiver Mode



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Remark
1	1057.114	57.57	-15.26	42.31	74.00	-31.69	peak	
2	1232.465	49.58	-14.10	35.48	74.00	-38.52	peak	
3	1492.986	52.54	-13.96	38.58	74.00	-35.42	peak	
4	1554.108	52.46	-14.00	38.46	74.00	-35.54	peak	
5	1659.319	51.59	-14.03	37.56	74.00	-36.44	peak	
6	1869.739	49.73	-12.92	36.81	74.00	-37.19	peak	