## Wireless Trackball Mouse User Manual

M-IT10DR/E01D

Thank you very much for purchasing this product.

\* "M-IT10DR" series is referred to as "this product" in this manual except in some cases.

## **Precautions**

This manual describes the important precautions you should take for safe operation of this product. Observe these precautions carefully to avoid personal injury, damage, fire, and other problems.

## Meaning of symbols

## 

Failure to observe precautions carries the possibility of serious personal injury or death due to fire, electric shock, or other causes.





Failure to observe precautions may result in personal injury due to electric shock or other causes, and may damage other equipment.

Serohibited action

Mandatory action

Situation that needs attention

Notes and reference information

## 

If a foreign object (water, metal chips) enters the product, immediately stop using the product, remove the receiver unit from the PC, and remove the batteries from the trackball.

Continuing to use the product as it is may cause a fire or electric shock.

If the product is behaving abnormally, such as by generating heat, smoke, or giving off a strange smell, immediately stop using the product, shut down the PC, and then after sufficiently checking for whether the product is generating heat without being burned, remove the receiver unit from the PC, and remove the batteries from the trackball. Afterwards, please contact your dealer. Continuing to use the product as it is may cause a fire or electric shock.

**Y** Please do not drop or hit this product.

In the unlikely event that this product is damaged, immediately stop using the product, remove the receiver unit from the PC, and remove the batteries from the trackball. Afterwards, please contact your dealer.

Fires or electric shocks may occur if this product is used when damaged.

#### igcolor Do not attempt to disassemble, modify or repair this product.

Doing so may cause a fire, electric shock, or product damage. Malfunctions are not covered under warranty.

## Oo not put this product in fire.

Ruptures may cause fire or injury.



#### Do not place this product in any of the following environments:

- · In a car exposed to sunlight or a place exposed to direct sunlight.
- · In a place that becomes hot, such as around a heater.

- · In a moist place or a place where condensation may occur.
- · In an uneven place or a place exposed to vibration.
- · In a place where a magnetic field is generated (such as near a magnet.)
- · In a dusty place.

## This product does not have a waterproof structure. Use or store in a place not exposed to liquids such as water.

Any liquid such as rain, water spray, juice, coffee, steam, and sweat, may cause this product to breakdown.

- Only use this trackball with PCs, smartphones, tablets, and video game systems.
- Do not use this product with any device that may significantly be affected in the case of this product malfunctioning.
- When you no longer need to use this product and the battery, be sure to dispose of them in accordance with the local ordinances and laws of your area.

#### Battery

## 

Please use either an AA alkaline battery, an AA manganese battery or an AA nickel-metal hydride rechargeable battery.

**Remove the battery when you are not using this product for long periods of time.** Otherwise, this may cause leakage or malfunction.

#### Cleaning the Product

If the body of this product becomes dirty, wipe it with a soft, dry cloth.

Using a volatile liquid such as paint thinner, benzene or alcohol may affect the material quality and/or discolor this product.


Please note the following for disinfection.

Gently soak a cleaning cloth, such as a microfiber cloth, in the disinfectant solution. Make sure there are no loose droplets and gently wipe the product using the cloth.

After wiping, dry thoroughly and wipe off any residual liquid.

\* Do not spray any liquid onto the product directly. Doing so can cause electric malfunctions.





- \* Please turn off connected devices when in sleep or hibernation mode.
- \* Please unplug the AC adapter and power cable from the power outlet.

## **Cautions for Wireless Equipment**

This product is a wireless device that can use the entire 2.4 GHz band, and is able to avoid the mobile entity identification device range. The GFSK method is adopted as the radio wave method, and the interference distance is 10 m. The 2.4 GHz band is also used in medical devices, Bluetooth, and wireless LAN devices of the IEEE 802.11b/11g/11n standards.

- Before using this product, check that there are no other "radio stations"\* operating nearby.
- If electromagnetic interference occurs between this product and other "radio stations"\*, move this product to another location or stop using this product.

\* Other "radio stations" refer to industrial, scientific and medical devices using the 2.4 GHz band, the same as this product, other radio stations of this type, licensed radio station premises for a mobile object identification system that is used in factory production lines, certain non-licensed low power radio stations, and amateur radio stations.



- Do not use in equipment which may cause serious effects due to it malfunctioning. There are rare cases in which an external radio wave at the same frequency, or the radio wave emitted from a mobile phone, causes this product to malfunction, slow down, or fail to operate.
  - Do not use this product in places where radio wave usage is prohibited, such as hospitals. Radio waves of this product may affect electronic devices and medical devices (for example pacemakers).
  - Due to the possibility of hindering safe navigation of aircraft, use of wireless trackball in aircraft is prohibited by the Civil Aeronautics Act. Turn off the power of the wireless trackball before boarding and do not use after boarding.
  - \* ELECOM is not liable for any accidents or any indirect or consequential damage incurred due to the failure of this product.

## How to use

## Items included in this package

The following are included in this package. Verify the package to ensure all items are accounted for prior to using this product. Every effort has been made to ensure proper packaging. However, in the event that any part is missing or damaged, please contact the retailer where this product was purchased.

- •Trackball × 1
- Receiver unit x 1

Pre-inserted into the trackball. Please remove before use.


#### •AA alkaline dry cell battery for confirming operability × 1

Pre-inserted into the trackball. Please remove the battery insulating pull tab before use.

•Support part removal tool × 1

## Name and function of each part

## Trackball



#### 1 Left button

To left click on your PC.

#### **2** Right button

To right click on your PC.

#### 3 Wheel


Rotate forward and backward or click like a button to operate your PC.

#### **④ "Back" button**

Performs the "Back" function on the Web browser.

#### 5 "Forward" button

Performs the "Forward" function on the Web browser.






You will need to install the "ELECOM Mouse Assistant Mac version" from our website to use the "Back" and "Forward" button on Mac. Refer to "Install ELECOM Mouse Assistant".

#### 6 LED light

- The base of the wheel illuminates in red for a few seconds when the power is turned on.
- The light around the mouse will start to blink red when the battery level is low.



#### **(7)** Power switch

Turn the trackball power ON and OFF.

#### **8** Ball (36mm)

Rotate using your fingertips to move the cursor.



Separately sold ball

eparately sold ball

Replacement 36 mm ball (M-B10SV)

#### **9** Support parts (synthetic ruby)

Support the ball.

Support parts are consumables. Compatible support parts can be purchased separately to replace existing support parts.



**Optional Parts** 

- Replacement synthetic ruby unit (M-RS10)
  Replacement bearing unit (M-BS10)

#### **10** Optical sensor (under the ball)

This sensor will detect the trackball's movements when you move the trackball.


#### (11) Ball removal hole

Remove the ball from here to clean the support parts in the housing.

\* See "How to clean the trackball" for details.

#### 12 Receiver unit storage compartment

The receiver unit can be stored here when the mouse is not in use.



#### **13** Battery cover


Remove this cover and insert the battery.

(14) Battery storage compartment

Holds the battery.

(15) **Battery insulating tab** Remove this tab before using.


## ■Receiver unit



16 USB connector

Connects to the PC USB-A port

## Support part removal tool




\* See "How to replace support parts" for details.

**Connecting and Configuring the Trackball** 

## Windows®


## **1.** Turn the power ON

1) Remove the battery cover.



\_


2) Remove the battery insulating tab.




3) Put the battery cover back on.



4) Remove the receiver unit.



5) Slide the power switch to the ON position.



The light around the wheel lights up red for 3 seconds.

\* When the battery level is running low, the LED light will blink slowly for a period of time.

#### Power-saving mode


When the trackball is left untouched for a fixed period of time while the power is ON, it automatically shifts to power-saving mode.


Moving the trackball restores it from energy saving mode.

\* For two to three seconds after restoring from energy saving mode, trackball operation may be unstable.


#### Replacing the battery...

1) Remove the battery cover.






3) Insert the battery according to the instructions on the battery compartment.



Ensure that the battery is inserted with the positive (+) and negative (-) terminals oriented correctly.

#### 4) Put the battery cover back on.




## 2. Connect to a PC

#### 1) Start up your PC.

Please wait until your PC has started up and can be operated.

### 2) Insert the receiver unit into the PC's USB-A port.



You may use any USB-A port.

• Ensure that the connector is correctly oriented to the port.

- If there is strong resistance when inserting, check the shape and orientation of the connector.
- Forcibly inserting the connector may damage the connector, and there is a risk of injury.
- Do not touch the terminal portion of the USB connector.



#### When removing the receiver unit

This product supports hot plugging. The receiver unit can be removed while the PC is on.

#### 3) The driver is automatically installed and the trackball can be used.

#### You can now use the trackball.

By downloading and installing the "ELECOM Mouse Assistant" from our company website, functions such as button assignment function and presentation mode can be used. Please proceed to "Install ELECOM Mouse Assistant".

### Change the mouse pointer speed

Adjust the mouse pointer movement speed on your PC if the mouse pointer moves too fast or too slow.

#### For Windows 11

#### 1) Click on "Start" on the bottom of the screen and click on "Settings".

The "Settings" page will appear.

#### 2) Click on "Bluetooth & devices" and then "Mouse".

- 28		-	D
Q User Name	Bluetooth とデバイス		
0 R\$0\$2	■ プロ5A + あ-K, ベン, オーブル、アム3A - (1)・ベン、和田田(1)・ベン、和田田(1)・ベン、和田田(1)・ベン、 プロ5A + あ-K, ベン, オーブル、アム3A - (1)・ベン、和田田(1)・ベン、和田田(1)・ベン、	NO.611	>
	⑦75/9-とスキャナー 3-デージェ、ドラホッシーティング		>
Bluetooth EFK42	スマートフォン演算     人のとのマディン 4月15日11日(フラビスで見ます     スマートフォン     スマートフォン     スマートフォン     スマートフォン     スマートフォン	₩566.85K	>
<ul> <li></li></ul>	(6) 3x3 		>
<ul> <li>アカワント</li> <li>時初と言語</li> </ul>	0 <del>29X</del> #25, 102 #259-well, 200-5		->
10 7-4 1 73124/071	997109F 9972.5932F5.393=6.3=5.		3
754/69-6843054	By 977 ⊔2278,330-5,350-5,977		>
Windows Update			5
	C BRATE REALISTIC FORTENES D-F		>
	0 LESS and_uk770-483(668		>

3) Adjust the "Mouse pointer speed" slider bar to adjust the mouse pointer movement speed.

20快用	<ul> <li>(7) マジスあまがタン</li> </ul>	± ~
SAMA Skutsoth KFK42	2 792 SAD - DBB	
オットワージとインターネット	200-84,25	
個人用設定 アプリ	マウス やイールでスクロール手を量	複数行がつーン
アカウント (株式)と言語	一意に入りロールがも行致	
7-6 70134/074	おバーしたときに清アクティブ・フィンドウをスクロールする	#2 <b>(</b>
751/3-2293074	网络解定	
Windows Update	マウスの追加協定 ポインテーアイ20元回転性	
	<b>マウス がインター</b> ポインターのサイズと由	
	2月2日 ディスプルイ 二月1日開発有でたったの所属からの美国する	

#### For Windows 10

#### 1) Open "Mouse" properties.

From the start menu, click the Settings icon, select "Devices"  $\rightarrow$  "Mouse", then click "Additional mouse options" under "Related Settings".

- 2) Select the "Pointer Options" tab.
- 3) Adjust the "Select a pointer speed" slider bar to adjust the mouse pointer movement speed.

ボタン ポ	オインタ ボインターオブション イール ハードウェア	
24  }	ボインターの速度を選択する(C): 遅く 速く □ ポインターの積度を高める(E)	
	□ボインターを自動的に既定のボタン上に移動する(U)	
表示	□ ポインターの軌跡を表示する(D) 短く 長く	
1. A.	☑ 文字の入力中にポインターを非表示にする(H)	
R	□ Ctrl キーを押すとポインターの位置を表示する(S)	

### Change the number of lines scrolled in one wheel turn

#### For Windows 11

1) Click on "Start" on the bottom of the screen and click on "Settings".

The "Settings" page will appear.

#### 2) Click on "Bluetooth & devices" and then "Mouse".

User Name	Bluetooth とデバイス	
0988 Q	101X 101 101 101 101 101 101 101 101 101	HARDER 3
	○ 7959-224+rt- 1-7-230.1550.0+rept	1
Bluetooth EFIK13	27-1-7*/28     Addol 7147.042C730-0791.7591.7791.7791.7791.7791.7791.7791.7	12連続を開く )
個人用設定 アプリ	(6) 302	3
アカワント 神気と言語	○ そうス きシュ、マウス ポインジー 毎日志、スクローち	1
7-5 17154(071	₩ ¥¥¥4797 992.392545.293-5.2=5	3
プライバシーとセキュリティ	10 277 31237 r. 3330-1. 3-1. 907	6
Windows Update	の でC Windows bix 市民主任法室所立、心 ポランコンタートカット、多世の	3
	③ 自然所主 主法(2011-57.0 F)172.8E3 B-F	
	C LES and, use Anth-Register	

3) Adjust the "Lines to scroll at a time" slider bar to adjust the number of lines per scroll.

Q User Name	Bluetooth とデバイス → マウス	
日本の快商	a 0 7726±15>	<b>友</b> 。
<b>3</b> 374	5 792.5129-DBER	
Bluetooth EFK43.		
891-7-92729-891	220-64.87	
🥖 偏人用設定	マウスホイールでスクロール平る雪	複数行がつーン
עדד 🖬		
	一歳に入りロールする行政	•
③ 時期上言語		
🐨 7-h	あパーしたときに第アクライブ・ウィンドウをスクロールする	x2 💶
X 19454(894		
プライバシーとセキュリティ	間注解定	
Windows Update	マウスの後期間が ポインテーアイコンと同時的	C
	マウス #インター ポインテーサイスと色	
	25.5 ディスプレイ 二二二三年日のトワーンへにの手術がつきまた。そう	


#### For Windows 10

#### 1) Open "Mouse" properties.

From the start menu, click the Settings icon, select "Devices"  $\rightarrow$  "Mouse", then click "Additional mouse options" under "Related Settings".

#### 2) Select the "Wheel" tab.


3) Change the value of "The following number of lines at a time" under "Roll the wheel one notch to scroll"




## Mac




1) Remove the battery cover.




2) Remove the battery insulating tab.




3) Put the battery cover back on.



4) Remove the receiver unit.



5) Slide the power switch to the ON position.



The light around the wheel lights up red for 3 seconds.

\* When the battery level is running low, the LED light will blink slowly for a period of time.

#### Power-saving mode


When the trackball is left untouched for a fixed period of time while the power is ON, it automatically shifts to power-saving mode.


Moving the trackball restores it from energy saving mode.

\* For two to three seconds after restoring from energy saving mode, trackball operation may be unstable.


#### Replacing the battery...

1) Remove the battery cover.






3) Insert the battery according to the instructions on the battery compartment.



Ensure that the battery is inserted with the positive (+) and negative (-) terminals oriented correctly.

#### 4) Put the battery cover back on.




## 2. Connect to a PC


#### 1) Start up your PC.

Please wait until your PC has started up and can be operated.

#### 2) Insert the receiver unit into the PC's USB-A port.



You may use any USB-A port.



#### When removing the receiver unit

This product supports hot plugging. The receiver unit can be removed while the PC is on.

#### 3) The driver is automatically installed and the trackball can be used.

#### You can now use the trackball.

By downloading and installing the "ELECOM Mouse Assistant" from our company website, functions such as button assignment function and presentation mode can be used. Please proceed to "Install ELECOM Mouse Assistant".

#### Change the mouse pointer speed

Adjust the mouse pointer movement speed on your PC if the mouse pointer moves too fast or too slow.

#### 1) Click "Mouse" under "System Settings".

The "Mouse" settings page will load up.

•••	マウス	
Q 検索	軌跡の速さ	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
<ul> <li>         登紙         <ul> <li>                       スクリーンセーバ</li></ul></li></ul>	<b>ナチュラルなスクロール</b> 指を動かす方向にコンテンツが移動	
🔤 パッテリー	副ポタンのクリック	右側をクリック ◊
🛄 ロック画面 🎯 Touch ID とパスコード	ダブルクリックの間隔	1000 (1000) (1
ユーザとグループ	スクロールの速さ	1
パスワード     インターネット		Bluetoothマウスを設定 ?
マンターネット     アカウント     マカウント     マカウン      マカウン      マカウン      マカウン      マカウン      マカウン      マカウン      マカウン      マカウン      マカウン      マカウン      マカウン      マ      マ      マ      マ      マ      マ      マ		Bidetootu 4.2 × 6 1876
Same Center		
🔄 ウォレットと Apple Pay		
<ul> <li>▼ウス</li> <li>〒フリンタとスキャナ</li> </ul>		

2) Adjust the "Tracking speed" slider to adjust the speed of the mouse pointer.

•••	マウス	
Q 検索	軌跡の速さ	レート・トーー () - トート・トー 渡い 速い
<ul> <li>         ・ 登紙         <ul> <li></li></ul></li></ul>	<b>ナチュラルなスクロール</b> 指を動かす方向にコンテンツが移動	C
🔤 パッテリー	副ポタンのクリック	右側をクリック 🗘
🛄 ロック画面 🎯 Touch ID とパスコード	ダブルクリックの間隔	違い
ユーザとグループ	スクロールの速さ	
<ul> <li>パスワード</li> <li>インターネット</li> <li>アカウント</li> </ul>		Bluetoothマウスを設定 ?
🥵 Game Center		
🥃 ウォレットと Apple Pay		
= キーボード		
マウス		
🔛 トラックパッド		
プリンタとスキャナ		




Unchecking "Natural scrolling" will cause the scroll direction to be reversed.


## ChromeOS

## **1.** Turn the power ON

1) Remove the battery cover.




2) Remove the battery insulating tab.




3) Put the battery cover back on.



4) Remove the receiver unit.



5) Slide the power switch to the ON position.



The light around the wheel lights up red for 3 seconds.

\* When the battery level is running low, the LED light will blink slowly for a period of time.

#### Power-saving mode


When the trackball is left untouched for a fixed period of time while the power is ON, it automatically shifts to power-saving mode.


Moving the trackball restores it from energy saving mode.

\* For two to three seconds after restoring from energy saving mode, trackball operation may be unstable.


#### Replacing the battery...

1) Remove the battery cover.






3) Insert the battery according to the instructions on the battery compartment.



Ensure that the battery is inserted with the positive (+) and negative (-) terminals oriented correctly.

#### 4) Put the battery cover back on.




## 2. Connect to a PC


#### 1) Start up your PC.

Please wait until your PC has started up and can be operated.

#### 2) Insert the receiver unit into the PC's USB-A port.



#### You may use any USB-A port.



This product supports hot plugging. The receiver unit can be removed while the PC is on.

#### 3) The driver is automatically installed and the trackball can be used.

#### You can now use the trackball.

### Change the mouse pointer speed

Adjust the mouse pointer movement speed on your PC if the mouse pointer moves too fast or too slow.

#### 1) Click on the quick settings panel on the bottom right.

#### 2) Click on "Settings".

The settings page will appear.

a production	4 DØ70	F U (	(*) ~
	0	8	Θ
	elecom5g-xx * ∰U	Bluetooth * オン	サイレント OFF
and the second s	۱	R	0
and the second s	スクリーン ギ ャプチャ	周辺ユーザー	夜間モード
	* > 7 *	オフ	17
		0	
	キーボード・ JA	ダークモード オフ	
	_		
and the second sec	•	•	- $>$
The second second	o —		
	6月19日(月) 10	0% - 残り 7:51	
📀 M 🗈 😐		6月19日	13:57 JA 🔻 🕯

3) Click on "Mouse and touchpad" under "Device".

設7	ě.	Q, 設定項目を検索	-	o x	
Ŷ	ネットワーク				
*	Bluetooth 接続済みのデバイス	マウスとタッチパッド	×	)	
-	推測論みのナバイス アカウント	ディスプレイ	,		
•	デバイス	ストレージ管理	۰.		
*	402310	8.0	۶.		
	検索とアシスタント	カスタマイズ			
	セキュリティとプライバシー アプリ	壁毛とスタイルを設定 壁毛、スクリーン セーバー、アクセント カラーなどをバーソナライズ	Ø		
*	ユーザー補助機能	検索とアシスタント			
1748	19元 -	優先する技変エンジン	53		

4) Adjust the "Mouse speed" slider to adjust the speed of the mouse pointer.

			- 0	
設定	Q, 設定項目を検索			
♥ ネットワーク	← マウスとタッチパッド			
# Bluetooth				
□ 接続済みのデバイス	772			
アカウント	マウスのメイン ボタンを右にする	左ボタン	*	
- FK12	マウス アクタラトニションを定時にする			
P 529812	マウスの速度	· 遅い	違い	
Q, 検索とアシスタント	空スクロールを有効にする。 <u>詳細</u>			
セキュリティとプライバシー	タッチバッド			
難 アプリ	タップしてクリックを有効にする			
★ ユーザー補助機能	タップによるドラッグを有効にする		0	
<b>平相股定</b> •	タッチパッド アクセラレーションを有効にする			

### \* XXX will be determined when it's fixed.

## **Product specifications**

Connector type	USB Type-A plug
Connection method	USB 2.4 GHz Wireless
Compatible models	USB port-equipped Windows OS, macOS, and ChromeOS devices
Supported OS	<ul> <li>Windows 11/10, macOS Ventura 13 and ChromeOS</li> <li>* Update for each new version of the OS or the installation of a service pack might be required.</li> <li>* Compatibility information was retrieved during operation confirmation in our verification environment. There is no guarantee of full compatibility with all devices, OS versions and applications.</li> </ul>
Communication method	GFSK
Radio frequency	2.4 GHz
Radio wave range	Maximum distance approximately 10 m *May vary depending on the environment.
Sensor Resolution	500 DPI
Sensor type	IR LED

#### \* XXX will be determined when it's fixed.

Light beam type	Infra-red light
Buttons	5 * including wheel button
Number of wheels	1
Power source	Any 1 of AA alkaline battery, AA manganese battery or AA nickel- metal hydride rechargeable battery
Battery life	Maximum duration approximately XX months (estimated operating time when using alkaline batteries) * May vary depending on the usage conditions.
Size category	XL size
External dimensions (main unit)	Approximately width 96 mm × length 126 mm × height 52 mm / width 3.8 in. × length 5.0 in. × height 2.0 in.
External dimensions (receiver)	Approximately width 19 mm × length 14.5 mm × height 6.3 mm / width 0.75 in. × length 0.57 in. × height 0.25 in.
Weight (main unit)	Approximately XX g / X.X oz *excluding battery
Mass (receiver unit)	Approximately 2 g / 0.07 oz
Operating environment conditions	Temperature: 5 °C to 40 °C / 41 °F to 104 °F, humidity: 90 % RH (without condensation)
Storage environment conditions	Temperature: -10 $^\circ\text{C}$ to 60 $^\circ\text{C}$ / 14 $^\circ\text{F}$ to 140 $^\circ\text{F}$ , humidity: 90 % RH (without condensation)
Accessories	Support part removal tool × 1
Environmental Considerations	EU RoHS compliant (10 substances), environmentally friendly package

Ξ

## **Compliance status**

### Model/모델명//设备型号/型號: M-IT10DR, E01D

\* XXX will be determined when it's fixed.

## ▼ China / 中国

RoHS Compliance (产品中有毒有害物质或元素的名称及含量) https://www.elecom.co.jp/global/certification/pdf/RoHS China.pdf

### **E**U

CE

CE Declaration of Conformity https://www.elecom.co.jp/global/certification/pdf/CE\_DoC.pdf

#### **RoHS Compliance**

https://www.elecom.co.jp/global/certification/pdf/RoHS\_EU\_UK\_Vietnam.pdf

#### **CE** Authorised representative:

Amazon Services Europe S.à r.l 38 avenue John F. Kennedy, L-1855 Luxembourg



#### WEEE Disposal and Recycling Information

This symbol means that waste of electrical and electronic equipment (WEEE) should not be disposed as general household waste.WEEE should be treated separately to prevent possible harm to the environment or human health.Consult your retailer or local municipal office for collection, return, recycle or reuse of WEEE.

FR: INFORMATION DES CONSOMMATEURS SUR LA RÈGLE DE TRI https://www.elecom.co.jp/global/certification/pdf/FR-Info-Tri.pdf

## ▼ Korea / 대한민국

인증번호: R-R-ELJ-M-IT10DR

#### \* XXX will be determined when it's fixed.

#### 인증번호: R-R-ELJ-E01D

제작자 및 설치자는 해당 무선설비가 전파혼신 가능성이 있으므로 인명안전과 관련된 서비스는 할 수 없습 니다.

▼	Singapore
---	-----------

Complies with	
IMDA standards	
DA106058.	

Operating Frequencies: XXXX-XXXX MHz Maximum field intensity / RF Output power: X.XX dBm / X.XX mW





BSMI RoHS Compliance (限用物質含有情況標示聲明書) https://www.elecom.co.jp/global/certification/pdf/RoHS Taiwan.pdf



#### 

取得審驗證明之低功率射頻器材,非經核准,公司、商號或使用者均不得擅自變更頻率、加大功率或變更原設 計之特性及功能。低功率射頻器材之使用不得影響飛航安全及干擾合法通信;經發現有干擾現象時,應立即停 用,並改善至無干擾時方得繼續使用。前述合法通信,指依電信管理法規定作業之無線電通信。低功率射頻 器材須忍受合法通信或工業、科學及醫療用電波輻射性電機設備之干擾。

**UK** 

# UK CA

#### **UK Declaration of Comformity**

https://www.elecom.co.jp/global/certification/pdf/UK\_DoC.pdf

#### **RoHS Compliance**

https://www.elecom.co.jp/global/certification/pdf/RoHS\_EU\_UK\_Vietnam.pdf



#### WEEE Disposal and Recycling Information

This symbol means that waste of electrical and electronic equipment (WEEE) should not be disposed as general household waste.WEEE should be treated separately to prevent possible harm to the environment or human health.Consult your retailer or local municipal office for collection, return, recycle or reuse of WEEE.

### ▼ US

#### FCC ID: YWO-M-IT10DR

#### FCC ID: YWO-E01D

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE; This equipment has been tested and found to comply with the limits for a Class B Digital Device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiated radio frequency energy and, if not installed and used in accordance with the instruction, may cause harmful interference to radio communication. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by tuning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna
- Increase the separation between the equipment and receiver
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected
- Consult the dealer or an experienced radio/TV technician for help

NOTICE: The manufacture is not responsible for any radio or TV interference caused by unauthorized modification to this equipment. Such modifications could void the user's authority to operate the equipment.

In order to make improvements to this product, the design and specifications are subject to change without prior notice.

**FCC Caution:** To assure continued compliance, any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment. (Example - use only shielded interface cables when connecting to computer or peripheral devices).

#### **FCC Radiation Exposure Statement**

This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 0.5 cm between the radiator and your body.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

The antennas used for this transmitter must be installed to provide a separation distance of at least 0.5 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter.

#### **Responsible party**

ELECOM USA, Inc. 4041 MacArthur Blvd Suite 400, Newport Beach, CA 92660 USA <u>elecomusa.com</u>

## Vietnam / Việt Nam

RoHS Compliance (Chứng Nhận Đạt Tiêu Chuẩn RoHS) https://www.elecom.co.jp/global/certification/pdf/RoHS\_EU\_UK\_Vietnam.pdf