

RF EXPOSURE REPORT (For Bluetooth)

REPORT NO.: SA990819C03-1

MODEL NO.: Algiz7;Algiz7-XXX

 $(X=A\sim Z, a\sim z, 0\sim 9, Blank or Slash)$

FCC ID: YY3-01120709267

ACCORDING: FCC Guidelines for Human Exposure

IEEE C95.1

APPLICANT: HANDHELD GROUP AB

ADDRESS: Kinnegatan 17 A,S-531 33 Lidkoping,Sweden

ISSUED BY: Bureau Veritas Consumer Products Services (H.K.)

Ltd., Taoyuan Branch

LAB ADDRESS: No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou Hsiang,

Taipei Hsien 244, Taiwan, R.O.C.

TEST LOCATION: No. 19, Hwa Ya 2nd Rd, Wen Hwa Tsuen, Kwei

Shan Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.



RELEASE CONTROL RECORD

ISSUE NO.	REASON FOR CHANGE	DATE ISSUED
Original release	NA	Feb. 08, 2011

Report No.: SA990819C03-1 2 Report Format Version 4.0.0



No Evaluation required if power is below this threshold:

F(GHz)		mW	
Low	2.402	24.58	
High	2.480	24.56	

Maximum measured transmitter power:

Pout (dBr	Pout (mW)	
Conducted Power	1.2	1.3
EIRP Power	2.6	1.8

^{*}Note: The antenna is Printed PCB antenna with 1.4dBi gain.

Threshold for no SAR evaluation is 24.58mW Transmitter power is 1.8mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold