











Maximum Power Spectral Density Level




Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	-1.23	0.13	-1.1	11	Pass
NVNT	a	5200	Ant1	-1.89	0.13	-1.76	11	Pass
NVNT	a	5240	Ant1	-1.13	0.13	-1	11	Pass
NVNT	a	5260	Ant1	-0.84	0.13	-0.71	11	Pass
NVNT	a	5300	Ant1	-0.84	0.13	-0.71	11	Pass
NVNT	a	5320	Ant1	-1.1	0.13	-0.97	11	Pass
NVNT	a	5500	Ant1	-1.63	0.13	-1.5	11	Pass
NVNT	a	5580	Ant1	-0.65	0.13	-0.52	11	Pass
NVNT	a	5700	Ant1	0.1	0.13	0.23	11	Pass
NVNT	n20	5180	Ant1	-1.88	0.17	-1.71	11	Pass
NVNT	n20	5200	Ant1	-1.77	0.17	-1.6	11	Pass
NVNT	n20	5240	Ant1	-0.97	0.17	-0.8	11	Pass
NVNT	n20	5260	Ant1	-1.74	0.17	-1.57	11	Pass
NVNT	n20	5300	Ant1	-0.58	0.17	-0.41	11	Pass
NVNT	n20	5320	Ant1	-1.05	0.17	-0.88	11	Pass
NVNT	n20	5500	Ant1	-1.83	0.17	-1.66	11	Pass
NVNT	n20	5580	Ant1	0.7	0.17	0.87	11	Pass
NVNT	n20	5700	Ant1	-0.6	0.17	-0.43	11	Pass
NVNT	n40	5190	Ant1	-5.4	0.31	-5.09	11	Pass
NVNT	n40	5230	Ant1	-5.23	0.31	-4.92	11	Pass
NVNT	n40	5270	Ant1	-5.59	0.31	-5.28	11	Pass
NVNT	n40	5310	Ant1	-5.2	0.31	-4.89	11	Pass
NVNT	n40	5510	Ant1	-6.32	0.31	-6.01	11	Pass
NVNT	n40	5550	Ant1	-6.69	0.31	-6.38	11	Pass
NVNT	n40	5670	Ant1	-4.14	0.31	-3.83	11	Pass
NVNT	ac80	5210	Ant1	-10.92	0.58	-10.34	11	Pass
NVNT	ac80	5290	Ant1	-10.39	0.58	-9.81	11	Pass
NVNT	ac80	5530	Ant1	-10.25	0.58	-9.67	11	Pass
NVNT	ac80	5610	Ant1	-10.19	0.58	-9.61	11	Pass
Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/500k Hz)	Duty Factor (dB)	Total PSD (dBm/500k Hz)	Limit (dBm/500k Hz)	Verdict
NVNT	a	5745	Ant1	-3.27	0.13	-3.14	30	Pass
NVNT	a	5785	Ant1	-3.6	0.13	-3.47	30	Pass
NVNT	a	5825	Ant1	-3.32	0.13	-3.19	30	Pass
NVNT	n20	5745	Ant1	-4.56	0.17	-4.39	30	Pass
NVNT	n20	5785	Ant1	-4.39	0.17	-4.22	30	Pass
NVNT	n20	5825	Ant1	-3.16	0.17	-2.99	30	Pass
NVNT	n40	5755	Ant1	-7.78	0.31	-7.47	30	Pass
NVNT	n40	5795	Ant1	-8.42	0.31	-8.11	30	Pass
NVNT	ac80	5775	Ant1	-13.13	0.58	-12.55	30	Pass

























































-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	15.04	0.5	Pass
NVNT	a	5785	Ant1	15.039	0.5	Pass
NVNT	a	5825	Ant1	16.136	0.5	Pass
NVNT	n20	5745	Ant1	16.853	0.5	Pass
NVNT	n20	5785	Ant1	15.067	0.5	Pass
NVNT	n20	5825	Ant1	15.039	0.5	Pass
NVNT	n40	5755	Ant1	35.11	0.5	Pass
NVNT	n40	5795	Ant1	33.863	0.5	Pass
NVNT	ac80	5775	Ant1	75.079	0.5	Pass







*****END OF THE REPORT*****