


EXHIBIT C. Spurious Emission at Antenna Terminals

1. GPRS GSM850


1.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.71	-13	Pass	601
0.15	30	0.01	Peak	0.15	-37.42	-13	Pass	2985
30	500	0.1	Peak	411.681	-42.99	-13	Pass	4700
500	1000	0.1	Peak	824.065	30.01	-13	N/A	5000
1000	10000	1	Peak	9774.975	-22.92	-13	Pass	9000




1.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.19	-13	Pass	601
0.15	30	0.01	Peak	0.15	-38.61	-13	Pass	2985
30	500	0.1	Peak	301.758	-42.37	-13	Pass	4700
500	1000	0.1	Peak	836.567	30.52	-13	N/A	5000
1000	10000	1	Peak	9888.988	-22.96	-13	Pass	9000



1.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-38.31	-13	Pass	601
0.15	30	0.01	Peak	0.15	-37.62	-13	Pass	2985
30	500	0.1	Peak	461.792	-42.48	-13	Pass	4700
500	1000	0.1	Peak	848.77	31.43	-13	N/A	5000
1000	10000	1	Peak	9945.994	-23.34	-13	Pass	9000



2. GPRS PCS


2.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.44	-13	Pass	601
0.15	30	0.01	Peak	0.15	-44.66	-13	Pass	2985
30	1000	0.1	Peak	872.987	-47.64	-13	Pass	9700
1000	3000	1	Peak	1849.425	22.97	-13	N/A	2000
3000	20000	1	Peak	19050.944	-16.04	-13	Pass	17000




2.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.08	-13	Pass	601
0.15	30	0.01	Peak	0.15	-44.42	-13	Pass	2985
30	1000	0.1	Peak	856.985	-47.18	-13	Pass	9700
1000	3000	1	Peak	1879.44	28.98	-13	N/A	2000
3000	20000	1	Peak	18978.94	-15.98	-13	Pass*	17000



2.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.32	-13	Pass	601
0.15	30	0.01	Peak	0.15	-45.2	-13	Pass	2985
30	1000	0.1	Peak	951.495	-47.17	-13	Pass	9700
1000	3000	1	Peak	1909.455	29.2	-13	N/A	2000
3000	20000	1	Peak	18902.935	-15.94	-13	Pass*	17000



3. EGPRS GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.41	-13	Pass	601
0.15	30	0.01	Peak	0.15	-38.18	-13	Pass	2985
30	500	0.1	Peak	491.898	-42.86	-13	Pass	4700
500	1000	0.1	Peak	824.165	27.56	-13	N/A	5000
1000	10000	1	Peak	9838.982	-23.28	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.33	-13	Pass	601
0.15	30	0.01	Peak	0.15	-38.74	-13	Pass	2985
30	500	0.1	Peak	430.485	-42.7	-13	Pass	4700
500	1000	0.1	Peak	836.567	28.22	-13	N/A	5000
1000	10000	1	Peak	6869.652	-22.99	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.99	-13	Pass	601
0.15	30	0.01	Peak	0.16	-39.43	-13	Pass	2985
30	500	0.1	Peak	492.698	-42.06	-13	Pass	4700
500	1000	0.1	Peak	848.77	28.09	-13	N/A	5000
1000	10000	1	Peak	9951.995	-23.11	-13	Pass	9000



4. EGPRS PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-42.24	-13	Pass	601
0.15	30	0.01	Peak	0.15	-44.89	-13	Pass	2985
30	1000	0.1	Peak	894.289	-47.29	-13	Pass	9700
1000	3000	1	Peak	1849.425	19.35	-13	N/A	2000
3000	20000	1	Peak	18932.937	-16.02	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.68	-13	Pass	601
0.15	30	0.01	Peak	0.15	-44.05	-13	Pass	2985
30	1000	0.1	Peak	947.895	-47.64	-13	Pass	9700
1000	3000	1	Peak	1879.44	24.21	-13	N/A	2000
3000	20000	1	Peak	18874.934	-15.41	-13	Pass*	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.17	-13	Pass	601
0.15	30	0.01	Peak	0.15	-44.02	-13	Pass	2985
30	1000	0.1	Peak	932.993	-47.46	-13	Pass	9700
1000	3000	1	Peak	1910.455	25.72	-13	N/A	2000
3000	20000	1	Peak	18874.934	-15.16	-13	Pass*	17000



5. CDMA BC0


5.1. Spurious Emission at Antenna Terminals(NTNV)(Channel:1013)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.11	-13	Pass	601
0.15	30	0.01	Peak	0.15	-39.61	-13	Pass	2986
30	500	0.1	Peak	428.3	-42.62	-13	Pass	4701
500	1000	0.1	Peak	825.1	20.65	-13	N/A	5001
1000	10000	1	Peak	9923	-22.36	-13	Pass	9001




5.2. Spurious Emission at Antenna Terminals(NTNV)(Channel:384)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-36.1	-13	Pass	601
0.15	30	0.01	Peak	0.15	-37.75	-13	Pass	2986
30	500	0.1	Peak	445.8	-42.34	-13	Pass	4701
500	1000	0.1	Peak	837	20.53	-13	N/A	5001
1000	10000	1	Peak	9750	-22.46	-13	Pass	9001



5.3. Spurious Emission at Antenna Terminals(NTNV)(Channel:777)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-35.35	-13	Pass	601
0.15	30	0.01	Peak	0.16	-40.27	-13	Pass	2986
30	500	0.1	Peak	497.5	-42.4	-13	Pass	4701
500	1000	0.1	Peak	848.6	21.3	-13	N/A	5001
1000	10000	1	Peak	9933	-22.67	-13	Pass	9001



6. EVDO BC0


6.1. Spurious Emission at Antenna Terminals(NTNV)(Channel:1013)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.79	-13	Pass	601
0.15	30	0.01	Peak	0.15	-36.49	-13	Pass	2986
30	500	0.1	Peak	394.3	-42.83	-13	Pass	4701
500	1000	0.1	Peak	825.1	21.21	-13	N/A	5001
1000	10000	1	Peak	5787	-22.19	-13	Pass	9001




6.2. Spurious Emission at Antenna Terminals(NTNV)(Channel:384)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-37.01	-13	Pass	601
0.15	30	0.01	Peak	0.15	-40.11	-13	Pass	2986
30	500	0.1	Peak	465.7	-42.27	-13	Pass	4701
500	1000	0.1	Peak	836.2	21.96	-13	N/A	5001
1000	10000	1	Peak	9942	-22.8	-13	Pass	9001



6.3. Spurious Emission at Antenna Terminals(NTNV)(Channel:777)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.41	-13	Pass	601
0.15	30	0.01	Peak	0.15	-38.63	-13	Pass	2986
30	500	0.1	Peak	495.8	-42.61	-13	Pass	4701
500	1000	0.1	Peak	847.8	22.02	-13	N/A	5001
1000	10000	1	Peak	7048	-22.03	-13	Pass	9001



7. WCDMA_Band2


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-47.61	-13	Pass	601
0.15	30	0.01	Peak	0.15	-48.92	-13	Pass	2985
30	1000	0.1	Peak	749.274	-51.67	-13	Pass	9700
1000	3000	1	Peak	1853.427	22.18	-13	N/A	2000
3000	20000	1	Peak	18931.937	-19.06	-13	Pass	17000




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.92	-13	Pass	601
0.15	30	0.01	Peak	0.17	-50.01	-13	Pass	2985
30	1000	0.1	Peak	998.9	-51.13	-13	Pass	9700
1000	3000	1	Peak	1881.441	22.78	-13	N/A	2000
3000	20000	1	Peak	18840.932	-19.59	-13	Pass	17000



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.72	-13	Pass	601
0.15	30	0.01	Peak	0.15	-49.87	-13	Pass	2985
30	1000	0.1	Peak	900.89	-51.48	-13	Pass	9700
1000	3000	1	Peak	1908.454	22.16	-13	N/A	2000
3000	20000	1	Peak	18972.94	-20.05	-13	Pass	17000



8. WCDMA_Band4


8.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.13	-13	Pass	2985
30	1000	0.1	RMS	923.692	-62.53	-13	Pass	9700
1000	3000	1	RMS	1712.356	16.62	-13	N/A	2000
3000	20000	1	RMS	18868.933	-31.47	-13	Pass	17000




8.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.33	-13	Pass	2985
30	1000	0.1	RMS	896.189	-62.41	-13	Pass	9700
1000	3000	1	RMS	1732.366	16.62	-13	N/A	2000
3000	20000	1	RMS	19022.943	-31.46	-13	Pass	17000



8.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.79	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.46	-13	Pass	2985
30	1000	0.1	RMS	938.394	-62.53	-13	Pass	9700
1000	3000	1	RMS	1752.376	16.57	-13	N/A	2000
3000	20000	1	RMS	18920.937	-31.47	-13	Pass	17000



9. WCDMA_Band5


9.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-46.82	-13	Pass	601
0.15	30	0.01	Peak	0.16	-49.54	-13	Pass	2985
30	500	0.1	Peak	431.585	-52.96	-13	Pass	4700
500	1000	0.1	Peak	826.665	16.64	-13	N/A	5000
1000	10000	1	Peak	9928.992	-33.32	-13	Pass	9000




9.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-47.25	-13	Pass	601
0.15	30	0.01	Peak	0.15	-49.02	-13	Pass	2985
30	500	0.1	Peak	302.958	-53.27	-13	Pass	4700
500	1000	0.1	Peak	835.567	17.6	-13	N/A	5000
1000	10000	1	Peak	7051.672	-32.09	-13	Pass	9000



9.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.66	-13	Pass	601
0.15	30	0.01	Peak	0.15	-49.77	-13	Pass	2985
30	500	0.1	Peak	461.292	-53.01	-13	Pass	4700
500	1000	0.1	Peak	845.669	18.59	-13	N/A	5000
1000	10000	1	Peak	9848.983	-32.96	-13	Pass	9000




END

10. LTE_Band2


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.76	-13	Pass	2985
30	1000	0.1	RMS	833.783	-62.53	-13	Pass	9700
1000	1840	1	RMS	1838.999	-50.46	-13	Pass	840
1840	1920	1	RMS	1850.267	21.76	60	Pass	601
1920	3000	1	RMS	2671.696	-48.19	-13	Pass	1080
3000	12000	1	RMS	11971.997	-41.62	-13	Pass	9000
12000	20000	1	RMS	18874.859	-31.47	-13	Pass	8000




10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.9	-13	Pass	2985
30	1000	0.1	RMS	902.29	-62.52	-13	Pass	9700
1000	1840	1	RMS	1840	-50.57	-13	Pass	840
1840	1920	1	RMS	1850.133	21.18	60	Pass	601
1920	3000	1	RMS	2668.693	-48.15	-13	Pass	1080
3000	12000	1	RMS	11965.996	-41.58	-13	Pass	9000
12000	20000	1	RMS	18891.861	-31.49	-13	Pass	8000




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.98	-13	Pass	2985
30	1000	0.1	RMS	976.498	-62.46	-13	Pass	9700
1000	1840	1	RMS	1836.996	-51.5	-13	Pass	840
1840	1920	1	RMS	1879.467	22.13	60	Pass	601
1920	3000	1	RMS	2669.694	-48.14	-13	Pass	1080
3000	12000	1	RMS	11965.996	-41.61	-13	Pass	9000
12000	20000	1	RMS	18908.864	-31.48	-13	Pass	8000




10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.45	-13	Pass	2985
30	1000	0.1	RMS	916.191	-62.49	-13	Pass	9700
1000	1840	1	RMS	1837.998	-51.52	-13	Pass	840
1840	1920	1	RMS	1879.467	21.26	60	Pass	601
1920	3000	1	RMS	2669.694	-48.13	-13	Pass	1080
3000	12000	1	RMS	11972.997	-41.52	-13	Pass	9000
12000	20000	1	RMS	18872.859	-31.39	-13	Pass	8000




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.06	-13	Pass	2985
30	1000	0.1	RMS	912.791	-62.53	-13	Pass	9700
1000	1840	1	RMS	1838.999	-51.5	-13	Pass	840
1840	1920	1	RMS	1908.8	21.62	60	Pass	601
1920	3000	1	RMS	2678.703	-48.06	-13	Pass	1080
3000	12000	1	RMS	11970.997	-41.51	-13	Pass	9000
12000	20000	1	RMS	18867.858	-31.37	-13	Pass	8000




10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.08	-13	Pass	2985
30	1000	0.1	RMS	925.592	-62.47	-13	Pass	9700
1000	1840	1	RMS	1837.998	-51.58	-13	Pass	840
1840	1920	1	RMS	1908.8	20.78	60	Pass	601
1920	3000	1	RMS	2680.704	-48.05	-13	Pass	1080
3000	12000	1	RMS	11965.996	-41.61	-13	Pass	9000
12000	20000	1	RMS	18870.859	-31.42	-13	Pass	8000




10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.58	-13	Pass	2985
30	1000	0.1	RMS	976.098	-62.56	-13	Pass	9700
1000	1840	1	RMS	1838.999	-50.42	-13	Pass	840
1840	1920	1	RMS	1850.267	21.86	60	Pass	601
1920	3000	1	RMS	2678.703	-48.13	-13	Pass	1080
3000	12000	1	RMS	11971.997	-41.52	-13	Pass	9000
12000	20000	1	RMS	18869.859	-31.46	-13	Pass	8000




10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.69	-13	Pass	2985
30	1000	0.1	RMS	937.594	-62.45	-13	Pass	9700
1000	1840	1	RMS	1840	-50.68	-13	Pass	840
1840	1920	1	RMS	1850.267	21.43	60	Pass	601
1920	3000	1	RMS	2675.7	-48.07	-13	Pass	1080
3000	12000	1	RMS	11967.996	-41.52	-13	Pass	9000
12000	20000	1	RMS	18881.86	-31.39	-13	Pass	8000




10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.8	-13	Pass	2985
30	1000	0.1	RMS	953.595	-62.42	-13	Pass	9700
1000	1840	1	RMS	1840	-51.5	-13	Pass	840
1840	1920	1	RMS	1878.8	22.16	60	Pass	601
1920	3000	1	RMS	2679.703	-48.15	-13	Pass	1080
3000	12000	1	RMS	11969.997	-41.49	-13	Pass	9000
12000	20000	1	RMS	18871.859	-31.42	-13	Pass	8000




10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.8	-13	Pass	2985
30	1000	0.1	RMS	942.894	-62.53	-13	Pass	9700
1000	1840	1	RMS	1837.998	-51.51	-13	Pass	840
1840	1920	1	RMS	1878.667	21.26	60	Pass	601
1920	3000	1	RMS	2679.703	-48.09	-13	Pass	1080
3000	12000	1	RMS	11964.996	-41.67	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.53	-13	Pass	8000




10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.46	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.27	-13	Pass	2985
30	1000	0.1	RMS	929.193	-62.48	-13	Pass	9700
1000	1840	1	RMS	1838.999	-51.61	-13	Pass	840
1840	1920	1	RMS	1907.2	21.6	60	Pass	601
1920	3000	1	RMS	2677.702	-48.22	-13	Pass	1080
3000	12000	1	RMS	11975.997	-41.64	-13	Pass	9000
12000	20000	1	RMS	18856.857	-31.51	-13	Pass	8000




10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.2	-13	Pass	2985
30	1000	0.1	RMS	905.89	-62.5	-13	Pass	9700
1000	1840	1	RMS	1840	-51.52	-13	Pass	840
1840	1920	1	RMS	1907.2	20.87	60	Pass	601
1920	3000	1	RMS	2674.699	-48.22	-13	Pass	1080
3000	12000	1	RMS	11977.998	-41.59	-13	Pass	9000
12000	20000	1	RMS	18864.858	-31.55	-13	Pass	8000




10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-54.43	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.28	-13	Pass	2985
30	1000	0.1	RMS	893.489	-62.56	-13	Pass	9700
1000	1840	1	RMS	1840	-50.41	-13	Pass	840
1840	1920	1	RMS	1850.4	21.9	60	Pass	601
1920	3000	1	RMS	2667.692	-48.22	-13	Pass	1080
3000	12000	1	RMS	11972.997	-41.65	-13	Pass	9000
12000	20000	1	RMS	18881.86	-31.56	-13	Pass	8000




10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.53	-13	Pass	2985
30	1000	0.1	RMS	919.792	-62.48	-13	Pass	9700
1000	1840	1	RMS	1840	-50.46	-13	Pass	840
1840	1920	1	RMS	1850.267	21.26	60	Pass	601
1920	3000	1	RMS	2676.701	-48.25	-13	Pass	1080
3000	12000	1	RMS	11970.997	-41.67	-13	Pass	9000
12000	20000	1	RMS	18873.859	-31.54	-13	Pass	8000




10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.15	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.04	-13	Pass	2985
30	1000	0.1	RMS	910.391	-62.59	-13	Pass	9700
1000	1840	1	RMS	1836.996	-51.58	-13	Pass	840
1840	1920	1	RMS	1877.867	22.19	60	Pass	601
1920	3000	1	RMS	2680.704	-48.22	-13	Pass	1080
3000	12000	1	RMS	11973.997	-41.66	-13	Pass	9000
12000	20000	1	RMS	19025.878	-31.54	-13	Pass	8000




10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.37	-13	Pass	2985
30	1000	0.1	RMS	933.693	-62.49	-13	Pass	9700
1000	1840	1	RMS	1838.999	-51.57	-13	Pass	840
1840	1920	1	RMS	1877.867	21.36	60	Pass	601
1920	3000	1	RMS	2679.703	-48.2	-13	Pass	1080
3000	12000	1	RMS	11965.996	-41.57	-13	Pass	9000
12000	20000	1	RMS	18859.857	-31.44	-13	Pass	8000




10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.69	-13	Pass	2985
30	1000	0.1	RMS	930.393	-62.63	-13	Pass	9700
1000	1840	1	RMS	1836.996	-51.59	-13	Pass	840
1840	1920	1	RMS	1905.333	21.86	60	Pass	601
1920	3000	1	RMS	2677.702	-48.16	-13	Pass	1080
3000	12000	1	RMS	11973.997	-41.63	-13	Pass	9000
12000	20000	1	RMS	18881.86	-31.52	-13	Pass	8000




10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.79	-13	Pass	2985
30	1000	0.1	RMS	930.993	-62.66	-13	Pass	9700
1000	1840	1	RMS	1837.998	-51.58	-13	Pass	840
1840	1920	1	RMS	1905.333	21.1	60	Pass	601
1920	3000	1	RMS	2676.701	-48.19	-13	Pass	1080
3000	12000	1	RMS	11967.996	-41.61	-13	Pass	9000
12000	20000	1	RMS	18869.859	-31.49	-13	Pass	8000




**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.87	-13	Pass	2985
30	1000	0.1	RMS	917.992	-62.66	-13	Pass	9700
1000	1840	1	RMS	1840	-50.27	-13	Pass	840
1840	1920	1	RMS	1850.533	22.03	60	Pass	601
1920	3000	1	RMS	2668.693	-48.18	-13	Pass	1080
3000	12000	1	RMS	11966.996	-41.61	-13	Pass	9000
12000	20000	1	RMS	19010.876	-31.52	-13	Pass	8000




10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.18	-13	Pass	2985
30	1000	0.1	RMS	905.99	-62.54	-13	Pass	9700
1000	1840	1	RMS	1840	-50.6	-13	Pass	840
1840	1920	1	RMS	1850.667	21.53	60	Pass	601
1920	3000	1	RMS	2670.695	-48.19	-13	Pass	1080
3000	12000	1	RMS	11970.997	-41.62	-13	Pass	9000
12000	20000	1	RMS	18872.859	-31.53	-13	Pass	8000




**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.01	-13	Pass	2985
30	1000	0.1	RMS	959.196	-62.67	-13	Pass	9700
1000	1840	1	RMS	1836.996	-51.42	-13	Pass	840
1840	1920	1	RMS	1875.6	22.08	60	Pass	601
1920	3000	1	RMS	2673.698	-48.24	-13	Pass	1080
3000	12000	1	RMS	11972.997	-41.67	-13	Pass	9000
12000	20000	1	RMS	19009.876	-31.51	-13	Pass	8000




10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.27	-13	Pass	2985
30	1000	0.1	RMS	904.39	-62.65	-13	Pass	9700
1000	1840	1	RMS	1836.996	-51.45	-13	Pass	840
1840	1920	1	RMS	1875.6	21.2	60	Pass	601
1920	3000	1	RMS	2673.698	-48.17	-13	Pass	1080
3000	12000	1	RMS	11967.996	-41.61	-13	Pass	9000
12000	20000	1	RMS	18853.857	-31.54	-13	Pass	8000




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.03	-13	Pass	2985
30	1000	0.1	RMS	916.291	-62.62	-13	Pass	9700
1000	1840	1	RMS	1838.999	-51.52	-13	Pass	840
1840	1920	1	RMS	1900.533	21.77	60	Pass	601
1920	3000	1	RMS	2677.702	-48.15	-13	Pass	1080
3000	12000	1	RMS	11967.996	-41.66	-13	Pass	9000
12000	20000	1	RMS	18881.86	-31.51	-13	Pass	8000




10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.47	-13	Pass	2985
30	1000	0.1	RMS	980.398	-62.66	-13	Pass	9700
1000	1840	1	RMS	1836.996	-51.54	-13	Pass	840
1840	1920	1	RMS	1900.533	20.97	60	Pass	601
1920	3000	1	RMS	2676.701	-48.23	-13	Pass	1080
3000	12000	1	RMS	11961.996	-41.68	-13	Pass	9000
12000	20000	1	RMS	19019.877	-31.51	-13	Pass	8000




**10.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.87	-13	Pass	2985
30	1000	0.1	RMS	927.893	-62.55	-13	Pass	9700
1000	1840	1	RMS	1836.996	-45.21	-13	Pass	840
1840	1920	1	RMS	1850.8	21.65	60	Pass	601
1920	3000	1	RMS	2675.7	-48.21	-13	Pass	1080
3000	12000	1	RMS	11968.997	-41.6	-13	Pass	9000
12000	20000	1	RMS	18888.861	-31.49	-13	Pass	8000




10.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.89	-13	Pass	2985
30	1000	0.1	RMS	958.096	-62.67	-13	Pass	9700
1000	1840	1	RMS	1836.996	-45.24	-13	Pass	840
1840	1920	1	RMS	1850.8	21.36	60	Pass	601
1920	3000	1	RMS	2682.706	-48.25	-13	Pass	1080
3000	12000	1	RMS	11971.997	-41.65	-13	Pass	9000
12000	20000	1	RMS	18879.86	-31.52	-13	Pass	8000




**10.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.64	-13	Pass	2985
30	1000	0.1	RMS	908.091	-62.68	-13	Pass	9700
1000	1840	1	RMS	1840	-51.39	-13	Pass	840
1840	1920	1	RMS	1873.333	22.01	60	Pass	601
1920	3000	1	RMS	2678.703	-48.21	-13	Pass	1080
3000	12000	1	RMS	11965.996	-41.7	-13	Pass	9000
12000	20000	1	RMS	18920.865	-31.63	-13	Pass	8000




10.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.22	-13	Pass	2985
30	1000	0.1	RMS	954.595	-62.66	-13	Pass	9700
1000	1840	1	RMS	1840	-51.46	-13	Pass	840
1840	1920	1	RMS	1873.333	20.91	60	Pass	601
1920	3000	1	RMS	2671.696	-48.2	-13	Pass	1080
3000	12000	1	RMS	11974.997	-41.67	-13	Pass	9000
12000	20000	1	RMS	18913.864	-31.59	-13	Pass	8000




**10.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.07	-13	Pass	2985
30	1000	0.1	RMS	920.392	-62.63	-13	Pass	9700
1000	1840	1	RMS	1840	-51.49	-13	Pass	840
1840	1920	1	RMS	1895.867	21.73	60	Pass	601
1920	3000	1	RMS	2678.703	-48.18	-13	Pass	1080
3000	12000	1	RMS	11968.997	-41.8	-13	Pass	9000
12000	20000	1	RMS	18915.864	-31.6	-13	Pass	8000




10.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.55	-13	Pass	2985
30	1000	0.1	RMS	907.39	-62.61	-13	Pass	9700
1000	1840	1	RMS	1836.996	-51.54	-13	Pass	840
1840	1920	1	RMS	1895.867	21.07	60	Pass	601
1920	3000	1	RMS	2675.7	-48.15	-13	Pass	1080
3000	12000	1	RMS	11969.997	-41.65	-13	Pass	9000
12000	20000	1	RMS	19018.877	-31.57	-13	Pass	8000




**10.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2985
30	1000	0.1	RMS	940.994	-62.69	-13	Pass	9700
1000	1840	1	RMS	1840	-49.46	-13	Pass	840
1840	1920	1	RMS	1851.067	21.83	60	Pass	601
1920	3000	1	RMS	2682.706	-48.17	-13	Pass	1080
3000	12000	1	RMS	11970.997	-41.77	-13	Pass	9000
12000	20000	1	RMS	19027.878	-31.61	-13	Pass	8000




10.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.4	-13	Pass	2985
30	1000	0.1	RMS	929.693	-62.62	-13	Pass	9700
1000	1840	1	RMS	1840	-49.99	-13	Pass	840
1840	1920	1	RMS	1851.067	20.95	60	Pass	601
1920	3000	1	RMS	2665.69	-48.17	-13	Pass	1080
3000	12000	1	RMS	11964.996	-41.71	-13	Pass	9000
12000	20000	1	RMS	18923.865	-31.63	-13	Pass	8000




**10.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.43	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.08	-13	Pass	2985
30	1000	0.1	RMS	919.192	-62.67	-13	Pass	9700
1000	1840	1	RMS	1837.998	-51.37	-13	Pass	840
1840	1920	1	RMS	1871.067	22.01	60	Pass	601
1920	3000	1	RMS	2679.703	-48.16	-13	Pass	1080
3000	12000	1	RMS	11969.997	-41.75	-13	Pass	9000
12000	20000	1	RMS	19007.876	-31.58	-13	Pass	8000




10.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.43	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.39	-13	Pass	2985
30	1000	0.1	RMS	915.091	-62.56	-13	Pass	9700
1000	1840	1	RMS	1838.999	-51.46	-13	Pass	840
1840	1920	1	RMS	1871.067	21.13	60	Pass	601
1920	3000	1	RMS	2677.702	-48.18	-13	Pass	1080
3000	12000	1	RMS	11970.997	-41.7	-13	Pass	9000
12000	20000	1	RMS	18868.859	-31.61	-13	Pass	8000




**10.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.74	-13	Pass	2985
30	1000	0.1	RMS	926.592	-62.6	-13	Pass	9700
1000	1840	1	RMS	1837.998	-51.53	-13	Pass	840
1840	1920	1	RMS	1891.067	21.97	60	Pass	601
1920	3000	1	RMS	2680.704	-48.2	-13	Pass	1080
3000	12000	1	RMS	11971.997	-41.69	-13	Pass	9000
12000	20000	1	RMS	18855.857	-31.6	-13	Pass	8000



10.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.26	-13	Pass	2985
30	1000	0.1	RMS	929.193	-62.67	-13	Pass	9700
1000	1840	1	RMS	1838.999	-51.5	-13	Pass	840
1840	1920	1	RMS	1891.067	21.1	60	Pass	601
1920	3000	1	RMS	2676.701	-48.18	-13	Pass	1080
3000	12000	1	RMS	11966.996	-41.68	-13	Pass	9000
12000	20000	1	RMS	18944.868	-31.59	-13	Pass	8000



11. LTE_Band4


**11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.8	-13	Pass	2985
30	1000	0.1	RMS	934.493	-62.6	-13	Pass	9700
1000	1700	1	RMS	1700	-50.6	-13	Pass	700
1700	1765	1	RMS	1710.292	21.79	60	Pass	601
1765	3000	1	RMS	2674.737	-48.19	-13	Pass	1235
3000	12000	1	RMS	11963.996	-41.74	-13	Pass	9000
12000	20000	1	RMS	18939.867	-31.62	-13	Pass	8000




11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.24	-13	Pass	2985
30	1000	0.1	RMS	915.191	-62.55	-13	Pass	9700
1000	1700	1	RMS	1700	-50.87	-13	Pass	700
1700	1765	1	RMS	1710.183	20.92	60	Pass	601
1765	3000	1	RMS	2676.738	-48.21	-13	Pass	1235
3000	12000	1	RMS	11972.997	-41.72	-13	Pass	9000
12000	20000	1	RMS	18863.858	-31.66	-13	Pass	8000




11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.53	-13	Pass	2985
30	1000	0.1	RMS	954.795	-62.62	-13	Pass	9700
1000	1700	1	RMS	1700	-51.91	-13	Pass	700
1700	1765	1	RMS	1732.067	21.93	60	Pass	601
1765	3000	1	RMS	2676.738	-48.17	-13	Pass	1235
3000	12000	1	RMS	11971.997	-41.72	-13	Pass	9000
12000	20000	1	RMS	18868.859	-31.63	-13	Pass	8000




11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.85	-13	Pass	2985
30	1000	0.1	RMS	931.193	-62.42	-13	Pass	9700
1000	1700	1	RMS	1700	-51.9	-13	Pass	700
1700	1765	1	RMS	1731.958	21.24	60	Pass	601
1765	3000	1	RMS	2681.742	-48.13	-13	Pass	1235
3000	12000	1	RMS	11971.997	-41.76	-13	Pass	9000
12000	20000	1	RMS	18936.867	-31.62	-13	Pass	8000




11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.65	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.11	-13	Pass	2985
30	1000	0.1	RMS	924.692	-62.63	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.94	-13	Pass	700
1700	1765	1	RMS	1753.842	21.85	60	Pass	601
1765	3000	1	RMS	2677.739	-48.15	-13	Pass	1235
3000	12000	1	RMS	11969.997	-41.72	-13	Pass	9000
12000	20000	1	RMS	18867.858	-31.57	-13	Pass	8000




11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.12	-13	Pass	2985
30	1000	0.1	RMS	905.09	-62.71	-13	Pass	9700
1000	1700	1	RMS	1620.887	-51.92	-13	Pass	700
1700	1765	1	RMS	1753.842	20.79	60	Pass	601
1765	3000	1	RMS	2680.741	-48.19	-13	Pass	1235
3000	12000	1	RMS	11968.997	-41.73	-13	Pass	9000
12000	20000	1	RMS	19014.877	-31.65	-13	Pass	8000




11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.82	-13	Pass	2985
30	1000	0.1	RMS	932.193	-62.63	-13	Pass	9700
1000	1700	1	RMS	1700	-50.72	-13	Pass	700
1700	1765	1	RMS	1710.183	21.85	60	Pass	601
1765	3000	1	RMS	2678.74	-48.16	-13	Pass	1235
3000	12000	1	RMS	11971.997	-41.71	-13	Pass	9000
12000	20000	1	RMS	18860.858	-31.68	-13	Pass	8000




11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.04	-13	Pass	2985
30	1000	0.1	RMS	969.397	-62.66	-13	Pass	9700
1000	1700	1	RMS	1700	-50.82	-13	Pass	700
1700	1765	1	RMS	1710.292	21.33	60	Pass	601
1765	3000	1	RMS	2670.733	-48.18	-13	Pass	1235
3000	12000	1	RMS	11969.997	-41.64	-13	Pass	9000
12000	20000	1	RMS	18879.86	-31.64	-13	Pass	8000




11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.04	-13	Pass	2985
30	1000	0.1	RMS	922.292	-62.5	-13	Pass	9700
1000	1700	1	RMS	1617.883	-51.88	-13	Pass	700
1700	1765	1	RMS	1731.2	22.08	60	Pass	601
1765	3000	1	RMS	2678.74	-48.16	-13	Pass	1235
3000	12000	1	RMS	11980.998	-41.77	-13	Pass	9000
12000	20000	1	RMS	18924.866	-31.6	-13	Pass	8000




11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.81	-13	Pass	2985
30	1000	0.1	RMS	961.896	-62.5	-13	Pass	9700
1000	1700	1	RMS	1696.996	-51.95	-13	Pass	700
1700	1765	1	RMS	1731.2	21.15	60	Pass	601
1765	3000	1	RMS	2676.738	-48.18	-13	Pass	1235
3000	12000	1	RMS	11973.997	-41.69	-13	Pass	9000
12000	20000	1	RMS	18873.859	-31.62	-13	Pass	8000




11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.17	-13	Pass	2985
30	1000	0.1	RMS	913.391	-62.61	-13	Pass	9700
1000	1700	1	RMS	1620.887	-51.89	-13	Pass	700
1700	1765	1	RMS	1752.217	21.83	60	Pass	601
1765	3000	1	RMS	2676.738	-48.15	-13	Pass	1235
3000	12000	1	RMS	11968.997	-41.76	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.56	-13	Pass	8000




11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.32	-13	Pass	2985
30	1000	0.1	RMS	929.593	-62.65	-13	Pass	9700
1000	1700	1	RMS	1617.883	-51.96	-13	Pass	700
1700	1765	1	RMS	1752.217	21.09	60	Pass	601
1765	3000	1	RMS	2679.741	-48.09	-13	Pass	1235
3000	12000	1	RMS	11971.997	-41.77	-13	Pass	9000
12000	20000	1	RMS	18875.859	-31.59	-13	Pass	8000




11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.63	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.84	-13	Pass	2985
30	1000	0.1	RMS	914.591	-62.54	-13	Pass	9700
1000	1700	1	RMS	1700	-50.48	-13	Pass	700
1700	1765	1	RMS	1710.292	22.02	60	Pass	601
1765	3000	1	RMS	2682.743	-48.13	-13	Pass	1235
3000	12000	1	RMS	11969.997	-41.73	-13	Pass	9000
12000	20000	1	RMS	18889.861	-31.63	-13	Pass	8000




11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.99	-13	Pass	2985
30	1000	0.1	RMS	931.493	-62.6	-13	Pass	9700
1000	1700	1	RMS	1700	-50.77	-13	Pass	700
1700	1765	1	RMS	1710.292	21.09	60	Pass	601
1765	3000	1	RMS	2671.734	-48.21	-13	Pass	1235
3000	12000	1	RMS	11973.997	-41.79	-13	Pass	9000
12000	20000	1	RMS	19025.878	-31.59	-13	Pass	8000




11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.54	-13	Pass	2985
30	1000	0.1	RMS	929.293	-62.54	-13	Pass	9700
1000	1700	1	RMS	1622.89	-51.93	-13	Pass	700
1700	1765	1	RMS	1730.333	22.06	60	Pass	601
1765	3000	1	RMS	2673.736	-48.22	-13	Pass	1235
3000	12000	1	RMS	11969.997	-41.63	-13	Pass	9000
12000	20000	1	RMS	18882.86	-31.65	-13	Pass	8000




11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.88	-13	Pass	2985
30	1000	0.1	RMS	933.393	-62.66	-13	Pass	9700
1000	1700	1	RMS	1700	-51.9	-13	Pass	700
1700	1765	1	RMS	1730.333	21.26	60	Pass	601
1765	3000	1	RMS	2677.739	-48.19	-13	Pass	1235
3000	12000	1	RMS	11968.997	-41.74	-13	Pass	9000
12000	20000	1	RMS	18911.864	-31.63	-13	Pass	8000




11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.64	-13	Pass	2985
30	1000	0.1	RMS	962.696	-62.45	-13	Pass	9700
1000	1700	1	RMS	1621.888	-51.91	-13	Pass	700
1700	1765	1	RMS	1750.267	21.91	60	Pass	601
1765	3000	1	RMS	2672.735	-48.16	-13	Pass	1235
3000	12000	1	RMS	11970.997	-41.7	-13	Pass	9000
12000	20000	1	RMS	18944.868	-31.63	-13	Pass	8000




11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.97	-13	Pass	2985
30	1000	0.1	RMS	917.692	-62.6	-13	Pass	9700
1000	1700	1	RMS	1622.89	-51.93	-13	Pass	700
1700	1765	1	RMS	1750.267	21.45	60	Pass	601
1765	3000	1	RMS	2682.743	-48.21	-13	Pass	1235
3000	12000	1	RMS	11982.998	-41.72	-13	Pass	9000
12000	20000	1	RMS	18912.864	-31.58	-13	Pass	8000




11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.54	-13	Pass	2985
30	1000	0.1	RMS	911.191	-62.45	-13	Pass	9700
1000	1700	1	RMS	1700	-49.57	-13	Pass	700
1700	1765	1	RMS	1710.617	21.94	60	Pass	601
1765	3000	1	RMS	2676.738	-48.16	-13	Pass	1235
3000	12000	1	RMS	11968.997	-41.73	-13	Pass	9000
12000	20000	1	RMS	18883.86	-31.56	-13	Pass	8000




11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.15	-13	Pass	2985
30	1000	0.1	RMS	909.391	-62.5	-13	Pass	9700
1000	1700	1	RMS	1700	-50.15	-13	Pass	700
1700	1765	1	RMS	1710.617	21.36	60	Pass	601
1765	3000	1	RMS	2674.737	-48.13	-13	Pass	1235
3000	12000	1	RMS	11974.997	-41.68	-13	Pass	9000
12000	20000	1	RMS	18941.868	-31.62	-13	Pass	8000




11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.05	-13	Pass	2985
30	1000	0.1	RMS	912.691	-62.56	-13	Pass	9700
1000	1700	1	RMS	1700	-51.78	-13	Pass	700
1700	1765	1	RMS	1728.058	22.08	60	Pass	601
1765	3000	1	RMS	2673.736	-48.08	-13	Pass	1235
3000	12000	1	RMS	11980.998	-41.69	-13	Pass	9000
12000	20000	1	RMS	18862.858	-31.62	-13	Pass	8000




11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.37	-13	Pass	2985
30	1000	0.1	RMS	965.796	-62.59	-13	Pass	9700
1000	1700	1	RMS	1700	-51.77	-13	Pass	700
1700	1765	1	RMS	1728.058	21.14	60	Pass	601
1765	3000	1	RMS	2682.743	-48.15	-13	Pass	1235
3000	12000	1	RMS	11968.997	-41.62	-13	Pass	9000
12000	20000	1	RMS	18897.862	-31.59	-13	Pass	8000




11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.93	-13	Pass	2985
30	1000	0.1	RMS	928.693	-62.45	-13	Pass	9700
1000	1700	1	RMS	1700	-51.89	-13	Pass	700
1700	1765	1	RMS	1745.608	21.89	60	Pass	601
1765	3000	1	RMS	2678.74	-48.15	-13	Pass	1235
3000	12000	1	RMS	11970.997	-41.69	-13	Pass	9000
12000	20000	1	RMS	18878.86	-31.62	-13	Pass	8000




11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.81	-13	Pass	2985
30	1000	0.1	RMS	961.696	-62.63	-13	Pass	9700
1000	1700	1	RMS	1696.996	-51.93	-13	Pass	700
1700	1765	1	RMS	1745.608	21.16	60	Pass	601
1765	3000	1	RMS	2672.735	-48.17	-13	Pass	1235
3000	12000	1	RMS	11968.997	-41.74	-13	Pass	9000
12000	20000	1	RMS	19015.877	-31.6	-13	Pass	8000




11.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.73	-13	Pass	2985
30	1000	0.1	RMS	933.693	-62.65	-13	Pass	9700
1000	1700	1	RMS	1697.997	-46.26	-13	Pass	700
1700	1765	1	RMS	1710.833	21.78	60	Pass	601
1765	3000	1	RMS	2676.738	-48.12	-13	Pass	1235
3000	12000	1	RMS	11969.997	-41.61	-13	Pass	9000
12000	20000	1	RMS	19011.876	-31.6	-13	Pass	8000




11.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.71	-13	Pass	2985
30	1000	0.1	RMS	982.698	-62.71	-13	Pass	9700
1000	1700	1	RMS	1697.997	-47	-13	Pass	700
1700	1765	1	RMS	1710.833	20.95	60	Pass	601
1765	3000	1	RMS	2680.741	-48.18	-13	Pass	1235
3000	12000	1	RMS	11969.997	-41.67	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.67	-13	Pass	8000




**11.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.48	-13	Pass	2985
30	1000	0.1	RMS	927.493	-62.57	-13	Pass	9700
1000	1700	1	RMS	1700	-51.66	-13	Pass	700
1700	1765	1	RMS	1725.892	21.93	60	Pass	601
1765	3000	1	RMS	2679.741	-48.14	-13	Pass	1235
3000	12000	1	RMS	11965.996	-41.69	-13	Pass	9000
12000	20000	1	RMS	18881.86	-31.64	-13	Pass	8000




11.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.46	-13	Pass	2985
30	1000	0.1	RMS	920.092	-62.58	-13	Pass	9700
1000	1700	1	RMS	1700	-51.69	-13	Pass	700
1700	1765	1	RMS	1725.892	21.16	60	Pass	601
1765	3000	1	RMS	2670.733	-48.18	-13	Pass	1235
3000	12000	1	RMS	11970.997	-41.72	-13	Pass	9000
12000	20000	1	RMS	18911.864	-31.61	-13	Pass	8000




11.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.79	-13	Pass	2985
30	1000	0.1	RMS	971.297	-62.65	-13	Pass	9700
1000	1700	1	RMS	1700	-51.88	-13	Pass	700
1700	1765	1	RMS	1740.842	21.88	60	Pass	601
1765	3000	1	RMS	2681.742	-48.15	-13	Pass	1235
3000	12000	1	RMS	11969.997	-41.66	-13	Pass	9000
12000	20000	1	RMS	18935.867	-31.64	-13	Pass	8000




11.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.35	-13	Pass	2985
30	1000	0.1	RMS	939.494	-62.7	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.86	-13	Pass	700
1700	1765	1	RMS	1740.842	20.82	60	Pass	601
1765	3000	1	RMS	2673.736	-48.16	-13	Pass	1235
3000	12000	1	RMS	11969.997	-41.72	-13	Pass	9000
12000	20000	1	RMS	18886.861	-31.67	-13	Pass	8000




11.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.27	-13	Pass	2985
30	1000	0.1	RMS	932.093	-62.66	-13	Pass	9700
1000	1700	1	RMS	1692.99	-47.65	-13	Pass	700
1700	1765	1	RMS	1711.05	21.82	60	Pass	601
1765	3000	1	RMS	2656.722	-48.19	-13	Pass	1235
3000	12000	1	RMS	11966.996	-41.64	-13	Pass	9000
12000	20000	1	RMS	18868.859	-31.48	-13	Pass	8000




11.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.35	-13	Pass	2985
30	1000	0.1	RMS	937.094	-62.61	-13	Pass	9700
1000	1700	1	RMS	1692.99	-48.1	-13	Pass	700
1700	1765	1	RMS	1711.05	21.12	60	Pass	601
1765	3000	1	RMS	2672.735	-48.12	-13	Pass	1235
3000	12000	1	RMS	11972.997	-41.64	-13	Pass	9000
12000	20000	1	RMS	18925.866	-31.53	-13	Pass	8000




11.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.91	-13	Pass	2985
30	1000	0.1	RMS	912.991	-62.7	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.67	-13	Pass	700
1700	1765	1	RMS	1723.617	22	60	Pass	601
1765	3000	1	RMS	2674.737	-48.15	-13	Pass	1235
3000	12000	1	RMS	11968.997	-41.66	-13	Pass	9000
12000	20000	1	RMS	19018.877	-31.53	-13	Pass	8000




11.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.34	-13	Pass	2985
30	1000	0.1	RMS	918.292	-62.61	-13	Pass	9700
1000	1700	1	RMS	1700	-51.74	-13	Pass	700
1700	1765	1	RMS	1723.617	21.14	60	Pass	601
1765	3000	1	RMS	2681.742	-48.21	-13	Pass	1235
3000	12000	1	RMS	11975.997	-41.69	-13	Pass	9000
12000	20000	1	RMS	18915.864	-31.52	-13	Pass	8000




11.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.28	-13	Pass	2985
30	1000	0.1	RMS	917.191	-62.62	-13	Pass	9700
1000	1700	1	RMS	1697.997	-51.84	-13	Pass	700
1700	1765	1	RMS	1736.075	21.93	60	Pass	601
1765	3000	1	RMS	2669.733	-48.21	-13	Pass	1235
3000	12000	1	RMS	11970.997	-41.66	-13	Pass	9000
12000	20000	1	RMS	18884.861	-31.51	-13	Pass	8000



11.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.39	-13	Pass	2985
30	1000	0.1	RMS	932.793	-62.53	-13	Pass	9700
1000	1700	1	RMS	1700	-51.85	-13	Pass	700
1700	1765	1	RMS	1736.075	20.87	60	Pass	601
1765	3000	1	RMS	2678.74	-48.17	-13	Pass	1235
3000	12000	1	RMS	11975.997	-41.62	-13	Pass	9000
12000	20000	1	RMS	19017.877	-31.5	-13	Pass	8000



12. LTE_Band5


**12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.51	-13	Pass	2985
30	814	0.1	RMS	813.8	-62.63	-13	Pass	7840
814	860	0.1	RMS	824.273	19.22	60	Pass	601
860	1000	0.1	RMS	929.35	-62.89	-13	Pass	1400
1000	3000	1	RMS	2680.84	-48.2	-13	Pass	2000
3000	10000	1	RMS	9922.989	-44.74	-13	Pass	7000




12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.88	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.61	-13	Pass	2985
30	814	0.1	RMS	813.2	-62.75	-13	Pass	7840
814	860	0.1	RMS	824.273	18.18	60	Pass	601
860	1000	0.1	RMS	910.236	-62.92	-13	Pass	1400
1000	3000	1	RMS	2681.841	-48.23	-13	Pass	2000
3000	10000	1	RMS	9929.99	-44.69	-13	Pass	7000




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.74	-13	Pass	2985
30	814	0.1	RMS	797.298	-62.86	-13	Pass	7840
814	860	0.1	RMS	836.08	19.28	60	Pass	601
860	1000	0.1	RMS	921.444	-62.95	-13	Pass	1400
1000	3000	1	RMS	2674.837	-48.17	-13	Pass	2000
3000	10000	1	RMS	9928.99	-44.76	-13	Pass	7000




12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.31	-13	Pass	2985
30	814	0.1	RMS	800.298	-62.91	-13	Pass	7840
814	860	0.1	RMS	836.08	18.75	60	Pass	601
860	1000	0.1	RMS	964.575	-62.93	-13	Pass	1400
1000	3000	1	RMS	2675.838	-48.22	-13	Pass	2000
3000	10000	1	RMS	9928.99	-44.78	-13	Pass	7000




12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.56	-13	Pass	2985
30	814	0.1	RMS	811.2	-62.91	-13	Pass	7840
814	860	0.1	RMS	847.887	19.32	60	Pass	601
860	1000	0.1	RMS	918.942	-62.85	-13	Pass	1400
1000	3000	1	RMS	2675.838	-48.17	-13	Pass	2000
3000	10000	1	RMS	9929.99	-44.81	-13	Pass	7000




12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.01	-13	Pass	2985
30	814	0.1	RMS	785.496	-62.72	-13	Pass	7840
814	860	0.1	RMS	847.887	18.39	60	Pass	601
860	1000	0.1	RMS	925.547	-62.88	-13	Pass	1400
1000	3000	1	RMS	2676.838	-48.16	-13	Pass	2000
3000	10000	1	RMS	9931.99	-44.78	-13	Pass	7000




12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.2	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.57	-13	Pass	7840
814	860	0.1	RMS	824.273	19.16	60	Pass	601
860	1000	0.1	RMS	900.229	-62.89	-13	Pass	1400
1000	3000	1	RMS	2675.838	-48.19	-13	Pass	2000
3000	10000	1	RMS	9931.99	-44.79	-13	Pass	7000




12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.06	-13	Pass	2985
30	814	0.1	RMS	812.1	-62.72	-13	Pass	7840
814	860	0.1	RMS	824.273	18.19	60	Pass	601
860	1000	0.1	RMS	911.237	-62.9	-13	Pass	1400
1000	3000	1	RMS	2673.837	-48.18	-13	Pass	2000
3000	10000	1	RMS	9916.988	-44.8	-13	Pass	7000




12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.21	-13	Pass	2985
30	814	0.1	RMS	812.2	-62.77	-13	Pass	7840
814	860	0.1	RMS	835.237	19.76	60	Pass	601
860	1000	0.1	RMS	932.352	-62.9	-13	Pass	1400
1000	3000	1	RMS	2676.838	-48.19	-13	Pass	2000
3000	10000	1	RMS	9931.99	-44.74	-13	Pass	7000




12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.42	-13	Pass	2985
30	814	0.1	RMS	807.199	-62.84	-13	Pass	7840
814	860	0.1	RMS	835.237	18.44	60	Pass	601
860	1000	0.1	RMS	913.638	-62.78	-13	Pass	1400
1000	3000	1	RMS	2675.838	-48.18	-13	Pass	2000
3000	10000	1	RMS	9922.989	-44.77	-13	Pass	7000




12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.85	-13	Pass	601
0.15	30	0.01	RMS	0.17	-57.33	-13	Pass	2985
30	814	0.1	RMS	812.9	-62.81	-13	Pass	7840
814	860	0.1	RMS	846.2	19.57	60	Pass	601
860	1000	0.1	RMS	931.851	-62.9	-13	Pass	1400
1000	3000	1	RMS	2677.839	-48.16	-13	Pass	2000
3000	10000	1	RMS	9931.99	-44.79	-13	Pass	7000




12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.72	-13	Pass	2985
30	814	0.1	RMS	797.398	-62.86	-13	Pass	7840
814	860	0.1	RMS	846.277	18.78	60	Pass	601
860	1000	0.1	RMS	928.849	-62.85	-13	Pass	1400
1000	3000	1	RMS	2676.838	-48.21	-13	Pass	2000
3000	10000	1	RMS	9928.99	-44.79	-13	Pass	7000




12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.26	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.04	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.78	-13	Pass	7840
814	860	0.1	RMS	824.35	19.28	60	Pass	601
860	1000	0.1	RMS	926.147	-63	-13	Pass	1400
1000	3000	1	RMS	2676.838	-48.2	-13	Pass	2000
3000	10000	1	RMS	9925.989	-44.79	-13	Pass	7000




12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.84	-13	Pass	2985
30	814	0.1	RMS	809.599	-62.77	-13	Pass	7840
814	860	0.1	RMS	824.35	18.75	60	Pass	601
860	1000	0.1	RMS	906.433	-62.88	-13	Pass	1400
1000	3000	1	RMS	2676.838	-48.22	-13	Pass	2000
3000	10000	1	RMS	9919.989	-44.79	-13	Pass	7000




12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.37	-13	Pass	2985
30	814	0.1	RMS	799.798	-62.64	-13	Pass	7840
814	860	0.1	RMS	834.317	19.54	60	Pass	601
860	1000	0.1	RMS	907.434	-62.73	-13	Pass	1400
1000	3000	1	RMS	2676.838	-48.22	-13	Pass	2000
3000	10000	1	RMS	9931.99	-44.74	-13	Pass	7000




12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.87	-13	Pass	2985
30	814	0.1	RMS	812.9	-62.65	-13	Pass	7840
814	860	0.1	RMS	834.317	18.81	60	Pass	601
860	1000	0.1	RMS	961.573	-62.87	-13	Pass	1400
1000	3000	1	RMS	2670.835	-48.22	-13	Pass	2000
3000	10000	1	RMS	9929.99	-44.78	-13	Pass	7000




12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.47	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.94	-13	Pass	2985
30	814	0.1	RMS	804.099	-62.74	-13	Pass	7840
814	860	0.1	RMS	844.36	19.56	60	Pass	601
860	1000	0.1	RMS	930.15	-62.75	-13	Pass	1400
1000	3000	1	RMS	2677.839	-48.17	-13	Pass	2000
3000	10000	1	RMS	9930.99	-44.87	-13	Pass	7000




12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.04	-13	Pass	2985
30	814	0.1	RMS	803.899	-62.72	-13	Pass	7840
814	860	0.1	RMS	844.36	19.12	60	Pass	601
860	1000	0.1	RMS	921.144	-62.83	-13	Pass	1400
1000	3000	1	RMS	2675.838	-48.24	-13	Pass	2000
3000	10000	1	RMS	9931.99	-44.67	-13	Pass	7000




12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.19	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.36	-13	Pass	2985
30	814	0.1	RMS	812.7	-62.6	-13	Pass	7840
814	860	0.1	RMS	824.58	19.35	60	Pass	601
860	1000	0.1	RMS	966.276	-62.88	-13	Pass	1400
1000	3000	1	RMS	2669.835	-48.16	-13	Pass	2000
3000	10000	1	RMS	9929.99	-44.72	-13	Pass	7000




12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.32	-13	Pass	2985
30	814	0.1	RMS	813.4	-62.68	-13	Pass	7840
814	860	0.1	RMS	824.58	18.46	60	Pass	601
860	1000	0.1	RMS	932.752	-62.89	-13	Pass	1400
1000	3000	1	RMS	2678.839	-48.2	-13	Pass	2000
3000	10000	1	RMS	9932.99	-44.83	-13	Pass	7000




**12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.51	-13	Pass	2985
30	814	0.1	RMS	813	-62.91	-13	Pass	7840
814	860	0.1	RMS	832.093	19.85	60	Pass	601
860	1000	0.1	RMS	968.377	-62.85	-13	Pass	1400
1000	3000	1	RMS	2680.84	-48.22	-13	Pass	2000
3000	10000	1	RMS	9928.99	-44.73	-13	Pass	7000




12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.78	-13	Pass	2985
30	814	0.1	RMS	802.999	-62.81	-13	Pass	7840
814	860	0.1	RMS	832.093	18.72	60	Pass	601
860	1000	0.1	RMS	946.462	-62.76	-13	Pass	1400
1000	3000	1	RMS	2676.838	-48.21	-13	Pass	2000
3000	10000	1	RMS	9933.991	-44.75	-13	Pass	7000




**12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2985
30	814	0.1	RMS	802.999	-62.71	-13	Pass	7840
814	860	0.1	RMS	839.607	19.69	60	Pass	601
860	1000	0.1	RMS	904.732	-62.87	-13	Pass	1400
1000	3000	1	RMS	2678.839	-48.19	-13	Pass	2000
3000	10000	1	RMS	9928.99	-44.77	-13	Pass	7000



12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.62	-13	Pass	2985
30	814	0.1	RMS	802.899	-62.88	-13	Pass	7840
814	860	0.1	RMS	839.607	18.66	60	Pass	601
860	1000	0.1	RMS	927.448	-62.91	-13	Pass	1400
1000	3000	1	RMS	2667.834	-48.23	-13	Pass	2000
3000	10000	1	RMS	9932.99	-44.78	-13	Pass	7000



13. LTE_Band7


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.74	-25	Pass	2985
30	1000	0.1	RMS	930.893	-62.58	-25	Pass	9700
1000	2490	1	RMS	2490	-49.11	-25	Pass	1490
2490	2580	1	RMS	2500.35	21.41	60	Pass	601
2580	3000	1	RMS	2680.1	-48.22	-25	Pass	601
3000	12000	1	RMS	11969.997	-51.53	-25	Pass	9000
12000	27000	1	RMS	24901.86	-39.16	-25	Pass	15000




13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.12	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.7	-25	Pass	2985
30	1000	0.1	RMS	959.496	-62.66	-25	Pass	9700
1000	2490	1	RMS	2488.999	-49.3	-25	Pass	1490
2490	2580	1	RMS	2500.35	20.77	60	Pass	601
2580	3000	1	RMS	2679.4	-48.19	-25	Pass	601
3000	12000	1	RMS	11964.996	-51.59	-25	Pass	9000
12000	27000	1	RMS	24870.858	-39.17	-25	Pass	15000




13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.06	-25	Pass	601
0.15	30	0.01	RMS	0.16	-56.64	-25	Pass	2985
30	1000	0.1	RMS	959.296	-62.55	-25	Pass	9700
1000	2490	1	RMS	2429.96	-49.56	-25	Pass	1490
2490	2580	1	RMS	2532.9	22.03	60	Pass	601
2580	3000	1	RMS	2661.9	-48.17	-25	Pass	601
3000	12000	1	RMS	11973.997	-51.59	-25	Pass	9000
12000	27000	1	RMS	24881.859	-39.23	-25	Pass	15000




13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.68	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.7	-25	Pass	2985
30	1000	0.1	RMS	912.591	-62.65	-25	Pass	9700
1000	2490	1	RMS	2411.948	-49.62	-25	Pass	1490
2490	2580	1	RMS	2532.9	21.44	60	Pass	601
2580	3000	1	RMS	2675.9	-48.21	-25	Pass	601
3000	12000	1	RMS	11971.997	-51.58	-25	Pass	9000
12000	27000	1	RMS	24914.861	-39.23	-25	Pass	15000




13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.06	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.88	-25	Pass	2985
30	1000	0.1	RMS	960.996	-62.63	-25	Pass	9700
1000	2490	1	RMS	2418.952	-49.28	-25	Pass	1490
2490	2580	1	RMS	2565.3	21.87	60	Pass	601
2580	3000	1	RMS	2679.4	-48.18	-25	Pass	601
3000	12000	1	RMS	11965.996	-51.59	-25	Pass	9000
12000	27000	1	RMS	24910.861	-39.18	-25	Pass	15000




13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.09	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.88	-25	Pass	2985
30	1000	0.1	RMS	913.791	-62.67	-25	Pass	9700
1000	2490	1	RMS	2418.952	-49.6	-25	Pass	1490
2490	2580	1	RMS	2565.3	21.35	60	Pass	601
2580	3000	1	RMS	2676.6	-48.2	-25	Pass	601
3000	12000	1	RMS	11968.997	-51.58	-25	Pass	9000
12000	27000	1	RMS	24876.858	-39.19	-25	Pass	15000




13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.92	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.31	-25	Pass	2985
30	1000	0.1	RMS	816.681	-62.56	-25	Pass	9700
1000	2490	1	RMS	2490	-48.98	-25	Pass	1490
2490	2580	1	RMS	2500.5	21.28	60	Pass	601
2580	3000	1	RMS	2676.6	-48.17	-25	Pass	601
3000	12000	1	RMS	11974.997	-51.52	-25	Pass	9000
12000	27000	1	RMS	24903.86	-39.17	-25	Pass	15000




13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.06	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.57	-25	Pass	2985
30	1000	0.1	RMS	913.791	-62.62	-25	Pass	9700
1000	2490	1	RMS	2490	-49.17	-25	Pass	1490
2490	2580	1	RMS	2500.65	20.59	60	Pass	601
2580	3000	1	RMS	2671.7	-48.19	-25	Pass	601
3000	12000	1	RMS	11971.997	-51.44	-25	Pass	9000
12000	27000	1	RMS	24912.861	-39.25	-25	Pass	15000




13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.99	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.78	-25	Pass	2985
30	1000	0.1	RMS	898.089	-62.47	-25	Pass	9700
1000	2490	1	RMS	2416.951	-49.5	-25	Pass	1490
2490	2580	1	RMS	2530.65	22.02	60	Pass	601
2580	3000	1	RMS	2675.2	-48.16	-25	Pass	601
3000	12000	1	RMS	11970.997	-51.55	-25	Pass	9000
12000	27000	1	RMS	24886.859	-39.16	-25	Pass	15000




13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.22	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.71	-25	Pass	2985
30	1000	0.1	RMS	941.794	-62.55	-25	Pass	9700
1000	2490	1	RMS	2416.951	-49.48	-25	Pass	1490
2490	2580	1	RMS	2530.5	21.3	60	Pass	601
2580	3000	1	RMS	2673.1	-48.15	-25	Pass	601
3000	12000	1	RMS	11970.997	-51.62	-25	Pass	9000
12000	27000	1	RMS	24874.858	-39.13	-25	Pass	15000




13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.43	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.37	-25	Pass	2985
30	1000	0.1	RMS	840.484	-62.7	-25	Pass	9700
1000	2490	1	RMS	2449.973	-49.62	-25	Pass	1490
2490	2580	1	RMS	2560.65	21.99	60	Pass	601
2580	3000	1	RMS	2683.6	-48.19	-25	Pass	601
3000	12000	1	RMS	11973.997	-51.49	-25	Pass	9000
12000	27000	1	RMS	24911.861	-39.19	-25	Pass	15000




13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.3	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.13	-25	Pass	2985
30	1000	0.1	RMS	955.395	-62.7	-25	Pass	9700
1000	2490	1	RMS	2426.958	-49.6	-25	Pass	1490
2490	2580	1	RMS	2560.65	21.13	60	Pass	601
2580	3000	1	RMS	2683.6	-48.2	-25	Pass	601
3000	12000	1	RMS	11970.997	-51.48	-25	Pass	9000
12000	27000	1	RMS	24916.861	-39.17	-25	Pass	15000




**13.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.17	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.59	-25	Pass	2985
30	1000	0.1	RMS	967.397	-62.64	-25	Pass	9700
1000	2490	1	RMS	2490	-48.99	-25	Pass	1490
2490	2580	1	RMS	2500.8	21.05	60	Pass	601
2580	3000	1	RMS	2673.8	-48.19	-25	Pass	601
3000	12000	1	RMS	11970.997	-51.58	-25	Pass	9000
12000	27000	1	RMS	24909.861	-39.23	-25	Pass	15000




13.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.75	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.11	-25	Pass	2985
30	1000	0.1	RMS	897.589	-62.59	-25	Pass	9700
1000	2490	1	RMS	2488.999	-49.01	-25	Pass	1490
2490	2580	1	RMS	2500.8	20.4	60	Pass	601
2580	3000	1	RMS	2672.4	-48.17	-25	Pass	601
3000	12000	1	RMS	11967.996	-51.54	-25	Pass	9000
12000	27000	1	RMS	24887.859	-39.2	-25	Pass	15000




13.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.01	-25	Pass	601
0.15	30	0.01	RMS	0.16	-57	-25	Pass	2985
30	1000	0.1	RMS	924.692	-62.64	-25	Pass	9700
1000	2490	1	RMS	2490	-49.59	-25	Pass	1490
2490	2580	1	RMS	2528.4	21.79	60	Pass	601
2580	3000	1	RMS	2680.8	-48.16	-25	Pass	601
3000	12000	1	RMS	11965.996	-51.56	-25	Pass	9000
12000	27000	1	RMS	24915.861	-39.15	-25	Pass	15000




13.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.71	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.49	-25	Pass	2985
30	1000	0.1	RMS	916.591	-62.5	-25	Pass	9700
1000	2490	1	RMS	2424.956	-49.57	-25	Pass	1490
2490	2580	1	RMS	2528.25	20.9	60	Pass	601
2580	3000	1	RMS	2676.6	-48.18	-25	Pass	601
3000	12000	1	RMS	11967.996	-51.49	-25	Pass	9000
12000	27000	1	RMS	24860.857	-39.21	-25	Pass	15000




**13.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.29	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.88	-25	Pass	2985
30	1000	0.1	RMS	927.893	-62.56	-25	Pass	9700
1000	2490	1	RMS	2420.954	-49.48	-25	Pass	1490
2490	2580	1	RMS	2555.85	21.85	60	Pass	601
2580	3000	1	RMS	2678	-48.18	-25	Pass	601
3000	12000	1	RMS	11967.996	-51.49	-25	Pass	9000
12000	27000	1	RMS	24905.86	-39.18	-25	Pass	15000




13.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.47	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.09	-25	Pass	2985
30	1000	0.1	RMS	965.796	-62.61	-25	Pass	9700
1000	2490	1	RMS	2488.999	-49.62	-25	Pass	1490
2490	2580	1	RMS	2555.85	20.9	60	Pass	601
2580	3000	1	RMS	2678	-48.16	-25	Pass	601
3000	12000	1	RMS	11970.997	-51.53	-25	Pass	9000
12000	27000	1	RMS	24897.86	-39.24	-25	Pass	15000




**13.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.1	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.23	-25	Pass	2985
30	1000	0.1	RMS	968.597	-62.61	-25	Pass	9700
1000	2490	1	RMS	2490	-48.77	-25	Pass	1490
2490	2580	1	RMS	2501.1	21.08	60	Pass	601
2580	3000	1	RMS	2678	-48.17	-25	Pass	601
3000	12000	1	RMS	11970.997	-51.4	-25	Pass	9000
12000	27000	1	RMS	24911.861	-39.2	-25	Pass	15000




13.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.37	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.09	-25	Pass	2985
30	1000	0.1	RMS	902.19	-62.68	-25	Pass	9700
1000	2490	1	RMS	2490	-48.93	-25	Pass	1490
2490	2580	1	RMS	2501.1	20.23	60	Pass	601
2580	3000	1	RMS	2675.9	-48.2	-25	Pass	601
3000	12000	1	RMS	11967.996	-51.55	-25	Pass	9000
12000	27000	1	RMS	24876.858	-39.2	-25	Pass	15000




13.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.84	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.99	-25	Pass	2985
30	1000	0.1	RMS	935.293	-62.65	-25	Pass	9700
1000	2490	1	RMS	2418.952	-49.48	-25	Pass	1490
2490	2580	1	RMS	2526	21.72	60	Pass	601
2580	3000	1	RMS	2678	-48.16	-25	Pass	601
3000	12000	1	RMS	11976.997	-51.59	-25	Pass	9000
12000	27000	1	RMS	24901.86	-39.22	-25	Pass	15000




13.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.98	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.37	-25	Pass	2985
30	1000	0.1	RMS	932.093	-62.69	-25	Pass	9700
1000	2490	1	RMS	2418.952	-49.32	-25	Pass	1490
2490	2580	1	RMS	2526.15	20.87	60	Pass	601
2580	3000	1	RMS	2675.9	-48.2	-25	Pass	601
3000	12000	1	RMS	11969.997	-51.59	-25	Pass	9000
12000	27000	1	RMS	24833.856	-39.23	-25	Pass	15000




**13.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.1	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.45	-25	Pass	2985
30	1000	0.1	RMS	936.493	-62.52	-25	Pass	9700
1000	2490	1	RMS	2422.955	-49.63	-25	Pass	1490
2490	2580	1	RMS	2551.05	21.86	60	Pass	601
2580	3000	1	RMS	2675.9	-48.15	-25	Pass	601
3000	12000	1	RMS	11968.997	-51.54	-25	Pass	9000
12000	27000	1	RMS	24875.858	-39.15	-25	Pass	15000



13.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.71	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.69	-25	Pass	2985
30	1000	0.1	RMS	950.095	-62.66	-25	Pass	9700
1000	2490	1	RMS	2428.959	-49.64	-25	Pass	1490
2490	2580	1	RMS	2551.05	21	60	Pass	601
2580	3000	1	RMS	2678.7	-48.12	-25	Pass	601
3000	12000	1	RMS	11968.997	-51.57	-25	Pass	9000
12000	27000	1	RMS	24885.859	-39.21	-25	Pass	15000



14. LTE_Band12


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.86	-13	Pass	2985
30	689	0.1	RMS	490.87	-63.49	-13	Pass	6590
689	726	0.1	RMS	699.237	19.6	60	Pass	601
726	1000	0.1	RMS	962.486	-62.65	-13	Pass	2740
1000	3000	1	RMS	2684.842	-48.34	-13	Pass	2000
3000	10000	1	RMS	9932.99	-44.93	-13	Pass	7000




14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.37	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.99	-13	Pass	2985
30	689	0.1	RMS	508.173	-63.63	-13	Pass	6590
689	726	0.1	RMS	699.237	18.33	60	Pass	601
726	1000	0.1	RMS	900.064	-62.61	-13	Pass	2740
1000	3000	1	RMS	2673.837	-48.32	-13	Pass	2000
3000	10000	1	RMS	9927.99	-44.97	-13	Pass	7000




14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.64	-13	Pass	2985
30	689	0.1	RMS	533.076	-63.66	-13	Pass	6590
689	726	0.1	RMS	707.068	19.32	60	Pass	601
726	1000	0.1	RMS	955.784	-62.66	-13	Pass	2740
1000	3000	1	RMS	2676.838	-48.35	-13	Pass	2000
3000	10000	1	RMS	9929.99	-44.99	-13	Pass	7000




14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.63	-13	Pass	2985
30	689	0.1	RMS	514.273	-63.56	-13	Pass	6590
689	726	0.1	RMS	707.068	18.46	60	Pass	601
726	1000	0.1	RMS	923.372	-62.73	-13	Pass	2740
1000	3000	1	RMS	2676.838	-48.31	-13	Pass	2000
3000	10000	1	RMS	9931.99	-44.92	-13	Pass	7000




14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.72	-13	Pass	2985
30	689	0.1	RMS	508.273	-63.73	-13	Pass	6590
689	726	0.1	RMS	714.838	19.53	60	Pass	601
726	1000	0.1	RMS	908.267	-62.52	-13	Pass	2740
1000	3000	1	RMS	2676.838	-48.3	-13	Pass	2000
3000	10000	1	RMS	9928.99	-44.98	-13	Pass	7000




14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.88	-13	Pass	2985
30	689	0.1	RMS	500.171	-63.71	-13	Pass	6590
689	726	0.1	RMS	714.838	18.69	60	Pass	601
726	1000	0.1	RMS	927.173	-62.66	-13	Pass	2740
1000	3000	1	RMS	2676.838	-48.37	-13	Pass	2000
3000	10000	1	RMS	9923.989	-44.93	-13	Pass	7000




14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.61	-13	Pass	2985
30	689	0.1	RMS	498.471	-63.77	-13	Pass	6590
689	726	0.1	RMS	699.237	19.5	60	Pass	601
726	1000	0.1	RMS	928.574	-62.7	-13	Pass	2740
1000	3000	1	RMS	2675.838	-48.33	-13	Pass	2000
3000	10000	1	RMS	9929.99	-44.97	-13	Pass	7000




14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.2	-13	Pass	2985
30	689	0.1	RMS	500.171	-63.59	-13	Pass	6590
689	726	0.1	RMS	699.237	18.86	60	Pass	601
726	1000	0.1	RMS	938.478	-62.56	-13	Pass	2740
1000	3000	1	RMS	2677.839	-48.35	-13	Pass	2000
3000	10000	1	RMS	9929.99	-44.91	-13	Pass	7000




14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.89	-13	Pass	2985
30	689	0.1	RMS	687.8	-63.57	-13	Pass	6590
689	726	0.1	RMS	706.267	19.43	60	Pass	601
726	1000	0.1	RMS	922.072	-62.55	-13	Pass	2740
1000	3000	1	RMS	2676.838	-48.29	-13	Pass	2000
3000	10000	1	RMS	9929.99	-44.91	-13	Pass	7000




14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.79	-13	Pass	2985
30	689	0.1	RMS	415.959	-63.8	-13	Pass	6590
689	726	0.1	RMS	706.267	18.4	60	Pass	601
726	1000	0.1	RMS	918.57	-62.83	-13	Pass	2740
1000	3000	1	RMS	2678.839	-48.33	-13	Pass	2000
3000	10000	1	RMS	9930.99	-45.01	-13	Pass	7000




14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.66	-13	Pass	2985
30	689	0.1	RMS	508.373	-63.66	-13	Pass	6590
689	726	0.1	RMS	713.235	19.56	60	Pass	601
726	1000	0.1	RMS	921.171	-62.58	-13	Pass	2740
1000	3000	1	RMS	2671.836	-48.34	-13	Pass	2000
3000	10000	1	RMS	9927.99	-44.97	-13	Pass	7000




14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.95	-13	Pass	2985
30	689	0.1	RMS	510.173	-63.76	-13	Pass	6590
689	726	0.1	RMS	713.235	18.65	60	Pass	601
726	1000	0.1	RMS	937.777	-62.71	-13	Pass	2740
1000	3000	1	RMS	2677.839	-48.35	-13	Pass	2000
3000	10000	1	RMS	9924.989	-44.96	-13	Pass	7000




14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.21	-13	Pass	2985
30	689	0.1	RMS	686.5	-63.69	-13	Pass	6590
689	726	0.1	RMS	699.36	19.26	60	Pass	601
726	1000	0.1	RMS	906.766	-62.74	-13	Pass	2740
1000	3000	1	RMS	2675.838	-48.32	-13	Pass	2000
3000	10000	1	RMS	9930.99	-44.92	-13	Pass	7000




14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.83	-13	Pass	2985
30	689	0.1	RMS	687.3	-63.75	-13	Pass	6590
689	726	0.1	RMS	699.36	18.56	60	Pass	601
726	1000	0.1	RMS	910.567	-62.79	-13	Pass	2740
1000	3000	1	RMS	2673.837	-48.31	-13	Pass	2000
3000	10000	1	RMS	9923.989	-44.98	-13	Pass	7000




14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.01	-13	Pass	2985
30	689	0.1	RMS	495.171	-63.71	-13	Pass	6590
689	726	0.1	RMS	705.342	19.36	60	Pass	601
726	1000	0.1	RMS	914.869	-62.66	-13	Pass	2740
1000	3000	1	RMS	2676.838	-48.3	-13	Pass	2000
3000	10000	1	RMS	9932.99	-45	-13	Pass	7000




14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.99	-13	Pass	2985
30	689	0.1	RMS	504.272	-63.83	-13	Pass	6590
689	726	0.1	RMS	705.342	18.7	60	Pass	601
726	1000	0.1	RMS	912.568	-62.65	-13	Pass	2740
1000	3000	1	RMS	2673.837	-48.35	-13	Pass	2000
3000	10000	1	RMS	9911.987	-45.02	-13	Pass	7000




14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.36	-13	Pass	2985
30	689	0.1	RMS	515.074	-63.66	-13	Pass	6590
689	726	0.1	RMS	711.323	19.4	60	Pass	601
726	1000	0.1	RMS	926.573	-62.75	-13	Pass	2740
1000	3000	1	RMS	2678.839	-48.34	-13	Pass	2000
3000	10000	1	RMS	9922.989	-44.94	-13	Pass	7000




14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.59	-13	Pass	2985
30	689	0.1	RMS	529.976	-63.69	-13	Pass	6590
689	726	0.1	RMS	711.323	18.69	60	Pass	601
726	1000	0.1	RMS	906.466	-62.6	-13	Pass	2740
1000	3000	1	RMS	2680.84	-48.31	-13	Pass	2000
3000	10000	1	RMS	9929.99	-44.96	-13	Pass	7000




**14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.03	-13	Pass	2985
30	689	0.1	RMS	503.472	-63.61	-13	Pass	6590
689	726	0.1	RMS	699.607	19.54	60	Pass	601
726	1000	0.1	RMS	918.67	-62.5	-13	Pass	2740
1000	3000	1	RMS	2678.839	-48.3	-13	Pass	2000
3000	10000	1	RMS	9931.99	-44.98	-13	Pass	7000




14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.23	-13	Pass	2985
30	689	0.1	RMS	505.272	-63.76	-13	Pass	6590
689	726	0.1	RMS	699.607	18.57	60	Pass	601
726	1000	0.1	RMS	955.884	-62.66	-13	Pass	2740
1000	3000	1	RMS	2673.837	-48.33	-13	Pass	2000
3000	10000	1	RMS	9934.991	-44.96	-13	Pass	7000




**14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.46	-13	Pass	2985
30	689	0.1	RMS	504.772	-63.62	-13	Pass	6590
689	726	0.1	RMS	703.122	19.28	60	Pass	601
726	1000	0.1	RMS	920.571	-62.63	-13	Pass	2740
1000	3000	1	RMS	2673.837	-48.31	-13	Pass	2000
3000	10000	1	RMS	9922.989	-44.99	-13	Pass	7000




14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.15	-13	Pass	2985
30	689	0.1	RMS	494.27	-63.66	-13	Pass	6590
689	726	0.1	RMS	703.06	18.31	60	Pass	601
726	1000	0.1	RMS	880.656	-62.63	-13	Pass	2740
1000	3000	1	RMS	2672.836	-48.33	-13	Pass	2000
3000	10000	1	RMS	9930.99	-44.87	-13	Pass	7000




**14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.76	-13	Pass	2985
30	689	0.1	RMS	501.171	-63.67	-13	Pass	6590
689	726	0.1	RMS	706.575	19.65	60	Pass	601
726	1000	0.1	RMS	900.564	-62.68	-13	Pass	2740
1000	3000	1	RMS	2677.839	-48.35	-13	Pass	2000
3000	10000	1	RMS	9930.99	-44.96	-13	Pass	7000



14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.54	-13	Pass	2985
30	689	0.1	RMS	504.172	-63.72	-13	Pass	6590
689	726	0.1	RMS	706.575	18.72	60	Pass	601
726	1000	0.1	RMS	933.176	-62.73	-13	Pass	2740
1000	3000	1	RMS	2671.836	-48.37	-13	Pass	2000
3000	10000	1	RMS	9926.99	-44.96	-13	Pass	7000



15. LTE_Band38


**15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.09	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.22	-25	Pass	2986
30	1000	0.1	RMS	944.7	-62.18	-25	Pass	9701
1000	2550	1	RMS	2548	-47.95	-25	Pass	1551
2550	2640	1	RMS	2570.55	18.3	60	Pass	601
2640	3000	1	RMS	2674.8	-47.78	-25	Pass	601
3000	12000	1	RMS	11980	-51.16	-25	Pass	9001
12000	26500	1	RMS	24893	-38.94	-25	Pass	14501




15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.59	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.47	-25	Pass	2986
30	1000	0.1	RMS	918	-62.26	-25	Pass	9701
1000	2550	1	RMS	2548	-48.01	-25	Pass	1551
2550	2640	1	RMS	2570.25	18.05	60	Pass	601
2640	3000	1	RMS	2677.2	-47.77	-25	Pass	601
3000	12000	1	RMS	11968	-51.15	-25	Pass	9001
12000	26500	1	RMS	24887	-38.99	-25	Pass	14501




15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.66	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.23	-25	Pass	2986
30	1000	0.1	RMS	920.6	-62.2	-25	Pass	9701
1000	2550	1	RMS	2547	-48.54	-25	Pass	1551
2550	2640	1	RMS	2593.05	18	60	Pass	601
2640	3000	1	RMS	2682	-47.74	-25	Pass	601
3000	12000	1	RMS	11972	-51.15	-25	Pass	9001
12000	26500	1	RMS	24883	-38.92	-25	Pass	14501




15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.21	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.37	-25	Pass	2986
30	1000	0.1	RMS	933.6	-62.2	-25	Pass	9701
1000	2550	1	RMS	2542	-48.54	-25	Pass	1551
2550	2640	1	RMS	2592.9	17.76	60	Pass	601
2640	3000	1	RMS	2674.2	-47.76	-25	Pass	601
3000	12000	1	RMS	11973	-51.21	-25	Pass	9001
12000	26500	1	RMS	24894	-38.95	-25	Pass	14501




15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.16	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.34	-25	Pass	2986
30	1000	0.1	RMS	914.9	-62.21	-25	Pass	9701
1000	2550	1	RMS	2547	-48.6	-25	Pass	1551
2550	2640	1	RMS	2615.4	18.65	60	Pass	601
2640	3000	1	RMS	2664.6	-47.7	-25	Pass	601
3000	12000	1	RMS	11972	-51.14	-25	Pass	9001
12000	26500	1	RMS	24901	-38.92	-25	Pass	14501




15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.88	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.64	-25	Pass	2986
30	1000	0.1	RMS	905.8	-62.24	-25	Pass	9701
1000	2550	1	RMS	2550	-48.55	-25	Pass	1551
2550	2640	1	RMS	2615.55	17.8	60	Pass	601
2640	3000	1	RMS	2674.2	-47.73	-25	Pass	601
3000	12000	1	RMS	11963	-51.23	-25	Pass	9001
12000	26500	1	RMS	24913	-38.91	-25	Pass	14501




15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.4	-25	Pass	2986
30	1000	0.1	RMS	844.2	-62.21	-25	Pass	9701
1000	2550	1	RMS	2549	-47.72	-25	Pass	1551
2550	2640	1	RMS	2570.4	18.13	60	Pass	601
2640	3000	1	RMS	2676.6	-47.77	-25	Pass	601
3000	12000	1	RMS	11966	-51.19	-25	Pass	9001
12000	26500	1	RMS	24862	-38.95	-25	Pass	14501




15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.61	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.61	-25	Pass	2986
30	1000	0.1	RMS	882.1	-62.13	-25	Pass	9701
1000	2550	1	RMS	2549	-47.57	-25	Pass	1551
2550	2640	1	RMS	2570.4	17.67	60	Pass	601
2640	3000	1	RMS	2675.4	-47.79	-25	Pass	601
3000	12000	1	RMS	11972	-51.14	-25	Pass	9001
12000	26500	1	RMS	24893	-38.86	-25	Pass	14501




15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.6	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.49	-25	Pass	2986
30	1000	0.1	RMS	916.1	-62.17	-25	Pass	9701
1000	2550	1	RMS	2548	-48.39	-25	Pass	1551
2550	2640	1	RMS	2590.5	17.89	60	Pass	601
2640	3000	1	RMS	2678.4	-47.78	-25	Pass	601
3000	12000	1	RMS	11971	-51.18	-25	Pass	9001
12000	26500	1	RMS	24862	-38.94	-25	Pass	14501




15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.34	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56	-25	Pass	2986
30	1000	0.1	RMS	936.9	-62.23	-25	Pass	9701
1000	2550	1	RMS	2549	-48.53	-25	Pass	1551
2550	2640	1	RMS	2590.65	17.48	60	Pass	601
2640	3000	1	RMS	2671.8	-47.79	-25	Pass	601
3000	12000	1	RMS	11968	-51.12	-25	Pass	9001
12000	26500	1	RMS	24895	-38.9	-25	Pass	14501




**15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.93	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.25	-25	Pass	2986
30	1000	0.1	RMS	926.3	-62.17	-25	Pass	9701
1000	2550	1	RMS	2550	-48.58	-25	Pass	1551
2550	2640	1	RMS	2610.75	18.57	60	Pass	601
2640	3000	1	RMS	2671.8	-47.71	-25	Pass	601
3000	12000	1	RMS	11968	-51.06	-25	Pass	9001
12000	26500	1	RMS	24912	-38.94	-25	Pass	14501




15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.83	-25	Pass	2986
30	1000	0.1	RMS	947.6	-62.17	-25	Pass	9701
1000	2550	1	RMS	2542	-48.55	-25	Pass	1551
2550	2640	1	RMS	2610.6	17.98	60	Pass	601
2640	3000	1	RMS	2646.6	-47.72	-25	Pass	601
3000	12000	1	RMS	11970	-51.18	-25	Pass	9001
12000	26500	1	RMS	24898	-38.96	-25	Pass	14501




**15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.07	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.36	-25	Pass	2986
30	1000	0.1	RMS	909.6	-62.15	-25	Pass	9701
1000	2550	1	RMS	2550	-47.73	-25	Pass	1551
2550	2640	1	RMS	2571	18.34	60	Pass	601
2640	3000	1	RMS	2677.2	-47.75	-25	Pass	601
3000	12000	1	RMS	11970	-51.2	-25	Pass	9001
12000	26500	1	RMS	24894	-38.91	-25	Pass	14501




15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.49	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.52	-25	Pass	2986
30	1000	0.1	RMS	934.8	-62.26	-25	Pass	9701
1000	2550	1	RMS	2548	-47.59	-25	Pass	1551
2550	2640	1	RMS	2571	17.52	60	Pass	601
2640	3000	1	RMS	2678.4	-47.76	-25	Pass	601
3000	12000	1	RMS	11980	-51.16	-25	Pass	9001
12000	26500	1	RMS	24856	-38.94	-25	Pass	14501




**15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.27	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.85	-25	Pass	2986
30	1000	0.1	RMS	979.8	-62.23	-25	Pass	9701
1000	2550	1	RMS	2549	-48.26	-25	Pass	1551
2550	2640	1	RMS	2588.25	18.25	60	Pass	601
2640	3000	1	RMS	2679	-47.73	-25	Pass	601
3000	12000	1	RMS	11969	-51.14	-25	Pass	9001
12000	26500	1	RMS	24915	-38.92	-25	Pass	14501




15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.02	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.03	-25	Pass	2986
30	1000	0.1	RMS	920.9	-62.24	-25	Pass	9701
1000	2550	1	RMS	2549	-48.53	-25	Pass	1551
2550	2640	1	RMS	2588.55	16.92	60	Pass	601
2640	3000	1	RMS	2671.8	-47.73	-25	Pass	601
3000	12000	1	RMS	11964	-51.2	-25	Pass	9001
12000	26500	1	RMS	24886	-38.92	-25	Pass	14501




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.47	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.85	-25	Pass	2986
30	1000	0.1	RMS	903.4	-62.15	-25	Pass	9701
1000	2550	1	RMS	2547	-48.49	-25	Pass	1551
2550	2640	1	RMS	2605.8	18.48	60	Pass	601
2640	3000	1	RMS	2649	-47.71	-25	Pass	601
3000	12000	1	RMS	11967	-51.25	-25	Pass	9001
12000	26500	1	RMS	24889	-38.96	-25	Pass	14501




15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.72	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.97	-25	Pass	2986
30	1000	0.1	RMS	943.1	-62.09	-25	Pass	9701
1000	2550	1	RMS	2544	-48.52	-25	Pass	1551
2550	2640	1	RMS	2605.8	17.72	60	Pass	601
2640	3000	1	RMS	2677.2	-47.71	-25	Pass	601
3000	12000	1	RMS	11969	-51.08	-25	Pass	9001
12000	26500	1	RMS	24897	-38.9	-25	Pass	14501




**15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.12	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.42	-25	Pass	2986
30	1000	0.1	RMS	925.4	-62.18	-25	Pass	9701
1000	2550	1	RMS	2547	-47.57	-25	Pass	1551
2550	2640	1	RMS	2571.15	18.56	60	Pass	601
2640	3000	1	RMS	2677.8	-47.75	-25	Pass	601
3000	12000	1	RMS	11976	-51.08	-25	Pass	9001
12000	26500	1	RMS	24883	-38.93	-25	Pass	14501




15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.2	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.11	-25	Pass	2986
30	1000	0.1	RMS	963.9	-62.13	-25	Pass	9701
1000	2550	1	RMS	2548	-47.5	-25	Pass	1551
2550	2640	1	RMS	2571	17.71	60	Pass	601
2640	3000	1	RMS	2674.8	-47.74	-25	Pass	601
3000	12000	1	RMS	11963	-51.18	-25	Pass	9001
12000	26500	1	RMS	24904	-38.87	-25	Pass	14501




**15.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.16	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.94	-25	Pass	2986
30	1000	0.1	RMS	907.5	-62.2	-25	Pass	9701
1000	2550	1	RMS	2545	-48.37	-25	Pass	1551
2550	2640	1	RMS	2586.15	18.2	60	Pass	601
2640	3000	1	RMS	2668.2	-47.76	-25	Pass	601
3000	12000	1	RMS	11966	-51.23	-25	Pass	9001
12000	26500	1	RMS	24914	-38.93	-25	Pass	14501




15.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.53	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.41	-25	Pass	2986
30	1000	0.1	RMS	914.8	-62.18	-25	Pass	9701
1000	2550	1	RMS	2547	-48.38	-25	Pass	1551
2550	2640	1	RMS	2586.3	16.79	60	Pass	601
2640	3000	1	RMS	2679	-47.72	-25	Pass	601
3000	12000	1	RMS	11971	-51.06	-25	Pass	9001
12000	26500	1	RMS	24908	-38.94	-25	Pass	14501




**15.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.28	-25	Pass	601
0.15	30	0.01	RMS	0.16	-55.9	-25	Pass	2986
30	1000	0.1	RMS	931.8	-62.27	-25	Pass	9701
1000	2550	1	RMS	2549	-48.51	-25	Pass	1551
2550	2640	1	RMS	2601.3	17.99	60	Pass	601
2640	3000	1	RMS	2673.6	-47.72	-25	Pass	601
3000	12000	1	RMS	11969	-51.21	-25	Pass	9001
12000	26500	1	RMS	24893	-38.96	-25	Pass	14501



15.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.71	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.4	-25	Pass	2986
30	1000	0.1	RMS	977.5	-62.15	-25	Pass	9701
1000	2550	1	RMS	2546	-48.56	-25	Pass	1551
2550	2640	1	RMS	2601	17.54	60	Pass	601
2640	3000	1	RMS	2669.4	-47.74	-25	Pass	601
3000	12000	1	RMS	11970	-51.09	-25	Pass	9001
12000	26500	1	RMS	24865	-38.94	-25	Pass	14501




END

16. LTE_Band41


**16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.4	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.48	-25	Pass	2985
30	1000	0.1	RMS	909.691	-62.64	-25	Pass	9700
1000	2486	1	RMS	2484.999	-47.42	-25	Pass	1486
2486	2700	1	RMS	2496.343	17.49	60	Pass	601
2700	3000	1	RMS	2707	-48.45	-25	Pass	601
3000	12000	1	RMS	11971.997	-72.23	-25	Pass	9000
12000	27000	1	RMS	24908.861	-59.78	-25	Pass	15000




16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.87	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.89	-25	Pass	2985
30	1000	0.1	RMS	978.498	-62.62	-25	Pass	9700
1000	2486	1	RMS	2486	-47.14	-25	Pass	1486
2486	2700	1	RMS	2495.987	16.59	60	Pass	601
2700	3000	1	RMS	2702	-48.41	-25	Pass	601
3000	12000	1	RMS	11968.997	-72.22	-25	Pass	9000
12000	27000	1	RMS	24902.86	-59.87	-25	Pass	15000




16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.75	-25	Pass	601
0.15	30	0.01	RMS	0.16	-56.7	-25	Pass	2985
30	1000	0.1	RMS	915.091	-62.69	-25	Pass	9700
1000	2486	1	RMS	2437.968	-49.67	-25	Pass	1486
2486	2700	1	RMS	2590.86	18.41	60	Pass	601
2700	3000	1	RMS	2700	-48.39	-25	Pass	601
3000	12000	1	RMS	11966.996	-72.14	-25	Pass	9000
12000	27000	1	RMS	24893.86	-59.82	-25	Pass	15000




16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.22	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.65	-25	Pass	2985
30	1000	0.1	RMS	934.693	-62.7	-25	Pass	9700
1000	2486	1	RMS	2420.956	-49.68	-25	Pass	1486
2486	2700	1	RMS	2590.503	16.58	60	Pass	601
2700	3000	1	RMS	2700	-48.43	-25	Pass	601
3000	12000	1	RMS	11969.997	-72.19	-25	Pass	9000
12000	27000	1	RMS	24914.861	-59.82	-25	Pass	15000




16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.52	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.68	-25	Pass	2985
30	1000	0.1	RMS	925.792	-62.44	-25	Pass	9700
1000	2486	1	RMS	2433.965	-49.66	-25	Pass	1486
2486	2700	1	RMS	2685.377	18.36	60	Pass	601
2700	3000	1	RMS	2701	-47.54	-25	Pass	601
3000	12000	1	RMS	11973.997	-72.12	-25	Pass	9000
12000	27000	1	RMS	24918.861	-59.85	-25	Pass	15000




16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.03	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.97	-25	Pass	2985
30	1000	0.1	RMS	919.192	-62.7	-25	Pass	9700
1000	2486	1	RMS	2410.949	-49.66	-25	Pass	1486
2486	2700	1	RMS	2685.02	16.72	60	Pass	601
2700	3000	1	RMS	2700.5	-47.55	-25	Pass	601
3000	12000	1	RMS	11969.997	-72.23	-25	Pass	9000
12000	27000	1	RMS	24896.86	-59.81	-25	Pass	15000




**16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.61	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.33	-25	Pass	2985
30	1000	0.1	RMS	925.292	-62.67	-25	Pass	9700
1000	2486	1	RMS	2484.999	-47.26	-25	Pass	1486
2486	2700	1	RMS	2496.7	18.2	60	Pass	601
2700	3000	1	RMS	2700.5	-48.35	-25	Pass	601
3000	12000	1	RMS	11966.996	-72.12	-25	Pass	9000
12000	27000	1	RMS	24861.857	-59.85	-25	Pass	15000




16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.43	-25	Pass	601
0.15	30	0.01	RMS	0.16	-56.44	-25	Pass	2985
30	1000	0.1	RMS	915.291	-62.4	-25	Pass	9700
1000	2486	1	RMS	2486	-45.96	-25	Pass	1486
2486	2700	1	RMS	2496.343	16.56	60	Pass	601
2700	3000	1	RMS	2702	-48.43	-25	Pass	601
3000	12000	1	RMS	11967.996	-72.21	-25	Pass	9000
12000	27000	1	RMS	24860.857	-59.83	-25	Pass	15000




16.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.46	-25	Pass	601
0.15	30	0.01	RMS	0.16	-56.62	-25	Pass	2985
30	1000	0.1	RMS	924.692	-62.59	-25	Pass	9700
1000	2486	1	RMS	2421.957	-49.57	-25	Pass	1486
2486	2700	1	RMS	2588.72	18.3	60	Pass	601
2700	3000	1	RMS	2700	-48.41	-25	Pass	601
3000	12000	1	RMS	11972.997	-72.15	-25	Pass	9000
12000	27000	1	RMS	24902.86	-59.81	-25	Pass	15000




16.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.54	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.31	-25	Pass	2985
30	1000	0.1	RMS	907.69	-62.72	-25	Pass	9700
1000	2486	1	RMS	2421.957	-49.68	-25	Pass	1486
2486	2700	1	RMS	2588.363	17.04	60	Pass	601
2700	3000	1	RMS	2700.5	-48.38	-25	Pass	601
3000	12000	1	RMS	11971.997	-72.12	-25	Pass	9000
12000	27000	1	RMS	24907.861	-59.73	-25	Pass	15000




**16.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.59	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.29	-25	Pass	2985
30	1000	0.1	RMS	940.294	-62.64	-25	Pass	9700
1000	2486	1	RMS	2433.965	-49.69	-25	Pass	1486
2486	2700	1	RMS	2680.383	18.13	60	Pass	601
2700	3000	1	RMS	2700.5	-47.54	-25	Pass	601
3000	12000	1	RMS	11969.997	-72.18	-25	Pass	9000
12000	27000	1	RMS	24912.861	-59.84	-25	Pass	15000




16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.36	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.9	-25	Pass	2985
30	1000	0.1	RMS	966.097	-62.72	-25	Pass	9700
1000	2486	1	RMS	2408.948	-49.68	-25	Pass	1486
2486	2700	1	RMS	2680.383	16.5	60	Pass	601
2700	3000	1	RMS	2700.5	-47.65	-25	Pass	601
3000	12000	1	RMS	11968.997	-72.12	-25	Pass	9000
12000	27000	1	RMS	24898.86	-59.79	-25	Pass	15000




**16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.26	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.51	-25	Pass	2985
30	1000	0.1	RMS	910.491	-62.75	-25	Pass	9700
1000	2486	1	RMS	2483.999	-46.68	-25	Pass	1486
2486	2700	1	RMS	2497.057	17.27	60	Pass	601
2700	3000	1	RMS	2701	-48.4	-25	Pass	601
3000	12000	1	RMS	11971.997	-72.2	-25	Pass	9000
12000	27000	1	RMS	24896.86	-59.8	-25	Pass	15000




16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.19	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.35	-25	Pass	2985
30	1000	0.1	RMS	933.793	-62.72	-25	Pass	9700
1000	2486	1	RMS	2484.999	-46.5	-25	Pass	1486
2486	2700	1	RMS	2497.057	16.99	60	Pass	601
2700	3000	1	RMS	2701	-48.41	-25	Pass	601
3000	12000	1	RMS	11968.997	-72.1	-25	Pass	9000
12000	27000	1	RMS	24900.86	-59.82	-25	Pass	15000




**16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.17	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.89	-25	Pass	2985
30	1000	0.1	RMS	907.39	-62.67	-25	Pass	9700
1000	2486	1	RMS	2429.962	-49.65	-25	Pass	1486
2486	2700	1	RMS	2586.223	17.7	60	Pass	601
2700	3000	1	RMS	2700.5	-48.39	-25	Pass	601
3000	12000	1	RMS	11968.997	-72.17	-25	Pass	9000
12000	27000	1	RMS	24916.861	-59.85	-25	Pass	15000




16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.27	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.82	-25	Pass	2985
30	1000	0.1	RMS	908.291	-62.71	-25	Pass	9700
1000	2486	1	RMS	2420.956	-49.68	-25	Pass	1486
2486	2700	1	RMS	2586.58	16.87	60	Pass	601
2700	3000	1	RMS	2700.5	-48.36	-25	Pass	601
3000	12000	1	RMS	11973.997	-72.08	-25	Pass	9000
12000	27000	1	RMS	24888.859	-59.77	-25	Pass	15000




**16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.7	-25	Pass	601
0.15	30	0.01	RMS	0.16	-57.37	-25	Pass	2985
30	1000	0.1	RMS	911.291	-62.56	-25	Pass	9700
1000	2486	1	RMS	2425.96	-49.67	-25	Pass	1486
2486	2700	1	RMS	2675.747	18.24	60	Pass	601
2700	3000	1	RMS	2700	-47.85	-25	Pass	601
3000	12000	1	RMS	11970.997	-72.13	-25	Pass	9000
12000	27000	1	RMS	24904.86	-59.87	-25	Pass	15000




16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.11	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.32	-25	Pass	2985
30	1000	0.1	RMS	920.092	-62.69	-25	Pass	9700
1000	2486	1	RMS	2426.96	-49.62	-25	Pass	1486
2486	2700	1	RMS	2675.747	17.52	60	Pass	601
2700	3000	1	RMS	2700	-47.74	-25	Pass	601
3000	12000	1	RMS	11969.997	-72.18	-25	Pass	9000
12000	27000	1	RMS	24901.86	-59.83	-25	Pass	15000




**16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.22	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.95	-25	Pass	2985
30	1000	0.1	RMS	911.791	-62.65	-25	Pass	9700
1000	2486	1	RMS	2484.999	-46.21	-25	Pass	1486
2486	2700	1	RMS	2497.057	17.26	60	Pass	601
2700	3000	1	RMS	2701	-48.38	-25	Pass	601
3000	12000	1	RMS	11968.997	-72.2	-25	Pass	9000
12000	27000	1	RMS	24918.861	-59.85	-25	Pass	15000




16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.21	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.14	-25	Pass	2985
30	1000	0.1	RMS	928.093	-62.69	-25	Pass	9700
1000	2486	1	RMS	2483.999	-46.21	-25	Pass	1486
2486	2700	1	RMS	2497.057	16.6	60	Pass	601
2700	3000	1	RMS	2702	-48.42	-25	Pass	601
3000	12000	1	RMS	11964.996	-72.13	-25	Pass	9000
12000	27000	1	RMS	24859.857	-59.85	-25	Pass	15000




**16.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.19	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.08	-25	Pass	2985
30	1000	0.1	RMS	932.993	-62.71	-25	Pass	9700
1000	2486	1	RMS	2446.974	-49.66	-25	Pass	1486
2486	2700	1	RMS	2584.083	18.3	60	Pass	601
2700	3000	1	RMS	2700	-48.39	-25	Pass	601
3000	12000	1	RMS	11982.998	-72.21	-25	Pass	9000
12000	27000	1	RMS	24887.859	-59.82	-25	Pass	15000




16.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.58	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.36	-25	Pass	2985
30	1000	0.1	RMS	801.98	-62.63	-25	Pass	9700
1000	2486	1	RMS	2425.96	-49.62	-25	Pass	1486
2486	2700	1	RMS	2584.083	17.47	60	Pass	601
2700	3000	1	RMS	2700.5	-48.42	-25	Pass	601
3000	12000	1	RMS	11969.997	-72.14	-25	Pass	9000
12000	27000	1	RMS	24851.857	-59.8	-25	Pass	15000




**16.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.23	-25	Pass	2985
30	1000	0.1	RMS	926.892	-62.62	-25	Pass	9700
1000	2486	1	RMS	2421.957	-49.64	-25	Pass	1486
2486	2700	1	RMS	2671.11	18.29	60	Pass	601
2700	3000	1	RMS	2700.5	-47.86	-25	Pass	601
3000	12000	1	RMS	11969.997	-72.11	-25	Pass	9000
12000	27000	1	RMS	24887.859	-59.83	-25	Pass	15000



16.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.99	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.7	-25	Pass	2985
30	1000	0.1	RMS	914.991	-62.58	-25	Pass	9700
1000	2486	1	RMS	2486	-49.67	-25	Pass	1486
2486	2700	1	RMS	2671.11	17.43	60	Pass	601
2700	3000	1	RMS	2700.5	-47.92	-25	Pass	601
3000	12000	1	RMS	11970.997	-72.11	-25	Pass	9000
12000	27000	1	RMS	24884.859	-59.78	-25	Pass	15000



17. NR n41 30kHz


**17.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.19	-25	Pass	2986
30	1000	0.1	RMS	935.1	-60.53	-25	Pass	9701
1000	2486	1	RMS	2483	-46.88	-25	Pass	1487
2486	2700	1	RMS	2509.183	13.75	60	Pass	601
2700	3000	1	RMS	2706	-48.86	-25	Pass	601
3000	6500	1	RMS	5744	-69.36	-25	Pass	3501
6500	27000	1	RMS	24857	-48.9	-25	Pass	20501




17.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.37	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.36	-25	Pass	2986
30	1000	0.1	RMS	926.1	-60.61	-25	Pass	9701
1000	2486	1	RMS	2483	-47.36	-25	Pass	1487
2486	2700	1	RMS	2503.12	13.61	60	Pass	601
2700	3000	1	RMS	2700.5	-48.88	-25	Pass	601
3000	6500	1	RMS	5785	-70.01	-25	Pass	3501
6500	27000	1	RMS	26045	-48.76	-25	Pass	20501




**17.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.46	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.16	-25	Pass	2986
30	1000	0.1	RMS	904.6	-60.38	-25	Pass	9701
1000	2486	1	RMS	2414	-50.14	-25	Pass	1487
2486	2700	1	RMS	2595.497	13.42	60	Pass	601
2700	3000	1	RMS	2703	-48.91	-25	Pass	601
3000	6500	1	RMS	5185	-68.19	-25	Pass	3501
6500	27000	1	RMS	24933	-48.89	-25	Pass	20501




**17.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.98	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.61	-25	Pass	2986
30	1000	0.1	RMS	865.1	-60.79	-25	Pass	9701
1000	2486	1	RMS	2422	-50.14	-25	Pass	1487
2486	2700	1	RMS	2595.853	13.72	60	Pass	601
2700	3000	1	RMS	2701.5	-48.89	-25	Pass	601
3000	6500	1	RMS	5753	-67.91	-25	Pass	3501
6500	27000	1	RMS	24911	-48.9	-25	Pass	20501




**17.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.86	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.22	-25	Pass	2986
30	1000	0.1	RMS	939.8	-60.69	-25	Pass	9701
1000	2486	1	RMS	2424	-50.1	-25	Pass	1487
2486	2700	1	RMS	2677.53	13.8	60	Pass	601
2700	3000	1	RMS	2700	-40.91	-25	Pass	601
3000	6500	1	RMS	5744	-69.87	-25	Pass	3501
6500	27000	1	RMS	24926	-48.62	-25	Pass	20501




**17.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.14	-25	Pass	601
0.15	30	0.01	RMS	0.17	-57.3	-25	Pass	2986
30	1000	0.1	RMS	919.2	-60.76	-25	Pass	9701
1000	2486	1	RMS	2484	-50.06	-25	Pass	1487
2486	2700	1	RMS	2677.53	13.33	60	Pass	601
2700	3000	1	RMS	2701	-41.29	-25	Pass	601
3000	6500	1	RMS	5357	-69.81	-25	Pass	3501
6500	27000	1	RMS	24823	-48.56	-25	Pass	20501




**17.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.69	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.32	-25	Pass	2986
30	1000	0.1	RMS	941	-60.93	-25	Pass	9701
1000	2486	1	RMS	2483	-36.43	-25	Pass	1487
2486	2700	1	RMS	2532.723	6.94	60	Pass	601
2700	3000	1	RMS	2702.5	-48.94	-25	Pass	601
3000	6500	1	RMS	5762	-69.75	-25	Pass	3501
6500	27000	1	RMS	24412	-48.33	-25	Pass	20501




17.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.74	-25	Pass	601
0.15	30	0.01	RMS	0.16	-57.15	-25	Pass	2986
30	1000	0.1	RMS	802	-60.12	-25	Pass	9701
1000	2486	1	RMS	2484	-34.58	-25	Pass	1487
2486	2700	1	RMS	2532.01	7.95	60	Pass	601
2700	3000	1	RMS	2703	-48.98	-25	Pass	601
3000	6500	1	RMS	5752	-69.53	-25	Pass	3501
6500	27000	1	RMS	24869	-48.69	-25	Pass	20501




**17.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.24	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.81	-25	Pass	2986
30	1000	0.1	RMS	806.2	-60.49	-25	Pass	9701
1000	2486	1	RMS	2484	-50.19	-25	Pass	1487
2486	2700	1	RMS	2604.77	6.93	60	Pass	601
2700	3000	1	RMS	2700.5	-49.02	-25	Pass	601
3000	6500	1	RMS	5720	-69.92	-25	Pass	3501
6500	27000	1	RMS	24917	-48.66	-25	Pass	20501




**17.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.01	-25	Pass	601
0.15	30	0.01	RMS	0.18	-57.99	-25	Pass	2986
30	1000	0.1	RMS	981.5	-60.9	-25	Pass	9701
1000	2486	1	RMS	2434	-50.07	-25	Pass	1487
2486	2700	1	RMS	2599.42	5.89	60	Pass	601
2700	3000	1	RMS	2701	-48.97	-25	Pass	601
3000	6500	1	RMS	5833	-69.94	-25	Pass	3501
6500	27000	1	RMS	26051	-48.98	-25	Pass	20501




**17.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.36	-25	Pass	601
0.15	30	0.01	RMS	0.15	-53.34	-25	Pass	2986
30	1000	0.1	RMS	940.4	-60.84	-25	Pass	9701
1000	2486	1	RMS	2436	-49.97	-25	Pass	1487
2486	2700	1	RMS	2650.78	7.45	60	Pass	601
2700	3000	1	RMS	2701	-37.63	-25	Pass	601
3000	6500	1	RMS	5718	-69.76	-25	Pass	3501
6500	27000	1	RMS	25936	-48.82	-25	Pass	20501




**17.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.25	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.51	-25	Pass	2986
30	1000	0.1	RMS	954.6	-60.73	-25	Pass	9701
1000	2486	1	RMS	2434	-49.67	-25	Pass	1487
2486	2700	1	RMS	2666.473	7.2	60	Pass	601
2700	3000	1	RMS	2700	-36.81	-25	Pass	601
3000	6500	1	RMS	5722	-69.99	-25	Pass	3501
6500	27000	1	RMS	24858	-49.01	-25	Pass	20501




**17.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-54.81	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.1	-25	Pass	2986
30	1000	0.1	RMS	892.8	-60.15	-25	Pass	9701
1000	2486	1	RMS	2481	-37.99	-25	Pass	1487
2486	2700	1	RMS	2532.367	4.64	60	Pass	601
2700	3000	1	RMS	2701	-48.97	-25	Pass	601
3000	6500	1	RMS	5788	-69.87	-25	Pass	3501
6500	27000	1	RMS	24899	-48.51	-25	Pass	20501




17.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.05	-25	Pass	601
0.15	30	0.01	RMS	0.16	-56.67	-25	Pass	2986
30	1000	0.1	RMS	942.6	-60.88	-25	Pass	9701
1000	2486	1	RMS	2482	-37.67	-25	Pass	1487
2486	2700	1	RMS	2541.64	5.27	60	Pass	601
2700	3000	1	RMS	2700	-48.83	-25	Pass	601
3000	6500	1	RMS	5760	-69.96	-25	Pass	3501
6500	27000	1	RMS	24807	-48.98	-25	Pass	20501




**17.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.91	-25	Pass	601
0.15	30	0.01	RMS	0.16	-55.95	-25	Pass	2986
30	1000	0.1	RMS	875.8	-60.81	-25	Pass	9701
1000	2486	1	RMS	2484	-50.12	-25	Pass	1487
2486	2700	1	RMS	2610.833	2.63	60	Pass	601
2700	3000	1	RMS	2701	-47.45	-25	Pass	601
3000	6500	1	RMS	5767	-68.86	-25	Pass	3501
6500	27000	1	RMS	24899	-48.75	-25	Pass	20501




**17.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.75	-25	Pass	601
0.15	30	0.01	RMS	0.17	-55.3	-25	Pass	2986
30	1000	0.1	RMS	966.8	-60.45	-25	Pass	9701
1000	2486	1	RMS	2431	-49.41	-25	Pass	1487
2486	2700	1	RMS	2614.4	4.94	60	Pass	601
2700	3000	1	RMS	2702.5	-48.08	-25	Pass	601
3000	6500	1	RMS	5766	-68.55	-25	Pass	3501
6500	27000	1	RMS	25405	-48.69	-25	Pass	20501



**17.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.58	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.08	-25	Pass	2986
30	1000	0.1	RMS	809.4	-60.99	-25	Pass	9701
1000	2486	1	RMS	2431	-49.44	-25	Pass	1487
2486	2700	1	RMS	2650.78	3.44	60	Pass	601
2700	3000	1	RMS	2700.5	-39.65	-25	Pass	601
3000	6500	1	RMS	5812	-69.88	-25	Pass	3501
6500	27000	1	RMS	24853	-48.26	-25	Pass	20501



**17.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.11	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.64	-25	Pass	2986
30	1000	0.1	RMS	875.7	-60.65	-25	Pass	9701
1000	2486	1	RMS	2433	-50	-25	Pass	1487
2486	2700	1	RMS	2653.633	3.93	60	Pass	601
2700	3000	1	RMS	2700.5	-38.21	-25	Pass	601
3000	6500	1	RMS	5751	-68.11	-25	Pass	3501
6500	27000	1	RMS	25993	-48.87	-25	Pass	20501

