



Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10360.29	39.26	6.74	46.00	68.20	22.20	150	90	PK	Horizontal	PASS
2	15540.06	36.70	13.33	50.03	74.00	23.97	150	32	PK	Horizontal	PASS
3	15540.06	28.02	13.33	41.35	54.00	12.65	150	31	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10360.29	37.56	6.74	44.30	68.20	23.90	150	36	PK	Vertical	PASS
2	15540.06	37.08	13.33	50.41	74.00	23.59	150	30	PK	Vertical	PASS
3	15540.06	29.77	13.33	43.10	54.00	10.90	150	100	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11a_Channel 44

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10440.03	39.05	5.95	45.00	68.20	23.20	150	31	PK	Horizontal	PASS
2	15660.05	35.80	13.99	49.79	74.00	24.21	150	130	PK	Horizontal	PASS
3	15660.05	28.71	13.99	42.70	54.00	11.30	150	88	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10440.03	39.46	5.95	45.41	68.20	22.79	150	48	PK	Vertical	PASS
2	15660.05	35.57	13.99	49.56	74.00	24.44	150	74	PK	Vertical	PASS
3	15660.05	28.50	13.99	42.49	54.00	11.51	150	129	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

IEEE 802.11a_Channel 48

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10480.28	38.05	6.29	44.34	68.20	23.86	150	128	PK	Horizontal	PASS
2	15720.24	36.37	14.84	51.21	74.00	22.79	150	180	PK	Horizontal	PASS
3	15720.24	28.55	14.84	43.39	54.00	10.61	150	99	AV	Horizontal	PASS



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10480.28	40.28	6.29	46.57	68.20	21.63	150	30	PK	Vertical	PASS
2	15720.24	36.62	14.84	51.46	74.00	22.54	150	116	PK	Vertical	PASS
3	15720.24	28.77	14.84	43.61	54.00	10.39	150	129	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11a_Channel 52

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10520.15	38.58	6.67	45.25	68.20	22.95	150	100	PK	Horizontal	PASS
2	15780.42	37.25	14.41	51.66	74.00	22.34	150	170	PK	Horizontal	PASS
3	15780.42	29.08	14.41	43.49	54.00	10.51	150	170	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10520.15	38.27	6.67	44.94	68.20	23.26	150	170	PK	Vertical	PASS
2	15780.04	36.25	14.41	50.66	74.00	23.34	150	59	PK	Vertical	PASS
3	15780.04	28.27	14.41	42.68	54.00	11.32	150	36	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11a_Channel 60

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10599.50	38.82	6.18	45.00	68.20	23.20	150	129	PK	Horizontal	PASS
2	15899.26	37.49	14.63	52.12	74.00	21.88	150	31	PK	Horizontal	PASS
3	15899.26	28.73	14.63	43.36	54.00	10.64	150	116	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10599.88	40.27	6.17	46.44	68.20	21.76	150	116	PK	Vertical	PASS
2	15899.64	37.38	14.63	52.01	74.00	21.99	150	38	PK	Vertical	PASS
3	15899.64	30.11	14.63	44.74	54.00	9.26	150	170	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11a_Channel 64

Test Graph



Data List												
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict	
1	5350.015	52.28	-0.98	51.30	74.00	22.70	150	111	PK	Horizontal	PASS	
2	5352.175	57.57	-1.00	56.57	74.00	17.43	150	201	PK	Horizontal	PASS	
3	5350.015	42.84	-0.98	41.86	54.00	12.14	150	187	AV	Horizontal	PASS	
4	5353.510	43.63	-1.01	42.62	54.00	11.38	150	187	AV	Horizontal	PASS	

Test Graph



Data List												
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict	
1	5350.015	52.71	-0.98	51.73	74.00	22.27	150	358	PK	Vertical	PASS	
2	5353.150	53.15	-1.00	52.15	74.00	21.85	150	157	PK	Vertical	PASS	
3	5350.015	41.93	-0.98	40.95	54.00	13.05	150	360	AV	Vertical	PASS	
4	5353.090	42.97	-1.00	41.97	54.00	12.03	150	105	AV	Vertical	PASS	

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10640.13	39.38	6.44	45.82	74.00	28.18	150	128	PK	Horizontal	PASS
2	15959.83	37.51	14.41	51.92	74.00	22.08	150	37	PK	Horizontal	PASS
3	10640.13	31.29	6.44	37.73	54.00	16.27	150	128	AV	Horizontal	PASS
4	15959.83	29.21	14.41	43.62	54.00	10.38	150	30	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10640.13	39.11	6.44	45.55	74.00	28.45	150	30	PK	Vertical	PASS
2	15960.21	37.07	14.41	51.48	74.00	22.52	150	32	PK	Vertical	PASS
3	10640.13	31.99	6.44	38.43	54.00	15.57	150	48	AV	Vertical	PASS
4	15960.21	28.19	14.41	42.60	54.00	11.40	150	157	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11a_Channel 100

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5466.066	57.36	-0.70	56.66	68.30	11.64	150	189	PK	Horizontal	PASS
2	5470.009	55.91	-0.72	55.19	68.30	13.11	150	178	PK	Horizontal	PASS
3	5465.418	44.13	-0.70	43.43	48.30	4.87	150	178	AV	Horizontal	PASS
4	5470.009	43.91	-0.72	43.19	48.30	5.11	150	219	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5463.456	54.73	-0.69	54.04	68.30	14.26	150	175	PK	Vertical	PASS
2	5470.009	51.72	-0.72	51.00	68.30	17.30	150	124	PK	Vertical	PASS
3	5460.630	43.82	-0.68	43.14	48.30	5.16	150	329	AV	Vertical	PASS
4	5470.009	43.09	-0.72	42.37	48.30	5.93	150	19	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11000.1	37.90	6.34	44.24	74.00	29.76	150	142	PK	Horizontal	PASS
2	16500.35	36.64	16.08	52.72	68.20	15.48	150	115	PK	Horizontal	PASS
3	11000.1	30.44	6.34	36.78	54.00	17.22	150	30	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11000.100	39.19	6.34	45.53	74.00	28.47	150	158	PK	Vertical	PASS
2	16500.35	37.06	16.08	53.14	68.20	15.06	150	61	PK	Vertical	PASS
3	11000.100	29.65	6.34	35.99	54.00	18.01	150	48	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11a_Channel 116

Test Graph



Data List												
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict	
1	11160.338	36.83	6.64	43.47	74.00	30.53	150	64	PK	Horizontal	PASS	
2	16740.32	36.66	15.94	52.60	68.20	15.60	150	78	PK	Horizontal	PASS	
3	11160.338	30.58	6.64	37.22	54.00	16.78	150	107	AV	Horizontal	PASS	

Test Graph



Data List												
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict	
1	11160.338	38.72	6.64	45.36	74.00	28.64	150	30	PK	Vertical	PASS	
2	16740.32	35.81	15.94	51.75	68.20	16.45	150	180	PK	Vertical	PASS	
3	11160.338	30.03	6.64	36.67	54.00	17.33	150	58	AV	Vertical	PASS	

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11a_Channel 140

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11400.313	37.94	6.66	44.60	74.00	29.40	150	59	PK	Horizontal	PASS
2	17100.28	37.46	15.76	53.22	68.20	14.98	150	30	PK	Horizontal	PASS
3	11400.313	30.17	6.66	36.83	54.00	17.17	150	30	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11400.313	37.84	6.66	44.50	74.00	29.50	150	46	PK	Vertical	PASS
2	17100.28	37.41	15.76	53.17	68.20	15.03	150	143	PK	Vertical	PASS
3	11400.313	30.31	6.66	36.97	54.00	17.03	150	125	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11a_Channel 144

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11440.181	36.99	6.80	43.79	74.00	30.21	150	152	PK	Horizontal	PASS
2	17160.08	36.76	15.76	52.52	68.20	15.68	150	30	PK	Horizontal	PASS
3	11440.181	29.82	6.80	36.62	54.00	17.38	150	167	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11440.181	38.35	6.80	45.15	74.00	28.85	150	30	PK	Vertical	PASS
2	17160.08	36.21	15.76	51.97	68.20	16.23	150	63	PK	Vertical	PASS
3	11440.181	29.11	6.80	35.91	54.00	18.09	150	63	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11a_Channel 149

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11490.016	37.67	6.68	44.35	74.00	29.65	150	31	PK	Horizontal	PASS
2	17235.22	37.99	16.00	53.99	68.20	14.21	150	116	PK	Horizontal	PASS
3	11490.016	29.85	6.68	36.53	54.00	17.47	150	50	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11490.016	37.55	6.68	44.23	74.00	29.77	150	50	PK	Vertical	PASS
2	17235.22	38.58	16.00	54.58	68.20	13.62	150	50	PK	Vertical	PASS
3	11490.016	31.81	6.68	38.49	54.00	15.51	150	30	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11a_Channel 157

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11570.135	37.91	6.62	44.53	74.00	29.47	150	110	PK	Horizontal	PASS
2	17355.211	36.59	14.64	51.23	68.20	16.97	150	30	PK	Horizontal	PASS
3	11570.135	30.17	6.62	36.79	54.00	17.21	150	96	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11570.135	37.23	6.62	43.85	74.00	30.15	150	142	PK	Vertical	PASS
2	17355.211	37.81	14.64	52.45	68.20	15.75	150	122	PK	Vertical	PASS
3	11570.135	30.26	6.62	36.88	54.00	17.12	150	51	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11a_Channel 165

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5850	47.21	-0.05	47.16	122.30	75.14	150	160	PK	Horizontal	PASS
2	5850	39.08	-0.05	39.03	102.30	63.27	150	168	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5850	41.39	-0.05	41.34	122.30	80.96	150	80	PK	Vertical	PASS
2	5850	32.19	-0.05	32.14	102.30	70.16	150	312	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11650.255	37.70	6.74	44.44	74.00	29.56	150	169	PK	Horizontal	PASS
2	17475.19	36.82	14.61	51.43	68.20	16.77	150	155	PK	Horizontal	PASS
3	11650.255	30.10	6.74	36.84	54.00	17.16	150	58	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11650.255	37.64	6.74	44.38	74.00	29.62	150	126	PK	Vertical	PASS
2	17475.19	36.39	14.61	51.00	68.20	17.20	150	57	PK	Vertical	PASS
3	11650.255	30.53	6.74	37.27	54.00	16.73	150	57	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n-HT20_Channel 36

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5149.1589	55.71	-1.37	54.34	74.00	19.66	150	155	PK	Horizontal	PASS
2	5150.013	48.42	-1.38	47.04	74.00	26.96	150	192	PK	Horizontal	PASS
3	5142.3402	41.21	-1.33	39.88	54.00	14.12	150	192	AV	Horizontal	PASS
4	5150.013	39.00	-1.38	37.62	54.00	16.38	150	192	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5143.0263	49.60	-1.32	48.28	74.00	25.72	150	72	PK	Vertical	PASS
2	5150.013	45.34	-1.38	43.96	74.00	30.04	150	168	PK	Vertical	PASS
3	5147.1287	37.15	-1.36	35.79	54.00	18.21	150	344	AV	Vertical	PASS
4	5150.013	36.55	-1.38	35.17	54.00	18.83	150	72	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detect or	Polarity	Verdict
1	10360.2953	37.99	6.74	44.73	68.20	23.47	150	32	PK	Horizontal	PASS
2	15540.068	36.48	13.33	49.81	74.00	24.19	150	31	PK	Horizontal	PASS
3	15540.068	29.61	13.33	42.94	54.00	11.06	150	90	AV	Horizontal	PASS

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detect or	Polarity	Verdict
1	10360.2953	40.14	6.74	46.88	68.20	21.32	150	47	PK	Vertical	PASS
2	15540.068	36.63	13.33	49.96	74.00	24.04	150	156	PK	Vertical	PASS
3	15540.068	28.94	13.33	42.27	54.00	11.73	150	101	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n-HT20_Channel 44

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10440.0313	39.27	5.95	45.22	68.20	22.98	150	30	PK	Horizontal	PASS
2	15660.0553	35.61	13.99	49.60	74.00	24.40	150	53	PK	Horizontal	PASS
3	15660.0553	29.03	13.99	43.02	54.00	10.98	150	31	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10440.0313	39.45	5.95	45.40	68.20	22.80	150	31	PK	Vertical	PASS
2	15660.0553	37.73	13.99	51.72	74.00	22.28	150	74	PK	Vertical	PASS
3	15660.0553	28.78	13.99	42.77	54.00	11.23	150	36	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n-HT20_Channel 48

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10480.2827	39.32	6.29	45.61	68.20	22.59	150	170	PK	Horizontal	PASS
2	15720.2407	37.06	14.84	51.90	74.00	22.10	150	30	PK	Horizontal	PASS
3	15720.2407	28.46	14.84	43.30	54.00	10.70	150	81	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10480.2827	39.64	6.29	45.93	68.20	22.27	150	60	PK	Vertical	PASS
2	15720.2407	37.25	14.84	52.09	74.00	21.91	150	156	PK	Vertical	PASS
3	15720.2407	28.92	14.84	43.76	54.00	10.24	150	32	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n-HT20_Channel 52

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10520.1507	39.25	6.67	45.92	68.20	22.28	150	30	PK	Horizontal	PASS
2	15780.0427	36.77	14.41	51.18	74.00	22.82	150	105	PK	Horizontal	PASS
3	15780.0427	28.94	14.41	43.35	54.00	10.65	150	63	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10520.1507	38.65	6.67	45.32	68.20	22.88	150	48	PK	Vertical	PASS
2	15780.0427	36.71	14.41	51.12	74.00	22.88	150	89	PK	Vertical	PASS
3	15780.0427	28.58	14.41	42.99	54.00	11.01	150	102	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n-HT20_Channel 60

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10600.27	38.89	6.17	45.06	74.00	28.94	150	139	PK	Horizontal	PASS
2	15900.03	38.19	14.64	52.83	74.00	21.17	150	98	PK	Horizontal	PASS
3	10600.27	30.83	6.17	37.00	54.00	17.00	150	112	AV	Horizontal	PASS
4	15900.03	28.56	14.64	43.20	54.00	10.80	150	31	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10600.27	40.22	6.17	46.39	74.00	27.61	150	30	PK	Vertical	PASS
2	15900.03	38.55	14.64	53.19	74.00	20.81	150	101	PK	Vertical	PASS
3	10600.27	33.10	6.17	39.27	54.00	14.73	150	31	AV	Vertical	PASS
4	15900.03	29.17	14.64	43.81	54.00	10.19	150	142	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n-HT20_Channel 64

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5350	55.33	-0.98	54.35	74.00	19.65	150	192	PK	Horizontal	PASS
2	5351.6202	57.06	-0.99	56.07	74.00	17.93	150	185	PK	Horizontal	PASS
3	5350	38.70	-0.98	37.72	54.00	16.28	150	185	AV	Horizontal	PASS
4	5357.8008	41.48	-1.02	40.46	54.00	13.54	150	178	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5350	46.15	-0.98	45.17	74.00	28.83	150	352	PK	Vertical	PASS
2	5351.7702	48.35	-0.99	47.36	74.00	26.64	150	86	PK	Vertical	PASS
3	5350	34.81	-0.98	33.83	54.00	20.17	150	352	AV	Vertical	PASS
4	5352.4602	36.32	-1.00	35.32	54.00	18.68	150	304	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10640.138	39.04	6.44	45.48	74.00	28.52	150	128	PK	Horizontal	PASS
2	15960.2153	36.29	14.41	50.70	74.00	23.30	150	30	PK	Horizontal	PASS
3	10640.138	31.76	6.44	38.20	54.00	15.80	150	30	AV	Horizontal	PASS
4	15960.2153	28.26	14.41	42.67	54.00	11.33	150	57	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10640.138	40.04	6.44	46.48	74.00	27.52	150	33	PK	Vertical	PASS
2	15960.2153	37.35	14.41	51.76	74.00	22.24	150	103	PK	Vertical	PASS
3	10640.138	32.80	6.44	39.24	54.00	14.76	150	48	AV	Vertical	PASS
4	15960.2153	28.65	14.41	43.06	54.00	10.94	150	103	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n-HT20_Channel 100

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5467.7228	57.25	-0.71	56.54	68.30	11.76	150	173	PK	Horizontal	PASS
2	5470.009	51.64	-0.72	50.92	68.30	17.38	150	107	PK	Horizontal	PASS
3	5462.4482	41.84	-0.70	41.14	48.30	7.16	150	189	AV	Horizontal	PASS
4	5470.009	40.00	-0.72	39.28	48.30	9.02	150	173	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5467.5248	48.41	-0.71	47.70	68.30	20.60	150	80	PK	Vertical	PASS
2	5470.009	44.74	-0.72	44.02	68.30	24.28	150	281	PK	Vertical	PASS
3	5463.1683	36.52	-0.69	35.83	48.30	12.47	150	191	AV	Vertical	PASS
4	5470.009	35.58	-0.72	34.86	48.30	13.44	150	87	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11000.1	38.06	6.34	44.40	74.00	29.60	150	129	PK	Horizontal	PASS
2	16500.35	35.66	16.08	51.74	68.20	16.46	150	32	PK	Horizontal	PASS
3	11000.1	31.22	6.34	37.56	54.00	16.44	150	144	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11000.1	40.92	6.34	47.26	74.00	26.74	150	116	PK	Vertical	PASS
2	16500.35	36.47	16.08	52.55	68.20	15.65	150	116	PK	Vertical	PASS
3	11000.1	32.16	6.34	38.50	54.00	15.50	150	48	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n-HT20_Channel 116

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11160.3387	38.03	6.64	44.67	74.00	29.33	150	129	PK	Horizontal	PASS
2	16740.3247	37.47	15.94	53.41	68.20	14.79	150	129	PK	Horizontal	PASS
3	11160.3387	30.79	6.64	37.43	54.00	16.57	150	30	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11160.3387	38.35	6.64	44.99	74.00	29.01	150	30	PK	Vertical	PASS
2	16740.3247	36.33	15.94	52.27	68.20	15.93	150	100	PK	Vertical	PASS
3	11160.3387	30.79	6.64	37.43	54.00	16.57	150	140	AV	Vertical	PASS
4	5150.013	36.55	-1.38	35.17	54.00	18.83	150	72	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n-HT20_Channel 140

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11400.3133	38.27	6.66	44.93	74.00	29.07	150	102	PK	Horizontal	PASS
2	17100.2867	36.36	15.76	52.12	68.20	16.08	150	102	PK	Horizontal	PASS
3	11400.3133	30.24	6.66	36.90	54.00	17.10	150	144	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11400.3133	39.21	6.66	45.87	74.00	28.13	150	156	PK	Vertical	PASS
2	17100.2867	37.73	15.76	53.49	68.20	14.71	150	115	PK	Vertical	PASS
3	11400.3133	31.01	6.66	37.67	54.00	16.33	150	180	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n-HT20_Channel 144

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11440.1813	37.92	6.80	44.72	74.00	29.28	150	32	PK	Horizontal	PASS
2	17160.0887	37.08	15.76	52.84	68.20	15.36	150	47	PK	Horizontal	PASS
3	11440.1813	30.64	6.80	37.44	54.00	16.56	150	180	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11440.1813	38.39	6.80	45.19	74.00	28.81	150	31	PK	Vertical	PASS
2	17160.0887	36.91	15.76	52.67	68.20	15.53	150	49	PK	Vertical	PASS
3	11440.1813	29.86	6.80	36.66	54.00	17.34	150	32	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n-HT20_Channel 149

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11490.0163	38.56	6.68	45.24	74.00	28.76	150	143	PK	Horizontal	PASS
2	17235.2245	37.24	16.00	53.24	68.20	14.96	150	44	PK	Horizontal	PASS
3	11490.0163	30.62	6.68	37.30	54.00	16.70	150	71	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11490.0163	40.69	6.68	47.37	74.00	26.63	150	37	PK	Vertical	PASS
2	17235.2245	36.69	16.00	52.69	68.20	15.51	150	30	PK	Vertical	PASS
3	11490.0163	30.87	6.68	37.55	54.00	16.45	150	30	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1