



IEEE 802.11n-HT20_Channel 157

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11570.1357	39.29	6.62	45.91	74.00	28.09	150	62	PK	Horizontal	PASS
2	17355.2118	37.35	14.64	51.99	68.20	16.21	150	111	PK	Horizontal	PASS
3	11570.1357	30.84	6.62	37.46	54.00	16.54	150	111	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11570.1357	40.24	6.62	46.86	74.00	27.14	150	116	PK	Vertical	PASS
2	17355.2118	36.99	14.64	51.63	68.20	16.57	150	103	PK	Vertical	PASS
3	11570.1357	31.13	6.62	37.75	54.00	16.25	150	31	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n-HT20_Channel 165

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5850	52.71	-0.05	52.66	122.30	69.64	150	169	PK	Horizontal	PASS
2	5850	42.80	-0.05	42.75	102.30	59.55	150	169	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5850	45.28	-0.05	45.23	122.30	77.07	150	309	PK	Vertical	PASS
2	5850	35.20	-0.05	35.15	102.30	67.15	150	293	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11650.255	38.37	6.74	45.11	74.00	28.89	150	51	PK	Horizontal	PASS
2	17475.1992	37.45	14.61	52.06	68.20	16.14	150	31	PK	Horizontal	PASS
3	11650.255	31.06	6.74	37.80	54.00	16.20	150	127	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11650.255	40.14	6.74	46.88	74.00	27.12	150	30	PK	Vertical	PASS
2	17475.1992	39.39	14.61	54.00	68.20	14.20	150	47	PK	Vertical	PASS
3	11650.255	30.25	6.74	36.99	54.00	17.01	150	73	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1

IEEE 802.11n-HT40_Channel 38


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5148.7249	49.42	8.39	57.81	74.00	16.19	150	198	PK	Horizontal	PASS
2	5150.015	47.63	8.38	56.01	74.00	17.99	150	198	PK	Horizontal	PASS
3	5146.8947	37.97	8.39	46.36	54.00	7.64	150	198	AV	Horizontal	PASS
4	5150.015	37.42	8.38	45.80	54.00	8.20	150	205	AV	Horizontal	PASS

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5146.6847	47.41	8.39	55.80	74.00	18.20	150	71	PK	Vertical	PASS
2	5150.015	44.69	8.38	53.07	74.00	20.93	150	244	PK	Vertical	PASS
3	5147.8548	36.81	8.39	45.20	54.00	8.80	150	64	AV	Vertical	PASS
4	5150.015	35.63	8.38	44.01	54.00	9.99	150	214	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


Test

Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10380.2293	40.42	6.56	46.98	68.20	21.22	150	30	PK	Horizontal	PASS
2	15570.3523	36.11	13.54	49.65	74.00	24.35	150	143	PK	Horizontal	PASS
3	15570.3523	36.11	13.54	49.65	74.00	24.35	150	143	PK	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10380.2293	41.63	6.56	48.19	68.20	20.01	150	46	PK	Vertical	PASS
2	15570.3523	36.67	13.54	50.21	74.00	23.79	150	156	PK	Vertical	PASS
3	15570.3523	28.76	13.54	42.30	54.00	11.70	150	31	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

IEEE 802.11n- HT40_ Channel 46
Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10460.3487	38.84	6.06	44.90	68.20	23.30	150	30	PK	Horizontal	PASS
2	15690.3397	36.12	15.02	51.14	74.00	22.86	150	136	PK	Horizontal	PASS
3	15690.3397	29.87	15.02	44.89	54.00	9.11	150	151	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10460.3487	41.13	6.06	47.19	68.20	21.01	150	36	PK	Vertical	PASS
2	15690.3397	37.70	15.02	52.72	74.00	21.28	150	30	PK	Vertical	PASS
3	15690.3397	28.82	15.02	43.84	54.00	10.16	150	114	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

IEEE 802.11n- HT40_ Channel 54
Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10540.0847	38.79	6.34	45.13	68.20	23.07	150	31	PK	Horizontal	PASS
2	15810.327	35.89	14.78	50.67	74.00	23.33	150	156	PK	Horizontal	PASS
3	15810.327	29.19	14.78	43.97	54.00	10.03	150	46	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10540.0847	40.89	6.34	47.23	68.20	20.97	150	47	PK	Vertical	PASS
2	15810.327	36.99	14.78	51.77	74.00	22.23	150	73	PK	Vertical	PASS
3	15810.327	29.56	14.78	44.34	54.00	9.66	150	101	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

IEEE 802.11n- HT40_ Channel 62
Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5350.015	47.36	8.74	56.10	74.00	17.90	150	192	PK	Horizontal	PASS
2	5352.1752	52.22	8.73	60.95	74.00	13.05	150	192	PK	Horizontal	PASS
3	5350.015	37.80	8.74	46.54	54.00	7.46	150	192	AV	Horizontal	PASS
4	5351.1251	37.81	8.74	46.55	54.00	7.45	150	183	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5350.015	44.58	8.74	53.32	74.00	20.68	150	92	PK	Vertical	PASS
2	5358.2058	47.57	8.72	56.29	74.00	17.71	150	78	PK	Vertical	PASS
3	5350.015	35.02	8.74	43.76	54.00	10.24	150	338	AV	Vertical	PASS
4	5357.5158	35.67	8.71	44.38	54.00	9.62	150	219	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10620.204	38.95	6.31	45.26	74.00	28.74	150	31	PK	Horizontal	PASS
2	15930.3143	36.09	14.58	50.67	74.00	23.33	150	102	PK	Horizontal	PASS
3	10620.204	33.88	6.31	40.19	54.00	13.81	150	31	AV	Horizontal	PASS
4	15930.3143	29.18	14.58	43.76	54.00	10.24	150	170	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10620.204	40.65	6.31	46.96	74.00	27.04	150	60	PK	Vertical	PASS
2	15930.3143	35.70	14.58	50.28	74.00	23.72	150	60	PK	Vertical	PASS
3	10620.204	34.97	6.31	41.28	54.00	12.72	150	60	AV	Vertical	PASS
4	15930.3143	28.69	14.58	43.27	54.00	10.73	150	143	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

IEEE 802.11n- HT40_ Channel 102
Test Graph



Data List												
NO.	Freq. [MHz]	Reading [dBμV]	Correct Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict	
1	5466.170117	52.56	9.27	61.83	68.30	6.47	150	192	PK	Horizontal	PASS	
2	5470.030003	49.97	9.27	59.24	68.30	9.06	150	124	PK	Horizontal	PASS	
3	5467.166217	36.41	9.27	45.68	48.30	2.62	150	176	AV	Horizontal	PASS	
4	5470.030003	37.74	9.27	47.01	48.30	1.29	150	184	AV	Horizontal	PASS	

Test Graph



Data List												
NO.	Freq. [MHz]	Reading [dBμV]	Correct Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict	
1	5460.069	46.47	9.27	55.74	68.30	12.56	150	360	PK	Vertical	PASS	
2	5470.03	43.91	9.27	53.18	68.30	15.12	150	260	PK	Vertical	PASS	
3	5463.2233	35.96	9.27	45.23	48.30	3.07	150	178	AV	Vertical	PASS	
4	5470.03	34.95	9.27	44.22	48.30	4.08	150	328	AV	Vertical	PASS	

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11020.034	38.83	6.52	45.35	74.00	28.65	150	30	PK	Horizontal	PASS
2	16530.251	36.81	15.95	52.76	68.20	15.44	150	180	PK	Horizontal	PASS
3	11020.034	31.98	6.52	38.50	54.00	15.50	150	161	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11020.034	38.95	6.52	45.47	74.00	28.53	150	171	PK	Vertical	PASS
2	16530.251	36.14	15.95	52.09	68.20	16.11	150	68	PK	Vertical	PASS
3	11020.034	30.81	6.52	37.33	54.00	16.67	150	30	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

IEEE 802.11n- HT40_ Channel 110
Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11100.1533	38.81	6.85	45.66	74.00	28.34	150	36	PK	Horizontal	PASS
2	16650.2383	36.80	16.57	53.37	68.20	14.83	150	30	PK	Horizontal	PASS
3	11100.1533	31.45	6.85	38.30	54.00	15.70	150	170	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11100.1533	37.73	6.85	44.58	74.00	29.42	150	30	PK	Vertical	PASS
2	16650.2383	36.48	16.57	53.05	68.20	15.15	150	30	PK	Vertical	PASS
3	11100.1533	31.02	6.85	37.87	54.00	16.13	150	44	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n- HT40_ Channel 134

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11340.128	38.88	6.49	45.37	74.00	28.63	150	48	PK	Horizontal	PASS
2	17010.2003	36.98	15.85	52.83	68.20	15.37	150	61	PK	Horizontal	PASS
3	11340.128	31.04	6.49	37.53	54.00	16.47	150	48	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11340.128	38.03	6.49	44.52	74.00	29.48	150	59	PK	Vertical	PASS
2	17010.2003	35.90	15.85	51.75	68.20	16.45	150	37	PK	Vertical	PASS
3	11340.128	30.56	6.49	37.05	54.00	16.95	150	59	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

IEEE 802.11n- HT40_ Channel 142
Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11420.2473	39.03	6.90	45.93	74.00	28.07	150	61	PK	Horizontal	PASS
2	17130.1877	37.41	15.94	53.35	68.20	14.85	150	74	PK	Horizontal	PASS
3	11420.2473	31.23	6.90	38.13	54.00	15.87	150	30	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11420.2473	38.29	6.90	45.19	74.00	28.81	150	170	PK	Vertical	PASS
2	17130.1877	37.05	15.94	52.99	68.20	15.21	150	31	PK	Vertical	PASS
3	11420.2473	30.38	6.90	37.28	54.00	16.72	150	30	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

IEEE 802.11n- HT40_ Channel 151
Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11510.3337	37.47	6.60	44.07	74.00	29.93	150	127	PK	Horizontal	PASS
2	17265.1255	37.27	15.60	52.87	68.20	15.33	150	31	PK	Horizontal	PASS
3	11510.3337	31.08	6.60	37.68	54.00	16.32	150	100	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11510.3337	38.26	6.60	44.86	74.00	29.14	150	141	PK	Vertical	PASS
2	17265.1255	37.48	15.60	53.08	68.20	15.12	150	71	PK	Vertical	PASS
3	11510.3337	30.74	6.60	37.34	54.00	16.66	150	71	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n- HT40_ Channel 159

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5850.02	44.20	9.83	54.03	122.25	68.22	150	191	PK	Horizontal	PASS
2	5850.02	33.74	9.83	43.57	102.25	58.68	150	160	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5850.02	41.55	9.83	51.38	122.25	70.87	150	305	PK	Vertical	PASS
2	5850.02	32.24	9.83	42.07	102.25	60.18	150	179	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11590.0697	37.82	6.67	44.49	74.00	29.51	150	36	PK	Horizontal	PASS
2	17385.1128	37.18	14.62	51.80	68.20	16.40	150	155	PK	Horizontal	PASS
3	11590.0697	30.74	6.67	37.41	54.00	16.59	150	46	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11590.0697	38.78	6.67	45.45	74.00	28.55	150	144	PK	Vertical	PASS
2	17385.1128	37.22	14.62	51.84	68.20	16.36	150	144	PK	Vertical	PASS
3	11590.0697	30.73	6.67	37.40	54.00	16.60	150	144	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1

IEEE 802.11n- ax20_ Channel 36


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5148.1788	56.34	-1.36	54.98	74.00	19.02	150	200	PK	Horizontal	PASS
2	5150.013	49.31	-1.38	47.93	74.00	26.07	150	125	PK	Horizontal	PASS
3	5147.5068	44.77	-1.35	43.42	54.00	10.58	150	200	AV	Horizontal	PASS
4	5150.013	39.03	-1.38	37.65	54.00	16.35	150	200	AV	Horizontal	PASS

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5148.0808	48.53	-1.36	47.17	74.00	26.83	150	62	PK	Vertical	PASS
2	5150.013	47.29	-1.38	45.91	74.00	28.09	150	300	PK	Vertical	PASS
3	5147.6888	38.83	-1.35	37.48	54.00	16.52	150	85	AV	Vertical	PASS
4	5150.013	36.24	-1.38	34.86	54.00	19.14	150	309	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10360.2953	38.56	6.74	45.30	68.20	22.90	150	158	PK	Horizontal	PASS
2	15540.068	36.93	13.33	50.26	74.00	23.74	150	89	PK	Horizontal	PASS
3	15540.068	28.92	13.33	42.25	54.00	11.75	150	31	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10360.2953	39.44	6.74	46.18	68.20	22.02	150	38	PK	Vertical	PASS
2	15540.068	37.42	13.33	50.75	74.00	23.25	150	30	PK	Vertical	PASS
3	15540.068	28.98	13.33	42.31	54.00	11.69	150	38	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n- ax20_ Channel 44

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10440.0313	38.49	5.95	44.44	68.20	23.76	150	30	PK	Horizontal	PASS
2	15660.0553	35.66	13.99	49.65	74.00	24.35	150	30	PK	Horizontal	PASS
3	15660.0553	28.78	13.99	42.77	54.00	11.23	150	180	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10440.0313	40.54	5.95	46.49	68.20	21.71	150	47	PK	Vertical	PASS
2	15660.0553	36.09	13.99	50.08	74.00	23.92	150	30	PK	Vertical	PASS
3	15660.0553	29.20	13.99	43.19	54.00	10.81	150	89	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n- ax20_ Channel 48

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10480.2827	39.86	6.29	46.15	68.20	22.05	150	157	PK	Horizontal	PASS
2	15720.2407	36.87	14.84	51.71	74.00	22.29	150	31	PK	Horizontal	PASS
3	15720.2407	29.80	14.84	44.64	54.00	9.36	150	103	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10480.2827	39.27	6.29	45.56	68.20	22.64	150	38	PK	Vertical	PASS
2	15720.2407	35.53	14.84	50.37	74.00	23.63	150	30	PK	Vertical	PASS
3	15720.2407	29.00	14.84	43.84	54.00	10.16	150	74	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n- ax20_ Channel 52

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10520.1507	38.78	6.67	45.45	68.20	22.75	150	31	PK	Horizontal	PASS
2	15780.0427	35.93	14.41	50.34	74.00	23.66	150	157	PK	Horizontal	PASS
3	15780.0427	28.60	14.41	43.01	54.00	10.99	150	130	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10520.1507	41.62	6.67	48.29	68.20	19.91	150	47	PK	Vertical	PASS
2	15780.0427	36.60	14.41	51.01	74.00	22.99	150	157	PK	Vertical	PASS
3	15780.0427	29.04	14.41	43.45	54.00	10.55	150	30	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n- ax20_ Channel 60

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10600.27	42.10	6.17	48.27	74.00	25.73	150	30	PK	Horizontal	PASS
2	15900.03	37.82	14.64	52.46	74.00	21.54	150	72	PK	Horizontal	PASS
3	10600.27	31.28	6.17	37.45	54.00	16.55	150	47	AV	Horizontal	PASS
4	15900.03	29.47	14.64	44.11	54.00	9.89	150	30	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10600.27	39.41	6.17	45.58	74.00	28.42	150	58	PK	Vertical	PASS
2	15900.03	37.82	14.64	52.46	74.00	21.54	150	31	PK	Vertical	PASS
3	10600.27	34.00	6.17	40.17	54.00	13.83	150	46	AV	Vertical	PASS
4	15900.03	28.85	14.64	43.49	54.00	10.51	150	115	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

IEEE 802.11n- ax20_ Channel 64
Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5350	51.00	-0.98	50.02	74.00	23.98	150	148	PK	Horizontal	PASS
2	5351.7252	56.80	-0.99	55.81	74.00	18.19	150	176	PK	Horizontal	PASS
3	5350	39.21	-0.98	38.23	54.00	15.77	150	176	AV	Horizontal	PASS
4	5352.4452	44.55	-1.00	43.55	54.00	10.45	150	176	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5350	44.95	-0.98	43.97	74.00	30.03	150	360	PK	Vertical	PASS
2	5355.8656	50.68	-1.02	49.66	74.00	24.34	150	81	PK	Vertical	PASS
3	5350	34.87	-0.98	33.89	54.00	20.11	150	340	AV	Vertical	PASS
4	5352.1752	38.73	-1.00	37.73	54.00	16.27	150	81	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10640.138	39.60	6.44	46.04	74.00	27.96	150	36	PK	Horizontal	PASS
2	15960.2153	37.61	14.41	52.02	74.00	21.98	150	143	PK	Horizontal	PASS
3	10640.138	31.55	6.44	37.99	54.00	16.01	150	155	AV	Horizontal	PASS
4	15960.2153	29.07	14.41	43.48	54.00	10.52	150	114	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10640.138	39.82	6.44	46.26	74.00	27.74	150	60	PK	Vertical	PASS
2	15960.2153	37.25	14.41	51.66	74.00	22.34	150	32	PK	Vertical	PASS
3	10640.138	32.50	6.44	38.94	54.00	15.06	150	30	AV	Vertical	PASS
4	15960.2153	28.72	14.41	43.13	54.00	10.87	150	143	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

IEEE 802.11n- ax20_ Channel 100
Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5468.0828	56.39	-0.71	55.68	68.30	12.62	150	176	PK	Horizontal	PASS
2	5470.009	50.59	-0.72	49.87	68.30	18.43	150	131	PK	Horizontal	PASS
3	5467.8848	45.52	-0.71	44.81	48.30	3.49	150	183	AV	Horizontal	PASS
4	5470.009	40.02	-0.72	39.30	48.30	9.00	150	176	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5468.1908	48.60	-0.71	47.89	68.30	20.41	150	72	PK	Vertical	PASS
2	5470.009	45.38	-0.72	44.66	68.30	23.64	150	321	PK	Vertical	PASS
3	5467.6868	38.45	-0.71	37.74	48.30	10.56	150	80	AV	Vertical	PASS
4	5470.009	35.51	-0.72	34.79	48.30	13.51	150	321	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11000.1	38.83	6.34	45.17	74.00	28.83	150	170	PK	Horizontal	PASS
2	16500.35	37.62	16.08	53.70	68.20	14.50	150	115	PK	Horizontal	PASS
3	11000.1	30.47	6.34	36.81	54.00	17.19	150	38	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11000.1	39.73	6.34	46.07	74.00	27.93	150	61	PK	Vertical	PASS
2	16500.35	35.37	16.08	51.45	68.20	16.75	150	74	PK	Vertical	PASS
3	11000.1	30.89	6.34	37.23	54.00	16.77	150	48	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

IEEE 802.11n- ax20_ Channel 116
Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11160.3387	39.97	6.64	46.61	74.00	27.39	150	115	PK	Horizontal	PASS
2	16740.3247	36.28	15.94	52.22	68.20	15.98	150	102	PK	Horizontal	PASS
3	11160.3387	30.50	6.64	37.14	54.00	16.86	150	30	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11160.3387	38.34	6.64	44.98	74.00	29.02	150	30	PK	Vertical	PASS
2	16740.3247	36.83	15.94	52.77	68.20	15.43	150	103	PK	Vertical	PASS
3	11160.3387	31.67	6.64	38.31	54.00	15.69	150	158	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

IEEE 802.11n- ax20_ Channel 140
Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11400.3133	38.25	6.66	44.91	74.00	29.09	150	37	PK	Horizontal	PASS
2	17160.0887	36.82	15.76	52.58	68.20	15.62	150	143	PK	Horizontal	PASS
3	11400.3133	30.61	6.66	37.27	54.00	16.73	150	47	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11400.3133	38.22	6.66	44.88	74.00	29.12	150	47	PK	Vertical	PASS
2	17160.0887	37.35	15.76	53.11	68.20	15.09	150	58	PK	Vertical	PASS
3	11400.3133	31.48	6.66	38.14	54.00	15.86	150	30	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

IEEE 802.11n- ax20_ Channel 144
Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11440.1813	37.96	6.80	44.76	74.00	29.24	150	37	PK	Horizontal	PASS
2	17160.0887	36.33	15.76	52.09	68.20	16.11	150	129	PK	Horizontal	PASS
3	11440.1813	30.97	6.80	37.77	54.00	16.23	150	37	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11440.1813	38.36	6.80	45.16	74.00	28.84	150	102	PK	Vertical	PASS
2	17160.0887	37.72	15.76	53.48	68.20	14.72	150	31	PK	Vertical	PASS
3	11440.1813	31.33	6.80	38.13	54.00	15.87	150	37	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1