



IEEE 802.11n- ax20_ Channel 149
Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11490.0163	39.63	6.68	46.31	74.00	27.69	150	31	PK	Horizontal	PASS
2	17235.2245	37.56	16.00	53.56	68.20	14.64	150	36	PK	Horizontal	PASS
3	11490.0163	30.43	6.68	37.11	54.00	16.89	150	30	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11490.0163	39.83	6.68	46.51	74.00	27.49	150	59	PK	Vertical	PASS
2	17235.2245	36.91	16.00	52.91	68.20	15.29	150	48	PK	Vertical	PASS
3	11490.0163	30.64	6.68	37.32	54.00	16.68	150	59	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

IEEE 802.11n- ax20_ Channel 157
Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11570.1357	38.72	6.62	45.34	74.00	28.66	150	129	PK	Horizontal	PASS
2	17355.2118	37.21	14.64	51.85	68.20	16.35	150	170	PK	Horizontal	PASS
3	11570.1357	30.67	6.62	37.29	54.00	16.71	150	31	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11570.1357	37.74	6.62	44.36	74.00	29.64	150	31	PK	Vertical	PASS
2	17355.2118	37.77	14.64	52.41	68.20	15.79	150	43	PK	Vertical	PASS
3	11570.1357	32.63	6.62	39.25	54.00	14.75	150	30	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n- ax20_ Channel 165

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5850	60.39	-0.05	60.34	122.30	61.96	150	167	PK	Horizontal	PASS
2	5850	45.42	-0.05	45.37	102.30	56.93	150	160	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5850	46.36	-0.05	46.31	122.30	75.99	150	335	PK	Vertical	PASS
2	5850	35.04	-0.05	34.99	102.30	67.31	150	117	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11650.255	38.54	6.74	45.28	74.00	28.72	150	31	PK	Horizontal	PASS
2	17475.1992	37.22	14.61	51.83	68.20	16.37	150	30	PK	Horizontal	PASS
3	11650.255	30.62	6.74	37.36	54.00	16.64	150	30	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11650.255	37.74	6.74	44.48	74.00	29.52	150	90	PK	Vertical	PASS
2	17475.1992	38.95	14.61	53.56	68.20	14.64	150	31	PK	Vertical	PASS
3	11650.255	30.94	6.74	37.68	54.00	16.32	150	72	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

IEEE 802.11n- ax40_Channel 38
Test Graph



Data List												
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict	
1	5144.8845	50.61	8.40	59.01	74.00	14.99	150	200	PK	Horizontal	PASS	
2	5150.015	46.45	8.38	54.83	74.00	19.17	150	200	PK	Horizontal	PASS	
3	5146.5647	38.77	8.39	47.16	54.00	6.84	150	200	AV	Horizontal	PASS	
4	5150.015	38.76	8.38	47.14	54.00	6.86	150	200	AV	Horizontal	PASS	

Test Graph



Data List												
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict	
1	5145.1545	47.41	8.40	55.81	74.00	18.19	150	64	PK	Vertical	PASS	
2	5150.015	45.67	8.38	54.05	74.00	19.95	150	92	PK	Vertical	PASS	
3	5148.2148	36.68	8.39	45.07	54.00	8.93	150	64	AV	Vertical	PASS	
4	5150.015	36.14	8.38	44.52	54.00	9.48	150	143	AV	Vertical	PASS	

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10380.2293	39.51	6.56	46.07	68.20	22.13	150	30	PK	Horizontal	PASS
2	15570.3523	35.42	13.54	48.96	74.00	25.04	150	67	PK	Horizontal	PASS
3	15570.3523	28.56	13.54	42.10	54.00	11.90	150	110	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10380.2293	40.28	6.56	46.84	68.20	21.36	150	46	PK	Vertical	PASS
2	15570.3523	35.85	13.54	49.39	74.00	24.61	150	30	PK	Vertical	PASS
3	15570.3523	27.81	13.54	41.35	54.00	12.65	150	37	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n- ax40_ Channel 46

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10460.3487	39.90	6.06	45.96	68.20	22.24	150	30	PK	Horizontal	PASS
2	15690.3397	37.07	15.02	52.09	74.00	21.91	150	87	PK	Horizontal	PASS
3	15690.3397	28.33	15.02	43.35	54.00	10.65	150	60	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10460.3487	39.25	6.06	45.31	68.20	22.89	150	30	PK	Vertical	PASS
2	15690.3397	37.04	15.02	52.06	74.00	21.94	150	122	PK	Vertical	PASS
3	15690.3397	28.48	15.02	43.50	54.00	10.50	150	142	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n- ax40_ Channel 54

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10540.0847	38.63	6.34	44.97	68.20	23.23	150	98	PK	Horizontal	PASS
2	15810.327	36.54	14.78	51.32	74.00	22.68	150	30	PK	Horizontal	PASS
3	15810.327	28.58	14.78	43.36	54.00	10.64	150	31	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10540.0847	41.12	6.34	47.46	68.20	20.74	150	48	PK	Vertical	PASS
2	15810.327	36.76	14.78	51.54	74.00	22.46	150	62	PK	Vertical	PASS
3	15810.327	28.51	14.78	43.29	54.00	10.71	150	170	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

IEEE 802.11n- ax40_ Channel 62
Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5350.015	50.48	8.74	59.22	74.00	14.78	150	167	PK	Horizontal	PASS
2	5353.5854	55.29	8.72	64.01	74.00	9.99	150	180	PK	Horizontal	PASS
3	5350.015	36.56	8.74	45.30	54.00	8.70	150	187	AV	Horizontal	PASS
4	5353.2253	38.50	8.72	47.22	54.00	6.78	150	175	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5350.015	44.76	8.74	53.50	74.00	20.50	150	359	PK	Vertical	PASS
2	5358.8059	46.09	8.73	54.82	74.00	19.18	150	254	PK	Vertical	PASS
3	5350.015	34.44	8.74	43.18	54.00	10.82	150	151	AV	Vertical	PASS
4	5356.1356	35.57	8.71	44.28	54.00	9.72	150	83	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10620.204	39.68	6.31	45.99	74.00	28.01	150	111	PK	Horizontal	PASS
2	15930.3143	36.20	14.58	50.78	74.00	23.22	150	30	PK	Horizontal	PASS
3	10620.204	31.44	6.31	37.75	54.00	16.25	150	99	AV	Horizontal	PASS
4	15930.3143	29.72	14.58	44.30	54.00	9.70	150	30	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	10620.204	40.46	6.31	46.77	74.00	27.23	150	37	PK	Vertical	PASS
2	15930.3143	35.59	14.58	50.17	74.00	23.83	150	48	PK	Vertical	PASS
3	10620.204	33.02	6.31	39.33	54.00	14.67	150	32	AV	Vertical	PASS
4	15930.3143	29.30	14.58	43.88	54.00	10.12	150	170	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1

IEEE 802.11n- ax40_ Channel 102


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5465.9626	49.80	9.27	59.07	68.30	9.23	150	143	PK	Horizontal	PASS
2	5470.03	48.37	9.27	57.64	68.30	10.66	150	187	PK	Horizontal	PASS
3	5466.4191	37.25	9.27	46.52	48.30	1.78	150	179	AV	Horizontal	PASS
4	5470.03	37.11	9.27	46.38	48.30	1.92	150	187	AV	Horizontal	PASS

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5466.0871	43.92	9.27	53.19	68.30	15.11	150	275	PK	Vertical	PASS
2	5470.03	41.32	9.27	50.59	68.30	17.71	150	360	PK	Vertical	PASS
3	5462.5593	33.38	9.27	42.65	48.30	5.65	150	178	AV	Vertical	PASS
4	5470.03	32.80	9.27	42.07	48.30	6.23	150	89	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11020.034	39.83	6.52	46.35	74.00	27.65	150	96	PK	Horizontal	PASS
2	16530.251	35.46	15.95	51.41	68.20	16.79	150	73	PK	Horizontal	PASS
3	11020.034	30.77	6.52	37.29	54.00	16.71	150	174	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11020.034	38.35	6.52	44.87	74.00	29.13	150	68	PK	Vertical	PASS
2	16530.251	36.58	15.95	52.53	68.20	15.67	150	180	PK	Vertical	PASS
3	11020.034	31.34	6.52	37.86	54.00	16.14	150	109	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

IEEE 802.11n- ax40_ Channel 110
Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11100.1533	38.49	6.85	45.34	74.00	28.66	150	109	PK	Horizontal	PASS
2	16650.2383	35.79	16.57	52.36	68.20	15.84	150	180	PK	Horizontal	PASS
3	11100.1533	30.60	6.85	37.45	54.00	16.55	150	54	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11100.1533	38.74	6.85	45.59	74.00	28.41	150	59	PK	Vertical	PASS
2	16650.2383	36.99	16.57	53.56	68.20	14.64	150	71	PK	Vertical	PASS
3	11100.1533	31.70	6.85	38.55	54.00	15.45	150	59	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n- ax40_ Channel 134

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11340.128	37.42	6.49	43.91	74.00	30.09	150	166	PK	Horizontal	PASS
2	17010.2003	36.87	15.85	52.72	68.20	15.48	150	41	PK	Horizontal	PASS
3	11340.128	30.89	6.49	37.38	54.00	16.62	150	180	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11340.128	37.77	6.49	44.26	74.00	29.74	150	94	PK	Vertical	PASS
2	17010.2003	35.97	15.85	51.82	68.20	16.38	150	122	PK	Vertical	PASS
3	11340.128	30.82	6.49	37.31	54.00	16.69	150	178	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n- ax40_ Channel 142

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11420.2473	37.51	6.90	44.41	74.00	29.59	150	96	PK	Horizontal	PASS
2	17130.1877	36.81	15.94	52.75	68.20	15.45	150	123	PK	Horizontal	PASS
3	11420.2473	30.86	6.90	37.76	54.00	16.24	150	180	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11420.2473	37.99	6.90	44.89	74.00	29.11	150	128	PK	Vertical	PASS
2	17130.1877	38.21	15.94	54.15	68.20	14.05	150	143	PK	Vertical	PASS
3	11420.2473	30.60	6.90	37.50	54.00	16.50	150	74	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

IEEE 802.11n- ax40_ Channel 151
Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11510.3337	38.19	6.60	44.79	74.00	29.21	150	162	PK	Horizontal	PASS
2	17265.1255	37.64	15.60	53.24	68.20	14.96	150	180	PK	Horizontal	PASS
3	11510.3337	30.64	6.60	37.24	54.00	16.76	150	162	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11510.3337	38.89	6.60	45.49	74.00	28.51	150	134	PK	Vertical	PASS
2	17265.1255	36.99	15.60	52.59	68.20	15.61	150	148	PK	Vertical	PASS
3	11510.3337	31.12	6.60	37.72	54.00	16.28	150	180	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n- ax40_ Channel 159

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5850.02	44.11	9.83	53.94	122.25	68.31	150	180	PK	Horizontal	PASS
2	5850.02	34.28	9.83	44.11	102.25	58.14	150	180	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	5850.02	41.59	9.83	51.42	122.25	70.83	150	276	PK	Vertical	PASS
2	5850.02	32.28	9.83	42.11	102.25	60.14	150	0	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11590.0697	38.29	6.67	44.96	74.00	29.04	150	180	PK	Horizontal	PASS
2	17385.1128	37.90	14.62	52.52	68.20	15.68	150	180	PK	Horizontal	PASS
3	11590.0697	30.53	6.67	37.20	54.00	16.80	150	82	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Correct Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	11590.0697	37.92	6.67	44.59	74.00	29.41	150	151	PK	Vertical	PASS
2	17385.1128	38.99	14.62	53.61	68.20	14.59	150	179	PK	Vertical	PASS
3	11590.0697	30.62	6.67	37.29	54.00	16.71	150	138	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1

Remark:

1. Correct Factor = Antenna Factor + Cable Loss - Amplifier Gain, the value was added to Original Receiver Reading by the software automatically.
2. Result = Reading + Correct Factor.
3. Margin = Limit – Result
4. For Radiated Emission above 18GHz, there was not any unwanted emission detected.
5. The testing of Radiated Emissions was performed in Dongguan DN Testing Co., Ltd.

APPENDIX 1 PHOTOS OF TEST SETUP

See test photos attached in Appendix 1 for the actual connections between Product and support equipment.

APPENDIX 2 PHOTOS OF EUT CONSTRUCTIONAL DETAILS

Refer to Appendix 2 for EUT external and internal photos.

*** End of Report ***

The test report is effective only with both signature and specialized stamp. The result(s) shown in this report refer only to the sample(s) tested. Without written approval of UnionTrust, this report can't be reproduced except in full.
