


IEEE 802.11n- ax40 _ Middle Channel:


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Correct Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	4874.3437	52.56	-4.70	47.86	74.00	26.14	150	160	PK	Horizontal	PASS
2	7311.2156	42.80	-1.53	41.27	74.00	32.73	150	10	PK	Horizontal	PASS
3	4874.3437	45.75	-4.70	41.05	54.00	12.95	150	174	AV	Horizontal	PASS
4	7311.2156	35.53	-1.53	34.00	54.00	20.00	150	274	AV	Horizontal	PASS

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Correct Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	4874.3437	48.19	-4.70	43.49	74.00	30.51	150	288	PK	Vertical	PASS
2	7311.2156	43.34	-1.53	41.81	74.00	32.19	150	215	PK	Vertical	PASS
3	4874.3437	42.31	-4.70	37.61	54.00	16.39	150	301	AV	Vertical	PASS
4	7311.2156	35.22	-1.53	33.69	54.00	20.31	150	142	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

IEEE 802.11n- ax40 _ Highest Channel:
Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBμV]	Correct Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	4903.5952	52.63	-4.75	47.88	74.00	26.12	150	212	PK	Horizontal	PASS
2	7356.2178	43.77	-1.40	42.37	74.00	31.63	150	198	PK	Horizontal	PASS
3	4904.3452	47.16	-4.75	42.41	54.00	11.59	150	161	AV	Horizontal	PASS
4	7356.2178	34.98	-1.40	33.58	54.00	20.42	150	161	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBμV]	Correct Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	4904.3452	48.47	-4.75	43.72	74.00	30.28	150	295	PK	Vertical	PASS
2	7356.2178	43.20	-1.40	41.80	74.00	32.20	150	167	PK	Vertical	PASS
3	4904.3452	41.45	-4.75	36.70	54.00	17.30	150	310	AV	Vertical	PASS
4	7356.2178	33.94	-1.40	32.54	54.00	21.46	150	281	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com


<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1

A.6 BAND EDGE MEASUREMENTS (RADIATED)


IEEE 802.11b_ Lowest Channel:

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	2388.1638	53.78	-0.80	52.98	74.00	21.02	150	1	PK	Horizontal	PASS
2	2390.01	53.33	-0.80	52.53	74.00	21.47	150	349	PK	Horizontal	PASS
3	2386.4997	43.99	-0.81	43.18	54.00	10.82	150	16	AV	Horizontal	PASS
4	2390.01	43.44	-0.80	42.64	54.00	11.36	150	358	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	2386.0186	53.36	-0.81	52.55	74.00	21.45	150	261	PK	Vertical	PASS
2	2390.01	50.27	-0.80	49.47	74.00	24.53	150	194	PK	Vertical	PASS
3	2385.0565	42.33	-0.81	41.52	54.00	12.48	150	57	AV	Vertical	PASS
4	2390.01	41.20	-0.80	40.40	54.00	13.60	150	205	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


**IEEE 802.11b _ Highest Channel:
Test Graph**



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	2483.5044	50.49	-0.29	50.20	74.00	23.80	150	37	PK	Horizontal	PASS
2	2485.0405	52.80	-0.27	52.53	74.00	21.47	150	4	PK	Horizontal	PASS
3	2483.5044	41.79	-0.29	41.50	54.00	12.50	150	0	AV	Horizontal	PASS
4	2485.2985	42.82	-0.27	42.55	54.00	11.45	150	12	AV	Horizontal	PASS

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	2483.5044	49.45	-0.29	49.16	74.00	24.84	150	67	PK	Vertical	PASS
2	2484.4224	51.62	-0.28	51.34	74.00	22.66	150	3	PK	Vertical	PASS
3	2483.5044	40.04	-0.29	39.75	54.00	14.25	150	3	AV	Vertical	PASS
4	2485.0945	41.29	-0.27	41.02	54.00	12.98	150	36	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


**IEEE 802.11g _ Lowest Channel:
Test Graph**



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	2386.6427	68.48	-0.81	67.67	74.00	6.33	150	200	PK	Horizontal	PASS
2	2390.01	62.37	-0.80	61.57	74.00	12.43	150	224	PK	Horizontal	PASS
3	2389.529	50.25	-0.80	49.45	54.00	4.55	150	200	AV	Horizontal	PASS
4	2390.01	50.52	-0.80	49.72	54.00	4.28	150	200	AV	Horizontal	PASS

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	2386.2266	52.59	-0.81	51.78	74.00	22.22	150	49	PK	Vertical	PASS
2	2390.01	50.85	-0.80	50.05	74.00	23.95	150	172	PK	Vertical	PASS
3	2385.2775	41.92	-0.81	41.11	54.00	12.89	150	62	AV	Vertical	PASS
4	2390.01	41.05	-0.80	40.25	54.00	13.75	150	138	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

IEEE 802.11g _ Highest Channel:
Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	2483.5044	60.24	-0.29	59.95	74.00	14.05	150	181	PK	Horizontal	PASS
2	2484.1164	68.20	-0.28	67.92	74.00	6.08	150	168	PK	Horizontal	PASS
3	2483.5044	46.65	-0.29	46.36	54.00	7.64	150	202	AV	Horizontal	PASS
4	2483.8824	49.12	-0.28	48.84	54.00	5.16	150	181	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	2483.5044	48.71	-0.29	48.42	74.00	25.58	150	214	PK	Vertical	PASS
2	2484.2124	54.34	-0.28	54.06	74.00	19.94	150	271	PK	Vertical	PASS
3	2483.5044	39.93	-0.29	39.64	54.00	14.36	150	12	AV	Vertical	PASS
4	2485.2745	41.31	-0.27	41.04	54.00	12.96	150	327	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1

IEEE 802.11n-HT20 _ Lowest Channel:


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	2389.3079	72.03	-0.80	71.23	74.00	2.77	150	183	PK	Horizontal	PASS
2	2390.01	66.91	-0.80	66.11	74.00	7.89	150	183	PK	Horizontal	PASS
3	2388.8009	51.77	-0.80	50.97	54.00	3.03	150	183	AV	Horizontal	PASS
4	2390.01	51.49	-0.80	50.69	54.00	3.31	150	183	AV	Horizontal	PASS

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	2389.3469	52.92	-0.80	52.12	74.00	21.88	150	259	PK	Vertical	PASS
2	2390.01	50.84	-0.80	50.04	74.00	23.96	150	67	PK	Vertical	PASS
3	2387.3447	42.00	-0.80	41.20	54.00	12.80	150	269	AV	Vertical	PASS
4	2390.01	41.76	-0.80	40.96	54.00	13.04	150	10	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

**IEEE 802.11n-HT20 _ Highest Channel:
Test Graph**



Data List											
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	2483.504	61.89	-0.29	61.60	74.00	12.40	150	193	PK	Horizontal	PASS
2	2484.842	69.08	-0.27	68.81	74.00	5.19	150	204	PK	Horizontal	PASS
3	2483.504	47.68	-0.29	47.39	54.00	6.61	150	204	AV	Horizontal	PASS
4	2483.948	50.21	-0.28	49.93	54.00	4.07	150	181	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	2483.504	51.02	-0.29	50.73	74.00	23.27	150	268	PK	Vertical	PASS
2	2484.668	52.73	-0.27	52.46	74.00	21.54	150	326	PK	Vertical	PASS
3	2483.504	39.85	-0.29	39.56	54.00	14.44	150	169	AV	Vertical	PASS
4	2483.816	41.11	-0.28	40.83	54.00	13.17	150	326	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n-HT40 _ Lowest Channel:

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	2381.5802	69.37	-0.83	68.54	74.00	5.46	150	182	PK	Horizontal	PASS
2	2390.5491	62.24	-0.80	61.44	74.00	12.56	150	182	PK	Horizontal	PASS
3	2387.6228	54.14	-0.80	53.34	54.00	0.66	150	200	AV	Horizontal	PASS
4	2390.5491	52.05	-0.80	51.25	54.00	2.75	100	190	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	2387.3377	53.16	-0.80	52.36	74.00	21.64	150	302	PK	Vertical	PASS
2	2390.017	50.32	-0.80	49.52	74.00	24.48	150	30	PK	Vertical	PASS
3	2386.0456	42.52	-0.81	41.71	54.00	12.29	150	302	AV	Vertical	PASS
4	2390.017	42.41	-0.80	41.61	54.00	12.39	100	360	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


**IEEE 802.11n-HT40 _ Highest Channel:
Test Graph**



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	2483.5064	59.19	-0.29	58.90	74.00	15.10	150	198	PK	Horizontal	PASS
2	2492.4372	65.70	-0.22	65.48	74.00	8.52	150	181	PK	Horizontal	PASS
3	2483.5064	48.60	-0.29	48.31	54.00	5.69	150	206	AV	Horizontal	PASS
4	2485.8246	52.14	-0.27	51.87	54.00	2.13	100	181	AV	Horizontal	PASS

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	2483.5064	49.36	-0.29	49.07	74.00	24.93	150	349	PK	Vertical	PASS
2	2486.8887	52.12	-0.26	51.86	74.00	22.14	150	68	PK	Vertical	PASS
3	2483.5064	40.91	-0.29	40.62	54.00	13.38	150	332	AV	Vertical	PASS
4	2491.1261	41.76	-0.24	41.52	54.00	12.48	100	102	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n- ax20 _ Lowest Channel:

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	2387.0067	68.78	-0.81	67.97	74.00	6.03	150	179	PK	Horizontal	PASS
2	2390.01	70.60	-0.80	69.80	74.00	4.20	150	211	PK	Horizontal	PASS
3	2388.8139	52.88	-0.80	52.08	54.00	1.92	150	200	AV	Horizontal	PASS
4	2390.01	52.19	-0.80	51.39	54.00	2.61	150	179	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	2385.1085	53.15	-0.81	52.34	74.00	21.66	150	17	PK	Vertical	PASS
2	2390.01	52.10	-0.80	51.30	74.00	22.70	150	209	PK	Vertical	PASS
3	2385.6156	42.63	-0.81	41.82	54.00	12.18	150	4	AV	Vertical	PASS
4	2390.01	41.23	-0.80	40.43	54.00	13.57	150	0	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1

IEEE 802.11n- ax20 _ Highest Channel:


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	2483.5044	63.63	-0.29	63.34	74.00	10.66	150	170	PK	Horizontal	PASS
2	2485.5686	72.59	-0.27	72.32	74.00	1.68	150	181	PK	Horizontal	PASS
3	2483.5044	49.63	-0.29	49.34	54.00	4.66	150	204	AV	Horizontal	PASS
4	2483.8104	51.07	-0.28	50.79	54.00	3.21	150	181	AV	Horizontal	PASS

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBµV]	Factor [dB/m]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	2483.5044	49.76	-0.29	49.47	74.00	24.53	150	159	PK	Vertical	PASS
2	2486.3726	53.86	-0.26	53.60	74.00	20.40	150	205	PK	Vertical	PASS
3	2483.5044	40.04	-0.29	39.75	54.00	14.25	150	260	AV	Vertical	PASS
4	2486.0246	41.55	-0.27	41.28	54.00	12.72	150	93	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886


E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1


IEEE 802.11n-ax40 _ Lowest Channel:

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	2386.3686	70.77	-0.81	69.96	74.00	4.04	150	196	PK	Horizontal	PASS
2	2390.017	64.68	-0.80	63.88	74.00	10.12	150	187	PK	Horizontal	PASS
3	2386.8057	54.24	-0.81	53.43	54.00	0.57	150	196	AV	Horizontal	PASS
4	2390.017	51.78	-0.80	50.98	54.00	3.02	100	196	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	2383.7084	52.99	-0.82	52.17	74.00	21.83	150	94	PK	Vertical	PASS
2	2390.017	50.35	-0.80	49.55	74.00	24.45	150	296	PK	Vertical	PASS
3	2382.6823	42.42	-0.83	41.59	54.00	12.41	150	148	AV	Vertical	PASS
4	2390.017	41.36	-0.80	40.56	54.00	13.44	100	350	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>


UTTR-RF-RSS247-V1.1

IEEE 802.11n- ax40 _ Highest Channel:
Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	2483.5064	64.46	-0.29	64.17	74.00	9.83	150	183	PK	Horizontal	PASS
2	2487.3637	65.20	-0.26	64.94	74.00	9.06	150	194	PK	Horizontal	PASS
3	2483.5064	47.87	-0.29	47.58	54.00	6.42	150	173	AV	Horizontal	PASS
4	2485.6156	51.21	-0.27	50.94	54.00	3.06	100	173	AV	Horizontal	PASS

Test Graph



Data List											
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Detector	Polarity	Verdict
1	2483.5064	49.88	-0.29	49.59	74.00	24.41	150	223	PK	Vertical	PASS
2	2486.7177	53.80	-0.26	53.54	74.00	20.46	150	74	PK	Vertical	PASS
3	2483.5064	41.35	-0.29	41.06	54.00	12.94	150	110	AV	Vertical	PASS
4	2486.7367	42.09	-0.26	41.83	54.00	12.17	100	65	AV	Vertical	PASS

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-RSS247-V1.1

APPENDIX 1 PHOTOS OF TEST SETUP

See test photos attached in Appendix 1 for the actual connections between Product and support equipment.

APPENDIX 2 PHOTOS OF EUT CONSTRUCTIONAL DETAILS

Refer to Appendix 2 for EUT external and internal photos.

*** End of Report ***

The test report is effective only with both signature and specialized stamp. The result(s) shown in this report refer only to the sample(s) tested. Without written approval of UnionTrust, this report can't be reproduced except in full.
