

Report No.: 2401259035RFC-3  
Appendix A

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
1	1	5300	57	1	938	Y
1	2	5300	76	1	698	Y
1	3	5300	86	1	618	Y
1	4	5300	99	1	538	Y
1	5	5300	61	1	878	N
1	6	5300	18	1	3066	Y
1	7	5300	83	1	638	Y
1	8	5300	58	1	918	Y
1	9	5300	63	1	838	Y
1	10	5300	62	1	858	N
1	11	5300	67	1	798	Y
1	12	5300	74	1	718	N
1	13	5300	92	1	578	Y
1	14	5300	89	1	598	Y
1	15	5300	95	1	558	Y
1	16	5300	21	1	2536	Y
1	17	5300	55	1	966	Y
1	18	5300	64	1	827	N
1	19	5300	22	1	2501	Y
1	20	5300	21	1	2595	N
1	21	5300	48	1	1114	Y
1	22	5300	41	1	1302	Y
1	23	5300	18	1	3045	N
1	24	5300	33	1	1624	Y
1	25	5300	19	1	2878	Y
1	26	5300	52	1	1027	Y
1	27	5300	22	1	2485	Y
1	28	5300	33	1	1600	Y
1	29	5300	46	1	1172	N
1	30	5300	45	1	1177	N

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
1	1	5310	57	1	938	Y
1	2	5310	76	1	698	Y
1	3	5310	86	1	618	Y
1	4	5310	99	1	538	Y
1	5	5310	61	1	878	N
1	6	5310	18	1	3066	Y
1	7	5310	83	1	638	Y
1	8	5310	58	1	918	Y
1	9	5310	63	1	838	Y
1	10	5310	62	1	858	N
1	11	5310	67	1	798	Y
1	12	5310	74	1	718	Y
1	13	5310	92	1	578	Y
1	14	5310	89	1	598	Y
1	15	5310	95	1	558	Y
1	16	5310	21	1	2536	Y
1	17	5310	55	1	966	Y
1	18	5310	64	1	827	N
1	19	5310	22	1	2501	Y
1	20	5310	21	1	2595	N
1	21	5310	48	1	1114	Y
1	22	5310	41	1	1302	Y
1	23	5310	18	1	3045	N
1	24	5310	33	1	1624	Y
1	25	5310	19	1	2878	Y
1	26	5310	52	1	1027	N
1	27	5310	22	1	2485	Y
1	28	5310	33	1	1600	Y
1	29	5310	46	1	1172	N
1	30	5310	45	1	1177	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
1	1	5290	57	1	938	Y
1	2	5290	76	1	698	Y
1	3	5290	86	1	618	Y
1	4	5290	99	1	538	Y
1	5	5290	61	1	878	N
1	6	5290	18	1	3066	Y
1	7	5290	83	1	638	Y
1	8	5290	58	1	918	Y
1	9	5290	63	1	838	Y
1	10	5290	62	1	858	Y
1	11	5290	67	1	798	Y
1	12	5290	74	1	718	N
1	13	5290	92	1	578	Y
1	14	5290	89	1	598	Y
1	15	5290	95	1	558	Y
1	16	5290	21	1	2536	Y
1	17	5290	55	1	966	Y
1	18	5290	64	1	827	N
1	19	5290	22	1	2501	Y
1	20	5290	21	1	2595	Y
1	21	5290	48	1	1114	Y
1	22	5290	41	1	1302	N
1	23	5290	18	1	3045	N
1	24	5290	33	1	1624	Y
1	25	5290	19	1	2878	Y
1	26	5290	52	1	1027	Y
1	27	5290	22	1	2485	Y
1	28	5290	33	1	1600	Y
1	29	5290	46	1	1172	N
1	30	5290	45	1	1177	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
1	1	5250	57	1	938	Y
1	2	5250	76	1	698	Y
1	3	5250	86	1	618	Y
1	4	5250	99	1	538	Y
1	5	5250	61	1	878	Y
1	6	5250	18	1	3066	Y
1	7	5250	83	1	638	Y
1	8	5250	58	1	918	N
1	9	5250	63	1	838	Y
1	10	5250	62	1	858	Y
1	11	5250	67	1	798	Y
1	12	5250	74	1	718	Y
1	13	5250	92	1	578	N
1	14	5250	89	1	598	Y
1	15	5250	95	1	558	Y
1	16	5250	21	1	2536	Y
1	17	5250	55	1	966	Y
1	18	5250	64	1	827	Y
1	19	5250	22	1	2501	Y
1	20	5250	21	1	2595	Y
1	21	5250	48	1	1114	N
1	22	5250	41	1	1302	Y
1	23	5250	18	1	3045	Y
1	24	5250	33	1	1624	Y
1	25	5250	19	1	2878	Y
1	26	5250	52	1	1027	Y
1	27	5250	22	1	2485	Y
1	28	5250	33	1	1600	N
1	29	5250	46	1	1172	Y
1	30	5250	45	1	1177	N

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
1	1	5500	57	1	938	Y
1	2	5500	76	1	698	Y
1	3	5500	86	1	618	Y
1	4	5500	99	1	538	Y
1	5	5500	61	1	878	N
1	6	5500	18	1	3066	Y
1	7	5500	83	1	638	N
1	8	5500	58	1	918	Y
1	9	5500	63	1	838	Y
1	10	5500	62	1	858	N
1	11	5500	67	1	798	Y
1	12	5500	74	1	718	Y
1	13	5500	92	1	578	Y
1	14	5500	89	1	598	Y
1	15	5500	95	1	558	Y
1	16	5500	21	1	2536	Y
1	17	5500	55	1	966	N
1	18	5500	64	1	827	Y
1	19	5500	22	1	2501	N
1	20	5500	21	1	2595	Y
1	21	5500	48	1	1114	Y
1	22	5500	41	1	1302	Y
1	23	5500	18	1	3045	Y
1	24	5500	33	1	1624	Y
1	25	5500	19	1	2878	Y
1	26	5500	52	1	1027	Y
1	27	5500	22	1	2485	Y
1	28	5500	33	1	1600	N
1	29	5500	46	1	1172	Y
1	30	5500	45	1	1177	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
1	1	5510	57	1	938	Y
1	2	5510	76	1	698	Y
1	3	5510	86	1	618	Y
1	4	5510	99	1	538	Y
1	5	5510	61	1	878	N
1	6	5510	18	1	3066	Y
1	7	5510	83	1	638	Y
1	8	5510	58	1	918	Y
1	9	5510	63	1	838	Y
1	10	5510	62	1	858	Y
1	11	5510	67	1	798	Y
1	12	5510	74	1	718	Y
1	13	5510	92	1	578	Y
1	14	5510	89	1	598	Y
1	15	5510	95	1	558	N
1	16	5510	21	1	2536	Y
1	17	5510	55	1	966	Y
1	18	5510	64	1	827	N
1	19	5510	22	1	2501	N
1	20	5510	21	1	2595	Y
1	21	5510	48	1	1114	Y
1	22	5510	41	1	1302	Y
1	23	5510	18	1	3045	N
1	24	5510	33	1	1624	Y
1	25	5510	19	1	2878	Y
1	26	5510	52	1	1027	Y
1	27	5510	22	1	2485	Y
1	28	5510	33	1	1600	N
1	29	5510	46	1	1172	Y
1	30	5510	45	1	1177	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
1	1	5530	57	1	938	Y
1	2	5530	76	1	698	Y
1	3	5530	86	1	618	Y
1	4	5530	99	1	538	N
1	5	5530	61	1	878	Y
1	6	5530	18	1	3066	Y
1	7	5530	83	1	638	Y
1	8	5530	58	1	918	Y
1	9	5530	63	1	838	Y
1	10	5530	62	1	858	Y
1	11	5530	67	1	798	Y
1	12	5530	74	1	718	Y
1	13	5530	92	1	578	Y
1	14	5530	89	1	598	Y
1	15	5530	95	1	558	Y
1	16	5530	21	1	2536	Y
1	17	5530	55	1	966	Y
1	18	5530	64	1	827	N
1	19	5530	22	1	2501	Y
1	20	5530	21	1	2595	Y
1	21	5530	48	1	1114	N
1	22	5530	41	1	1302	N
1	23	5530	18	1	3045	Y
1	24	5530	33	1	1624	Y
1	25	5530	19	1	2878	Y
1	26	5530	52	1	1027	Y
1	27	5530	22	1	2485	N
1	28	5530	33	1	1600	Y
1	29	5530	46	1	1172	Y
1	30	5530	45	1	1177	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
1						

Report No.: 2401259035RFC-3  
Appendix B

Radar Type	Trial #	Freq(MHz)	Number Pulse per Burst	Pulse Width(us)	PRI(us)	Detection(Yes / No)
2	1	5300	26	3.20	179	Y
2	2	5300	23	1.10	207	Y
2	3	5300	24	2.10	230	N
2	4	5300	29	4.80	200	Y
2	5	5300	28	3.90	214	Y
2	6	5300	26	2.90	222	Y
2	7	5300	26	3.20	204	Y
2	8	5300	25	2.50	192	Y
2	9	5300	26	3.10	164	Y
2	10	5300	23	1.20	156	Y
2	11	5300	27	3.90	210	Y
2	12	5300	29	4.60	201	N
2	13	5300	26	3.20	162	Y
2	14	5300	25	2.20	197	Y
2	15	5300	29	4.50	163	Y
2	16	5300	26	3.00	203	Y
2	17	5300	29	5.00	168	Y
2	18	5300	25	2.40	217	Y
2	19	5300	26	2.90	191	Y
2	20	5300	25	2.30	166	Y
2	21	5300	27	3.70	150	Y
2	22	5300	25	2.20	176	Y
2	23	5300	29	4.90	195	N
2	24	5300	26	2.90	202	Y
2	25	5300	25	2.50	178	Y
2	26	5300	23	1.10	206	Y
2	27	5300	27	3.80	155	Y
2	28	5300	29	4.70	157	Y
2	29	5300	25	2.40	224	Y
2	30	5300	28	4.20	159	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
2	1	5310	26	3.20	179	Y
2	2	5310	23	1.10	207	Y
2	3	5310	24	2.10	230	Y
2	4	5310	29	4.80	200	Y
2	5	5310	28	3.90	214	Y
2	6	5310	26	2.90	222	Y
2	7	5310	26	3.20	204	Y
2	8	5310	25	2.50	192	Y
2	9	5310	26	3.10	164	Y
2	10	5310	23	1.20	156	Y
2	11	5310	27	3.90	210	Y
2	12	5310	29	4.60	201	N
2	13	5310	26	3.20	162	Y
2	14	5310	25	2.20	197	Y
2	15	5310	29	4.50	163	Y
2	16	5310	26	3.00	203	Y
2	17	5310	29	5.00	168	N
2	18	5310	25	2.40	217	Y
2	19	5310	26	2.90	191	Y
2	20	5310	25	2.30	166	Y
2	21	5310	27	3.70	150	Y
2	22	5310	25	2.20	176	Y
2	23	5310	29	4.90	195	Y
2	24	5310	26	2.90	202	Y
2	25	5310	25	2.50	178	N
2	26	5310	23	1.10	206	Y
2	27	5310	27	3.80	155	N
2	28	5310	29	4.70	157	Y
2	29	5310	25	2.40	224	Y
2	30	5310	28	4.20	159	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
2	1	5290	26	3.20	179	Y
2	2	5290	23	1.10	207	Y
2	3	5290	24	2.10	230	Y
2	4	5290	29	4.80	200	Y
2	5	5290	28	3.90	214	Y
2	6	5290	26	2.90	222	Y
2	7	5290	26	3.20	204	Y
2	8	5290	25	2.50	192	Y
2	9	5290	26	3.10	164	Y
2	10	5290	23	1.20	156	Y
2	11	5290	27	3.90	210	N
2	12	5290	29	4.60	201	Y
2	13	5290	26	3.20	162	Y
2	14	5290	25	2.20	197	Y
2	15	5290	29	4.50	163	Y
2	16	5290	26	3.00	203	N
2	17	5290	29	5.00	168	Y
2	18	5290	25	2.40	217	Y
2	19	5290	26	2.90	191	Y
2	20	5290	25	2.30	166	Y
2	21	5290	27	3.70	150	Y
2	22	5290	25	2.20	176	Y
2	23	5290	29	4.90	195	Y
2	24	5290	26	2.90	202	N
2	25	5290	25	2.50	178	Y
2	26	5290	23	1.10	206	Y
2	27	5290	27	3.80	155	N
2	28	5290	29	4.70	157	Y
2	29	5290	25	2.40	224	Y
2	30	5290	28	4.20	159	N

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
2	1	5250	26	3.20	179	Y
2	2	5250	23	1.10	207	Y
2	3	5250	24	2.10	230	Y
2	4	5250	29	4.80	200	N
2	5	5250	28	3.90	214	Y
2	6	5250	26	2.90	222	Y
2	7	5250	26	3.20	204	Y
2	8	5250	25	2.50	192	Y
2	9	5250	26	3.10	164	Y
2	10	5250	23	1.20	156	Y
2	11	5250	27	3.90	210	Y
2	12	5250	29	4.60	201	Y
2	13	5250	26	3.20	162	N
2	14	5250	25	2.20	197	Y
2	15	5250	29	4.50	163	Y
2	16	5250	26	3.00	203	Y
2	17	5250	29	5.00	168	Y
2	18	5250	25	2.40	217	N
2	19	5250	26	2.90	191	Y
2	20	5250	25	2.30	166	Y
2	21	5250	27	3.70	150	N
2	22	5250	25	2.20	176	Y
2	23	5250	29	4.90	195	Y
2	24	5250	26	2.90	202	Y
2	25	5250	25	2.50	178	Y
2	26	5250	23	1.10	206	Y
2	27	5250	27	3.80	155	Y
2	28	5250	29	4.70	157	Y
2	29	5250	25	2.40	224	Y
2	30	5250	28	4.20	159	Y

Radar Type	Trial #	Freq(MHz)	Number Pulse per Burst	Pulse Width(us)	PRI(us)	Detection(Yes / No)
2	1	5500	26	3.20	179	Y
2	2	5500	23	1.10	207	Y
2	3	5500	24	2.10	230	Y
2	4	5500	29	4.80	200	Y
2	5	5500	28	3.90	214	Y
2	6	5500	26	2.90	222	N
2	7	5500	26	3.20	204	Y
2	8	5500	25	2.50	192	Y
2	9	5500	26	3.10	164	Y
2	10	5500	23	1.20	156	Y
2	11	5500	27	3.90	210	Y
2	12	5500	29	4.60	201	Y
2	13	5500	26	3.20	162	Y
2	14	5500	25	2.20	197	Y
2	15	5500	29	4.50	163	Y
2	16	5500	26	3.00	203	Y
2	17	5500	29	5.00	168	N
2	18	5500	25	2.40	217	Y
2	19	5500	26	2.90	191	Y
2	20	5500	25	2.30	166	Y
2	21	5500	27	3.70	150	N
2	22	5500	25	2.20	176	Y
2	23	5500	29	4.90	195	Y
2	24	5500	26	2.90	202	Y
2	25	5500	25	2.50	178	Y
2	26	5500	23	1.10	206	N
2	27	5500	27	3.80	155	Y
2	28	5500	29	4.70	157	Y
2	29	5500	25	2.40	224	Y
2	30	5500	28	4.20	159	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
2	1	5510	26	3.20	179	Y
2	2	5510	23	1.10	207	Y
2	3	5510	24	2.10	230	N
2	4	5510	29	4.80	200	Y
2	5	5510	28	3.90	214	Y
2	6	5510	26	2.90	222	Y
2	7	5510	26	3.20	204	Y
2	8	5510	25	2.50	192	Y
2	9	5510	26	3.10	164	Y
2	10	5510	23	1.20	156	Y
2	11	5510	27	3.90	210	Y
2	12	5510	29	4.60	201	Y
2	13	5510	26	3.20	162	Y
2	14	5510	25	2.20	197	Y
2	15	5510	29	4.50	163	Y
2	16	5510	26	3.00	203	Y
2	17	5510	29	5.00	168	N
2	18	5510	25	2.40	217	N
2	19	5510	26	2.90	191	Y
2	20	5510	25	2.30	166	Y
2	21	5510	27	3.70	150	Y
2	22	5510	25	2.20	176	Y
2	23	5510	29	4.90	195	Y
2	24	5510	26	2.90	202	Y
2	25	5510	25	2.50	178	N
2	26	5510	23	1.10	206	Y
2	27	5510	27	3.80	155	Y
2	28	5510	29	4.70	157	Y
2	29	5510	25	2.40	224	Y
2	30	5510	28	4.20	159	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
2	1	5530	26	3.20	179	Y
2	2	5530	23	1.10	207	N
2	3	5530	24	2.10	230	Y
2	4	5530	29	4.80	200	Y
2	5	5530	28	3.90	214	Y
2	6	5530	26	2.90	222	Y
2	7	5530	26	3.20	204	Y
2	8	5530	25	2.50	192	Y
2	9	5530	26	3.10	164	Y
2	10	5530	23	1.20	156	Y
2	11	5530	27	3.90	210	Y
2	12	5530	29	4.60	201	Y
2	13	5530	26	3.20	162	Y
2	14	5530	25	2.20	197	Y
2	15	5530	29	4.50	163	Y
2	16	5530	26	3.00	203	Y
2	17	5530	29	5.00	168	Y
2	18	5530	25	2.40	217	N
2	19	5530	26	2.90	191	Y
2	20	5530	25	2.30	166	Y
2	21	5530	27	3.70	150	Y
2	22	5530	25	2.20	176	Y
2	23	5530	29	4.90		

Report No.: 2401259035RFC-3  
Appendix C

Radar Type	Trial #	Freq(MHz)	Number Pulse per Burst	Pulse Width(us)	PRI(us)	Detection(Yes / No)
3	1	5300	17	8.20	355	Y
3	2	5300	16	6.10	487	Y
3	3	5300	16	7.10	344	Y
3	4	5300	18	9.80	288	Y
3	5	5300	18	8.90	230	Y
3	6	5300	17	7.90	432	Y
3	7	5300	17	8.20	207	Y
3	8	5300	17	7.50	443	N
3	9	5300	17	8.10	439	Y
3	10	5300	16	6.20	223	N
3	11	5300	18	8.90	208	Y
3	12	5300	18	9.60	463	N
3	13	5300	17	8.20	441	Y
3	14	5300	16	7.20	323	Y
3	15	5300	18	9.50	297	Y
3	16	5300	17	8.00	412	Y
3	17	5300	18	10.00	324	Y
3	18	5300	17	7.40	271	Y
3	19	5300	17	7.90	349	Y
3	20	5300	16	7.30	409	Y
3	21	5300	18	8.70	373	Y
3	22	5300	16	7.20	254	N
3	23	5300	18	9.90	274	Y
3	24	5300	17	7.90	278	Y
3	25	5300	17	7.50	317	Y
3	26	5300	16	6.10	260	Y
3	27	5300	18	8.80	211	Y
3	28	5300	18	9.70	272	Y
3	29	5300	17	7.40	264	N
3	30	5300	18	9.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
3	1	5310	17	8.20	355	Y
3	2	5310	16	6.10	487	Y
3	3	5310	16	7.10	344	Y
3	4	5310	18	9.80	288	N
3	5	5310	18	8.90	230	Y
3	6	5310	17	7.90	432	Y
3	7	5310	17	8.20	207	Y
3	8	5310	17	7.50	443	Y
3	9	5310	17	8.10	439	Y
3	10	5310	16	6.20	223	Y
3	11	5310	18	8.90	208	Y
3	12	5310	18	9.60	463	N
3	13	5310	17	8.20	441	Y
3	14	5310	16	7.20	323	Y
3	15	5310	18	9.50	297	Y
3	16	5310	17	8.00	412	Y
3	17	5310	18	10.00	324	Y
3	18	5310	17	7.40	271	Y
3	19	5310	17	7.90	349	N
3	20	5310	16	7.30	409	N
3	21	5310	18	8.70	373	Y
3	22	5310	16	7.20	254	Y
3	23	5310	18	9.90	274	Y
3	24	5310	17	7.90	278	Y
3	25	5310	17	7.50	317	N
3	26	5310	16	6.10	260	Y
3	27	5310	18	8.80	211	Y
3	28	5310	18	9.70	272	Y
3	29	5310	17	7.40	264	Y
3	30	5310	18	9.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
3	1	5290	17	8.20	355	Y
3	2	5290	16	6.10	487	Y
3	3	5290	16	7.10	344	Y
3	4	5290	18	9.80	288	Y
3	5	5290	18	8.90	230	Y
3	6	5290	17	7.90	432	Y
3	7	5290	17	8.20	207	Y
3	8	5290	17	7.50	443	Y
3	9	5290	17	8.10	439	N
3	10	5290	16	6.20	223	Y
3	11	5290	18	8.90	208	Y
3	12	5290	18	9.60	463	Y
3	13	5290	17	8.20	441	Y
3	14	5290	16	7.20	323	Y
3	15	5290	18	9.50	297	N
3	16	5290	17	8.00	412	Y
3	17	5290	18	10.00	324	Y
3	18	5290	17	7.40	271	Y
3	19	5290	17	7.90	349	Y
3	20	5290	16	7.30	409	Y
3	21	5290	18	8.70	373	N
3	22	5290	16	7.20	254	N
3	23	5290	18	9.90	274	Y
3	24	5290	17	7.90	278	Y
3	25	5290	17	7.50	317	Y
3	26	5290	16	6.10	260	Y
3	27	5290	18	8.80	211	Y
3	28	5290	18	9.70	272	Y
3	29	5290	17	7.40	264	Y
3	30	5290	18	9.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
3	1	5250	17	8.20	355	Y
3	2	5250	16	6.10	487	Y
3	3	5250	16	7.10	344	Y
3	4	5250	18	9.80	288	Y
3	5	5250	18	8.90	230	Y
3	6	5250	17	7.90	432	Y
3	7	5250	17	8.20	207	Y
3	8	5250	17	7.50	443	Y
3	9	5250	17	8.10	439	Y
3	10	5250	16	6.20	223	Y
3	11	5250	18	8.90	208	Y
3	12	5250	18	9.60	463	Y
3	13	5250	17	8.20	441	Y
3	14	5250	16	7.20	323	N
3	15	5250	18	9.50	297	Y
3	16	5250	17	8.00	412	Y
3	17	5250	18	10.00	324	Y
3	18	5250	17	7.40	271	Y
3	19	5250	17	7.90	349	Y
3	20	5250	16	7.30	409	Y
3	21	5250	18	8.70	373	N
3	22	5250	16	7.20	254	Y
3	23	5250	18	9.90	274	Y
3	24	5250	17	7.90	278	Y
3	25	5250	17	7.50	317	Y
3	26	5250	16	6.10	260	Y
3	27	5250	18	8.80	211	N
3	28	5250	18	9.70	272	Y
3	29	5250	17	7.40	264	N
3	30	5250	18	9.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number Pulse per Burst	Pulse Width(us)	PRI(us)	Detection(Yes / No)
3	1	5500	17	8.20	355	Y
3	2	5500	16	6.10	487	N
3	3	5500	16	7.10	344	Y
3	4	5500	18	9.80	288	Y
3	5	5500	18	8.90	230	Y
3	6	5500	17	7.90	432	Y
3	7	5500	17	8.20	207	Y
3	8	5500	17	7.50	443	Y
3	9	5500	17	8.10	439	Y
3	10	5500	16	6.20	223	N
3	11	5500	18	8.90	208	Y
3	12	5500	18	9.60	463	N
3	13	5500	17	8.20	441	Y
3	14	5500	16	7.20	323	Y
3	15	5500	18	9.50	297	Y
3	16	5500	17	8.00	412	Y
3	17	5500	18	10.00	324	Y
3	18	5500	17	7.40	271	Y
3	19	5500	17	7.90	349	Y
3	20	5500	16	7.30	409	Y
3	21	5500	18	8.70	373	Y
3	22	5500	16	7.20	254	N
3	23	5500	18	9.90	274	Y
3	24	5500	17	7.90	278	Y
3	25	5500	17	7.50	317	Y
3	26	5500	16	6.10	260	Y
3	27	5500	18	8.80	211	Y
3	28	5500	18	9.70	272	N
3	29	5500	17	7.40	264	Y
3	30	5500	18	9.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
3	1	5510	17	8.20	355	Y
3	2	5510	16	6.10	487	Y
3	3	5510	16	7.10	344	Y
3	4	5510	18	9.80	288	Y
3	5	5510	18	8.90	230	Y
3	6	5510	17	7.90	432	Y
3	7	5510	17	8.20	207	Y
3	8	5510	17	7.50	443	N
3	9	5510	17	8.10	439	Y
3	10	5510	16	6.20	223	Y
3	11	5510	18	8.90	208	Y
3	12	5510	18	9.60	463	Y
3	13	5510	17	8.20	441	Y
3	14	5510	16	7.20	323	Y
3	15	5510	18	9.50	297	Y
3	16	5510	17	8.00	412	Y
3	17	5510	18	10.00	324	Y
3	18	5510	17	7.40	271	N
3	19	5510	17	7.90	349	Y
3	20	5510	16	7.30	409	Y
3	21	5510	18	8.70	373	Y
3	22	5510	16	7.20	254	Y
3	23	5510	18	9.90	274	Y
3	24	5510	17	7.90	278	Y
3	25	5510	17	7.50	317	N
3	26	5510	16	6.10	260	Y
3	27	5510	18	8.80	211	Y
3	28	5510	18	9.70	272	Y
3	29	5510	17	7.40	264	N
3	30	5510	18	9.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
3	1	5530	17	8.20	355	Y
3	2	5530	16	6.10	487	Y
3	3	5530	16	7.10	344	Y
3	4	5530	18	9.80	288	Y
3	5	5530	18	8.90	230	Y
3	6	5530	17	7.90	432	Y
3	7	5530	17	8.20	207	N
3	8	5530	17	7.50	443	Y
3	9	5530	17	8.10	439	Y
3	10	5530	16	6.20	223	N
3	11	5530	18	8.90	208	N
3	12	5530	18	9.60	463	Y
3	13	5530	17	8.20	441	Y
3	14	5530	16	7.20	323	Y
3	15	5530	18	9.50	297	Y
3	16	5530	17	8.00	412	Y
3	17	5530	18	10.00	324	Y
3	18	5530	17	7.40	271	Y
3	19	5530	17	7.90	349	Y
3	20	5530	16	7.30	409	Y
3	21	5530	18	8.70	373	N
3	22	5530	16	7.20	254	Y
3	23	5530	18	9.90		

Report No.: 2401259035RFC-3  
Appendix D

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
4	1	5300	14	16.00	355	Y
4	2	5300	12	11.30	487	Y
4	3	5300	13	13.50	344	Y
4	4	5300	16	19.40	288	Y
4	5	5300	15	17.50	230	Y
4	6	5300	14	15.30	432	Y
4	7	5300	14	15.90	207	Y
4	8	5300	13	14.30	443	Y
4	9	5300	14	15.80	439	Y
4	10	5300	12	11.50	223	Y
4	11	5300	15	17.40	208	Y
4	12	5300	16	19.00	463	N
4	13	5300	14	16.00	441	Y
4	14	5300	13	13.80	323	Y
4	15	5300	16	18.90	297	Y
4	16	5300	14	15.50	412	Y
4	17	5300	16	19.90	324	Y
4	18	5300	13	14.10	271	N
4	19	5300	14	15.20	349	Y
4	20	5300	13	13.80	409	Y
4	21	5300	15	17.10	373	Y
4	22	5300	13	13.80	254	Y
4	23	5300	16	19.80	274	N
4	24	5300	14	15.30	278	N
4	25	5300	13	14.50	317	Y
4	26	5300	12	11.30	260	Y
4	27	5300	15	17.30	211	Y
4	28	5300	16	19.20	272	N
4	29	5300	13	14.20	264	Y
4	30	5300	15	18.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
4	1	5500	14	16.00	355	Y
4	2	5500	12	11.30	487	Y
4	3	5500	13	13.50	344	Y
4	4	5500	16	19.40	288	Y
4	5	5500	15	17.50	230	Y
4	6	5500	14	15.30	432	Y
4	7	5500	14	15.90	207	Y
4	8	5500	13	14.30	443	Y
4	9	5500	14	15.80	439	N
4	10	5500	12	11.50	223	Y
4	11	5500	15	17.40	208	Y
4	12	5500	16	19.00	463	Y
4	13	5500	14	16.00	441	Y
4	14	5500	13	13.80	323	Y
4	15	5500	16	18.90	297	Y
4	16	5500	14	15.50	412	Y
4	17	5500	16	19.90	324	Y
4	18	5500	13	14.10	271	Y
4	19	5500	14	15.20	349	Y
4	20	5500	13	13.80	409	N
4	21	5500	15	17.10	373	Y
4	22	5500	13	13.80	254	Y
4	23	5500	16	19.80	274	Y
4	24	5500	14	15.30	278	Y
4	25	5500	13	14.50	317	N
4	26	5500	12	11.30	260	Y
4	27	5500	15	17.30	211	Y
4	28	5500	16	19.20	272	N
4	29	5500	13	14.20	264	Y
4	30	5500	15	18.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
4	1	5310	14	16.00	355	Y
4	2	5310	12	11.30	487	N
4	3	5310	13	13.50	344	Y
4	4	5310	16	19.40	288	Y
4	5	5310	15	17.50	230	Y
4	6	5310	14	15.30	432	Y
4	7	5310	14	15.90	207	N
4	8	5310	13	14.30	443	Y
4	9	5310	14	15.80	439	Y
4	10	5310	12	11.50	223	Y
4	11	5310	15	17.40	208	Y
4	12	5310	16	19.00	463	Y
4	13	5310	14	16.00	441	Y
4	14	5310	13	13.80	323	Y
4	15	5310	16	18.90	297	Y
4	16	5310	14	15.50	412	Y
4	17	5310	16	19.90	324	N
4	18	5310	13	14.10	271	Y
4	19	5310	14	15.20	349	Y
4	20	5310	13	13.80	409	Y
4	21	5310	15	17.10	373	Y
4	22	5310	13	13.80	254	Y
4	23	5310	16	19.80	274	Y
4	24	5310	14	15.30	278	Y
4	25	5310	13	14.50	317	Y
4	26	5310	12	11.30	260	N
4	27	5310	15	17.30	211	Y
4	28	5310	16	19.20	272	Y
4	29	5310	13	14.20	264	Y
4	30	5310	15	18.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
4	1	5510	14	16.00	355	Y
4	2	5510	12	11.30	487	Y
4	3	5510	13	13.50	344	N
4	4	5510	16	19.40	288	Y
4	5	5510	15	17.50	230	Y
4	6	5510	14	15.30	432	Y
4	7	5510	14	15.90	207	Y
4	8	5510	13	14.30	443	Y
4	9	5510	14	15.80	439	Y
4	10	5510	12	11.50	223	Y
4	11	5510	15	17.40	208	Y
4	12	5510	16	19.00	463	Y
4	13	5510	14	16.00	441	Y
4	14	5510	13	13.80	323	N
4	15	5510	16	18.90	297	Y
4	16	5510	14	15.50	412	Y
4	17	5510	16	19.90	324	N
4	18	5510	13	14.10	271	Y
4	19	5510	14	15.20	349	Y
4	20	5510	13	13.80	409	Y
4	21	5510	15	17.10	373	Y
4	22	5510	13	13.80	254	Y
4	23	5510	16	19.80	274	Y
4	24	5510	14	15.30	278	N
4	25	5510	13	14.50	317	N
4	26	5510	12	11.30	260	Y
4	27	5510	15	17.30	211	Y
4	28	5510	16	19.20	272	Y
4	29	5510	13	14.20	264	Y
4	30	5510	15	18.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
4	1	5290	14	16.00	355	Y
4	2	5290	12	11.30	487	Y
4	3	5290	13	13.50	344	Y
4	4	5290	16	19.40	288	Y
4	5	5290	15	17.50	230	Y
4	6	5290	14	15.30	432	Y
4	7	5290	14	15.90	207	Y
4	8	5290	13	14.30	443	Y
4	9	5290	14	15.80	439	Y
4	10	5290	12	11.50	223	N
4	11	5290	15	17.40	208	Y
4	12	5290	16	19.00	463	Y
4	13	5290	14	16.00	441	Y
4	14	5290	13	13.80	323	Y
4	15	5290	16	18.90	297	Y
4	16	5290	14	15.50	412	Y
4	17	5290	16	19.90	324	Y
4	18	5290	13	14.10	271	Y
4	19	5290	14	15.20	349	N
4	20	5290	13	13.80	409	Y
4	21	5290	15	17.10	373	Y
4	22	5290	13	13.80	254	Y
4	23	5290	16	19.80	274	Y
4	24	5290	14	15.30	278	Y
4	25	5290	13	14.50	317	N
4	26	5290	12	11.30	260	Y
4	27	5290	15	17.30	211	Y
4	28	5290	16	19.20	272	Y
4	29	5290	13	14.20	264	N
4	30	5290	15	18.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
4	1	5530	14	16.00	355	Y
4	2	5530	12	11.30	487	Y
4	3	5530	13	13.50	344	N
4	4	5530	16	19.40	288	Y
4	5	5530	15	17.50	230	Y
4	6	5530	14	15.30	432	Y
4	7	5530	14	15.90	207	Y
4	8	5530	13	14.30	443	Y
4	9	5530	14	15.80	439	Y
4	10	5530	12	11.50	223	Y
4	11	5530	15	17.40	208	Y
4	12	5530	16	19.00	463	Y
4	13	5530	14	16.00	441	N
4	14	5530	13	13.80	323	Y
4	15	5530	16	18.90	297	Y
4	16	5530	14	15.50	412	Y
4	17	5530	16	19.90	324	Y
4	18	5530	13	14.10	271	Y
4	19	5530	14	15.20	349	N
4	20	5530	13	13.80	409	Y
4	21	5530	15	17.10	373	Y
4	22	5530	13	13.80	254	Y
4	23	5530	16	19.80	274	Y
4	24	5530	14	15.30	278	N
4	25	5530	13	14.50	317	N
4	26	5530	12	11.30	260	Y
4	27	5530	15	17.30	211	Y
4	28	5530	16	19.20	272	Y
4	29	5530	13	14.20	264	Y
4	30	5530	15	18.20	284	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Pulse Width(us)	PRI(us)	Detection(Yes / No)
4	1	5250	14	16.00	355	Y
4	2	5250	12	11.30	487	Y
4	3	5250	13	13.50	344	Y
4	4	5250	16	19.40	288	Y
4	5	5250	15	17.50	230	N
4	6	5250	14	15.30	432	Y
4	7	5250	14	15.90	207	Y
4	8	5250	13	14.30	443	Y
4	9	5250	14	15.80	439	Y
4	10	5250	12	11.50	223	Y
4	11	5250	15	17.40	208	Y
4	12	5250	16	19.00	463	Y
4	13	5250	14	16.00	441	Y
4	14	5250	13	13.80	323	Y
4	15	5250	16	18.90	297	Y
4	16	5250	14	15.50	412	N
4	17	5250	16	19.90	324	Y
4	18	5250	13	14.10	271	Y
4	19	5250	14	15.20	349	Y
4	20					

Report No.: 2401259035RFC-3  
Appendix E.1

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Burst Period(s)	Center Frequency(GHz)	Detection(Yes / No)
5	1	5300	15	0.8	5.3	Y
5	2	5300	8	1.5	5.3	Y
5	3	5300	11	1.091	5.3	Y
5	4	5300	20	0.6	5.3	N
5	5	5300	17	0.706	5.3	Y
5	6	5300	14	0.857	5.3	Y
5	7	5300	15	0.8	5.3	Y
5	8	5300	12	1	5.3	Y
5	9	5300	14	0.857	5.3	Y
5	10	5300	8	1.5	5.3	Y
5	11	5300	17	0.706	5.304	N
5	12	5300	19	0.632	5.305	Y
5	13	5300	15	0.8	5.303	Y
5	14	5300	12	1	5.302	Y
5	15	5300	19	0.632	5.305	Y
5	16	5300	14	0.857	5.302	Y
5	17	5300	20	0.6	5.306	Y
5	18	5300	12	1	5.302	Y
5	19	5300	14	0.857	5.302	Y
5	20	5300	12	1	5.302	Y
5	21	5300	16	0.75	5.296	Y
5	22	5300	12	1	5.299	Y
5	23	5300	20	0.6	5.294	Y
5	24	5300	14	0.857	5.298	Y
5	25	5300	13	0.923	5.298	Y
5	26	5300	8	1.5	5.3	Y
5	27	5300	17	0.706	5.296	Y
5	28	5300	19	0.632	5.295	Y
5	29	5300	12	1	5.298	N
5	30	5300	18	0.667	5.296	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Burst Period(s)	Center Frequency(GHz)	Detection(Yes / No)
5	1	5310	15	0.8	5.3	Y
5	2	5310	8	1.5	5.3	Y
5	3	5310	11	1.091	5.3	Y
5	4	5310	20	0.6	5.3	Y
5	5	5310	17	0.706	5.3	Y
5	6	5310	14	0.857	5.3	Y
5	7	5310	15	0.8	5.3	Y
5	8	5310	12	1	5.3	Y
5	9	5310	14	0.857	5.3	Y
5	10	5310	8	1.5	5.3	N
5	11	5310	17	0.706	5.304	Y
5	12	5310	19	0.632	5.305	Y
5	13	5310	15	0.8	5.303	Y
5	14	5310	12	1	5.302	Y
5	15	5310	19	0.632	5.305	Y
5	16	5310	14	0.857	5.302	Y
5	17	5310	20	0.6	5.306	Y
5	18	5310	12	1	5.302	N
5	19	5310	14	0.857	5.302	Y
5	20	5310	12	1	5.302	Y
5	21	5310	16	0.75	5.296	Y
5	22	5310	12	1	5.299	Y
5	23	5310	20	0.6	5.294	Y
5	24	5310	14	0.857	5.298	Y
5	25	5310	13	0.923	5.298	N
5	26	5310	8	1.5	5.3	Y
5	27	5310	17	0.706	5.296	Y
5	28	5310	19	0.632	5.295	Y
5	29	5310	12	1	5.298	N
5	30	5310	18	0.667	5.296	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Burst Period(s)	Center Frequency(GHz)	Detection(Yes / No)
5	1	5290	15	0.8	5.3	Y
5	2	5290	8	1.5	5.3	Y
5	3	5290	11	1.091	5.3	Y
5	4	5290	20	0.6	5.3	N
5	5	5290	17	0.706	5.3	Y
5	6	5290	14	0.857	5.3	Y
5	7	5290	15	0.8	5.3	Y
5	8	5290	12	1	5.3	Y
5	9	5290	14	0.857	5.3	Y
5	10	5290	8	1.5	5.3	Y
5	11	5290	17	0.706	5.304	Y
5	12	5290	19	0.632	5.305	N
5	13	5290	15	0.8	5.303	Y
5	14	5290	12	1	5.302	Y
5	15	5290	19	0.632	5.305	Y
5	16	5290	14	0.857	5.302	Y
5	17	5290	20	0.6	5.306	Y
5	18	5290	12	1	5.302	Y
5	19	5290	14	0.857	5.302	Y
5	20	5290	12	1	5.302	N
5	21	5290	16	0.75	5.296	Y
5	22	5290	12	1	5.299	Y
5	23	5290	20	0.6	5.294	Y
5	24	5290	14	0.857	5.298	Y
5	25	5290	13	0.923	5.298	N
5	26	5290	8	1.5	5.3	Y
5	27	5290	17	0.706	5.296	Y
5	28	5290	19	0.632	5.295	Y
5	29	5290	12	1	5.298	N
5	30	5290	18	0.667	5.296	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Burst Period(s)	Center Frequency(GHz)	Detection(Yes / No)
5	1	5250	15	0.8	5.3	Y
5	2	5250	8	1.5	5.3	Y
5	3	5250	11	1.0909	5.3	Y
5	4	5250	20	0.6	5.3	Y
5	5	5250	17	0.7059	5.3	N
5	6	5250	14	0.8571	5.3	Y
5	7	5250	15	0.8	5.3	Y
5	8	5250	12	1	5.3	Y
5	9	5250	14	0.8571	5.3	Y
5	10	5250	8	1.5	5.3	Y
5	11	5250	17	0.7059	5.304	Y
5	12	5250	19	0.6316	5.305	N
5	13	5250	15	0.8	5.303	Y
5	14	5250	12	1	5.302	N
5	15	5250	19	0.6316	5.305	Y
5	16	5250	14	0.8571	5.302	Y
5	17	5250	20	0.6	5.306	Y
5	18	5250	12	1	5.302	Y
5	19	5250	14	0.8571	5.302	Y
5	20	5250	12	1	5.302	Y
5	21	5250	16	0.75	5.296	Y
5	22	5250	12	1	5.299	Y
5	23	5250	20	0.6	5.294	N
5	24	5250	14	0.8571	5.298	Y
5	25	5250	13	0.9231	5.298	Y
5	26	5250	8	1.5	5.3	Y
5	27	5250	17	0.7059	5.296	Y
5	28	5250	19	0.6316	5.295	Y
5	29	5250	12	1	5.298	N
5	30	5250	18	0.6667	5.296	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Burst Period(s)	Center Frequency(GHz)	Detection(Yes / No)
5	1	5500	15	0.8	5.3	Y
5	2	5500	8	1.5	5.3	Y
5	3	5500	11	1.091	5.3	Y
5	4	5500	20	0.6	5.3	N
5	5	5500	17	0.706	5.3	Y
5	6	5500	14	0.857	5.3	Y
5	7	5500	15	0.8	5.3	Y
5	8	5500	12	1	5.3	Y
5	9	5500	14	0.857	5.3	Y
5	10	5500	8	1.5	5.3	Y
5	11	5500	17	0.706	5.304	Y
5	12	5500	19	0.632	5.305	Y
5	13	5500	15	0.8	5.303	Y
5	14	5500	12	1	5.302	Y
5	15	5500	19	0.632	5.305	Y
5	16	5500	14	0.857	5.302	N
5	17	5500	20	0.6	5.306	Y
5	18	5500	12	1	5.302	Y
5	19	5500	14	0.857	5.302	Y
5	20	5500	12	1	5.302	Y
5	21	5500	16	0.75	5.296	Y
5	22	5500	12	1	5.299	Y
5	23	5500	20	0.6	5.294	Y
5	24	5500	14	0.857	5.298	Y
5	25	5500	13	0.923	5.298	Y
5	26	5500	8	1.5	5.3	N
5	27	5500	17	0.706	5.296	Y
5	28	5500	19	0.632	5.295	N
5	29	5500	12	1	5.298	Y
5	30	5500	18	0.667	5.296	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Burst Period(s)	Center Frequency(GHz)	Detection(Yes / No)
5	1	5510	15	0.8	5.3	Y
5	2	5510	8	1.5	5.3	Y
5	3	5510	11	1.091	5.3	Y
5	4	5510	20	0.6	5.3	Y
5	5	5510	17	0.706	5.3	Y
5	6	5510	14	0.857	5.3	N
5	7	5510	15	0.8	5.3	Y
5	8	5510	12	1	5.3	Y
5	9	5510	14	0.857	5.3	Y
5	10	5510	8	1.5	5.3	Y
5	11	5510	17	0.706	5.304	Y
5	12	5510	19	0.632	5.305	Y
5	13	5510	15	0.8	5.303	Y
5	14	5510	12	1	5.302	Y
5	15	5510	19	0.632	5.305	Y
5	16	5510	14	0.857	5.302	Y
5	17	5510	20	0.6	5.306	Y
5	18	5510	12	1	5.302	N
5	19	5510	14	0.857	5.302	Y
5	20	5510	12	1	5.302	Y
5	21	5510	16	0.75	5.296	Y
5	22	5510	12	1	5.299	Y
5	23	5510	20	0.6	5.294	Y
5	24	5510	14	0.857	5.298	Y
5	25	5510	13	0.923	5.298	Y
5	26	5510	8	1.5	5.3	N
5	27	5510	17	0.706	5.296	Y
5	28	5510	19	0.632	5.295	Y
5	29	5510	12	1	5.298	Y
5	30	5510	18	0.667	5.296	Y

Radar Type	Trial #	Freq(MHz)	Number of Bursts	Burst Period(s)	Center Frequency(GHz)	Detection(Yes / No)
5	1	5530	15	0.8	5.3	Y
5	2	5530	8	1.5	5.3	Y
5	3	5530	11	1.091	5.3	Y
5	4	5530	20	0.6	5.3	Y
5	5	5530	17	0.706	5.3	Y
5	6	5530	14	0.857	5.3	Y
5	7	5530	15	0.8	5.3	Y
5	8	5530	12	1	5.3	Y
5	9	5530	14	0.857	5.3	N
5	10	5530	8	1.5	5.3	Y
5	11	5530	17	0.706	5.304	Y
5	12	5530	19	0.632	5.305	Y
5	13	5530	15	0.8	5.303	Y
5	14	5530	12	1	5.302	Y
5	15	5530	19	0.632	5.305	Y
5	16	5530	14	0.857	5.302	Y
5	17	5530	20	0.6	5.306	Y
5	18	5530	12	1	5.302	Y
5	19	5530	14	0.857	5.302	Y
5	20	5530	12	1		

Report No.: 2401259035RFC-3  
Appendix E.2

Trial ID	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)	Result	
	Type 5	15	0.8	12	5.3	Y	
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	636185	77.8	13	2	1665	1477	-
1	32674	51.9	13	2	1074	-	-
2	226294	63.8	13	1	1584	-	-
3	417976	96.6	13	3	1682	1786	1843
4	611152	85.9	13	4	611152	85.9	13
5	8789	73.7	13	2	1198	1549	-
6	201917	77.2	13	2	1837	1819	-
7	365520	68.4	13	2	1587	1114	-
8	388564	76.7	13	2	2900	1153	-
9	783704	53.2	13	1	1147	-	-
10	177933	85.7	13	3	1433	1695	1394
11	376924	98.3	13	3	1670	1498	1935
12	564893	77.6	13	2	2994	1971	-
13	759583	65.7	13	1	1512	-	-
14	154262	93.5	13	3	1444	1130	1468
2 Type 5	8	1.5	12	5.3	Y		
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	653020	75	5	2	1880	1527	-
1	1015643	99.4	5	2	1401	1262	1257
2	1379398	67.4	5	2	1531	1403	-
3	245489	73.6	5	2	1449	1041	-
4	609113	65.9	5	1	1432	-	-
5	670852	83.8	5	3	1356	1292	1419
6	1335913	65.5	5	1	1543	-	-
7	200406	98.6	5	3	1548	1706	1728
3 Type 5	11	1.0909091	12	5.3	Y		
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	409565	73.8	9	2	1806	1538	-
1	673952	69.5	9	2	1117	1649	-
2	938562	51.9	9	3	9852	1051	-
3	113209	84.6	9	3	1976	1032	1271
4	376726	95.4	9	3	1060	1903	1388
5	641212	68	9	3	1338	1351	1573
6	903714	89.6	9	3	1338	1514	1573
7	80863	81.9	9	2	1022	1689	-
8	344067	88.3	9	3	1810	1330	1838
9	609231	53.7	9	3	1597	-	-
10	871542	91.3	9	3	1961	1106	1001
4 Type 5	20	0.6	12	5.3	Y		
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	26541	68.1	19	2	1339	1355	-
1	171821	58.7	19	1	1251	-	-
2	316229	75.3	19	2	1136	1640	-
3	461864	56.4	19	1	1353	-	-
4	8677	99.7	19	3	1196	1708	1150
5	153965	57.7	19	1	1013	-	-
6	299238	59.5	19	1	1072	-	-
7	443177	80	19	2	1367	1369	80
8	587671	82	19	2	1963	1197	-
9	135674	82.8	19	2	1883	1005	-
10	279928	88	19	3	1061	1928	1101
11	424279	93.2	19	3	1207	1907	1223
12	570132	70.4	19	2	1526	1360	-
13	117439	95.3	19	3	1171	1955	1775
14	262592	81.9	19	2	1660	1545	-
15	406573	98.5	19	3	1975	1169	1062
16	553328	65	19	1	1767	-	-
17	99799	85.4	19	3	1011	1637	1425
18	244065	91.6	19	3	1878	1445	1325
19	390012	67.3	19	2	1091	1218	-
5 Type 5	17	0.7058824	12	5.3	N		
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	629614	67.9	16	2	1320	1133	-
1	96856	62.3	16	1	1957	-	-
2	267719	53.3	16	1	1592	-	-
3	387844	90	16	3	1878	1153	1346
4	608289	77.1	16	2	1166	1646	-
5	75610	83.9	16	3	1278	1232	1450
6	245638	89.1	16	3	1346	1384	1360
7	416355	81.8	16	2	1833	1676	-
8	588736	50.3	16	1	1075	-	-
9	54571	87.1	16	3	1116	1996	1756
10	225173	71.3	16	2	1225	1815	-
11	394825	97.5	16	3	1884	1465	1132
12	565361	90.6	16	3	1561	1040	1354
13	133643	86.3	16	3	1596	1183	1792
14	203957	97.4	16	3	1365	1073	1361
15	373812	84.7	16	3	1021	1718	1854
16	544060	99.7	16	3	1150	1244	1988
6 Type 5	14	0.8571429	12	5.3	Y		
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	15438	92.9	12	3	1085	1564	1407
1	222486	67.7	12	2	1744	1747	-

Trial ID	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)	Result	
	Type 5	15	0.8	12	5.5	Y	
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	636185	77.8	13	2	1665	1477	-
1	32674	51.9	13	1	1074	-	-
2	226294	63.8	13	1	1584	-	-
3	417976	96.6	13	3	1682	1786	1843
4	611152	85.9	13	4	611152	85.9	13
5	8789	73.7	13	2	1198	1549	-
6	201917	77.2	13	2	1837	1819	-
7	365520	68.4	13	2	1587	1114	-
8	388564	76.7	13	2	2900	1153	-
9	783704	53.2	13	1	1147	-	-
10	177933	85.7	13	3	1433	1695	1394
11	376924	98.3	13	3	1670	1498	1935
12	564893	77.6	13	2	2994	1971	-
13	759583	65.7	13	1	1512	-	-
14	154262	93.5	13	3	1444	1130	1468
2 Type 5	8	1.5	12	5.5	Y		
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	653020	75	5	2	1880	1527	-
1	1015643	99.4	5	2	1401	1262	1257
2	1379398	67.4	5	2	1531	1403	-
3	245489	73.6	5	2	1449	1041	-
4	609113	65.9	5	1	1432	-	-
5	670852	83.8	5	3	1356	1292	1419
6	1335913	65.5	5	1	1543	-	-
7	200406	98.6	5	3	1548	1706	1728
3 Type 5	11	1.0909091	12	5.5	Y		
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	409565	73.8	9	2	1806	1538	-
1	673952	69.5	9	2	1117	1649	-
2	938562	51.9	9	3	9852	1051	-
3	113209	84.6	9	3	1976	1032	1271
4	376726	95.4	9	3	1060	1903	1388
5	641212	68	9	3	1338	1351	1573
6	903714	89.6	9	3	1338	1514	1573
7	80863	81.9	9	2	1022	1689	-
8	344067	88.3	9	3	1810	1330	1838
9	609231	53.7	9	3	1597	-	-
10	871542	91.3	9	3	1961	1106	1001
4 Type 5	20	0.6	12	5.5	N		
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	26541	68.1	19	2	1339	1355	-
1	171821	58.7	19	1	1251	-	-
2	316229	75.3	19	2	1136	1640	-
3	461864	56.4	19	1	1353	-	-
4	8677	99.7	19	3	1196	1708	1150
5	153965	57.7	19	1	1013	-	-
6	299238	59.5	19	1	1072	-	-
7	443177	80	19	2	1367	1369	80
8	587671	82	19	2	1963	1197	-
9	135674	82.8	19	2	1883	1005	-
10	279928	88	19	3	1061	1928	1101
11	424279	93.2	19	3	1207	1907	1223
12	570132	70.4	19	2	1526	1360	-
13	117439	95.3	19	3	1171	1955	1775
14	262592	81.9	19	2	1660	1545	-
15	406573	98.5	19	3	1975	1169	1062
16	553328	65	19	1	1767	-	-
17	99799	85.4	19	3	1011	1637	1425
18	244065	91.6	19	3	1878	1445	1325
19	390012	67.3	19	2	1091	1218	-
5 Type 5	17	0.7058824	12	5.5	Y		
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	629614	67.9	16	2	1320	1133	-
1	96856	62.3	16	1	1957	-	-
2	267719	53.3	16	1	1592	-	-
3	387844	90	16	3	1878	1153	1346
4	608289	77.1	16	2	1166	1646	-
5	75610	83.9	16	3	1278	1232	1450
6	245638	89.1	16	3	1346	1384	1360
7	416355	81.8	16	2	1833	1676	-
8	588736	50.3	16	1	1075	-	-
9	54571	87.1	16	3	1116	1996	1756
10	225173	71.3	16	2	1225	1815	-
11	394825	97.5	16	3	1884	1465	1132
12	565361	90.6	16	3	1561	1040	1354
13	133643	86.3	16	3	1596	1183	1792
14	203957	97.4	16	3	1365	1073	1361
15	373812	84.7	16	3	1021	1718	1854
16	544060	99.7	16	3	1150	1244	1988
6 Type 5	14	0.8571429	12	5.5	Y		
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	15438	92.9	12	3	1085	1564	1407
1	222486	67.7	12	2	1744	1747	-

Trial ID	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)	Result	
	Type 5	15	0.8	12	5.31	Y	
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI

		2	430731	65.8	12	1	1092	-	-
		3	637784	56.3	12	1	1851	-	-
		4	845342	53.7	12	1	1727	-	-
		5	196720	83.5	12	3	1679	1930	1023
		6	404955	65.8	12	1	1519	-	-
		7	610711	85.9	12	3	1134	1034	1808
		8	818057	78.3	12	2	1604	1929	1694
		9	171459	81.5	12	2	1891	1714	-
		10	377969	89.4	12	3	1310	1594	1827
		11	588975	63.4	12	1	1588	-	-
		12	792834	69.6	12	2	1307	1925	-
		13	146044	74.5	12	2	1264	1846	-
7 Type 5		15	0.8		12	5.31			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)		
0	329022	96.6	13	3	1182	1609	1581		
1	521718	96.7	13	3	1829	1799	1154		
2	714223	98.5	13	3	14223	1389	1863		
3	112450	73.3	13	2	1908	1318	1863		
4	306283	55.8	13	1	1688	-	-		
5	500239	55.4	13	1	1145	-	-		
6	690922	85.3	13	2	1338	1504	1820		
7	88645	79.4	13	2	1344	1893	-		
8	282508	65.7	13	1	1476	-	-		
9	475842	68.6	13	2	1078	1028	-		
10	667887	72.7	13	2	1923	1833	-		
11	64845	79.6	13	2	1882	1331	-		
12	257725	94.9	13	3	1830	1070	1349		
13	432363	61.4	13	1	1451	-	-		
14	643395	90.6	13	3	1233	1562	1887		
8 Type 5		12	1	12	5.31				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)		
0	51446	52.6	10	1	1210	-	-		
1	292096	84.1	10	3	1314	1725	1529		
2	533989	97.7	10	3	1139	1868	1805		
3	775584	97.3	10	3	17584	1446	1758		
4	21542	98.8	10	3	1544	1386	1302		
5	263385	72.2	10	2	1771	1184	-		
6	505581	67.6	10	2	1175	1022	-		
7	747058	75.7	10	2	1029	1871	-		
8	989976	60.9	10	1	1798	-	-		
9	234024	64.2	10	1	1138	-	-		
10	475207	78.8	10	3	1784	1604	-		
11	713823	87.5	10	3	1511	1719	1683		
9 Type 5		14	0.8571429	12	5.31				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)		
0	823112	54.1	13	1	1415	-	-		
1	174965	50.7	13	1	1291	-	-		
2	382216	52.3	13	1	1974	-	-		
3	587265	99.8	13	3	1558	1690	1949		
4	796897	68.4	13	2	1014	1099	-		
5	149042	80.8	13	2	1736	1505	-		
6	356750	62.5	13	1	1778	-	-		
7	563824	74.8	13	2	1149	1204	-		
8	772314	50.8	13	1	1049	-	-		
9	123706	54	13	1	1417	-	-		
10	331215	63	13	1	1730	-	-		
11	527402	91.8	13	3	1183	1270	1347		
12	744805	79.3	13	2	1274	1992	-		
13	98172	64.3	13	1	1937	-	-		
10 Type 5		8	1.5	12	5.31				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)		
0	535615	63.4	6	1	1043	-	-		
1	898988	52	6	1	1863	-	-		
2	129253	97.2	6	3	1923	1605	1583		
3	127106	78.7	6	2	1466	1743	-		
4	490358	74.2	6	2	1280	1219	-		
5	852409	88.7	6	3	1293	1934	1273		
6	1217152	54.3	6	1	1991	-	-		
7	82296	95.4	6	3	1580	1555	1791		
11 Type 5		17	0.7058824	12	5.3139				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)		
0	209249	73.7	16	2	1208	1497	-		
1	378286	97.4	16	3	1942	1754	1613		
2	548411	91.7	16	3	1999	1702	1463		
3	17733	66.2	16	1	1393	-	-		
4	187952	70.8	16	2	1968	1821	-		
5	359277	52.3	16	1	1740	-	-		
6	528864	78.9	16	3	1309	1984	1208		
7	700166	70.9	16	2	1050	1358	-		
8	167197	75.6	16	2	1437	1430	-		
9	338262	59.1	16	1	1697	-	-		
10	508524	77	16	2	1397	1304	-		
11	678689	67.9	16	2	803	1083	-		
12	146031	81.2	16	2	1720	1932	-		
13	119923	78.7	16	2	1127	1123	-		
14	488056	63.3	16	1	1634	-	-		
15	657326	68.9	16	2	1849	1423	-		
16	125509	59.3	16	1	1093	-	-		
12 Type 5		19	0.6315789	12	5.3151				

		2	430731	65.8	12	1	1092	-	-
		3	637784	56.3	12	1	1851	-	-
		4	845342	53.7	12	1	1727	-	-
		5	196720	83.5	12	3	1679	1930	1023
		6	404955	65.8	12	1	1519	-	-
		7	610711	85.9	12	3	1134	1034	1808
		8	818057	78.3	12	2	1604	1929	1694
		9	171459	81.5	12	2	1891	1714	-
		10	377969	89.4	12	3	1310	1594	1827
		11	588975	63.4	12	1	1588	-	-
		12	792834	69.6	12	2	1307	1925	-
		13	146044	74.5	12	2	1264	1846	-
7 Type 5		15	0.8		12	5.31			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)		
0	329022	96.6	13	3	1182	1609	1581		
1	521718	96.7	13	3	1829	1799	1154		
2	714223	98.5	13	3	14223	1389	1863		
3	112450	73.3	13	2	1908	1318	1863		
4	306283	55.8	13	1	1688	-	-		
5	500239	55.4	13	1	1145	-	-		
6	690922	85.3	13	2	1338	1504	1820		
7	88645	79.4	13	2	1344	1893	-		
8	282508	65.7	13	1	1476	-	-		
9	475842	68.6	13	2	1078	1028	-		
10	667887	72.7	13	2	1923	1833	-		
11	64845	79.6	13	2	1882	1331	-		
12	257725	94.9	13	3	1830	1070	1349		
13	432363	61.4	13	1	1451	-	-		
14	643395	90.6	13	3	1233	1562	1887		
8 Type 5		12	1	12	5.31				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)		
0	51446	52.6	10	1	1210	-	-		
1	292096	84.1	10	3	1314	1725	1529		
2	533989	97.7	10	3	1139	1868	1805		
3	775584	97.3	10	3	17584	1446	1758		
4	21542	98.8	10	3	1544	1386	1302		
5	263385	72.2	10	2	1771	1184	-		
6	505581	67.6	10	2	1175	1022	-		
7	747058	75.7	10	2	1029	1871	-		
8	989976	60.9	10	1	1798	-	-		
9	234024	64.2	10	1	1138	-	-		
10	475207	78.8	10	3	1784	1604	-		
11	713823	87.5	10	3	1511	1719	1683		
9 Type 5		14	0.8571429	12	5.31				
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)		
0	823112	54.1	13	1	1415	-	-		
1	174965	50.7	13	1	1291	-	-		
2	382216	52.3	13	1	1974	-	-		
3	587265	99.8	13	3	1558	1690	1949		
4	796897	68.4	13	2	1014	1099	-		
5	149042	80.8	13	2	1736	1505	-		
6	356750	62.5	13	1	1778	-	-		
7	563824	74.8	13	2	1149	1204	-		
8	772314	50.8	13	1	1049	-	-		
9	123706	54							

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	263736	98.9	10	3	1381	1680	1488
1	414459	82.3	10	3	1149	1855	-
2	567902	86.7	10	3	1211	1400	1910
3	92979	89.7	10	3	1861	1068	1282
4	245155	98.6	10	3	1451	1104	1461
5	397699	71.1	10	2	1921	1789	-
6	551431	55.9	10	1	1947	-	-
7	74413	67.9	10	2	1350	1372	-
8	236559	84.4	10	3	1265	1107	1443
9	380056	58.8	10	1	1715	-	-
10	533408	65.6	10	1	1017	-	-
11	58547	78.5	10	2	1911	1704	-
12	207879	82.3	10	2	1845	1898	-
13	359771	90.1	10	3	1938	1071	1266
14	511297	90.2	10	3	1989	1089	1950
15	38083	83.1	10	2	1943	1406	-
16	189552	58.8	10	1	1742	-	-
17	341899	77	10	2	1187	1657	-
18	49577	55	10	1	1012	-	-
13 Type 5	15	0.8	12	5, 3022	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	22911	58.1	13	1	1929	-	-
1	216473	52.1	13	1	1910	-	-
2	410004	59.9	13	1	1971	-	-
3	603671	60.2	13	1	1812	-	-
4	794160	95.9	13	2	1399	1906	1608
5	192251	78.9	13	2	1829	1859	-
6	385590	78.5	13	2	1238	1917	-
7	579862	53.8	13	1	1763	-	-
8	773423	64.7	13	1	1800	-	-
9	188989	61.4	13	1	1390	1529	1658
10	361606	83.2	13	2	1692	1858	-
11	553866	84.7	13	2	1533	1677	1638
12	747241	88.7	13	2	1703	1528	1658
13	144710	78.3	13	2	1258	1951	-
14	337856	69.3	13	2	1731	1717	-
14 Type 5	12	1	12	5, 5015	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	664275	75.3	10	2	1994	1612	-
1	907886	56.3	10	1	1456	-	-
2	153118	67.7	10	1	1185	-	-
3	393746	55.6	10	1	1337	-	-
4	635093	75.2	10	2	1421	1267	-
5	876993	76.3	10	2	1359	1305	-
6	121278	85.7	10	2	1378	1369	1924
7	362696	98.4	10	2	1873	1550	1244
8	604342	86.4	10	3	1779	1439	1046
9	846453	83.6	10	3	1059	1031	1452
10	91871	63.3	10	1	1328	-	-
11	333050	92.4	10	3	1412	1673	1322
15 Type 5	19	0.6315789	12	5, 5047	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	361323	93.3	18	3	1983	1912	1535
1	515261	69.1	18	2	1102	1794	-
2	39025	86.9	18	3	1044	1152	1148
3	190900	84.9	18	3	1894	1948	1118
4	343941	72.3	18	2	1094	1916	-
5	497624	51.7	18	1	1447	-	-
6	20319	58.3	18	1	1429	-	-
7	172999	60.8	18	1	1979	-	-
8	325872	57.1	18	1	1641	-	-
9	475841	88.9	18	3	1886	1964	1489
10	1489	67.2	18	2	1909	1297	-
11	153647	90.9	18	3	1261	1566	1370
12	307096	59.8	18	1	1552	-	-
13	458804	70	18	2	1759	1291	-
14	610798	67.2	18	2	1625	1881	-
15	134759	91.2	18	3	1382	1832	1661
16	288306	56.5	18	1	1483	-	-
17	441296	51.2	18	1	1426	-	-
18	592780	74.1	18	2	1471	1245	-
16 Type 5	14	0.8571429	12	5, 5053	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	158286	76.9	12	2	1110	1140	-
1	366024	50.2	12	1	1316	-	-
2	573452	62.9	12	1	1520	-	-
3	780919	64.7	12	1	1902	-	-
4	132455	83.8	12	3	1410	1097	1621
5	340207	65.4	12	1	1944	-	-
6	548208	53.2	12	1	1024	-	-
7	755353	51.7	12	1	1693	-	-
8	107117	78.7	12	2	1804	1168	-
9	314500	72.4	12	2	1030	1343	-
10	529447	53.8	12	1	1327	-	-
11	728517	73.6	12	2	1524	1553	-
12	81611	66.7	12	2	1722	1122	-
13	288948	82.5	12	2	1404	1019	-
17 Type 5	20	0.6	12	5, 5155	-	-	-

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	263736	98.9	10	3	1381	1680	1488
1	414459	82.3	10	3	1149	1855	-
2	567902	86.7	10	3	1211	1400	1910
3	92979	89.7	10	3	1861	1068	1282
4	245155	98.6	10	3	1451	1104	1461
5	397699	71.1	10	2	1921	1789	-
6	551431	55.9	10	1	1947	-	-
7	74413	67.9	10	2	1350	1372	-
8	236559	84.4	10	3	1265	1107	1443
9	380056	58.8	10	1	1715	-	-
10	533408	65.6	10	1	1017	-	-
11	58547	78.5	10	2	1911	1704	-
12	207879	82.3	10	2	1845	1898	-
13	359771	90.1	10	3	1938	1071	1266
14	511297	90.2	10	3	1989	1089	1950
15	38083	83.1	10	2	1943	1406	-
16	189552	58.8	10	1	1742	-	-
17	341899	77	10	2	1187	1657	-
18	49577	55	10	1	1012	-	-
13 Type 5	15	0.8	12	5, 5027	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	22911	58.1	13	1	1929	-	-
1	216473	52.1	13	1	1910	-	-
2	410004	59.9	13	1	1971	-	-
3	603671	60.2	13	1	1812	-	-
4	794160	95.9	13	2	1399	1906	1608
5	192251	78.9	13	2	1829	1859	-
6	385590	78.5	13	2	1238	1917	-
7	579862	53.8	13	1	1763	-	-
8	773423	64.7	13	1	1800	-	-
9	188989	61.4	13	1	1390	1529	1658
10	361606	83.2	13	2	1692	1858	-
11	553866	84.7	13	2	1533	1677	1638
12	747241	88.7	13	2	1703	1528	1658
13	144710	78.3	13	2	1258	1951	-
14	337856	69.3	13	2	1731	1717	-
14 Type 5	12	1	12	5, 5015	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	664275	75.3	10	2	1994	1612	-
1	907886	56.3	10	1	1456	-	-
2	153118	67.7	10	1	1185	-	-
3	393746	55.6	10	1	1337	-	-
4	635093	75.2	10	2	1421	1267	-
5	876993	76.3	10	2	1359	1305	-
6	121278	85.7	10	2	1378	1369	1924
7	362696	98.4	10	2	1873	1550	1244
8	604342	86.4	10	3	1779	1439	1046
9	846453	83.6	10	3	1059	1031	1452
10	91871	63.3	10	1	1328	-	-
11	333050	92.4	10	3	1412	1673	1322
15 Type 5	19	0.6315789	12	5, 5047	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	361323	93.3	18	3	1983	1912	1535
1	515261	69.1	18	2	1102	1794	-
2	39025	86.9	18	3	1044	1152	1148
3	190900	84.9	18	3	1894	1948	1118
4	343941	72.3	18	2	1094	1916	-
5	497624	51.7	18	1	1447	-	-
6	20319	58.3	18	1	1429	-	-
7	172999	60.8	18	1	1979	-	-
8	325872	57.1	18	1	1641	-	-
9	475841	88.9	18	3	1886	1964	1489
10	1489	67.2	18	2	1909	1297	-
11	153647	90.9	18	3	1261	1566	1370
12	307096	59.8	18	1	1552	-	-
13	458804	70	18	2	1759	1291	-
14	610798	67.2	18	2	1625	1881	-
15	134759	91.2	18	3	1382	1832	1661
16	288306	56.5	18	1	1483	-	-
17	441296	51.2	18	1	1426	-	-
18	592780	74.1	18	2	1471	1245	-
16 Type 5	14	0.8571429	12	5, 5053	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	158286	76.9	12	2	1110	1140	-
1	366024	50.2	12	1	1316	-	-
2	573452	62.9	12	1	1520	-	-
3	780919	64.7	12	1	1902	-	-
4	132455	83.8	12	3	1410	1097	1621
5	340207	65.4	12	1	1944	-	-
6	548208	53.2	12	1	1024	-	-
7	755353	51.7	12	1	1693	-	-
8	107117	78.7	12	2	1804	1168	-
9	314500	72.4	12	2	1030	1343	-
10	529447	53.8	12	1	1327	-	-
11	728517	73.6	12	2	1524	1553	-
12	81611	66.7	12	2	1722	1122	-
13	288948	82.5	12	2	1404	1019	-
17 Type 5	20	0.6	12	5, 5155	-	-	-

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	263736	98.9	10	3	1381	1680	1488
1							



Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	345766	87.6	20	3	1565	1055	1840
1	490019	85.2	20	3	1735	1541	1408
2	39073	84.8	20	3	1534	1889	1463
3	183923	77.9	20	2	1749	1460	-
4	338777	76.3	20	2	1518	1485	-
5	474728	69.9	20	1	1540	-	-
6	21394	83	20	2	1080	1010	-
7	165992	80.4	20	2	1824	1752	-
8	310973	67.3	20	2	10973	1181	-
9	456884	62.1	20	1	1495	-	-
10	3515	86.4	20	3	1773	1966	1263
11	147928	84.3	20	3	1593	1188	1788
12	293253	79.9	20	2	1296	1577	-
13	436922	95.8	20	3	1192	1298	1844
14	584015	55.2	20	1	1644	-	-
15	130832	59	20	1	1402	-	-
16	274684	94.5	20	3	1296	1700	1283
17	418579	91.9	20	3	1970	1978	1163
18	563464	85.2	20	3	1732	1551	1189
19	112787	69.5	20	2	1038	1224	-
18 Type 5	12	1	12	5, 5015	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	429224	86.4	10	3	1259	1918	1455
1	670241	92.2	10	3	1598	1719	1893
2	912880	80.4	10	2	1816	1899	-
3	158603	54.3	10	1	1335	-	-
4	400824	53.1	10	1	10824	-	-
5	641915	69.4	10	2	1503	1546	-
6	883823	69.1	10	2	1279	1639	-
7	128373	100	10	2	1375	1438	1595
8	370379	79.4	10	2	1299	1705	-
9	611194	88.4	10	3	1374	1579	1623
10	855665	53.3	10	1	1016	-	-
11	98897	65.3	10	1	1709	-	-
19 Type 5	14	0.8571429	12	5, 5023	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	292143	55.3	12	1	1920	-	-
1	496633	58.3	12	1	1797	-	-
2	706377	72.3	12	2	1610	1039	-
3	58989	84.8	12	3	1131	1761	1721
4	286161	82.5	12	4	1363	1431	-
5	474469	63.3	12	1	1095	-	-
6	680544	80	12	2	1119	1913	-
7	33519	90.3	12	3	1690	1853	1123
8	240319	91.1	12	3	1539	1783	1172
9	447400	96.6	12	3	1525	1036	1383
10	654516	82.7	12	2	1710	1990	-
11	8063	50.7	12	1	1234	-	-
12	215435	78.4	12	2	1047	1109	-
13	421325	99.5	12	3	1299	1965	1869
20 Type 5	12	1	12	5, 5115	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	733725	88.6	10	3	1501	1067	1927
1	977882	57.4	10	1	1723	-	-
2	221197	96.9	10	3	1086	1658	1324
3	462915	69.7	10	2	1751	1945	-
4	705071	77.9	10	2	1642	1317	-
5	947923	62	10	1	1866	-	-
6	191272	88.4	10	3	1997	1077	1366
7	432561	97.3	10	3	1790	1896	1367
8	674004	96.2	10	3	1391	1787	1672
9	915842	95.4	10	3	1020	1892	1414
10	182179	54.8	10	1	1084	-	-
11	403553	80.4	10	2	1850	1436	-
21 Type 5	16	0.75	12	5, 4965	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	483470	74.7	15	2	1619	1611	-
1	669072	57.1	15	1	1560	-	-
2	98810	91.9	15	3	1392	1475	1276
3	279014	83.1	15	2	1896	1729	-
4	462536	50.7	15	1	1003	-	-
5	642324	79.2	15	2	1574	1600	-
6	78831	58.7	15	1	1186	-	-
7	257785	71	15	2	1521	1567	-
8	438554	79	15	2	1777	1960	-
9	620397	68.5	15	2	1284	1428	-
10	54310	73.5	15	2	1894	1352	1914
11	235506	70.5	15	2	1864	1115	-
12	417036	76.6	15	2	1045	1300	-
13	597974	81.2	15	3	1160	1675	-
14	320861	61.8	15	1	1277	-	-
15	212751	94.9	15	3	1450	1206	1860
22 Type 5	12	1	12	5, 5089	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	526149	78.5	9	2	1653	1698	-
1	767135	89.8	9	3	1174	1962	1167
2	12953	59.4	9	1	1982	-	-

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	345766	87.6	20	3	1565	1055	1840
1	490019	85.2	20	3	1735	1541	1408
2	39073	84.8	20	3	1534	1889	1463
3	183923	77.9	20	2	1749	1460	-
4	338777	76.3	20	2	1518	1485	-
5	474728	69.9	20	1	1540	-	-
6	21394	83	20	2	1080	1010	-
7	165992	80.4	20	2	1824	1752	-
8	310973	67.3	20	2	10973	1181	-
9	456884	62.1	20	1	1495	-	-
10	3515	86.4	20	3	1773	1966	1263
11	147928	84.3	20	3	1593	1188	1788
12	293253	79.9	20	2	1296	1577	-
13	436922	95.8	20	3	1192	1298	1844
14	584015	55.2	20	1	1644	-	-
15	130832	59	20	1	1402	-	-
16	274684	94.5	20	3	1296	1700	1283
17	418579	91.9	20	3	1970	1978	1163
18	563464	85.2	20	3	1732	1551	1189
19	112787	69.5	20	2	1038	1224	-
18 Type 5	12	1	12	5, 5015	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	429224	86.4	10	3	1259	1918	1455
1	670241	92.2	10	3	1598	1719	1893
2	912880	80.4	10	2	1816	1899	-
3	158603	54.3	10	1	1335	-	-
4	400824	53.1	10	1	10824	-	-
5	641915	69.4	10	2	1503	1546	-
6	883823	69.1	10	2	1279	1639	-
7	128373	100	10	2	1375	1438	1595
8	370379	79.4	10	2	1299	1705	-
9	611194	88.4	10	3	1374	1579	1623
10	855665	53.3	10	1	1016	-	-
11	98897	65.3	10	1	1709	-	-
19 Type 5	14	0.8571429	12	5, 5023	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	292143	55.3	12	1	1920	-	-
1	496633	58.3	12	1	1797	-	-
2	706377	72.3	12	2	1610	1039	-
3	58989	84.8	12	3	1131	1761	1721
4	286161	82.5	12	4	1363	1431	-
5	474469	63.3	12	1	1095	-	-
6	680544	80	12	2	1119	1913	-
7	33519	90.3	12	3	1690	1853	1123
8	240319	91.1	12	3	1539	1783	1172
9	447400	96.6	12	3	1525	1036	1383
10	654516	82.7	12	2	1710	1990	-
11	8063	50.7	12	1	1234	-	-
12	215435	78.4	12	2	1047	1109	-
13	421325	99.5	12	3	1299	1965	1869
20 Type 5	12	1	12	5, 5115	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	733725	88.6	10	3	1501	1067	1927
1	977882	57.4	10	1	1723	-	-
2	221197	96.9	10	3	1086	1658	1324
3	462915	69.7	10	2	1751	1945	-
4	705071	77.9	10	2	1642	1317	-
5	947923	62	10	1	1866	-	-
6	191272	88.4	10	3	1997	1077	1366
7	432561	97.3	10	3	1790	1896	1367
8	674004	96.2	10	3	1391	1787	1672
9	915842	95.4	10	3	1020	1892	1414
10	182179	54.8	10	1	1084	-	-
11	403553	80.4	10	2	1850	1436	-
21 Type 5	16	0.75	12	5, 4965	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	483470	74.7	15	2	1619	1611	-
1	669072	57.1	15	1	1560	-	-
2	98810	91.9	15	3	1392	1475	1276
3	279014	83.1	15	2	1896	1729	-
4	462536	50.7	15	1	1003	-	-
5	642324	79.2	15	2	1574	1600	-
6	78831	58.7	15	1	1186	-	-
7	257785	71	15	2	1521	1567	-
8	438554	79	15	2	1777	1960	-
9	620397	68.5	15	2	1284	1428	-
10	54310	73.5	15	2	1894	1352	1914
11	235506	70.5	15	2	1864	1115	-
12	417036	76.6	15	2	1045	1300	-
13	597974	81.2	15	3	1160	1675	-
14	320861	61.8	15	1	1277	-	-
15	212751	94.9	15	3	1450	1206	1860
22 Type 5	12	1	12	5, 5089	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	526149	78.5	9	2	1653	1698	-
1	767135	89.8	9	3	1174	1962	1167
2	12953	59.4	9	1	1982	-	-

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	345766	87.6	20	3	1565	1055	1840
1	490019	85.2	20	3	173		



Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	565136	85.6	10	2	1946	1078	1015
1	899701	68.4	10	2	1029	1780	-
2	243121	54.2	10	1	1111	-	-
3	396034	61.2	10	1	1104	-	-
4	546255	97.1	10	4	1157	1969	1100
5	70968	98.3	10	3	1142	1699	1822
6	224093	62.4	10	1	1655	-	-
7	376127	80.2	10	2	1126	1769	-
8	527864	87.3	10	3	1216	1448	1179
9	52247	85.8	10	3	1847	1348	1472
10	204582	88.1	10	3	1023	1124	1631
11	357941	65.3	10	1	1848	-	-
12	510973	59.3	10	1	1370	-	-
13	33698	59.3	10	1	1312	-	-
14	186023	74.1	10	2	1915	1200	-
15	338227	54.9	10	1	1479	-	-
16	491053	76.2	10	2	1376	1502	-
17	14858	60.4	10	1	1758	-	-
18	167387	81.5	10	2	1491	1103	-

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	565136	85.6	10	2	1946	1078	1015
1	899701	68.4	10	2	1029	1780	-
2	243121	54.2	10	1	1111	-	-
3	396034	61.2	10	1	1104	-	-
4	546255	97.1	10	4	1157	1969	1100
5	70968	98.3	10	3	1142	1699	1822
6	224093	62.4	10	1	1655	-	-
7	376127	80.2	10	2	1126	1769	-
8	527864	87.3	10	3	1216	1448	1179
9	52247	85.8	10	3	1847	1348	1472
10	204582	88.1	10	3	1023	1124	1631
11	357941	65.3	10	1	1848	-	-
12	510973	59.3	10	1	1370	-	-
13	33698	59.3	10	1	1312	-	-
14	186023	74.1	10	2	1915	1200	-
15	338227	54.9	10	1	1479	-	-
16	491053	76.2	10	2	1376	1502	-
17	14858	60.4	10	1	1758	-	-
18	167387	81.5	10	2	1491	1103	-

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	565136	85.6	10	2	1946	1078	1015
1	899701	68.4	10	2	1029	1780	-
2	243121	54.2	10	1	1111	-	-
3	396034	61.2	10	1	1104	-	-
4	546255	97.1	10	4	1157	1969	1100
5	70968	98.3	10	3	1142	1699	1822
6	224093	62.4	10	1	1655	-	-
7	376127	80.2	10	2	1126	1769	-
8	527864	87.3	10	3	1216	1448	1179
9	52247	85.8	10	3	1847	1348	1472
10	204582	88.1	10	3	1023	1124	1631
11	357941	65.3	10	1	1848	-	-
12	510973	59.3	10	1	1370	-	-
13	33698	59.3	10	1	1312	-	-
14	186023	74.1	10	2	1915	1200	-
15	338227	54.9	10	1	1479	-	-
16	491053	76.2	10	2	1376	1502	-
17	14858	60.4	10	1	1758	-	-
18	167387	81.5	10	2	1491	1103	-

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	565136	85.6	10	2	1946	1078	1015
1	899701	68.4	10	2	1029	1780	-
2	243121	54.2	10	1	1111	-	-
3	396034	61.2	10	1	1104	-	-
4	546255	97.1	10	4	1157	1969	1100
5	70968	98.3	10	3	1142	1699	1822
6	224093	62.4	10	1	1655	-	-
7	376127	80.2	10	2	1126	1769	-
8	527864	87.3	10	3	1216	1448	1179
9	52247	85.8	10	3	1847	1348	1472
10	204582	88.1	10	3	1023	1124	1631
11	357941	65.3	10	1	1848	-	-
12	510973	59.3	10	1	1370	-	-
13	33698	59.3	10	1	1312	-	-
14	186023	74.1	10	2	1915	1200	-
15	338227	54.9	10	1	1479	-	-
16	491053	76.2	10	2	1376	1502	-
17	14858	60.4	10	1	1758	-	-
18	167387	81.5	10	2	1491	1103	-

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	567709	50.5	10	1	1857	-	-
1	732949	55.7	10	1	1246	-	-
2	989003	85.8	10	3	1774	1002	1967
3	235634	76.9	10	2	1125	1474	-
4	477675	75.1	10	2	1254	1052	-
5	118112	92.3	10	3	1812	92.3	1480
6	969895	78.1	10	2	1301	1757	-
7	205370	92.2	10	3	1898	1252	1713
8	446940	89	10	3	1260	1706	1411
9	689253	70.9	10	2	1578	1620	-
10	932305	63.1	10	1	1782	-	-
11	178231	55.3	10	1	1522	-	-

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	567709	50.5	10	1	1857	-	-
1	732949	55.7	10	1	1246	-	-
2	989003	85.8	10	3	1774	1002	1967
3	235634	76.9	10	2	1125	1474	-
4	477675	75.1	10	2	1254	1052	-
5	118112	92.3	10	3	1812	92.3	1480
6	969895	78.1	10	2	1301	1757	-
7	205370	92.2	10	3	1898	1252	1713
8	446940	89	10	3	1260	1706	1411
9	689253	70.9	10	2	1578	1620	-
10	932305	63.1	10	1	1782	-	-
11	178231	55.3	10	1	1522	-	-

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	567709	50.5	10	1	1857	-	-
1	732949	55.7	10	1	1246	-	-
2	989003	85.8	10	3	1774	1002	1967
3	235634	76.9	10	2	1125	1474	-
4	477675	75.1	10	2	1254	1052	-
5	118112	92.3	10	3	1812	92.3	1480
6	969895	78.1	10	2	1301	1757	-
7	205370	92.2	10	3	1898	1252	1713
8	446940	89	10	3	1260	1706	1411
9	689253	70.9	10	2	1578	1620	-
10	932305	63.1	10	1	1782	-	-
11	178231	55.3	10	1	1522	-	-

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	567709	50.5	10	1	1857	-	-
1	732949	55.7	10	1	1246	-	-
2	989003	85.8	10	3	1774	1002	1967
3	235634	76.9	10	2	1125	1474	-
4	477675	75.1	10	2	1254	1052	-
5	118112	92.3	10	3	1812	92.3	1480
6	969895	78.1	10	2	1301	1757	-
7	205370	92.2	10	3	1898	1252	1713
8	446940	89	10	3	1260	1706	1411
9	689253	70.9	10	2	1578	1620	-
10	932305	63.1	10	1	1782	-	-
11	178231	55.3	10	1	1522	-	-

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	277485	83.4	17	3	1454	1205	1801
1	437880	97.3	17	3	1319	1826	1635
2	588445	90.4	17	3	1079	1989	1674
3	97088	91.8	17	3	1563	1151	1802
4	257251	98.2	17	3	1876	1977	1766
5	419862	59.5	17	4	11862	59.5	17
6	580724	80	17	2	1253	1137	-
7	77366	86.5	17	3	1054	1128	1828
8	238032	91.1	17	3	1105	1599	1442
9	398953	93.3	17	3	1082	1373	1087
10	562025	60.7	17	1	1033	-	-
11	57684	67.2	17	2	1288	1405	-
12	419083	61.8	17	1	1585	-	-
13	379234	78.4	17	2	1933	1667	-
14	540896	81.4	17	2	1096	1464	-
15	37916	65.7	17	1	1496	-	-
16	108784	76	17	2	1753	1255	-
17	359754	81	17	2	1526	1668	-

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	277485	83.4	17	3	1454	1205	1801
1	437880	97.3	17	3	1319	1826	1635
2	588445	90.4	17	3	1079	1989	1674
3	97088	91.8	17	3	1563	1151	1802
4	257251	98.2	17	3	1876	1977	1766
5	419862	59.5	17	4	11862	59.5	17
6	580724	80	17	2	1253	1137	-
7	77366	86.5	17	3	1054	1128	1828
8	238032	91.1	17	3	1105	1599	1442
9	398953	93.3	17	3	1082	1373	1087
10	562025	60.7	17	1	1033	-	-
11	57684	67.2	17	2	1288	1405	-
12	419083	61.8	17	1	1585	-	-
13	379234	78.4	17	2	1933	1667	-
14	540896	81.4	17	2	1096	1464	-
15	37916	65.7	17	1	1496	-	-
16	108784	76	17	2	1753	1255	-
17	359754	81	17	2	1526	1668	-

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	277485	83.4	17				



		6	505581	67.6	10	2	1175	1027			
		7	747058	75.7	10	2	1026	1871			
		8	989276	65.9	10	1	1138	-			
		9	234024	64.2	10	1	1138	-			
		10	475207	78.8	10	2	1784	1604			
		11	715863	87.5	10	2	1511	1712	1683		
9 Type 5		14	0.8571429		12	5.29					
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)				
0	862312	54.1	13	1	1415	-	-				
1	174965	50.3	13	1	1221	-	-				
2	382216	52.3	13	1	1974	-	-				
3	587395	99.8	13	3	1558	1696	1940				
4	798977	88.4	13	2	1014	1099	-				
5	149042	89.8	13	2	1236	1365	-				
6	356750	62.5	13	1	1778	-	-				
7	563824	74.8	13	2	1149	1204	-				
8	772314	59.8	13	1	1049	-	-				
9	123796	54	13	1	1417	-	-				
10	331215	63	13	1	1730	-	-				
11	537402	91.8	13	3	1143	1270	1347				
12	748855	79.3	13	2	1274	1992	-				
13	98172	64.3	13	1	1937	-	-				
10 Type 5		8	1.5	12	5.29						
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)				
0	535615	63.4	6	1	1043	-	-				
1	898668	52	6	1	1863	-	-				
2	1259235	97.2	6	3	1973	1605	1583				
3	127106	78.7	6	3	1271	1466	1743				
4	496538	74.2	6	2	1280	1219	-				
5	852409	88.7	6	3	1293	1934	1273				
6	1217152	54.3	6	1	1991	-	-				
7	82296	95.4	6	3	1380	1555	1791				
11 Type 5		17	0.7058824	12	5.539						
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)				
0	209249	73.7	16	2	1208	1497	-				
1	378386	97.4	16	3	1942	1754	1613				
2	548411	91.7	16	3	1999	1702	1462				
3	17733	66.2	16	3	1999	1702	1462				
4	187952	70.8	16	4	1988	1821	-				
5	359277	52.3	16	1	1740	-	-				
6	528886	78.9	16	2	1308	1984	-				
7	700468	73.9	16	3	1950	1358	-				
8	167197	75.6	16	2	1437	1430	-				
9	338262	59.1	16	1	1697	-	-				
10	508254	77.7	16	2	1397	1304	-				
11	728694	67.9	16	3	1983	1983	-				
12	146031	81.2	16	2	1720	1932	-				
13	316923	78.7	16	2	1247	1121	-				
14	488056	63.3	16	4	1886	1634	-				
15	657326	68.9	16	2	1849	1423	-				
16	125509	59.3	16	1	1093	-	-				
12 Type 5		19	0.6315789	12	5.531						
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)				
0	263736	98.9	19	3	1381	1680	1488				
1	416459	82.3	19	2	1716	1855	-				
2	567992	86.7	19	3	1211	1400	1919				
3	92979	89.7	19	3	1861	1988	1282				
4	245155	98.6	19	3	1507	1194	1461				
5	397699	71.1	19	2	1921	1789	-				
6	531431	55.9	19	1	1947	-	-				
7	74413	67.9	19	3	1350	1372	-				
8	226559	84.4	19	3	1203	1107	1443				
9	380956	58.8	19	1	1715	-	-				
10	533498	65.6	19	1	1072	-	-				
11	55547	78.5	19	2	1911	1704	-				
12	207876	82.3	19	2	1845	1686	-				
13	339771	90.1	19	3	1938	1071	1266				
14	511297	90.2	19	3	1989	1089	1950				
15	36803	83.1	19	2	1943	1406	-				
16	189652	58.8	19	1	1742	-	-				
17	241809	77.7	19	2	1187	1657	-				
18	495737	55	19	1	1012	-	-				
13 Type 5		15	0.8	12	5.537						
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)				
0	22911	58.1	13	1	1929	-	-				
1	216473	52.1	13	1	1910	-	-				
2	410004	59.9	13	1	1971	-	-				
3	603671	69.2	13	3	1927	-	-				
4	794160	95.9	13	3	1399	1906	1608				
5	192251	79.9	13	2	1626	1859	-				
6	385380	78.3	13	2	1528	1917	-				
7	579862	53.8	13	1	1763	-	-				
8	773423	64.7	13	1	1800	-	-				
9	168898	61.4	13	1	1390	-	-				
10	361688	83.2	13	3	1662	1858	-				
11	553866	84.7	13	3	1533	1677	1638				
12	747241	88.7	13	3	1703	1528	1058				
13	144710	78.3	13	2	1528	1951	-				
14	337859	69.3	13	1	1731	1717	-				
14 Type 5		19	1	12	5.5315						

Y

		6	505581	67.6	10	2	1175	1027			
		7	747058	75.7	10	2	1026	1871			
		8	989276	65.9	10	1	1138	-			
		9	234024	64.2	10	1	1138	-			
		10	475207	78.8	10	2	1784	1604			
		11	715863	87.5	10	2	1511	1712	1683		
9 Type 5		14	0.8571429		12	5.53					
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)				
0	862312	54.1	13	1	1415	-	-				
1	174965	50.3	13	1	1221	-	-				
2	382216	52.3	13	1	1974	-	-				
3	587395	99.8	13	3	1558	1696	1940				
4	798977	88.4	13	2	1014	1099	-				
5	149042	89.8	13	2	1236	1365	-				
6	356750	62.5	13	1	1778	-	-				
7	563824	74.8	13	2	1149	1204	-				
8	772314	59.8	13	1	1049	-	-				
9	123796	54	13	1	1417	-	-				
10	331215	63	13	1	1730	-	-				
11	537402	91.8	13	3	1143	1270	1347				
12	748855	79.3	13	2	1274	1992	-				
13	98172	64.3	13	1	1937	-	-				
10 Type 5		8	1.5	12	5.53						
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)				
0	535615	63.4	6	1	1043	-	-				
1	898668	52	6	1	1863	-	-				
2	1259235	97.2	6	3	1973	1605	1583				
3	127106	78.7	6	3	1271	1466	1743				
4	496538	74.2	6	2	1280	1219	-				
5	852409	88.7	6	3	1293	1934	1273				
6	1217152	54.3	6	1	1991	-	-				
7	82296	95.4	6	3	1380	1555	1791				
11 Type 5		17	0.7058824	12	5.539						
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)				
0	209249	73.7	16	2	1208	1497	-				
1	378386	97.4	16	3	1942	1754	1613				
2	548411	91.7	16	3	1999	1702	1462				
3	17733	66.2	16	3	1999	1702	1462				
4	187952	70.8	16	4	1988	1821	-				
5	359277	52.3	16	1	1740	-	-				
6	528886	78.9	16	2	1308	1984	-				
7	700468	73.9	16	3	1950	1358	-				
8	167197	75.6	16	2	1437	1430	-				
9	338262	59.1	16	1	1697	-	-				
10	508254	77.7	16	2	1397	1304	-				
11	728694	67.9	16	3	1983	1983	-				
12	146031	81.2	16	2	1720	1932	-				
13	316923	78.7	16	2	1247	1121	-				
14	488056	63.3	16	4	1886	1634	-				
15	657326	68.9	16	2	1849	1423	-				
16	125509	59.3	16	1	1093	-	-				
12 Type 5		19	0.6315789	12	5.531						
Burst ID	Burst Offset (us)	Pulse Width (us)									

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	664273	75.3	10	2	1994	1612	-
1	907889	56.3	10	1	1456	-	1456
2	151316	67.7	10	2	1617	1185	-
3	393746	55.6	10	1	1337	-	-
4	635993	75.2	10	2	1471	1267	-
5	879993	76.3	10	2	1359	1305	-
6	121278	85.7	10	3	1547	1362	1924
7	362996	98.4	10	3	1873	1550	1249
8	604342	86.4	10	3	1779	1439	1046
9	846453	93.6	10	3	1059	1031	1452
10	91871	63.3	10	1	1328	-	-
11	333060	69.4	10	2	1412	1673	1322
15 Type 5	14	0.6315289	12	5.2947	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	361323	92.3	18	3	1983	1912	1535
1	515261	69.1	18	2	1102	1294	-
2	39025	86.9	18	3	1044	1152	1148
3	190900	84.9	18	3	1894	1948	1118
4	343941	72.3	18	2	1094	1916	-
5	497624	51.7	18	1	1447	-	1447
6	20319	58.3	18	1	1429	-	-
7	172999	60.8	18	1	1979	-	-
8	328673	57.1	18	1	1641	-	1641
9	475841	88.9	18	3	1886	1964	1489
10	1489	72	18	2	1909	1297	-
11	153647	90.9	18	3	1261	1566	1370
12	307066	59.8	18	1	1352	-	-
13	458804	70	18	2	1759	1291	-
14	610798	67.2	18	2	1625	1881	-
15	134759	91.2	18	3	1382	1832	1661
16	298309	56.3	18	1	1483	-	1483
17	441296	51.2	18	1	1237	-	-
18	592780	74.1	18	2	1471	1245	-
16 Type 5	14	0.8571429	12	5.2923	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	158286	76.9	12	2	1110	1140	-
1	366024	50.2	12	1	1316	-	-
2	374562	62.9	12	1	1320	-	1320
3	780619	64.7	12	1	1902	-	-
4	132455	83.8	12	3	1410	1097	1621
5	240207	65.4	12	1	1402	-	1402
6	548208	53.2	12	1	1024	-	-
7	755333	51.7	12	1	1603	-	-
8	107117	78.7	12	2	1804	1168	-
9	145009	72.4	12	2	1450	1343	1030
10	52447	53.8	12	1	1327	-	-
11	728517	73.6	12	2	1524	1553	-
12	81611	66.7	12	2	1422	1129	-
13	288948	82.5	12	2	1404	1919	-
17 Type 5	20	0.6	12	5.2958	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	345766	87.6	20	3	1565	1055	1840
1	490019	85.2	20	3	1735	1541	1408
2	39073	84.8	20	3	1534	1889	1463
3	183923	77.9	20	3	1839	1460	-
4	338777	76.3	20	3	1518	1483	-
5	474728	60.9	20	1	1540	-	-
6	21394	83	20	2	1080	1010	-
7	165992	80.4	20	2	1824	1752	-
8	310973	67.5	20	1	1764	1181	-
9	456884	62.1	20	1	1495	-	-
10	3513	86.4	20	3	1773	1966	1263
11	147928	84.3	20	3	1993	1188	1788
12	293225	76.9	20	2	1296	1537	-
13	436922	95.8	20	3	1192	1298	1844
14	584015	55.3	20	1	1444	-	-
15	130832	59	20	1	1402	-	-
16	274684	94.5	20	3	1296	1700	1283
17	418579	91.9	20	3	1970	1978	1165
18	563464	85.2	20	3	1732	1551	1189
19	112787	69.5	20	2	1038	1224	-
18 Type 5	12	1	12	5.2915	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	429224	86.4	10	3	1259	1918	1455
1	670241	92.2	10	3	1598	1719	1895
2	912880	80.4	10	2	1816	1899	-
3	138603	54.3	10	1	1355	-	1355
4	409824	53.1	10	1	1303	-	-
5	641915	69.4	10	2	1503	1546	-
6	883823	69.1	10	2	1279	1639	-
7	128373	100	10	3	1373	1438	1593
8	370379	79.6	10	2	1299	1705	-
9	611194	88.4	10	3	1374	1579	1623
10	855965	53.3	10	1	1016	-	-
11	98997	65.3	10	1	1709	-	-
19 Type 5	14	0.8571429	12	5.2548	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	261323	92.3	18	3	1983	1912	1535
1	515261	69.1	18	2	1102	1294	-
2	39025	86.9	18	3	1044	1152	1148
3	190900	84.9	18	3	1894	1948	1118
4	343941	72.3	18	2	1094	1916	-
5	497624	51.7	18	1	1447	-	1447
6	20319	58.3	18	1	1429	-	-
7	172999	60.8	18	1	1979	-	-
8	328673	57.1	18	1	1641	-	1641
9	475841	88.9	18	3	1886	1964	1489
10	1489	72	18	2	1909	1297	-
11	153647	90.9	18	3	1261	1566	1370
12	307066	59.8	18	1	1352	-	-
13	458804	70	18	2	1759	1291	-
14	610798	67.2	18	2	1625	1881	-
15	134759	91.2	18	3	1382	1832	1661
16	298309	56.3	18	1	1483	-	1483
17	441296	51.2	18	1	1237	-	-
18	592780	74.1	18	2	1471	1245	-
16 Type 5	14	0.8571429	12	5.2548	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	158286	76.9	12	2	1110	1140	-
1	366024	50.2	12	1	1316	-	-
2	374562	62.9	12	1	1320	-	1320
3	780619	64.7	12	1	1902	-	-
4	132455	83.8	12	3	1410	1097	1621
5	240207	65.4	12	1	1402	-	1402
6	548208	53.2	12	1	1024	-	-
7	755333	51.7	12	1	1603	-	-
8	107117	78.7	12	2	1804	1168	-
9	145009	72.4	12	2	1450	1343	1030
10	52447	53.8	12	1	1327	-	-
11	728517	73.6	12	2	1524	1553	-
12	81611	66.7	12	2	1422	1129	-
13	288948	82.5	12	2	1404	1919	-
17 Type 5	20	0.6	12	5.2958	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	345766	87.6	20	3	1565	1055	1840
1	490019	85.2	20	3	1735	1541	1408
2	39073	84.8	20	3	1534	1889	1463
3	183923	77.9	20	3	1839	1460	-
4	338777	76.3	20	3	1518	1483	-
5	474728	60.9	20	1	1540	-	-
6	21394	83	20	2	1080	1010	-
7	165992	80.4	20	2	1824	1752	-
8	310973	67.5	20	1	1764	1181	-
9	456884	62.1	20	1	1495	-	-
10	3513	86.4	20	3	1773	1966	1263
11	147928	84.3	20	3	1993	1188	1788
12	293225	76.9	20	2	1296	1537	-
13	436922	95.8	20	3	1192	1298	1844
14	584015	55.3	20	1	1444	-	-
15	130832	59	20	1	1402	-	-
16	274684	94.5	20	3	1296	1700	1283
17	418579	91.9	20	3	1970	1978	1165
18	563464	85.2	20	3	1732	1551	1189
19	112787	69.5	20	2	1038	1224	-
18 Type 5	12	1	12	5.2915	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	429224	86.4	10	3	1259	1918	1455
1	670241	92.2	10	3	1598	1719	1895
2	912880	80.4	10	2	1816	1899	-
3	138603	54.3	10	1	1355	-	1355
4	409824	53.1	10	1	1303	-	-
5	641915	69.4	10	2	1503	1546	-
6	883823	69.1	10	2	1279	1639	-
7	128373	100	10	3	1373	1438	1593
8	370379	79.6	10	2	1299	1705	-
9	611194	88.4	10	3	1374	1579	1623
10	855965	53.3	10	1	1016	-	-
11	98997	65.3	10	1	1709	-	-
19 Type 5	14	0.8571429	12	5.2548	-	-	-

Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	664273	75.3	10	2	1994	1612	-
1	907889	56.3	10	1	1456	-	1456
2	151316	67.7	10	2	1617	1185	-
3	393746	55.6	10	1	1337	-	-
4	635993	75.2	10	2	1471	1267	-
5	879993	76.3	10	2	1359	1305	-
6	121278	85.7	10	3	1547	1362	1924
7	362996	98.4	10	3	1873	1550	1249
8	604342	86.4	10	3	1779	1439	1046
9	846453	93.6	10	3	1059	1031	1452
10	91871	63.3	10	1	1328	-	-
11	333060	69.4	10	2	1412	1673	1322
15 Type 5	14	0.6315289	12	5.2947	-	-	-
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
0	261323	92.3	18	3	1983	1912	1535
1	515261	69.1	18	2	1102	1294	-
2	39025	86.9	18	3	1044	1152	1148
3	190900	84.9	18	3	1894	1948	1118
4	343941	72.3					

	0	292143	55.3	12	1	1920	
	1	499633	58.3	12	1	1797	-
	2	708377	72.3	12	3	1810	1039
	3	89890	84.8	12	3	1131	1761 1721
	4	266161	82.5	12	2	1875	1431
	5	474469	63.3	12	1	1095	-
	6	680544	80	12	3	1199	1913
	7	33519	90.3	12	3	1660	1853 1123
	8	240319	91.1	12	3	1539	1783 1172
	9	474003	96.9	12	3	14760	1038 1385
	10	654516	82.7	12	2	1710	1990
	11	8083	50.7	12	1	1234	-
	12	215435	78.4	12	2	1047	1109
	13	421325	99.3	12	3	1299	1985 1860
20 Type 5	14		9.2	12	5.2515		
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)
0	733725	88.6	10	3	1501	1067	1927
1	977882	57.4	10	3	1723	-	-
2	221197	96.6	10	3	1086	1658	1324
3	462915	69.7	10	2	1751	1945	-
4	705071	77.9	10	2	1642	1317	-
5	947923	62	10	1	1866	-	-
6	191373	88.4	10	3	1997	1077	1360
7	432561	97.3	10	3	1790	1896	1367
8	674004	96.2	10	3	1291	1787	1672
9	915842	95.4	10	3	1020	1892	1414
10	162176	54.8	10	1	1084	-	-
11	403553	89.4	10	3	1850	1436	-
21 Type 5	16	0.75	12	5.5265			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)
0	483470	74.7	15	3	1619	1611	-
1	660722	57.1	15	1	1560	-	-
2	98810	91.9	15	3	1392	1475	1276
3	279914	83.1	15	2	1809	1772	-
4	462536	59.7	15	1	1003	-	-
5	642324	79.2	15	2	1574	1600	-
6	76831	58.7	15	1	1186	-	-
7	257785	71	15	2	1521	1567	-
8	438554	79	15	2	1777	1969	-
9	620397	68.5	15	2	1284	1428	-
10	54310	73.5	15	2	1904	1352	-
11	235596	70.5	15	2	1864	1115	-
12	417038	78.6	15	2	1045	1300	-
13	597974	81.2	15	2	1160	1675	-
14	32086	61.8	15	1	1277	-	-
15	212731	94.9	15	3	1450	1206	1860
22 Type 5	17	0.75	12	5.5289			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)
0	520149	78.5	9	2	1653	1698	-
1	767135	89.8	9	3	1174	1962	1167
2	12955	59.4	9	1	1982	-	-
3	254612	79.6	9	2	1633	1890	-
4	496589	76	9	2	1172	1811	-
5	739728	53.6	9	1	1144	-	-
6	980872	80.9	9	2	1220	1053	-
7	225249	61.6	9	1	1724	-	-
8	467279	53.4	9	1	1901	-	-
9	709720	59.9	9	1	1379	-	-
10	951847	60.4	9	1	1453	-	-
11	194839	91.4	9	3	1768	1726	1227
23 Type 5	18	0.6	12	5.5245			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)
0	261858	77	20	2	1191	1363	-
1	407646	58.1	20	1	1248	-	-
2	552319	62.1	20	1	1836	-	-
3	99107	76.9	20	2	1334	1236	-
4	243514	80	20	4	1814	1852	-
5	389464	52	20	1	1701	-	-
6	531093	88.6	20	3	1693	1995	1905
7	81159	72.9	20	2	1922	1387	-
8	225245	68.5	20	3	1839	1746	1389
9	371906	57.9	20	1	1193	-	-
10	514197	95.9	20	3	1659	1870	1066
11	65391	53.5	20	1	1492	-	-
12	207519	92	20	4	1745	1654	1458
13	353638	57.3	20	1	1834	-	-
14	497515	70.5	20	2	1684	1586	-
15	65553	70	20	1	1864	-	-
16	189821	84	20	3	1765	1630	1176
17	335330	76.1	20	2	1557	1057	-
18	478825	93.2	20	3	1985	1018	1340
19	27594	96.8	20	3	1760	1614	1817
24 Type 5	14	0.8571429	12	5.5277			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)
0	247117	50.1	12	1	1841	-	-
1	453362	93.5	12	3	1590	1081	1413
2	660875	68.8	12	2	1707	1577	-
3	14140	56.3	12	1	1056	-	-
4	207234	80	12	4	1953	1108	1987
5	428367	75.2	12	2	1572	1536	-
6	636681	54.4	12	1	1517	-	-
7	843157	71.1	12	2	1329	1243	-

	0	292143	55.3	12	1	1920	
	1	499633	58.3	12	1	1797	-
	2	708377	72.3	12	3	1810	1039
	3	89890	84.8	12	3	1131	1761 1721
	4	266161	82.5	12	2	1875	1431
	5	474469	63.3	12	1	1095	-
	6	680544	80	12	3	1199	1913
	7	33519	90.3	12	3	1660	1853 1123
	8	240319	91.1	12	3	1539	1783 1172
	9	474003	96.9	12	3	14760	1038 1385
	10	654516	82.7	12	2	1710	1990
	11	8083	50.7	12	1	1234	-
	12	215435	78.4	12	2	1047	1109
	13	421325	99.3	12	3	1299	1985 1860
20 Type 5	14		9.2	12	5.5315		
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)
0	733725	88.6	10	3	1501	1067	1927
1	977882	57.4	10	3	1723	-	-
2	221197	96.6	10	3	1086	1658	1324
3	462915	69.7	10	2	1751	1945	-
4	705071	77.9	10	2	1642	1317	-
5	947923	62	10	1	1866	-	-
6	191373	88.4	10	3	1997	1077	1360
7	432561	97.3	10	3	1790	1896	1367
8	674004	96.2	10	3	1291	1787	1672
9	915842	95.4	10	3	1020	1892	1414
10	162176	54.8	10	1	1084	-	-
11	403553	89.4	10	3	1850	1436	-
21 Type 5	16	0.75	12	5.5265			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)
0	483470	74.7	15	3	1619	1611	-
1	660722	57.1	15	1	1560	-	-
2	98810	91.9	15	3	1392	1475	1276
3	279914	83.1	15	2	1809	1772	-
4	462536	59.7	15	1	1003	-	-
5	642324	79.2	15	2	1574	1600	-
6	76831	58.7	15	1	1186	-	-
7	257785	71	15	2	1521	1567	-
8	438554	79	15	2	1777	1969	-
9	620397	68.5	15	2	1284	1428	-
10	54310	73.5	15	2	1904	1352	-
11	235596	70.5	15	2	1864	1115	-
12	417038	78.6	15	2	1045	1300	-
13	597974	81.2	15	2	1160	1675	-
14	32086	61.8	15	1	1277	-	-
15	212731	94.9	15	3	1450	1206	1860
22 Type 5	17	0.75	12	5.5289			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)
0	520149	78.5	9	2	1653	1698	-
1	767135	89.8	9	3	1174	1962	1167
2	12955	59.4	9	1	1982	-	-
3	254612	79.6	9	2	1633	1890	-
4	496589	76	9	2	1172	1811	-
5	739728	53.6	9	1	1144	-	-
6	980872	80.9	9	2	1220	1053	-
7	225249	61.6	9	1	1724	-	-
8	467279	53.4	9	1	1901	-	-
9	709720	59.9	9	1	1379	-	-
10	951847	60.4	9	1	1453	-	-
11	194839	91.4	9	3	1768	1726	1227
23 Type 5	18	0.6	12	5.5245			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)
0	261858	77	20	2	1191	1363	-
1	407646	58.1	20	1	1248	-	-
2	552319	62.1	20	1	1836	-	-
3	99107	76.9	20	2	1334	1236	-
4	243514	80	20	4	1814	1852	-
5	389464	52	20	1	1701	-	-
6	531093	88.6	20	3	1693	1995	1905
7	81159	72.9	20	2	1922	1387	-
8	225245	68.5	20	3	1839	1746	1389
9	371906	57.9	20	1	1193	-	-
10	514197	95.9	20	3	1659	1870	1066
11	65391	53.5	20	1	1492	-	-
12	207519	92	20	4	1745	1654	1458
13	353638	57.3	20	1	1834	-	-
14	497515	70.5	20	2	1684	1586	-
15	65553	70	20	1	1864	-	-
16	189821	84	20	3	1765	1630	1176
17	335330	76.1	20	2	1557	1057	-
18	478825	93.2	20	3	1985	1018	1340
19	27594	96.8	20	3	1760	1614	1817
24 Type 5	14	0.8571429	12	5.5277			
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)
0	247117	50.1	12	1	1841	-	-
1	453362	93.5	12	3	1590	1081	1413
2	660875	68.8	12	2	1707	1577	-
3	14140	56.3	12	1	1056	-	-
4	207234	80	12	4	1953	1108	1987
5	428367	75.2	12				

		8	195585	76.2	12	2	1940	1770			
		9	403231	80.2	12	2	1098	1209			
		10	810262	78.7	12	2	1088	1214			
		11	815220	90.9	12	3	1615	1802	1601		
		12	170267	68.7	12	2	1377	1441			
		13	377306	67.4	12	2	1872	1313			
25 Type 5		13	0.9230769		12	5.5281					
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)				
0	628071	94	11	3	1643	1748	1941				
1	853301	70.8	11	3	1173	1201					
2	156293	56.3	11	1	1006						
3	378734	96.7	11	3	1230	1163	1332				
4	601321	90.6	11	3	1217	1382	1498				
5	825462	74.5	11	2	1269	1291					
6	128205	92.6	11	3	1065	1609	1222				
7	351161	89	11	3	1493	1135	1380				
8	573425	96.5	11	3	1607	1829	1603				
9	798431	70.5	11	2	1141	1178					
10	100727	94	11	3	1009	1629	1956				
11	32461	55.8	11	1	1290						
12	546278	82.7	11	2	1435	1963	1164				
20 Type 5		8	1.5	12	5.5305						
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)				
0	1253842	68.6	3	2	1306	1161					
1	119486	83.1	3	2	1420	1315					
2	482958	60.9	3	1	1687						
3	845611	77.7	3	2	1776	1138					
4	1208428	77.4	3	2	1763	1310					
5	74748	66.8	3	2	1576	1323					
6	438300	63.7	5	1	1333						
7	800152	91.2	5	1	1409	1681	1273				
27 Type 5		17	0.7058894		12	5.5291					
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)				
0	543865	83.6	16	3	1632	1195	1000				
1	14067	89.4	16	3	1407	1627	1656				
2	184953	55.8	16	1	1532						
3	353729	90.9	16	3	1981	1554	1998				
4	526388	54.7	16	1	1825						
5	694808	97.7	16	3	1734	1202	1250				
6	163568	67.5	16	2	1571	1434					
7	333410	96.7	16	3	1589	1469	1268				
8	524008	68.2	16	3	1750	1954					
9	675297	78.3	16	2	1591	1082					
10	142890	55	16	1	1427						
11	312479	84.9	16	3	1129	1936	1199				
12	482953	74.8	16	3	1959	1856					
13	655029	63.3	16	1	1885						
14	121457	99.8	16	3	1035	1515	1120				
15	292096	63.6	16	1	1647						
16	461322	87.3	16	3	1931	1051	1831				
28 Type 5		19	0.6315789		12	5.5244					
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)				
0	565136	85.6	19	3	1946	1078	1013				
1	89970	68.6	19	2	1029	1780					
2	243121	54.2	19	1	1111						
3	396034	61.2	19	3	1104						
4	546253	97.1	19	3	1157	1969	1100				
5	70998	98.3	19	3	1142	1699	1622				
6	224093	62.4	19	1	1655						
7	378127	80.2	19	2	1126	1769					
8	527806	87.5	19	3	1216	1448	1170				
9	52247	85.8	19	3	1847	1348	1472				
10	204582	88.1	19	3	1023	1124	1631				
11	357941	65.3	19	1	1848						
12	510977	52.5	19	1	1470						
13	33698	52.3	19	1	1312						
14	186023	74.1	19	2	1915	1200					
15	339327	54.9	19	1	1479						
16	491053	76.2	19	2	1376	1502					
17	14858	60.4	19	1	1738						
18	167287	81.5	19	2	1491	1103					
29 Type 5		12	5.5285								
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)				
0	507709	50.5	10	1	1857						
1	750249	55.7	10	1	1246						
2	989003	85.8	10	3	1774	1002	1967				
3	235634	76.9	10	2	1125	1474					
4	477673	75.1	10	2	1254	1052					
5	718312	92.3	10	3	1180	1486	1492				
6	960895	78.1	10	2	1301	1757					
7	205370	92.2	10	3	1898	1252	1713				
8	446903	89	10	3	1260	1709	1411				
9	689225	70.9	10	2	1578	1620					
10	932305	63.1	10	1	1782						
11	176231	53.3	10	1	1522						
30 Type 5		18	0.6066667		12	5.5252					
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)				
0	277485	83.4	17	3	1454	1205	1801				

		8	195585	76.2	12	2	1940	1770			
		9	403231	80.2	12	2	1098	1209			
		10	810262	78.7	12	2	1088	1214			
		11	815220	90.9	12	3	1615	1802	1601		
		12	170267	68.7	12	2	1377	1441			
		13	377306	67.4	12	2	1872	1313			
25 Type 5		13	0.9230769		12	5.5281					
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)				
0	628071	94	11	3	1643	1748	1941				
1	853301	70.8	11	3	1173	1201					
2	156293	56.3	11	1	1006						
3	378734	96.7	11	3	1230	1163	1332				
4	601321	90.6	11	3	1217	1382	1498				
5	825462	74.5	11	2	1269	1291					
6	128205	92.6	11	3	1065	1609	1222				
7	351161	89	11	3	1493	1135	1380				
8	573425	96.5	11	3	1607	1829	1603				
9	798431	70.5	11	2	1141	1178					
10	100727	94	11	3	1009	1629	1956				
11	32461	55.8	11	1	1290						
12	546278	82.7	11	2	1435	1963	1164				
20 Type 5		8	1.5	12	5.5305						
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)				
0	1253842	68.6	3	2	1306	1161					
1	119486	83.1	3	2	1420	1315					
2	482958	60.9	3	1	1687						
3	845611	77.7	3	2	1776	1138					
4	1208428	77.4	3	2	1763	1310					
5	74748	66.8	3	2	1576	1323					
6	438300	63.7	5	1	1333						
7	800152	91.2	5	1	1409	1681	1273				
27 Type 5		17	0.7058894		12	5.5291					
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)				
0	543865	83.6	16	3	1632	1195	1000				
1	14067	89.4	16	3	1407	1627	1656				
2	184953	55.8	16	1	1532						
3	353729	90.9	16	3	1981	1554	1998				
4	526388	54.7	16	1	1825						
5	694808	97.7	16	3	1734	1202	1250				
6	163568	67.5	16	2	1571	1434					
7	333410	96.7	16	3	1589	1469	1268				
8	524008	68.2	16	3	1750	1954					
9	675297	78.3	16	2	1591	1082					
10	142890	55	16	1	1427						
11	312479	84.9	16	3	1129	1936	1199				
12	482953	74.8	16	3	1959	1856					
13	655029	63.3	16	1	1885						
14	121457	99.8	16	3	1035	1515	1120				
15	292096	63.6	16	1	1647						
16	461322	87.3	16	3	1931	1051	1831				
28 Type 5		19	0.6315789		12	5.5244					
Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRE-1 (us)	PRE-2 (us)	PRE-3 (us)				
0	565136	85.6	19	3	1946	1078	1013				
1	89970	68.6	19	2	1029	1780					



	1	437880	97.3	17	3	1319	1826	1635
	2	598445	90.4	17	3	1079	1986	1674
	3	97088	91.3	17	3	1363	1151	1852
	4	257251	98.2	17	3	1876	1977	1760
	5	419893	59.5	17	1	1952	-	-
	6	580724	80	17	2	1253	1137	-
	7	77269	86.3	17	3	1954	1129	1828
	8	238032	91.1	17	3	1105	1599	1442
	9	398605	93.5	17	3	1867	1373	1087
	10	562025	69.7	17	1	1033	-	-
	11	57684	67.2	17	2	1288	1405	-
	12	219083	61.8	17	1	1585	-	-
	13	379234	79.4	17	2	1933	1667	-
	14	54086	81.4	17	2	1096	1464	-
	15	37916	65.7	17	1	1496	-	-
	16	198704	76	17	2	1733	1255	-
	17	359724	81	17	2	1326	1688	-

	1	437880	97.3	17	3	1319	1826	1635
	2	598445	90.4	17	3	1079	1986	1674
	3	97088	91.3	17	3	1363	1151	1852
	4	257251	98.2	17	3	1876	1977	1760
	5	419893	59.5	17	1	1952	-	-
	6	580724	80	17	2	1253	1137	-
	7	77269	86.3	17	3	1954	1129	1828
	8	238032	91.1	17	3	1105	1599	1442
	9	398605	93.5	17	3	1867	1373	1087
	10	562025	69.7	17	1	1033	-	-
	11	57684	67.2	17	2	1288	1405	-
	12	219083	61.8	17	1	1585	-	-
	13	379234	79.4	17	2	1933	1667	-
	14	54086	81.4	17	2	1096	1464	-
	15	37916	65.7	17	1	1496	-	-
	16	198704	76	17	2	1733	1255	-
	17	359724	81	17	2	1326	1688	-

	1	437880	97.3	17	3	1319	1826	1635
	2	598445	90.4	17	3	1079	1986	1674
	3	97088	91.3	17	3	1363	1151	1852
	4	257251	98.2	17	3	1876	1977	1760
	5	419893	59.5	17	1	1952	-	-
	6	580724	80	17	2	1253	1137	-
	7	77269	86.3	17	3	1954	1129	1828
	8	238032	91.1	17	3	1105	1599	1442
	9	398605	93.5	17	3	1867	1373	1087
	10	562025	69.7	17	1	1033	-	-
	11	57684	67.2	17	2	1288	1405	-
	12	219083	61.8	17	1	1585	-	-
	13	379234	79.4	17	2	1933	1667	-
	14	54086	81.4	17	2	1096	1464	-
	15	37916	65.7	17	1	1496	-	-
	16	198704	76	17	2	1733	1255	-
	17	359724	81	17	2	1326	1688	-

	1	437880	97.3	17	3	1319	1826	1635
	2	598445	90.4	17	3	1079	1986	1674
	3	97088	91.3	17	3	1363	1151	1852
	4	257251	98.2	17	3	1876	1977	1760
	5	419893	59.5	17	1	1952	-	-
	6	580724	80	17	2	1253	1137	-
	7	77269	86.3	17	3	1954	1129	1828
	8	238032	91.1	17	3	1105	1599	1442
	9	398605	93.5	17	3	1867	1373	1087
	10	562025	69.7	17	1	1033	-	-
	11	57684	67.2	17	2	1288	1405	-
	12	219083	61.8	17	1	1585	-	-
	13	379234	79.4	17	2	1933	1667	-
	14	54086	81.4	17	2	1096	1464	-
	15	37916	65.7	17	1	1496	-	-
	16	198704	76	17	2	1733	1255	-
	17	359724	81	17	2	1326	1688	-

Report No.: 2401259035RFC-3  
Appendix F

Radar Type	Trial #	Freq(MHz)	Pluse Width(us)	PRF(us)	Pluse Per Hop	Hoppin g Rate (Hz)	Hopping Sequence Length(ms)	Visible Freque ncy Number	Detectio n(Yes / No)
6	1	5300	1	333.3	9	0.3333	300	30	Y
6	2	5300	1	333.3	9	0.3333	300	24	Y
6	3	5300	1	333.3	9	0.3333	300	30	Y
6	4	5300	1	333.3	9	0.3333	300	27	Y
6	5	5300	1	333.3	9	0.3333	300	30	Y
6	6	5300	1	333.3	9	0.3333	300	28	N
6	7	5300	1	333.3	9	0.3333	300	28	Y
6	8	5300	1	333.3	9	0.3333	300	32	Y
6	9	5300	1	333.3	9	0.3333	300	29	Y
6	10	5300	1	333.3	9	0.3333	300	29	Y
6	11	5300	1	333.3	9	0.3333	300	28	Y
6	12	5300	1	333.3	9	0.3333	300	24	Y
6	13	5300	1	333.3	9	0.3333	300	24	Y
6	14	5300	1	333.3	9	0.3333	300	28	Y
6	15	5300	1	333.3	9	0.3333	300	27	N
6	16	5300	1	333.3	9	0.3333	300	29	Y
6	17	5300	1	333.3	9	0.3333	300	25	Y
6	18	5300	1	333.3	9	0.3333	300	30	Y
6	19	5300	1	333.3	9	0.3333	300	30	N
6	20	5300	1	333.3	9	0.3333	300	29	Y
6	21	5300	1	333.3	9	0.3333	300	23	N
6	22	5300	1	333.3	9	0.3333	300	25	Y
6	23	5300	1	333.3	9	0.3333	300	19	Y
6	24	5300	1	333.3	9	0.3333	300	25	Y
6	25	5300	1	333.3	9	0.3333	300	28	Y
6	26	5300	1	333.3	9	0.3333	300	27	Y
6	27	5300	1	333.3	9	0.3333	300	24	N
6	28	5300	1	333.3	9	0.3333	300	25	Y
6	29	5300	1	333.3	9	0.3333	300	33	Y
6	30	5300	1	333.3	9	0.3333	300	24	Y

Radar Type	Trial #	Freq(MHz)	Pluse Width(us)	PRF(us)	Pluse Per Hop	Hoppin g Rate (Hz)	Hopping Sequence Length(ms)	Visible Freque ncy Number	Detectio n(Yes / No)
6	1	5310	1	333.3	9	0.3333	300	30	Y
6	2	5310	1	333.3	9	0.3333	300	24	Y
6	3	5310	1	333.3	9	0.3333	300	30	Y
6	4	5310	1	333.3	9	0.3333	300	27	N
6	5	5310	1	333.3	9	0.3333	300	30	Y
6	6	5310	1	333.3	9	0.3333	300	28	Y
6	7	5310	1	333.3	9	0.3333	300	28	Y
6	8	5310	1	333.3	9	0.3333	300	32	Y
6	9	5310	1	333.3	9	0.3333	300	29	Y
6	10	5310	1	333.3	9	0.3333	300	29	Y
6	11	5310	1	333.3	9	0.3333	300	26	Y
6	12	5310	1	333.3	9	0.3333	300	24	Y
6	13	5310	1	333.3	9	0.3333	300	24	Y
6	14	5310	1	333.3	9	0.3333	300	26	Y
6	15	5310	1	333.3	9	0.3333	300	27	N
6	16	5310	1	333.3	9	0.3333	300	29	Y
6	17	5310	1	333.3	9	0.3333	300	25	Y
6	18	5310	1	333.3	9	0.3333	300	30	Y
6	19	5310	1	333.3	9	0.3333	300	30	Y
6	20	5310	1	333.3	9	0.3333	300	29	N
6	21	5310	1	333.3	9	0.3333	300	25	Y
6	22	5310	1	333.3	9	0.3333	300	25	Y
6	23	5310	1	333.3	9	0.3333	300	19	Y
6	24	5310	1	333.3	9	0.3333	300	25	Y
6	25	5310	1	333.3	9	0.3333	300	28	Y
6	26	5310	1	333.3	9	0.3333	300	27	N
6	27	5310	1	333.3	9	0.3333	300	24	Y
6	28	5310	1	333.3	9	0.3333	300	25	Y
6	29	5310	1	333.3	9	0.3333	300	33	N
6	30	5310	1	333.3	9	0.3333	300	24	N

Radar Type	Trial #	Freq(MHz)	Pluse Width(us)	PRF(us)	Pluse Per Hop	Hoppin g Rate (Hz)	Hopping Sequence Length(ms)	Visible Freque ncy Number	Detectio n(Yes / No)
6	1	5290	1	333.3	9	0.3333	300	30	Y
6	2	5290	1	333.3	9	0.3333	300	24	Y
6	3	5290	1	333.3	9	0.3333	300	30	N
6	4	5290	1	333.3	9	0.3333	300	27	N
6	5	5290	1	333.3	9	0.3333	300	30	Y
6	6	5290	1	333.3	9	0.3333	300	28	Y
6	7	5290	1	333.3	9	0.3333	300	28	Y
6	8	5290	1	333.3	9	0.3333	300	32	Y
6	9	5290	1	333.3	9	0.3333	300	29	Y
6	10	5290	1	333.3	9	0.3333	300	29	Y
6	11	5290	1	333.3	9	0.3333	300	26	Y
6	12	5290	1	333.3	9	0.3333	300	24	Y
6	13	5290	1	333.3	9	0.3333	300	24	Y
6	14	5290	1	333.3	9	0.3333	300	26	Y
6	15	5290	1	333.3	9	0.3333	300	27	N
6	16	5290	1	333.3	9	0.3333	300	29	Y
6	17	5290	1	333.3	9	0.3333	300	25	Y
6	18	5290	1	333.3	9	0.3333	300	30	Y
6	19	5290	1	333.3	9	0.3333	300	30	Y
6	20	5290	1	333.3	9	0.3333	300	29	N
6	21	5290	1	333.3	9	0.3333	300	23	Y
6	22	5290	1	333.3	9	0.3333	300	25	Y
6	23	5290	1	333.3	9	0.3333	300	19	N
6	24	5290	1	333.3	9	0.3333	300	25	Y
6	25	5290	1	333.3	9	0.3333	300	28	Y
6	26	5290	1	333.3	9	0.3333	300	27	N
6	27	5290	1	333.3	9	0.3333	300	24	Y
6	28	5290	1	333.3	9	0.3333	300	25	Y
6	29	5290	1	333.3	9	0.3333	300	33	Y
6	30	5290	1	333.3	9	0.3333	300	24	Y

Radar Type	Trial #	Freq(MHz)	Pluse Width(us)	PRF(us)	Pluse Per Hop	Hoppin g Rate (Hz)	Hopping Sequence Length(ms)	Visible Freque ncy Number	Detectio n(Yes / No)
6	1	5570	1	333.3	9	0.3333	300	30	Y
6	2	5570	1	333.3	9	0.3333	300	24	Y
6	3	5570	1	333.3	9	0.3333	300	30	N
6	4	5570	1	333.3	9	0.3333	300	27	Y
6	5	5570	1	333.3	9	0.3333	300	30	Y
6	6	5570	1	333.3	9	0.3333	300	28	Y
6	7	5570	1	333.3	9	0.3333	300	28	Y
6	8	5570	1	333.3	9	0.3333	300	32	Y
6	9	5570	1	333.3	9	0.3333	300	29	Y
6	10	5570	1	333.3	9	0.3333	300	28	Y
6	11	5570	1	333.3	9	0.3333	300	26	Y
6	12	5570	1	333.3	9	0.3333	300	24	Y
6	13	5570	1	333.3	9	0.3333	300	24	N
6	14	5570	1	333.3	9	0.3333	300	28	Y
6	15	5570	1	333.3	9	0.3333	300	27	N
6	16	5570	1	333.3	9	0.3333	300	29	Y
6	17	5570	1	333.3	9	0.3333	300	25	Y
6	18	5570	1	333.3	9	0.3333	300	30	Y
6	19	5570	1	333.3	9	0.3333	300	30	Y
6	20	5570	1	333.3	9	0.3333	300	29	N
6	21	5570	1	333.3	9	0.3333	300	23	Y
6	22	5570	1	333.3	9	0.3333	300	25	Y
6	23	5570	1	333.3	9	0.3333	300	19	N
6	24	5570	1	333.3	9	0.3333	300	25	Y
6	25	5570	1	333.3	9	0.3333	300	28	Y
6	26	5570	1	333.3	9	0.3333	300	27	Y
6	27	5570	1	333.3	9	0.3333	300	24	Y
6	28	5570	1	333.3	9	0.3333	300	25	Y
6	29	5570	1	333.3	9	0.3333	300	33	Y
6	30	5570	1	333.3	9	0.3333	300	24	Y