


1.6dB Bandwidth


Test Mode	Test Channel	Ant	EBW[MHz]	Limit	Verdict
BLE	2402	Ant1	0.705	0.5	PASS
BLE	2440	Ant1	0.695	0.5	PASS
BLE	2480	Ant1	0.686	0.5	PASS

6dB Bandwidth_BLE_2402_Ant1




Date: 3.APR.2018 09:09:49

6dB Bandwidth_BLE_2440_Ant1




Date: 3.APR.2018 09:12:13



2.Occupied Bandwidth


Test Mode	Test Channel	Ant	OBW[MHz]	Limit[MHz]	Verdict
BLE	2402	Ant1	1.058	---	PASS
BLE	2440	Ant1	1.055	---	PASS
BLE	2480	Ant1	1.057	---	PASS

Occupied Bandwidth_BLE_2402_Ant1




Date: 3.APR.2018 09:10:09

Occupied Bandwidth_BLE_2440_Ant1



Occupied Bandwidth_BLE_2480_Ant1




3. Maximum peak conducted output power

Test Mode	Test Channel	Ant	Power[dBm]	Limit[dBm]	Verdict
BLE	2402	Ant1	-1.85	30	PASS
BLE	2440	Ant1	-1.42	30	PASS
BLE	2480	Ant1	-1.42	30	PASS

Maximum peak conducted output power_BLE_2402_Ant1




*RBW 3 MHz Marker 1 [T1]
*VBW 10 MHz -1.85 dBm
SWT 40 ms 2.401656250 GHz




Date: 3.APR.2018 09:57:40

Maximum peak conducted output power_BLE_2440_Ant1



Maximum peak conducted output power_BLE_2480_Ant1




4. Maximum Peak power spectral density

Test Mode	Test Channel	Ant	PSD[dBm/MHz]	Limit[dBm/MHz]	Verdict
BLE	2402	Ant1	-16.88	8.00	PASS
BLE	2440	Ant1	-16.35	8.00	PASS
BLE	2480	Ant1	-16.42	8.00	PASS

Maximum Peak power spectral density_BLE_2402_Ant1




*RBW 3 kHz Marker 1 [T1]
*VBW 10 kHz -16.88 dBm
SWT 170 ms 2.401980500 GHz




Date: 3.APR.2018 09:46:23

Maximum Peak power spectral density_BLE_2440_Ant1




Maximum Peak power spectral density_BLE_2480_Ant1



5.Band-edge for RF Conducted Emissions


Test Mode	Test Channel	Ant	Carrier Power[dBm]	Max. Spurious Level [dBm]	Limit [dBm]	Verdict
BLE	2402	Ant1	-2.430	-55.075	-22.43	PASS
BLE	2480	Ant1	-1.980	-54.727	-21.98	PASS

Band-edge for RF Conducted Emissions_BLE_2402_Ant1



Date: 3.APR.2018 09:46:36

Band-edge for RF Conducted Emissions_BLE_2480_Ant1



6.RF Conducted Spurious Emissions

Test Mode	Test Channel	Ant	StartFre [MHz]	StopFre [MHz]	RBW [kHz]	VBW [kHz]	Pref[dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BLE	2402	Ant1	30	1000	100	300	-2.3	-38.140	<-22.3	PASS
BLE	2402	Ant1	1000	5000	100	300	-2.3	-36.590	<-22.3	PASS
BLE	2440	Ant1	30	1000	100	300	-1.86	-38.830	<-21.86	PASS
BLE	2440	Ant1	1000	5000	100	300	-1.86	-36.500	<-21.86	PASS
BLE	2480	Ant1	30	1000	100	300	-1.85	-38.260	<-21.85	PASS
BLE	2480	Ant1	1000	5000	100	300	-1.85	-36.840	<-21.85	PASS


RF Conducted Spurious Emissions_BLE_2402_Ant1



*RBW 100 kHz Marker 1 [T1]
*VBW 300 kHz -2.30 dBm
*Att 20 dB
SWT 40 ms 2.401990500 GHz

Ref 20 dBm

1 PK VIEW




Date: 3.APR.2018 10:02:52




*RBW 100 kHz Marker 1 [T1]
*VBW 300 kHz -38.14 dBm
*Att 30 dB
SWT 100 ms 58.493750000 MHz

Ref 30 dBm


1 PK VIEW





Date: 3.APR.2018 10:03:05




RF Conducted Spurious Emissions_BLE_2440_Ant1






RF Conducted Spurious Emissions_BLE_2480_Ant1



Date: 3.APR.2018 10:04:54



Date: 3.APR.2018 10:05:07

