




Band66 16QAM BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 16QAM BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 16QAM BW=20MHz Channel=132322 RB Size=100 Position=#0




Band66 16QAM BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 16QAM BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 16QAM BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0



Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0



Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0



Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0






Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




Band71 16QAM BW=10MHz Channel=133172 RB Size=50 Position=#0




Band71 16QAM BW=10MHz Channel=133422 RB Size=50 Position=#0




Band71 16QAM BW=15MHz Channel=133197 RB Size=75 Position=#0




Band71 16QAM BW=15MHz Channel=133397 RB Size=75 Position=#0




Band71 16QAM BW=20MHz Channel=133222 RB Size=100 Position=#0




Band71 16QAM BW=20MHz Channel=133372 RB Size=100 Position=#0




Band71 16QAM BW=5MHz Channel=133147 RB Size=25 Position=#0




Band71 16QAM BW=5MHz Channel=133447 RB Size=25 Position=#0




Band71 QPSK BW=10MHz Channel=133172 RB Size=50 Position=#0




Band71 QPSK BW=10MHz Channel=133422 RB Size=50 Position=#0




Band71 QPSK BW=15MHz Channel=133197 RB Size=75 Position=#0




Band71 QPSK BW=15MHz Channel=133397 RB Size=75 Position=#0




Band71 QPSK BW=20MHz Channel=133222 RB Size=100 Position=#0




Band71 QPSK BW=20MHz Channel=133372 RB Size=100 Position=#0



Band71 QPSK BW=5MHz Channel=133147 RB Size=25 Position=#0



Band71 QPSK BW=5MHz Channel=133447 RB Size=25 Position=#0



RADIATED SPURIOUS EMISSION

Note:

(1) Spurious emissions which are attenuated by more than 20dB below the permissible value for frequency below 1000MHz.

(2) Test is divided into three directions, X/Y/Z. X pattern for the worst.

LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3701.16	-28.74	7.00	12.93	-34.67	-13.00	-21.67	H
5552.08	-25.32	8.40	17.11	-34.03	-13.00	-21.03	H
7402.43	-25.82	8.10	22.20	-39.92	-13.00	-26.92	H
3701.16	-29.59	7.00	12.93	-35.52	-13.00	-22.52	V
5552.08	-24.92	8.40	17.11	<b>-33.63</b>	-13.00	-20.63	V
7402.43	-26.92	8.10	22.20	-41.02	-13.00	-28.02	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.08	-25.29	7.00	12.93	<b>-31.22</b>	-13.00	-18.22	H
5639.81	-28.18	8.40	17.11	-36.89	-13.00	-23.89	H
7519.99	-24.70	8.10	22.20	-38.80	-13.00	-25.80	H
3760.08	-25.29	7.00	12.93	-31.22	-13.00	-18.22	V
5639.81	-25.51	8.40	17.11	-34.22	-13.00	-21.22	V
7519.99	-25.26	8.10	22.20	-39.36	-13.00	-26.36	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3818.63	-25.34	7.00	12.93	-31.27	-13.00	-18.27	H
5727.55	-26.43	8.40	17.11	-35.14	-13.00	-22.14	H
7637.22	-24.92	8.10	22.20	-39.02	-13.00	-26.02	H
3818.63	-25.32	7.00	12.93	<b>-31.25</b>	-13.00	-18.25	V
5727.55	-28.56	8.40	17.11	-37.27	-13.00	-24.27	V
7637.22	-23.61	8.10	22.20	-37.71	-13.00	-24.71	V



LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3702.99	-24.27	7.00	12.93	<b>-30.20</b>	-13.00	-17.20	H
5554.57	-26.90	8.40	17.11	-35.61	-13.00	-22.61	H
7405.69	-24.70	8.10	22.20	-38.80	-13.00	-25.80	H
3702.99	-25.84	7.00	12.93	-31.77	-13.00	-18.77	V
5554.57	-25.04	8.40	17.11	-33.75	-13.00	-20.75	V
7405.69	-23.65	8.10	22.20	-37.75	-13.00	-24.75	V
LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.02	-25.39	7.00	12.93	<b>-31.32</b>	-13.00	-18.32	H
5639.97	-27.07	8.40	17.11	-35.78	-13.00	-22.78	H
7519.90	-23.49	8.10	22.20	-37.59	-13.00	-24.59	H
3760.02	-25.96	7.00	12.93	-31.89	-13.00	-18.89	V
5639.97	-25.91	8.40	17.11	-34.62	-13.00	-21.62	V
7519.90	-27.39	8.10	22.20	-41.49	-13.00	-28.49	V
LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3817.29	-25.31	7.00	12.93	<b>-31.24</b>	-13.00	-18.24	H
5725.52	-28.80	8.40	17.11	-37.51	-13.00	-24.51	H
7633.96	-25.46	8.10	22.20	-39.56	-13.00	-26.56	H
3817.29	-29.20	7.00	12.93	-35.13	-13.00	-22.13	V
5725.52	-29.00	8.40	17.11	-37.71	-13.00	-24.71	V
7633.96	-27.43	8.10	22.20	-41.53	-13.00	-28.53	V

LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3705.41	-27.46	7.00	12.93	-33.39	-13.00	-20.39	H
5557.40	-28.69	8.40	17.11	-37.40	-13.00	-24.40	H
7410.05	-25.88	8.10	22.20	-39.98	-13.00	-26.98	H
3705.41	-28.08	7.00	12.93	-34.01	-13.00	-21.01	V
5557.40	-28.96	8.40	17.11	-37.67	-13.00	-24.67	V
7410.05	-23.54	8.10	22.20	-37.64	-13.00	-24.64	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.27	-28.74	7.00	12.93	-34.67	-13.00	-21.67	H
5640.28	-28.36	8.40	17.11	-37.07	-13.00	-24.07	H
7520.11	-24.74	8.10	22.20	-38.84	-13.00	-25.84	H
3760.27	-25.38	7.00	12.93	-31.31	-13.00	-18.31	V
5640.28	-27.83	8.40	17.11	-36.54	-13.00	-23.54	V
7520.11	-27.11	8.10	22.20	-41.21	-13.00	-28.21	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3815.42	-28.87	7.00	12.93	-34.80	-13.00	-21.80	H
5722.52	-26.92	8.40	17.11	-35.63	-13.00	-22.63	H
7630.29	-23.81	8.10	22.20	-37.91	-13.00	-24.91	H
3815.42	-28.09	7.00	12.93	-34.02	-13.00	-21.02	V
5722.52	-26.75	8.40	17.11	-35.46	-13.00	-22.46	V
7630.29	-27.34	8.10	22.20	-41.44	-13.00	-28.44	V

LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3710.16	-27.04	7.00	12.93	-32.97	-13.00	-19.97	H
5565.35	-25.64	8.40	17.11	-34.35	-13.00	-21.35	H
7419.96	-25.20	8.10	22.20	-39.30	-13.00	-26.30	H
3710.16	-27.47	7.00	12.93	-33.40	-13.00	-20.40	V
5565.35	-27.89	8.40	17.11	-36.60	-13.00	-23.60	V
7419.96	-27.94	8.10	22.20	-42.04	-13.00	-29.04	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.04	-26.54	7.00	12.93	-32.47	-13.00	-19.47	H
5639.86	-25.68	8.40	17.11	-34.39	-13.00	-21.39	H
7519.81	-23.21	8.10	22.20	-37.31	-13.00	-24.31	H
3760.04	-27.64	7.00	12.93	-33.57	-13.00	-20.57	V
5639.86	-24.74	8.40	17.11	-33.45	-13.00	-20.45	V
7519.81	-25.94	8.10	22.20	-40.04	-13.00	-27.04	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3809.94	-27.87	7.00	12.93	-33.80	-13.00	-20.80	H
5714.66	-26.37	8.40	17.11	-35.08	-13.00	-22.08	H
7620.17	-22.66	8.10	22.20	-36.76	-13.00	-23.76	H
3809.94	-29.45	7.00	12.93	-35.38	-13.00	-22.38	V
5714.66	-28.16	8.40	17.11	-36.87	-13.00	-23.87	V
7620.17	-23.23	8.10	22.20	-37.33	-13.00	-24.33	V

LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3715.23	-26.58	7.00	12.93	-32.51	-13.00	-19.51	H
5572.30	-25.23	8.40	17.11	-33.94	-13.00	-20.94	H
7430.53	-23.07	8.10	22.20	-37.17	-13.00	-24.17	H
3715.23	-28.29	7.00	12.93	-34.22	-13.00	-21.22	V
5572.30	-28.22	8.40	17.11	-36.93	-13.00	-23.93	V
7430.53	-26.81	8.10	22.20	-40.91	-13.00	-27.91	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.24	-28.54	7.00	12.93	-34.47	-13.00	-21.47	H
5639.91	-27.58	8.40	17.11	-36.29	-13.00	-23.29	H
7520.25	-23.31	8.10	22.20	-37.41	-13.00	-24.41	H
3760.24	-26.88	7.00	12.93	-32.81	-13.00	-19.81	V
5639.91	-28.72	8.40	17.11	-37.43	-13.00	-24.43	V
7520.25	-27.45	8.10	22.20	-41.55	-13.00	-28.55	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3804.88	-24.05	7.00	12.93	-29.98	-13.00	-16.98	H
5707.47	-24.82	8.40	17.11	-33.53	-13.00	-20.53	H
7610.25	-22.80	8.10	22.20	-36.90	-13.00	-23.90	H
3804.88	-29.19	7.00	12.93	-35.12	-13.00	-22.12	V
5707.47	-24.33	8.40	17.11	-33.04	-13.00	-20.04	V
7610.25	-23.51	8.10	22.20	-37.61	-13.00	-24.61	V

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.23	-26.65	7.00	12.93	-32.58	-13.00	-19.58	H
5580.58	-27.32	8.40	17.11	-36.03	-13.00	-23.03	H
7439.98	-23.70	8.10	22.20	-37.80	-13.00	-24.80	H
3720.23	-29.87	7.00	12.93	-35.80	-13.00	-22.80	V
5580.58	-24.44	8.40	17.11	-33.15	-13.00	-20.15	V
7439.98	-26.42	8.10	22.20	-40.52	-13.00	-27.52	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.16	-27.39	7.00	12.93	-33.32	-13.00	-20.32	H
5639.92	-25.52	8.40	17.11	-34.23	-13.00	-21.23	H
7519.99	-27.02	8.10	22.20	-41.12	-13.00	-28.12	H
3760.16	-28.70	7.00	12.93	-34.63	-13.00	-21.63	V
5639.92	-28.57	8.40	17.11	-37.28	-13.00	-24.28	V
7519.99	-27.01	8.10	22.20	-41.11	-13.00	-28.11	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3800.10	-26.20	7.00	12.93	-32.13	-13.00	-19.13	H
5699.96	-24.87	8.40	17.11	-33.58	-13.00	-20.58	H
7599.92	-22.67	8.10	22.20	-36.77	-13.00	-23.77	H
3800.10	-28.92	7.00	12.93	-34.85	-13.00	-21.85	V
5699.96	-25.66	8.40	17.11	-34.37	-13.00	-21.37	V
7599.92	-24.60	8.10	22.20	-38.70	-13.00	-25.70	V

LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3421.05	-25.28	7.20	12.56	<b>-30.64</b>	-13.00	-17.64	H
5131.82	-26.01	8.10	16.32	-34.23	-13.00	-21.23	H
6842.36	-22.77	8.30	21.13	-35.60	-13.00	-22.60	H
3421.05	-28.19	7.20	12.56	-33.55	-13.00	-20.55	V
5131.82	-24.53	8.10	16.32	-32.75	-13.00	-19.75	V
6842.36	-24.99	8.30	21.13	-37.82	-13.00	-24.82	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.75	-24.25	7.20	12.56	<b>-29.61</b>	-13.00	-16.61	H
5196.82	-25.81	8.10	16.32	-34.03	-13.00	-21.03	H
6930.19	-22.82	8.30	21.13	-35.65	-13.00	-22.65	H
3464.75	-29.81	7.20	12.56	-35.17	-13.00	-22.17	V
5196.82	-29.12	8.10	16.32	-37.34	-13.00	-24.34	V
6930.19	-24.61	8.30	21.13	-37.44	-13.00	-24.44	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3508.10	-27.35	7.20	12.56	-32.71	-13.00	-19.71	H
5262.15	-26.65	8.10	16.32	-34.87	-13.00	-21.87	H
7015.74	-23.73	8.30	21.13	-36.56	-13.00	-23.56	H
3508.10	-25.72	7.20	12.56	<b>-31.08</b>	-13.00	-18.08	V
5262.15	-27.21	8.10	16.32	-35.43	-13.00	-22.43	V
7015.74	-28.10	8.30	21.13	-40.93	-13.00	-27.93	V

LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3423.73	-28.79	7.20	12.56	-34.15	-13.00	-21.15	H
5136.23	-25.99	8.10	16.32	-34.21	-13.00	-21.21	H
6848.65	-24.81	8.30	21.13	-37.64	-13.00	-24.64	H
3423.73	-28.11	7.20	12.56	-33.47	-13.00	-20.47	V
5136.23	-25.01	8.10	16.32	<b>-33.23</b>	-13.00	-20.23	V
6848.65	-27.73	8.30	21.13	-40.56	-13.00	-27.56	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.54	-28.90	7.20	12.56	-34.26	-13.00	-21.26	H
5196.86	-26.89	8.10	16.32	-35.11	-13.00	-22.11	H
6929.91	-23.85	8.30	21.13	-36.68	-13.00	-23.68	H
3464.54	-27.92	7.20	12.56	<b>-33.28</b>	-13.00	-20.28	V
5196.86	-26.49	8.10	16.32	-34.71	-13.00	-21.71	V
6929.91	-24.77	8.30	21.13	-37.60	-13.00	-24.60	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3505.89	-24.51	7.20	12.56	<b>-29.87</b>	-13.00	-16.87	H
5261.63	-29.23	8.10	16.32	-37.45	-13.00	-24.45	H
7012.61	-27.61	8.30	21.13	-40.44	-13.00	-27.44	H
3505.89	-26.42	7.20	12.56	-31.78	-13.00	-18.78	V
5261.63	-27.78	8.10	16.32	-36.00	-13.00	-23.00	V
7012.61	-26.78	8.30	21.13	-39.61	-13.00	-26.61	V

LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3424.72	-25.02	7.20	12.56	-30.38	-13.00	-17.38	H
5137.15	-25.38	8.10	16.32	-33.60	-13.00	-20.60	H
6849.71	-23.98	8.30	21.13	-36.81	-13.00	-23.81	H
3424.72	-26.33	7.20	12.56	-31.69	-13.00	-18.69	V
5137.15	-25.55	8.10	16.32	-33.77	-13.00	-20.77	V
6849.71	-25.76	8.30	21.13	-38.59	-13.00	-25.59	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.33	-26.15	7.20	12.56	-31.51	-13.00	-18.51	H
5196.63	-24.95	8.10	16.32	-33.17	-13.00	-20.17	H
6930.00	-22.69	8.30	21.13	-35.52	-13.00	-22.52	H
3464.33	-28.81	7.20	12.56	-34.17	-13.00	-21.17	V
5196.63	-27.70	8.10	16.32	-35.92	-13.00	-22.92	V
6930.00	-26.26	8.30	21.13	-39.09	-13.00	-26.09	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3504.91	-24.10	7.20	12.56	-29.46	-13.00	-16.46	H
5257.02	-27.25	8.10	16.32	-35.47	-13.00	-22.47	H
7009.77	-25.82	8.30	21.13	-38.65	-13.00	-25.65	H
3504.91	-25.61	7.20	12.56	-30.97	-13.00	-17.97	V
5257.02	-27.68	8.10	16.32	-35.90	-13.00	-22.90	V
7009.77	-25.63	8.30	21.13	-38.46	-13.00	-25.46	V



<b>LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3429.75	-24.15	7.20	12.56	<b>-29.51</b>	-13.00	-16.51	H
5145.42	-25.25	8.10	16.32	-33.47	-13.00	-20.47	H
6860.43	-26.30	8.30	21.13	-39.13	-13.00	-26.13	H
3429.75	-27.74	7.20	12.56	-33.10	-13.00	-20.10	V
5145.42	-28.82	8.10	16.32	-37.04	-13.00	-24.04	V
6860.43	-27.91	8.30	21.13	-40.74	-13.00	-27.74	V
<b>LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.76	-24.60	7.20	12.56	<b>-29.96</b>	-13.00	-16.96	H
5196.81	-25.13	8.10	16.32	-33.35	-13.00	-20.35	H
6929.66	-27.39	8.30	21.13	-40.22	-13.00	-27.22	H
3464.76	-29.00	7.20	12.56	-34.36	-13.00	-21.36	V
5196.81	-25.59	8.10	16.32	-33.81	-13.00	-20.81	V
6929.66	-24.16	8.30	21.13	-36.99	-13.00	-23.99	V
<b>LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3500.45	-24.65	7.20	12.56	<b>-30.01</b>	-13.00	-17.01	H
5250.39	-27.79	8.10	16.32	-36.01	-13.00	-23.01	H
6999.99	-25.90	8.30	21.13	-38.73	-13.00	-25.73	H
3500.45	-27.09	7.20	12.56	-32.45	-13.00	-19.45	V
5250.39	-24.43	8.10	16.32	-32.65	-13.00	-19.65	V
6999.99	-26.00	8.30	21.13	-38.83	-13.00	-25.83	V

LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3434.72	-26.11	7.20	12.56	-31.47	-13.00	-18.47	H
5152.39	-26.06	8.10	16.32	-34.28	-13.00	-21.28	H
6870.58	-26.84	8.30	21.13	-39.67	-13.00	-26.67	H
3434.72	-27.70	7.20	12.56	-33.06	-13.00	-20.06	V
5152.39	-26.66	8.10	16.32	-34.88	-13.00	-21.88	V
6870.58	-26.63	8.30	21.13	-39.46	-13.00	-26.46	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.80	-25.77	7.20	12.56	-31.13	-13.00	-18.13	H
5196.69	-28.71	8.10	16.32	-36.93	-13.00	-23.93	H
6930.03	-27.16	8.30	21.13	-39.99	-13.00	-26.99	H
3464.80	-28.12	7.20	12.56	-33.48	-13.00	-20.48	V
5196.69	-27.81	8.10	16.32	-36.03	-13.00	-23.03	V
6930.03	-25.80	8.30	21.13	-38.63	-13.00	-25.63	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3495.31	-25.89	7.20	12.56	-31.25	-13.00	-18.25	H
5241.94	-25.23	8.10	16.32	-33.45	-13.00	-20.45	H
6990.18	-24.65	8.30	21.13	-37.48	-13.00	-24.48	H
3495.31	-25.42	7.20	12.56	-30.78	-13.00	-17.78	V
5241.94	-24.33	8.10	16.32	-32.55	-13.00	-19.55	V
6990.18	-26.40	8.30	21.13	-39.23	-13.00	-26.23	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.14	-24.61	7.20	12.56	-29.97	-13.00	-16.97	H
5159.86	-29.36	8.10	16.32	-37.58	-13.00	-24.58	H
6880.49	-25.43	8.30	21.13	-38.26	-13.00	-25.26	H
3440.14	-26.81	7.20	12.56	-32.17	-13.00	-19.17	V
5159.86	-27.57	8.10	16.32	-35.79	-13.00	-22.79	V
6880.49	-26.23	8.30	21.13	-39.06	-13.00	-26.06	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.61	-28.00	7.20	12.56	-33.36	-13.00	-20.36	H
5196.43	-25.14	8.10	16.32	-33.36	-13.00	-20.36	H
6930.01	-26.75	8.30	21.13	-39.58	-13.00	-26.58	H
3464.61	-27.64	7.20	12.56	-33.00	-13.00	-20.00	V
5196.43	-25.52	8.10	16.32	-33.74	-13.00	-20.74	V
6930.01	-24.83	8.30	21.13	-37.66	-13.00	-24.66	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.59	-28.47	7.20	12.56	-33.83	-13.00	-20.83	H
5235.16	-28.97	8.10	16.32	-37.19	-13.00	-24.19	H
6979.80	-24.86	8.30	21.13	-37.69	-13.00	-24.69	H
3490.59	-28.43	7.20	12.56	-33.79	-13.00	-20.79	V
5235.16	-24.53	8.10	16.32	-32.75	-13.00	-19.75	V
6979.80	-24.25	8.30	21.13	-37.08	-13.00	-24.08	V

LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	( dBm )	(dBm)	
1648.44	-29.49	7.40	9.72	-31.81	-13.00	-18.81	H
2473.78	-26.28	8.30	10.86	-28.84	-13.00	-15.84	H
3298.51	-23.75	7.20	11.57	-28.12	-13.00	-15.12	H
1648.44	-28.88	7.40	9.72	-31.20	-13.00	-18.20	V
2473.78	-25.25	8.30	10.86	<b>-27.81</b>	-13.00	-14.81	V
3298.51	-26.22	7.20	11.57	-30.59	-13.00	-17.59	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	( dBm )	(dBm)	
1672.80	-26.96	7.40	9.72	-29.28	-13.00	-16.28	H
2509.34	-30.11	8.30	10.86	-32.67	-13.00	-19.67	H
3345.39	-24.23	7.20	11.57	-28.60	-13.00	-15.60	H
1672.80	-30.45	7.40	9.72	-32.77	-13.00	-19.77	V
2509.34	-26.04	8.30	10.86	<b>-28.60</b>	-13.00	-15.60	V
3345.39	-25.74	7.20	11.57	-30.11	-13.00	-17.11	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	( dBm )	(dBm)	
1696.17	-29.55	7.40	9.72	-31.87	-13.00	-18.87	H
2544.33	-30.42	8.30	10.86	-32.98	-13.00	-19.98	H
3392.90	-24.27	7.20	11.57	<b>-28.64</b>	-13.00	-15.64	H
1696.17	-29.16	7.40	9.72	-31.48	-13.00	-18.48	V
2544.33	-27.69	8.30	10.86	-30.25	-13.00	-17.25	V
3392.90	-24.46	7.20	11.57	-28.83	-13.00	-15.83	V

LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1648.44	-29.49	7.40	9.72	-31.81	-13.00	-18.81	H
2473.78	-26.28	8.30	10.86	-28.84	-13.00	-15.84	H
3298.51	-23.75	7.20	11.57	-28.12	-13.00	-15.12	H
1648.44	-28.88	7.40	9.72	-31.20	-13.00	-18.20	V
2473.78	-25.25	8.30	10.86	<b>-27.81</b>	-13.00	-14.81	V
3298.51	-26.22	7.20	11.57	-30.59	-13.00	-17.59	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.80	-26.96	7.40	9.72	-29.28	-13.00	-16.28	H
2509.34	-30.11	8.30	10.86	-32.67	-13.00	-19.67	H
3345.39	-24.23	7.20	11.57	-28.60	-13.00	-15.60	H
1672.80	-30.45	7.40	9.72	-32.77	-13.00	-19.77	V
2509.34	-26.04	8.30	10.86	<b>-28.60</b>	-13.00	-15.60	V
3345.39	-25.74	7.20	11.57	-30.11	-13.00	-17.11	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.17	-29.55	7.40	9.72	-31.87	-13.00	-18.87	H
2544.33	-30.42	8.30	10.86	-32.98	-13.00	-19.98	H
3392.90	-24.27	7.20	11.57	<b>-28.64</b>	-13.00	-15.64	H
1696.17	-29.16	7.40	9.72	-31.48	-13.00	-18.48	V
2544.33	-27.69	8.30	10.86	-30.25	-13.00	-17.25	V
3392.90	-24.46	7.20	11.57	-28.83	-13.00	-15.83	V

LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1650.24	-28.61	7.40	9.72	-30.93	-13.00	-17.93	H
2475.91	-30.11	8.30	10.86	-32.67	-13.00	-19.67	H
3301.65	-26.67	7.20	11.57	-31.04	-13.00	-18.04	H
1650.24	-26.12	7.40	9.72	-28.44	-13.00	-15.44	V
2475.91	-27.64	8.30	10.86	-30.20	-13.00	-17.20	V
3301.65	-24.40	7.20	11.57	-28.77	-13.00	-15.77	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.52	-25.27	7.40	9.72	-27.59	-13.00	-14.59	H
2508.70	-28.53	8.30	10.86	-31.09	-13.00	-18.09	H
3345.50	-24.62	7.20	11.57	-28.99	-13.00	-15.99	H
1672.52	-28.53	7.40	9.72	-30.85	-13.00	-17.85	V
2508.70	-26.31	8.30	10.86	-28.87	-13.00	-15.87	V
3345.50	-27.36	7.20	11.57	-31.73	-13.00	-18.73	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1694.64	-25.24	7.40	9.72	-27.56	-13.00	-14.56	H
2541.81	-26.79	8.30	10.86	-29.35	-13.00	-16.35	H
3389.46	-26.98	7.20	11.57	-31.35	-13.00	-18.35	H
1694.64	-28.13	7.40	9.72	-30.45	-13.00	-17.45	V
2541.81	-28.87	8.30	10.86	-31.43	-13.00	-18.43	V
3389.46	-25.45	7.20	11.57	-29.82	-13.00	-16.82	V

LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.50	-28.71	7.40	9.72	-31.03	-13.00	-18.03	H
2478.64	-27.10	8.30	10.86	<b>-29.66</b>	-13.00	-16.66	H
3305.31	-25.35	7.20	11.57	-29.72	-13.00	-16.72	H
1652.50	-29.34	7.40	9.72	-31.66	-13.00	-18.66	V
2478.64	-27.90	8.30	10.86	-30.46	-13.00	-17.46	V
3305.31	-28.45	7.20	11.57	-32.82	-13.00	-19.82	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.17	-25.89	7.40	9.72	<b>-28.21</b>	-13.00	-15.21	H
2508.60	-28.45	8.30	10.86	-31.01	-13.00	-18.01	H
3345.51	-26.36	7.20	11.57	-30.73	-13.00	-17.73	H
1672.17	-26.47	7.40	9.72	-28.79	-13.00	-15.79	V
2508.60	-29.74	8.30	10.86	-32.30	-13.00	-19.30	V
3345.51	-29.01	7.20	11.57	-33.38	-13.00	-20.38	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1692.12	-28.31	7.40	9.72	-30.63	-13.00	-17.63	H
2538.87	-27.60	8.30	10.86	<b>-30.16</b>	-13.00	-17.16	H
3385.76	-27.39	7.20	11.57	-31.76	-13.00	-18.76	H
1692.12	-30.41	7.40	9.72	-32.73	-13.00	-19.73	V
2538.87	-28.52	8.30	10.86	-31.08	-13.00	-18.08	V
3385.76	-25.85	7.20	11.57	-30.22	-13.00	-17.22	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.55	-28.62	7.40	9.72	-30.94	-13.00	-17.94	H
2486.14	-28.76	8.30	10.86	-31.32	-13.00	-18.32	H
3315.36	-25.31	7.20	11.57	-29.68	-13.00	-16.68	H
1657.55	-26.40	7.40	9.72	<b>-28.72</b>	-13.00	-15.72	V
2486.14	-26.35	8.30	10.86	-28.91	-13.00	-15.91	V
3315.36	-28.91	7.20	11.57	-33.28	-13.00	-20.28	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.61	-26.76	7.40	9.72	-29.08	-13.00	-16.08	H
2508.88	-26.68	8.30	10.86	-29.24	-13.00	-16.24	H
3345.26	-24.94	7.20	11.57	-29.31	-13.00	-16.31	H
1672.61	-26.45	7.40	9.72	<b>-28.77</b>	-13.00	-15.77	V
2508.88	-28.21	8.30	10.86	-30.77	-13.00	-17.77	V
3345.26	-26.89	7.20	11.57	-31.26	-13.00	-18.26	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1687.36	-29.12	7.40	9.72	-31.44	-13.00	-18.44	H
2531.27	-29.19	8.30	10.86	-31.75	-13.00	-18.75	H
3375.53	-26.60	7.20	11.57	-30.97	-13.00	-17.97	H
1687.36	-27.28	7.40	9.72	<b>-29.60</b>	-13.00	-16.60	V
2531.27	-28.42	8.30	10.86	-30.98	-13.00	-17.98	V
3375.53	-29.04	7.20	11.57	-33.41	-13.00	-20.41	V



LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5004.92	-27.95	8.00	15.86	-35.81	-25.00	-10.81	H
7507.69	-30.42	8.30	19.28	-41.40	-25.00	-16.40	H
10010.42	-25.49	8.10	23.19	-40.58	-25.00	-15.58	H
5004.92	-29.50	8.00	15.86	-37.36	-25.00	-12.36	V
7507.69	-28.09	8.30	19.28	-39.07	-25.00	-14.07	V
10010.42	-27.56	8.10	23.19	-42.65	-25.00	-17.65	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.97	-30.72	8.00	15.86	-38.58	-25.00	-13.58	H
7604.66	-26.33	8.30	19.28	-37.31	-25.00	-12.31	H
10139.71	-28.02	8.10	23.19	-43.11	-25.00	-18.11	H
5069.97	-30.44	8.00	15.86	-38.30	-25.00	-13.30	V
7604.66	-25.63	8.30	19.28	-36.61	-25.00	-11.61	V
10139.71	-24.74	8.10	23.19	-39.83	-25.00	-14.83	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5133.80	-27.89	8.00	15.86	-35.75	-25.00	-10.75	H
7701.46	-27.41	8.30	19.28	-38.39	-25.00	-13.39	H
10268.03	-28.00	8.10	23.19	-43.09	-25.00	-18.09	H
5133.80	-28.66	8.00	15.86	-36.52	-25.00	-11.52	V
7701.46	-28.02	8.30	19.28	-39.00	-25.00	-14.00	V
10268.03	-24.67	8.10	23.19	-39.76	-25.00	-14.76	V

LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5010.34	-26.04	8.00	15.86	-33.90	-25.00	-8.90	H
7515.47	-29.42	8.30	19.28	-40.40	-25.00	-15.40	H
10020.51	-25.61	8.10	23.19	-40.70	-25.00	-15.70	H
5010.34	-29.14	8.00	15.86	-37.00	-25.00	-12.00	V
7515.47	-29.60	8.30	19.28	-40.58	-25.00	-15.58	V
10020.51	-26.32	8.10	23.19	-41.41	-25.00	-16.41	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.86	-27.09	8.00	15.86	-34.95	-25.00	-9.95	H
7605.10	-29.36	8.30	19.28	-40.34	-25.00	-15.34	H
10139.81	-25.48	8.10	23.19	-40.57	-25.00	-15.57	H
5069.86	-31.64	8.00	15.86	-39.50	-25.00	-14.50	V
7605.10	-29.73	8.30	19.28	-40.71	-25.00	-15.71	V
10139.81	-28.70	8.10	23.19	-43.79	-25.00	-18.79	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5129.13	-28.61	8.00	15.86	-36.47	-25.00	-11.47	H
7693.65	-27.32	8.30	19.28	-38.30	-25.00	-13.30	H
10258.94	-25.21	8.10	23.19	-40.30	-25.00	-15.30	H
5129.13	-27.93	8.00	15.86	-35.79	-25.00	-10.79	V
7693.65	-27.44	8.30	19.28	-38.42	-25.00	-13.42	V
10258.94	-28.48	8.10	23.19	-43.57	-25.00	-18.57	V

LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5015.60	-26.67	8.00	15.86	-34.53	-25.00	-9.53	H
7523.89	-26.68	8.30	19.28	-37.66	-25.00	-12.66	H
10031.63	-24.74	8.10	23.19	-39.83	-25.00	-14.83	H
5015.60	-28.29	8.00	15.86	-36.15	-25.00	-11.15	V
7523.89	-27.56	8.30	19.28	-38.54	-25.00	-13.54	V
10031.63	-26.24	8.10	23.19	-41.33	-25.00	-16.33	V
LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.87	-28.63	8.00	15.86	-36.49	-25.00	-11.49	H
7604.86	-28.51	8.30	19.28	-39.49	-25.00	-14.49	H
10139.63	-26.23	8.10	23.19	-41.32	-25.00	-16.32	H
5069.87	-29.56	8.00	15.86	-37.42	-25.00	-12.42	V
7604.86	-27.60	8.30	19.28	-38.58	-25.00	-13.58	V
10139.63	-25.65	8.10	23.19	-40.74	-25.00	-15.74	V
LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5123.38	-27.42	8.00	15.86	-35.28	-25.00	-10.28	H
7523.95	-27.93	8.30	19.28	-38.91	-25.00	-13.91	H
10032.01	-25.16	8.10	23.19	-40.25	-25.00	-15.25	H
5123.38	-27.33	8.00	15.86	-35.19	-25.00	-10.19	V
7523.95	-28.68	8.30	19.28	-39.66	-25.00	-14.66	V
10032.01	-24.72	8.10	23.19	-39.81	-25.00	-14.81	V

LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5021.27	-27.90	8.00	15.86	-35.76	-25.00	-10.76	H
7530.81	-27.30	8.30	19.28	-38.28	-25.00	-13.28	H
10258.53	-25.38	8.10	23.19	-40.47	-25.00	-15.47	H
5021.27	-27.46	8.00	15.86	-35.32	-25.00	-10.32	V
7530.81	-28.02	8.30	19.28	-39.00	-25.00	-14.00	V
10258.53	-24.71	8.10	23.19	-39.80	-25.00	-14.80	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.92	-28.40	8.00	15.86	-36.26	-25.00	-11.26	H
7604.78	-27.13	8.30	19.28	-38.11	-25.00	-13.11	H
10139.99	-26.99	8.10	23.19	-42.08	-25.00	-17.08	H
5069.92	-27.68	8.00	15.86	-35.54	-25.00	-10.54	V
7604.78	-28.76	8.30	19.28	-39.74	-25.00	-14.74	V
10139.99	-27.43	8.10	23.19	-42.52	-25.00	-17.52	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5118.97	-30.39	8.00	15.86	-38.25	-25.00	-13.25	H
7678.26	-28.18	8.30	19.28	-39.16	-25.00	-14.16	H
10237.78	-23.96	8.10	23.19	-39.05	-25.00	-14.05	H
5118.97	-27.87	8.00	15.86	-35.73	-25.00	-10.73	V
7678.26	-26.45	8.30	19.28	-37.43	-25.00	-12.43	V
10237.78	-28.33	8.10	23.19	-43.42	-25.00	-18.42	V

LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1399.13	-28.16	6.70	9.34	-30.80	-13.00	-17.80	H
2098.96	-29.94	7.80	10.42	-32.56	-13.00	-19.56	H
2798.79	-28.05	8.00	11.12	-31.17	-13.00	-18.17	H
1399.13	-26.74	6.70	9.34	<b>-29.38</b>	-13.00	-16.38	V
2098.96	-29.94	7.80	10.42	-32.56	-13.00	-19.56	V
2798.79	-28.12	8.00	11.12	-31.24	-13.00	-18.24	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.83	-28.32	6.70	9.34	-30.96	-13.00	-17.96	H
2122.30	-26.15	7.80	10.42	<b>-28.77</b>	-13.00	-15.77	H
2829.84	-25.66	8.00	11.12	-28.78	-13.00	-15.78	H
1414.83	-29.35	6.70	9.34	-31.99	-13.00	-18.99	V
2122.30	-28.81	7.80	10.42	-31.43	-13.00	-18.43	V
2829.84	-27.31	8.00	11.12	-30.43	-13.00	-17.43	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1430.42	-26.74	6.70	9.34	-29.38	-13.00	-16.38	H
2145.78	-29.60	7.80	10.42	-32.22	-13.00	-19.22	H
2860.81	-23.87	8.00	11.12	<b>-26.99</b>	-13.00	-13.99	H
1430.42	-29.47	6.70	9.34	-32.11	-13.00	-19.11	V
2145.78	-29.33	7.80	10.42	-31.95	-13.00	-18.95	V
2860.81	-25.13	8.00	11.12	-28.25	-13.00	-15.25	V

LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1400.62	-26.03	6.70	9.34	-28.67	-13.00	-15.67	H
2101.14	-27.06	7.80	10.42	-29.68	-13.00	-16.68	H
2801.56	-26.71	8.00	11.12	-29.83	-13.00	-16.83	H
1400.62	-26.82	6.70	9.34	-29.46	-13.00	-16.46	V
2101.14	-28.13	7.80	10.42	-30.75	-13.00	-17.75	V
2801.56	-24.97	8.00	11.12	<b>-28.09</b>	-13.00	-15.09	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.59	-29.08	6.70	9.34	-31.72	-13.00	-18.72	H
2122.20	-25.60	7.80	10.42	-28.22	-13.00	-15.22	H
2829.75	-27.89	8.00	11.12	-31.01	-13.00	-18.01	H
1414.59	-26.66	6.70	9.34	-29.30	-13.00	-16.30	V
2122.20	-27.93	7.80	10.42	-30.55	-13.00	-17.55	V
2829.75	-24.66	8.00	11.12	<b>-27.78</b>	-13.00	-14.78	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1428.53	-28.95	6.70	9.34	-31.59	-13.00	-18.59	H
2143.26	-29.37	7.80	10.42	-31.99	-13.00	-18.99	H
2857.66	-27.02	8.00	11.12	-30.14	-13.00	-17.14	H
1428.53	-28.92	6.70	9.34	-31.56	-13.00	-18.56	V
2143.26	-25.38	7.80	10.42	<b>-28.00</b>	-13.00	-15.00	V
2857.66	-27.98	8.00	11.12	-31.10	-13.00	-18.10	V

LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1402.64	-25.32	6.70	9.34	-27.96	-13.00	-14.96	H
2104.09	-26.36	7.80	10.42	-28.98	-13.00	-15.98	H
2805.61	-25.50	8.00	11.12	-28.62	-13.00	-15.62	H
1402.64	-27.05	6.70	9.34	-29.69	-13.00	-16.69	V
2104.09	-28.90	7.80	10.42	-31.52	-13.00	-18.52	V
2805.61	-25.09	8.00	11.12	-28.21	-13.00	-15.21	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.63	-25.81	6.70	9.34	-28.45	-13.00	-15.45	H
2122.25	-27.21	7.80	10.42	-29.83	-13.00	-16.83	H
2829.90	-25.06	8.00	11.12	-28.18	-13.00	-15.18	H
1414.63	-29.53	6.70	9.34	-32.17	-13.00	-19.17	V
2122.25	-26.67	7.80	10.42	-29.29	-13.00	-16.29	V
2829.90	-27.00	8.00	11.12	-30.12	-13.00	-17.12	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1426.66	-26.58	6.70	9.34	-29.22	-13.00	-16.22	H
2140.22	-26.43	7.80	10.42	-29.05	-13.00	-16.05	H
2853.51	-27.67	8.00	11.12	-30.79	-13.00	-17.79	H
1426.66	-26.88	6.70	9.34	-29.52	-13.00	-16.52	V
2140.22	-27.41	7.80	10.42	-30.03	-13.00	-17.03	V
2853.51	-25.90	8.00	11.12	-29.02	-13.00	-16.02	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1407.59	-26.05	6.70	9.34	-28.69	-13.00	-15.69	H
2111.50	-27.00	7.80	10.42	-29.62	-13.00	-16.62	H
2815.64	-24.72	8.00	11.12	<b>-27.84</b>	-13.00	-14.84	H
1407.59	-28.64	6.70	9.34	-31.28	-13.00	-18.28	V
2111.50	-28.77	7.80	10.42	-31.39	-13.00	-18.39	V
2815.64	-28.68	8.00	11.12	-31.80	-13.00	-18.80	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.64	-29.08	6.70	9.34	-31.72	-13.00	-18.72	H
2122.29	-25.87	7.80	10.42	<b>-28.49</b>	-13.00	-15.49	H
2829.94	-27.68	8.00	11.12	-30.80	-13.00	-17.80	H
1414.64	-30.45	6.70	9.34	-33.09	-13.00	-20.09	V
2122.29	-28.14	7.80	10.42	-30.76	-13.00	-17.76	V
2829.94	-28.75	8.00	11.12	-31.87	-13.00	-18.87	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.63	-27.32	6.70	9.34	-29.96	-13.00	-16.96	H
2132.85	-26.11	7.80	10.42	-28.73	-13.00	-15.73	H
2843.66	-24.63	8.00	11.12	<b>-27.75</b>	-13.00	-14.75	H
1421.63	-28.20	6.70	9.34	-30.84	-13.00	-17.84	V
2132.85	-28.46	7.80	10.42	-31.08	-13.00	-18.08	V
2843.66	-26.54	8.00	11.12	-29.66	-13.00	-16.66	V



LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1649.41	-26.55	7.40	9.72	<b>-28.87</b>	-13.00	-15.87	H
2473.58	-29.34	8.30	10.86	-31.90	-13.00	-18.90	H
3298.90	-27.79	7.20	11.57	-32.16	-13.00	-19.16	H
1649.41	-28.67	7.40	9.72	-30.99	-13.00	-17.99	V
2473.58	-30.15	8.30	10.86	-32.71	-13.00	-19.71	V
3298.90	-27.17	7.20	11.57	-31.54	-13.00	-18.54	V
LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.10	-28.75	7.40	9.72	-31.07	-13.00	-18.07	H
2509.25	-29.43	8.30	10.86	-31.99	-13.00	-18.99	H
3346.29	-28.89	7.20	11.57	-33.26	-13.00	-20.26	H
1673.10	-28.27	7.40	9.72	<b>-30.59</b>	-13.00	-17.59	V
2509.25	-30.54	8.30	10.86	-33.10	-13.00	-20.10	V
3346.29	-26.69	7.20	11.57	-31.06	-13.00	-18.06	V
LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.51	-26.31	7.40	9.72	<b>-28.63</b>	-13.00	-15.63	H
2544.55	-27.64	8.30	10.86	-30.20	-13.00	-17.20	H
3393.18	-29.61	7.20	11.57	-33.98	-13.00	-20.98	H
1696.51	-30.84	7.40	9.72	-33.16	-13.00	-20.16	V
2544.55	-30.07	8.30	10.86	-32.63	-13.00	-19.63	V
3393.18	-30.13	7.20	11.57	-34.50	-13.00	-21.50	V

LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1651.49	-28.09	7.40	9.72	-30.41	-13.00	-17.41	H
2476.60	-31.24	8.30	10.86	-33.80	-13.00	-20.80	H
3301.65	-29.31	7.20	11.57	-33.68	-13.00	-20.68	H
1651.49	-30.83	7.40	9.72	-33.15	-13.00	-20.15	V
2476.60	-26.57	8.30	10.86	<b>-29.13</b>	-13.00	-16.13	V
3301.65	-29.21	7.20	11.57	-33.58	-13.00	-20.58	V
LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.81	-28.95	7.40	9.72	-31.27	-13.00	-18.27	H
2509.12	-31.26	8.30	10.86	-33.82	-13.00	-20.82	H
3345.82	-25.10	7.20	11.57	<b>-29.47</b>	-13.00	-16.47	H
1672.81	-31.69	7.40	9.72	-34.01	-13.00	-21.01	V
2509.12	-31.07	8.30	10.86	-33.63	-13.00	-20.63	V
3345.82	-26.01	7.20	11.57	-30.38	-13.00	-17.38	V
LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1695.40	-28.82	7.40	9.72	-31.14	-13.00	-18.14	H
2542.36	-29.49	8.30	10.86	-32.05	-13.00	-19.05	H
3390.16	-24.69	7.20	11.57	<b>-29.06</b>	-13.00	-16.06	H
1695.40	-31.02	7.40	9.72	-33.34	-13.00	-20.34	V
2542.36	-29.61	8.30	10.86	-32.17	-13.00	-19.17	V
3390.16	-26.37	7.20	11.57	-30.74	-13.00	-17.74	V

LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for							
Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.76	-27.15	7.40	9.72	-29.47	-13.00	-16.47	H
2479.29	-30.87	8.30	10.86	-33.43	-13.00	-20.43	H
3306.85	-27.31	7.20	11.57	-31.68	-13.00	-18.68	H
1652.76	-30.79	7.40	9.72	-33.11	-13.00	-20.11	V
2479.29	-28.96	8.30	10.86	-31.52	-13.00	-18.52	V
3306.85	-28.86	7.20	11.57	-33.23	-13.00	-20.23	V
LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for							
Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.79	-27.97	7.40	9.72	-30.29	-13.00	-17.29	H
2509.19	-27.22	8.30	10.86	-29.78	-13.00	-16.78	H
3346.20	-25.38	7.20	11.57	-29.75	-13.00	-16.75	H
1672.79	-30.74	7.40	9.72	-33.06	-13.00	-20.06	V
2509.19	-26.64	8.30	10.86	-29.20	-13.00	-16.20	V
3346.20	-28.73	7.20	11.57	-33.10	-13.00	-20.10	V
LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for							
Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1693.34	-26.35	7.40	9.72	-28.67	-13.00	-15.67	H
2539.39	-27.72	8.30	10.86	-30.28	-13.00	-17.28	H
3386.29	-29.32	7.20	11.57	-33.69	-13.00	-20.69	H
1693.34	-30.53	7.40	9.72	-32.85	-13.00	-19.85	V
2539.39	-26.75	8.30	10.86	-29.31	-13.00	-16.31	V
3386.29	-25.51	7.20	11.57	-29.88	-13.00	-16.88	V

LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.70	-26.79	7.40	9.72	-29.11	-13.00	-16.11	H
2486.30	-29.87	8.30	10.86	-32.43	-13.00	-19.43	H
3315.69	-25.64	7.20	11.57	-30.01	-13.00	-17.01	H
1657.70	-31.37	7.40	9.72	-33.69	-13.00	-20.69	V
2486.30	-26.93	8.30	10.86	-29.49	-13.00	-16.49	V
3315.69	-27.14	7.20	11.57	-31.51	-13.00	-18.51	V
LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.11	-30.29	7.40	9.72	-32.61	-13.00	-19.61	H
2508.97	-28.21	8.30	10.86	-30.77	-13.00	-17.77	H
3346.19	-28.13	7.20	11.57	-32.50	-13.00	-19.50	H
1673.11	-29.45	7.40	9.72	-31.77	-13.00	-18.77	V
2508.97	-28.69	8.30	10.86	-31.25	-13.00	-18.25	V
3346.19	-27.79	7.20	11.57	-32.16	-13.00	-19.16	V
LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1688.37	-29.13	7.40	9.72	-31.45	-13.00	-18.45	H
2532.08	-26.63	8.30	10.86	-29.19	-13.00	-16.19	H
3376.16	-24.72	7.20	11.57	-29.09	-13.00	-16.09	H
1688.37	-30.22	7.40	9.72	-32.54	-13.00	-19.54	V
2532.08	-27.81	8.30	10.86	-30.37	-13.00	-17.37	V
3376.16	-29.09	7.20	11.57	-33.46	-13.00	-20.46	V

LTE Band 26(814-824MHz)/ 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for							
Lowest							
Frequency(MHz)	S	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	G.Lev (dBm)			(dBm)	(dBm)	(dBm)	
1649.49	-30.35	7.40	9.72	-32.67	-13.00	-19.67	H
2473.61	-29.21	8.30	10.86	<b>-31.77</b>	-13.00	-18.77	H
3298.70	-28.61	7.20	11.57	-32.98	-13.00	-19.98	H
1649.49	-30.08	7.40	9.72	-32.40	-13.00	-19.40	V
2473.61	-29.77	8.30	10.86	-32.33	-13.00	-19.33	V
3298.70	-28.99	7.20	11.57	-33.36	-13.00	-20.36	V
LTE Band 26(814-824MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for							
Middle							
Frequency(MHz)	S	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	G.Lev (dBm)			(dBm)	(dBm)	(dBm)	
1673.14	-28.25	7.40	9.72	-30.57	-13.00	-17.57	H
2508.94	-28.99	8.30	10.86	-31.55	-13.00	-18.55	H
3345.81	-26.81	7.20	11.57	-31.18	-13.00	-18.18	H
1673.14	-28.68	7.40	9.72	-31.00	-13.00	-18.00	V
2508.94	-27.89	8.30	10.86	<b>-30.45</b>	-13.00	-17.45	V
3345.81	-29.13	7.20	11.57	-33.50	-13.00	-20.50	V
LTE Band 26(814-824MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for							
Highest							
Frequency(MHz)	S	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	G.Lev (dBm)			(dBm)	(dBm)	(dBm)	
1696.66	-27.70	7.40	9.72	<b>-30.02</b>	-13.00	-17.02	H
2544.44	-31.40	8.30	10.86	-33.96	-13.00	-20.96	H
3392.99	-28.76	7.20	11.57	-33.13	-13.00	-20.13	H
1696.66	-28.75	7.40	9.72	-31.07	-13.00	-18.07	V
2544.44	-28.24	8.30	10.86	-30.80	-13.00	-17.80	V
3392.99	-25.88	7.20	11.57	-30.25	-13.00	-17.25	V

LTE Band 26(814-824MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1651.36	-30.55	7.40	9.72	-32.87	-13.00	-19.87	H
2476.65	-26.83	8.30	10.86	<b>-29.39</b>	-13.00	-16.39	H
3301.69	-25.12	7.20	11.57	-29.49	-13.00	-16.49	H
1651.36	-30.85	7.40	9.72	-33.17	-13.00	-20.17	V
2476.65	-27.19	8.30	10.86	-29.75	-13.00	-16.75	V
3301.69	-26.31	7.20	11.57	-30.68	-13.00	-17.68	V
LTE Band 26(814-824MHz)/ 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.84	-26.56	7.40	9.72	<b>-28.88</b>	-13.00	-15.88	H
2509.21	-27.93	8.30	10.86	-30.49	-13.00	-17.49	H
3346.11	-27.68	7.20	11.57	-32.05	-13.00	-19.05	H
1672.84	-29.29	7.40	9.72	-31.61	-13.00	-18.61	V
2509.21	-28.65	8.30	10.86	-31.21	-13.00	-18.21	V
3346.11	-30.10	7.20	11.57	-34.47	-13.00	-21.47	V
LTE Band 26(814-824MHz)/ 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1695.42	-29.92	7.40	9.72	-32.24	-13.00	-19.24	H
2542.20	-28.66	8.30	10.86	-31.22	-13.00	-18.22	H
3389.87	-29.15	7.20	11.57	-33.52	-13.00	-20.52	H
1695.42	-28.70	7.40	9.72	<b>-31.02</b>	-13.00	-18.02	V
2542.20	-28.75	8.30	10.86	-31.31	-13.00	-18.31	V
3389.87	-29.78	7.20	11.57	-34.15	-13.00	-21.15	V

**LTE Band 26(814-824MHz)/ 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest**

Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.89	-26.55	7.40	9.72	-28.87	-13.00	-15.87	H
2479.39	-29.52	8.30	10.86	-32.08	-13.00	-19.08	H
3306.95	-28.53	7.20	11.57	-32.90	-13.00	-19.90	H
1652.89	-30.97	7.40	9.72	-33.29	-13.00	-20.29	V
2479.39	-28.67	8.30	10.86	-31.23	-13.00	-18.23	V
3306.95	-25.70	7.20	11.57	-30.07	-13.00	-17.07	V

**LTE Band 26(814-824MHz)/ 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle**

Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.18	-27.73	7.40	9.72	-30.05	-13.00	-17.05	H
2508.89	-28.75	8.30	10.86	-31.31	-13.00	-18.31	H
3346.04	-27.00	7.20	11.57	-31.37	-13.00	-18.37	H
1673.18	-31.01	7.40	9.72	-33.33	-13.00	-20.33	V
2508.89	-28.73	8.30	10.86	-31.29	-13.00	-18.29	V
3346.04	-27.62	7.20	11.57	-31.99	-13.00	-18.99	V

**LTE Band 26(814-824MHz)/ 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest**

Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1693.37	-27.03	7.40	9.72	-29.35	-13.00	-16.35	H
2539.31	-27.56	8.30	10.86	-30.12	-13.00	-17.12	H
3386.28	-26.17	7.20	11.57	-30.54	-13.00	-17.54	H
1693.37	-31.08	7.40	9.72	-33.40	-13.00	-20.40	V
2539.31	-30.64	8.30	10.86	-33.20	-13.00	-20.20	V
3386.28	-27.87	7.20	11.57	-32.24	-13.00	-19.24	V

LTE Band 26(814-824MHz)/ 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.17	-27.45	7.40	9.72	<b>-29.77</b>	-13.00	-16.77	H
2509.09	-31.34	8.30	10.86	-33.90	-13.00	-20.90	H
3346.19	-28.95	7.20	11.57	-33.32	-13.00	-20.32	H
1673.17	-31.14	7.40	9.72	-33.46	-13.00	-20.46	V
2509.09	-28.00	8.30	10.86	-30.56	-13.00	-17.56	V
3346.19	-28.29	7.20	11.57	-32.66	-13.00	-19.66	V



LTE Band 30 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
4615.26	-44.61	8.20	12.95	-49.36	-40.00	-9.36	H
6922.63	-41.01	8.10	17.02	-49.93	-40.00	-9.93	H
9229.71	-35.81	8.30	21.78	<b>-49.29</b>	-40.00	-9.29	H
4615.26	-45.74	8.20	12.95	-50.49	-40.00	-10.49	V
6922.63	-41.45	8.10	17.02	-50.37	-40.00	-10.37	V
9229.71	-35.92	8.30	21.78	-49.40	-40.00	-9.40	V
LTE Band 30 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
4619.83	-44.79	8.20	12.95	-49.54	-40.00	-9.54	H
6930.03	-41.37	8.10	17.02	-50.29	-40.00	-10.29	H
9239.97	-35.42	8.30	21.78	<b>-48.90</b>	-40.00	-8.90	H
4619.83	-45.41	8.20	12.95	-50.16	-40.00	-10.16	V
6930.03	-41.59	8.10	17.02	-50.51	-40.00	-10.51	V
9239.97	-36.10	8.30	21.78	-49.58	-40.00	-9.58	V
LTE Band 30 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
4624.83	-45.05	8.20	12.95	-49.80	-40.00	-9.80	H
6937.26	-41.87	8.10	17.02	-50.79	-40.00	-10.79	H
9250.02	-35.35	8.30	21.78	<b>-48.83</b>	-40.00	-8.83	H
4624.83	-44.75	8.20	12.95	-49.50	-40.00	-9.50	V
6937.26	-41.20	8.10	17.02	-50.12	-40.00	-10.12	V
9250.02	-35.39	8.30	21.78	-48.87	-40.00	-8.87	V

LTE Band 30 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
4619.84	-45.07	8.20	12.95	-49.82	-40.00	-9.82	H
6930.20	-41.30	8.10	17.02	-50.22	-40.00	-10.22	H
9239.86	-35.70	8.30	21.78	<b>-49.18</b>	-40.00	-9.18	H
4619.84	-44.57	8.20	12.95	-49.32	-40.00	-9.32	V
6930.20	-40.76	8.10	17.02	-49.68	-40.00	-9.68	V
9239.86	-36.14	8.30	21.78	-49.62	-40.00	-9.62	V

LTE Band 38 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5115.09	-32.75	8.10	15.86	-40.51	-25.00	-15.51	H
7672.59	-32.35	9.00	19.28	-42.63	-25.00	-17.63	H
10229.86	-28.73	8.70	23.19	-43.22	-25.00	-18.22	H
4997.14	-32.35	8.10	15.86	<b>-40.11</b>	-25.00	-15.11	V
7495.76	-31.13	9.00	19.28	-41.41	-25.00	-16.41	V
9994.43	-28.32	8.70	23.19	-42.81	-25.00	-17.81	V
LTE Band 38 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5209.88	-32.51	8.10	15.86	<b>-40.27</b>	-25.00	-15.27	H
7815.31	-33.50	9.00	19.28	-43.78	-25.00	-18.78	H
10419.88	-30.05	8.70	23.19	-44.54	-25.00	-19.54	H
5209.88	-33.98	8.10	15.86	-41.74	-25.00	-16.74	V
7815.31	-33.32	9.00	19.28	-43.60	-25.00	-18.60	V
10419.88	-29.58	8.70	23.19	-44.07	-25.00	-19.07	V
LTE Band 38 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5305.12	-30.13	8.10	15.86	<b>-37.89</b>	-25.00	-12.89	H
7957.54	-35.37	9.00	19.28	-45.65	-25.00	-20.65	H
10610.22	-30.34	8.70	23.19	-44.83	-25.00	-19.83	H
5305.12	-35.26	8.10	15.86	-43.02	-25.00	-18.02	V
7957.54	-33.49	9.00	19.28	-43.77	-25.00	-18.77	V
10610.22	-32.78	8.70	23.19	-47.27	-25.00	-22.27	V

LTE Band 38 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5119.79	-31.53	8.10	15.86	-39.29	-25.00	-14.29	H
7680.10	-31.09	9.00	19.28	-41.37	-25.00	-16.37	H
10240.00	-29.90	8.70	23.19	-44.39	-25.00	-19.39	H
5119.79	-33.46	8.10	15.86	-41.22	-25.00	-16.22	V
7680.10	-30.77	9.00	19.28	-41.05	-25.00	-16.05	V
10240.00	-32.55	8.70	23.19	-47.04	-25.00	-22.04	V
LTE Band 38 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5210.24	-34.87	8.10	15.86	-42.63	-25.00	-17.63	H
7815.14	-31.95	9.00	19.28	-42.23	-25.00	-17.23	H
10419.99	-29.86	8.70	23.19	-44.35	-25.00	-19.35	H
5210.24	-35.28	8.10	15.86	-43.04	-25.00	-18.04	V
7815.14	-31.20	9.00	19.28	-41.48	-25.00	-16.48	V
10419.99	-30.83	8.70	23.19	-45.32	-25.00	-20.32	V
LTE Band 38 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5300.16	-31.50	8.10	15.86	-39.26	-25.00	-14.26	H
7950.26	-34.26	9.00	19.28	-44.54	-25.00	-19.54	H
10600.00	-31.03	8.70	23.19	-45.52	-25.00	-20.52	H
5300.16	-32.68	8.10	15.86	-40.44	-25.00	-15.44	V
7950.26	-30.44	9.00	19.28	-40.72	-25.00	-15.72	V
10600.00	-32.61	8.70	23.19	-47.10	-25.00	-22.10	V

LTE Band 38 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5125.13	-32.94	8.10	15.86	-40.70	-25.00	-15.70	H
7687.53	-33.47	9.00	19.28	-43.75	-25.00	-18.75	H
10250.37	-32.27	8.70	23.19	-46.76	-25.00	-21.76	H
5125.13	-33.33	8.10	15.86	-41.09	-25.00	-16.09	V
7687.53	-30.62	9.00	19.28	-40.90	-25.00	-15.90	V
10250.37	-28.47	8.70	23.19	-42.96	-25.00	-17.96	V
LTE Band 38 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5209.88	-31.89	8.10	15.86	-39.65	-25.00	-14.65	H
7815.05	-31.14	9.00	19.28	-41.42	-25.00	-16.42	H
10420.06	-31.54	8.70	23.19	-46.03	-25.00	-21.03	H
5209.88	-32.19	8.10	15.86	-39.95	-25.00	-14.95	V
7815.05	-34.93	9.00	19.28	-45.21	-25.00	-20.21	V
10420.06	-30.83	8.70	23.19	-45.32	-25.00	-20.32	V
LTE Band 38 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5298.07	-34.51	8.10	15.86	-42.27	-25.00	-17.27	H
7942.78	-31.59	9.00	19.28	-41.87	-25.00	-16.87	H
10589.82	-29.94	8.70	23.19	-44.43	-25.00	-19.43	H
5298.07	-31.14	8.10	15.86	-38.90	-25.00	-13.90	V
7942.78	-30.44	9.00	19.28	-40.72	-25.00	-15.72	V
10589.82	-29.40	8.70	23.19	-43.89	-25.00	-18.89	V

LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5129.89	-30.87	8.10	15.86	-38.63	-25.00	-13.63	H
7695.22	-33.29	9.00	19.28	-43.57	-25.00	-18.57	H
10260.28	-30.55	8.70	23.19	-45.04	-25.00	-20.04	H
5129.89	-33.15	8.10	15.86	-40.91	-25.00	-15.91	V
7695.22	-32.02	9.00	19.28	-42.30	-25.00	-17.30	V
10260.28	-28.66	8.70	23.19	-43.15	-25.00	-18.15	V
LTE Band 38 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5210.07	-34.86	8.10	15.86	-42.62	-25.00	-17.62	H
7815.33	-33.04	9.00	19.28	-43.32	-25.00	-18.32	H
10420.06	-33.36	8.70	23.19	-47.85	-25.00	-22.85	H
5210.07	-34.64	8.10	15.86	-42.40	-25.00	-17.40	V
7815.33	-34.73	9.00	19.28	-45.01	-25.00	-20.01	V
10420.06	-30.88	8.70	23.19	-45.37	-25.00	-20.37	V
LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5290.15	-32.21	8.10	15.86	-39.97	-25.00	-14.97	H
7935.08	-31.43	9.00	19.28	-41.71	-25.00	-16.71	H
10579.89	-32.93	8.70	23.19	-47.42	-25.00	-22.42	H
5290.15	-33.11	8.10	15.86	-40.87	-25.00	-15.87	V
7935.08	-33.91	9.00	19.28	-44.19	-25.00	-19.19	V
10579.89	-28.29	8.70	23.19	-42.78	-25.00	-17.78	V

LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
4997.08	-32.90	7.90	15.86	-40.86	-25.00	-15.86	H
7495.85	-32.82	9.00	19.28	-43.10	-25.00	-18.10	H
9993.97	-31.41	8.70	23.19	-45.90	-25.00	-20.90	H
4997.08	-32.10	7.90	15.86	<b>-40.06</b>	-25.00	-15.06	V
7495.85	-31.67	9.00	19.28	-41.95	-25.00	-16.95	V
9993.97	-30.79	8.70	23.19	-45.28	-25.00	-20.28	V
LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5186.01	-34.76	7.90	15.86	-42.72	-25.00	-17.72	H
7779.26	-33.33	9.00	19.28	-43.61	-25.00	-18.61	H
10371.85	-31.86	8.70	23.19	-46.35	-25.00	-21.35	H
5186.01	-31.18	7.90	15.86	<b>-39.14</b>	-25.00	-14.14	V
7779.26	-34.15	9.00	19.28	-44.43	-25.00	-19.43	V
10371.85	-31.08	8.70	23.19	-45.57	-25.00	-20.57	V
LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5375.09	-33.50	7.90	15.86	-41.46	-25.00	-16.46	H
8062.69	-30.94	9.00	19.28	<b>-41.22</b>	-25.00	-16.22	H
10750.27	-32.66	8.70	23.19	-47.15	-25.00	-22.15	H
5375.09	-35.43	7.90	15.86	-43.39	-25.00	-18.39	V
8062.69	-34.08	9.00	19.28	-44.36	-25.00	-19.36	V
10750.27	-31.79	8.70	23.19	-46.28	-25.00	-21.28	V

LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5002.21	-33.86	7.90	15.86	-41.82	-25.00	-16.82	H
7502.91	-32.99	9.00	19.28	-43.27	-25.00	-18.27	H
10004.04	-29.16	8.70	23.19	-43.65	-25.00	-18.65	H
5002.21	-33.05	7.90	15.86	<b>-41.01</b>	-25.00	-16.01	V
7502.91	-32.81	9.00	19.28	-43.09	-25.00	-18.09	V
10004.04	-29.55	8.70	23.19	-44.04	-25.00	-19.04	V
LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5186.13	-33.11	7.90	15.86	<b>-41.07</b>	-25.00	-16.07	H
7779.05	-34.53	9.00	19.28	-44.81	-25.00	-19.81	H
10372.29	-28.93	8.70	23.19	-43.42	-25.00	-18.42	H
5186.13	-34.01	7.90	15.86	-41.97	-25.00	-16.97	V
7779.05	-33.97	9.00	19.28	-44.25	-25.00	-19.25	V
10372.29	-29.35	8.70	23.19	-43.84	-25.00	-18.84	V
LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5370.13	-32.54	7.90	15.86	<b>-40.50</b>	-25.00	-15.50	H
8055.07	-32.14	9.00	19.28	-42.42	-25.00	-17.42	H
10739.75	-30.16	8.70	23.19	-44.65	-25.00	-19.65	H
5370.13	-35.95	7.90	15.86	-43.91	-25.00	-18.91	V
8055.07	-33.48	9.00	19.28	-43.76	-25.00	-18.76	V
10739.75	-28.78	8.70	23.19	-43.27	-25.00	-18.27	V



LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5006.96	-32.07	7.90	15.86	-40.03	-25.00	-15.03	H
7510.47	-31.30	9.00	19.28	-41.58	-25.00	-16.58	H
10014.37	-30.27	8.70	23.19	-44.76	-25.00	-19.76	H
5006.96	-34.02	7.90	15.86	-41.98	-25.00	-16.98	V
7510.47	-32.88	9.00	19.28	-43.16	-25.00	-18.16	V
10014.37	-30.94	8.70	23.19	-45.43	-25.00	-20.43	V
LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5185.87	-30.59	7.90	15.86	-38.55	-25.00	-13.55	H
7778.90	-32.14	9.00	19.28	-42.42	-25.00	-17.42	H
10372.17	-30.75	8.70	23.19	-45.24	-25.00	-20.24	H
5185.87	-33.71	7.90	15.86	-41.67	-25.00	-16.67	V
7778.90	-32.90	9.00	19.28	-43.18	-25.00	-18.18	V
10372.17	-32.29	8.70	23.19	-46.78	-25.00	-21.78	V
LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5364.85	-30.28	7.90	15.86	-38.24	-25.00	-13.24	H
8047.37	-32.93	9.00	19.28	-43.21	-25.00	-18.21	H
10729.88	-29.06	8.70	23.19	-43.55	-25.00	-18.55	H
5364.85	-35.39	7.90	15.86	-43.35	-25.00	-18.35	V
8047.37	-31.10	9.00	19.28	-41.38	-25.00	-16.38	V
10729.88	-28.97	8.70	23.19	-43.46	-25.00	-18.46	V

<b>LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5012.30	-34.22	7.90	15.86	<b>-42.18</b>	-25.00	-17.18	H
7517.92	-35.49	9.00	19.28	-45.77	-25.00	-20.77	H
10024.15	-32.93	8.70	23.19	-47.42	-25.00	-22.42	H
5012.30	-35.85	7.90	15.86	-43.81	-25.00	-18.81	V
7517.92	-32.61	9.00	19.28	-42.89	-25.00	-17.89	V
10024.15	-29.23	8.70	23.19	-43.72	-25.00	-18.72	V
<b>LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5186.10	-31.73	7.90	15.86	<b>-39.69</b>	-25.00	-14.69	H
7779.34	-30.89	9.00	19.28	-41.17	-25.00	-16.17	H
10372.30	-29.78	8.70	23.19	-44.27	-25.00	-19.27	H
5186.10	-33.50	7.90	15.86	-41.46	-25.00	-16.46	V
7779.34	-33.17	9.00	19.28	-43.45	-25.00	-18.45	V
10372.30	-28.99	8.70	23.19	-43.48	-25.00	-18.48	V
<b>LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest</b>							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5359.90	-32.73	7.90	15.86	-40.69	-25.00	-15.69	H
8040.15	-33.80	9.00	19.28	-44.08	-25.00	-19.08	H
10720.05	-30.04	8.70	23.19	-44.53	-25.00	-19.53	H
5359.90	-32.72	7.90	15.86	<b>-40.68</b>	-25.00	-15.68	V
8040.15	-31.86	9.00	19.28	-42.14	-25.00	-17.14	V
10720.05	-30.16	8.70	23.19	-44.65	-25.00	-19.65	V

LTE Band 48 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
7104.83	-41.17	7.90	19.32	-52.59	-40.00	-12.59	H
10657.58	-35.20	9.80	23.57	-48.97	-40.00	-8.97	H
14210.11	-33.06	13.00	25.83	-45.89	-40.00	-5.89	H
7104.83	-41.67	7.90	19.32	-53.09	-40.00	-13.09	V
10657.58	-35.13	9.80	23.57	-48.90	-40.00	-8.90	V
14210.11	-32.92	13.00	25.83	<b>-45.75</b>	-40.00	-5.75	V
LTE Band 48 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
7250.27	-40.51	7.90	19.32	-51.93	-40.00	-11.93	H
10875.06	-35.14	9.80	23.57	-48.91	-40.00	-8.91	H
14499.92	-33.22	13.00	25.83	-46.05	-40.00	-6.05	H
7250.27	-40.90	7.90	19.32	-52.32	-40.00	-12.32	V
10875.06	-35.20	9.80	23.57	-48.97	-40.00	-8.97	V
14499.92	-32.51	13.00	25.83	<b>-45.34</b>	-40.00	-5.34	V
LTE Band 48 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
7394.98	-40.47	7.90	19.32	-51.89	-40.00	-11.89	H
11092.31	-35.16	9.80	23.57	-48.93	-40.00	-8.93	H
14790.26	-32.28	13.00	25.83	<b>-45.11</b>	-40.00	-5.11	H
7394.98	-40.90	7.90	19.32	-52.32	-40.00	-12.32	V
11092.31	-34.75	9.80	23.57	-48.52	-40.00	-8.52	V
14790.26	-32.30	13.00	25.83	-45.13	-40.00	-5.13	V

LTE Band 48 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
7110.23	-41.69	7.90	19.32	-53.11	-40.00	-13.11	H
10665.13	-35.40	9.80	23.57	-49.17	-40.00	-9.17	H
14220.18	-33.07	13.00	25.83	-45.90	-40.00	-5.90	H
7110.23	-41.20	7.90	19.32	-52.62	-40.00	-12.62	V
10665.13	-34.80	9.80	23.57	-48.57	-40.00	-8.57	V
14220.18	-32.33	13.00	25.83	<b>-45.16</b>	-40.00	-5.16	V
LTE Band 48 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
7249.88	-40.58	7.90	19.32	-52.00	-40.00	-12.00	H
10875.08	-35.49	9.80	23.57	-49.26	-40.00	-9.26	H
14499.75	-32.82	13.00	25.83	<b>-45.65</b>	-40.00	-5.65	H
7249.88	-41.84	7.90	19.32	-53.26	-40.00	-13.26	V
10875.08	-34.90	9.80	23.57	-48.67	-40.00	-8.67	V
14499.75	-33.17	13.00	25.83	-46.00	-40.00	-6.00	V
LTE Band 48 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
7389.84	-41.35	7.90	19.32	-52.77	-40.00	-12.77	H
11085.17	-34.16	9.80	23.57	-47.93	-40.00	-7.93	H
14779.84	-33.33	13.00	25.83	-46.16	-40.00	-6.16	H
7389.84	-41.82	7.90	19.32	-53.24	-40.00	-13.24	V
11085.17	-34.22	9.80	23.57	-47.99	-40.00	-7.99	V
14779.84	-33.32	13.00	25.83	<b>-46.15</b>	-40.00	-6.15	V

LTE Band 48 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
7114.99	-41.39	7.90	19.32	-52.81	-40.00	-12.81	H
10672.47	-34.44	9.80	23.57	-48.21	-40.00	-8.21	H
14230.27	-33.38	13.00	25.83	-46.21	-40.00	-6.21	H
7114.99	-40.98	7.90	19.32	-52.40	-40.00	-12.40	V
10672.47	-34.30	9.80	23.57	-48.07	-40.00	-8.07	V
14230.27	-32.60	13.00	25.83	<b>-45.43</b>	-40.00	-5.43	V
LTE Band 48 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
7250.02	-40.57	7.90	19.32	-51.99	-40.00	-11.99	H
10874.91	-34.58	9.80	23.57	-48.35	-40.00	-8.35	H
14499.72	-32.55	13.00	25.83	<b>-45.38</b>	-40.00	-5.38	H
7250.02	-41.94	7.90	19.32	-53.36	-40.00	-13.36	V
10874.91	-34.82	9.80	23.57	-48.59	-40.00	-8.59	V
14499.72	-33.59	13.00	25.83	-46.42	-40.00	-6.42	V
LTE Band 48 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
7385.13	-40.47	7.90	19.32	-51.89	-40.00	-11.89	H
11077.52	-34.87	9.80	23.57	-48.64	-40.00	-8.64	H
14770.21	-33.47	13.00	25.83	-46.30	-40.00	-6.30	H
7385.13	-40.83	7.90	19.32	-52.25	-40.00	-12.25	V
11077.52	-34.96	9.80	23.57	-48.73	-40.00	-8.73	V
14770.21	-32.41	13.00	25.83	<b>-45.24</b>	-40.00	-5.24	V

LTE Band 48 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
7120.03	-41.91	7.90	19.32	-53.33	-40.00	-13.33	H
10679.86	-35.18	9.80	23.57	-48.95	-40.00	-8.95	H
14240.08	-32.82	13.00	25.83	-45.65	-40.00	-5.65	H
7120.03	-40.81	7.90	19.32	-52.23	-40.00	-12.23	V
10679.86	-34.95	9.80	23.57	-48.72	-40.00	-8.72	V
14240.08	-32.35	13.00	25.83	-45.18	-40.00	-5.18	V
LTE Band 48 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
7249.79	-41.07	7.90	19.32	-52.49	-40.00	-12.49	H
10874.92	-34.13	9.80	23.57	-47.90	-40.00	-7.90	H
14499.69	-33.55	13.00	25.83	-46.38	-40.00	-6.38	H
7249.79	-41.88	7.90	19.32	-53.30	-40.00	-13.30	V
10874.92	-34.42	9.80	23.57	-48.19	-40.00	-8.19	V
14499.69	-33.15	13.00	25.83	-45.98	-40.00	-5.98	V
LTE Band 48 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
7379.99	-41.91	7.90	19.32	-53.33	-40.00	-13.33	H
11070.04	-34.02	9.80	23.57	-47.79	-40.00	-7.79	H
14760.02	-32.37	13.00	25.83	-45.20	-40.00	-5.20	H
7379.99	-40.82	7.90	19.32	-52.24	-40.00	-12.24	V
11070.04	-34.12	9.80	23.57	-47.89	-40.00	-7.89	V
14760.02	-33.19	13.00	25.83	-46.02	-40.00	-6.02	V

LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3421.46	-24.31	7.20	12.56	-29.67	-13.00	-16.67	H
5132.05	-27.43	8.10	16.32	-35.65	-13.00	-22.65	H
6842.42	-24.45	8.30	21.13	-37.28	-13.00	-24.28	H
3421.46	-27.81	7.20	12.56	-33.17	-13.00	-20.17	V
5132.05	-27.28	8.10	16.32	-35.50	-13.00	-22.50	V
6842.42	-24.83	8.30	21.13	-37.66	-13.00	-24.66	V
LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.03	-27.90	7.20	12.56	-33.26	-13.00	-20.26	H
5234.90	-27.56	8.10	16.32	-35.78	-13.00	-22.78	H
6980.23	-24.96	8.30	21.13	-37.79	-13.00	-24.79	H
3490.03	-25.08	7.20	12.56	-30.44	-13.00	-17.44	V
5234.90	-25.73	8.10	16.32	-33.95	-13.00	-20.95	V
6980.23	-27.14	8.30	21.13	-39.97	-13.00	-26.97	V
LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3557.76	-24.64	7.20	12.56	-30.00	-13.00	-17.00	H
5337.13	-24.51	8.10	16.32	-32.73	-13.00	-19.73	H
7116.97	-25.38	8.30	21.13	-38.21	-13.00	-25.21	H
3557.76	-26.39	7.20	12.56	-31.75	-13.00	-18.75	V
5337.13	-27.14	8.10	16.32	-35.36	-13.00	-22.36	V
7116.97	-27.34	8.30	21.13	-40.17	-13.00	-27.17	V

LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3423.22	-24.72	7.20	12.56	-30.08	-13.00	-17.08	H
5134.49	-25.21	8.10	16.32	-33.43	-13.00	-20.43	H
6845.80	-23.56	8.30	21.13	-36.39	-13.00	-23.39	H
3423.22	-29.00	7.20	12.56	-34.36	-13.00	-21.36	V
5134.49	-26.50	8.10	16.32	-34.72	-13.00	-21.72	V
6845.80	-23.59	8.30	21.13	-36.42	-13.00	-23.42	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.84	-24.61	7.20	12.56	-29.97	-13.00	-16.97	H
5235.01	-27.67	8.10	16.32	-35.89	-13.00	-22.89	H
6980.16	-22.76	8.30	21.13	-35.59	-13.00	-22.59	H
3489.84	-28.21	7.20	12.56	-33.57	-13.00	-20.57	V
5235.01	-28.08	8.10	16.32	-36.30	-13.00	-23.30	V
6980.16	-25.02	8.30	21.13	-37.85	-13.00	-24.85	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3556.90	-25.03	7.20	12.56	-30.39	-13.00	-17.39	H
5262.05	-28.70	8.10	16.32	-36.92	-13.00	-23.92	H
7113.75	-27.33	8.30	21.13	-40.16	-13.00	-27.16	H
3556.90	-26.84	7.20	12.56	-32.20	-13.00	-19.20	V
5262.05	-27.87	8.10	16.32	-36.09	-13.00	-23.09	V
7113.75	-27.48	8.30	21.13	-40.31	-13.00	-27.31	V



LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3424.99	-26.37	7.20	12.56	-31.73	-13.00	-18.73	H
5137.25	-27.65	8.10	16.32	-35.87	-13.00	-22.87	H
6850.32	-22.82	8.30	21.13	-35.65	-13.00	-22.65	H
3424.99	-25.70	7.20	12.56	<b>-31.06</b>	-13.00	-18.06	V
5137.25	-24.85	8.10	16.32	-33.07	-13.00	-20.07	V
6850.32	-25.15	8.30	21.13	-37.98	-13.00	-24.98	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.01	-25.30	7.20	12.56	<b>-30.66</b>	-13.00	-17.66	H
5234.97	-27.63	8.10	16.32	-35.85	-13.00	-22.85	H
6980.13	-23.84	8.30	21.13	-36.67	-13.00	-23.67	H
3490.01	-29.25	7.20	12.56	-34.61	-13.00	-21.61	V
5234.97	-26.58	8.10	16.32	-34.80	-13.00	-21.80	V
6980.13	-26.90	8.30	21.13	-39.73	-13.00	-26.73	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3558.09	-25.71	7.20	12.56	<b>-31.07</b>	-13.00	-18.07	H
5234.94	-25.21	8.10	16.32	-33.43	-13.00	-20.43	H
7110.10	-27.25	8.30	21.13	-40.08	-13.00	-27.08	H
3558.09	-26.02	7.20	12.56	-31.38	-13.00	-18.38	V
5234.94	-24.68	8.10	16.32	-32.90	-13.00	-19.90	V
7110.10	-24.27	8.30	21.13	-37.10	-13.00	-24.10	V

LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3430.07	-27.64	7.20	12.56	-33.00	-13.00	-20.00	H
5145.23	-25.78	8.10	16.32	-34.00	-13.00	-21.00	H
6880.02	-23.11	8.30	21.13	-35.94	-13.00	-22.94	H
3430.07	-27.03	7.20	12.56	<b>-32.39</b>	-13.00	-19.39	V
5145.23	-28.79	8.10	16.32	-37.01	-13.00	-24.01	V
6880.02	-24.49	8.30	21.13	-37.32	-13.00	-24.32	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.96	-27.77	7.20	12.56	<b>-33.13</b>	-13.00	-20.13	H
5235.19	-25.39	8.10	16.32	-33.61	-13.00	-20.61	H
6980.24	-23.26	8.30	21.13	-36.09	-13.00	-23.09	H
3489.96	-28.94	7.20	12.56	-34.30	-13.00	-21.30	V
5235.19	-25.18	8.10	16.32	-33.40	-13.00	-20.40	V
6980.24	-27.67	8.30	21.13	-40.50	-13.00	-27.50	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3550.56	-27.66	7.20	12.56	-33.02	-13.00	-20.02	H
5235.02	-25.12	8.10	16.32	-33.34	-13.00	-20.34	H
7100.22	-27.47	8.30	21.13	-40.30	-13.00	-27.30	H
3550.56	-25.57	7.20	12.56	<b>-30.93</b>	-13.00	-17.93	V
5235.02	-28.39	8.10	16.32	-36.61	-13.00	-23.61	V
7100.22	-24.37	8.30	21.13	-37.20	-13.00	-24.20	V

LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3435.23	-26.13	7.20	12.56	-31.49	-13.00	-18.49	H
5152.43	-26.97	8.10	16.32	-35.19	-13.00	-22.19	H
6869.78	-26.45	8.30	21.13	-39.28	-13.00	-26.28	H
3435.23	-26.96	7.20	12.56	-32.32	-13.00	-19.32	V
5152.43	-28.09	8.10	16.32	-36.31	-13.00	-23.31	V
6869.78	-24.81	8.30	21.13	-37.64	-13.00	-24.64	V
LTE Band 66 /15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.04	-28.63	7.20	12.56	-33.99	-13.00	-20.99	H
5235.22	-27.64	8.10	16.32	-35.86	-13.00	-22.86	H
6980.09	-22.87	8.30	21.13	-35.70	-13.00	-22.70	H
3490.04	-28.54	7.20	12.56	-33.90	-13.00	-20.90	V
5235.22	-24.29	8.10	16.32	-32.51	-13.00	-19.51	V
6980.09	-28.03	8.30	21.13	-40.86	-13.00	-27.86	V
LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3545.17	-26.84	7.20	12.56	-32.20	-13.00	-19.20	H
5332.22	-25.61	8.10	16.32	-33.83	-13.00	-20.83	H
7090.17	-22.75	8.30	21.13	-35.58	-13.00	-22.58	H
3545.17	-27.74	7.20	12.56	-33.10	-13.00	-20.10	V
5332.22	-29.06	8.10	16.32	-37.28	-13.00	-24.28	V
7090.17	-26.77	8.30	21.13	-39.60	-13.00	-26.60	V

LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.02	-28.31	7.20	12.56	-33.67	-13.00	-20.67	H
5160.00	-27.54	8.10	16.32	-35.76	-13.00	-22.76	H
6880.00	-26.49	8.30	21.13	-39.32	-13.00	-26.32	H
3440.02	-29.27	7.20	12.56	-34.63	-13.00	-21.63	V
5160.00	-26.14	8.10	16.32	-34.36	-13.00	-21.36	V
6880.00	-23.82	8.30	21.13	-36.65	-13.00	-23.65	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.08	-24.75	7.20	12.56	-30.11	-13.00	-17.11	H
5235.19	-26.21	8.10	16.32	-34.43	-13.00	-21.43	H
6980.03	-23.77	8.30	21.13	-36.60	-13.00	-23.60	H
3490.08	-29.99	7.20	12.56	-35.35	-13.00	-22.35	V
5235.19	-25.14	8.10	16.32	-33.36	-13.00	-20.36	V
6980.03	-24.99	8.30	21.13	-37.82	-13.00	-24.82	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3539.97	-27.47	7.20	12.56	-32.83	-13.00	-19.83	H
5309.89	-27.00	8.10	16.32	-35.22	-13.00	-22.22	H
7080.90	-27.01	8.30	21.13	-39.84	-13.00	-26.84	H
3539.97	-27.47	7.20	12.56	-32.83	-13.00	-19.83	V
5309.89	-26.23	8.10	16.32	-34.45	-13.00	-21.45	V
7080.90	-24.13	8.30	21.13	-36.96	-13.00	-23.96	V

LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1331.19	-27.18	6.50	9.34	-30.02	-13.00	-17.02	H
1966.58	-30.83	7.70	10.42	-33.55	-13.00	-20.55	H
2662.09	-26.47	7.90	11.12	-29.69	-13.00	-16.69	H
1331.19	-27.87	6.50	9.34	-30.71	-13.00	-17.71	V
1966.58	-26.91	7.70	10.42	-29.63	-13.00	-16.63	V
2662.09	-26.54	7.90	11.12	-29.76	-13.00	-16.76	V
LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1360.89	-26.33	6.50	9.34	-29.17	-13.00	-16.17	H
2041.61	-30.51	7.70	10.42	-33.23	-13.00	-20.23	H
2721.98	-26.69	7.90	11.12	-29.91	-13.00	-16.91	H
1360.89	-31.65	6.50	9.34	-34.49	-13.00	-21.49	V
2041.61	-27.59	7.70	10.42	-30.31	-13.00	-17.31	V
2721.98	-27.45	7.90	11.12	-30.67	-13.00	-17.67	V
LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1390.88	-26.20	6.50	9.34	-29.04	-13.00	-16.04	H
2085.72	-26.96	7.70	10.42	-29.68	-13.00	-16.68	H
2781.98	-25.72	7.90	11.12	-28.94	-13.00	-15.94	H
1390.88	-30.59	6.50	9.34	-33.43	-13.00	-20.43	V
2085.72	-31.22	7.70	10.42	-33.94	-13.00	-20.94	V
2781.98	-29.55	7.90	11.12	-32.77	-13.00	-19.77	V

LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1335.86	-26.15	6.50	9.34	-28.99	-13.00	-15.99	H
2004.00	-27.43	7.70	10.42	-30.15	-13.00	-17.15	H
2671.80	-26.98	7.90	11.12	-30.20	-13.00	-17.20	H
1335.86	-30.81	6.50	9.34	-33.65	-13.00	-20.65	V
2004.00	-28.15	7.70	10.42	-30.87	-13.00	-17.87	V
2671.80	-26.69	7.90	11.12	-29.91	-13.00	-16.91	V
LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1360.90	-30.30	6.50	9.34	-33.14	-13.00	-20.14	H
2041.37	-30.07	7.70	10.42	-32.79	-13.00	-19.79	H
2721.92	-26.45	7.90	11.12	-29.67	-13.00	-16.67	H
1360.90	-30.59	6.50	9.34	-33.43	-13.00	-20.43	V
2041.37	-26.48	7.70	10.42	-29.20	-13.00	-16.20	V
2721.92	-25.30	7.90	11.12	-28.52	-13.00	-15.52	V
LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1385.91	-30.42	6.50	9.34	-33.26	-13.00	-20.26	H
2079.14	-26.94	7.70	10.42	-29.66	-13.00	-16.66	H
2722.13	-27.07	7.90	11.12	-30.29	-13.00	-17.29	H
1385.91	-28.98	6.50	9.34	-31.82	-13.00	-18.82	V
2079.14	-30.28	7.70	10.42	-33.00	-13.00	-20.00	V
2722.13	-29.46	7.90	11.12	-32.68	-13.00	-19.68	V

LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1341.09	-29.86	6.50	9.34	-32.70	-13.00	-19.70	H
2010.92	-30.49	7.70	10.42	-33.21	-13.00	-20.21	H
2681.82	-26.86	7.90	11.12	-30.08	-13.00	-17.08	H
1341.09	-29.69	6.50	9.34	-32.53	-13.00	-19.53	V
2010.92	-28.63	7.70	10.42	-31.35	-13.00	-18.35	V
2681.82	-25.24	7.90	11.12	<b>-28.46</b>	-13.00	-15.46	V
LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1361.04	-28.07	6.50	9.34	-30.91	-13.00	-17.91	H
2041.57	-31.07	7.70	10.42	-33.79	-13.00	-20.79	H
2722.13	-29.58	7.90	11.12	-32.80	-13.00	-19.80	H
1361.04	-30.17	6.50	9.34	-33.01	-13.00	-20.01	V
2041.57	-26.35	7.70	10.42	-29.07	-13.00	-16.07	V
2722.13	-25.38	7.90	11.12	<b>-28.60</b>	-13.00	-15.60	V
LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1380.76	-28.61	6.50	9.34	-31.45	-13.00	-18.45	H
2071.09	-27.72	7.70	10.42	-30.44	-13.00	-17.44	H
2761.77	-29.33	7.90	11.12	-32.55	-13.00	-19.55	H
1380.76	-28.73	6.50	9.34	-31.57	-13.00	-18.57	V
2071.09	-27.27	7.70	10.42	-29.99	-13.00	-16.99	V
2761.77	-26.52	7.90	11.12	<b>-29.74</b>	-13.00	-16.74	V

**LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for  
Lowest**

Frequency(MHz)	S	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	G.Lev (dBm)			(dBm)	(dBm)	(dBm)	
1346.08	-29.73	6.50	9.34	-32.57	-13.00	-19.57	H
2018.74	-31.19	7.70	10.42	-33.91	-13.00	-20.91	H
2691.86	-28.87	7.90	11.12	-32.09	-13.00	-19.09	H
1346.08	-32.02	6.50	9.34	-34.86	-13.00	-21.86	V
2018.74	-30.20	7.70	10.42	-32.92	-13.00	-19.92	V
2691.86	-25.67	7.90	11.12	<b>-28.89</b>	-13.00	-15.89	V

**LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for  
Middle**

Frequency(MHz)	S	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	G.Lev (dBm)			(dBm)	(dBm)	(dBm)	
1361.08	-27.74	6.50	9.34	-30.58	-13.00	-17.58	H
2041.68	-30.14	7.70	10.42	-32.86	-13.00	-19.86	H
2722.00	-27.38	7.90	11.12	-30.60	-13.00	-17.60	H
1361.08	-30.21	6.50	9.34	-33.05	-13.00	-20.05	V
2041.68	-27.88	7.70	10.42	-30.60	-13.00	-17.60	V
2722.00	-25.28	7.90	11.12	<b>-28.50</b>	-13.00	-15.50	V

**LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for  
Highest**

Frequency(MHz)	S	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
	G.Lev (dBm)			(dBm)	(dBm)	(dBm)	
1376.09	-29.61	6.50	9.34	-32.45	-13.00	-19.45	H
2064.06	-27.35	7.70	10.42	<b>-30.07</b>	-13.00	-17.07	H
2752.07	-27.92	7.90	11.12	-31.14	-13.00	-18.14	H
1376.09	-30.13	6.50	9.34	-32.97	-13.00	-19.97	V
2064.06	-29.89	7.70	10.42	-32.61	-13.00	-19.61	V
2752.07	-29.96	7.90	11.12	-33.18	-13.00	-20.18	V

※※※※END OF THE REPORT※※※※