




## Z Axis Scan





## System Performance Check Data (5800MHz)

Type: Phone measurement (Complete)


Area scan resolution: dx=8mm, dy=8mm

Zoom scan resolution: dx=4mm, dy=4mm, dz=2mm

Date of measurement: 2024-01-14

### Experimental conditions.

|                       |                  |
|-----------------------|------------------|
| Phantom               | Validation plane |
| Device Position       | Dipole           |
| Band                  | CW5800           |
| Channels              | Middle           |
| Signal                | CW               |
| Frequency (MHz)       | 5800.000         |
| Relative permittivity | 36.20            |
| Conductivity (S/m)    | 5.24             |
| Probe                 | SN 04/22 EPGO364 |
| ConvF                 | 1.73             |
| Crest factor:         | 1:1              |




**Maximum location: X=2.00, Y=5.00 ; SAR Peak: 27.38 W/kg**

|                |       |
|----------------|-------|
| SAR 10g (W/Kg) | 2.124 |
| SAR 1g (W/Kg)  | 7.862 |



### Z Axis Scan






## Appendix B. SAR Test Plots

Plot 1

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-11-29                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Left head                     |
| Device Position       | Cheek                         |
| Band                  | GSM850                        |
| Signal                | TDMA (GSM)                    |
| Freque1cy             | 836.6                         |
| SAR 10g (W/Kg)        | 0.163                         |
| SAR 1g (W/Kg)         | 0.255                         |
| ConvF                 | 1.72                          |
| Relative permittivity | 41.77                         |
| Conductivity (S/m)    | 0.92                          |

Maximum location: X=-49.00, Y=-32.00 ; SAR Peak: 0.38 W/kg






Plot 2:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-11-29                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Right Side                 |
| Band                  | GPRS850                    |
| Signal                | TDMA (EGPRS)               |
| Frequency             | 836.6                      |
| SAR 10g (W/Kg)        | 0.317                      |
| SAR 1g (W/Kg)         | 0.497                      |
| ConvF                 | 1.72                       |
| Relative permittivity | 41.77                      |
| Conductivity (S/m)    | 0.92                       |

Maximum location: X=1.00, Y=16.00 ; SAR Peak: 0.76 W/kg






Plot 3:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-12                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Left head                     |
| Device Position       | Cheek                         |
| Band                  | GSM1900                       |
| Signal                | TDMA (GSM)                    |
| Frequency             | 1880                          |
| SAR 10g (W/Kg)        | 0.079                         |
| SAR 1g (W/Kg)         | 0.138                         |
| ConvF                 | 2.25                          |
| Relative permittivity | 41.19                         |
| Conductivity (S/m)    | 1.45                          |

Maximum location: X=-48.00, Y=-56.00 ; SAR Peak: 0.26 W/kg






Plot 4:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-12-12                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Bottom Side                |
| Band                  | GPRS1900                   |
| Signal                | TDMA (EGPRS)               |
| Frequency             | 1880                       |
| SAR 10g (W/Kg)        | 0.285                      |
| SAR 1g (W/Kg)         | 0.539                      |
| ConvF                 | 2.25                       |
| Relative permittivity | 41.19                      |
| Conductivity (S/m)    | 1.45                       |

Maximum location: X=1.00, Y=8.00 ; SAR Peak: 0.94 W/kg






Plot 5:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-12                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Left head                     |
| Device Position       | Cheek                         |
| Band                  | Band 2 (1900)                 |
| Signal                | WCDMA                         |
| Frequency             | 1880                          |
| SAR 10g (W/Kg)        | 0.194                         |
| SAR 1g (W/Kg)         | 0.313                         |
| ConvF                 | 2.25                          |
| Relative permittivity | 41.19                         |
| Conductivity (S/m)    | 1.45                          |

Maximum location: X=-45.00, Y=-53.00 ; SAR Peak: 0.60 W/kg








Plot 6:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-12-12                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Bottom Side                |
| Band                  | Band 2 (1900)              |
| Signal                | WCDMA                      |
| Frequency             | 1880                       |
| SAR 10g (W/Kg)        | 0.435                      |
| SAR 1g (W/Kg)         | 0.766                      |
| ConvF                 | 2.25                       |
| Relative permittivity | 41.19                      |
| Conductivity (S/m)    | 1.45                       |

Maximum location: X=6.00, Y=8.00 ; SAR Peak: 1.20 W/kg






Plot 7:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-06                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Left head                     |
| Device Position       | Cheek                         |
| Band                  | Band 4 (1700)                 |
| Signal                | WCDMA                         |
| Frequency             | 1740                          |
| SAR 10g (W/Kg)        | 0.154                         |
| SAR 1g (W/Kg)         | 0.244                         |
| ConvF                 | 1.95                          |
| Relative permittivity | 40.86                         |
| Conductivity (S/m)    | 1.35                          |

Maximum location: X=-55.00, Y=-56.00 ; SAR Peak: 0.43 W/kg






Plot 8:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-12-06                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Bottom Side                |
| Band                  | Band 4 (1700)              |
| Signal                | WCDMA                      |
| Frequency             | 1740                       |
| SAR 10g (W/Kg)        | 0.615                      |
| SAR 1g (W/Kg)         | 1.023                      |
| ConvF                 | 1.95                       |
| Relative permittivity | 40.86                      |
| Conductivity (S/m)    | 1.35                       |

Maximum location: X=7.00, Y=2.00 ; SAR Peak: 1.54 W/kg






Plot 9:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2024-01-10                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Left head                     |
| Device Position       | Cheek                         |
| Band                  | Band 5 (850)                  |
| Signal                | WCDMA                         |
| Frequency             | 846.6                         |
| SAR 10g (W/Kg)        | 0.154                         |
| SAR 1g (W/Kg)         | 0.234                         |
| ConvF                 | 1.72                          |
| Relative permittivity | 42.02                         |
| Conductivity (S/m)    | 0.92                          |

Maximum location: X=-55.00, Y=-40.00 ; SAR Peak: 0.46 W/kg






Plot 10:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2024-01-10                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Back Side                  |
| Band                  | Band 5 (850)               |
| Signal                | WCDMA                      |
| Frequency             | 846.6                      |
| SAR 10g (W/Kg)        | 0.168                      |
| SAR 1g (W/Kg)         | 0.300                      |
| ConvF                 | 1.72                       |
| Relative permittivity | 42.02                      |
| Conductivity (S/m)    | 0.92                       |

Maximum location: X=2.00, Y=-56.00 ; SAR Peak: 0.51 W/kg






Plot 11:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-09                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Right head                    |
| Device Position       | Tilt                          |
| Band                  | ISM ANT 1                     |
| Signal                | IEEE 802.11b                  |
| Frequency             | 2412                          |
| SAR 10g (W/Kg)        | 0.028                         |
| SAR 1g (W/Kg)         | 0.062                         |
| ConvF                 | 2.33                          |
| Relative permittivity | 40.10                         |
| Conductivity (S/m)    | 1.82                          |

Maximum location: X=0.00, Y=1.00 ; SAR Peak: 0.16 W/kg






Plot 12:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-12-09                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Top Side                   |
| Band                  | ISM ANT 1                  |
| Signal                | IEEE 802.11b               |
| Frequency             | 2412                       |
| SAR 10g (W/Kg)        | 0.025                      |
| SAR 1g (W/Kg)         | 0.070                      |
| ConvF                 | 2.33                       |
| Relative permittivity | 40.10                      |
| Conductivity (S/m)    | 1.82                       |

Maximum location: X=-2.00, Y=-26.00 ; SAR Peak: 0.21 W/kg






Plot 13:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-09                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Right head                    |
| Device Position       | Tilt                          |
| Band                  | ISM ANT 2                     |
| Signal                | IEEE 802.11b                  |
| Frequency             | 2412                          |
| SAR 10g (W/Kg)        | 0.205                         |
| SAR 1g (W/Kg)         | 0.386                         |
| ConvF                 | 2.33                          |
| Relative permittivity | 40.10                         |
| Conductivity (S/m)    | 1.82                          |

Maximum location: X=-24.00, Y=-18.00 ; SAR Peak: 0.67 W/kg








Plot 14:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-12-09                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Top Side                   |
| Band                  | ISM ANT 2                  |
| Signal                | IEEE 802.11b               |
| Frequency             | 2412                       |
| SAR 10g (W/Kg)        | 0.178                      |
| SAR 1g (W/Kg)         | 0.368                      |
| ConvF                 | 2.33                       |
| Relative permittivity | 40.10                      |
| Conductivity (S/m)    | 1.82                       |

Maximum location: X=0.00, Y=-38.00 ; SAR Peak: 0.72 W/kg






Plot 15:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-09                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Right head                    |
| Device Position       | Tilt                          |
| Band                  | ISM ANT 1 MIMO                |
| Signal                | IEEE 802.11n                  |
| Frequency             | 2412                          |
| SAR 10g (W/Kg)        | 0.070                         |
| SAR 1g (W/Kg)         | 0.140                         |
| ConvF                 | 2.33                          |
| Relative permittivity | 40.10                         |
| Conductivity (S/m)    | 1.82                          |

Maximum location: X=-26.00, Y=-7.00 ; SAR Peak: 0.34 W/kg






Plot 16:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-12-09                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Top Side                   |
| Band                  | ISM ANT 1 MIMO             |
| Signal                | IEEE 802.11n               |
| Frequency             | 2412                       |
| SAR 10g (W/Kg)        | 0.061                      |
| SAR 1g (W/Kg)         | 0.169                      |
| ConvF                 | 2.33                       |
| Relative permittivity | 40.10                      |
| Conductivity (S/m)    | 1.82                       |


Maximum location: X=8.00, Y=24.00 ; SAR Peak: 0.43 W/kg



Plot 17:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-09                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Right head                    |
| Device Position       | Tilt                          |
| Band                  | ISM ANT 2 MIMO                |
| Signal                | IEEE 802.11n                  |
| Frequency             | 2412                          |
| SAR 10g (W/Kg)        | 0.075                         |
| SAR 1g (W/Kg)         | 0.179                         |
| ConvF                 | 2.33                          |
| Relative permittivity | 40.10                         |
| Conductivity (S/m)    | 1.82                          |

Maximum location: X=-25.00, Y=-23.00 ; SAR Peak: 0.43 W/kg






Plot 18:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-12-09                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Top Side                   |
| Band                  | ISM ANT 2 MIMO             |
| Signal                | IEEE 802.11n               |
| Frequency             | 2412                       |
| SAR 10g (W/Kg)        | 0.054                      |
| SAR 1g (W/Kg)         | 0.104                      |
| ConvF                 | 2.33                       |
| Relative permittivity | 40.10                      |
| Conductivity (S/m)    | 1.82                       |

Maximum location: X=1.00, Y=-25.00 ; SAR Peak: 0.33 W/kg






Plot 19:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-05                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm   |
| Phantom               | Right head                    |
| Device Position       | Tilt                          |
| Band                  | U-NII-1 ANT 1                 |
| Signal                | IEEE 802.11a                  |
| Frequency             | 5240                          |
| SAR 10g (W/Kg)        | 0.115                         |
| SAR 1g (W/Kg)         | 0.162                         |
| ConvF                 | 1.95                          |
| Relative permittivity | 36.46                         |
| Conductivity (S/m)    | 4.69                          |

Maximum location: X=-6.00, Y=1.00 ; SAR Peak: 2.26 W/kg






Plot 20:

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2023-12-05                  |
| Area Scan             | surf_sam_plan.txt           |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Validation plane            |
| Device Position       | Top Side                    |
| Band                  | U-NII-1 ANT 1               |
| Signal                | IEEE 802.11a                |
| Frequency             | 5240                        |
| SAR 10g (W/Kg)        | 0.073                       |
| SAR 1g (W/Kg)         | 0.169                       |
| ConvF                 | 1.95                        |
| Relative permittivity | 36.46                       |
| Conductivity (S/m)    | 4.69                        |

Maximum location: X=-8.00, Y=32.00 ; SAR Peak: 1.32 W/kg






Plot 21:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-05                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm   |
| Phantom               | Right head                    |
| Device Position       | Tilt                          |
| Band                  | U-NII-1 ANT 2                 |
| Signal                | IEEE 802.11a                  |
| Frequency             | 5240                          |
| SAR 10g (W/Kg)        | 0.123                         |
| SAR 1g (W/Kg)         | 0.282                         |
| ConvF                 | 1.95                          |
| Relative permittivity | 36.46                         |
| Conductivity (S/m)    | 4.69                          |

Maximum location: X=-9.00, Y=1.00 ; SAR Peak: 1.69 W/kg








Plot 22:

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2023-12-05                  |
| Area Scan             | surf_sam_plan.txt           |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Validation plane            |
| Device Position       | Top Side                    |
| Band                  | U-NII-1 ANT 2               |
| Signal                | IEEE 802.11a                |
| Frequency             | 5240                        |
| SAR 10g (W/Kg)        | 0.067                       |
| SAR 1g (W/Kg)         | 0.152                       |
| ConvF                 | 1.95                        |
| Relative permittivity | 36.46                       |
| Conductivity (S/m)    | 4.69                        |

Maximum location: X=8.00, Y=-9.00 ; SAR Peak: 1.06 W/kg






Plot 23:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-05                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm   |
| Phantom               | Right head                    |
| Device Position       | Tilt                          |
| Band                  | U-NII-1 ANT 1 MIMO            |
| Signal                | IEEE 802.11n                  |
| Frequency             | 5240                          |
| SAR 10g (W/Kg)        | 0.063                         |
| SAR 1g (W/Kg)         | 0.184                         |
| ConvF                 | 1.95                          |
| Relative permittivity | 36.46                         |
| Conductivity (S/m)    | 4.69                          |

Maximum location: X=-72.00, Y=-64.00 ; SAR Peak: 1.67 W/kg






Plot 24:

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2023-12-05                  |
| Area Scan             | surf_sam_plan.txt           |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Validation plane            |
| Device Position       | Top Side                    |
| Band                  | U-NII-1 ANT 1 MIMO          |
| Signal                | IEEE 802.11n                |
| Frequency             | 5240                        |
| SAR 10g (W/Kg)        | 0.081                       |
| SAR 1g (W/Kg)         | 0.169                       |
| ConvF                 | 1.95                        |
| Relative permittivity | 36.46                       |
| Conductivity (S/m)    | 4.69                        |

Maximum location: X=9.00, Y=-23.00 ; SAR Peak: 1.47 W/kg






Plot 25:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-05                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm   |
| Phantom               | Right head                    |
| Device Position       | Tilt                          |
| Band                  | U-NII-1 ANT 2 MIMO            |
| Signal                | IEEE 802.11n                  |
| Frequency             | 5240                          |
| SAR 10g (W/Kg)        | 0.078                         |
| SAR 1g (W/Kg)         | 0.247                         |
| ConvF                 | 1.95                          |
| Relative permittivity | 36.46                         |
| Conductivity (S/m)    | 4.69                          |

Maximum location: X=-8.00, Y=-7.00 ; SAR Peak: 1.73 W/kg






Plot 26:

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2023-12-05                  |
| Area Scan             | surf_sam_plan.txt           |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Validation plane            |
| Device Position       | Top Side                    |
| Band                  | U-NII-1 ANT 2 MIMO          |
| Signal                | IEEE 802.11n                |
| Frequency             | 5240                        |
| SAR 10g (W/Kg)        | 0.064                       |
| SAR 1g (W/Kg)         | 0.159                       |
| ConvF                 | 1.95                        |
| Relative permittivity | 36.46                       |
| Conductivity (S/m)    | 4.69                        |

Maximum location: X=8.00, Y=8.00 ; SAR Peak: 1.14 W/kg






Plot 27:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-10                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm   |
| Phantom               | Right head                    |
| Device Position       | Tilt                          |
| Band                  | U-NII-2 ANT 1                 |
| Signal                | IEEE 802.11a                  |
| Frequency             | 5320                          |
| SAR 10g (W/Kg)        | 0.066                         |
| SAR 1g (W/Kg)         | 0.231                         |
| ConvF                 | 1.85                          |
| Relative permittivity | 36.67                         |
| Conductivity (S/m)    | 4.77                          |

Maximum location: X=-56.00, Y=-40.00 ; SAR Peak: 1.70 W/kg






Plot 28:

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2023-12-10                  |
| Area Scan             | surf_sam_plan.txt           |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Validation plane            |
| Device Position       | Top Side                    |
| Band                  | U-NII-2 ANT 1               |
| Signal                | IEEE 802.11a                |
| Frequency             | 5320                        |
| SAR 10g (W/Kg)        | 0.073                       |
| SAR 1g (W/Kg)         | 0.159                       |
| ConvF                 | 1.85                        |
| Relative permittivity | 36.67                       |
| Conductivity (S/m)    | 4.77                        |

Maximum location: X=-16.00, Y=8.00 ; SAR Peak: 0.88 W/kg






Plot 29:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-10                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm   |
| Phantom               | Right head                    |
| Device Position       | Tilt                          |
| Band                  | U-NII-2 ANT 2                 |
| Signal                | IEEE 802.11a                  |
| Frequency             | 5320                          |
| SAR 10g (W/Kg)        | 0.048                         |
| SAR 1g (W/Kg)         | 0.092                         |
| ConvF                 | 1.85                          |
| Relative permittivity | 36.67                         |
| Conductivity (S/m)    | 4.77                          |

Maximum location: X=-71.00, Y=-57.00 ; SAR Peak: 1.79 W/kg








Plot 30:

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2023-12-10                  |
| Area Scan             | surf_sam_plan.txt           |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Validation plane            |
| Device Position       | Top Side                    |
| Band                  | U-NII-2 ANT 2               |
| Signal                | IEEE 802.11a                |
| Frequency             | 5320                        |
| SAR 10g (W/Kg)        | 0.087                       |
| SAR 1g (W/Kg)         | 0.229                       |
| ConvF                 | 1.85                        |
| Relative permittivity | 36.67                       |
| Conductivity (S/m)    | 4.77                        |

Maximum location: X=16.00, Y=-8.00 ; SAR Peak: 1.54 W/kg






Plot 31:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-10                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm   |
| Phantom               | Right head                    |
| Device Position       | Tilt                          |
| Band                  | U-NII-2 ANT 1 MIMO            |
| Signal                | IEEE 802.11n                  |
| Frequency             | 5320                          |
| SAR 10g (W/Kg)        | 0.099                         |
| SAR 1g (W/Kg)         | 0.294                         |
| ConvF                 | 1.85                          |
| Relative permittivity | 36.67                         |
| Conductivity (S/m)    | 4.77                          |

Maximum location: X=-16.00, Y=-15.00 ; SAR Peak: 1.65 W/kg






Plot 32:

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2023-12-10                  |
| Area Scan             | surf_sam_plan.txt           |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Validation plane            |
| Device Position       | Top Side                    |
| Band                  | U-NII-2 ANT 1 MIMO          |
| Signal                | IEEE 802.11n                |
| Frequency             | 5320                        |
| SAR 10g (W/Kg)        | 0.084                       |
| SAR 1g (W/Kg)         | 0.113                       |
| ConvF                 | 1.85                        |
| Relative permittivity | 36.67                       |
| Conductivity (S/m)    | 4.77                        |

Maximum location: X=-24.00, Y=-56.00 ; SAR Peak: 1.11 W/kg






Plot 33:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-10                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm   |
| Phantom               | Right head                    |
| Device Position       | Tilt                          |
| Band                  | U-NII-2 ANT 2 MIMO            |
| Signal                | IEEE 802.11n                  |
| Frequency             | 5320                          |
| SAR 10g (W/Kg)        | 0.061                         |
| SAR 1g (W/Kg)         | 0.131                         |
| ConvF                 | 1.85                          |
| Relative permittivity | 36.67                         |
| Conductivity (S/m)    | 4.77                          |

Maximum location: X=-33.00, Y=-16.00 ; SAR Peak: 1.44 W/kg






Plot 34:

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2023-12-10                  |
| Area Scan             | surf_sam_plan.txt           |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Validation plane            |
| Device Position       | Top Side                    |
| Band                  | U-NII-2 ANT 2 MIMO          |
| Signal                | IEEE 802.11n                |
| Frequency             | 5320                        |
| SAR 10g (W/Kg)        | 0.079                       |
| SAR 1g (W/Kg)         | 0.151                       |
| ConvF                 | 1.85                        |
| Relative permittivity | 36.67                       |
| Conductivity (S/m)    | 4.77                        |

Maximum location: X=0.00, Y=24.00 ; SAR Peak: 1.75 W/kg






Plot 35:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2024-01-15                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm   |
| Phantom               | Right head                    |
| Device Position       | Tilt                          |
| Band                  | U-NII-3 ANT 1                 |
| Signal                | IEEE 802.11a                  |
| Frequency             | 5500                          |
| SAR 10g (W/Kg)        | 0.090                         |
| SAR 1g (W/Kg)         | 0.220                         |
| ConvF                 | 1.86                          |
| Relative permittivity | 36.21                         |
| Conductivity (S/m)    | 4.98                          |

Maximum location: X=-16.00, Y=-1.00 ; SAR Peak: 1.60 W/kg






Plot 36:

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2024-01-15                  |
| Area Scan             | surf_sam_plan.txt           |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Validation plane            |
| Device Position       | Top Side                    |
| Band                  | U-NII-3 ANT 1               |
| Signal                | IEEE 802.11a                |
| Frequency             | 5500                        |
| SAR 10g (W/Kg)        | 0.056                       |
| SAR 1g (W/Kg)         | 0.104                       |
| ConvF                 | 1.86                        |
| Relative permittivity | 36.21                       |
| Conductivity (S/m)    | 4.98                        |

Maximum location: X=-8.00, Y=24.00 ; SAR Peak: 0.76 W/kg






Plot 37:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2024-01-15                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm   |
| Phantom               | Right head                    |
| Device Position       | Tilt                          |
| Band                  | U-NII-3 ANT 2                 |
| Signal                | IEEE 802.11a                  |
| Frequency             | 5500                          |
| SAR 10g (W/Kg)        | 0.104                         |
| SAR 1g (W/Kg)         | 0.222                         |
| ConvF                 | 1.86                          |
| Relative permittivity | 36.21                         |
| Conductivity (S/m)    | 4.98                          |

Maximum location: X=-17.00, Y=0.00 ; SAR Peak: 1.43 W/kg








Plot 38:

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2024-01-15                  |
| Area Scan             | surf_sam_plan.txt           |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Validation plane            |
| Device Position       | Top Side                    |
| Band                  | U-NII-3 ANT 2               |
| Signal                | IEEE 802.11a                |
| Frequency             | 5500                        |
| SAR 10g (W/Kg)        | 0.088                       |
| SAR 1g (W/Kg)         | 0.140                       |
| ConvF                 | 1.86                        |
| Relative permittivity | 36.21                       |
| Conductivity (S/m)    | 4.98                        |

Maximum location: X=-24.00, Y=-16.00 ; SAR Peak: 1.24 W/kg






Plot 39:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2024-01-15                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm   |
| Phantom               | Right head                    |
| Device Position       | Tilt                          |
| Band                  | U-NII-3 ANT 1 MIMO            |
| Signal                | IEEE 802.11n                  |
| Frequency             | 5700                          |
| SAR 10g (W/Kg)        | 0.103                         |
| SAR 1g (W/Kg)         | 0.276                         |
| ConvF                 | 1.86                          |
| Relative permittivity | 35.84                         |
| Conductivity (S/m)    | 5.13                          |

Maximum location: X=-32.00, Y=-56.00 ; SAR Peak: 1.69 W/kg






Plot 40:

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2024-01-15                  |
| Area Scan             | surf_sam_plan.txt           |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Validation plane            |
| Device Position       | Top Side                    |
| Band                  | U-NII-3 ANT 1 MIMO          |
| Signal                | IEEE 802.11n                |
| Frequency             | 5700                        |
| SAR 10g (W/Kg)        | 0.077                       |
| SAR 1g (W/Kg)         | 0.117                       |
| ConvF                 | 1.86                        |
| Relative permittivity | 35.84                       |
| Conductivity (S/m)    | 5.13                        |

Maximum location: X=0.00, Y=32.00 ; SAR Peak: 1.28 W/kg






Plot 41:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2024-01-15                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm   |
| Phantom               | Right head                    |
| Device Position       | Tilt                          |
| Band                  | U-NII-3 ANT 2 MIMO            |
| Signal                | IEEE 802.11n                  |
| Frequency             | 5700                          |
| SAR 10g (W/Kg)        | 0.091                         |
| SAR 1g (W/Kg)         | 0.287                         |
| ConvF                 | 1.86                          |
| Relative permittivity | 35.84                         |
| Conductivity (S/m)    | 5.13                          |

Maximum location: X=-10.00, Y=0.00 ; SAR Peak: 2.65 W/kg






Plot 42:

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2024-01-15                  |
| Area Scan             | surf_sam_plan.txt           |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Validation plane            |
| Device Position       | Top Side                    |
| Band                  | U-NII-3 ANT 2 MIMO          |
| Signal                | IEEE 802.11n                |
| Frequency             | 5700                        |
| SAR 10g (W/Kg)        | 0.082                       |
| SAR 1g (W/Kg)         | 0.182                       |
| ConvF                 | 1.86                        |
| Relative permittivity | 35.84                       |
| Conductivity (S/m)    | 5.13                        |

Maximum location: X=-16.00, Y=24.00 ; SAR Peak: 1.30 W/kg






Plot 43:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2024-01-14                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm   |
| Phantom               | Right head                    |
| Device Position       | Tilt                          |
| Band                  | U-NII-4 ANT 1                 |
| Signal                | IEEE 802.11a                  |
| Frequency             | 5745                          |
| SAR 10g (W/Kg)        | 0.077                         |
| SAR 1g (W/Kg)         | 0.152                         |
| ConvF                 | 1.73                          |
| Relative permittivity | 35.87                         |
| Conductivity (S/m)    | 5.21                          |

Maximum location: X=-39.00, Y=-32.00 ; SAR Peak: 1.65 W/kg






Plot 44:

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2024-01-14                  |
| Area Scan             | surf_sam_plan.txt           |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Validation plane            |
| Device Position       | Top Side                    |
| Band                  | U-NII-4 ANT 1               |
| Signal                | IEEE 802.11a                |
| Frequency             | 5745                        |
| SAR 10g (W/Kg)        | 0.083                       |
| SAR 1g (W/Kg)         | 0.188                       |
| ConvF                 | 1.73                        |
| Relative permittivity | 35.87                       |
| Conductivity (S/m)    | 5.21                        |

Maximum location: X=-9.00, Y=-1.00 ; SAR Peak: 1.26 W/kg






Plot 45:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2024-01-14                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm   |
| Phantom               | Right head                    |
| Device Position       | Tilt                          |
| Band                  | U-NII-4 ANT 2                 |
| Signal                | IEEE 802.11a                  |
| Frequency             | 5745                          |
| SAR 10g (W/Kg)        | 0.087                         |
| SAR 1g (W/Kg)         | 0.240                         |
| ConvF                 | 1.73                          |
| Relative permittivity | 35.87                         |
| Conductivity (S/m)    | 5.21                          |

Maximum location: X=0.00, Y=-16.00 ; SAR Peak: 1.68 W/kg








Plot 46:

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2024-01-14                  |
| Area Scan             | surf_sam_plan.txt           |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Validation plane            |
| Device Position       | Top Side                    |
| Band                  | U-NII-4 ANT 2               |
| Signal                | IEEE 802.11a                |
| Frequency             | 5745                        |
| SAR 10g (W/Kg)        | 0.088                       |
| SAR 1g (W/Kg)         | 0.148                       |
| ConvF                 | 1.73                        |
| Relative permittivity | 35.87                       |
| Conductivity (S/m)    | 5.21                        |

Maximum location: X=23.00, Y=50.00 ; SAR Peak: 1.39 W/kg






Plot 47:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2024-01-14                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm   |
| Phantom               | Right head                    |
| Device Position       | Tilt                          |
| Band                  | U-NII-4 ANT 1 MIMO            |
| Signal                | IEEE 802.11n                  |
| Frequency             | 5785                          |
| SAR 10g (W/Kg)        | 0.077                         |
| SAR 1g (W/Kg)         | 0.304                         |
| ConvF                 | 1.73                          |
| Relative permittivity | 36.03                         |
| Conductivity (S/m)    | 5.31                          |

Maximum location: X=-64.00, Y=-24.00 ; SAR Peak: 1.81 W/kg






Plot 48:

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2024-01-14                  |
| Area Scan             | surf_sam_plan.txt           |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Validation plane            |
| Device Position       | Top Side                    |
| Band                  | U-NII-4 ANT 1 MIMO          |
| Signal                | IEEE 802.11n                |
| Frequency             | 5785                        |
| SAR 10g (W/Kg)        | 0.088                       |
| SAR 1g (W/Kg)         | 0.196                       |
| ConvF                 | 1.73                        |
| Relative permittivity | 36.03                       |
| Conductivity (S/m)    | 5.31                        |

Maximum location: X=-32.00, Y=-23.00 ; SAR Peak: 1.00 W/kg






Plot 49:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2024-01-14                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm   |
| Phantom               | Right head                    |
| Device Position       | Tilt                          |
| Band                  | U-NII-4 ANT 2 MIMO            |
| Signal                | IEEE 802.11n                  |
| Frequency             | 5785                          |
| SAR 10g (W/Kg)        | 0.085                         |
| SAR 1g (W/Kg)         | 0.206                         |
| ConvF                 | 1.73                          |
| Relative permittivity | 36.03                         |
| Conductivity (S/m)    | 5.31                          |

Maximum location: X=-80.00, Y=-56.00 ; SAR Peak: 1.58 W/kg






Plot 50:

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2024-01-14                  |
| Area Scan             | surf_sam_plan.txt           |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Validation plane            |
| Device Position       | Top Side                    |
| Band                  | U-NII-4 ANT 2 MIMO          |
| Signal                | IEEE 802.11n                |
| Frequency             | 5785                        |
| SAR 10g (W/Kg)        | 0.094                       |
| SAR 1g (W/Kg)         | 0.221                       |
| ConvF                 | 1.73                        |
| Relative permittivity | 36.03                       |
| Conductivity (S/m)    | 5.31                        |


Maximum location: X=-9.00, Y=-7.00 ; SAR Peak: 1.47 W/kg



Plot 51:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-02                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Left head                     |
| Device Position       | Cheek                         |
| Band                  | LTE band 2                    |
| Signal                | LTE FDD                       |
| Frequency             | 1860                          |
| SAR 10g (W/Kg)        | 0.157                         |
| SAR 1g (W/Kg)         | 0.266                         |
| ConvF                 | 2.25                          |
| Relative permittivity | 40.45                         |
| Conductivity (S/m)    | 1.45                          |

Maximum location: X=-42.00, Y=-43.00 ; SAR Peak: 0.39 W/kg






Plot 52:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-12-02                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Bottom Side                |
| Band                  | LTE band 2                 |
| Signal                | LTE FDD                    |
| Frequency             | 1860                       |
| SAR 10g (W/Kg)        | 0.309                      |
| SAR 1g (W/Kg)         | 0.559                      |
| ConvF                 | 2.25                       |
| Relative permittivity | 40.45                      |
| Conductivity (S/m)    | 1.45                       |

Maximum location: X=2.00, Y=9.00 ; SAR Peak: 0.90 W/kg






Plot 53:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-06                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Left head                     |
| Device Position       | Cheek                         |
| Band                  | LTE band 4                    |
| Signal                | LTE FDD                       |
| Frequency             | 1732.5                        |
| SAR 10g (W/Kg)        | 0.117                         |
| SAR 1g (W/Kg)         | 0.197                         |
| ConvF                 | 1.95                          |
| Relative permittivity | 40.45                         |
| Conductivity (S/m)    | 1.32                          |

Maximum location: X=-43.00, Y=-50.00 ; SAR Peak: 0.33 W/kg








Plot 54:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-12-06                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Bottom Side                |
| Band                  | LTE band 4                 |
| Signal                | LTE FDD                    |
| Frequency             | 1732.5                     |
| SAR 10g (W/Kg)        | 0.389                      |
| SAR 1g (W/Kg)         | 0.692                      |
| ConvF                 | 1.95                       |
| Relative permittivity | 40.45                      |
| Conductivity (S/m)    | 1.32                       |

Maximum location: X=7.00, Y=1.00 ; SAR Peak: 1.10 W/kg






Plot 55:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2024-01-10                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Left head                     |
| Device Position       | Cheek                         |
| Band                  | LTE band 5                    |
| Signal                | LTE FDD                       |
| Frequency             | 844                           |
| SAR 10g (W/Kg)        | 0.111                         |
| SAR 1g (W/Kg)         | 0.197                         |
| ConvF                 | 1.72                          |
| Relative permittivity | 42.60                         |
| Conductivity (S/m)    | 0.93                          |

Maximum location: X=-48.00, Y=-26.00 ; SAR Peak: 0.35 W/kg






Plot 56:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2024-01-10                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Right Side                 |
| Band                  | LTE band 5                 |
| Signal                | LTE FDD                    |
| Frequency             | 844                        |
| SAR 10g (W/Kg)        | 0.126                      |
| SAR 1g (W/Kg)         | 0.231                      |
| ConvF                 | 1.72                       |
| Relative permittivity | 42.60                      |
| Conductivity (S/m)    | 0.93                       |

Maximum location: X=-5.00, Y=30.00 ; SAR Peak: 0.43 W/kg






Plot 57:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-03                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Left head                     |
| Device Position       | Cheek                         |
| Band                  | LTE band 7                    |
| Signal                | LTE FDD                       |
| Frequency             | 2535                          |
| SAR 10g (W/Kg)        | 0.060                         |
| SAR 1g (W/Kg)         | 0.132                         |
| ConvF                 | 2.36                          |
| Relative permittivity | 39.43                         |
| Conductivity (S/m)    | 1.87                          |

Maximum location: X=-48.00, Y=-55.00 ; SAR Peak: 0.34 W/kg






Plot 58:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-12-03                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Bottom Side                |
| Band                  | LTE band 7                 |
| Signal                | LTE FDD                    |
| Frequency             | 2535                       |
| SAR 10g (W/Kg)        | 0.087                      |
| SAR 1g (W/Kg)         | 0.255                      |
| ConvF                 | 2.36                       |
| Relative permittivity | 39.43                      |
| Conductivity (S/m)    | 1.87                       |

Maximum location: X=8.00, Y=0.00 ; SAR Peak: 0.68 W/kg






Plot 59:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-04                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Right head                    |
| Device Position       | Cheek                         |
| Band                  | LTE band 12                   |
| Signal                | LTE FDD                       |
| Frequency             | 707.5                         |
| SAR 10g (W/Kg)        | 0.102                         |
| SAR 1g (W/Kg)         | 0.188                         |
| ConvF                 | 1.69                          |
| Relative permittivity | 43.11                         |
| Conductivity (S/m)    | 0.91                          |

Maximum location: X=-48.00, Y=-48.00 ; SAR Peak: 0.35 W/kg






Plot 60:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-12-04                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Right Side                 |
| Band                  | LTE band 12                |
| Signal                | LTE FDD                    |
| Frequency             | 707.5                      |
| SAR 10g (W/Kg)        | 0.181                      |
| SAR 1g (W/Kg)         | 0.335                      |
| ConvF                 | 1.69                       |
| Relative permittivity | 43.11                      |
| Conductivity (S/m)    | 0.91                       |

Maximum location: X=-1.00, Y=-1.00 ; SAR Peak: 0.58 W/kg






Plot 61:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-11                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Right head                    |
| Device Position       | Cheek                         |
| Band                  | LTE band 13                   |
| Signal                | LTE FDD                       |
| Frequency             | 782                           |
| SAR 10g (W/Kg)        | 0.089                         |
| SAR 1g (W/Kg)         | 0.153                         |
| ConvF                 | 1.72                          |
| Relative permittivity | 41.65                         |
| Conductivity (S/m)    | 0.91                          |

Maximum location: X=-48.00, Y=-40.00 ; SAR Peak: 0.29 W/kg








Plot 62:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-12-11                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Right Side                 |
| Band                  | LTE band 13                |
| Signal                | LTE FDD                    |
| Frequency             | 782                        |
| SAR 10g (W/Kg)        | 0.128                      |
| SAR 1g (W/Kg)         | 0.253                      |
| ConvF                 | 1.72                       |
| Relative permittivity | 41.65                      |
| Conductivity (S/m)    | 0.91                       |

Maximum location: X=-8.00, Y=8.00 ; SAR Peak: 0.48 W/kg






Plot 63:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-04                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Right head                    |
| Device Position       | Cheek                         |
| Band                  | LTE band 17                   |
| Signal                | LTE FDD                       |
| Frequency             | 710                           |
| SAR 10g (W/Kg)        | 0.102                         |
| SAR 1g (W/Kg)         | 0.183                         |
| ConvF                 | 1.69                          |
| Relative permittivity | 42.37                         |
| Conductivity (S/m)    | 0.91                          |

Maximum location: X=-44.00, Y=-48.00 ; SAR Peak: 0.37 W/kg






Plot 64:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-12-04                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Right Side                 |
| Band                  | LTE band 17                |
| Signal                | LTE FDD                    |
| Frequency             | 710                        |
| SAR 10g (W/Kg)        | 0.175                      |
| SAR 1g (W/Kg)         | 0.298                      |
| ConvF                 | 1.69                       |
| Relative permittivity | 42.37                      |
| Conductivity (S/m)    | 0.91                       |

Maximum location: X=0.00, Y=8.00 ; SAR Peak: 0.49 W/kg






Plot 65:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-02                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Left head                     |
| Device Position       | Cheek                         |
| Band                  | LTE band 25                   |
| Signal                | LTE FDD                       |
| Frequency             | 1860                          |
| SAR 10g (W/Kg)        | 0.153                         |
| SAR 1g (W/Kg)         | 0.297                         |
| ConvF                 | 2.25                          |
| Relative permittivity | 40.45                         |
| Conductivity (S/m)    | 1.45                          |

Maximum location: X=-47.00, Y=-55.00 ; SAR Peak: 0.58 W/kg






**Plot 66:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-12-02                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Bottom Side                |
| Band                  | LTE band 25                |
| Signal                | LTE FDD                    |
| Frequency             | 1860                       |
| SAR 10g (W/Kg)        | 0.288                      |
| SAR 1g (W/Kg)         | 0.531                      |
| ConvF                 | 2.25                       |
| Relative permittivity | 40.45                      |
| Conductivity (S/m)    | 1.45                       |

Maximum location: X=7.00, Y=8.00 ; SAR Peak: 0.84 W/kg






Plot 67:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-11                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Left head                     |
| Device Position       | Cheek                         |
| Band                  | LTE band 26                   |
| Signal                | LTE FDD                       |
| Frequency             | 841.5                         |
| SAR 10g (W/Kg)        | 0.189                         |
| SAR 1g (W/Kg)         | 0.276                         |
| ConvF                 | 1.72                          |
| Relative permittivity | 41.55                         |
| Conductivity (S/m)    | 0.92                          |

Maximum location: X=-48.00, Y=-31.00 ; SAR Peak: 0.47 W/kg






Plot 68:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-12-11                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Right Side                 |
| Band                  | LTE band 26                |
| Signal                | LTE FDD                    |
| Frequency             | 841.5                      |
| SAR 10g (W/Kg)        | 0.160                      |
| SAR 1g (W/Kg)         | 0.275                      |
| ConvF                 | 1.72                       |
| Relative permittivity | 41.55                      |
| Conductivity (S/m)    | 0.92                       |


Maximum location: X=1.00, Y=25.00 ; SAR Peak: 0.48 W/kg



Plot 69:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-09                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Left head                     |
| Device Position       | Cheek                         |
| Band                  | LTE band 30                   |
| Signal                | LTE FDD                       |
| Frequency             | 2310                          |
| SAR 10g (W/Kg)        | 0.040                         |
| SAR 1g (W/Kg)         | 0.093                         |
| ConvF                 | 2.32                          |
| Relative permittivity | 40.18                         |
| Conductivity (S/m)    | 1.66                          |

Maximum location: X=-48.00, Y=-47.00 ; SAR Peak: 0.23 W/kg








Plot 70:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-12-09                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Bottom Side                |
| Band                  | LTE band 30                |
| Signal                | LTE FDD                    |
| Frequency             | 2310                       |
| SAR 10g (W/Kg)        | 0.046                      |
| SAR 1g (W/Kg)         | 0.114                      |
| ConvF                 | 2.32                       |
| Relative permittivity | 40.18                      |
| Conductivity (S/m)    | 1.66                       |

Maximum location: X=-8.00, Y=8.00 ; SAR Peak: 0.27 W/kg






Plot 71:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-08                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Left head                     |
| Device Position       | Cheek                         |
| Band                  | LTE band 38                   |
| Signal                | LTE TDD                       |
| Frequency             | 2580                          |
| SAR 10g (W/Kg)        | 0.081                         |
| SAR 1g (W/Kg)         | 0.154                         |
| ConvF                 | 2.36                          |
| Relative permittivity | 39.61                         |
| Conductivity (S/m)    | 1.96                          |

Maximum location: X=-33.00, Y=-31.00 ; SAR Peak: 0.29 W/kg






**Plot 72:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-12-08                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Bottom Side                |
| Band                  | LTE band 38                |
| Signal                | LTE TDD                    |
| Frequency             | 2580                       |
| SAR 10g (W/Kg)        | 0.135                      |
| SAR 1g (W/Kg)         | 0.273                      |
| ConvF                 | 2.36                       |
| Relative permittivity | 39.61                      |
| Conductivity (S/m)    | 1.96                       |

Maximum location: X=7.00, Y=-15.00 ; SAR Peak: 0.49 W/kg






Plot 73:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-08                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Left head                     |
| Device Position       | Cheek                         |
| Band                  | LTE band 41                   |
| Signal                | LTE TDD                       |
| Frequency             | 2680                          |
| SAR 10g (W/Kg)        | 0.087                         |
| SAR 1g (W/Kg)         | 0.186                         |
| ConvF                 | 2.36                          |
| Relative permittivity | 39.18                         |
| Conductivity (S/m)    | 2.06                          |

Maximum location: X=-49.00, Y=-47.00 ; SAR Peak: 0.40 W/kg






Plot 74:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-12-08                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Bottom Side                |
| Band                  | LTE band 41                |
| Signal                | LTE TDD                    |
| Frequency             | 2680                       |
| SAR 10g (W/Kg)        | 0.124                      |
| SAR 1g (W/Kg)         | 0.254                      |
| ConvF                 | 2.36                       |
| Relative permittivity | 39.18                      |
| Conductivity (S/m)    | 2.06                       |

Maximum location: X=6.00, Y=-14.00 ; SAR Peak: 0.59 W/kg






Plot 75:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-07                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm   |
| Phantom               | Right head                    |
| Device Position       | Cheek                         |
| Band                  | LTE band 48                   |
| Signal                | LTE TDD                       |
| Frequency             | 3650                          |
| SAR 10g (W/Kg)        | 0.271                         |
| SAR 1g (W/Kg)         | 0.717                         |
| ConvF                 | 1.82                          |
| Relative permittivity | 38.42                         |
| Conductivity (S/m)    | 3.13                          |

Maximum location: X=-8.00, Y=8.00 ; SAR Peak: 1.91 W/kg






Plot 76:

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2023-12-07                  |
| Area Scan             | surf_sam_plan.txt           |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Validation plane            |
| Device Position       | Top Side                    |
| Band                  | LTE band 48                 |
| Signal                | LTE TDD                     |
| Frequency             | 3650                        |
| SAR 10g (W/Kg)        | 0.170                       |
| SAR 1g (W/Kg)         | 0.428                       |
| ConvF                 | 1.82                        |
| Relative permittivity | 38.42                       |
| Conductivity (S/m)    | 3.13                        |

Maximum location: X=2.00, Y=-24.00 ; SAR Peak: 1.35 W/kg






Plot 77:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-11-30                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Left head                     |
| Device Position       | Cheek                         |
| Band                  | LTE band 66                   |
| Signal                | LTE FDD                       |
| Frequency             | 1720                          |
| SAR 10g (W/Kg)        | 0.124                         |
| SAR 1g (W/Kg)         | 0.208                         |
| ConvF                 | 1.95                          |
| Relative permittivity | 40.77                         |
| Conductivity (S/m)    | 1.32                          |

Maximum location: X=-48.00, Y=-47.00 ; SAR Peak: 0.36 W/kg








Plot 78:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-11-30                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Bottom Side                |
| Band                  | LTE band 66                |
| Signal                | LTE FDD                    |
| Frequency             | 1720                       |
| SAR 10g (W/Kg)        | 0.405                      |
| SAR 1g (W/Kg)         | 0.717                      |
| ConvF                 | 1.95                       |
| Relative permittivity | 40.77                      |
| Conductivity (S/m)    | 1.32                       |

Maximum location: X=8.00, Y=5.00 ; SAR Peak: 1.10 W/kg






Plot 79:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-01                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Left head                     |
| Device Position       | Cheek                         |
| Band                  | LTE band 71                   |
| Signal                | LTE FDD                       |
| Frequency             | 673                           |
| SAR 10g (W/Kg)        | 0.081                         |
| SAR 1g (W/Kg)         | 0.152                         |
| ConvF                 | 1.69                          |
| Relative permittivity | 42.01                         |
| Conductivity (S/m)    | 0.85                          |

Maximum location: X=-40.00, Y=-32.00 ; SAR Peak: 0.31 W/kg






Plot 80:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-12-01                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Right Side                 |
| Band                  | LTE band 71                |
| Signal                | LTE FDD                    |
| Frequency             | 673                        |
| SAR 10g (W/Kg)        | 0.253                      |
| SAR 1g (W/Kg)         | 0.421                      |
| ConvF                 | 1.69                       |
| Relative permittivity | 42.01                      |
| Conductivity (S/m)    | 0.85                       |

Maximum location: X=6.00, Y=31.00 ; SAR Peak: 0.67 W/kg






Plot 81:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-12                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Left head                     |
| Device Position       | Cheek                         |
| Band                  | NR band 2                     |
| Signal                | NR FDD                        |
| Frequency             | 1900                          |
| SAR 10g (W/Kg)        | 0.153                         |
| SAR 1g (W/Kg)         | 0.279                         |
| ConvF                 | 2.25                          |
| Relative permittivity | 41.00                         |
| Conductivity (S/m)    | 1.42                          |

Maximum location: X=-49.00, Y=-48.00 ; SAR Peak: 0.51 W/kg






**Plot 82:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-12-12                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Bottom Side                |
| Band                  | NR band 2                  |
| Signal                | NR FDD                     |
| Frequency             | 1900                       |
| SAR 10g (W/Kg)        | 0.206                      |
| SAR 1g (W/Kg)         | 0.397                      |
| ConvF                 | 2.25                       |
| Relative permittivity | 41.00                      |
| Conductivity (S/m)    | 1.42                       |

Maximum location: X=1.00, Y=14.00 ; SAR Peak: 0.65 W/kg






**Plot 83:**

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-11-29                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Left head                     |
| Device Position       | Cheek                         |
| Band                  | NR band 5                     |
| Signal                | NR FDD                        |
| Frequency             | 836.5                         |
| SAR 10g (W/Kg)        | 0.082                         |
| SAR 1g (W/Kg)         | 0.151                         |
| ConvF                 | 1.72                          |
| Relative permittivity | 41.02                         |
| Conductivity (S/m)    | 0.89                          |

Maximum location: X=-48.00, Y=-32.00 ; SAR Peak: 0.30 W/kg






Plot 84:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-11-29                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Right Side                 |
| Band                  | NR band 5                  |
| Signal                | NR FDD                     |
| Frequency             | 836.5                      |
| SAR 10g (W/Kg)        | 0.201                      |
| SAR 1g (W/Kg)         | 0.316                      |
| ConvF                 | 1.72                       |
| Relative permittivity | 41.02                      |
| Conductivity (S/m)    | 0.89                       |

Maximum location: X=0.00, Y=41.00 ; SAR Peak: 0.50 W/kg






Plot 85:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-03                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Left head                     |
| Device Position       | Cheek                         |
| Band                  | NR band 7                     |
| Signal                | NR FDD                        |
| Frequency             | 2510                          |
| SAR 10g (W/Kg)        | 0.057                         |
| SAR 1g (W/Kg)         | 0.089                         |
| ConvF                 | 2.36                          |
| Relative permittivity | 39.50                         |
| Conductivity (S/m)    | 1.91                          |

Maximum location: X=-48.00, Y=-56.00 ; SAR Peak: 0.34 W/kg








Plot 86:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-12-03                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Bottom Side                |
| Band                  | NR band 7                  |
| Signal                | NR FDD                     |
| Frequency             | 2510                       |
| SAR 10g (W/Kg)        | 0.075                      |
| SAR 1g (W/Kg)         | 0.166                      |
| ConvF                 | 2.36                       |
| Relative permittivity | 39.50                      |
| Conductivity (S/m)    | 1.91                       |

Maximum location: X=-1.00, Y=8.00 ; SAR Peak: 0.44 W/kg






Plot 87:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-04                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Right head                    |
| Device Position       | Cheek                         |
| Band                  | NR band 12                    |
| Signal                | NR FDD                        |
| Frequency             | 706.5                         |
| SAR 10g (W/Kg)        | 0.083                         |
| SAR 1g (W/Kg)         | 0.131                         |
| ConvF                 | 1.69                          |
| Relative permittivity | 42.38                         |
| Conductivity (S/m)    | 0.86                          |

Maximum location: X=-55.00, Y=-23.00 ; SAR Peak: 0.23 W/kg






Plot 88:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-12-04                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Right Side                 |
| Band                  | NR band 12                 |
| Signal                | NR FDD                     |
| Frequency             | 706.5                      |
| SAR 10g (W/Kg)        | 0.254                      |
| SAR 1g (W/Kg)         | 0.402                      |
| ConvF                 | 1.69                       |
| Relative permittivity | 42.38                      |
| Conductivity (S/m)    | 0.86                       |

Maximum location: X=3.00, Y=25.00 ; SAR Peak: 0.55 W/kg






**Plot 89:**

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-02                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Left head                     |
| Device Position       | Cheek                         |
| Band                  | NR band 25                    |
| Signal                | NR FDD                        |
| Frequency             | 1860                          |
| SAR 10g (W/Kg)        | 0.070                         |
| SAR 1g (W/Kg)         | 0.130                         |
| ConvF                 | 2.25                          |
| Relative permittivity | 40.45                         |
| Conductivity (S/m)    | 1.45                          |

Maximum location: X=-23.00, Y=0.00 ; SAR Peak: 0.35 W/kg






Plot 90:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-12-02                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Bottom Side                |
| Band                  | NR band 25                 |
| Signal                | NR FDD                     |
| Frequency             | 1860                       |
| SAR 10g (W/Kg)        | 0.214                      |
| SAR 1g (W/Kg)         | 0.417                      |
| ConvF                 | 2.25                       |
| Relative permittivity | 40.45                      |
| Conductivity (S/m)    | 1.45                       |

Maximum location: X=1.00, Y=9.00 ; SAR Peak: 0.78 W/kg






**Plot 91:**

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-03                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Left head                     |
| Device Position       | Cheek                         |
| Band                  | NR band 38                    |
| Signal                | NR TDD                        |
| Frequency             | 2546.01                       |
| SAR 10g (W/Kg)        | 0.036                         |
| SAR 1g (W/Kg)         | 0.075                         |
| ConvF                 | 2.36                          |
| Relative permittivity | 39.32                         |
| Conductivity (S/m)    | 1.91                          |

Maximum location: X=-41.00, Y=-10.00 ; SAR Peak: 0.19 W/kg






**Plot 92:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-12-03                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Bottom Side                |
| Band                  | NR band 38                 |
| Signal                | NR TDD                     |
| Frequency             | 2546.01                    |
| SAR 10g (W/Kg)        | 0.114                      |
| SAR 1g (W/Kg)         | 0.272                      |
| ConvF                 | 2.36                       |
| Relative permittivity | 39.32                      |
| Conductivity (S/m)    | 1.91                       |

Maximum location: X=1.00, Y=-7.00 ; SAR Peak: 0.60 W/kg






**Plot 93:**

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-06                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Left head                     |
| Device Position       | Cheek                         |
| Band                  | NR band 66                    |
| Signal                | NR FDD                        |
| Frequency             | 1777.5                        |
| SAR 10g (W/Kg)        | 0.105                         |
| SAR 1g (W/Kg)         | 0.193                         |
| ConvF                 | 1.95                          |
| Relative permittivity | 40.92                         |
| Conductivity (S/m)    | 1.37                          |

Maximum location: X=-54.00, Y=-43.00 ; SAR Peak: 0.50 W/kg








Plot 94:

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2023-12-06                 |
| Area Scan             | surf_sam_plan.txt          |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Bottom Side                |
| Band                  | NR band 66                 |
| Signal                | NR FDD                     |
| Frequency             | 1777.5                     |
| SAR 10g (W/Kg)        | 0.349                      |
| SAR 1g (W/Kg)         | 0.654                      |
| ConvF                 | 1.95                       |
| Relative permittivity | 40.92                      |
| Conductivity (S/m)    | 1.37                       |

Maximum location: X=2.00, Y=6.00 ; SAR Peak: 1.14 W/kg






**Plot 95:**

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-01                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Left head                     |
| Device Position       | Cheek                         |
| Band                  | NR band 71                    |
| Signal                | NR FDD                        |
| Frequency             | 673                           |
| SAR 10g (W/Kg)        | 0.064                         |
| SAR 1g (W/Kg)         | 0.099                         |
| ConvF                 | 1.69                          |
| Relative permittivity | 42.01                         |
| Conductivity (S/m)    | 0.85                          |

Maximum location: X=-40.00, Y=-40.00 ; SAR Peak: 0.16 W/kg






Plot 96:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-01                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm    |
| Phantom               | Validation plane              |
| Device Position       | Right Side                    |
| Band                  | NR band 71                    |
| Signal                | NR FDD                        |
| Frequency             | 673                           |
| SAR 10g (W/Kg)        | 0.244                         |
| SAR 1g (W/Kg)         | 0.380                         |
| ConvF                 | 1.69                          |
| Relative permittivity | 42.01                         |
| Conductivity (S/m)    | 0.85                          |

Maximum location: X=0.00, Y=9.00 ; SAR Peak: 0.54 W/kg






**Plot 97:**

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-13                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm   |
| Phantom               | Right head                    |
| Device Position       | Cheek                         |
| Band                  | NR band 77                    |
| Signal                | NR TDD                        |
| Frequency             | 3750                          |
| SAR 10g (W/Kg)        | 0.315                         |
| SAR 1g (W/Kg)         | 0.836                         |
| ConvF                 | 1.82                          |
| Relative permittivity | 38.62                         |
| Conductivity (S/m)    | 3.29                          |

Maximum location: X=0.00, Y=0.00 ; SAR Peak: 2.24 W/kg






Plot 98:

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-13                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm   |
| Phantom               | Validation plane              |
| Device Position       | Top Side                      |
| Band                  | NR band 77                    |
| Signal                | NR TDD                        |
| Frequency             | 3750                          |
| SAR 10g (W/Kg)        | 0.216                         |
| SAR 1g (W/Kg)         | 0.524                         |
| ConvF                 | 1.82                          |
| Relative permittivity | 38.62                         |
| Conductivity (S/m)    | 3.29                          |

Maximum location: X=0.00, Y=-21.00 ; SAR Peak: 1.83 W/kg






**Plot 99:**

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-13                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm   |
| Phantom               | Right head                    |
| Device Position       | Cheek                         |
| Band                  | NR band 78                    |
| Signal                | NR TDD                        |
| Frequency             | 3750                          |
| SAR 10g (W/Kg)        | 0.295                         |
| SAR 1g (W/Kg)         | 0.762                         |
| ConvF                 | 1.82                          |
| Relative permittivity | 38.62                         |
| Conductivity (S/m)    | 3.29                          |

Maximum location: X=-6.00, Y=9.00 ; SAR Peak: 1.79 W/kg






**Plot 100:**

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-13                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm   |
| Phantom               | Validation plane              |
| Device Position       | Top Side                      |
| Band                  | NR band 78                    |
| Signal                | NR TDD                        |
| Frequency             | 3750                          |
| SAR 10g (W/Kg)        | 0.200                         |
| SAR 1g (W/Kg)         | 0.526                         |
| ConvF                 | 1.82                          |
| Relative permittivity | 38.62                         |
| Conductivity (S/m)    | 3.29                          |

Maximum location: X=-1.00, Y=-23.00 ; SAR Peak: 1.68 W/kg






**Plot 101:**

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2024-01-16                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm   |
| Phantom               | Right head                    |
| Device Position       | Cheek                         |
| Band                  | NR band 48                    |
| Signal                | NR TDD                        |
| Frequency             | 3679.98                       |
| SAR 10g (W/Kg)        | 0.346                         |
| SAR 1g (W/Kg)         | 0.830                         |
| ConvF                 | 1.82                          |
| Relative permittivity | 38.25                         |
| Conductivity (S/m)    | 3.06                          |

Maximum location: X=-14.00, Y=10.00 ; SAR Peak: 2.03 W/kg








**Plot 102:**

|                       |                               |
|-----------------------|-------------------------------|
| Test Date             | 2023-12-13                    |
| Area Scan             | sam_direct_droit2_surf8mm.txt |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm   |
| Phantom               | Validation plane              |
| Device Position       | Top Side                      |
| Band                  | NR band 48                    |
| Signal                | NR TDD                        |
| Frequency             | 3679.98                       |
| SAR 10g (W/Kg)        | 0.203                         |
| SAR 1g (W/Kg)         | 0.498                         |
| ConvF                 | 1.82                          |
| Relative permittivity | 38.25                         |
| Conductivity (S/m)    | 3.06                          |

Maximum location: X=0.00, Y=-16.00 ; SAR Peak: 1.47 W/kg





## **Appendix C. Probe Calibration and Dipole Calibration Report**

Refer the appendix Calibration Report.

※※※※END OF THE REPORT※※※※