


### 802.11a\_Nss1,(6Mbps)\_4TX

### 5785MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.561G	58.90	68.20	-9.30	51.57	3	Horizontal	250	1.10	-	33.90	5.56	32.13
PK	5.778G	121.27	Inf	-Inf	114.08	3	Horizontal	250	1.10	-	33.74	5.60	32.15
AV	5.778G	111.08	Inf	-Inf	103.89	3	Horizontal	250	1.10	-	33.74	5.60	32.15
PK	5.941G	57.22	68.20	-10.98	49.56	3	Horizontal	250	1.10	-	34.08	5.74	32.16

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5785MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5697G	54.84	74.00	-19.16	40.94	3	Vertical	124	1.86	-	39.21	7.93	33.24
AV	11.5687G	42.21	54.00	-11.79	28.31	3	Vertical	124	1.86	-	39.21	7.93	33.24
PK	17.3496G	63.45	68.20	-4.75	43.22	3	Vertical	113	1.85	-	42.70	10.67	33.14

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5785MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57G	52.20	74.00	-21.80	38.30	3	Horizontal	69	2.21	-	39.21	7.93	33.24
AV	11.5696G	39.76	54.00	-14.24	25.86	3	Horizontal	69	2.21	-	39.21	7.93	33.24
PK	17.3482G	64.49	68.20	-3.71	44.27	3	Horizontal	313	2.88	-	42.69	10.67	33.14

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5825MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.601G	57.36	68.20	-10.84	50.00	3	Vertical	9	2.45	-	33.90	5.60	32.14
PK	5.823G	116.49	Inf	-Inf	109.27	3	Vertical	9	2.45	-	33.75	5.62	32.15
AV	5.824G	106.57	Inf	-Inf	99.35	3	Vertical	9	2.45	-	33.75	5.62	32.15
PK	5.959G	57.49	68.20	-10.71	49.79	3	Vertical	9	2.45	-	34.10	5.76	32.16

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5825MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	58.09	68.20	-10.11	50.82	3	Horizontal	267	1.04	-	33.81	5.60	32.14
PK	5.822G	120.90	Inf	-Inf	113.69	3	Horizontal	267	1.04	-	33.74	5.62	32.15
AV	5.821G	110.94	Inf	-Inf	103.73	3	Horizontal	267	1.04	-	33.74	5.62	32.15
PK	5.924G	60.48	68.94	-8.46	52.87	3	Horizontal	267	1.04	-	34.05	5.72	32.16

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5825MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64696G	57.00	74.00	-17.00	42.95	3	Vertical	0	2.78	-	39.35	7.96	33.26
AV	11.64896G	43.47	54.00	-10.53	29.42	3	Vertical	0	2.78	-	39.35	7.96	33.26
PK	17.47924G	64.76	68.20	-3.44	43.36	3	Vertical	128	1.75	-	43.65	10.74	32.99

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5825MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64796G	52.39	74.00	-21.61	38.34	3	Horizontal	41	1.80	-	39.35	7.96	33.26
AV	11.6462G	39.74	54.00	-14.26	25.69	3	Horizontal	41	1.80	-	39.35	7.96	33.26
PK	17.4802G	66.08	68.20	-2.12	44.67	3	Horizontal	22	2.90	-	43.66	10.74	32.99

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5180MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 86  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	72.96	74.00	-1.04	66.36	3	Vertical	112	2.92	-	33.50	5.25	32.15
AV	5.1494G	53.71	54.00	-0.29	47.11	3	Vertical	112	2.92	-	33.50	5.25	32.15
PK	5.1794G	117.00	Inf	-Inf	110.37	3	Vertical	112	2.92	-	33.50	5.28	32.15
AV	5.1776G	103.87	Inf	-Inf	97.24	3	Vertical	112	2.92	-	33.50	5.28	32.15



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5180MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 86  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	70.81	74.00	-3.19	64.21	3	Horizontal	0	2.64	-	33.50	5.25	32.15
AV	5.1496G	51.86	54.00	-2.14	45.26	3	Horizontal	0	2.64	-	33.50	5.25	32.15
PK	5.189G	119.44	Inf	-Inf	112.80	3	Horizontal	0	2.64	-	33.50	5.29	32.15
AV	5.1878G	107.83	Inf	-Inf	101.19	3	Horizontal	0	2.64	-	33.50	5.29	32.15

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 5180MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 86  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54558G	53.38	74.00	-20.62	39.02	3	Vertical	0	2.23	-	37.76	9.80	33.20
AV	15.5343G	40.03	54.00	-13.97	25.63	3	Vertical	0	2.23	-	37.80	9.79	33.19

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5180MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 86  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54402G	53.92	74.00	-20.08	39.56	3	Horizontal	358	1.80	-	37.77	9.79	33.20
AV	15.55296G	40.06	54.00	-13.94	25.73	3	Horizontal	358	1.80	-	37.74	9.80	33.21

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5200MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 100  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	68.84	74.00	-5.16	62.24	3	Vertical	74	2.91	-	33.50	5.25	32.15
AV	5.1496G	52.37	54.00	-1.63	45.77	3	Vertical	74	2.91	-	33.50	5.25	32.15
PK	5.2088G	118.32	Inf	-Inf	111.65	3	Vertical	74	2.91	-	33.52	5.30	32.15
AV	5.2088G	106.95	Inf	-Inf	100.28	3	Vertical	74	2.91	-	33.52	5.30	32.15

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5200MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 100  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	72.21	74.00	-1.79	65.62	3	Horizontal	0	2.91	-	33.50	5.24	32.15
AV	5.1496G	53.88	54.00	-0.12	47.28	3	Horizontal	0	2.91	-	33.50	5.25	32.15
PK	5.1976G	122.28	Inf	-Inf	115.63	3	Horizontal	0	2.91	-	33.50	5.30	32.15
AV	5.1972G	109.92	Inf	-Inf	103.27	3	Horizontal	0	2.91	-	33.50	5.30	32.15

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5200MHz\_TnomVnom




EUT Z\_4TX  
Setting 100  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59994G	54.52	74.00	-19.48	40.37	3	Vertical	271	2.60	-	37.60	9.82	33.27
AV	15.61224G	41.03	54.00	-12.97	26.90	3	Vertical	271	2.60	-	37.58	9.83	33.28

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 5200MHz\_TnomVnom




EUT Z\_4TX  
Setting 100  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.61014G	54.26	74.00	-19.74	40.14	3	Horizontal	179	1.04	-	37.58	9.82	33.28
AV	15.61236G	41.01	54.00	-12.99	26.88	3	Horizontal	179	1.04	-	37.58	9.83	33.28

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5240MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.51	74.00	-9.49	57.91	3	Vertical	72	2.86	-	33.50	5.25	32.15
AV	5.15G	49.89	54.00	-4.11	43.29	3	Vertical	72	2.86	-	33.50	5.25	32.15
PK	5.2484G	120.94	Inf	-Inf	114.17	3	Vertical	72	2.86	-	33.60	5.32	32.15
AV	5.249G	109.67	Inf	-Inf	102.90	3	Vertical	72	2.86	-	33.60	5.32	32.15
PK	5.3516G	61.74	74.00	-12.26	54.80	3	Vertical	72	2.86	-	33.70	5.38	32.14
AV	5.35G	47.73	54.00	-6.27	40.79	3	Vertical	72	2.86	-	33.70	5.38	32.14



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5240MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	67.45	74.00	-6.55	60.86	3	Horizontal	0	2.85	-	33.50	5.24	32.15
AV	5.1476G	51.23	54.00	-2.77	44.63	3	Horizontal	0	2.85	-	33.50	5.25	32.15
PK	5.2424G	124.47	Inf	-Inf	117.72	3	Horizontal	0	2.85	-	33.58	5.32	32.15
AV	5.2484G	113.01	Inf	-Inf	106.24	3	Horizontal	0	2.85	-	33.60	5.32	32.15
PK	5.35G	63.88	74.00	-10.12	56.94	3	Horizontal	0	2.85	-	33.70	5.38	32.14
AV	5.35G	48.78	54.00	-5.22	41.84	3	Horizontal	0	2.85	-	33.70	5.38	32.14

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5240MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46932G	54.77	68.20	-13.43	41.91	3	Vertical	127	1.98	-	38.40	7.49	33.03
PK	15.72282G	54.50	74.00	-19.50	40.63	3	Vertical	253	1.08	-	37.40	9.88	33.41
AV	15.71844G	41.32	54.00	-12.68	27.46	3	Vertical	253	1.08	-	37.40	9.87	33.41

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5240MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48054G	58.13	68.20	-10.07	45.28	3	Horizontal	29	1.99	-	38.40	7.49	33.04
PK	15.71766G	52.53	74.00	-21.47	38.67	3	Horizontal	57	1.13	-	37.40	9.87	33.41
AV	15.71802G	39.95	54.00	-14.05	26.09	3	Horizontal	57	1.13	-	37.40	9.87	33.41

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1334G	58.80	74.00	-15.20	52.22	3	Vertical	120	2.58	-	33.50	5.23	32.15
AV	5.1484G	45.62	54.00	-8.38	39.02	3	Vertical	120	2.58	-	33.50	5.25	32.15
PK	5.269G	117.61	Inf	-Inf	110.78	3	Vertical	120	2.58	-	33.64	5.33	32.14
AV	5.269G	107.83	Inf	-Inf	101.00	3	Vertical	120	2.58	-	33.64	5.33	32.14
PK	5.35G	65.61	74.00	-8.39	58.67	3	Vertical	120	2.58	-	33.70	5.38	32.14
AV	5.3506G	50.32	54.00	-3.68	43.38	3	Vertical	120	2.58	-	33.70	5.38	32.14

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	65.00	74.00	-9.00	58.40	3	Horizontal	360	2.58	-	33.50	5.25	32.15
AV	5.1472G	49.17	54.00	-4.83	42.57	3	Horizontal	360	2.58	-	33.50	5.25	32.15
PK	5.2558G	124.24	Inf	-Inf	117.44	3	Horizontal	360	2.58	-	33.61	5.33	32.14
AV	5.2558G	112.78	Inf	-Inf	105.98	3	Horizontal	360	2.58	-	33.61	5.33	32.14
PK	5.3578G	67.10	74.00	-6.90	60.14	3	Horizontal	360	2.58	-	33.72	5.38	32.14
AV	5.35G	51.36	54.00	-2.64	44.42	3	Horizontal	360	2.58	-	33.70	5.38	32.14

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52306G	55.72	68.20	-12.48	42.85	3	Vertical	289	1.04	-	38.42	7.51	33.06
PK	15.78384G	53.55	74.00	-20.45	39.73	3	Vertical	273	1.63	-	37.40	9.90	33.48
AV	15.78336G	40.57	54.00	-13.43	26.75	3	Vertical	273	1.63	-	37.40	9.90	33.48

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5101G	57.45	68.20	-10.75	44.59	3	Horizontal	262	2.55	-	38.41	7.50	33.05
PK	15.78282G	52.95	74.00	-21.05	39.13	3	Horizontal	294	2.29	-	37.40	9.90	33.48
AV	15.7689G	39.98	54.00	-14.02	26.15	3	Horizontal	294	2.29	-	37.40	9.90	33.47

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Z\_4TX  
Setting 96  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3076G	116.90	Inf	-Inf	109.99	3	Vertical	352	2.55	-	33.70	5.35	32.14
AV	5.3076G	105.53	Inf	-Inf	98.62	3	Vertical	352	2.55	-	33.70	5.35	32.14
PK	5.3508G	63.84	74.00	-10.16	56.90	3	Vertical	352	2.55	-	33.70	5.38	32.14
AV	5.35G	46.74	54.00	-7.26	39.80	3	Vertical	352	2.55	-	33.70	5.38	32.14



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 96  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3076G	120.68	Inf	-Inf	113.77	3	Horizontal	212	2.81	-	33.70	5.35	32.14
AV	5.3092G	110.33	Inf	-Inf	103.42	3	Horizontal	212	2.81	-	33.70	5.35	32.14
PK	5.3504G	71.23	74.00	-2.77	64.29	3	Horizontal	212	2.81	-	33.70	5.38	32.14
AV	5.3516G	53.36	54.00	-0.64	46.42	3	Horizontal	212	2.81	-	33.70	5.38	32.14

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Z\_4TX  
Setting 96  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61458G	52.46	74.00	-21.54	39.52	3	Vertical	79	1.60	-	38.49	7.55	33.10
AV	10.60636G	38.94	54.00	-15.06	26.01	3	Vertical	79	1.60	-	38.49	7.54	33.10
PK	15.90756G	53.68	74.00	-20.32	39.86	3	Vertical	190	1.90	-	37.49	9.96	33.63
AV	15.91248G	40.46	54.00	-13.54	26.65	3	Vertical	190	1.90	-	37.49	9.96	33.64

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 96  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60159G	52.37	74.00	-21.63	39.42	3	Horizontal	34	1.36	-	38.50	7.54	33.09
AV	10.60069G	38.93	54.00	-15.07	25.98	3	Horizontal	34	1.36	-	38.50	7.54	33.09
PK	15.90456G	53.54	74.00	-20.46	39.71	3	Horizontal	143	2.35	-	37.50	9.96	33.63
AV	15.89862G	40.37	54.00	-13.63	26.54	3	Horizontal	143	2.35	-	37.50	9.95	33.62

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 84  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3276G	111.61	Inf	-Inf	104.69	3	Vertical	0	2.83	-	33.70	5.36	32.14
AV	5.328G	100.25	Inf	-Inf	93.33	3	Vertical	0	2.83	-	33.70	5.36	32.14
PK	5.3528G	62.41	74.00	-11.59	55.46	3	Vertical	0	2.83	-	33.71	5.38	32.14
AV	5.3512G	46.41	54.00	-7.59	39.47	3	Vertical	0	2.83	-	33.70	5.38	32.14

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5320MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 84  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.312G	120.04	Inf	-Inf	113.12	3	Horizontal	0	2.45	-	33.70	5.36	32.14
AV	5.3112G	107.87	Inf	-Inf	100.95	3	Horizontal	0	2.45	-	33.70	5.36	32.14
PK	5.352G	70.96	74.00	-3.04	64.02	3	Horizontal	0	2.45	-	33.70	5.38	32.14
AV	5.3508G	53.55	54.00	-0.45	46.61	3	Horizontal	0	2.45	-	33.70	5.38	32.14

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 84  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64486G	52.56	74.00	-21.44	39.65	3	Vertical	129	2.72	-	38.46	7.56	33.11
AV	10.63808G	39.79	54.00	-14.21	26.88	3	Vertical	129	2.72	-	38.46	7.56	33.11
PK	15.94884G	53.46	74.00	-20.54	39.71	3	Vertical	15	1.41	-	37.45	9.98	33.68
AV	15.94938G	40.22	54.00	-13.78	26.47	3	Vertical	15	1.41	-	37.45	9.98	33.68

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 84  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6379G	51.87	74.00	-22.13	38.96	3	Horizontal	342	1.56	-	38.46	7.56	33.11
AV	10.64186G	39.58	54.00	-14.42	26.67	3	Horizontal	342	1.56	-	38.46	7.56	33.11
PK	15.94914G	53.43	74.00	-20.57	39.68	3	Horizontal	166	1.74	-	37.45	9.98	33.68
AV	15.9687G	40.29	54.00	-13.71	26.57	3	Horizontal	166	1.74	-	37.43	9.99	33.70

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 80  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	59.80	74.00	-14.20	52.57	3	Vertical	79	2.65	-	33.90	5.46	32.13
AV	5.46G	46.73	54.00	-7.27	39.50	3	Vertical	79	2.65	-	33.90	5.46	32.13
PK	5.4688G	65.14	68.20	-3.06	57.90	3	Vertical	79	2.65	-	33.90	5.47	32.13
PK	5.4916G	115.47	Inf	-Inf	108.21	3	Vertical	79	2.65	-	33.90	5.49	32.13
AV	5.492G	103.67	Inf	-Inf	96.41	3	Vertical	79	2.65	-	33.90	5.49	32.13



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 80  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	61.31	74.00	-12.69	54.08	3	Horizontal	0	2.78	-	33.90	5.46	32.13
AV	5.4596G	47.67	54.00	-6.33	40.44	3	Horizontal	0	2.78	-	33.90	5.46	32.13
PK	5.47G	67.78	68.20	-0.42	60.54	3	Horizontal	0	2.78	-	33.90	5.47	32.13
PK	5.4928G	116.90	Inf	-Inf	109.64	3	Horizontal	0	2.78	-	33.90	5.49	32.13
AV	5.4936G	105.68	Inf	-Inf	98.42	3	Horizontal	0	2.78	-	33.90	5.49	32.13

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 80  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01044G	51.32	74.00	-22.68	38.38	3	Vertical	153	1.80	-	38.51	7.70	33.27
AV	11.01422G	38.85	54.00	-15.15	25.90	3	Vertical	153	1.80	-	38.51	7.71	33.27

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 80  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00306G	51.22	74.00	-22.78	38.29	3	Horizontal	183	2.28	-	38.50	7.70	33.27
AV	11.01164G	38.64	54.00	-15.36	25.70	3	Horizontal	183	2.28	-	38.51	7.70	33.27

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4448G	59.33	74.00	-14.67	52.13	3	Vertical	2	2.85	-	33.89	5.44	32.13
AV	5.4552G	46.25	54.00	-7.75	39.02	3	Vertical	2	2.85	-	33.90	5.46	32.13
PK	5.4688G	61.08	68.20	-7.12	53.84	3	Vertical	2	2.85	-	33.90	5.47	32.13
PK	5.5736G	120.86	Inf	-Inf	113.52	3	Vertical	2	2.85	-	33.90	5.57	32.13
AV	5.5736G	111.54	Inf	-Inf	104.20	3	Vertical	2	2.85	-	33.90	5.57	32.13
PK	5.7264G	58.66	68.20	-9.54	51.45	3	Vertical	2	2.85	-	33.75	5.60	32.14

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	66.74	74.00	-7.26	59.51	3	Horizontal	15	2.42	-	33.90	5.46	32.13
PK	5.4608G	66.38	68.20	-1.82	59.15	3	Horizontal	15	2.42	-	33.90	5.46	32.13
AV	5.46G	50.76	54.00	-3.24	43.53	3	Horizontal	15	2.42	-	33.90	5.46	32.13
PK	5.572G	126.88	Inf	-Inf	119.54	3	Horizontal	15	2.42	-	33.90	5.57	32.13
AV	5.5728G	116.36	Inf	-Inf	109.02	3	Horizontal	15	2.42	-	33.90	5.57	32.13
PK	5.7416G	64.54	68.20	-3.66	57.30	3	Horizontal	15	2.42	-	33.78	5.60	32.14

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.175G	51.93	74.00	-22.07	38.73	3	Vertical	354	1.80	-	38.68	7.77	33.25
AV	11.1642G	38.92	54.00	-15.08	25.74	3	Vertical	354	1.80	-	38.66	7.77	33.25
PK	16.73826G	66.24	68.20	-1.96	49.23	3	Vertical	247	1.95	-	39.93	10.37	33.29

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1696G	51.93	74.00	-22.07	38.74	3	Horizontal	259	1.03	-	38.67	7.77	33.25
AV	11.15418G	38.75	54.00	-15.25	25.59	3	Horizontal	259	1.03	-	38.65	7.76	33.25
PK	16.7433G	65.51	68.20	-2.69	48.48	3	Horizontal	77	2.93	-	39.96	10.37	33.30

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7092G	112.93	Inf	-Inf	105.75	3	Vertical	112	2.83	-	33.72	5.60	32.14
AV	5.7088G	100.96	Inf	-Inf	93.78	3	Vertical	112	2.83	-	33.72	5.60	32.14
PK	5.7272G	66.57	68.20	-1.63	59.36	3	Vertical	112	2.83	-	33.75	5.60	32.14



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7068G	116.96	Inf	-Inf	109.79	3	Horizontal	246	2.75	-	33.71	5.60	32.14
AV	5.7062G	104.43	Inf	-Inf	97.26	3	Horizontal	246	2.75	-	33.71	5.60	32.14
PK	5.725G	66.88	68.20	-1.32	59.67	3	Horizontal	246	2.75	-	33.75	5.60	32.14

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Z\_4TX  
Setting 61  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40288G	51.98	74.00	-22.02	38.54	3	Vertical	117	1.14	-	38.81	7.86	33.23
AV	11.40594G	38.70	54.00	-15.30	25.26	3	Vertical	117	1.14	-	38.81	7.86	33.23

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 5700MHz\_TnomVnom



EUT\_Z\_4TX  
Setting 61  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3946G	51.99	74.00	-22.01	38.57	3	Horizontal	227	1.94	-	38.79	7.86	33.23
AV	11.40036G	38.58	54.00	-15.42	25.15	3	Horizontal	227	1.94	-	38.80	7.86	33.23


**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 108  
 02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4484G	57.09	74.00	-16.91	49.87	3	Vertical	360	2.73	-	33.90	5.45	32.13
PK	5.4624G	56.21	68.20	-11.99	48.98	3	Vertical	360	2.73	-	33.90	5.46	32.13
AV	5.4568G	44.91	54.00	-9.09	37.68	3	Vertical	360	2.73	-	33.90	5.46	32.13
PK	5.7242G	119.66	Inf	-Inf	112.45	3	Vertical	360	2.73	-	33.75	5.60	32.14
AV	5.7242G	110.11	Inf	-Inf	102.90	3	Vertical	360	2.73	-	33.75	5.60	32.14
PK	5.85G	59.06	68.20	-9.14	51.76	3	Vertical	360	2.73	-	33.80	5.65	32.15


**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 108  
 02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4386G	57.84	74.00	-16.16	50.65	3	Horizontal	244	2.75	-	33.88	5.44	32.13
AV	5.44G	45.39	54.00	-8.61	38.20	3	Horizontal	244	2.75	-	33.88	5.44	32.13
PK	5.461G	57.06	68.20	-11.14	49.83	3	Horizontal	244	2.75	-	33.90	5.46	32.13
PK	5.7186G	125.24	Inf	-Inf	118.04	3	Horizontal	244	2.75	-	33.74	5.60	32.14
AV	5.7186G	115.48	Inf	-Inf	108.28	3	Horizontal	244	2.75	-	33.74	5.60	32.14
PK	5.85G	60.64	68.20	-7.56	53.34	3	Horizontal	244	2.75	-	33.80	5.65	32.15


**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 108  
 02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4412G	53.24	74.00	-20.76	39.71	3	Vertical	234	1.06	-	38.88	7.88	33.23
AV	11.4418G	40.82	54.00	-13.18	27.29	3	Vertical	234	1.06	-	38.88	7.88	33.23
PK	17.1564G	67.53	68.20	-0.67	48.62	3	Vertical	246	2.12	-	41.69	10.58	33.36

**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 108  
 02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44828G	53.67	74.00	-20.33	40.12	3	Horizontal	71	2.85	-	38.90	7.88	33.23
AV	11.44588G	40.74	54.00	-13.26	27.20	3	Horizontal	71	2.85	-	38.89	7.88	33.23
PK	17.157G	65.33	68.20	-2.87	46.41	3	Horizontal	80	1.80	-	41.70	10.58	33.36

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5745MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.653G	61.12	70.42	-9.30	53.87	3	Vertical	100	2.71	-	33.79	5.60	32.14
PK	5.736G	118.16	Inf	-Inf	110.93	3	Vertical	100	2.71	-	33.77	5.60	32.14
AV	5.737G	107.51	Inf	-Inf	100.28	3	Vertical	100	2.71	-	33.77	5.60	32.14
PK	5.941G	57.83	68.20	-10.37	50.17	3	Vertical	100	2.71	-	34.08	5.74	32.16



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5745MHz\_TnomVnom




EUT Z\_4TX  
Setting 108  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	62.08	68.20	-6.12	54.82	3	Horizontal	236	2.10	-	33.80	5.60	32.14
PK	5.75G	121.89	Inf	-Inf	114.63	3	Horizontal	236	2.10	-	33.80	5.60	32.14
AV	5.75G	111.59	Inf	-Inf	104.33	3	Horizontal	236	2.10	-	33.80	5.60	32.14
PK	5.977G	58.43	68.20	-9.77	50.71	3	Horizontal	236	2.10	-	34.10	5.78	32.16

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5745MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48208G	52.08	74.00	-21.92	38.45	3	Vertical	273	1.29	-	38.96	7.89	33.22
AV	11.4906G	39.14	54.00	-14.86	25.48	3	Vertical	273	1.29	-	38.98	7.90	33.22
PK	17.23374G	65.78	68.20	-2.42	46.33	3	Vertical	248	2.14	-	42.10	10.62	33.27

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 5745MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47764G	52.06	74.00	-21.94	38.43	3	Horizontal	93	1.59	-	38.96	7.89	33.22
AV	11.48238G	39.20	54.00	-14.80	25.57	3	Horizontal	93	1.59	-	38.96	7.89	33.22
PK	17.23644G	63.90	68.20	-4.30	44.44	3	Horizontal	79	1.77	-	42.11	10.62	33.27

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.625G	57.80	68.20	-10.40	50.49	3	Vertical	76	2.55	-	33.85	5.60	32.14
PK	5.794G	121.99	Inf	-Inf	114.83	3	Vertical	76	2.55	-	33.71	5.60	32.15
AV	5.79G	110.86	Inf	-Inf	103.69	3	Vertical	76	2.55	-	33.72	5.60	32.15
PK	5.948G	58.48	68.20	-9.72	50.79	3	Vertical	76	2.55	-	34.10	5.75	32.16

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	60.34	68.20	-7.86	53.07	3	Horizontal	0	1.11	-	33.81	5.60	32.14
PK	5.79G	121.91	Inf	-Inf	114.74	3	Horizontal	0	1.11	-	33.72	5.60	32.15
AV	5.791G	110.80	Inf	-Inf	103.63	3	Horizontal	0	1.11	-	33.72	5.60	32.15
PK	5.933G	58.67	68.20	-9.53	51.03	3	Horizontal	0	1.11	-	34.07	5.73	32.16

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57342G	52.09	74.00	-21.91	38.18	3	Vertical	287	2.01	-	39.22	7.93	33.24
AV	11.56532G	39.16	54.00	-14.84	25.27	3	Vertical	287	2.01	-	39.20	7.93	33.24
PK	17.34918G	66.70	68.20	-1.50	46.48	3	Vertical	284	2.46	-	42.69	10.67	33.14

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 108  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58014G	51.79	74.00	-22.21	37.86	3	Horizontal	100	2.44	-	39.24	7.93	33.24
AV	11.57108G	38.99	54.00	-15.01	25.09	3	Horizontal	100	2.44	-	39.21	7.93	33.24
PK	17.35164G	61.32	68.20	-6.88	41.07	3	Horizontal	80	1.77	-	42.71	10.68	33.14

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5825MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 100  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.606G	57.21	68.20	-10.99	49.86	3	Vertical	269	1.05	-	33.89	5.60	32.14
PK	5.834G	110.05	Inf	-Inf	102.80	3	Vertical	269	1.05	-	33.77	5.63	32.15
AV	5.833G	97.70	Inf	-Inf	90.45	3	Vertical	269	1.05	-	33.77	5.63	32.15
PK	5.945G	57.50	68.20	-10.70	49.82	3	Vertical	269	1.05	-	34.09	5.75	32.16



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5825MHz\_TnomVnom




EUT Z\_4TX  
Setting 100  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.586G	58.25	68.20	-9.95	50.90	3	Horizontal	342	1.03	-	33.90	5.59	32.14
PK	5.819G	115.66	Inf	-Inf	108.45	3	Horizontal	342	1.03	-	33.74	5.62	32.15
AV	5.833G	105.70	Inf	-Inf	98.45	3	Horizontal	342	1.03	-	33.77	5.63	32.15
PK	5.929G	59.24	68.20	-8.96	51.61	3	Horizontal	342	1.03	-	34.06	5.73	32.16

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 5825MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 100  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6644G	52.96	74.00	-21.04	38.89	3	Vertical	294	2.89	-	39.36	7.97	33.26
AV	11.65228G	39.62	54.00	-14.38	25.57	3	Vertical	294	2.89	-	39.35	7.96	33.26
PK	17.46996G	67.22	68.20	-0.98	45.90	3	Vertical	276	2.72	-	43.59	10.73	33.00

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5825MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 100  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63992G	52.96	74.00	-21.04	38.92	3	Horizontal	247	2.33	-	39.34	7.96	33.26
AV	11.64562G	39.44	54.00	-14.56	25.39	3	Horizontal	247	2.33	-	39.35	7.96	33.26
PK	17.47548G	62.42	68.20	-5.78	41.05	3	Horizontal	42	1.92	-	43.63	10.74	33.00

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5190MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 78  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	73.77	74.00	-0.23	67.17	3	Vertical	114.7	2.76	-	33.50	5.25	32.15
AV	5.15G	51.76	54.00	-2.24	45.16	3	Vertical	114.7	2.76	-	33.50	5.25	32.15
PK	5.1776G	112.85	Inf	-Inf	106.22	3	Vertical	114.7	2.76	-	33.50	5.28	32.15
AV	5.1756G	100.66	Inf	-Inf	94.03	3	Vertical	114.7	2.76	-	33.50	5.28	32.15

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5190MHz\_TnomVnom




EUT\_Z\_4TX  
 Setting 78  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	73.35	74.00	-0.65	66.75	3	Horizontal	290	3.00	-	33.50	5.25	32.15
AV	5.15G	53.47	54.00	-0.53	46.87	3	Horizontal	290	3.00	-	33.50	5.25	32.15
PK	5.186G	116.40	Inf	-Inf	109.76	3	Horizontal	290	3.00	-	33.50	5.29	32.15
AV	5.1856G	103.42	Inf	-Inf	96.78	3	Horizontal	290	3.00	-	33.50	5.29	32.15

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5190MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 78  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3792G	51.48	68.20	-16.72	38.58	3	Vertical	182	2.11	-	38.42	7.45	32.97
PK	15.558G	53.04	74.00	-20.96	38.73	3	Vertical	207	2.39	-	37.73	9.80	33.22
AV	15.5829G	39.31	54.00	-14.69	25.10	3	Vertical	207	2.39	-	37.65	9.81	33.25

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5190MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 78  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3819G	51.55	68.20	-16.65	38.65	3	Horizontal	255	1.09	-	38.42	7.45	32.97
PK	15.545G	52.68	74.00	-21.32	38.31	3	Horizontal	51	2.04	-	37.77	9.80	33.20
AV	15.5683G	39.39	54.00	-14.61	25.11	3	Horizontal	51	2.04	-	37.70	9.81	33.23

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5230MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 97  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	63.76	74.00	-10.24	57.16	3	Vertical	213.5	2.52	-	33.50	5.25	32.15
AV	5.15G	49.65	54.00	-4.35	43.05	3	Vertical	213.5	2.52	-	33.50	5.25	32.15
PK	5.218G	113.96	Inf	-Inf	107.26	3	Vertical	213.5	2.52	-	33.54	5.31	32.15
AV	5.224G	102.16	Inf	-Inf	95.45	3	Vertical	213.5	2.52	-	33.55	5.31	32.15
PK	5.3506G	59.79	74.00	-14.21	52.85	3	Vertical	213.5	2.52	-	33.70	5.38	32.14
AV	5.35G	45.55	54.00	-8.45	38.61	3	Vertical	213.5	2.52	-	33.70	5.38	32.14



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5230MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 97  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	71.71	74.00	-2.29	65.11	3	Horizontal	260.2	2.92	-	33.50	5.25	32.15
AV	5.15G	53.39	54.00	-0.61	46.79	3	Horizontal	260.2	2.92	-	33.50	5.25	32.15
PK	5.2402G	121.15	Inf	-Inf	114.40	3	Horizontal	260.2	2.92	-	33.58	5.32	32.15
AV	5.2318G	108.43	Inf	-Inf	101.70	3	Horizontal	260.2	2.92	-	33.56	5.32	32.15
PK	5.35G	65.12	74.00	-8.88	58.18	3	Horizontal	260.2	2.92	-	33.70	5.38	32.14
AV	5.3506G	49.73	54.00	-4.27	42.79	3	Horizontal	260.2	2.92	-	33.70	5.38	32.14

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5230MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 97  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4634G	51.62	68.20	-16.58	38.76	3	Vertical	237	1.63	-	38.40	7.49	33.03
PK	15.6724G	52.01	74.00	-21.99	38.05	3	Vertical	300	2.99	-	37.46	9.85	33.35
AV	15.666G	38.98	54.00	-15.02	25.01	3	Vertical	300	2.99	-	37.47	9.85	33.35

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5230MHz\_TnomVnom




EUT Z\_4TX  
Setting 97  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4635G	51.70	68.20	-16.50	38.84	3	Horizontal	85	2.52	-	38.40	7.49	33.03
PK	15.6955G	51.89	74.00	-22.11	38.00	3	Horizontal	336	2.48	-	37.41	9.86	33.38
AV	15.6663G	38.89	54.00	-15.11	24.92	3	Horizontal	336	2.48	-	37.47	9.85	33.35

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 97  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1398G	57.86	74.00	-16.14	51.27	3	Vertical	205	2.61	-	33.50	5.24	32.15
AV	5.138G	44.43	54.00	-9.57	37.84	3	Vertical	205	2.61	-	33.50	5.24	32.15
PK	5.282G	116.72	Inf	-Inf	109.86	3	Vertical	205	2.61	-	33.66	5.34	32.14
AV	5.2808G	104.90	Inf	-Inf	98.04	3	Vertical	205	2.61	-	33.66	5.34	32.14
PK	5.36G	63.05	74.00	-10.95	56.09	3	Vertical	205	2.61	-	33.72	5.38	32.14
AV	5.35G	46.92	54.00	-7.08	39.98	3	Vertical	205	2.61	-	33.70	5.38	32.14

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 97  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1398G	63.06	74.00	-10.94	56.47	3	Horizontal	247.7	2.51	-	33.50	5.24	32.15
AV	5.1488G	46.95	54.00	-7.05	40.35	3	Horizontal	247.7	2.51	-	33.50	5.25	32.15
PK	5.2568G	119.47	Inf	-Inf	112.67	3	Horizontal	247.7	2.51	-	33.61	5.33	32.14
AV	5.255G	107.02	Inf	-Inf	100.22	3	Horizontal	247.7	2.51	-	33.61	5.33	32.14
PK	5.3558G	72.64	74.00	-1.36	65.69	3	Horizontal	247.7	2.51	-	33.71	5.38	32.14
AV	5.3504G	53.90	54.00	-0.10	46.96	3	Horizontal	247.7	2.51	-	33.70	5.38	32.14

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 93  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5362G	51.11	68.20	-17.09	38.23	3	Vertical	194	1.67	-	38.44	7.51	33.07
PK	15.8263G	52.46	74.00	-21.54	38.65	3	Vertical	285	1.15	-	37.43	9.92	33.54
AV	15.7851G	39.27	54.00	-14.73	25.46	3	Vertical	285	1.15	-	37.40	9.90	33.49

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 5270MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 93  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5497G	51.70	68.20	-16.50	38.80	3	Horizontal	255	2.32	-	38.45	7.52	33.07
PK	15.8287G	52.96	74.00	-21.04	39.15	3	Horizontal	33	2.32	-	37.43	9.92	33.54
AV	15.7924G	39.21	54.00	-14.79	25.40	3	Horizontal	33	2.32	-	37.40	9.91	33.50

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Z\_4TX  
Setting 72  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.292G	109.22	Inf	-Inf	102.33	3	Vertical	159	2.52	-	33.68	5.35	32.14
AV	5.3118G	96.68	Inf	-Inf	89.76	3	Vertical	159	2.52	-	33.70	5.36	32.14
PK	5.3538G	64.74	74.00	-9.26	57.79	3	Vertical	159	2.52	-	33.71	5.38	32.14
AV	5.35G	47.12	54.00	-6.88	40.18	3	Vertical	159	2.52	-	33.70	5.38	32.14



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5310MHz\_TnomVnom




EUT Z\_4TX  
Setting 72  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2932G	114.37	Inf	-Inf	107.47	3	Horizontal	292.2	2.90	-	33.69	5.35	32.14
AV	5.2926G	102.44	Inf	-Inf	95.54	3	Horizontal	292.2	2.90	-	33.69	5.35	32.14
PK	5.3532G	72.12	74.00	-1.88	65.17	3	Horizontal	292.2	2.90	-	33.71	5.38	32.14
AV	5.3508G	53.54	54.00	-0.46	46.60	3	Horizontal	292.2	2.90	-	33.70	5.38	32.14

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Z\_4TX  
Setting 72  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6216G	51.06	74.00	-22.94	38.13	3	Vertical	168	1.61	-	38.48	7.55	33.10
AV	10.6059G	38.07	54.00	-15.93	25.14	3	Vertical	168	1.61	-	38.49	7.54	33.10
PK	15.92358G	53.09	74.00	-20.91	39.29	3	Vertical	199	2.59	-	37.48	9.97	33.65
AV	15.91698G	39.23	54.00	-14.77	25.43	3	Vertical	199	2.59	-	37.48	9.96	33.64

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Z\_4TX  
Setting 72  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6347G	51.91	74.00	-22.09	39.00	3	Horizontal	231	1.38	-	38.47	7.55	33.11
AV	10.60584G	37.94	54.00	-16.06	25.01	3	Horizontal	231	1.38	-	38.49	7.54	33.10
PK	15.93366G	52.87	74.00	-21.13	39.09	3	Horizontal	180	1.62	-	37.47	9.97	33.66
AV	15.91674G	39.14	54.00	-14.86	25.34	3	Horizontal	180	1.62	-	37.48	9.96	33.64

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 64  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4296G	57.48	74.00	-16.52	50.32	3	Vertical	123.4	2.72	-	33.86	5.43	32.13
PK	5.4664G	64.08	68.20	-4.12	56.84	3	Vertical	123.4	2.72	-	33.90	5.47	32.13
AV	5.4596G	45.97	54.00	-8.03	38.74	3	Vertical	123.4	2.72	-	33.90	5.46	32.13
PK	5.5252G	112.22	Inf	-Inf	104.92	3	Vertical	123.4	2.72	-	33.90	5.53	32.13
AV	5.5244G	99.03	Inf	-Inf	91.74	3	Vertical	123.4	2.72	-	33.90	5.52	32.13

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 64  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.25	74.00	-9.75	57.02	3	Horizontal	267.2	1.13	-	33.90	5.46	32.13
AV	5.4596G	48.23	54.00	-5.77	41.00	3	Horizontal	267.2	1.13	-	33.90	5.46	32.13
PK	5.468G	67.98	68.20	-0.22	60.74	3	Horizontal	267.2	1.13	-	33.90	5.47	32.13
PK	5.4988G	114.36	Inf	-Inf	107.09	3	Horizontal	267.2	1.13	-	33.90	5.50	32.13
AV	5.4996G	101.41	Inf	-Inf	94.14	3	Horizontal	267.2	1.13	-	33.90	5.50	32.13

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 64  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02882G	51.43	74.00	-22.57	38.46	3	Vertical	330	2.08	-	38.53	7.71	33.27
AV	11.01472G	37.97	54.00	-16.03	25.02	3	Vertical	330	2.08	-	38.51	7.71	33.27
PK	16.5159G	54.46	68.20	-13.74	38.44	3	Vertical	182	1.14	-	38.84	10.26	33.08

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 64  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.023G	51.21	74.00	-22.79	38.25	3	Horizontal	152	2.18	-	38.52	7.71	33.27
AV	11.02108G	38.09	54.00	-15.91	25.13	3	Horizontal	152	2.18	-	38.52	7.71	33.27
PK	16.51998G	54.60	68.20	-13.60	38.55	3	Horizontal	245	1.38	-	38.88	10.26	33.09

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 94  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.65	74.00	-11.35	55.42	3	Vertical	360	2.89	-	33.90	5.46	32.13
AV	5.46G	48.67	54.00	-5.33	41.44	3	Vertical	360	2.89	-	33.90	5.46	32.13
PK	5.4678G	67.65	68.20	-0.55	60.41	3	Vertical	360	2.89	-	33.90	5.47	32.13
PK	5.5332G	116.22	Inf	-Inf	108.92	3	Vertical	360	2.89	-	33.90	5.53	32.13
AV	5.5332G	103.96	Inf	-Inf	96.66	3	Vertical	360	2.89	-	33.90	5.53	32.13



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 94  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	63.04	74.00	-10.96	55.81	3	Horizontal	189.9	2.89	-	33.90	5.46	32.13
AV	5.4594G	48.20	54.00	-5.80	40.97	3	Horizontal	189.9	2.89	-	33.90	5.46	32.13
PK	5.4696G	66.48	68.20	-1.72	59.24	3	Horizontal	189.9	2.89	-	33.90	5.47	32.13
PK	5.5356G	115.77	Inf	-Inf	108.46	3	Horizontal	189.9	2.89	-	33.90	5.54	32.13
AV	5.5326G	103.16	Inf	-Inf	95.86	3	Horizontal	189.9	2.89	-	33.90	5.53	32.13

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 94  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10744G	51.33	74.00	-22.67	38.24	3	Vertical	122	2.57	-	38.61	7.74	33.26
AV	11.115G	37.89	54.00	-16.11	24.78	3	Vertical	122	2.57	-	38.62	7.75	33.26
PK	16.63764G	55.15	68.20	-13.05	38.39	3	Vertical	206	2.71	-	39.64	10.32	33.20

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 94  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.088G	51.58	74.00	-22.42	38.51	3	Horizontal	124	1.78	-	38.59	7.74	33.26
AV	11.10336G	38.00	54.00	-16.00	24.92	3	Horizontal	124	1.78	-	38.60	7.74	33.26
PK	16.66326G	55.72	68.20	-12.48	38.95	3	Horizontal	238	1.22	-	39.66	10.33	33.22

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 82  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.682G	112.07	Inf	-Inf	104.87	3	Vertical	347.1	2.74	-	33.74	5.60	32.14
AV	5.6832G	99.42	Inf	-Inf	92.23	3	Vertical	347.1	2.74	-	33.73	5.60	32.14
PK	5.7252G	64.42	68.20	-3.78	57.21	3	Vertical	347.1	2.74	-	33.75	5.60	32.14

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 82  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6634G	117.58	Inf	-Inf	110.35	3	Horizontal	274.5	1.08	-	33.77	5.60	32.14
AV	5.6682G	105.48	Inf	-Inf	98.26	3	Horizontal	274.5	1.08	-	33.76	5.60	32.14
PK	5.7258G	67.29	68.20	-0.91	60.08	3	Horizontal	274.5	1.08	-	33.75	5.60	32.14

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 82  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35134G	50.78	74.00	-23.22	37.42	3	Vertical	286	1.31	-	38.75	7.84	33.23
AV	11.35404G	37.44	54.00	-16.56	24.08	3	Vertical	286	1.31	-	38.75	7.84	33.23
PK	17.0184G	56.73	68.20	-11.47	38.52	3	Vertical	306	2.38	-	41.22	10.51	33.52

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 5670MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 82  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34564G	50.76	74.00	-23.24	37.41	3	Horizontal	329	1.77	-	38.75	7.84	33.24
AV	11.35344G	37.32	54.00	-16.68	23.96	3	Horizontal	329	1.77	-	38.75	7.84	33.23
PK	17.00628G	57.22	68.20	-10.98	39.04	3	Horizontal	14	1.78	-	41.21	10.50	33.53

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 107  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6972G	118.16	Inf	-Inf	110.99	3	Vertical	67	2.74	-	33.71	5.60	32.14
AV	5.7036G	104.75	Inf	-Inf	97.58	3	Vertical	67	2.74	-	33.71	5.60	32.14
PK	5.8556G	66.70	68.20	-1.50	59.37	3	Vertical	67	2.74	-	33.82	5.66	32.15




**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 107  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7156G	122.85	Inf	-Inf	115.66	3	Horizontal	245	2.75	-	33.73	5.60	32.14
AV	5.7172G	111.76	Inf	-Inf	104.57	3	Horizontal	245	2.75	-	33.73	5.60	32.14
PK	5.8796G	67.18	68.20	-1.02	59.73	3	Horizontal	245	2.75	-	33.92	5.68	32.15


**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 107  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41994G	53.57	74.00	-20.43	40.09	3	Vertical	0	2.16	-	38.84	7.87	33.23
AV	11.42486G	39.31	54.00	-14.69	25.82	3	Vertical	0	2.16	-	38.85	7.87	33.23
PK	17.13768G	64.84	68.20	-3.36	46.09	3	Vertical	246	2.02	-	41.56	10.57	33.38

**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 107  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42702G	51.93	74.00	-22.07	38.44	3	Horizontal	183	1.80	-	38.85	7.87	33.23
AV	11.4299G	38.31	54.00	-15.69	24.81	3	Horizontal	183	1.80	-	38.86	7.87	33.23
PK	17.13636G	61.32	68.20	-6.88	42.58	3	Horizontal	78	2.84	-	41.55	10.57	33.38

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5755MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 99  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	61.76	68.20	-6.44	54.49	3	Vertical	116.9	2.92	-	33.81	5.60	32.14
PK	5.758G	118.57	Inf	-Inf	111.34	3	Vertical	116.9	2.92	-	33.78	5.60	32.15
AV	5.76G	105.20	Inf	-Inf	97.97	3	Vertical	116.9	2.92	-	33.78	5.60	32.15
PK	5.928G	57.48	68.20	-10.72	49.85	3	Vertical	116.9	2.92	-	34.06	5.73	32.16

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5755MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 99  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	67.76	68.20	-0.44	60.49	3	Horizontal	235.6	2.71	-	33.81	5.60	32.14
PK	5.748G	120.63	Inf	-Inf	113.37	3	Horizontal	235.6	2.71	-	33.80	5.60	32.14
AV	5.75G	109.54	Inf	-Inf	102.28	3	Horizontal	235.6	2.71	-	33.80	5.60	32.14
PK	5.926G	58.38	68.20	-9.82	50.76	3	Horizontal	235.6	2.71	-	34.05	5.73	32.16

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5755MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 99  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5267G	51.09	74.00	-22.91	37.33	3	Vertical	42	1.51	-	39.08	7.91	33.23
AV	11.4924G	38.28	54.00	-15.72	24.62	3	Vertical	42	1.51	-	38.98	7.90	33.22
PK	17.2761G	58.80	68.20	-9.40	39.16	3	Vertical	96	2.03	-	42.23	10.64	33.23

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5755MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 99  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4871G	51.40	74.00	-22.60	37.76	3	Horizontal	286	2.00	-	38.97	7.89	33.22
AV	11.4851G	38.06	54.00	-15.94	24.42	3	Horizontal	286	2.00	-	38.97	7.89	33.22
PK	17.2702G	58.31	68.20	-9.89	38.69	3	Horizontal	262	1.11	-	42.21	10.64	33.23

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5795MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 100  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	58.89	68.20	-9.31	51.60	3	Vertical	186.8	2.96	-	33.83	5.60	32.14
PK	5.801G	114.49	Inf	-Inf	107.34	3	Vertical	186.8	2.96	-	33.70	5.60	32.15
AV	5.802G	102.13	Inf	-Inf	94.98	3	Vertical	186.8	2.96	-	33.70	5.60	32.15
PK	5.925G	57.78	68.20	-10.42	50.16	3	Vertical	186.8	2.96	-	34.05	5.73	32.16



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5795MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 100  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	65.09	68.20	-3.11	57.82	3	Horizontal	18.8	1.07	-	33.81	5.60	32.14
PK	5.789G	118.59	Inf	-Inf	111.42	3	Horizontal	18.8	1.07	-	33.72	5.60	32.15
AV	5.785G	106.60	Inf	-Inf	99.42	3	Horizontal	18.8	1.07	-	33.73	5.60	32.15
PK	5.926G	67.76	68.20	-0.44	60.14	3	Horizontal	18.8	1.07	-	34.05	5.73	32.16

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 5795MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 100  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6001G	52.47	74.00	-21.53	38.48	3	Vertical	160	2.39	-	39.30	7.94	33.25
AV	11.5701G	39.28	54.00	-14.72	25.38	3	Vertical	160	2.39	-	39.21	7.93	33.24
PK	17.3693G	59.40	68.20	-8.80	38.99	3	Vertical	100	1.54	-	42.85	10.68	33.12

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5795MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 100  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5903G	54.41	74.00	-19.59	40.44	3	Horizontal	290	3.00	-	39.27	7.94	33.24
AV	11.5802G	39.20	54.00	-14.80	25.27	3	Horizontal	290	3.00	-	39.24	7.93	33.24
PK	17.3968G	59.97	68.20	-8.23	39.29	3	Horizontal	33	1.23	-	43.07	10.70	33.09

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5210MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 77  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	67.42	74.00	-6.58	60.82	3	Vertical	160.9	2.83	-	33.50	5.25	32.15
AV	5.1244G	48.27	54.00	-5.73	41.70	3	Vertical	160.9	2.83	-	33.50	5.22	32.15
PK	5.2396G	108.89	Inf	-Inf	102.14	3	Vertical	160.9	2.83	-	33.58	5.32	32.15
AV	5.242G	95.19	Inf	-Inf	88.44	3	Vertical	160.9	2.83	-	33.58	5.32	32.15
PK	5.382G	57.72	74.00	-16.28	50.71	3	Vertical	160.9	2.83	-	33.76	5.39	32.14
AV	5.3692G	44.93	54.00	-9.07	37.95	3	Vertical	160.9	2.83	-	33.74	5.38	32.14

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5210MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 77  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	71.72	74.00	-2.28	65.12	3	Horizontal	243	2.92	-	33.50	5.25	32.15
AV	5.1492G	53.04	54.00	-0.96	46.44	3	Horizontal	243	2.92	-	33.50	5.25	32.15
PK	5.242G	113.62	Inf	-Inf	106.87	3	Horizontal	243	2.92	-	33.58	5.32	32.15
AV	5.2332G	101.20	Inf	-Inf	94.46	3	Horizontal	243	2.92	-	33.57	5.32	32.15
PK	5.3716G	59.57	74.00	-14.43	52.58	3	Horizontal	243	2.92	-	33.74	5.39	32.14
AV	5.3508G	47.07	54.00	-6.93	40.13	3	Horizontal	243	2.92	-	33.70	5.38	32.14

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5210MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 77  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4311G	51.46	68.20	-16.74	38.59	3	Vertical	101	1.64	-	38.40	7.47	33.00
PK	15.6192G	52.65	74.00	-21.35	38.55	3	Vertical	330	1.11	-	37.56	9.83	33.29
AV	15.6165G	39.11	54.00	-14.89	25.00	3	Vertical	330	1.11	-	37.57	9.83	33.29

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5210MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 77  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4176G	50.98	68.20	-17.22	38.11	3	Horizontal	123	1.97	-	38.40	7.47	33.00
PK	15.6161G	52.34	74.00	-21.66	38.23	3	Horizontal	38	1.62	-	37.57	9.83	33.29
AV	15.6112G	39.15	54.00	-14.85	25.02	3	Horizontal	38	1.62	-	37.58	9.83	33.28

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 74  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1228G	61.27	74.00	-12.73	54.70	3	Vertical	209.6	2.61	-	33.50	5.22	32.15
AV	5.126G	46.05	54.00	-7.95	39.47	3	Vertical	209.6	2.61	-	33.50	5.23	32.15
PK	5.2532G	111.95	Inf	-Inf	105.15	3	Vertical	209.6	2.61	-	33.61	5.33	32.14
AV	5.2788G	98.70	Inf	-Inf	91.84	3	Vertical	209.6	2.61	-	33.66	5.34	32.14
PK	5.3532G	72.85	74.00	-1.15	65.90	3	Vertical	209.6	2.61	-	33.71	5.38	32.14
AV	5.35G	53.62	54.00	-0.38	46.68	3	Vertical	209.6	2.61	-	33.70	5.38	32.14
PK	5.4876G	57.88	68.20	-10.32	50.62	3	Vertical	209.6	2.61	-	33.90	5.49	32.13



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 74  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1292G	58.68	74.00	-15.32	52.10	3	Horizontal	267	2.61	-	33.50	5.23	32.15
AV	5.146G	46.03	54.00	-7.97	39.43	3	Horizontal	267	2.61	-	33.50	5.25	32.15
PK	5.2796G	112.60	Inf	-Inf	105.74	3	Horizontal	267	2.61	-	33.66	5.34	32.14
AV	5.2852G	100.21	Inf	-Inf	93.34	3	Horizontal	267	2.61	-	33.67	5.34	32.14
PK	5.35G	70.02	74.00	-3.98	63.08	3	Horizontal	267	2.61	-	33.70	5.38	32.14
AV	5.3604G	52.10	54.00	-1.90	45.14	3	Horizontal	267	2.61	-	33.72	5.38	32.14
PK	5.4612G	58.68	68.20	-9.52	51.45	3	Horizontal	267	2.61	-	33.90	5.46	32.13

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 5290MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 74  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5866G	51.33	68.20	-16.87	38.40	3	Vertical	304	2.51	-	38.49	7.53	33.09
PK	15.8906G	52.20	74.00	-21.80	38.37	3	Vertical	85	2.50	-	37.49	9.95	33.61
AV	15.876G	39.19	54.00	-14.81	25.36	3	Vertical	85	2.50	-	37.48	9.94	33.59

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 5290MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 74  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5856G	51.58	68.20	-16.62	38.65	3	Horizontal	67	2.95	-	38.49	7.53	33.09
PK	15.8559G	52.97	74.00	-21.03	39.14	3	Horizontal	64	2.20	-	37.46	9.94	33.57
AV	15.8491G	39.15	54.00	-14.85	25.33	3	Horizontal	64	2.20	-	37.45	9.93	33.56

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 66  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.349G	55.76	68.20	-12.44	48.83	3	Vertical	124.8	2.83	-	33.70	5.37	32.14
PK	5.451G	63.46	74.00	-10.54	56.24	3	Vertical	124.8	2.83	-	33.90	5.45	32.13
AV	5.449G	50.00	54.00	-4.00	42.78	3	Vertical	124.8	2.83	-	33.90	5.45	32.13
PK	5.467G	65.42	68.20	-2.78	58.18	3	Vertical	124.8	2.83	-	33.90	5.47	32.13
PK	5.541G	109.42	Inf	-Inf	102.11	3	Vertical	124.8	2.83	-	33.90	5.54	32.13
AV	5.541G	97.42	Inf	-Inf	90.11	3	Vertical	124.8	2.83	-	33.90	5.54	32.13
PK	5.778G	56.58	68.20	-11.62	49.39	3	Vertical	124.8	2.83	-	33.74	5.60	32.15

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 66  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.336G	57.37	68.20	-10.83	50.44	3	Horizontal	244.1	2.80	-	33.70	5.37	32.14
PK	5.46G	66.69	74.00	-7.31	59.46	3	Horizontal	244.1	2.80	-	33.90	5.46	32.13
AV	5.46G	50.99	54.00	-3.01	43.76	3	Horizontal	244.1	2.80	-	33.90	5.46	32.13
PK	5.47G	67.62	68.20	-0.58	60.38	3	Horizontal	244.1	2.80	-	33.90	5.47	32.13
PK	5.509G	109.52	Inf	-Inf	102.24	3	Horizontal	244.1	2.80	-	33.90	5.51	32.13
AV	5.511G	97.55	Inf	-Inf	90.27	3	Horizontal	244.1	2.80	-	33.90	5.51	32.13
PK	5.753G	56.97	68.20	-11.23	49.73	3	Horizontal	244.1	2.80	-	33.79	5.60	32.15

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 66  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0429G	51.39	74.00	-22.61	38.40	3	Vertical	187	2.87	-	38.54	7.72	33.27
AV	11.0484G	37.97	54.00	-16.03	24.97	3	Vertical	187	2.87	-	38.55	7.72	33.27
PK	16.5793G	55.77	68.20	-12.43	39.21	3	Vertical	186	2.68	-	39.41	10.29	33.14

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 66  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0786G	51.71	74.00	-22.29	38.66	3	Horizontal	107	2.43	-	38.58	7.73	33.26
AV	11.0365G	38.07	54.00	-15.93	25.09	3	Horizontal	107	2.43	-	38.54	7.71	33.27
PK	16.5754G	55.36	68.20	-12.84	38.83	3	Horizontal	6	1.52	-	39.38	10.29	33.14

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 86  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	58.93	74.00	-15.07	51.70	3	Vertical	352.6	2.89	-	33.90	5.46	32.13
AV	5.46G	46.17	54.00	-7.83	38.94	3	Vertical	352.6	2.89	-	33.90	5.46	32.13
PK	5.467G	62.45	68.20	-5.75	55.21	3	Vertical	352.6	2.89	-	33.90	5.47	32.13
PK	5.635G	112.32	Inf	-Inf	105.03	3	Vertical	352.6	2.89	-	33.83	5.60	32.14
AV	5.637G	99.22	Inf	-Inf	91.93	3	Vertical	352.6	2.89	-	33.83	5.60	32.14
PK	5.735G	62.13	68.20	-6.07	54.90	3	Vertical	352.6	2.89	-	33.77	5.60	32.14



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 86  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.52	74.00	-12.48	54.29	3	Horizontal	242.3	2.68	-	33.90	5.46	32.13
AV	5.46G	48.49	54.00	-5.51	41.26	3	Horizontal	242.3	2.68	-	33.90	5.46	32.13
PK	5.464G	63.70	68.20	-4.50	56.47	3	Horizontal	242.3	2.68	-	33.90	5.46	32.13
PK	5.635G	116.61	Inf	-Inf	109.32	3	Horizontal	242.3	2.68	-	33.83	5.60	32.14
AV	5.634G	104.15	Inf	-Inf	96.86	3	Horizontal	242.3	2.68	-	33.83	5.60	32.14
PK	5.731G	66.44	68.20	-1.76	59.22	3	Horizontal	242.3	2.68	-	33.76	5.60	32.14

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 5610MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 86  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.214G	51.40	74.00	-22.60	38.16	3	Vertical	120	1.00	-	38.70	7.79	33.25
AV	11.2344G	37.92	54.00	-16.08	24.68	3	Vertical	120	1.00	-	38.70	7.79	33.25
PK	16.8221G	55.68	68.20	-12.52	38.25	3	Vertical	107	2.54	-	40.39	10.41	33.37

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


### 5610MHz\_TnomVnom



EUT\_Z\_4TX  
Setting 86  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2003G	51.52	74.00	-22.48	38.29	3	Horizontal	348	2.65	-	38.70	7.78	33.25
AV	11.2442G	37.87	54.00	-16.13	24.62	3	Horizontal	348	2.65	-	38.70	7.80	33.25
PK	16.8428G	56.41	68.20	-11.79	38.91	3	Horizontal	187	2.66	-	40.47	10.42	33.39


**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 93  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.446G	56.82	74.00	-17.18	49.61	3	Vertical	83.5	2.60	-	33.89	5.45	32.13
AV	5.442G	45.05	54.00	-8.95	37.86	3	Vertical	83.5	2.60	-	33.88	5.44	32.13
PK	5.466G	57.19	68.20	-11.01	49.95	3	Vertical	83.5	2.60	-	33.90	5.47	32.13
PK	5.709G	114.41	Inf	-Inf	107.23	3	Vertical	83.5	2.60	-	33.72	5.60	32.14
AV	5.708G	101.46	Inf	-Inf	94.28	3	Vertical	83.5	2.60	-	33.72	5.60	32.14
PK	5.857G	65.70	68.20	-2.50	58.36	3	Vertical	83.5	2.60	-	33.83	5.66	32.15


**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 93  
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.07	74.00	-12.93	53.84	3	Horizontal	251	2.73	-	33.90	5.46	32.13
AV	5.458G	47.97	54.00	-6.03	40.74	3	Horizontal	251	2.73	-	33.90	5.46	32.13
PK	5.461G	61.79	68.20	-6.41	54.56	3	Horizontal	251	2.73	-	33.90	5.46	32.13
PK	5.72G	117.27	Inf	-Inf	110.07	3	Horizontal	251	2.73	-	33.74	5.60	32.14
AV	5.72G	104.07	Inf	-Inf	96.87	3	Horizontal	251	2.73	-	33.74	5.60	32.14
PK	5.871G	67.78	68.20	-0.42	60.38	3	Horizontal	251	2.73	-	33.88	5.67	32.15


**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 93  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.394G	51.15	74.00	-22.85	37.73	3	Vertical	175	2.24	-	38.79	7.86	33.23
AV	11.3703G	37.84	54.00	-16.16	24.45	3	Vertical	175	2.24	-	38.77	7.85	33.23
PK	17.0508G	56.50	68.20	-11.70	38.20	3	Vertical	153	1.18	-	41.25	10.53	33.48

**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 93  
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3715G	51.48	74.00	-22.52	38.09	3	Horizontal	249	1.71	-	38.77	7.85	33.23
AV	11.3679G	37.86	54.00	-16.14	24.47	3	Horizontal	249	1.71	-	38.77	7.85	33.23
PK	17.0707G	57.47	68.20	-10.73	39.12	3	Horizontal	4	1.01	-	41.27	10.54	33.46

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 88  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	67.93	68.20	-0.27	60.66	3	Vertical	229.2	2.71	-	33.81	5.60	32.14
PK	5.751G	115.00	Inf	-Inf	107.75	3	Vertical	229.2	2.71	-	33.80	5.60	32.15
AV	5.751G	103.50	Inf	-Inf	96.25	3	Vertical	229.2	2.71	-	33.80	5.60	32.15
PK	5.925G	61.64	68.20	-6.56	54.02	3	Vertical	229.2	2.71	-	34.05	5.73	32.16



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 88  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	63.95	68.20	-4.25	56.62	3	Horizontal	208	2.83	-	33.87	5.60	32.14
PK	5.803G	113.73	Inf	-Inf	106.57	3	Horizontal	208	2.83	-	33.71	5.60	32.15
AV	5.804G	101.09	Inf	-Inf	93.93	3	Horizontal	208	2.83	-	33.71	5.60	32.15
PK	5.937G	59.23	68.20	-8.97	51.58	3	Horizontal	208	2.83	-	34.07	5.74	32.16

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 88  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5618G	51.58	74.00	-22.42	37.71	3	Vertical	184	2.24	-	39.19	7.92	33.24
AV	11.5733G	38.45	54.00	-15.55	24.54	3	Vertical	184	2.24	-	39.22	7.93	33.24
PK	17.3011G	59.08	68.20	-9.12	39.32	3	Vertical	32	1.62	-	42.31	10.65	33.20

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

5775MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 88  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5509G	51.58	74.00	-22.42	37.74	3	Horizontal	85	2.68	-	39.15	7.92	33.23
AV	11.5703G	38.47	54.00	-15.53	24.57	3	Horizontal	85	2.68	-	39.21	7.93	33.24
PK	17.3322G	59.73	68.20	-8.47	39.66	3	Horizontal	194	1.40	-	42.56	10.67	33.16

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 67  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0868G	66.36	74.00	-7.64	59.87	3	Vertical	243.1	2.50	-	33.45	5.19	32.15
AV	5.082G	49.69	54.00	-4.31	43.24	3	Vertical	243.1	2.50	-	33.43	5.18	32.16
PK	5.2324G	106.88	Inf	-Inf	100.15	3	Vertical	243.1	2.50	-	33.56	5.32	32.15
AV	5.2532G	95.17	Inf	-Inf	88.37	3	Vertical	243.1	2.50	-	33.61	5.33	32.14
PK	5.3876G	73.44	74.00	-0.56	66.41	3	Vertical	243.1	2.50	-	33.78	5.39	32.14
AV	5.4068G	50.79	54.00	-3.21	43.71	3	Vertical	243.1	2.50	-	33.81	5.41	32.14
PK	5.4804G	58.62	68.20	-9.58	51.37	3	Vertical	243.1	2.50	-	33.90	5.48	32.13

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 67  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	67.02	74.00	-6.98	60.42	3	Horizontal	284.9	2.89	-	33.50	5.25	32.15
AV	5.1124G	51.41	54.00	-2.59	44.85	3	Horizontal	284.9	2.89	-	33.50	5.21	32.15
PK	5.2788G	108.15	Inf	-Inf	101.29	3	Horizontal	284.9	2.89	-	33.66	5.34	32.14
AV	5.2788G	96.42	Inf	-Inf	89.56	3	Horizontal	284.9	2.89	-	33.66	5.34	32.14
PK	5.3732G	73.66	74.00	-0.34	66.66	3	Horizontal	284.9	2.89	-	33.75	5.39	32.14
AV	5.3988G	51.74	54.00	-2.26	44.68	3	Horizontal	284.9	2.89	-	33.80	5.40	32.14
PK	5.466G	59.86	68.20	-8.34	52.62	3	Horizontal	284.9	2.89	-	33.90	5.47	32.13

**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**

**5250MHz Straddle 5.25-5.35GHz\_TnomVnom**




EUT\_Z\_4TX  
Setting 67  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49G	51.11	68.20	-17.09	38.25	3	Vertical	335	1.28	-	38.40	7.50	33.04
PK	15.7402G	53.07	74.00	-20.93	39.22	3	Vertical	179	1.42	-	37.40	9.88	33.43
AV	15.7637G	39.17	54.00	-14.83	25.34	3	Vertical	179	1.42	-	37.40	9.89	33.46

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT Z\_4TX  
Setting 67  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4885G	51.10	68.20	-17.10	38.24	3	Horizontal	178	1.74	-	38.40	7.50	33.04
PK	15.7485G	52.34	74.00	-21.66	38.49	3	Horizontal	292	1.57	-	37.40	9.89	33.44
AV	15.7622G	39.25	54.00	-14.75	25.42	3	Horizontal	292	1.57	-	37.40	9.89	33.46

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5570MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 69  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2292G	57.08	68.20	-11.12	50.36	3	Vertical	63.2	2.72	-	33.56	5.31	32.15
PK	5.4596G	65.33	74.00	-8.67	58.10	3	Vertical	63.2	2.72	-	33.90	5.46	32.13
AV	5.4148G	48.69	54.00	-5.31	41.59	3	Vertical	63.2	2.72	-	33.83	5.41	32.14
PK	5.4612G	64.62	68.20	-3.58	57.39	3	Vertical	63.2	2.72	-	33.90	5.46	32.13
PK	5.5524G	105.07	Inf	-Inf	97.75	3	Vertical	63.2	2.72	-	33.90	5.55	32.13
AV	5.5492G	92.96	Inf	-Inf	85.64	3	Vertical	63.2	2.72	-	33.90	5.55	32.13
PK	5.7284G	67.78	68.20	-0.42	60.56	3	Vertical	63.2	2.72	-	33.76	5.60	32.14



### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5570MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 69  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3428G	56.93	68.20	-11.27	50.00	3	Horizontal	5.4	2.71	-	33.70	5.37	32.14
PK	5.4564G	66.35	74.00	-7.65	59.12	3	Horizontal	5.4	2.71	-	33.90	5.46	32.13
AV	5.4484G	49.19	54.00	-4.81	41.97	3	Horizontal	5.4	2.71	-	33.90	5.45	32.13
PK	5.4676G	67.67	68.20	-0.53	60.43	3	Horizontal	5.4	2.71	-	33.90	5.47	32.13
PK	5.5924G	110.45	Inf	-Inf	103.10	3	Horizontal	5.4	2.71	-	33.90	5.59	32.14
AV	5.5908G	97.24	Inf	-Inf	89.89	3	Horizontal	5.4	2.71	-	33.90	5.59	32.14
PK	5.7396G	65.61	68.20	-2.59	58.37	3	Horizontal	5.4	2.71	-	33.78	5.60	32.14

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5570MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 69  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1434G	51.66	74.00	-22.34	38.52	3	Vertical	146	1.99	-	38.64	7.76	33.26
AV	11.1293G	38.07	54.00	-15.93	24.95	3	Vertical	146	1.99	-	38.63	7.75	33.26
PK	16.7123G	55.64	68.20	-12.56	38.78	3	Vertical	284	1.08	-	39.77	10.36	33.27

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5570MHz\_TnomVnom



EUT\_Z\_4TX  
Setting 69  
02-B-R-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1621G	51.17	74.00	-22.83	38.00	3	Horizontal	8	2.12	-	38.66	7.76	33.25
AV	11.1326G	38.05	54.00	-15.95	24.93	3	Horizontal	8	2.12	-	38.63	7.75	33.26
PK	16.7188G	55.77	68.20	-12.43	38.88	3	Horizontal	94	2.39	-	39.81	10.36	33.28



**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.9702G	32.93	54.00	-21.07	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.9705G	42.95	74.00	-31.05	-3.66	3	Vertical	212	1.31	-	46.61	28.01	3.07	34.74
AV	1.95395G	31.58	54.00	-22.42	-4.03	3	Vertical	212	1.31	"Worst"	35.61	27.68	3.05	34.76

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.9392G	43.15	74.00	-30.85	-4.32	3	Horizontal	167	1.33	-	47.47	27.41	3.04	34.77
AV	1.9702G	32.93	54.00	-21.07	-3.67	3	Horizontal	167	1.33	"Worst"	36.60	28.00	3.07	34.74