


802.11ax HEW20_Nss1,(MCS0)_2TX

05/10/2020

2437MHz_TX




EUT Y_2TX
Setting 87
03-C-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8779G	51.39	74.00	-22.61	46.70	3	Horizontal	55	2.31	-	33.51	6.54	35.36
AV	4.87532G	36.27	54.00	-17.73	31.59	3	Horizontal	55	2.31	-	33.50	6.54	35.36
PK	7.31646G	52.97	74.00	-21.03	43.44	3	Horizontal	180	2.18	-	36.77	8.16	35.40
AV	7.31202G	39.36	54.00	-14.64	29.84	3	Horizontal	180	2.18	-	36.75	8.16	35.39

802.11ax HEW20_Nss1,(MCS0)_2TX
2457MHz_TX

05/10/2020




EUT Y_2TX
Setting 64
03-C-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4538G	115.36	Inf	-Inf	83.06	3	Vertical	251	1.72	-	28.22	4.08	-
AV	2.4612G	101.43	Inf	-Inf	69.07	3	Vertical	251	1.72	-	28.27	4.09	-
PK	2.4836G	73.77	74.00	-0.23	41.24	3	Vertical	251	1.72	-	28.40	4.13	-
AV	2.4836G	48.00	54.00	-6.00	15.47	3	Vertical	251	1.72	-	28.40	4.13	-

802.11ax HEW20_Nss1,(MCS0)_2TX
2457MHz_TX

05/10/2020




EUT Y_2TX
Setting 64
03-C-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4502G	106.30	Inf	-Inf	74.02	3	Horizontal	264	2.28	-	28.20	4.08	-
AV	2.4526G	92.41	Inf	-Inf	60.11	3	Horizontal	264	2.28	-	28.22	4.08	-
PK	2.485G	65.28	74.00	-8.72	32.74	3	Horizontal	264	2.28	-	28.41	4.13	-
AV	2.4876G	45.27	54.00	-8.73	12.71	3	Horizontal	264	2.28	-	28.43	4.13	-

802.11ax HEW20_Nss1,(MCS0)_2TX

05/10/2020

2457MHz_TX




EUT Y_2TX
Setting 64
03-C-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9139G	50.33	74.00	-23.67	45.63	3	Vertical	297	1.87	-	33.54	6.56	35.40
AV	4.91332G	35.52	54.00	-18.48	30.81	3	Vertical	297	1.87	-	33.55	6.56	35.40
PK	7.37195G	53.14	74.00	-20.86	43.50	3	Vertical	26	1.75	-	36.86	8.19	35.41
AV	7.37067G	38.88	54.00	-15.12	29.24	3	Vertical	26	1.75	-	36.86	8.19	35.41

802.11ax HEW20_Nss1,(MCS0)_2TX

05/10/2020

2457MHz_TX




EUT Y_2TX
Setting 64
03-C-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91346G	48.05	74.00	-25.95	43.34	3	Horizontal	186	2.63	-	33.55	6.56	35.40
AV	4.91314G	34.10	54.00	-19.90	29.39	3	Horizontal	186	2.63	-	33.55	6.56	35.40
PK	7.37086G	52.40	74.00	-21.60	42.76	3	Horizontal	19	1.16	-	36.86	8.19	35.41
AV	7.37015G	38.48	54.00	-15.52	28.84	3	Horizontal	19	1.16	-	36.86	8.19	35.41

802.11ax HEW20_Nss1,(MCS0)_2TX
2462MHz_TX

05/10/2020




EUT Y_2TX
Setting 60
03-C-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.455G	114.45	Inf	-Inf	82.14	3	Vertical	248	2.11	-	28.23	4.08	-
AV	2.465G	101.04	Inf	-Inf	68.65	3	Vertical	248	2.11	-	28.29	4.10	-
PK	2.4854G	73.69	74.00	-0.31	41.15	3	Vertical	248	2.11	-	28.41	4.13	-
AV	2.4835G	48.43	54.00	-5.57	15.90	3	Vertical	248	2.11	-	28.40	4.13	-

802.11ax HEW20_Nss1,(MCS0)_2TX

05/10/2020

2462MHz_TX




EUT Y_2TX
Setting 60
03-C-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.459G	105.38	Inf	-Inf	73.04	3	Horizontal	266	2.75	-	28.25	4.09	-
AV	2.4638G	91.24	Inf	-Inf	58.86	3	Horizontal	266	2.75	-	28.28	4.10	-
PK	2.484G	64.50	74.00	-9.50	31.97	3	Horizontal	266	2.75	-	28.40	4.13	-
AV	2.4958G	45.17	54.00	-8.83	12.56	3	Horizontal	266	2.75	-	28.47	4.14	-

802.11ax HEW20_Nss1,(MCS0)_2TX

05/10/2020

2462MHz_TX




EUT Y_2TX
Setting 60
03-C-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92345G	49.27	74.00	-24.73	44.61	3	Vertical	63	2.16	-	33.51	6.56	35.41
AV	4.92372G	35.12	54.00	-18.88	30.46	3	Vertical	63	2.16	-	33.51	6.56	35.41
PK	7.38539G	53.23	74.00	-20.77	43.62	3	Vertical	13	1.79	-	36.83	8.19	35.41
AV	7.38586G	39.24	54.00	-14.76	29.63	3	Vertical	13	1.79	-	36.83	8.19	35.41

802.11ax HEW20_Nss1,(MCS0)_2TX

05/10/2020

2462MHz_TX




EUT Y_2TX
Setting 60
03-C-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92336G	47.45	74.00	-26.55	42.79	3	Horizontal	76	2.30	-	33.51	6.56	35.41
AV	4.92328G	33.77	54.00	-20.23	29.11	3	Horizontal	76	2.30	-	33.51	6.56	35.41
PK	7.38528G	52.78	74.00	-21.22	43.17	3	Horizontal	138	1.75	-	36.83	8.19	35.41
AV	7.38632G	39.05	54.00	-14.95	29.44	3	Horizontal	138	1.75	-	36.83	8.19	35.41

802.11ax HEW40_Nss1,(MCS0)_2TX

05/10/2020

2422MHz_TX




EUT Y_2TX
Setting 64
03-C-W-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3872G	70.47	74.00	-3.53	38.38	3	Vertical	251	1.69	-	28.10	3.99	-
AV	2.39G	53.92	54.00	-0.08	21.82	3	Vertical	251	1.69	-	28.10	4.00	-
PK	2.4276G	112.34	Inf	-Inf	80.14	3	Vertical	251	1.69	-	28.16	4.04	-
AV	2.4276G	100.30	Inf	-Inf	68.10	3	Vertical	251	1.69	-	28.16	4.04	-
PK	2.4852G	60.01	74.00	-13.99	27.47	3	Vertical	251	1.69	-	28.41	4.13	-
AV	2.4848G	47.88	54.00	-6.12	15.34	3	Vertical	251	1.69	-	28.41	4.13	-

802.11ax HEW40_Nss1,(MCS0)_2TX

05/10/2020

2422MHz_TX




EUT Y_2TX
Setting 64
03-C-W-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3888G	60.01	74.00	-13.99	27.92	3	Horizontal	265	2.61	-	28.10	3.99	-
AV	2.3888G	47.70	54.00	-6.30	15.61	3	Horizontal	265	2.61	-	28.10	3.99	-
PK	2.4188G	103.42	Inf	-Inf	71.25	3	Horizontal	265	2.61	-	28.14	4.03	-
AV	2.4164G	90.66	Inf	-Inf	58.51	3	Horizontal	265	2.61	-	28.13	4.02	-
PK	2.4968G	57.22	74.00	-16.78	24.59	3	Horizontal	265	2.61	-	28.48	4.15	-
AV	2.486G	46.12	54.00	-7.88	13.57	3	Horizontal	265	2.61	-	28.42	4.13	-

802.11ax HEW40_Nss1,(MCS0)_2TX

05/10/2020

2422MHz_TX




EUT Y_2TX
Setting 64
03-C-W-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8455G	49.17	74.00	-24.83	44.60	3	Vertical	95	2.46	-	33.38	6.52	35.33
AV	4.8587G	37.62	54.00	-16.38	33.00	3	Vertical	95	2.46	-	33.43	6.53	35.34
PK	7.27362G	51.84	74.00	-22.16	42.50	3	Vertical	324	1.32	-	36.59	8.14	35.39
AV	7.25586G	39.48	54.00	-14.52	30.21	3	Vertical	324	1.32	-	36.52	8.13	35.38

802.11ax HEW40_Nss1,(MCS0)_2TX

05/10/2020

2422MHz_TX




EUT Y_2TX
Setting 64
03-C-W-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8407G	48.22	74.00	-25.78	43.66	3	Horizontal	54	2.15	-	33.36	6.52	35.32
AV	4.85414G	35.93	54.00	-18.07	31.32	3	Horizontal	54	2.15	-	33.42	6.53	35.34
PK	7.25616G	51.94	74.00	-22.06	42.67	3	Horizontal	164	1.99	-	36.52	8.13	35.38
AV	7.2561G	39.70	54.00	-14.30	30.43	3	Horizontal	164	1.99	-	36.52	8.13	35.38

802.11ax HEW40_Nss1,(MCS0)_2TX
2427MHz_TX

05/10/2020




EUT Y_2TX
Setting 65
03-C-W-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	69.27	74.00	-4.73	37.18	3	Vertical	254	2.14	-	28.10	3.99	-
AV	2.3886G	53.94	54.00	-0.06	21.85	3	Vertical	254	2.14	-	28.10	3.99	-
PK	2.4238G	113.44	Inf	-Inf	81.25	3	Vertical	254	2.14	-	28.15	4.04	-
AV	2.4214G	100.73	Inf	-Inf	68.56	3	Vertical	254	2.14	-	28.14	4.03	-
PK	2.4842G	64.50	74.00	-9.50	31.96	3	Vertical	254	2.14	-	28.41	4.13	-
AV	2.4866G	48.90	54.00	-5.10	16.35	3	Vertical	254	2.14	-	28.42	4.13	-

802.11ax HEW40_Nss1,(MCS0)_2TX
2427MHz_TX

05/10/2020




EUT Y_2TX
Setting 65
03-C-W-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3874G	59.73	74.00	-14.27	27.64	3	Horizontal	261	2.54	-	28.10	3.99	-
AV	2.3898G	47.87	54.00	-6.13	15.78	3	Horizontal	261	2.54	-	28.10	3.99	-
PK	2.4326G	103.17	Inf	-Inf	70.95	3	Horizontal	261	2.54	-	28.17	4.05	-
AV	2.4326G	91.36	Inf	-Inf	59.14	3	Horizontal	261	2.54	-	28.17	4.05	-
PK	2.4854G	58.34	74.00	-15.66	25.80	3	Horizontal	261	2.54	-	28.41	4.13	-
AV	2.4882G	46.08	54.00	-7.92	13.52	3	Horizontal	261	2.54	-	28.43	4.13	-

802.11ax HEW40_Nss1,(MCS0)_2TX
2427MHz_TX

05/10/2020




EUT Y_2TX
Setting 65
03-C-W-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84296G	48.80	74.00	-25.20	44.23	3	Vertical	350	1.16	-	33.37	6.52	35.32
AV	4.85048G	36.93	54.00	-17.07	32.33	3	Vertical	350	1.16	-	33.40	6.53	35.33
PK	7.28164G	52.97	74.00	-21.03	43.59	3	Vertical	169	1.97	-	36.63	8.14	35.39
AV	7.29716G	40.20	54.00	-13.80	30.75	3	Vertical	169	1.97	-	36.69	8.15	35.39

802.11ax HEW40_Nss1,(MCS0)_2TX

05/10/2020

2427MHz_TX




EUT Y_2TX
Setting 65
03-C-W-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84504G	48.11	74.00	-25.89	43.54	3	Horizontal	100	2.14	-	33.38	6.52	35.33
AV	4.84424G	36.03	54.00	-17.97	31.45	3	Horizontal	100	2.14	-	33.38	6.52	35.32
PK	7.29892G	52.45	74.00	-21.55	42.99	3	Horizontal	273	1.05	-	36.70	8.15	35.39
AV	7.295G	39.48	54.00	-14.52	30.04	3	Horizontal	273	1.05	-	36.68	8.15	35.39

802.11ax HEW40_Nss1,(MCS0)_2TX

05/10/2020

2437MHz_TX




EUT Y_2TX
Setting 74
03-C-W-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	72.93	74.00	-1.07	40.84	3	Vertical	302	1.90	-	28.10	3.99	-
AV	2.3886G	53.97	54.00	-0.03	21.88	3	Vertical	302	1.90	-	28.10	3.99	-
PK	2.4338G	114.75	Inf	-Inf	82.53	3	Vertical	302	1.90	-	28.17	4.05	-
AV	2.4314G	102.39	Inf	-Inf	70.18	3	Vertical	302	1.90	-	28.16	4.05	-
PK	2.4838G	71.58	74.00	-2.42	39.05	3	Vertical	302	1.90	-	28.40	4.13	-
AV	2.4842G	53.47	54.00	-0.53	20.93	3	Vertical	302	1.90	-	28.41	4.13	-

802.11ax HEW40_Nss1,(MCS0)_2TX

05/10/2020

2437MHz_TX




EUT Y_2TX
Setting 74
03-C-W-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3862G	62.01	74.00	-11.99	29.92	3	Horizontal	270	2.34	-	28.10	3.99	-
AV	2.3886G	48.34	54.00	-5.66	16.25	3	Horizontal	270	2.34	-	28.10	3.99	-
PK	2.4338G	105.80	Inf	-Inf	73.58	3	Horizontal	270	2.34	-	28.17	4.05	-
AV	2.4314G	93.14	Inf	-Inf	60.93	3	Horizontal	270	2.34	-	28.16	4.05	-
PK	2.4838G	63.96	74.00	-10.04	31.43	3	Horizontal	270	2.34	-	28.40	4.13	-
AV	2.4838G	47.85	54.00	-6.15	15.32	3	Horizontal	270	2.34	-	28.40	4.13	-

802.11ax HEW40_Nss1,(MCS0)_2TX

05/10/2020

2437MHz_TX




EUT Y_2TX
Setting 74
03-C-W-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8603G	49.02	74.00	-24.98	44.39	3	Vertical	150	1.69	-	33.44	6.53	35.34
AV	4.8796G	38.14	54.00	-15.86	33.44	3	Vertical	150	1.69	-	33.52	6.54	35.36
PK	7.312G	54.47	74.00	-19.53	44.95	3	Vertical	323	1.50	-	36.75	8.16	35.39
AV	7.3114G	41.81	54.00	-12.19	32.29	3	Vertical	323	1.50	-	36.75	8.16	35.39

802.11ax HEW40_Nss1,(MCS0)_2TX
2437MHz_TX

05/10/2020




EUT Y_2TX
Setting 74
03-C-W-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8668G	48.07	74.00	-25.93	43.42	3	Horizontal	360	3.00	-	33.47	6.53	35.35
AV	4.85G	35.79	54.00	-18.21	31.19	3	Horizontal	360	3.00	-	33.40	6.53	35.33
PK	7.3014G	54.87	74.00	-19.13	45.40	3	Horizontal	256	2.85	-	36.71	8.15	35.39
AV	7.3112G	42.26	54.00	-11.74	32.75	3	Horizontal	256	2.85	-	36.74	8.16	35.39

802.11ax HEW40_Nss1,(MCS0)_2TX
2447MHz_TX

05/10/2020



Legend for the spectrum plot:

- Lim.PK: Red line with a peak icon
- PK: Blue line with a peak icon
- Lim.AV: Pink line with a peak icon
- AV: Green line with a peak icon


EUT Y_2TX
Setting 69
03-C-W-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3822G	63.01	74.00	-10.99	30.92	3	Vertical	254	2.10	-	28.10	3.99	-
AV	2.3894G	48.95	54.00	-5.05	16.86	3	Vertical	254	2.10	-	28.10	3.99	-
PK	2.4526G	113.32	Inf	-Inf	81.02	3	Vertical	254	2.10	-	28.22	4.08	-
AV	2.4526G	101.47	Inf	-Inf	69.17	3	Vertical	254	2.10	-	28.22	4.08	-
PK	2.4902G	73.98	74.00	-0.02	41.40	3	Vertical	254	2.10	-	28.44	4.14	-
AV	2.4838G	53.92	54.00	-0.08	21.39	3	Vertical	254	2.10	-	28.40	4.13	-

802.11ax HEW40_Nss1,(MCS0)_2TX

05/10/2020

2447MHz_TX




EUT Y_2TX
Setting 69
03-C-W-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3722G	58.02	74.00	-15.98	25.93	3	Horizontal	263	2.24	-	28.10	3.99	-
AV	2.3806G	46.22	54.00	-7.78	14.13	3	Horizontal	263	2.24	-	28.10	3.99	-
PK	2.4438G	104.97	Inf	-Inf	72.71	3	Horizontal	263	2.24	-	28.19	4.07	-
AV	2.4438G	91.89	Inf	-Inf	59.63	3	Horizontal	263	2.24	-	28.19	4.07	-
PK	2.489G	63.65	74.00	-10.35	31.09	3	Horizontal	263	2.24	-	28.43	4.13	-
AV	2.4842G	47.51	54.00	-6.49	14.97	3	Horizontal	263	2.24	-	28.41	4.13	-

802.11ax HEW40_Nss1,(MCS0)_2TX

05/10/2020

2447MHz_TX




EUT Y_2TX
Setting 69
03-C-W-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.88152G	48.15	74.00	-25.85	43.44	3	Vertical	346	1.95	-	33.53	6.54	35.36
AV	4.90216G	36.11	54.00	-17.89	31.36	3	Vertical	346	1.95	-	33.59	6.55	35.39
PK	7.32668G	51.77	74.00	-22.23	42.20	3	Vertical	180	2.15	-	36.81	8.16	35.40
AV	7.32404G	39.61	54.00	-14.39	30.05	3	Vertical	180	2.15	-	36.80	8.16	35.40

802.11ax HEW40_Nss1,(MCS0)_2TX

05/10/2020

2447MHz_TX




EUT Y_2TX
Setting 69
03-C-W-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.88288G	47.89	74.00	-26.11	43.19	3	Horizontal	151	1.29	-	33.53	6.54	35.37
AV	4.89248G	35.21	54.00	-18.79	30.47	3	Horizontal	151	1.29	-	33.57	6.55	35.38
PK	7.321G	53.02	74.00	-20.98	43.48	3	Horizontal	239	2.38	-	36.78	8.16	35.40
AV	7.32892G	39.83	54.00	-14.17	30.25	3	Horizontal	239	2.38	-	36.82	8.16	35.40

802.11ax HEW40_Nss1,(MCS0)_2TX
2452MHz_TX

05/10/2020




EUT Y_2TX
Setting 66
03-C-W-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	60.29	74.00	-13.71	28.19	3	Vertical	249	2.16	-	28.10	4.00	-
AV	2.39G	48.36	54.00	-5.64	16.26	3	Vertical	249	2.16	-	28.10	4.00	-
PK	2.4572G	112.68	Inf	-Inf	80.35	3	Vertical	249	2.16	-	28.24	4.09	-
AV	2.4452G	100.48	Inf	-Inf	68.22	3	Vertical	249	2.16	-	28.19	4.07	-
PK	2.484G	71.26	74.00	-2.74	38.73	3	Vertical	249	2.16	-	28.40	4.13	-
AV	2.4835G	53.94	54.00	-0.06	21.41	3	Vertical	249	2.16	-	28.40	4.13	-

802.11ax HEW40_Nss1,(MCS0)_2TX

05/10/2020

2452MHz_TX




EUT Y_2TX
Setting 66
03-C-W-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3568G	57.21	74.00	-16.79	25.13	3	Horizontal	268	2.26	-	28.10	3.98	-
AV	2.3704G	45.86	54.00	-8.14	13.77	3	Horizontal	268	2.26	-	28.10	3.99	-
PK	2.4488G	104.22	Inf	-Inf	71.95	3	Horizontal	268	2.26	-	28.20	4.07	-
AV	2.4464G	91.39	Inf	-Inf	59.13	3	Horizontal	268	2.26	-	28.19	4.07	-
PK	2.4912G	61.92	74.00	-12.08	29.33	3	Horizontal	268	2.26	-	28.45	4.14	-
AV	2.4852G	47.62	54.00	-6.38	15.08	3	Horizontal	268	2.26	-	28.41	4.13	-

802.11ax HEW40_Nss1,(MCS0)_2TX
2452MHz_TX

05/10/2020




EUT Y_2TX
Setting 66
03-C-W-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9275G	48.17	74.00	-25.83	43.53	3	Vertical	220	1.25	-	33.49	6.56	35.41
AV	4.8852G	36.16	54.00	-17.84	31.45	3	Vertical	220	1.25	-	33.54	6.54	35.37
PK	7.3704G	52.71	74.00	-21.29	43.07	3	Vertical	318	1.80	-	36.86	8.19	35.41
AV	7.3745G	40.31	54.00	-13.69	30.68	3	Vertical	318	1.80	-	36.85	8.19	35.41

802.11ax HEW40_Nss1,(MCS0)_2TX
2452MHz_TX

05/10/2020



EUT Y_2TX
Setting 66
03-C-W-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9281G	47.96	74.00	-26.04	43.32	3	Horizontal	254	1.80	-	33.49	6.56	35.41
AV	4.884G	35.50	54.00	-18.50	30.79	3	Horizontal	254	1.80	-	33.54	6.54	35.37
PK	7.3795G	53.98	74.00	-20.02	44.36	3	Horizontal	194	1.80	-	36.84	8.19	35.41
AV	7.3705G	40.49	54.00	-13.51	30.85	3	Horizontal	194	1.80	-	36.86	8.19	35.41




Test Mode: Mode 2
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
VHT20-BF_Nss1,(MCS0)_2TX	Pass	PK	2.4846G	73.95	74.00	-0.05	3	Vertical	252	1.31	-

VHT20-BF_Nss1,(MCS0)_2TX
2412MHz_TX

07/10/2020




EUT Y_2TX
Setting 73
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	73.78	74.00	-0.22	43.10	3	Vertical	253	1.80	-	28.27	2.41	-
AV	2.39G	52.10	54.00	-1.90	21.43	3	Vertical	253	1.80	-	28.27	2.40	-
PK	2.4176G	114.83	Inf	-Inf	84.07	3	Vertical	253	1.80	-	28.35	2.41	-
AV	2.4162G	104.64	Inf	-Inf	73.88	3	Vertical	253	1.80	-	28.35	2.41	-

VHT20-BF_Nss1,(MCS0)_2TX
2412MHz_TX

07/10/2020




EUT Y_2TX
Setting 73
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3862G	65.35	74.00	-8.65	34.68	3	Horizontal	133	1.94	-	28.26	2.41	-
AV	2.3894G	45.63	54.00	-8.37	14.95	3	Horizontal	133	1.94	-	28.27	2.41	-
PK	2.4152G	105.38	Inf	-Inf	74.62	3	Horizontal	133	1.94	-	28.35	2.41	-
AV	2.4154G	94.58	Inf	-Inf	63.82	3	Horizontal	133	1.94	-	28.35	2.41	-

VHT20-BF_Nss1,(MCS0)_2TX

07/10/2020

2412MHz_TX




EUT Y_2TX
Setting 73
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8267G	49.03	74.00	-24.97	43.20	3	Vertical	20	1.80	-	32.91	4.70	31.78
AV	4.8237G	34.96	54.00	-19.04	29.15	3	Vertical	20	1.80	-	32.89	4.70	31.78

VHT20-BF_Nss1,(MCS0)_2TX

07/10/2020

2412MHz_TX




EUT Y_2TX
Setting 73
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8247G	44.90	74.00	-29.10	39.08	3	Horizontal	82	1.80	-	32.90	4.70	31.78
AV	4.8221G	31.94	54.00	-22.06	26.13	3	Horizontal	82	1.80	-	32.89	4.70	31.78

VHT20-BF_Nss1,(MCS0)_2TX
2417MHz_TX

07/10/2020




EUT Y_2TX
Setting B3
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	72.04	74.00	-1.96	41.36	3	Vertical	255	1.84	-	28.27	2.41	-
AV	2.3872G	53.80	54.00	-0.20	23.13	3	Vertical	255	1.84	-	28.26	2.41	-
PK	2.418G	117.82	Inf	-Inf	87.06	3	Vertical	255	1.84	-	28.35	2.41	-
AV	2.4186G	107.47	Inf	-Inf	76.70	3	Vertical	255	1.84	-	28.36	2.41	-

VHT20-BF_Nss1,(MCS0)_2TX
2417MHz_TX

07/10/2020




EUT Y_2TX
Setting B3
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	64.41	74.00	-9.59	33.73	3	Horizontal	100	1.60	-	28.27	2.41	-
AV	2.3892G	46.48	54.00	-7.52	15.80	3	Horizontal	100	1.60	-	28.27	2.41	-
PK	2.4232G	108.25	Inf	-Inf	77.47	3	Horizontal	100	1.60	-	28.37	2.41	-
AV	2.4244G	98.33	Inf	-Inf	67.55	3	Horizontal	100	1.60	-	28.37	2.41	-

VHT20-BF_Nss1,(MCS0)_2TX

07/10/2020

2417MHz_TX




EUT Y_2TX
Setting 83
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8319G	50.52	74.00	-23.48	44.67	3	Vertical	33	1.80	-	32.93	4.70	31.78
AV	4.8321G	36.75	54.00	-17.25	30.90	3	Vertical	33	1.80	-	32.93	4.70	31.78
PK	7.25014G	59.45	74.00	-14.55	49.98	3	Vertical	61	1.64	-	36.15	5.73	32.41
AV	7.25022G	43.82	54.00	-10.18	34.35	3	Vertical	61	1.64	-	36.15	5.73	32.41

VHT20-BF_Nss1,(MCS0)_2TX

07/10/2020

2417MHz_TX




EUT Y_2TX
Setting 83
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8379G	45.33	74.00	-28.67	39.47	3	Horizontal	360	2.46	-	32.95	4.70	31.79
AV	4.8326G	32.21	54.00	-21.79	26.36	3	Horizontal	360	2.46	-	32.93	4.70	31.78
PK	7.25104G	54.63	74.00	-19.37	45.15	3	Horizontal	56	2.52	-	36.16	5.73	32.41
AV	7.25118G	39.36	54.00	-14.64	29.88	3	Horizontal	56	2.52	-	36.16	5.73	32.41

VHT20-BF_Nss1,(MCS0)_2TX

07/10/2020

2437MHz_TX




EUT Y_2TX
Setting 89
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	69.08	74.00	-4.92	38.40	3	Vertical	241	2.23	-	28.27	2.41	-
AV	2.3898G	53.50	54.00	-0.50	22.82	3	Vertical	241	2.23	-	28.27	2.41	-
PK	2.4378G	120.37	Inf	-Inf	89.54	3	Vertical	241	2.23	-	28.41	2.42	-
AV	2.4386G	110.01	Inf	-Inf	79.17	3	Vertical	241	2.23	-	28.42	2.42	-
PK	2.4866G	73.86	74.00	-0.14	42.86	3	Vertical	241	2.23	-	28.56	2.44	-
AV	2.4835G	52.94	54.00	-1.06	21.95	3	Vertical	241	2.23	-	28.55	2.44	-

VHT20-BF_Nss1,(MCS0)_2TX

07/10/2020

2437MHz_TX




EUT Y_2TX
Setting 89
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	61.21	74.00	-12.79	30.53	3	Horizontal	96	1.33	-	28.27	2.41	-
AV	2.3894G	46.56	54.00	-7.44	15.88	3	Horizontal	96	1.33	-	28.27	2.41	-
PK	2.433G	110.49	Inf	-Inf	79.67	3	Horizontal	96	1.33	-	28.40	2.42	-
AV	2.4342G	100.53	Inf	-Inf	69.71	3	Horizontal	96	1.33	-	28.40	2.42	-
PK	2.4835G	64.15	74.00	-9.85	33.16	3	Horizontal	96	1.33	-	28.55	2.44	-
AV	2.4835G	47.16	54.00	-6.84	16.17	3	Horizontal	96	1.33	-	28.55	2.44	-

VHT20-BF_Nss1,(MCS0)_2TX

07/10/2020

2437MHz_TX




EUT Y_2TX
Setting 89
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8723G	55.38	74.00	-18.62	49.39	3	Vertical	54	2.49	-	33.09	4.70	31.80
AV	4.8741G	39.80	54.00	-14.20	33.80	3	Vertical	54	2.49	-	33.10	4.70	31.80
PK	7.3106G	59.21	74.00	-14.79	49.48	3	Vertical	337	1.75	-	36.40	5.76	32.43
AV	7.31G	45.25	54.00	-8.75	35.53	3	Vertical	337	1.75	-	36.40	5.75	32.43

VHT20-BF_Nss1,(MCS0)_2TX

07/10/2020

2437MHz_TX




EUT Y_2TX
Setting 89
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8722G	48.51	74.00	-25.49	42.52	3	Horizontal	344	1.78	-	33.09	4.70	31.80
AV	4.8742G	34.01	54.00	-19.99	28.01	3	Horizontal	344	1.78	-	33.10	4.70	31.80
PK	7.2934G	52.10	74.00	-21.90	42.41	3	Horizontal	120	1.45	-	36.37	5.75	32.43
AV	7.294G	38.87	54.00	-15.13	29.18	3	Horizontal	120	1.45	-	36.37	5.75	32.43

VHT20-BF_Nss1,(MCS0)_2TX

07/10/2020

2457MHz_TX








EUT Y_2TX
Setting 73
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4606G	115.32	Inf	-Inf	84.41	3	Vertical	253	1.82	-	28.48	2.43	-
AV	2.4582G	105.18	Inf	-Inf	74.28	3	Vertical	253	1.82	-	28.47	2.43	-
PK	2.4842G	73.89	74.00	-0.11	42.90	3	Vertical	253	1.82	-	28.55	2.44	-
AV	2.4835G	50.95	54.00	-3.05	19.96	3	Vertical	253	1.82	-	28.55	2.44	-

VHT20-BF_Nss1,(MCS0)_2TX
2457MHz_TX

07/10/2020



Lim.PK 
 PK 
 Lim.AV 
 AV 


EUT Y_2TX
Setting 73
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4608G	108.25	Inf	-Inf	77.34	3	Horizontal	94	1.44	-	28.48	2.43	-
AV	2.4584G	96.83	Inf	-Inf	65.92	3	Horizontal	94	1.44	-	28.48	2.43	-
PK	2.484G	63.24	74.00	-10.76	32.25	3	Horizontal	94	1.44	-	28.55	2.44	-
AV	2.4836G	45.37	54.00	-8.63	14.38	3	Horizontal	94	1.44	-	28.55	2.44	-

VHT20-BF_Nss1,(MCS0)_2TX

07/10/2020

2457MHz_TX




EUT Y_2TX
Setting 73
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9116G	46.70	74.00	-27.30	40.60	3	Vertical	8	1.84	-	33.21	4.70	31.81
AV	4.905G	32.81	54.00	-21.19	26.71	3	Vertical	8	1.84	-	33.21	4.70	31.81
PK	7.3683G	52.14	74.00	-21.86	42.41	3	Vertical	337	1.46	-	36.40	5.78	32.45
AV	7.3647G	37.66	54.00	-16.34	27.93	3	Vertical	337	1.46	-	36.40	5.78	32.45

VHT20-BF_Nss1,(MCS0)_2TX

07/10/2020

2457MHz_TX




EUT Y_2TX
Setting 73
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9035G	44.49	74.00	-29.51	38.40	3	Horizontal	95	1.76	-	33.20	4.70	31.81
AV	4.8946G	31.42	54.00	-22.58	25.35	3	Horizontal	95	1.76	-	33.18	4.70	31.81
PK	7.3634G	48.50	74.00	-25.50	38.77	3	Horizontal	326	2.04	-	36.40	5.78	32.45
AV	7.3533G	35.64	54.00	-18.36	25.91	3	Horizontal	326	2.04	-	36.40	5.78	32.45

VHT20-BF_Nss1,(MCS0)_2TX
2462MHz_TX

07/10/2020




EUT Y_2TX
Setting 68
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.47G	113.42	Inf	-Inf	82.47	3	Vertical	252	1.31	-	28.51	2.44	-
AV	2.4702G	103.62	Inf	-Inf	72.67	3	Vertical	252	1.31	-	28.51	2.44	-
PK	2.4846G	73.95	74.00	-0.05	42.96	3	Vertical	252	1.31	-	28.55	2.44	-
AV	2.4842G	52.75	54.00	-1.25	21.76	3	Vertical	252	1.31	-	28.55	2.44	-

VHT20-BF_Nss1,(MCS0)_2TX

07/10/2020

2462MHz_TX




EUT Y_2TX
Setting 68
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4702G	105.04	Inf	-Inf	74.09	3	Horizontal	356	2.86	-	28.51	2.44	-
AV	2.4704G	95.76	Inf	-Inf	64.81	3	Horizontal	356	2.86	-	28.51	2.44	-
PK	2.4842G	64.58	74.00	-9.42	33.59	3	Horizontal	356	2.86	-	28.55	2.44	-
AV	2.4836G	46.82	54.00	-7.18	15.83	3	Horizontal	356	2.86	-	28.55	2.44	-

VHT20-BF_Nss1,(MCS0)_2TX

07/10/2020

2462MHz_TX




EUT Y_2TX
Setting 68
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9224G	46.42	74.00	-27.58	40.32	3	Vertical	210	1.82	-	33.22	4.70	31.82
AV	4.9232G	32.96	54.00	-21.04	26.86	3	Vertical	210	1.82	-	33.22	4.70	31.82
PK	7.3694G	49.66	74.00	-24.34	39.93	3	Vertical	15	1.50	-	36.40	5.78	32.45
AV	7.3727G	37.30	54.00	-16.70	27.56	3	Vertical	15	1.50	-	36.40	5.79	32.45

VHT20-BF_Nss1,(MCS0)_2TX

07/10/2020

2462MHz_TX




EUT Y_2TX
Setting 68
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9185G	45.14	74.00	-28.86	39.04	3	Horizontal	167	1.16	-	33.22	4.70	31.82
AV	4.925G	31.64	54.00	-22.36	25.53	3	Horizontal	167	1.16	-	33.23	4.70	31.82
PK	7.3835G	49.15	74.00	-24.85	39.42	3	Horizontal	272	2.95	-	36.40	5.79	32.46
AV	7.3847G	35.81	54.00	-18.19	26.08	3	Horizontal	272	2.95	-	36.40	5.79	32.46

VHT40-BF_Nss1,(MCS0)_2TX

07/10/2020

2422MHz_TX




EUT Y_2TX
Setting 65
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	73.78	74.00	-0.22	43.11	3	Vertical	251	2.24	-	28.27	2.40	-
AV	2.39G	53.26	54.00	-0.74	22.59	3	Vertical	251	2.24	-	28.27	2.40	-
PK	2.4308G	113.25	Inf	-Inf	82.44	3	Vertical	251	2.24	-	28.39	2.42	-
AV	2.4368G	100.51	Inf	-Inf	69.68	3	Vertical	251	2.24	-	28.41	2.42	-
PK	2.4872G	59.37	74.00	-14.63	28.37	3	Vertical	251	2.24	-	28.56	2.44	-
AV	2.4848G	46.32	54.00	-7.68	15.33	3	Vertical	251	2.24	-	28.55	2.44	-

VHT40-BF_Nss1,(MCS0)_2TX
2422MHz_TX

07/10/2020




EUT Y_2TX
Setting 65
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3848G	62.36	74.00	-11.64	31.70	3	Horizontal	95	1.33	-	28.25	2.41	-
AV	2.3896G	48.27	54.00	-5.73	17.59	3	Horizontal	95	1.33	-	28.27	2.41	-
PK	2.4304G	102.94	Inf	-Inf	72.13	3	Horizontal	95	1.33	-	28.39	2.42	-
AV	2.428G	91.69	Inf	-Inf	60.90	3	Horizontal	95	1.33	-	28.38	2.41	-
PK	2.4835G	56.30	74.00	-17.70	25.31	3	Horizontal	95	1.33	-	28.55	2.44	-
AV	2.4835G	44.14	54.00	-9.86	13.15	3	Horizontal	95	1.33	-	28.55	2.44	-

VHT40-BF_Nss1,(MCS0)_2TX

07/10/2020

2422MHz_TX




EUT Y_2TX
Setting 65
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84386G	45.78	74.00	-28.22	39.89	3	Vertical	91	1.07	-	32.98	4.70	31.79
AV	4.84328G	31.31	54.00	-22.69	25.43	3	Vertical	91	1.07	-	32.97	4.70	31.79
PK	7.26687G	49.53	74.00	-24.47	39.98	3	Vertical	345	1.04	-	36.23	5.73	32.41
AV	7.26594G	35.82	54.00	-18.18	26.27	3	Vertical	345	1.04	-	36.23	5.73	32.41

VHT40-BF_Nss1,(MCS0)_2TX

07/10/2020

2422MHz_TX




EUT Y_2TX
Setting 65
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84323G	45.01	74.00	-28.99	39.13	3	Horizontal	132	2.80	-	32.97	4.70	31.79
AV	4.8442G	30.95	54.00	-23.05	25.06	3	Horizontal	132	2.80	-	32.98	4.70	31.79
PK	7.26582G	48.49	74.00	-25.51	38.94	3	Horizontal	32	1.97	-	36.23	5.73	32.41
AV	7.2661G	35.09	54.00	-18.91	25.54	3	Horizontal	32	1.97	-	36.23	5.73	32.41

VHT40-BF_Nss1,(MCS0)_2TX
2427MHz_TX

07/10/2020




EUT Y_2TX
Setting 69
02-E-J-7





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3834G	70.42	74.00	-3.58	39.76	3	Vertical	244	1.80	-	28.25	2.41	-
AV	2.3898G	53.79	54.00	-0.21	23.11	3	Vertical	244	1.80	-	28.27	2.41	-
PK	2.4306G	113.84	Inf	-Inf	83.03	3	Vertical	244	1.80	-	28.39	2.42	-
AV	2.4298G	101.56	Inf	-Inf	70.76	3	Vertical	244	1.80	-	28.39	2.41	-
PK	2.4835G	67.36	74.00	-6.64	36.37	3	Vertical	244	1.80	-	28.55	2.44	-
AV	2.4842G	48.03	54.00	-5.97	17.04	3	Vertical	244	1.80	-	28.55	2.44	-

VHT40-BF_Nss1,(MCS0)_2TX
2427MHz_TX

07/10/2020



Legend for the spectrum plot:

- Lim.PK 
- PK 
- Lim.AV 
- AV 


EUT Y_2TX
Setting 69
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	61.39	74.00	-12.61	30.71	3	Horizontal	100	1.54	-	28.27	2.41	-
AV	2.3898G	46.43	54.00	-7.57	15.75	3	Horizontal	100	1.54	-	28.27	2.41	-
PK	2.4402G	105.05	Inf	-Inf	74.21	3	Horizontal	100	1.54	-	28.42	2.42	-
AV	2.4306G	92.60	Inf	-Inf	61.79	3	Horizontal	100	1.54	-	28.39	2.42	-
PK	2.4842G	58.14	74.00	-15.86	27.15	3	Horizontal	100	1.54	-	28.55	2.44	-
AV	2.4835G	44.56	54.00	-9.44	13.57	3	Horizontal	100	1.54	-	28.55	2.44	-

VHT40-BF_Nss1,(MCS0)_2TX

07/10/2020

2427MHz_TX




EUT Y_2TX
Setting 69
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8543G	45.91	74.00	-28.09	39.98	3	Vertical	260	2.51	-	33.02	4.70	31.79
AV	4.85405G	31.34	54.00	-22.66	25.41	3	Vertical	260	2.51	-	33.02	4.70	31.79
PK	7.2812G	49.67	74.00	-24.33	40.04	3	Vertical	301	2.99	-	36.31	5.74	32.42
AV	7.2816G	36.41	54.00	-17.59	26.78	3	Vertical	301	2.99	-	36.31	5.74	32.42

VHT40-BF_Nss1,(MCS0)_2TX

07/10/2020

2427MHz_TX








EUT Y_2TX
Setting 69
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8538G	43.96	74.00	-30.04	38.03	3	Horizontal	28	1.77	-	33.02	4.70	31.79
AV	4.853G	30.96	54.00	-23.04	25.04	3	Horizontal	28	1.77	-	33.01	4.70	31.79
PK	7.3022G	48.28	74.00	-25.72	38.56	3	Horizontal	199	2.85	-	36.40	5.75	32.43
AV	7.29G	35.56	54.00	-18.44	25.88	3	Horizontal	199	2.85	-	36.35	5.75	32.42

VHT40-BF_Nss1,(MCS0)_2TX
2437MHz_TX

07/10/2020



Lim.PK 
 PK 
 Lim.AV 
 AV 


EUT Y_2TX
Setting 75
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	72.17	74.00	-1.83	41.49	3	Vertical	223	1.80	-	28.27	2.41	-
AV	2.3898G	52.62	54.00	-1.38	21.94	3	Vertical	223	1.80	-	28.27	2.41	-
PK	2.4442G	114.17	Inf	-Inf	83.32	3	Vertical	223	1.80	-	28.43	2.42	-
AV	2.439G	102.20	Inf	-Inf	71.36	3	Vertical	223	1.80	-	28.42	2.42	-
PK	2.4842G	73.41	74.00	-0.59	42.42	3	Vertical	223	1.80	-	28.55	2.44	-
AV	2.4835G	51.73	54.00	-2.27	20.74	3	Vertical	223	1.80	-	28.55	2.44	-

VHT40-BF_Nss1,(MCS0)_2TX

07/10/2020

2437MHz_TX




EUT Y_2TX
Setting 75
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	64.42	74.00	-9.58	33.74	3	Horizontal	96	1.55	-	28.27	2.41	-
AV	2.3898G	45.93	54.00	-8.07	15.25	3	Horizontal	96	1.55	-	28.27	2.41	-
PK	2.4398G	105.85	Inf	-Inf	75.01	3	Horizontal	96	1.55	-	28.42	2.42	-
AV	2.4482G	94.60	Inf	-Inf	63.74	3	Horizontal	96	1.55	-	28.44	2.42	-
PK	2.4838G	66.45	74.00	-7.55	35.46	3	Horizontal	96	1.55	-	28.55	2.44	-
AV	2.4842G	46.33	54.00	-7.67	15.34	3	Horizontal	96	1.55	-	28.55	2.44	-

VHT40-BF_Nss1,(MCS0)_2TX

07/10/2020

2437MHz_TX




EUT Y_2TX
Setting 75
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8927G	47.70	74.00	-26.30	41.64	3	Vertical	82	1.68	-	33.17	4.70	31.81
AV	4.8882G	33.57	54.00	-20.43	27.53	3	Vertical	82	1.68	-	33.15	4.70	31.81
PK	7.3358G	53.59	74.00	-20.41	43.86	3	Vertical	331	1.80	-	36.40	5.77	32.44
AV	7.3134G	38.06	54.00	-15.94	28.33	3	Vertical	331	1.80	-	36.40	5.76	32.43

VHT40-BF_Nss1,(MCS0)_2TX

07/10/2020

2437MHz_TX




EUT Y_2TX
Setting 75
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8773G	45.49	74.00	-28.51	39.48	3	Horizontal	49	1.81	-	33.11	4.70	31.80
AV	4.8824G	31.99	54.00	-22.01	25.96	3	Horizontal	49	1.81	-	33.13	4.70	31.80
PK	7.3069G	51.80	74.00	-22.20	42.08	3	Horizontal	274	2.88	-	36.40	5.75	32.43
AV	7.3111G	37.51	54.00	-16.49	27.78	3	Horizontal	274	2.88	-	36.40	5.76	32.43

VHT40-BF_Nss1,(MCS0)_2TX

07/10/2020

2447MHz_TX




EUT Y_2TX
Setting 69
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	59.74	74.00	-14.26	29.06	3	Vertical	241	2.21	-	28.27	2.41	-
AV	2.3894G	46.80	54.00	-7.20	16.12	3	Vertical	241	2.21	-	28.27	2.41	-
PK	2.4494G	113.54	Inf	-Inf	82.67	3	Vertical	241	2.21	-	28.45	2.42	-
AV	2.4506G	102.25	Inf	-Inf	71.37	3	Vertical	241	2.21	-	28.45	2.43	-
PK	2.4882G	73.75	74.00	-0.25	42.75	3	Vertical	241	2.21	-	28.56	2.44	-
AV	2.4842G	52.48	54.00	-1.52	21.49	3	Vertical	241	2.21	-	28.55	2.44	-

VHT40-BF_Nss1,(MCS0)_2TX
2447MHz_TX

07/10/2020




EUT Y_2TX
Setting 69
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3802G	56.20	74.00	-17.80	25.55	3	Horizontal	90	1.26	-	28.24	2.41	-
AV	2.3818G	44.01	54.00	-9.99	13.35	3	Horizontal	90	1.26	-	28.25	2.41	-
PK	2.4518G	103.90	Inf	-Inf	73.01	3	Horizontal	90	1.26	-	28.46	2.43	-
AV	2.4522G	93.22	Inf	-Inf	62.33	3	Horizontal	90	1.26	-	28.46	2.43	-
PK	2.489G	62.84	74.00	-11.16	31.83	3	Horizontal	90	1.26	-	28.57	2.44	-
AV	2.4838G	45.26	54.00	-8.74	14.27	3	Horizontal	90	1.26	-	28.55	2.44	-

VHT40-BF_Nss1,(MCS0)_2TX

07/10/2020

2447MHz_TX




EUT Y_2TX
Setting 69
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.89341G	46.22	74.00	-27.78	40.16	3	Vertical	351	1.07	-	33.17	4.70	31.81
AV	4.89468G	31.48	54.00	-22.52	25.41	3	Vertical	351	1.07	-	33.18	4.70	31.81
PK	7.34174G	49.97	74.00	-24.03	40.24	3	Vertical	320	2.36	-	36.40	5.77	32.44
AV	7.34197G	36.70	54.00	-17.30	26.97	3	Vertical	320	2.36	-	36.40	5.77	32.44

VHT40-BF_Nss1,(MCS0)_2TX

07/10/2020

2447MHz_TX




EUT Y_2TX
Setting 69
02-E-J-7





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8937G	44.54	74.00	-29.46	38.48	3	Horizontal	311	2.39	-	33.17	4.70	31.81
AV	4.89451G	31.46	54.00	-22.54	25.39	3	Horizontal	311	2.39	-	33.18	4.70	31.81
PK	7.34004G	48.67	74.00	-25.33	38.94	3	Horizontal	359	2.59	-	36.40	5.77	32.44
AV	7.34028G	35.37	54.00	-18.63	25.64	3	Horizontal	359	2.59	-	36.40	5.77	32.44

VHT40-BF_Nss1,(MCS0)_2TX

07/10/2020

2452MHz_TX




Lim.PK 
 PK 
 Lim.AV 
 AV 

EUT Y_2TX
Setting 67
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3744G	58.55	74.00	-15.45	27.92	3	Vertical	299	1.79	-	28.22	2.41	-
AV	2.3776G	46.22	54.00	-7.78	15.58	3	Vertical	299	1.79	-	28.23	2.41	-
PK	2.4584G	111.82	Inf	-Inf	80.91	3	Vertical	299	1.79	-	28.48	2.43	-
AV	2.458G	100.73	Inf	-Inf	69.83	3	Vertical	299	1.79	-	28.47	2.43	-
PK	2.4852G	73.42	74.00	-0.58	42.42	3	Vertical	299	1.79	-	28.56	2.44	-
AV	2.486G	49.83	54.00	-4.17	18.83	3	Vertical	299	1.79	-	28.56	2.44	-

VHT40-BF_Nss1,(MCS0)_2TX
2452MHz_TX

07/10/2020




EUT Y_2TX
Setting 67
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.384G	55.97	74.00	-18.03	25.31	3	Horizontal	100	1.58	-	28.25	2.41	-
AV	2.3696G	43.88	54.00	-10.12	13.25	3	Horizontal	100	1.58	-	28.21	2.42	-
PK	2.4544G	104.07	Inf	-Inf	73.18	3	Horizontal	100	1.58	-	28.46	2.43	-
AV	2.4496G	93.14	Inf	-Inf	62.27	3	Horizontal	100	1.58	-	28.45	2.42	-
PK	2.484G	68.44	74.00	-5.56	37.45	3	Horizontal	100	1.58	-	28.55	2.44	-
AV	2.4835G	46.07	54.00	-7.93	15.08	3	Horizontal	100	1.58	-	28.55	2.44	-

VHT40-BF_Nss1,(MCS0)_2TX

07/10/2020

2452MHz_TX




EUT Y_2TX
Setting 67
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90396G	46.13	74.00	-27.87	40.04	3	Vertical	221	1.93	-	33.20	4.70	31.81
AV	4.9041G	31.38	54.00	-22.62	25.29	3	Vertical	221	1.93	-	33.20	4.70	31.81
PK	7.35562G	48.89	74.00	-25.11	39.16	3	Vertical	65	2.06	-	36.40	5.78	32.45
AV	7.35626G	35.63	54.00	-18.37	25.90	3	Vertical	65	2.06	-	36.40	5.78	32.45

VHT40-BF_Nss1,(MCS0)_2TX

07/10/2020

2452MHz_TX




EUT Y_2TX
Setting 67
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90415G	45.12	74.00	-28.88	39.03	3	Horizontal	125	2.63	-	33.20	4.70	31.81
AV	4.9037G	31.16	54.00	-22.84	25.07	3	Horizontal	125	2.63	-	33.20	4.70	31.81
PK	7.35511G	49.01	74.00	-24.99	39.28	3	Horizontal	152	2.70	-	36.40	5.78	32.45
AV	7.357G	35.41	54.00	-18.59	25.68	3	Horizontal	152	2.70	-	36.40	5.78	32.45

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2412MHz_TX

07/10/2020




EUT Y_2TX
Setting 68
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3868G	73.76	74.00	-0.24	43.09	3	Vertical	256	1.80	-	28.26	2.41	-
AV	2.39G	51.21	54.00	-2.79	20.54	3	Vertical	256	1.80	-	28.27	2.40	-
PK	2.4156G	116.45	Inf	-Inf	85.69	3	Vertical	256	1.80	-	28.35	2.41	-
AV	2.416G	103.64	Inf	-Inf	72.88	3	Vertical	256	1.80	-	28.35	2.41	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2412MHz_TX

07/10/2020




EUT Y_2TX
Setting 68
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	68.08	74.00	-5.92	37.40	3	Horizontal	135	1.94	-	28.27	2.41	-
AV	2.3898G	45.60	54.00	-8.40	14.92	3	Horizontal	135	1.94	-	28.27	2.41	-
PK	2.4152G	105.43	Inf	-Inf	74.67	3	Horizontal	135	1.94	-	28.35	2.41	-
AV	2.4164G	92.35	Inf	-Inf	61.59	3	Horizontal	135	1.94	-	28.35	2.41	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

07/10/2020

2412MHz_TX




EUT Y_2TX
Setting 68
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82326G	46.89	74.00	-27.11	41.08	3	Vertical	295	2.26	-	32.89	4.70	31.78
AV	4.82337G	31.40	54.00	-22.60	25.59	3	Vertical	295	2.26	-	32.89	4.70	31.78

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

07/10/2020

2412MHz_TX




EUT Y_2TX
Setting 68
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8249G	44.80	74.00	-29.20	38.98	3	Horizontal	50	1.59	-	32.90	4.70	31.78
AV	4.82374G	30.93	54.00	-23.07	25.12	3	Horizontal	50	1.59	-	32.89	4.70	31.78

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2417MHz_TX

07/10/2020




EUT Y_2TX
Setting 75
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	73.79	74.00	-0.21	43.11	3	Vertical	257	1.70	-	28.27	2.41	-
AV	2.39G	50.43	54.00	-3.57	19.76	3	Vertical	257	1.70	-	28.27	2.40	-
PK	2.4218G	118.08	Inf	-Inf	87.30	3	Vertical	257	1.70	-	28.37	2.41	-
AV	2.419G	104.94	Inf	-Inf	74.17	3	Vertical	257	1.70	-	28.36	2.41	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2417MHz_TX

07/10/2020




EUT Y_2TX
Setting 75
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	68.82	74.00	-5.18	38.14	3	Horizontal	103	1.61	-	28.27	2.41	-
AV	2.39G	45.46	54.00	-8.54	14.78	3	Horizontal	103	1.61	-	28.27	2.41	-
PK	2.4256G	108.45	Inf	-Inf	77.66	3	Horizontal	103	1.61	-	28.38	2.41	-
AV	2.42G	95.78	Inf	-Inf	65.01	3	Horizontal	103	1.61	-	28.36	2.41	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2417MHz_TX

07/10/2020




EUT Y_2TX
Setting 75
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83408G	45.92	74.00	-28.08	40.06	3	Vertical	289	2.14	-	32.94	4.70	31.78
AV	4.83339G	31.98	54.00	-22.02	26.13	3	Vertical	289	2.14	-	32.93	4.70	31.78
PK	7.2513G	55.68	74.00	-18.32	46.20	3	Vertical	332	1.94	-	36.16	5.73	32.41
AV	7.25147G	40.30	54.00	-13.70	30.82	3	Vertical	332	1.94	-	36.16	5.73	32.41

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2417MHz_TX

07/10/2020




EUT Y_2TX
Setting 75
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83304G	44.82	74.00	-29.18	38.97	3	Horizontal	190	1.02	-	32.93	4.70	31.78
AV	4.83497G	31.34	54.00	-22.66	25.48	3	Horizontal	190	1.02	-	32.94	4.70	31.78
PK	7.2603G	48.51	74.00	-25.49	38.99	3	Horizontal	335	2.46	-	36.20	5.73	32.41
AV	7.256G	35.61	54.00	-18.39	26.11	3	Horizontal	335	2.46	-	36.18	5.73	32.41

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2437MHz_TX

07/10/2020




EUT Y_2TX
Setting 84
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	66.95	74.00	-7.05	36.27	3	Vertical	245	2.21	-	28.27	2.41	-
AV	2.3898G	50.93	54.00	-3.07	20.25	3	Vertical	245	2.21	-	28.27	2.41	-
PK	2.4422G	120.92	Inf	-Inf	90.07	3	Vertical	245	2.21	-	28.43	2.42	-
AV	2.4394G	108.14	Inf	-Inf	77.30	3	Vertical	245	2.21	-	28.42	2.42	-
PK	2.4882G	73.58	74.00	-0.42	42.58	3	Vertical	245	2.21	-	28.56	2.44	-
AV	2.4835G	50.85	54.00	-3.15	19.86	3	Vertical	245	2.21	-	28.55	2.44	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2437MHz_TX

07/10/2020




EUT Y_2TX
Setting 84
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3826G	59.10	74.00	-14.90	28.44	3	Horizontal	97	1.35	-	28.25	2.41	-
AV	2.389G	45.26	54.00	-8.74	14.58	3	Horizontal	97	1.35	-	28.27	2.41	-
PK	2.429G	111.91	Inf	-Inf	81.11	3	Horizontal	97	1.35	-	28.39	2.41	-
AV	2.4334G	98.58	Inf	-Inf	67.76	3	Horizontal	97	1.35	-	28.40	2.42	-
PK	2.4886G	62.58	74.00	-11.42	31.57	3	Horizontal	97	1.35	-	28.57	2.44	-
AV	2.4835G	45.61	54.00	-8.39	14.62	3	Horizontal	97	1.35	-	28.55	2.44	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2437MHz_TX

07/10/2020




EUT Y_2TX
Setting 84
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8717G	53.46	74.00	-20.54	47.47	3	Vertical	44	1.79	-	33.09	4.70	31.80
AV	4.8741G	36.51	54.00	-17.49	30.51	3	Vertical	44	1.79	-	33.10	4.70	31.80
PK	7.2954G	52.97	74.00	-21.03	43.27	3	Vertical	119	1.46	-	36.38	5.75	32.43
AV	7.2943G	38.21	54.00	-15.79	28.52	3	Vertical	119	1.46	-	36.37	5.75	32.43

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2437MHz_TX

07/10/2020




EUT Y_2TX
Setting 84
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8714G	46.34	74.00	-27.66	40.35	3	Horizontal	353	1.80	-	33.09	4.70	31.80
AV	4.8734G	32.57	54.00	-21.43	26.58	3	Horizontal	353	1.80	-	33.09	4.70	31.80
PK	7.2912G	49.18	74.00	-24.82	39.50	3	Horizontal	344	1.10	-	36.36	5.75	32.43
AV	7.3021G	36.03	54.00	-17.97	26.31	3	Horizontal	344	1.10	-	36.40	5.75	32.43

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2457MHz_TX

07/10/2020




EUT Y_2TX
Setting 73
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.449G	118.36	Inf	-Inf	87.49	3	Vertical	255	2.44	-	28.45	2.42	-
AV	2.4606G	104.29	Inf	-Inf	73.38	3	Vertical	255	2.44	-	28.48	2.43	-
PK	2.4854G	73.80	74.00	-0.20	42.80	3	Vertical	255	2.44	-	28.56	2.44	-
AV	2.4835G	50.03	54.00	-3.97	19.04	3	Vertical	255	2.44	-	28.55	2.44	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2457MHz_TX

07/10/2020




EUT Y_2TX
Setting 73
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4576G	108.76	Inf	-Inf	77.86	3	Horizontal	94	1.44	-	28.47	2.43	-
AV	2.458G	95.80	Inf	-Inf	64.90	3	Horizontal	94	1.44	-	28.47	2.43	-
PK	2.484G	67.36	74.00	-6.64	36.37	3	Horizontal	94	1.44	-	28.55	2.44	-
AV	2.4835G	45.50	54.00	-8.50	14.51	3	Horizontal	94	1.44	-	28.55	2.44	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2457MHz_TX

07/10/2020




EUT Y_2TX
Setting 73
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91334G	47.02	74.00	-26.98	40.92	3	Vertical	259	2.86	-	33.21	4.70	31.81
AV	4.91372G	33.05	54.00	-20.95	26.95	3	Vertical	259	2.86	-	33.21	4.70	31.81
PK	7.37147G	51.57	74.00	-22.43	41.83	3	Vertical	285	2.31	-	36.40	5.79	32.45
AV	7.37115G	36.57	54.00	-17.43	26.83	3	Vertical	285	2.31	-	36.40	5.79	32.45

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2457MHz_TX

07/10/2020




EUT Y_2TX
Setting 73
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91398G	44.25	74.00	-29.75	38.15	3	Horizontal	319	2.30	-	33.21	4.70	31.81
AV	4.91382G	31.18	54.00	-22.82	25.08	3	Horizontal	319	2.30	-	33.21	4.70	31.81
PK	7.37061G	49.72	74.00	-24.28	39.98	3	Horizontal	104	1.30	-	36.40	5.79	32.45
AV	7.37149G	35.29	54.00	-18.71	25.55	3	Horizontal	104	1.30	-	36.40	5.79	32.45

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2462MHz_TX

07/10/2020




EUT Y_2TX
Setting 65
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4704G	116.16	Inf	-Inf	85.21	3	Vertical	254	1.28	-	28.51	2.44	-
AV	2.471G	103.00	Inf	-Inf	72.05	3	Vertical	254	1.28	-	28.51	2.44	-
PK	2.4844G	73.62	74.00	-0.38	42.63	3	Vertical	254	1.28	-	28.55	2.44	-
AV	2.4835G	52.98	54.00	-1.02	21.99	3	Vertical	254	1.28	-	28.55	2.44	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2462MHz_TX

07/10/2020




EUT Y_2TX
Setting 65
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4566G	107.49	Inf	-Inf	76.59	3	Horizontal	92	1.44	-	28.47	2.43	-
AV	2.4586G	94.52	Inf	-Inf	63.61	3	Horizontal	92	1.44	-	28.48	2.43	-
PK	2.4886G	63.73	74.00	-10.27	32.72	3	Horizontal	92	1.44	-	28.57	2.44	-
AV	2.4835G	45.33	54.00	-8.67	14.34	3	Horizontal	92	1.44	-	28.55	2.44	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2462MHz_TX

07/10/2020




EUT Y_2TX
Setting 65
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9141G	46.09	74.00	-27.91	39.99	3	Vertical	199	1.80	-	33.21	4.70	31.81
AV	4.9143G	32.67	54.00	-21.33	26.57	3	Vertical	199	1.80	-	33.21	4.70	31.81
PK	7.3683G	49.36	74.00	-24.64	39.63	3	Vertical	35	2.27	-	36.40	5.78	32.45
AV	7.3775G	35.78	54.00	-18.22	26.04	3	Vertical	35	2.27	-	36.40	5.79	32.45

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2462MHz_TX

07/10/2020




EUT Y_2TX
Setting 65
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9161G	45.18	74.00	-28.82	39.07	3	Horizontal	324	1.80	-	33.22	4.70	31.81
AV	4.9254G	31.45	54.00	-22.55	25.34	3	Horizontal	324	1.80	-	33.23	4.70	31.82
PK	7.3832G	48.50	74.00	-25.50	38.76	3	Horizontal	359	2.92	-	36.40	5.79	32.45
AV	7.3628G	35.22	54.00	-18.78	25.49	3	Horizontal	359	2.92	-	36.40	5.78	32.45

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2422MHz_TX

07/10/2020




EUT Y_2TX
Setting 67
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	73.89	74.00	-0.11	43.22	3	Vertical	247	1.80	-	28.26	2.41	-
AV	2.39G	53.50	54.00	-0.50	22.82	3	Vertical	247	1.80	-	28.27	2.41	-
PK	2.4276G	113.67	Inf	-Inf	82.88	3	Vertical	247	1.80	-	28.38	2.41	-
AV	2.4276G	100.51	Inf	-Inf	69.72	3	Vertical	247	1.80	-	28.38	2.41	-
PK	2.4848G	61.87	74.00	-12.13	30.88	3	Vertical	247	1.80	-	28.55	2.44	-
AV	2.4835G	47.03	54.00	-6.97	16.04	3	Vertical	247	1.80	-	28.55	2.44	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2422MHz_TX

07/10/2020




EUT Y_2TX
Setting 67
02-E-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3884G	65.33	74.00	-8.67	34.65	3	Horizontal	93	1.40	-	28.27	2.41	-
AV	2.3896G	48.94	54.00	-5.06	18.26	3	Horizontal	93	1.40	-	28.27	2.41	-
PK	2.4276G	103.50	Inf	-Inf	72.71	3	Horizontal	93	1.40	-	28.38	2.41	-
AV	2.4272G	90.27	Inf	-Inf	59.48	3	Horizontal	93	1.40	-	28.38	2.41	-
PK	2.4904G	57.14	74.00	-16.86	26.12	3	Horizontal	93	1.40	-	28.57	2.45	-
AV	2.484G	44.44	54.00	-9.56	13.45	3	Horizontal	93	1.40	-	28.55	2.44	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2422MHz_TX

07/10/2020




EUT Y_2TX
Setting 67
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8473G	46.99	74.00	-27.01	41.09	3	Vertical	92	1.64	-	32.99	4.70	31.79
AV	4.84372G	32.97	54.00	-21.03	27.09	3	Vertical	92	1.64	-	32.97	4.70	31.79
PK	7.26234G	52.19	74.00	-21.81	42.66	3	Vertical	350	1.55	-	36.21	5.73	32.41
AV	7.2693G	36.40	54.00	-17.60	26.83	3	Vertical	350	1.55	-	36.25	5.73	32.41

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

07/10/2020

2422MHz_TX




EUT Y_2TX
Setting 67
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8445G	44.86	74.00	-29.14	38.97	3	Horizontal	58	1.65	-	32.98	4.70	31.79
AV	4.84536G	30.89	54.00	-23.11	25.00	3	Horizontal	58	1.65	-	32.98	4.70	31.79
PK	7.26236G	49.49	74.00	-24.51	39.96	3	Horizontal	351	1.46	-	36.21	5.73	32.41
AV	7.26718G	35.01	54.00	-18.99	25.45	3	Horizontal	351	1.46	-	36.24	5.73	32.41

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2427MHz_TX

07/10/2020




EUT Y_2TX
Setting 69
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	72.87	74.00	-1.13	42.20	3	Vertical	248	1.80	-	28.26	2.41	-
AV	2.3898G	53.85	54.00	-0.15	23.17	3	Vertical	248	1.80	-	28.27	2.41	-
PK	2.4326G	114.31	Inf	-Inf	83.49	3	Vertical	248	1.80	-	28.40	2.42	-
AV	2.4286G	100.93	Inf	-Inf	70.13	3	Vertical	248	1.80	-	28.39	2.41	-
PK	2.4846G	66.77	74.00	-7.23	35.78	3	Vertical	248	1.80	-	28.55	2.44	-
AV	2.4858G	48.54	54.00	-5.46	17.54	3	Vertical	248	1.80	-	28.56	2.44	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2427MHz_TX

07/10/2020




EUT Y_2TX
Setting 69
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3846G	63.06	74.00	-10.94	32.40	3	Horizontal	91	1.28	-	28.25	2.41	-
AV	2.3898G	46.54	54.00	-7.46	15.86	3	Horizontal	91	1.28	-	28.27	2.41	-
PK	2.441G	104.24	Inf	-Inf	73.40	3	Horizontal	91	1.28	-	28.42	2.42	-
AV	2.4374G	90.87	Inf	-Inf	60.04	3	Horizontal	91	1.28	-	28.41	2.42	-
PK	2.4962G	56.70	74.00	-17.30	25.66	3	Horizontal	91	1.28	-	28.59	2.45	-
AV	2.4835G	44.13	54.00	-9.87	13.14	3	Horizontal	91	1.28	-	28.55	2.44	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2427MHz_TX

07/10/2020




EUT Y_2TX
Setting 69
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.85396G	47.50	74.00	-26.50	41.57	3	Vertical	62	1.59	-	33.02	4.70	31.79
AV	4.85404G	32.03	54.00	-21.97	26.10	3	Vertical	62	1.59	-	33.02	4.70	31.79
PK	7.2793G	51.24	74.00	-22.76	41.62	3	Vertical	0	2.18	-	36.30	5.74	32.42
AV	7.28076G	36.45	54.00	-17.55	26.83	3	Vertical	0	2.18	-	36.30	5.74	32.42

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2427MHz_TX

07/10/2020




EUT Y_2TX
Setting 69
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.85428G	45.42	74.00	-28.58	39.49	3	Horizontal	0	2.74	-	33.02	4.70	31.79
AV	4.85026G	30.38	54.00	-23.62	24.47	3	Horizontal	0	2.74	-	33.00	4.70	31.79
PK	7.28402G	49.89	74.00	-24.11	40.25	3	Horizontal	290	2.90	-	36.32	5.74	32.42
AV	7.28416G	35.56	54.00	-18.44	25.92	3	Horizontal	290	2.90	-	36.32	5.74	32.42

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2437MHz_TX

07/10/2020




EUT Y_2TX
Setting 71
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	72.03	74.00	-1.97	41.35	3	Vertical	240	2.21	-	28.27	2.41	-
AV	2.3898G	53.33	54.00	-0.67	22.65	3	Vertical	240	2.21	-	28.27	2.41	-
PK	2.4398G	115.76	Inf	-Inf	84.92	3	Vertical	240	2.21	-	28.42	2.42	-
AV	2.4418G	102.30	Inf	-Inf	71.45	3	Vertical	240	2.21	-	28.43	2.42	-
PK	2.4835G	73.82	74.00	-0.18	42.83	3	Vertical	240	2.21	-	28.55	2.44	-
AV	2.4846G	51.95	54.00	-2.05	20.96	3	Vertical	240	2.21	-	28.55	2.44	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2437MHz_TX

07/10/2020




EUT Y_2TX
Setting 71
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	61.37	74.00	-12.63	30.69	3	Horizontal	101	1.57	-	28.27	2.41	-
AV	2.3898G	45.37	54.00	-8.63	14.69	3	Horizontal	101	1.57	-	28.27	2.41	-
PK	2.451G	106.37	Inf	-Inf	75.49	3	Horizontal	101	1.57	-	28.45	2.43	-
AV	2.4498G	92.93	Inf	-Inf	62.06	3	Horizontal	101	1.57	-	28.45	2.42	-
PK	2.4862G	61.63	74.00	-12.37	30.63	3	Horizontal	101	1.57	-	28.56	2.44	-
AV	2.4835G	45.19	54.00	-8.81	14.20	3	Horizontal	101	1.57	-	28.55	2.44	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2437MHz_TX

07/10/2020




EUT Y_2TX
Setting 71
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87402G	46.86	74.00	-27.14	40.86	3	Vertical	19	1.80	-	33.10	4.70	31.80
AV	4.87714G	31.86	54.00	-22.14	25.85	3	Vertical	19	1.80	-	33.11	4.70	31.80
PK	7.31G	51.17	74.00	-22.83	41.45	3	Vertical	333	1.68	-	36.40	5.75	32.43
AV	7.30848G	36.48	54.00	-17.52	26.76	3	Vertical	333	1.68	-	36.40	5.75	32.43

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2437MHz_TX

07/10/2020




EUT Y_2TX
Setting 71
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87208G	44.92	74.00	-29.08	38.93	3	Horizontal	150	1.80	-	33.09	4.70	31.80
AV	4.87396G	30.68	54.00	-23.32	24.68	3	Horizontal	150	1.80	-	33.10	4.70	31.80
PK	7.31122G	48.69	74.00	-25.31	38.96	3	Horizontal	123	1.80	-	36.40	5.76	32.43
AV	7.30906G	34.55	54.00	-19.45	24.83	3	Horizontal	123	1.80	-	36.40	5.75	32.43

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2447MHz_TX

07/10/2020




EUT Y_2TX
Setting 70
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	62.37	74.00	-11.63	31.69	3	Vertical	255	2.43	-	28.27	2.41	-
AV	2.3882G	46.64	54.00	-7.36	15.97	3	Vertical	255	2.43	-	28.26	2.41	-
PK	2.4458G	113.95	Inf	-Inf	83.09	3	Vertical	255	2.43	-	28.44	2.42	-
AV	2.4494G	100.25	Inf	-Inf	69.38	3	Vertical	255	2.43	-	28.45	2.42	-
PK	2.4842G	73.78	74.00	-0.22	42.79	3	Vertical	255	2.43	-	28.55	2.44	-
AV	2.4835G	51.30	54.00	-2.70	20.31	3	Vertical	255	2.43	-	28.55	2.44	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2447MHz_TX

07/10/2020




EUT Y_2TX
Setting 70
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	55.88	74.00	-18.12	25.20	3	Horizontal	82	2.13	-	28.27	2.41	-
AV	2.3878G	43.41	54.00	-10.59	12.74	3	Horizontal	82	2.13	-	28.26	2.41	-
PK	2.4602G	102.44	Inf	-Inf	71.53	3	Horizontal	82	2.13	-	28.48	2.43	-
AV	2.4618G	88.78	Inf	-Inf	57.86	3	Horizontal	82	2.13	-	28.49	2.43	-
PK	2.4835G	63.36	74.00	-10.64	32.37	3	Horizontal	82	2.13	-	28.55	2.44	-
AV	2.4942G	44.59	54.00	-9.41	13.56	3	Horizontal	82	2.13	-	28.58	2.45	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2447MHz_TX

07/10/2020




EUT Y_2TX
Setting 70
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.89402G	48.62	74.00	-25.38	42.55	3	Vertical	71	1.79	-	33.18	4.70	31.81
AV	4.8926G	32.17	54.00	-21.83	26.11	3	Vertical	71	1.79	-	33.17	4.70	31.81
PK	7.33804G	50.65	74.00	-23.35	40.92	3	Vertical	327	2.29	-	36.40	5.77	32.44
AV	7.34456G	36.62	54.00	-17.38	26.89	3	Vertical	327	2.29	-	36.40	5.77	32.44

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2447MHz_TX

07/10/2020




EUT Y_2TX
Setting 70
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.89046G	45.26	74.00	-28.74	39.21	3	Horizontal	44	1.21	-	33.16	4.70	31.81
AV	4.89382G	30.89	54.00	-23.11	24.82	3	Horizontal	44	1.21	-	33.18	4.70	31.81
PK	7.34394G	50.06	74.00	-23.94	40.33	3	Horizontal	267	2.55	-	36.40	5.77	32.44
AV	7.34174G	35.44	54.00	-18.56	25.71	3	Horizontal	267	2.55	-	36.40	5.77	32.44

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2452MHz_TX

07/10/2020




EUT Y_2TX
Setting 66
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	58.95	74.00	-15.05	28.27	3	Vertical	240	2.23	-	28.27	2.41	-
AV	2.39G	46.73	54.00	-7.27	16.05	3	Vertical	240	2.23	-	28.27	2.41	-
PK	2.4508G	114.26	Inf	-Inf	83.38	3	Vertical	240	2.23	-	28.45	2.43	-
AV	2.448G	101.06	Inf	-Inf	70.20	3	Vertical	240	2.23	-	28.44	2.42	-
PK	2.4848G	73.82	74.00	-0.18	42.83	3	Vertical	240	2.23	-	28.55	2.44	-
AV	2.4835G	53.88	54.00	-0.12	22.89	3	Vertical	240	2.23	-	28.55	2.44	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2452MHz_TX

07/10/2020




EUT Y_2TX
Setting 66
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3756G	56.52	74.00	-17.48	25.88	3	Horizontal	95	1.45	-	28.23	2.41	-
AV	2.3824G	43.91	54.00	-10.09	13.25	3	Horizontal	95	1.45	-	28.25	2.41	-
PK	2.458G	105.29	Inf	-Inf	74.39	3	Horizontal	95	1.45	-	28.47	2.43	-
AV	2.4576G	91.83	Inf	-Inf	60.93	3	Horizontal	95	1.45	-	28.47	2.43	-
PK	2.4844G	65.57	74.00	-8.43	34.58	3	Horizontal	95	1.45	-	28.55	2.44	-
AV	2.484G	46.71	54.00	-7.29	15.72	3	Horizontal	95	1.45	-	28.55	2.44	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2452MHz_TX

07/10/2020




EUT Y_2TX
Setting 66
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.904G	49.30	74.00	-24.70	43.21	3	Vertical	67	1.94	-	33.20	4.70	31.81
AV	4.9016G	32.50	54.00	-21.50	26.41	3	Vertical	67	1.94	-	33.20	4.70	31.81
PK	7.3558G	50.69	74.00	-23.31	40.96	3	Vertical	325	1.65	-	36.40	5.78	32.45
AV	7.353G	36.33	54.00	-17.67	26.60	3	Vertical	325	1.65	-	36.40	5.78	32.45

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2452MHz_TX

07/10/2020



EUT Y_2TX
Setting 66
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90448G	45.19	74.00	-28.81	39.10	3	Horizontal	338	1.80	-	33.20	4.70	31.81
AV	4.90088G	31.29	54.00	-22.71	25.20	3	Horizontal	338	1.80	-	33.20	4.70	31.81
PK	7.35324G	49.34	74.00	-24.66	39.61	3	Horizontal	214	1.80	-	36.40	5.78	32.45
AV	7.35416G	35.36	54.00	-18.64	25.63	3	Horizontal	214	1.80	-	36.40	5.78	32.45




Test Mode: Mode 3
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	2.491G	53.99	54.00	-0.01	3	Vertical	244	2.23	-

VHT20_Nss2,(MCS0)_2TX
2412MHz_TX

08/10/2020








EUT Y_2TX
Setting 71
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	71.54	74.00	-2.46	40.86	3	Vertical	255	1.80	-	28.27	2.41	-
AV	2.39G	52.12	54.00	-1.88	21.44	3	Vertical	255	1.80	-	28.27	2.41	-
PK	2.4158G	112.81	Inf	-Inf	82.05	3	Vertical	255	1.80	-	28.35	2.41	-
AV	2.4138G	103.28	Inf	-Inf	72.53	3	Vertical	255	1.80	-	28.34	2.41	-

VHT20_Nss2,(MCS0)_2TX
2412MHz_TX

08/10/2020



Lim.PK 
 PK 
 Lim.AV 
 AV 


EUT Y_2TX
Setting 71
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.383G	63.79	74.00	-10.21	33.13	3	Horizontal	135	1.91	-	28.25	2.41	-
AV	2.3808G	46.97	54.00	-7.03	16.32	3	Horizontal	135	1.91	-	28.24	2.41	-
PK	2.4158G	104.44	Inf	-Inf	73.68	3	Horizontal	135	1.91	-	28.35	2.41	-
AV	2.414G	93.63	Inf	-Inf	62.88	3	Horizontal	135	1.91	-	28.34	2.41	-

VHT20_Nss2,(MCS0)_2TX

08/10/2020

2412MHz_TX




EUT Y_2TX
Setting 71
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82808G	47.21	74.00	-26.79	41.38	3	Vertical	228	1.80	-	32.91	4.70	31.78
AV	4.82508G	36.42	54.00	-17.58	30.60	3	Vertical	228	1.80	-	32.90	4.70	31.78

VHT20_Nss2,(MCS0)_2TX

08/10/2020

2412MHz_TX




EUT Y_2TX
Setting 71
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8252G	45.75	74.00	-28.25	39.93	3	Horizontal	49	1.82	-	32.90	4.70	31.78
AV	4.82256G	34.47	54.00	-19.53	28.66	3	Horizontal	49	1.82	-	32.89	4.70	31.78

VHT20_Nss2,(MCS0)_2TX

08/10/2020

2462MHz_TX




EUT Y_2TX
Setting 69
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4682G	112.62	Inf	-Inf	81.69	3	Vertical	252	1.80	-	28.50	2.43	-
AV	2.4598G	102.82	Inf	-Inf	71.91	3	Vertical	252	1.80	-	28.48	2.43	-
PK	2.4838G	73.80	74.00	-0.20	42.81	3	Vertical	252	1.80	-	28.55	2.44	-
AV	2.4836G	53.06	54.00	-0.94	22.07	3	Vertical	252	1.80	-	28.55	2.44	-

VHT20_Nss2,(MCS0)_2TX
2462MHz_TX

08/10/2020




EUT Y_2TX
Setting 69
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.46G	103.54	Inf	-Inf	72.63	3	Horizontal	51	2.90	-	28.48	2.43	-
AV	2.46G	94.27	Inf	-Inf	63.36	3	Horizontal	51	2.90	-	28.48	2.43	-
PK	2.4848G	60.22	74.00	-13.78	29.23	3	Horizontal	51	2.90	-	28.55	2.44	-
AV	2.4838G	46.25	54.00	-7.75	15.26	3	Horizontal	51	2.90	-	28.55	2.44	-

VHT20_Nss2,(MCS0)_2TX

08/10/2020

2462MHz_TX




EUT Y_2TX
Setting 69
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92112G	48.75	74.00	-25.25	42.65	3	Vertical	154	1.80	-	33.22	4.70	31.82
AV	4.91596G	38.17	54.00	-15.83	32.06	3	Vertical	154	1.80	-	33.22	4.70	31.81

VHT20_Nss2,(MCS0)_2TX

08/10/2020

2462MHz_TX








EUT Y_2TX
Setting 69
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90216G	44.92	74.00	-29.08	38.83	3	Horizontal	354	1.80	-	33.20	4.70	31.81
AV	4.93132G	34.16	54.00	-19.84	28.05	3	Horizontal	354	1.80	-	33.23	4.70	31.82

VHT40_Nss2,(MCS0)_2TX
2422MHz_TX

08/10/2020




Lim.PK 
 PK 
 Lim.AV 
 AV 

EUT Y_2TX
Setting 61
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3884G	64.57	74.00	-9.43	33.89	3	Vertical	255	1.86	-	28.27	2.41	-
AV	2.3884G	53.83	54.00	-0.17	23.15	3	Vertical	255	1.86	-	28.27	2.41	-
PK	2.418G	107.89	Inf	-Inf	77.13	3	Vertical	255	1.86	-	28.35	2.41	-
AV	2.4168G	99.33	Inf	-Inf	68.57	3	Vertical	255	1.86	-	28.35	2.41	-
PK	2.4835G	57.32	74.00	-16.68	26.33	3	Vertical	255	1.86	-	28.55	2.44	-
AV	2.4948G	47.15	54.00	-6.85	16.12	3	Vertical	255	1.86	-	28.58	2.45	-

VHT40_Nss2,(MCS0)_2TX
2422MHz_TX

08/10/2020




EUT Y_2TX
Setting 61
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38G	57.33	74.00	-16.67	26.68	3	Horizontal	134	1.91	-	28.24	2.41	-
AV	2.3828G	46.34	54.00	-7.66	15.68	3	Horizontal	134	1.91	-	28.25	2.41	-
PK	2.4168G	98.72	Inf	-Inf	67.96	3	Horizontal	134	1.91	-	28.35	2.41	-
AV	2.4176G	88.57	Inf	-Inf	57.81	3	Horizontal	134	1.91	-	28.35	2.41	-
PK	2.484G	56.10	74.00	-17.90	25.11	3	Horizontal	134	1.91	-	28.55	2.44	-
AV	2.4844G	45.58	54.00	-8.42	14.59	3	Horizontal	134	1.91	-	28.55	2.44	-

VHT40_Nss2,(MCS0)_2TX

08/10/2020

2422MHz_TX




EUT Y_2TX
Setting 61
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84528G	45.10	74.00	-28.90	39.21	3	Vertical	136	1.80	-	32.98	4.70	31.79
AV	4.87952G	35.65	54.00	-18.35	29.63	3	Vertical	136	1.80	-	33.12	4.70	31.80

VHT40_Nss2,(MCS0)_2TX

08/10/2020

2422MHz_TX




EUT Y_2TX
Setting 61
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83776G	45.04	74.00	-28.96	39.18	3	Horizontal	46	2.47	-	32.95	4.70	31.79
AV	4.87056G	33.30	54.00	-20.70	27.32	3	Horizontal	46	2.47	-	33.08	4.70	31.80

VHT40_Nss2,(MCS0)_2TX

08/10/2020

2437MHz_TX




EUT Y_2TX
Setting 72
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	66.88	74.00	-7.12	36.20	3	Vertical	243	2.20	-	28.27	2.41	-
AV	2.3894G	52.07	54.00	-1.93	21.39	3	Vertical	243	2.20	-	28.27	2.41	-
PK	2.443G	110.93	Inf	-Inf	80.08	3	Vertical	243	2.20	-	28.43	2.42	-
AV	2.4406G	101.80	Inf	-Inf	70.96	3	Vertical	243	2.20	-	28.42	2.42	-
PK	2.4838G	69.33	74.00	-4.67	38.34	3	Vertical	243	2.20	-	28.55	2.44	-
AV	2.4835G	52.80	54.00	-1.20	21.81	3	Vertical	243	2.20	-	28.55	2.44	-

VHT40_Nss2,(MCS0)_2TX
2437MHz_TX

08/10/2020




EUT Y_2TX
Setting 72
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	57.89	74.00	-16.11	27.21	3	Horizontal	136	1.80	-	28.27	2.41	-
AV	2.3894G	45.84	54.00	-8.16	15.16	3	Horizontal	136	1.80	-	28.27	2.41	-
PK	2.4322G	100.43	Inf	-Inf	69.61	3	Horizontal	136	1.80	-	28.40	2.42	-
AV	2.429G	89.96	Inf	-Inf	59.16	3	Horizontal	136	1.80	-	28.39	2.41	-
PK	2.4894G	58.04	74.00	-15.96	27.03	3	Horizontal	136	1.80	-	28.57	2.44	-
AV	2.4866G	46.39	54.00	-7.61	15.39	3	Horizontal	136	1.80	-	28.56	2.44	-

VHT40_Nss2,(MCS0)_2TX

08/10/2020

2437MHz_TX




EUT Y_2TX
Setting 72
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.88504G	47.99	74.00	-26.01	41.95	3	Vertical	157	1.92	-	33.14	4.70	31.80
AV	4.89992G	37.01	54.00	-16.99	30.92	3	Vertical	157	1.92	-	33.20	4.70	31.81

VHT40_Nss2,(MCS0)_2TX

08/10/2020

2437MHz_TX




EUT Y_2TX
Setting 72
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.89752G	44.32	74.00	-29.68	38.24	3	Horizontal	62	1.80	-	33.19	4.70	31.81
AV	4.906G	33.92	54.00	-20.08	27.82	3	Horizontal	62	1.80	-	33.21	4.70	31.81

VHT40_Nss2,(MCS0)_2TX

08/10/2020

2452MHz_TX




EUT Y_2TX
Setting 67
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3636G	58.44	74.00	-15.56	27.83	3	Vertical	225	1.67	-	28.19	2.42	-
AV	2.3836G	48.07	54.00	-5.93	17.41	3	Vertical	225	1.67	-	28.25	2.41	-
PK	2.4456G	109.39	Inf	-Inf	78.53	3	Vertical	225	1.67	-	28.44	2.42	-
AV	2.448G	100.19	Inf	-Inf	69.33	3	Vertical	225	1.67	-	28.44	2.42	-
PK	2.4888G	68.55	74.00	-5.45	37.54	3	Vertical	225	1.67	-	28.57	2.44	-
AV	2.4848G	53.02	54.00	-0.98	22.03	3	Vertical	225	1.67	-	28.55	2.44	-

VHT40_Nss2,(MCS0)_2TX
2452MHz_TX

08/10/2020




EUT Y_2TX
Setting 67
02-E-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3632G	55.44	74.00	-18.56	24.83	3	Horizontal	50	2.83	-	28.19	2.42	-
AV	2.3692G	45.54	54.00	-8.46	14.91	3	Horizontal	50	2.83	-	28.21	2.42	-
PK	2.4464G	101.35	Inf	-Inf	70.49	3	Horizontal	50	2.83	-	28.44	2.42	-
AV	2.4488G	91.37	Inf	-Inf	60.50	3	Horizontal	50	2.83	-	28.45	2.42	-
PK	2.4848G	62.40	74.00	-11.60	31.41	3	Horizontal	50	2.83	-	28.55	2.44	-
AV	2.4856G	47.52	54.00	-6.48	16.52	3	Horizontal	50	2.83	-	28.56	2.44	-

VHT40_Nss2,(MCS0)_2TX

08/10/2020

2452MHz_TX




EUT Y_2TX
Setting 67
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91264G	47.25	74.00	-26.75	41.15	3	Vertical	153	1.80	-	33.21	4.70	31.81
AV	4.89648G	36.94	54.00	-17.06	30.86	3	Vertical	153	1.80	-	33.19	4.70	31.81

VHT40_Nss2,(MCS0)_2TX

08/10/2020

2452MHz_TX




EUT Y_2TX
Setting 67
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87584G	43.95	74.00	-30.05	37.95	3	Horizontal	145	1.15	-	33.10	4.70	31.80
AV	4.90592G	33.62	54.00	-20.38	27.52	3	Horizontal	145	1.15	-	33.21	4.70	31.81

802.11ax HEW20_Nss2,(MCS0)_2TX

08/10/2020

2412MHz_TX




EUT Y_2TX
Setting 70
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	73.83	74.00	-0.17	43.15	3	Vertical	255	1.86	-	28.27	2.41	-
AV	2.39G	51.39	54.00	-2.61	20.71	3	Vertical	255	1.86	-	28.27	2.41	-
PK	2.4076G	114.38	Inf	-Inf	83.66	3	Vertical	255	1.86	-	28.32	2.40	-
AV	2.413G	97.18	Inf	-Inf	66.43	3	Vertical	255	1.86	-	28.34	2.41	-

802.11ax HEW20_Nss2,(MCS0)_2TX
2412MHz_TX

08/10/2020




EUT Y_2TX
Setting 70
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	62.10	74.00	-11.90	31.42	3	Horizontal	135	1.91	-	28.27	2.41	-
AV	2.3898G	44.82	54.00	-9.18	14.14	3	Horizontal	135	1.91	-	28.27	2.41	-
PK	2.4092G	105.11	Inf	-Inf	74.38	3	Horizontal	135	1.91	-	28.33	2.40	-
AV	2.4142G	88.60	Inf	-Inf	57.85	3	Horizontal	135	1.91	-	28.34	2.41	-

802.11ax HEW20_Nss2,(MCS0)_2TX

08/10/2020

2412MHz_TX




EUT Y_2TX
Setting 70
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82016G	46.57	74.00	-27.43	40.77	3	Vertical	51	1.79	-	32.88	4.70	31.78
AV	4.82048G	32.61	54.00	-21.39	26.81	3	Vertical	51	1.79	-	32.88	4.70	31.78

802.11ax HEW20_Nss2,(MCS0)_2TX

08/10/2020

2412MHz_TX




EUT Y_2TX
Setting 70
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82352G	44.89	74.00	-29.11	39.08	3	Horizontal	49	1.97	-	32.89	4.70	31.78
AV	4.82288G	31.03	54.00	-22.97	25.22	3	Horizontal	49	1.97	-	32.89	4.70	31.78

802.11ax HEW20_Nss2,(MCS0)_2TX

08/10/2020

2462MHz_TX




EUT Y_2TX
Setting 68
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4574G	114.07	Inf	-Inf	83.17	3	Vertical	251	1.42	-	28.47	2.43	-
AV	2.4676G	103.21	Inf	-Inf	72.28	3	Vertical	251	1.42	-	28.50	2.43	-
PK	2.4858G	73.78	74.00	-0.22	42.78	3	Vertical	251	1.42	-	28.56	2.44	-
AV	2.4842G	53.97	54.00	-0.03	22.98	3	Vertical	251	1.42	-	28.55	2.44	-

802.11ax HEW20_Nss2,(MCS0)_2TX
2462MHz_TX

08/10/2020




EUT Y_2TX
Setting 68
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4602G	104.87	Inf	-Inf	73.96	3	Horizontal	54	2.89	-	28.48	2.43	-
AV	2.457G	94.16	Inf	-Inf	63.26	3	Horizontal	54	2.89	-	28.47	2.43	-
PK	2.4848G	59.03	74.00	-14.97	28.04	3	Horizontal	54	2.89	-	28.55	2.44	-
AV	2.485G	46.49	54.00	-7.51	15.49	3	Horizontal	54	2.89	-	28.56	2.44	-

802.11ax HEW20_Nss2,(MCS0)_2TX

08/10/2020

2462MHz_TX




EUT Y_2TX
Setting 68
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91904G	47.34	74.00	-26.66	41.24	3	Vertical	149	1.80	-	33.22	4.70	31.82
AV	4.91616G	37.56	54.00	-16.44	31.45	3	Vertical	149	1.80	-	33.22	4.70	31.81

802.11ax HEW20_Nss2,(MCS0)_2TX

08/10/2020

2462MHz_TX




EUT Y_2TX
Setting 68
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93776G	44.77	74.00	-29.23	38.65	3	Horizontal	327	1.80	-	33.24	4.70	31.82
AV	4.89872G	33.60	54.00	-20.40	27.52	3	Horizontal	327	1.80	-	33.19	4.70	31.81

802.11ax HEW40_Nss2,(MCS0)_2TX

08/10/2020

2422MHz_TX




EUT Y_2TX
Setting 61
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3884G	68.41	74.00	-5.59	37.73	3	Vertical	285	1.86	-	28.27	2.41	-
AV	2.3884G	53.81	54.00	-0.19	23.13	3	Vertical	285	1.86	-	28.27	2.41	-
PK	2.4148G	109.66	Inf	-Inf	78.91	3	Vertical	285	1.86	-	28.34	2.41	-
AV	2.4168G	98.81	Inf	-Inf	68.05	3	Vertical	285	1.86	-	28.35	2.41	-
PK	2.4856G	57.52	74.00	-16.48	26.52	3	Vertical	285	1.86	-	28.56	2.44	-
AV	2.4835G	47.59	54.00	-6.41	16.60	3	Vertical	285	1.86	-	28.55	2.44	-

802.11ax HEW40_Nss2,(MCS0)_2TX

08/10/2020

2422MHz_TX




EUT Y_2TX
Setting 61
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3828G	58.28	74.00	-15.72	27.62	3	Horizontal	134	1.92	-	28.25	2.41	-
AV	2.3844G	47.16	54.00	-6.84	16.50	3	Horizontal	134	1.92	-	28.25	2.41	-
PK	2.4176G	99.37	Inf	-Inf	68.61	3	Horizontal	134	1.92	-	28.35	2.41	-
AV	2.4168G	88.77	Inf	-Inf	58.01	3	Horizontal	134	1.92	-	28.35	2.41	-
PK	2.4872G	55.79	74.00	-18.21	24.79	3	Horizontal	134	1.92	-	28.56	2.44	-
AV	2.4992G	46.02	54.00	-7.98	14.97	3	Horizontal	134	1.92	-	28.60	2.45	-

802.11ax HEW40_Nss2,(MCS0)_2TX

08/10/2020

2422MHz_TX




EUT Y_2TX
Setting 61
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8456G	43.77	74.00	-30.23	37.88	3	Vertical	51	1.75	-	32.98	4.70	31.79
AV	4.85424G	33.81	54.00	-20.19	27.88	3	Vertical	51	1.75	-	33.02	4.70	31.79

802.11ax HEW40_Nss2,(MCS0)_2TX

08/10/2020

2422MHz_TX




EUT Y_2TX
Setting 61
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.88016G	44.09	74.00	-29.91	38.07	3	Horizontal	88	2.94	-	33.12	4.70	31.80
AV	4.86272G	33.17	54.00	-20.83	27.22	3	Horizontal	88	2.94	-	33.05	4.70	31.80

802.11ax HEW40_Nss2,(MCS0)_2TX
2437MHz_TX

08/10/2020




EUT Y_2TX
Setting 69
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	72.64	74.00	-1.36	41.96	3	Vertical	244	2.23	-	28.27	2.41	-
AV	2.3894G	53.86	54.00	-0.14	23.18	3	Vertical	244	2.23	-	28.27	2.41	-
PK	2.4406G	112.03	Inf	-Inf	81.19	3	Vertical	244	2.23	-	28.42	2.42	-
AV	2.4434G	101.23	Inf	-Inf	70.38	3	Vertical	244	2.23	-	28.43	2.42	-
PK	2.4906G	69.91	74.00	-4.09	38.89	3	Vertical	244	2.23	-	28.57	2.45	-
AV	2.491G	53.99	54.00	-0.01	22.97	3	Vertical	244	2.23	-	28.57	2.45	-

802.11ax HEW40_Nss2,(MCS0)_2TX

08/10/2020

2437MHz_TX




EUT Y_2TX
Setting 69
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	61.83	74.00	-12.17	31.15	3	Horizontal	135	1.83	-	28.27	2.41	-
AV	2.383G	47.10	54.00	-6.90	16.44	3	Horizontal	135	1.83	-	28.25	2.41	-
PK	2.4326G	101.54	Inf	-Inf	70.72	3	Horizontal	135	1.83	-	28.40	2.42	-
AV	2.431G	90.28	Inf	-Inf	59.47	3	Horizontal	135	1.83	-	28.39	2.42	-
PK	2.4842G	61.18	74.00	-12.82	30.19	3	Horizontal	135	1.83	-	28.55	2.44	-
AV	2.4838G	47.08	54.00	-6.92	16.09	3	Horizontal	135	1.83	-	28.55	2.44	-

802.11ax HEW40_Nss2,(MCS0)_2TX

08/10/2020

2437MHz_TX




EUT Y_2TX
Setting 69
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87704G	44.39	74.00	-29.61	38.38	3	Vertical	120	1.95	-	33.11	4.70	31.80
AV	4.8924G	34.15	54.00	-19.85	28.09	3	Vertical	120	1.95	-	33.17	4.70	31.81

802.11ax HEW40_Nss2,(MCS0)_2TX
2437MHz_TX

08/10/2020




EUT Y_2TX
Setting 69
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86184G	44.07	74.00	-29.93	38.11	3	Horizontal	227	2.55	-	33.05	4.70	31.79
AV	4.8756G	33.62	54.00	-20.38	27.62	3	Horizontal	227	2.55	-	33.10	4.70	31.80

802.11ax HEW40_Nss2,(MCS0)_2TX
2452MHz_TX

08/10/2020




EUT Y_2TX
Setting 64
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	59.37	74.00	-14.63	28.69	3	Vertical	231	1.64	-	28.27	2.41	-
AV	2.3736G	48.02	54.00	-5.98	17.39	3	Vertical	231	1.64	-	28.22	2.41	-
PK	2.4484G	110.17	Inf	-Inf	79.30	3	Vertical	231	1.64	-	28.45	2.42	-
AV	2.4472G	100.07	Inf	-Inf	69.21	3	Vertical	231	1.64	-	28.44	2.42	-
PK	2.4848G	68.22	74.00	-5.78	37.23	3	Vertical	231	1.64	-	28.55	2.44	-
AV	2.486G	53.14	54.00	-0.86	22.14	3	Vertical	231	1.64	-	28.56	2.44	-

802.11ax HEW40_Nss2,(MCS0)_2TX

08/10/2020

2452MHz_TX




EUT Y_2TX
Setting 64
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.374G	56.00	74.00	-18.00	25.37	3	Horizontal	50	2.82	-	28.22	2.41	-
AV	2.3776G	45.57	54.00	-8.43	14.93	3	Horizontal	50	2.82	-	28.23	2.41	-
PK	2.4492G	101.34	Inf	-Inf	70.47	3	Horizontal	50	2.82	-	28.45	2.42	-
AV	2.4484G	90.74	Inf	-Inf	59.87	3	Horizontal	50	2.82	-	28.45	2.42	-
PK	2.4904G	58.51	74.00	-15.49	27.49	3	Horizontal	50	2.82	-	28.57	2.45	-
AV	2.4848G	47.44	54.00	-6.56	16.45	3	Horizontal	50	2.82	-	28.55	2.44	-

802.11ax HEW40_Nss2,(MCS0)_2TX

08/10/2020

2452MHz_TX




EUT Y_2TX
Setting 64
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92656G	46.87	74.00	-27.13	40.76	3	Vertical	153	1.79	-	33.23	4.70	31.82
AV	4.91792G	37.93	54.00	-16.07	31.83	3	Vertical	153	1.79	-	33.22	4.70	31.82

802.11ax HEW40_Nss2,(MCS0)_2TX

08/10/2020

2452MHz_TX



EUT Y_2TX
Setting 64
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91664G	44.57	74.00	-29.43	38.46	3	Horizontal	48	1.78	-	33.22	4.70	31.81
AV	4.9136G	33.92	54.00	-20.08	27.82	3	Horizontal	48	1.78	-	33.21	4.70	31.81




Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	7.23474G	46.88	54.00	-7.12	Vertical

Mode 1

05/10/2020




Legend for the graph:





- Lim.PK 
- PK 
- Lim.AV 
- AV 

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	7.2345G	53.85	74.00	-20.15	10.07	3	Vertical	84	1.00	-	43.78	36.27	6.92	33.12
AV	7.23474G	46.88	54.00	-7.12	10.07	3	Vertical	84	1.00	"Worst"	36.81	36.27	6.92	33.12

Mode 1

05/10/2020



Lim.PK 
 PK 
 Lim.AV 
 AV 

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	7.23512G	51.95	74.00	-22.05	10.07	3	Horizontal	128	1.28	-	41.88	36.27	6.92	33.12
AV	7.23526G	40.41	54.00	-13.59	10.07	3	Horizontal	128	1.28	"Worst"	30.34	36.27	6.92	33.12