


802.11ax HEW40\_Nss1,(MCS0)\_2TX

04/11/2020

5230MHz\_TX




EUT\_Y\_2TX  
Setting 96  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	69.42	74.00	-4.58	67.07	3	Vertical	228	1.80	-	31.81	5.17	34.63
AV	5.15G	53.93	54.00	-0.07	51.59	3	Vertical	228	1.80	-	31.80	5.17	34.63
PK	5.2354G	115.88	Inf	-Inf	113.84	3	Vertical	228	1.80	-	31.46	5.24	34.66
AV	5.236G	104.68	Inf	-Inf	102.64	3	Vertical	228	1.80	-	31.46	5.24	34.66
PK	5.35G	57.96	74.00	-16.04	56.02	3	Vertical	228	1.80	-	31.30	5.35	34.71
AV	5.3524G	45.25	54.00	-8.75	43.29	3	Vertical	228	1.80	-	31.32	5.35	34.71

802.11ax HEW40\_Nss1,(MCS0)\_2TX

04/11/2020

5230MHz\_TX




EUT Y\_2TX  
Setting 96  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	61.41	74.00	-12.59	59.06	3	Horizontal	73	1.80	-	31.81	5.17	34.63
AV	5.1496G	46.87	54.00	-7.13	44.53	3	Horizontal	73	1.80	-	31.80	5.17	34.63
PK	5.227G	107.33	Inf	-Inf	105.27	3	Horizontal	73	1.80	-	31.49	5.23	34.66
AV	5.2258G	95.08	Inf	-Inf	93.01	3	Horizontal	73	1.80	-	31.50	5.23	34.66
PK	5.3572G	56.86	74.00	-17.14	54.85	3	Horizontal	73	1.80	-	31.36	5.36	34.71
AV	5.35G	43.28	54.00	-10.72	41.34	3	Horizontal	73	1.80	-	31.30	5.35	34.71

802.11ax HEW40\_Nss1,(MCS0)\_2TX

04/11/2020

5230MHz\_TX




EUT Y\_2TX  
Setting 96  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68344G	56.61	74.00	-17.39	44.74	3	Vertical	128	1.47	-	37.60	9.24	34.97
AV	15.68704G	43.70	54.00	-10.30	31.83	3	Vertical	128	1.47	-	37.60	9.24	34.97

802.11ax HEW40\_Nss1,(MCS0)\_2TX

04/11/2020

5230MHz\_TX




EUT Y\_2TX  
Setting 96  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68556G	56.85	74.00	-17.15	44.98	3	Horizontal	147	1.78	-	37.60	9.24	34.97
AV	15.68272G	44.52	54.00	-9.48	32.65	3	Horizontal	147	1.78	-	37.60	9.24	34.97

802.11ax HEW40\_Nss1,(MCS0)\_3TX

30/10/2020

5755MHz\_TX




EUT\_Y\_2TX  
Setting 99  
01-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.654G	69.98	71.16	-1.18	65.07	3	Vertical	67	1.00	-	34.18	5.43	34.70
PK	5.752G	118.96	Inf	-Inf	113.84	3	Vertical	67	1.00	-	34.30	5.48	34.66
AV	5.762G	106.74	Inf	-Inf	101.62	3	Vertical	67	1.00	-	34.30	5.48	34.66
PK	5.937G	61.21	68.20	-6.99	55.20	3	Vertical	67	1.00	-	35.10	5.50	34.59

802.11ax HEW40\_Nss1,(MCS0)\_3TX

30/10/2020

5755MHz\_TX




EUT\_Y\_2TX  
Setting 99  
01-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	63.25	68.20	-4.95	58.39	3	Horizontal	285	2.26	-	34.15	5.42	34.71
PK	5.752G	113.24	Inf	-Inf	108.12	3	Horizontal	285	2.26	-	34.30	5.48	34.66
AV	5.763G	102.17	Inf	-Inf	97.05	3	Horizontal	285	2.26	-	34.30	5.48	34.66
PK	5.925G	61.20	68.20	-7.00	55.30	3	Horizontal	285	2.26	-	35.00	5.50	34.60

802.11ax HEW40\_Nss1,(MCS0)\_3TX

30/10/2020

5755MHz\_TX




EUT Y\_2TX  
Setting 99  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51462G	55.04	74.00	-18.96	43.64	3	Vertical	232	1.86	-	38.41	7.83	34.84
AV	11.50916G	41.89	54.00	-12.11	30.48	3	Vertical	232	1.86	-	38.41	7.83	34.83
PK	17.26314G	64.97	68.20	-3.23	47.35	3	Vertical	346	1.80	-	41.76	9.74	33.88

802.11ax HEW40\_Nss1,(MCS0)\_3TX

30/10/2020

5755MHz\_TX



EUT\_Y\_2TX  
Setting 99  
01-A-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51924G	53.74	74.00	-20.26	42.33	3	Horizontal	258	2.76	-	38.42	7.83	34.84
AV	11.5091G	41.69	54.00	-12.31	30.28	3	Horizontal	258	2.76	-	38.41	7.83	34.83
PK	17.26398G	67.79	68.20	-0.41	50.17	3	Horizontal	327	1.89	-	41.76	9.74	33.88



802.11ax HEW40\_Nss1,(MCS0)\_3TX

30/10/2020

5795MHz\_TX




EUT Y\_2TX  
Setting 103  
01-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	64.02	68.20	-4.18	59.15	3	Vertical	84	1.21	-	34.16	5.42	34.71
PK	5.8G	118.45	Inf	-Inf	113.30	3	Vertical	84	1.21	-	34.30	5.50	34.65
AV	5.801G	107.13	Inf	-Inf	101.97	3	Vertical	84	1.21	-	34.31	5.50	34.65
PK	5.926G	67.90	68.20	-0.30	61.99	3	Vertical	84	1.21	-	35.01	5.50	34.60

802.11ax HEW40\_Nss1,(MCS0)\_3TX

30/10/2020

5795MHz\_TX




EUT\_Y\_2TX  
Setting 103  
01-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	61.80	68.20	-6.40	56.87	3	Horizontal	275	1.66	-	34.20	5.43	34.70
PK	5.8G	114.62	Inf	-Inf	109.47	3	Horizontal	275	1.66	-	34.30	5.50	34.65
AV	5.8G	103.84	Inf	-Inf	98.69	3	Horizontal	275	1.66	-	34.30	5.50	34.65
PK	5.927G	66.95	68.20	-1.25	61.03	3	Horizontal	275	1.66	-	35.02	5.50	34.60

802.11ax HEW40\_Nss1,(MCS0)\_3TX

30/10/2020

5795MHz\_TX




EUT Y\_2TX  
Setting 103  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57944G	53.40	74.00	-20.60	41.93	3	Vertical	359	1.87	-	38.48	7.85	34.86
AV	11.59714G	41.06	54.00	-12.94	29.56	3	Vertical	359	1.87	-	38.50	7.86	34.86
PK	17.3826G	66.59	68.20	-1.61	48.65	3	Vertical	349	1.88	-	42.13	9.78	33.97

802.11ax HEW40\_Nss1,(MCS0)\_3TX

30/10/2020

5795MHz\_TX




EUT Y\_2TX  
Setting 103  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59894G	53.88	74.00	-20.12	42.39	3	Horizontal	138	1.72	-	38.50	7.86	34.87
AV	11.58724G	41.30	54.00	-12.70	29.81	3	Horizontal	138	1.72	-	38.49	7.86	34.86
PK	17.38302G	66.42	68.20	-1.78	48.48	3	Horizontal	359	1.68	-	42.13	9.78	33.97

802.11ax HEW80\_Nss1,(MCS0)\_2TX

04/11/2020

5210MHz\_TX




EUT\_Y\_2TX  
Setting 72  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	65.72	74.00	-8.28	63.37	3	Vertical	220	1.79	-	31.81	5.17	34.63
AV	5.148G	53.82	54.00	-0.18	51.47	3	Vertical	220	1.79	-	31.81	5.17	34.63
PK	5.212G	108.43	Inf	-Inf	106.33	3	Vertical	220	1.79	-	31.55	5.21	34.66
AV	5.195G	97.09	Inf	-Inf	94.92	3	Vertical	220	1.79	-	31.62	5.20	34.65
PK	5.415G	55.65	74.00	-18.35	53.28	3	Vertical	220	1.79	-	31.70	5.40	34.73
AV	5.358G	44.33	54.00	-9.67	42.32	3	Vertical	220	1.79	-	31.36	5.36	34.71

802.11ax HEW80\_Nss1,(MCS0)\_2TX

04/11/2020

5210MHz\_TX




EUT\_Y\_2TX  
Setting 72  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.136G	57.33	74.00	-16.67	54.93	3	Horizontal	85	2.80	-	31.86	5.17	34.63
AV	5.148G	46.29	54.00	-7.71	43.94	3	Horizontal	85	2.80	-	31.81	5.17	34.63
PK	5.213G	99.33	Inf	-Inf	97.23	3	Horizontal	85	2.80	-	31.55	5.21	34.66
AV	5.218G	87.43	Inf	-Inf	85.34	3	Horizontal	85	2.80	-	31.53	5.22	34.66
PK	5.406G	55.03	74.00	-18.97	52.66	3	Horizontal	85	2.80	-	31.70	5.40	34.73
AV	5.432G	43.49	54.00	-10.51	41.13	3	Horizontal	85	2.80	-	31.70	5.40	34.74

802.11ax HEW80\_Nss1,(MCS0)\_2TX

04/11/2020

5210MHz\_TX



EUT\_Y\_2TX  
Setting 72  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6321G	57.07	74.00	-16.93	45.15	3	Vertical	180	1.80	-	37.60	9.23	34.91
AV	15.633G	44.48	54.00	-9.52	32.57	3	Vertical	180	1.80	-	37.60	9.23	34.92






802.11ax HEW80\_Nss1,(MCS0)\_3TX

30/10/2020

5775MHz\_TX




EUT\_Y\_2TX  
Setting 91  
01-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	68.13	68.20	-0.07	63.25	3	Vertical	315	1.14	-	34.17	5.42	34.71
PK	5.779G	114.73	Inf	-Inf	109.59	3	Vertical	315	1.14	-	34.30	5.49	34.65
AV	5.769G	103.56	Inf	-Inf	98.44	3	Vertical	315	1.14	-	34.30	5.48	34.66
PK	5.943G	66.91	68.20	-1.29	60.86	3	Vertical	315	1.14	-	35.14	5.50	34.59

802.11ax HEW80\_Nss1,(MCS0)\_3TX

30/10/2020

5775MHz\_TX




EUT\_Y\_2TX  
Setting 91  
01-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.625G	63.37	68.20	-4.83	58.57	3	Horizontal	170	2.60	-	34.10	5.41	34.71
PK	5.805G	109.70	Inf	-Inf	104.50	3	Horizontal	170	2.60	-	34.34	5.50	34.64
AV	5.805G	98.76	Inf	-Inf	93.56	3	Horizontal	170	2.60	-	34.34	5.50	34.64
PK	5.926G	63.60	68.20	-4.60	57.69	3	Horizontal	170	2.60	-	35.01	5.50	34.60

802.11ax HEW80\_Nss1,(MCS0)\_3TX

30/10/2020

5775MHz\_TX




EUT Y\_2TX  
Setting 91  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56236G	53.88	74.00	-20.12	42.42	3	Vertical	359	2.46	-	38.46	7.85	34.85
AV	11.53872G	41.47	54.00	-12.53	30.03	3	Vertical	359	2.46	-	38.44	7.84	34.84
PK	17.32038G	63.41	68.20	-4.79	45.69	3	Vertical	0	2.26	-	41.88	9.76	33.92

802.11ax HEW80\_Nss1,(MCS0)\_3TX

30/10/2020

5775MHz\_TX



EUT Y\_2TX  
Setting 91  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55336G	54.15	74.00	-19.85	42.71	3	Horizontal	315	1.11	-	38.45	7.84	34.85
AV	11.53698G	41.89	54.00	-12.11	30.45	3	Horizontal	315	1.11	-	38.44	7.84	34.84
PK	17.3145G	63.25	68.20	-4.95	45.55	3	Horizontal	62	1.03	-	41.86	9.76	33.92




Mode 2, Beamforming mode: 5GHz Band 1 2T1S and Band 4 3T1S CDD  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.98	54.00	-0.02	3	Vertical	90	1.71	-

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5180MHz\_TX




EUT Y\_2TX  
Setting 88  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	72.12	74.00	-1.88	69.77	3	Vertical	225	2.00	-	31.81	5.17	34.63
AV	5.1488G	53.72	54.00	-0.28	51.38	3	Vertical	225	2.00	-	31.80	5.17	34.63
PK	5.1726G	118.66	Inf	-Inf	116.40	3	Vertical	225	2.00	-	31.71	5.19	34.64
AV	5.1728G	108.03	Inf	-Inf	105.77	3	Vertical	225	2.00	-	31.71	5.19	34.64

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

### 5180MHz\_TX




EUT Y\_2TX  
Setting 88  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	67.79	74.00	-6.21	65.45	3	Horizontal	66	1.62	-	31.80	5.17	34.63
AV	5.15G	47.23	54.00	-6.77	44.89	3	Horizontal	66	1.62	-	31.80	5.17	34.63
PK	5.1854G	108.70	Inf	-Inf	106.50	3	Horizontal	66	1.62	-	31.66	5.19	34.65
AV	5.1858G	97.42	Inf	-Inf	95.22	3	Horizontal	66	1.62	-	31.66	5.19	34.65

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5180MHz\_TX



EUT Y\_2TX  
Setting 88  
01-A-K-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53936G	58.09	74.00	-15.91	45.80	3	Vertical	77	1.00	-	37.90	9.21	34.82
AV	15.53392G	44.07	54.00	-9.93	31.74	3	Vertical	77	1.00	-	37.93	9.21	34.81



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5180MHz\_TX




EUT Y\_2TX  
Setting 88  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53664G	59.08	74.00	-14.92	46.77	3	Horizontal	138	2.54	-	37.92	9.21	34.82
AV	15.53216G	45.09	54.00	-8.91	32.75	3	Horizontal	138	2.54	-	37.94	9.21	34.81

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

### 5200MHz\_TX




EUT Y\_2TX  
Setting 100  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	72.32	74.00	-1.68	69.97	3	Vertical	91	1.84	-	31.81	5.17	34.63
AV	5.15G	53.84	54.00	-0.16	51.50	3	Vertical	91	1.84	-	31.80	5.17	34.63
PK	5.1972G	121.17	Inf	-Inf	119.01	3	Vertical	91	1.84	-	31.61	5.20	34.65
AV	5.1964G	110.52	Inf	-Inf	108.36	3	Vertical	91	1.84	-	31.61	5.20	34.65

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

### 5200MHz\_TX




EUT Y\_2TX  
Setting 100  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	67.43	74.00	-6.57	65.09	3	Horizontal	82	1.80	-	31.80	5.17	34.63
AV	5.15G	49.00	54.00	-5.00	46.66	3	Horizontal	82	1.80	-	31.80	5.17	34.63
PK	5.1924G	110.17	Inf	-Inf	107.99	3	Horizontal	82	1.80	-	31.63	5.20	34.65
AV	5.1952G	99.53	Inf	-Inf	97.36	3	Horizontal	82	1.80	-	31.62	5.20	34.65

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

### 5200MHz\_TX




EUT Y\_2TX  
Setting 100  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59744G	58.72	74.00	-15.28	46.77	3	Vertical	147	1.66	-	37.61	9.22	34.88
AV	15.59904G	45.15	54.00	-8.85	33.21	3	Vertical	147	1.66	-	37.60	9.22	34.88

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5200MHz\_TX




EUT Y\_2TX  
Setting 100  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59712G	59.99	74.00	-14.01	48.04	3	Horizontal	145	1.79	-	37.61	9.22	34.88
AV	15.59904G	47.10	54.00	-6.90	35.16	3	Horizontal	145	1.79	-	37.60	9.22	34.88

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5240MHz\_TX




EUT Y\_2TX  
Setting 105  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.12	74.00	-4.88	66.78	3	Vertical	224	1.80	-	31.80	5.17	34.63
AV	5.147G	53.75	54.00	-0.25	51.40	3	Vertical	224	1.80	-	31.81	5.17	34.63
PK	5.2358G	121.89	Inf	-Inf	119.85	3	Vertical	224	1.80	-	31.46	5.24	34.66
AV	5.2466G	111.89	Inf	-Inf	109.90	3	Vertical	224	1.80	-	31.41	5.25	34.67
PK	5.3534G	64.71	74.00	-9.29	62.74	3	Vertical	224	1.80	-	31.33	5.35	34.71
AV	5.35G	48.33	54.00	-5.67	46.39	3	Vertical	224	1.80	-	31.30	5.35	34.71

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5240MHz\_TX




EUT Y\_2TX  
Setting 105  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	61.20	74.00	-12.80	58.82	3	Horizontal	70	1.94	-	31.84	5.17	34.63
AV	5.1494G	45.37	54.00	-8.63	43.03	3	Horizontal	70	1.94	-	31.80	5.17	34.63
PK	5.2376G	112.04	Inf	-Inf	110.02	3	Horizontal	70	1.94	-	31.45	5.24	34.67
AV	5.2436G	100.96	Inf	-Inf	98.96	3	Horizontal	70	1.94	-	31.43	5.24	34.67
PK	5.3558G	56.97	74.00	-17.03	54.97	3	Horizontal	70	1.94	-	31.35	5.36	34.71
AV	5.35G	43.02	54.00	-10.98	41.08	3	Horizontal	70	1.94	-	31.30	5.35	34.71

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

### 5240MHz\_TX



EUT Y\_2TX  
Setting 105  
01-A-K-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48434G	53.96	68.20	-14.24	42.15	3	Vertical	70	1.73	-	39.62	7.47	35.28
PK	15.71792G	58.27	74.00	-15.73	46.48	3	Vertical	119	1.80	-	37.55	9.24	35.00
AV	15.71984G	44.67	54.00	-9.33	32.89	3	Vertical	119	1.80	-	37.54	9.24	35.00



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5240MHz\_TX




EUT Y\_2TX  
Setting 105  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4832G	54.35	68.20	-13.85	42.54	3	Horizontal	359	1.88	-	39.62	7.47	35.28
PK	15.7272G	61.14	74.00	-12.86	49.38	3	Horizontal	38	1.80	-	37.52	9.25	35.01
AV	15.72944G	46.95	54.00	-7.05	35.20	3	Horizontal	38	1.80	-	37.51	9.25	35.01

802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5745MHz\_TX




EUT Y\_3TX  
Setting 96  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	61.82	68.20	-6.38	59.51	3	Vertical	62	1.23	-	31.60	5.42	34.71
PK	5.739G	119.46	Inf	-Inf	116.78	3	Vertical	62	1.23	-	31.88	5.47	34.67
AV	5.74G	109.33	Inf	-Inf	106.65	3	Vertical	62	1.23	-	31.88	5.47	34.67
PK	5.94G	59.60	68.20	-8.60	56.43	3	Vertical	62	1.23	-	32.26	5.50	34.59

802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5745MHz\_TX




EUT Y\_3TX  
Setting 96  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	57.37	68.20	-10.83	55.07	3	Horizontal	185	1.56	-	31.60	5.41	34.71
PK	5.753G	110.99	Inf	-Inf	108.27	3	Horizontal	185	1.56	-	31.90	5.48	34.66
AV	5.753G	104.34	Inf	-Inf	101.62	3	Horizontal	185	1.56	-	31.90	5.48	34.66
PK	5.946G	59.49	68.20	-8.71	56.30	3	Horizontal	185	1.56	-	32.28	5.50	34.59

802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5745MHz\_TX




EUT V\_3TX  
Setting 96  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.488G	56.59	74.00	-17.41	43.30	3	Vertical	183	3.00	-	40.30	7.82	34.83
AV	11.497G	42.45	54.00	-11.55	29.16	3	Vertical	183	3.00	-	40.30	7.82	34.83
PK	17.2298G	64.42	68.20	-3.78	47.43	3	Vertical	348	1.78	-	41.12	9.73	33.86

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

05/11/2020

### 5745MHz\_TX




EUT V\_3TX  
Setting 96  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4898G	57.44	74.00	-16.56	44.15	3	Horizontal	341	1.80	-	40.30	7.82	34.83
AV	11.49056G	43.26	54.00	-10.74	29.97	3	Horizontal	341	1.80	-	40.30	7.82	34.83
PK	17.22692G	68.06	68.20	-0.14	51.07	3	Horizontal	328	1.93	-	41.11	9.73	33.85

802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5785MHz\_TX




EUT Y\_3TX  
Setting 99  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	59.82	68.20	-8.38	57.51	3	Vertical	68	1.16	-	31.60	5.42	34.71
PK	5.788G	120.60	Inf	-Inf	117.86	3	Vertical	68	1.16	-	31.90	5.49	34.65
AV	5.793G	111.00	Inf	-Inf	108.25	3	Vertical	68	1.16	-	31.90	5.50	34.65
PK	5.939G	60.06	68.20	-8.14	56.89	3	Vertical	68	1.16	-	32.26	5.50	34.59

802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5785MHz\_TX




EUT Y\_3TX  
Setting 99  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.59G	57.19	68.20	-11.01	54.92	3	Horizontal	159	1.63	-	31.60	5.40	34.73
PK	5.786G	116.66	Inf	-Inf	113.92	3	Horizontal	159	1.63	-	31.90	5.49	34.65
AV	5.786G	107.07	Inf	-Inf	104.33	3	Horizontal	159	1.63	-	31.90	5.49	34.65
PK	5.927G	58.61	68.20	-9.59	55.50	3	Horizontal	159	1.63	-	32.21	5.50	34.60

802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5785MHz\_TX



EUT V\_3TX  
Setting 99  
01-A-L-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56304G	58.38	74.00	-15.62	45.27	3	Vertical	276	2.34	-	40.11	7.85	34.85
AV	11.5698G	44.12	54.00	-9.88	31.04	3	Vertical	276	2.34	-	40.09	7.85	34.86
PK	17.35296G	65.06	68.20	-3.14	47.19	3	Vertical	0	1.84	-	42.04	9.77	33.94



802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5785MHz\_TX




EUT V\_3TX  
Setting 99  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57348G	57.66	74.00	-16.34	44.59	3	Horizontal	347	1.80	-	40.08	7.85	34.86
AV	11.57204G	43.41	54.00	-10.59	30.34	3	Horizontal	347	1.80	-	40.08	7.85	34.86
PK	17.3542G	67.98	68.20	-0.22	50.11	3	Horizontal	130	2.79	-	42.05	9.77	33.95

802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5825MHz\_TX




EUT Y\_3TX  
Setting 97  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.61G	58.53	68.20	-9.67	56.24	3	Vertical	71	1.27	-	31.60	5.41	34.72
PK	5.817G	119.10	Inf	-Inf	116.27	3	Vertical	71	1.27	-	31.97	5.50	34.64
AV	5.828G	108.38	Inf	-Inf	105.51	3	Vertical	71	1.27	-	32.01	5.50	34.64
PK	5.925G	62.11	68.20	-6.09	59.01	3	Vertical	71	1.27	-	32.20	5.50	34.60

802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5825MHz\_TX




EUT Y\_3TX  
Setting 97  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.608G	56.64	68.20	-11.56	54.36	3	Horizontal	247	2.01	-	31.60	5.40	34.72
PK	5.817G	116.06	Inf	-Inf	113.23	3	Horizontal	247	2.01	-	31.97	5.50	34.64
AV	5.817G	106.51	Inf	-Inf	103.68	3	Horizontal	247	2.01	-	31.97	5.50	34.64
PK	5.931G	60.50	68.20	-7.70	57.38	3	Horizontal	247	2.01	-	32.22	5.50	34.60

802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5825MHz\_TX




EUT V\_3TX  
Setting 97  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64312G	57.16	74.00	-16.84	44.46	3	Vertical	262	2.50	-	39.70	7.88	34.88
AV	11.65108G	42.95	54.00	-11.05	30.31	3	Vertical	262	2.50	-	39.64	7.88	34.88
PK	17.46736G	67.03	68.20	-1.17	48.25	3	Vertical	244	2.01	-	43.00	9.81	34.03

802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5825MHz\_TX




EUT V\_3TX  
Setting 97  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65172G	57.75	74.00	-16.25	45.11	3	Horizontal	346	3.00	-	39.64	7.88	34.88
AV	11.65036G	43.94	54.00	-10.06	31.29	3	Horizontal	346	3.00	-	39.65	7.88	34.88
PK	17.47048G	68.05	68.20	-0.15	49.25	3	Horizontal	332	2.58	-	43.02	9.81	34.03

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5190MHz\_TX




EUT Y\_2TX  
Setting 73  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	72.31	74.00	-1.69	69.97	3	Vertical	207	1.80	-	31.80	5.17	34.63
AV	5.15G	53.87	54.00	-0.13	51.53	3	Vertical	207	1.80	-	31.80	5.17	34.63
PK	5.1936G	111.90	Inf	-Inf	109.72	3	Vertical	207	1.80	-	31.63	5.20	34.65
AV	5.1928G	101.13	Inf	-Inf	98.95	3	Vertical	207	1.80	-	31.63	5.20	34.65

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5190MHz\_TX




EUT Y\_2TX  
Setting 73  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	60.70	74.00	-13.30	58.35	3	Horizontal	78	2.49	-	31.81	5.17	34.63
AV	5.15G	44.80	54.00	-9.20	42.46	3	Horizontal	78	2.49	-	31.80	5.17	34.63
PK	5.1856G	102.92	Inf	-Inf	100.72	3	Horizontal	78	2.49	-	31.66	5.19	34.65
AV	5.1832G	89.30	Inf	-Inf	87.09	3	Horizontal	78	2.49	-	31.67	5.19	34.65

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5190MHz\_TX



EUT Y\_2TX  
Setting 73  
01-A-K-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56658G	57.47	74.00	-16.53	45.34	3	Vertical	77	1.55	-	37.77	9.21	34.85
AV	15.56516G	43.72	54.00	-10.28	31.59	3	Vertical	77	1.55	-	37.77	9.21	34.85



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5190MHz\_TX




EUT Y\_2TX  
Setting 73  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57216G	57.55	74.00	-16.45	45.45	3	Horizontal	350	1.80	-	37.74	9.21	34.85
AV	15.57356G	43.69	54.00	-10.31	31.61	3	Horizontal	350	1.80	-	37.73	9.21	34.86

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

04/11/2020

### 5230MHz\_TX




EUT\_Y\_2TX  
Setting 97  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	70.43	74.00	-3.57	68.09	3	Vertical	220	1.69	-	31.80	5.17	34.63
AV	5.15G	53.63	54.00	-0.37	51.29	3	Vertical	220	1.69	-	31.80	5.17	34.63
PK	5.225G	117.71	Inf	-Inf	115.64	3	Vertical	220	1.69	-	31.50	5.23	34.66
AV	5.224G	106.29	Inf	-Inf	104.23	3	Vertical	220	1.69	-	31.50	5.22	34.66
PK	5.3506G	57.95	74.00	-16.05	56.01	3	Vertical	220	1.69	-	31.30	5.35	34.71
AV	5.35G	44.51	54.00	-9.49	42.57	3	Vertical	220	1.69	-	31.30	5.35	34.71

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5230MHz\_TX




EUT Y\_2TX  
Setting 97  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1406G	62.19	74.00	-11.81	59.81	3	Horizontal	67	1.63	-	31.84	5.17	34.63
AV	5.1466G	45.58	54.00	-8.42	43.23	3	Horizontal	67	1.63	-	31.81	5.17	34.63
PK	5.2432G	108.11	Inf	-Inf	106.11	3	Horizontal	67	1.63	-	31.43	5.24	34.67
AV	5.242G	98.42	Inf	-Inf	96.42	3	Horizontal	67	1.63	-	31.43	5.24	34.67
PK	5.3626G	55.55	74.00	-18.45	53.50	3	Horizontal	67	1.63	-	31.40	5.36	34.71
AV	5.3602G	42.63	54.00	-11.37	40.60	3	Horizontal	67	1.63	-	31.38	5.36	34.71

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5230MHz\_TX




EUT Y\_2TX  
Setting 97  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69196G	58.18	74.00	-15.82	46.32	3	Vertical	124	1.76	-	37.60	9.24	34.98
AV	15.68562G	43.46	54.00	-10.54	31.59	3	Vertical	124	1.76	-	37.60	9.24	34.97

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5230MHz\_TX




EUT Y\_2TX  
Setting 97  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68312G	57.93	74.00	-16.07	46.06	3	Horizontal	133	2.01	-	37.60	9.24	34.97
AV	15.68776G	44.36	54.00	-9.64	32.49	3	Horizontal	133	2.01	-	37.60	9.24	34.97

802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5755MHz\_TX




EUT Y\_3TX  
Setting 104  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.84	68.20	-0.36	65.51	3	Vertical	334	1.03	-	31.60	5.43	34.70
PK	5.765G	119.06	Inf	-Inf	116.34	3	Vertical	334	1.03	-	31.90	5.48	34.66
AV	5.758G	108.51	Inf	-Inf	105.79	3	Vertical	334	1.03	-	31.90	5.48	34.66
PK	5.925G	61.03	68.20	-7.17	57.93	3	Vertical	334	1.03	-	32.20	5.50	34.60

802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5755MHz\_TX




EUT Y\_3TX  
Setting 104  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	65.02	68.20	-3.18	62.70	3	Horizontal	144	1.67	-	31.60	5.42	34.70
PK	5.748G	115.31	Inf	-Inf	112.61	3	Horizontal	144	1.67	-	31.90	5.47	34.67
AV	5.748G	105.95	Inf	-Inf	103.25	3	Horizontal	144	1.67	-	31.90	5.47	34.67
PK	5.94G	60.41	68.20	-7.79	57.24	3	Horizontal	144	1.67	-	32.26	5.50	34.59

802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5755MHz\_TX



EUT V\_3TX  
Setting 104  
01-A-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50292G	56.33	74.00	-17.67	43.04	3	Vertical	2	2.22	-	40.29	7.83	34.83
AV	11.5082G	42.49	54.00	-11.51	29.21	3	Vertical	2	2.22	-	40.28	7.83	34.83
PK	17.26374G	65.01	68.20	-3.19	47.90	3	Vertical	360	1.77	-	41.25	9.74	33.88



802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5755MHz\_TX




EUT V\_3TX  
Setting 104  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50376G	57.08	74.00	-16.92	43.79	3	Horizontal	285	1.71	-	40.29	7.83	34.83
AV	11.5001G	42.50	54.00	-11.50	29.20	3	Horizontal	285	1.71	-	40.30	7.83	34.83
PK	17.25498G	67.39	68.20	-0.81	50.30	3	Horizontal	321	1.87	-	41.22	9.74	33.87

802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5795MHz\_TX




EUT Y\_3TX  
Setting 105  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	65.66	68.94	-3.28	63.33	3	Vertical	69	1.08	-	31.60	5.43	34.70
PK	5.803G	118.73	Inf	-Inf	115.96	3	Vertical	69	1.08	-	31.91	5.50	34.64
AV	5.803G	108.07	Inf	-Inf	105.30	3	Vertical	69	1.08	-	31.91	5.50	34.64
PK	5.93G	67.96	68.20	-0.24	64.84	3	Vertical	69	1.08	-	32.22	5.50	34.60

802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5795MHz\_TX




EUT Y\_3TX  
Setting 105  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	58.04	68.20	-10.16	55.72	3	Horizontal	326	2.34	-	31.60	5.42	34.70
PK	5.81G	113.92	Inf	-Inf	111.12	3	Horizontal	326	2.34	-	31.94	5.50	34.64
AV	5.81G	105.64	Inf	-Inf	102.84	3	Horizontal	326	2.34	-	31.94	5.50	34.64
PK	5.926G	65.12	68.20	-3.08	62.02	3	Horizontal	326	2.34	-	32.20	5.50	34.60

802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5795MHz\_TX




EUT V\_3TX  
Setting 105  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59006G	57.03	74.00	-16.97	44.00	3	Vertical	262	3.00	-	40.03	7.86	34.86
AV	11.5888G	42.57	54.00	-11.43	29.54	3	Vertical	262	3.00	-	40.03	7.86	34.86
PK	17.39658G	65.21	68.20	-2.99	46.84	3	Vertical	350	1.92	-	42.56	9.79	33.98

802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5795MHz\_TX




EUT V\_3TX  
Setting 105  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57734G	56.46	74.00	-17.54	43.40	3	Horizontal	348	1.75	-	40.07	7.85	34.86
AV	11.58634G	42.30	54.00	-11.70	29.26	3	Horizontal	348	1.75	-	40.04	7.86	34.86
PK	17.38974G	67.61	68.20	-0.59	49.31	3	Horizontal	332	2.59	-	42.48	9.79	33.97

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

04/11/2020

### 5210MHz\_TX




EUT Y\_2TX  
Setting 73  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	71.20	74.00	-2.80	68.86	3	Vertical	214	2.19	-	31.80	5.17	34.63
AV	5.15G	53.56	54.00	-0.44	51.22	3	Vertical	214	2.19	-	31.80	5.17	34.63
PK	5.221G	107.58	Inf	-Inf	105.50	3	Vertical	214	2.19	-	31.52	5.22	34.66
AV	5.197G	97.61	Inf	-Inf	95.45	3	Vertical	214	2.19	-	31.61	5.20	34.65
PK	5.38G	57.02	74.00	-16.98	54.82	3	Vertical	214	2.19	-	31.54	5.38	34.72
AV	5.352G	44.27	54.00	-9.73	42.31	3	Vertical	214	2.19	-	31.32	5.35	34.71

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5210MHz\_TX




EUT Y\_2TX  
Setting 73  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.119G	61.83	74.00	-12.17	59.37	3	Horizontal	79	1.80	-	31.92	5.16	34.62
AV	5.15G	46.28	54.00	-7.72	43.94	3	Horizontal	79	1.80	-	31.80	5.17	34.63
PK	5.185G	101.90	Inf	-Inf	99.70	3	Horizontal	79	1.80	-	31.66	5.19	34.65
AV	5.182G	88.16	Inf	-Inf	85.95	3	Horizontal	79	1.80	-	31.67	5.19	34.65
PK	5.382G	55.80	74.00	-18.20	53.58	3	Horizontal	79	1.80	-	31.56	5.38	34.72
AV	5.43G	43.26	54.00	-10.74	40.89	3	Horizontal	79	1.80	-	31.70	5.40	34.73

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5210MHz\_TX



EUT Y\_2TX  
Setting 73  
01-A-K-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62784G	57.00	74.00	-17.00	45.08	3	Vertical	115	1.80	-	37.60	9.23	34.91
AV	15.62916G	43.84	54.00	-10.16	31.92	3	Vertical	115	1.80	-	37.60	9.23	34.91



802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5210MHz\_TX




EUT Y\_2TX  
Setting 73  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62816G	57.57	74.00	-16.43	45.65	3	Horizontal	37	1.80	-	37.60	9.23	34.91
AV	15.63062G	44.01	54.00	-9.99	32.09	3	Horizontal	37	1.80	-	37.60	9.23	34.91

802.11ac VHT80-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5775MHz\_TX




EUT Y\_3TX  
Setting 92  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	68.00	68.20	-0.20	65.67	3	Vertical	64	1.16	-	31.60	5.43	34.70
PK	5.749G	114.25	Inf	-Inf	111.55	3	Vertical	64	1.16	-	31.90	5.47	34.67
AV	5.797G	102.58	Inf	-Inf	99.83	3	Vertical	64	1.16	-	31.90	5.50	34.65
PK	5.928G	67.79	68.20	-0.41	64.68	3	Vertical	64	1.16	-	32.21	5.50	34.60

802.11ac VHT80-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5775MHz\_TX




EUT Y\_3TX  
Setting 92  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	61.99	68.20	-6.21	59.67	3	Horizontal	287	2.62	-	31.60	5.42	34.70
PK	5.768G	109.10	Inf	-Inf	106.38	3	Horizontal	287	2.62	-	31.90	5.48	34.66
AV	5.767G	99.65	Inf	-Inf	96.93	3	Horizontal	287	2.62	-	31.90	5.48	34.66
PK	5.929G	63.41	68.20	-4.79	60.29	3	Horizontal	287	2.62	-	32.22	5.50	34.60

802.11ac VHT80-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5775MHz\_TX




EUT V\_3TX  
Setting 92  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56416G	55.23	74.00	-18.77	42.12	3	Vertical	22	1.19	-	40.11	7.85	34.85
AV	11.54172G	41.91	54.00	-12.09	28.75	3	Vertical	22	1.19	-	40.17	7.84	34.85
PK	17.32554G	63.04	68.20	-5.16	45.49	3	Vertical	36	1.80	-	41.71	9.76	33.92

802.11ac VHT80-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5775MHz\_TX




EUT V\_3TX  
Setting 92  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5554G	55.39	74.00	-18.61	42.27	3	Horizontal	334	1.44	-	40.13	7.84	34.85
AV	11.53506G	42.03	54.00	-11.97	28.84	3	Horizontal	334	1.44	-	40.19	7.84	34.84
PK	17.3271G	62.75	68.20	-5.45	45.19	3	Horizontal	128	1.80	-	41.73	9.76	33.93

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/11/2020

5180MHz\_TX




EUT Y\_2TX  
Setting 82  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1462G	71.31	74.00	-2.69	68.95	3	Vertical	93	1.76	-	31.82	5.17	34.63
AV	5.1494G	53.78	54.00	-0.22	51.44	3	Vertical	93	1.76	-	31.80	5.17	34.63
PK	5.1716G	118.75	Inf	-Inf	116.49	3	Vertical	93	1.76	-	31.71	5.19	34.64
AV	5.1766G	105.99	Inf	-Inf	103.75	3	Vertical	93	1.76	-	31.69	5.19	34.64

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/11/2020

5180MHz\_TX




EUT Y\_2TX  
Setting 82  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	62.98	74.00	-11.02	60.63	3	Horizontal	80	1.64	-	31.81	5.17	34.63
AV	5.1494G	46.13	54.00	-7.87	43.79	3	Horizontal	80	1.64	-	31.80	5.17	34.63
PK	5.1794G	108.19	Inf	-Inf	105.96	3	Horizontal	80	1.64	-	31.68	5.19	34.64
AV	5.1782G	96.01	Inf	-Inf	93.77	3	Horizontal	80	1.64	-	31.69	5.19	34.64

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/11/2020

5180MHz\_TX



EUT Y\_2TX  
Setting 82  
01-A-K-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.522G	57.94	74.00	-16.06	45.55	3	Vertical	239	2.36	-	37.99	9.20	34.80
AV	15.5155G	44.58	54.00	-9.42	32.16	3	Vertical	239	2.36	-	38.02	9.20	34.80



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/11/2020

5180MHz\_TX




EUT Y\_2TX  
Setting 82  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53934G	58.41	74.00	-15.59	46.12	3	Horizontal	354	1.80	-	37.90	9.21	34.82
AV	15.53802G	44.56	54.00	-9.44	32.26	3	Horizontal	354	1.80	-	37.91	9.21	34.82

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/11/2020

### 5200MHz\_TX




EUT Y\_2TX  
Setting 98  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	70.84	74.00	-3.16	68.49	3	Vertical	90	1.71	-	31.81	5.17	34.63
AV	5.15G	53.98	54.00	-0.02	51.64	3	Vertical	90	1.71	-	31.80	5.17	34.63
PK	5.2028G	122.08	Inf	-Inf	119.94	3	Vertical	90	1.71	-	31.59	5.20	34.65
AV	5.1984G	110.21	Inf	-Inf	108.05	3	Vertical	90	1.71	-	31.61	5.20	34.65

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/11/2020

5200MHz\_TX




EUT Y\_2TX  
Setting 98  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	63.84	74.00	-10.16	61.49	3	Horizontal	81	1.80	-	31.81	5.17	34.63
AV	5.15G	47.23	54.00	-6.77	44.89	3	Horizontal	81	1.80	-	31.80	5.17	34.63
PK	5.2028G	111.14	Inf	-Inf	109.00	3	Horizontal	81	1.80	-	31.59	5.20	34.65
AV	5.2012G	98.64	Inf	-Inf	96.49	3	Horizontal	81	1.80	-	31.60	5.20	34.65

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/11/2020

5200MHz\_TX




EUT Y\_2TX  
Setting 98  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60576G	59.17	74.00	-14.83	47.24	3	Vertical	145	1.70	-	37.60	9.22	34.89
AV	15.59248G	45.39	54.00	-8.61	33.40	3	Vertical	145	1.70	-	37.64	9.22	34.87

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/11/2020

5200MHz\_TX




EUT Y\_2TX  
Setting 98  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60288G	60.14	74.00	-13.86	48.20	3	Horizontal	146	2.53	-	37.60	9.22	34.88
AV	15.59984G	47.03	54.00	-6.97	35.09	3	Horizontal	146	2.53	-	37.60	9.22	34.88

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/11/2020

5240MHz\_TX




EUT Y\_2TX  
Setting 105  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	69.42	74.00	-4.58	67.06	3	Vertical	226	1.80	-	31.82	5.17	34.63
AV	5.1476G	53.97	54.00	-0.03	51.62	3	Vertical	226	1.80	-	31.81	5.17	34.63
PK	5.2328G	123.22	Inf	-Inf	121.18	3	Vertical	226	1.80	-	31.47	5.23	34.66
AV	5.246G	110.63	Inf	-Inf	108.63	3	Vertical	226	1.80	-	31.42	5.25	34.67
PK	5.35G	64.11	74.00	-9.89	62.17	3	Vertical	226	1.80	-	31.30	5.35	34.71
AV	5.35G	49.13	54.00	-4.87	47.19	3	Vertical	226	1.80	-	31.30	5.35	34.71

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/11/2020

5240MHz\_TX




EUT Y\_2TX  
Setting 105  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1446G	61.51	74.00	-12.49	59.15	3	Horizontal	68	1.63	-	31.82	5.17	34.63
AV	5.15G	46.97	54.00	-7.03	44.63	3	Horizontal	68	1.63	-	31.80	5.17	34.63
PK	5.2448G	114.12	Inf	-Inf	112.13	3	Horizontal	68	1.63	-	31.42	5.24	34.67
AV	5.2436G	102.86	Inf	-Inf	100.86	3	Horizontal	68	1.63	-	31.43	5.24	34.67
PK	5.3576G	58.14	74.00	-15.86	56.13	3	Horizontal	68	1.63	-	31.36	5.36	34.71
AV	5.35G	44.11	54.00	-9.89	42.17	3	Horizontal	68	1.63	-	31.30	5.35	34.71

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/11/2020

5240MHz\_TX



EUT Y\_2TX  
Setting 105  
01-A-K-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4686G	54.27	68.20	-13.93	42.47	3	Vertical	55	2.21	-	39.63	7.46	35.29
PK	15.71744G	58.91	74.00	-15.09	47.12	3	Vertical	122	1.69	-	37.55	9.24	35.00
AV	15.71952G	45.95	54.00	-8.05	34.17	3	Vertical	122	1.69	-	37.54	9.24	35.00



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/11/2020

### 5240MHz\_TX




EUT Y\_2TX  
Setting 105  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49488G	54.22	68.20	-13.98	42.41	3	Horizontal	91	1.78	-	39.61	7.47	35.27
PK	15.70736G	59.42	74.00	-14.58	47.59	3	Horizontal	130	1.80	-	37.58	9.24	34.99
AV	15.7208G	47.22	54.00	-6.78	35.45	3	Horizontal	130	1.80	-	37.54	9.24	35.01

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5745MHz\_TX




EUT Y\_2TX  
Setting 103  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	64.55	68.20	-3.65	62.24	3	Vertical	84	1.09	-	31.60	5.42	34.71
PK	5.748G	121.98	Inf	-Inf	119.28	3	Vertical	84	1.09	-	31.90	5.47	34.67
AV	5.744G	110.53	Inf	-Inf	107.84	3	Vertical	84	1.09	-	31.89	5.47	34.67
PK	5.935G	59.95	68.20	-8.25	56.80	3	Vertical	84	1.09	-	32.24	5.50	34.59

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5745MHz\_TX




EUT Y\_2TX  
Setting 103  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	59.83	68.20	-8.37	57.52	3	Horizontal	359	1.80	-	31.60	5.42	34.71
PK	5.739G	116.07	Inf	-Inf	113.39	3	Horizontal	359	1.80	-	31.88	5.47	34.67
AV	5.739G	107.49	Inf	-Inf	104.81	3	Horizontal	359	1.80	-	31.88	5.47	34.67
PK	5.957G	58.70	68.20	-9.50	55.50	3	Horizontal	359	1.80	-	32.29	5.50	34.59

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5745MHz\_TX




EUT Y\_2TX  
Setting 103  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48754G	56.52	74.00	-17.48	43.23	3	Vertical	309	2.07	-	40.30	7.82	34.83
AV	11.48616G	43.75	54.00	-10.25	30.46	3	Vertical	309	2.07	-	40.30	7.82	34.83
PK	17.22528G	64.63	68.20	-3.57	47.65	3	Vertical	345	1.80	-	41.10	9.73	33.85

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5745MHz\_TX




EUT Y\_2TX  
Setting 103  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48892G	57.58	74.00	-16.42	44.29	3	Horizontal	351	3.00	-	40.30	7.82	34.83
AV	11.48766G	44.02	54.00	-9.98	30.73	3	Horizontal	351	3.00	-	40.30	7.82	34.83
PK	17.22924G	68.08	68.20	-0.12	51.09	3	Horizontal	320	2.26	-	41.12	9.73	33.86

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5785MHz\_TX




EUT Y\_2TX  
Setting 105  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.572G	59.47	68.20	-8.73	57.20	3	Vertical	55	1.00	-	31.60	5.40	34.73
PK	5.79G	124.43	Inf	-Inf	121.68	3	Vertical	55	1.00	-	31.90	5.50	34.65
AV	5.79G	111.35	Inf	-Inf	108.60	3	Vertical	55	1.00	-	31.90	5.50	34.65
PK	5.932G	60.69	68.20	-7.51	57.56	3	Vertical	55	1.00	-	32.23	5.50	34.60

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5785MHz\_TX




EUT Y\_2TX  
Setting 105  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.578G	57.60	68.20	-10.60	55.33	3	Horizontal	279	1.80	-	31.60	5.40	34.73
PK	5.793G	119.67	Inf	-Inf	116.92	3	Horizontal	279	1.80	-	31.90	5.50	34.65
AV	5.794G	110.15	Inf	-Inf	107.40	3	Horizontal	279	1.80	-	31.90	5.50	34.65
PK	5.955G	59.82	68.20	-8.38	56.62	3	Horizontal	279	1.80	-	32.29	5.50	34.59

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5785MHz\_TX



EUT Y\_2TX  
Setting 105  
01-A-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56758G	55.30	74.00	-18.70	42.20	3	Vertical	306	1.28	-	40.10	7.85	34.85
AV	11.57452G	42.51	54.00	-11.49	29.44	3	Vertical	306	1.28	-	40.08	7.85	34.86
PK	17.3559G	66.16	68.20	-2.04	48.27	3	Vertical	0	1.80	-	42.07	9.77	33.95



802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5785MHz\_TX




EUT Y\_2TX  
Setting 105  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5629G	55.47	74.00	-18.53	42.36	3	Horizontal	313	1.13	-	40.11	7.85	34.85
AV	11.5675G	42.73	54.00	-11.27	29.63	3	Horizontal	313	1.13	-	40.10	7.85	34.85
PK	17.3543G	68.06	68.20	-0.14	50.19	3	Horizontal	274	2.65	-	42.05	9.77	33.95

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5825MHz\_TX




EUT Y\_2TX  
Setting 105  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	59.19	68.20	-9.01	56.88	3	Vertical	54	1.13	-	31.60	5.42	34.71
PK	5.83G	122.09	Inf	-Inf	119.20	3	Vertical	54	1.13	-	32.02	5.50	34.63
AV	5.817G	110.57	Inf	-Inf	107.74	3	Vertical	54	1.13	-	31.97	5.50	34.64
PK	5.927G	67.79	68.20	-0.41	64.68	3	Vertical	54	1.13	-	32.21	5.50	34.60

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5825MHz\_TX




EUT Y\_2TX  
Setting 105  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	57.29	68.20	-10.91	54.99	3	Horizontal	142	1.53	-	31.60	5.41	34.71
PK	5.83G	120.45	Inf	-Inf	117.56	3	Horizontal	142	1.53	-	32.02	5.50	34.63
AV	5.83G	110.19	Inf	-Inf	107.30	3	Horizontal	142	1.53	-	32.02	5.50	34.63
PK	5.929G	62.06	68.20	-6.14	58.94	3	Horizontal	142	1.53	-	32.22	5.50	34.60

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5825MHz\_TX




EUT Y\_2TX  
Setting 105  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6532G	54.73	74.00	-19.27	42.11	3	Vertical	194	2.33	-	39.63	7.88	34.89
AV	11.6516G	42.30	54.00	-11.70	29.66	3	Vertical	194	2.33	-	39.64	7.88	34.88
PK	17.4831G	68.06	68.20	-0.14	49.18	3	Vertical	247	1.95	-	43.10	9.82	34.04

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5825MHz\_TX




EUT Y\_2TX  
Setting 105  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6266G	55.53	74.00	-18.47	42.73	3	Horizontal	36	1.85	-	39.81	7.87	34.88
AV	11.6452G	42.28	54.00	-11.72	29.60	3	Horizontal	36	1.85	-	39.68	7.88	34.88
PK	17.481G	67.99	68.20	-0.21	49.12	3	Horizontal	152	1.93	-	43.09	9.82	34.04

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/11/2020

5190MHz\_TX




EUT Y\_2TX  
Setting 72  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	71.30	74.00	-2.70	68.95	3	Vertical	213	2.34	-	31.81	5.17	34.63
AV	5.15G	53.88	54.00	-0.12	51.54	3	Vertical	213	2.34	-	31.80	5.17	34.63
PK	5.18G	114.18	Inf	-Inf	111.95	3	Vertical	213	2.34	-	31.68	5.19	34.64
AV	5.1848G	100.64	Inf	-Inf	98.44	3	Vertical	213	2.34	-	31.66	5.19	34.65

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/11/2020

5190MHz\_TX




EUT Y\_2TX  
Setting 72  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	58.50	74.00	-15.50	56.15	3	Horizontal	87	2.02	-	31.81	5.17	34.63
AV	5.15G	43.79	54.00	-10.21	41.45	3	Horizontal	87	2.02	-	31.80	5.17	34.63
PK	5.1864G	102.29	Inf	-Inf	100.10	3	Horizontal	87	2.02	-	31.65	5.19	34.65
AV	5.188G	88.62	Inf	-Inf	86.43	3	Horizontal	87	2.02	-	31.65	5.19	34.65

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/11/2020

5190MHz\_TX



EUT Y\_2TX  
Setting 72  
01-A-L-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56944G	58.48	74.00	-15.52	46.37	3	Vertical	217	2.03	-	37.75	9.21	34.85
AV	15.56336G	44.35	54.00	-9.65	32.20	3	Vertical	217	2.03	-	37.78	9.21	34.84



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/11/2020

5190MHz\_TX




EUT Y\_2TX  
Setting 72  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57252G	58.21	74.00	-15.79	46.11	3	Horizontal	17	2.51	-	37.74	9.21	34.85
AV	15.57092G	44.32	54.00	-9.68	32.21	3	Horizontal	17	2.51	-	37.75	9.21	34.85

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/11/2020

5230MHz\_TX




EUT\_Y\_2TX  
Setting 96  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	71.00	74.00	-3.00	68.64	3	Vertical	93	1.80	-	31.82	5.17	34.63
AV	5.15G	53.77	54.00	-0.23	51.43	3	Vertical	93	1.80	-	31.80	5.17	34.63
PK	5.2288G	118.61	Inf	-Inf	116.56	3	Vertical	93	1.80	-	31.48	5.23	34.66
AV	5.2162G	105.76	Inf	-Inf	103.66	3	Vertical	93	1.80	-	31.54	5.22	34.66
PK	5.3542G	58.83	74.00	-15.17	56.86	3	Vertical	93	1.80	-	31.33	5.35	34.71
AV	5.3518G	45.13	54.00	-8.87	43.18	3	Vertical	93	1.80	-	31.31	5.35	34.71

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/11/2020

5230MHz\_TX




EUT Y\_2TX  
Setting 96  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.43	74.00	-10.57	61.09	3	Horizontal	70	1.80	-	31.80	5.17	34.63
AV	5.15G	46.48	54.00	-7.52	44.14	3	Horizontal	70	1.80	-	31.80	5.17	34.63
PK	5.2438G	107.95	Inf	-Inf	105.96	3	Horizontal	70	1.80	-	31.42	5.24	34.67
AV	5.245G	95.45	Inf	-Inf	93.45	3	Horizontal	70	1.80	-	31.42	5.25	34.67
PK	5.3668G	55.76	74.00	-18.24	53.67	3	Horizontal	70	1.80	-	31.43	5.37	34.71
AV	5.3524G	43.05	54.00	-10.95	41.09	3	Horizontal	70	1.80	-	31.32	5.35	34.71

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/11/2020

5230MHz\_TX




EUT Y\_2TX  
Setting 96  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68268G	58.76	74.00	-15.24	46.89	3	Vertical	243	2.24	-	37.60	9.24	34.97
AV	15.68764G	44.19	54.00	-9.81	32.32	3	Vertical	243	2.24	-	37.60	9.24	34.97

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/11/2020

5230MHz\_TX




EUT Y\_2TX  
Setting 96  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69344G	58.81	74.00	-15.19	46.95	3	Horizontal	209	1.97	-	37.60	9.24	34.98
AV	15.68336G	44.25	54.00	-9.75	32.38	3	Horizontal	209	1.97	-	37.60	9.24	34.97

802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5755MHz\_TX




EUT Y\_2TX  
Setting 100  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	67.86	68.20	-0.34	65.54	3	Vertical	333	1.00	-	31.60	5.42	34.70
PK	5.759G	120.66	Inf	-Inf	117.94	3	Vertical	333	1.00	-	31.90	5.48	34.66
AV	5.762G	107.50	Inf	-Inf	104.78	3	Vertical	333	1.00	-	31.90	5.48	34.66
PK	5.929G	60.81	68.20	-7.39	57.69	3	Vertical	333	1.00	-	32.22	5.50	34.60

802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5755MHz\_TX




EUT Y\_2TX  
Setting 100  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	62.30	68.20	-5.90	59.98	3	Horizontal	148	1.58	-	31.60	5.42	34.70
PK	5.753G	118.07	Inf	-Inf	115.35	3	Horizontal	148	1.58	-	31.90	5.48	34.66
AV	5.754G	106.07	Inf	-Inf	103.35	3	Horizontal	148	1.58	-	31.90	5.48	34.66
PK	5.951G	58.98	68.20	-9.22	55.77	3	Horizontal	148	1.58	-	32.30	5.50	34.59

802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5755MHz\_TX



EUT Y\_2TX  
Setting 100  
01-A-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5099G	56.44	74.00	-17.56	43.17	3	Vertical	14	2.86	-	40.27	7.83	34.83
AV	11.5028G	42.62	54.00	-11.38	29.33	3	Vertical	14	2.86	-	40.29	7.83	34.83
PK	17.2589G	63.77	68.20	-4.43	46.67	3	Vertical	360	1.80	-	41.24	9.74	33.88



802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5755MHz\_TX




EUT Y\_2TX  
Setting 100  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5255G	55.71	74.00	-18.29	42.50	3	Horizontal	210	2.42	-	40.22	7.83	34.84
AV	11.5282G	42.69	54.00	-11.31	29.48	3	Horizontal	210	2.42	-	40.22	7.83	34.84
PK	17.2698G	66.06	68.20	-2.14	48.92	3	Horizontal	324	1.90	-	41.28	9.74	33.88

802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5795MHz\_TX




EUT Y\_2TX  
Setting 104  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	65.32	68.20	-2.88	63.01	3	Vertical	54	1.00	-	31.60	5.42	34.71
PK	5.792G	120.23	Inf	-Inf	117.48	3	Vertical	54	1.00	-	31.90	5.50	34.65
AV	5.789G	107.19	Inf	-Inf	104.45	3	Vertical	54	1.00	-	31.90	5.49	34.65
PK	5.936G	68.09	68.20	-0.11	64.94	3	Vertical	54	1.00	-	32.24	5.50	34.59

802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5795MHz\_TX




EUT Y\_2TX  
Setting 104  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	61.59	68.20	-6.61	59.27	3	Horizontal	178	1.85	-	31.60	5.42	34.70
PK	5.811G	116.86	Inf	-Inf	114.06	3	Horizontal	178	1.85	-	31.94	5.50	34.64
AV	5.811G	105.82	Inf	-Inf	103.02	3	Horizontal	178	1.85	-	31.94	5.50	34.64
PK	5.925G	67.82	68.20	-0.38	64.72	3	Horizontal	178	1.85	-	32.20	5.50	34.60

802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5795MHz\_TX




EUT Y\_2TX  
Setting 104  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5914G	55.59	74.00	-18.41	42.56	3	Vertical	282	1.23	-	40.03	7.86	34.86
AV	11.5672G	42.20	54.00	-11.80	29.10	3	Vertical	282	1.23	-	40.10	7.85	34.85
PK	17.399G	62.85	68.20	-5.35	44.45	3	Vertical	344	1.80	-	42.59	9.79	33.98

802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5795MHz\_TX




EUT Y\_2TX  
Setting 104  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5942G	55.96	74.00	-18.04	42.94	3	Horizontal	55	2.10	-	40.02	7.86	34.86
AV	11.5943G	42.24	54.00	-11.76	29.22	3	Horizontal	55	2.10	-	40.02	7.86	34.86
PK	17.3906G	65.94	68.20	-2.26	47.63	3	Horizontal	331	2.56	-	42.49	9.79	33.97

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX  
5210MHz\_TX

05/11/2020




EUT Y\_2TX  
Setting 71  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.68	74.00	-5.32	66.34	3	Vertical	50	1.80	-	31.80	5.17	34.63
AV	5.149G	53.77	54.00	-0.23	51.43	3	Vertical	50	1.80	-	31.80	5.17	34.63
PK	5.219G	110.37	Inf	-Inf	108.29	3	Vertical	50	1.80	-	31.52	5.22	34.66
AV	5.2G	97.70	Inf	-Inf	95.55	3	Vertical	50	1.80	-	31.60	5.20	34.65
PK	5.351G	56.81	74.00	-17.19	54.86	3	Vertical	50	1.80	-	31.31	5.35	34.71
AV	5.355G	44.24	54.00	-9.76	42.25	3	Vertical	50	1.80	-	31.34	5.36	34.71

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/11/2020

5210MHz\_TX




EUT Y\_2TX  
Setting 71  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	60.40	74.00	-13.60	58.04	3	Horizontal	80	1.75	-	31.82	5.17	34.63
AV	5.149G	45.67	54.00	-8.33	43.33	3	Horizontal	80	1.75	-	31.80	5.17	34.63
PK	5.184G	99.86	Inf	-Inf	97.66	3	Horizontal	80	1.75	-	31.66	5.19	34.65
AV	5.201G	86.41	Inf	-Inf	84.26	3	Horizontal	80	1.75	-	31.60	5.20	34.65
PK	5.434G	56.07	74.00	-17.93	53.71	3	Horizontal	80	1.75	-	31.70	5.40	34.74
AV	5.423G	43.25	54.00	-10.75	40.88	3	Horizontal	80	1.75	-	31.70	5.40	34.73

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/11/2020

5210MHz\_TX



EUT Y\_2TX  
Setting 71  
01-A-L-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62464G	57.07	74.00	-16.93	45.16	3	Vertical	51	1.31	-	37.60	9.22	34.91
AV	15.62672G	43.46	54.00	-10.54	31.54	3	Vertical	51	1.31	-	37.60	9.23	34.91



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/11/2020

5210MHz\_TX




EUT Y\_2TX  
Setting 71  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6256G	57.18	74.00	-16.82	45.26	3	Horizontal	190	2.60	-	37.60	9.23	34.91
AV	15.6288G	43.54	54.00	-10.46	31.62	3	Horizontal	190	2.60	-	37.60	9.23	34.91

802.11ax HEW80-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5775MHz\_TX




EUT Y\_2TX  
Setting 92  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	68.16	68.20	-0.04	65.84	3	Vertical	62	1.00	-	31.60	5.42	34.70
PK	5.792G	114.53	Inf	-Inf	111.78	3	Vertical	62	1.00	-	31.90	5.50	34.65
AV	5.789G	101.79	Inf	-Inf	99.05	3	Vertical	62	1.00	-	31.90	5.49	34.65
PK	5.93G	67.61	68.20	-0.59	64.49	3	Vertical	62	1.00	-	32.22	5.50	34.60

802.11ax HEW80-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5775MHz\_TX




EUT Y\_2TX  
Setting 92  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	61.00	68.20	-7.20	58.69	3	Horizontal	272	1.72	-	31.60	5.42	34.71
PK	5.769G	111.82	Inf	-Inf	109.10	3	Horizontal	272	1.72	-	31.90	5.48	34.66
AV	5.766G	99.73	Inf	-Inf	97.01	3	Horizontal	272	1.72	-	31.90	5.48	34.66
PK	5.941G	63.24	68.20	-4.96	60.07	3	Horizontal	272	1.72	-	32.26	5.50	34.59

802.11ax HEW80-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5775MHz\_TX




EUT Y\_2TX  
Setting 92  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5623G	55.09	74.00	-18.91	41.98	3	Vertical	159	2.68	-	40.11	7.85	34.85
AV	11.5416G	41.94	54.00	-12.06	28.76	3	Vertical	159	2.68	-	40.18	7.84	34.84
PK	17.32542G	62.08	68.20	-6.12	44.53	3	Vertical	109	1.70	-	41.71	9.76	33.92

802.11ax HEW80-BF\_Nss1,(MCS0)\_3TX

05/11/2020

5775MHz\_TX



EUT Y\_2TX  
Setting 92  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55882G	55.75	74.00	-18.25	42.63	3	Horizontal	24	1.96	-	40.12	7.85	34.85
AV	11.535G	41.82	54.00	-12.18	28.62	3	Horizontal	24	1.96	-	40.20	7.84	34.84
PK	17.33544G	62.94	68.20	-5.26	45.27	3	Horizontal	252	1.80	-	41.83	9.77	33.93




**Mode 3, Non-beamforming mode: 5GHz Band 1 2T2S SDM  
Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.92	54.00	-0.08	3	Vertical	222	1.78	-

802.11ac VHT20\_Nss2,(MCS0)\_2TX

04/11/2020

5180MHz\_TX




EUT Y\_2TX  
Setting 84  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1446G	70.85	74.00	-3.15	68.49	3	Vertical	54	1.79	-	31.82	5.17	34.63
AV	5.15G	53.78	54.00	-0.22	51.44	3	Vertical	54	1.79	-	31.80	5.17	34.63
PK	5.1826G	115.28	Inf	-Inf	113.07	3	Vertical	54	1.79	-	31.67	5.19	34.65
AV	5.1868G	105.08	Inf	-Inf	102.89	3	Vertical	54	1.79	-	31.65	5.19	34.65

802.11ac VHT20\_Nss2,(MCS0)\_2TX

04/11/2020

5180MHz\_TX



EUT Y\_2TX  
Setting 84  
01-A-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	62.21	74.00	-11.79	59.87	3	Horizontal	86	2.81	-	31.80	5.17	34.63
AV	5.1496G	46.53	54.00	-7.47	44.19	3	Horizontal	86	2.81	-	31.80	5.17	34.63
PK	5.176G	105.47	Inf	-Inf	103.22	3	Horizontal	86	2.81	-	31.70	5.19	34.64
AV	5.1778G	95.84	Inf	-Inf	93.60	3	Horizontal	86	2.81	-	31.69	5.19	34.64



802.11ac VHT20\_Nss2,(MCS0)\_2TX

04/11/2020

5180MHz\_TX




EUT Y\_2TX  
Setting 84  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53152G	58.48	74.00	-15.52	46.14	3	Vertical	354	1.36	-	37.94	9.21	34.81
AV	15.53476G	45.26	54.00	-8.74	32.94	3	Vertical	354	1.36	-	37.93	9.21	34.82

802.11ac VHT20\_Nss2,(MCS0)\_2TX

04/11/2020

5180MHz\_TX




EUT Y\_2TX  
Setting 84  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54568G	58.15	74.00	-15.85	45.90	3	Horizontal	176	1.80	-	37.87	9.21	34.83
AV	15.54244G	45.44	54.00	-8.56	33.16	3	Horizontal	176	1.80	-	37.89	9.21	34.82

802.11ac VHT40\_Nss2,(MCS0)\_2TX

04/11/2020

5190MHz\_TX




EUT Y\_2TX  
Setting 76  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	66.47	74.00	-7.53	64.13	3	Vertical	222	1.80	-	31.80	5.17	34.63
AV	5.15G	53.87	54.00	-0.13	51.53	3	Vertical	222	1.80	-	31.80	5.17	34.63
PK	5.2012G	110.03	Inf	-Inf	107.88	3	Vertical	222	1.80	-	31.60	5.20	34.65
AV	5.1976G	100.35	Inf	-Inf	98.19	3	Vertical	222	1.80	-	31.61	5.20	34.65

802.11ac VHT40\_Nss2,(MCS0)\_2TX

04/11/2020

5190MHz\_TX




EUT Y\_2TX  
Setting 76  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.94	74.00	-14.06	57.60	3	Horizontal	86	2.56	-	31.80	5.17	34.63
AV	5.15G	46.45	54.00	-7.55	44.11	3	Horizontal	86	2.56	-	31.80	5.17	34.63
PK	5.2012G	101.22	Inf	-Inf	99.07	3	Horizontal	86	2.56	-	31.60	5.20	34.65
AV	5.1976G	90.90	Inf	-Inf	88.74	3	Horizontal	86	2.56	-	31.61	5.20	34.65

802.11ac VHT40\_Nss2,(MCS0)\_2TX

04/11/2020

5190MHz\_TX




EUT Y\_2TX  
Setting 76  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56722G	57.44	74.00	-16.56	45.32	3	Vertical	256	2.63	-	37.76	9.21	34.85
AV	15.56696G	45.12	54.00	-8.88	32.99	3	Vertical	256	2.63	-	37.77	9.21	34.85

802.11ac VHT40\_Nss2,(MCS0)\_2TX

04/11/2020

5190MHz\_TX




EUT Y\_2TX  
Setting 76  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56654G	57.35	74.00	-16.65	45.22	3	Horizontal	200	2.23	-	37.77	9.21	34.85
AV	15.56666G	44.91	54.00	-9.09	32.78	3	Horizontal	200	2.23	-	37.77	9.21	34.85

### 802.11ac VHT80\_Nss2,(MCS0)\_2TX

04/11/2020

### 5210MHz\_TX




EUT Y\_2TX  
Setting 74  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	67.34	74.00	-6.66	64.96	3	Vertical	224	1.78	-	31.84	5.17	34.63
AV	5.149G	53.83	54.00	-0.17	51.49	3	Vertical	224	1.78	-	31.80	5.17	34.63
PK	5.196G	106.75	Inf	-Inf	104.58	3	Vertical	224	1.78	-	31.62	5.20	34.65
AV	5.198G	97.37	Inf	-Inf	95.21	3	Vertical	224	1.78	-	31.61	5.20	34.65
PK	5.352G	56.18	74.00	-17.82	54.22	3	Vertical	224	1.78	-	31.32	5.35	34.71
AV	5.354G	45.63	54.00	-8.37	43.66	3	Vertical	224	1.78	-	31.33	5.35	34.71

### 802.11ac VHT80\_Nss2,(MCS0)\_2TX

04/11/2020

### 5210MHz\_TX



EUT Y\_2TX  
Setting 74  
01-A-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.134G	59.52	74.00	-14.48	57.12	3	Horizontal	86	2.84	-	31.86	5.17	34.63
AV	5.148G	47.18	54.00	-6.82	44.83	3	Horizontal	86	2.84	-	31.81	5.17	34.63
PK	5.203G	97.30	Inf	-Inf	95.16	3	Horizontal	86	2.84	-	31.59	5.20	34.65
AV	5.198G	88.38	Inf	-Inf	86.22	3	Horizontal	86	2.84	-	31.61	5.20	34.65
PK	5.432G	56.28	74.00	-17.72	53.92	3	Horizontal	86	2.84	-	31.70	5.40	34.74
AV	5.43G	45.22	54.00	-8.78	42.85	3	Horizontal	86	2.84	-	31.70	5.40	34.73



802.11ac VHT80\_Nss2,(MCS0)\_2TX

04/11/2020

5210MHz\_TX




EUT Y\_2TX  
Setting 74  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62916G	56.74	74.00	-17.26	44.82	3	Vertical	24	1.80	-	37.60	9.23	34.91
AV	15.62914G	46.11	54.00	-7.89	34.19	3	Vertical	24	1.80	-	37.60	9.23	34.91

802.11ac VHT80\_Nss2,(MCS0)\_2TX

04/11/2020

5210MHz\_TX




EUT Y\_2TX  
Setting 74  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63118G	57.32	74.00	-16.68	45.40	3	Horizontal	255	1.32	-	37.60	9.23	34.91
AV	15.62504G	45.89	54.00	-8.11	33.97	3	Horizontal	255	1.32	-	37.60	9.23	34.91

802.11ax HEW20\_Nss2,(MCS0)\_2TX

04/11/2020

5180MHz\_TX




EUT Y\_2TX  
Setting 77  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.62	74.00	-6.38	65.28	3	Vertical	54	1.80	-	31.80	5.17	34.63
AV	5.1494G	53.77	54.00	-0.23	51.43	3	Vertical	54	1.80	-	31.80	5.17	34.63
PK	5.1838G	117.10	Inf	-Inf	114.90	3	Vertical	54	1.80	-	31.66	5.19	34.65
AV	5.1778G	105.26	Inf	-Inf	103.02	3	Vertical	54	1.80	-	31.69	5.19	34.64

802.11ax HEW20\_Nss2,(MCS0)\_2TX

04/11/2020

5180MHz\_TX




EUT Y\_2TX  
Setting 77  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.15	74.00	-14.85	56.81	3	Horizontal	72	1.89	-	31.80	5.17	34.63
AV	5.1496G	47.33	54.00	-6.67	44.99	3	Horizontal	72	1.89	-	31.80	5.17	34.63
PK	5.1838G	107.87	Inf	-Inf	105.67	3	Horizontal	72	1.89	-	31.66	5.19	34.65
AV	5.176G	95.61	Inf	-Inf	93.36	3	Horizontal	72	1.89	-	31.70	5.19	34.64

802.11ax HEW20\_Nss2,(MCS0)\_2TX

04/11/2020

5180MHz\_TX




EUT Y\_2TX  
Setting 77  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53782G	59.19	74.00	-14.81	46.89	3	Vertical	112	1.80	-	37.91	9.21	34.82
AV	15.53808G	47.96	54.00	-6.04	35.66	3	Vertical	112	1.80	-	37.91	9.21	34.82

802.11ax HEW20\_Nss2,(MCS0)\_2TX

04/11/2020

5180MHz\_TX




EUT Y\_2TX  
Setting 77  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53861G	58.74	74.00	-15.26	46.44	3	Horizontal	1	1.80	-	37.91	9.21	34.82
AV	15.54096G	47.66	54.00	-6.34	35.37	3	Horizontal	1	1.80	-	37.90	9.21	34.82

802.11ax HEW40\_Nss2,(MCS0)\_2TX

04/11/2020

5190MHz\_TX




EUT Y\_2TX  
Setting 72  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	68.09	74.00	-5.91	65.73	3	Vertical	54	1.77	-	31.82	5.17	34.63
AV	5.1492G	53.71	54.00	-0.29	51.37	3	Vertical	54	1.77	-	31.80	5.17	34.63
PK	5.2012G	110.19	Inf	-Inf	108.04	3	Vertical	54	1.77	-	31.60	5.20	34.65
AV	5.1916G	101.02	Inf	-Inf	98.84	3	Vertical	54	1.77	-	31.63	5.20	34.65

802.11ax HEW40\_Nss2,(MCS0)\_2TX

04/11/2020

5190MHz\_TX



EUT Y\_2TX  
Setting 72  
01-A-K-3-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	58.76	74.00	-15.24	56.42	3	Horizontal	87	1.83	-	31.80	5.17	34.63
AV	5.15G	45.98	54.00	-8.02	43.64	3	Horizontal	87	1.83	-	31.80	5.17	34.63
PK	5.1924G	101.54	Inf	-Inf	99.36	3	Horizontal	87	1.83	-	31.63	5.20	34.65
AV	5.1864G	89.74	Inf	-Inf	87.55	3	Horizontal	87	1.83	-	31.65	5.19	34.65



802.11ax HEW40\_Nss2,(MCS0)\_2TX

04/11/2020

5190MHz\_TX




EUT Y\_2TX  
Setting 72  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56797G	58.44	74.00	-15.56	46.32	3	Vertical	4	1.80	-	37.76	9.21	34.85
AV	15.5707G	45.70	54.00	-8.30	33.59	3	Vertical	4	1.80	-	37.75	9.21	34.85

802.11ax HEW40\_Nss2,(MCS0)\_2TX

04/11/2020

5190MHz\_TX




EUT Y\_2TX  
Setting 72  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57045G	58.10	74.00	-15.90	45.99	3	Horizontal	309	1.51	-	37.75	9.21	34.85
AV	15.57075G	45.52	54.00	-8.48	33.41	3	Horizontal	309	1.51	-	37.75	9.21	34.85

802.11ax HEW80\_Nss2,(MCS0)\_2TX

04/11/2020

5210MHz\_TX




EUT Y\_2TX  
Setting 70  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	64.48	74.00	-9.52	62.14	3	Vertical	222	1.78	-	31.80	5.17	34.63
AV	5.15G	53.92	54.00	-0.08	51.58	3	Vertical	222	1.78	-	31.80	5.17	34.63
PK	5.194G	107.93	Inf	-Inf	105.76	3	Vertical	222	1.78	-	31.62	5.20	34.65
AV	5.202G	97.40	Inf	-Inf	95.26	3	Vertical	222	1.78	-	31.59	5.20	34.65
PK	5.41G	56.39	74.00	-17.61	54.02	3	Vertical	222	1.78	-	31.70	5.40	34.73
AV	5.354G	46.59	54.00	-7.41	44.62	3	Vertical	222	1.78	-	31.33	5.35	34.71

802.11ax HEW80\_Nss2,(MCS0)\_2TX

04/11/2020

5210MHz\_TX




EUT Y\_2TX  
Setting 70  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	58.09	74.00	-15.91	55.73	3	Horizontal	71	1.79	-	31.82	5.17	34.63
AV	5.145G	46.80	54.00	-7.20	44.44	3	Horizontal	71	1.79	-	31.82	5.17	34.63
PK	5.2G	98.08	Inf	-Inf	95.93	3	Horizontal	71	1.79	-	31.60	5.20	34.65
AV	5.223G	87.85	Inf	-Inf	85.78	3	Horizontal	71	1.79	-	31.51	5.22	34.66
PK	5.427G	57.51	74.00	-16.49	55.14	3	Horizontal	71	1.79	-	31.70	5.40	34.73
AV	5.423G	45.95	54.00	-8.05	43.58	3	Horizontal	71	1.79	-	31.70	5.40	34.73

802.11ax HEW80\_Nss2,(MCS0)\_2TX

04/11/2020

5210MHz\_TX




EUT Y\_2TX  
Setting 70  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6291G	57.61	74.00	-16.39	45.69	3	Vertical	198	1.80	-	37.60	9.23	34.91
AV	15.63022G	46.84	54.00	-7.16	34.92	3	Vertical	198	1.80	-	37.60	9.23	34.91

802.11ax HEW80\_Nss2,(MCS0)\_2TX

04/11/2020

5210MHz\_TX



EUT Y\_2TX  
Setting 70  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62924G	57.72	74.00	-16.28	45.80	3	Horizontal	295	1.80	-	37.60	9.23	34.91
AV	15.6297G	46.69	54.00	-7.31	34.77	3	Horizontal	295	1.80	-	37.60	9.23	34.91




Mode 4, Non beamforming mode: 5GHz Band 4 3T2S, CDD  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss2,(MCS0)_3TX	Pass	PK	5.648G	68.04	68.20	-0.16	3	Vertical	59	1.00	-

802.11ac VHT80\_Nss2,(MCS0)\_3TX

04/11/2020

5775MHz\_TX



EUT Y\_3TX  
Setting 92  
01-A-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.625G	67.97	68.20	-0.23	65.67	3	Vertical	58	1.00	-	31.60	5.41	34.71
PK	5.789G	111.58	Inf	-Inf	108.84	3	Vertical	58	1.00	-	31.90	5.49	34.65
AV	5.789G	103.28	Inf	-Inf	100.54	3	Vertical	58	1.00	-	31.90	5.49	34.65
PK	5.927G	66.94	68.20	-1.26	63.83	3	Vertical	58	1.00	-	32.21	5.50	34.60



802.11ac VHT80\_Nss2,(MCS0)\_3TX

04/11/2020

5775MHz\_TX




EUT Y\_3TX  
Setting 92  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	62.06	68.20	-6.14	59.75	3	Horizontal	189	1.43	-	31.60	5.42	34.71
PK	5.791G	105.68	Inf	-Inf	102.93	3	Horizontal	189	1.43	-	31.90	5.50	34.65
AV	5.787G	97.21	Inf	-Inf	94.47	3	Horizontal	189	1.43	-	31.90	5.49	34.65
PK	5.927G	61.27	68.20	-6.93	58.16	3	Horizontal	189	1.43	-	32.21	5.50	34.60

802.11ac VHT80\_Nss2,(MCS0)\_3TX

04/11/2020

5775MHz\_TX




EUT V\_3TX  
Setting 92  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55588G	56.36	74.00	-17.64	43.24	3	Vertical	8	1.80	-	40.13	7.84	34.85
AV	11.55846G	45.17	54.00	-8.83	32.05	3	Vertical	8	1.80	-	40.12	7.85	34.85
PK	17.32974G	62.66	68.20	-5.54	45.06	3	Vertical	360	1.52	-	41.76	9.77	33.93

802.11ac VHT80\_Nss2,(MCS0)\_3TX

04/11/2020

5775MHz\_TX




EUT V\_3TX  
Setting 92  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53614G	56.04	74.00	-17.96	42.85	3	Horizontal	0	2.95	-	40.19	7.84	34.84
AV	11.54532G	44.98	54.00	-9.02	31.83	3	Horizontal	0	2.95	-	40.16	7.84	34.85
PK	17.33538G	62.06	68.20	-6.14	44.40	3	Horizontal	1	1.80	-	41.82	9.77	33.93

802.11ax HEW80\_Nss2,(MCS0)\_3TX

04/11/2020

5775MHz\_TX




EUT Y\_3TX  
Setting 93  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	68.04	68.20	-0.16	65.72	3	Vertical	59	1.00	-	31.60	5.42	34.70
PK	5.786G	115.16	Inf	-Inf	112.42	3	Vertical	59	1.00	-	31.90	5.49	34.65
AV	5.786G	100.46	Inf	-Inf	97.72	3	Vertical	59	1.00	-	31.90	5.49	34.65
PK	5.93G	67.63	68.20	-0.57	64.51	3	Vertical	59	1.00	-	32.22	5.50	34.60

802.11ax HEW80\_Nss2,(MCS0)\_3TX

04/11/2020

5775MHz\_TX




EUT Y\_3TX  
Setting 93  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	60.06	68.20	-8.14	57.76	3	Horizontal	163	1.75	-	31.60	5.41	34.71
PK	5.786G	107.15	Inf	-Inf	104.41	3	Horizontal	163	1.75	-	31.90	5.49	34.65
AV	5.786G	97.30	Inf	-Inf	94.56	3	Horizontal	163	1.75	-	31.90	5.49	34.65
PK	5.926G	61.70	68.20	-6.50	58.60	3	Horizontal	163	1.75	-	32.20	5.50	34.60

802.11ax HEW80\_Nss2,(MCS0)\_3TX

04/11/2020

5775MHz\_TX




EUT V\_3TX  
Setting 93  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53776G	55.12	74.00	-18.88	41.93	3	Vertical	60	2.83	-	40.19	7.84	34.84
AV	11.535G	43.06	54.00	-10.94	29.86	3	Vertical	60	2.83	-	40.20	7.84	34.84
PK	17.31222G	62.91	68.20	-5.29	45.51	3	Vertical	8	1.80	-	41.55	9.76	33.91

802.11ax HEW80\_Nss2,(MCS0)\_3TX

04/11/2020

5775MHz\_TX



EUT V\_3TX  
Setting 93  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55918G	56.75	74.00	-17.25	43.63	3	Horizontal	168	1.80	-	40.12	7.85	34.85
AV	11.56146G	43.24	54.00	-10.76	30.12	3	Horizontal	168	1.80	-	40.12	7.85	34.85
PK	17.33628G	62.26	68.20	-5.94	44.58	3	Horizontal	1	1.81	-	41.84	9.77	33.93



Mode 5, Beamforming mode: 5GHz Band 4 3T2S, CDD  
Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss2,(MCS0)_3TX	Pass	PK	5.644G	67.99	68.20	-0.21	3	Vertical	320	1.17	-



802.11ac VHT80-BF\_Nss2,(MCS0)\_3TX

09/10/2020

5775MHz\_TX




EUT Y\_3TX  
Setting 94  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	67.95	68.20	-0.25	65.63	3	Vertical	57	1.00	-	31.60	5.42	34.70
PK	5.792G	111.75	Inf	-Inf	109.00	3	Vertical	57	1.00	-	31.90	5.50	34.65
AV	5.791G	97.44	Inf	-Inf	94.69	3	Vertical	57	1.00	-	31.90	5.50	34.65
PK	5.927G	67.80	68.20	-0.40	64.69	3	Vertical	57	1.00	-	32.21	5.50	34.60

802.11ac VHT80-BF\_Nss2,(MCS0)\_3TX

09/10/2020

5775MHz\_TX




EUT Y\_3TX  
Setting 94  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	63.65	68.20	-4.55	61.35	3	Horizontal	275	1.62	-	31.60	5.41	34.71
PK	5.78G	111.75	Inf	-Inf	109.01	3	Horizontal	275	1.62	-	31.90	5.49	34.65
AV	5.781G	96.63	Inf	-Inf	93.89	3	Horizontal	275	1.62	-	31.90	5.49	34.65
PK	5.934G	65.04	68.20	-3.16	61.90	3	Horizontal	275	1.62	-	32.24	5.50	34.60

802.11ac VHT80-BF\_Nss2,(MCS0)\_3TX

09/10/2020

5775MHz\_TX




EUT V\_3TX  
Setting 94  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54706G	55.16	74.00	-18.84	42.01	3	Vertical	260	1.11	-	40.16	7.84	34.85
AV	11.55386G	42.99	54.00	-11.01	29.86	3	Vertical	260	1.11	-	40.14	7.84	34.85
PK	17.32522G	62.52	68.20	-5.68	44.98	3	Vertical	360	1.80	-	41.70	9.76	33.92

802.11ac VHT80-BF\_Nss2,(MCS0)\_3TX

09/10/2020

5775MHz\_TX




EUT V\_3TX  
Setting 84  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54996G	55.09	74.00	-18.91	41.95	3	Horizontal	152	2.15	-	40.15	7.84	34.85
AV	11.55256G	41.68	54.00	-12.32	28.55	3	Horizontal	152	2.15	-	40.14	7.84	34.85
PK	17.33376G	62.31	68.20	-5.89	44.66	3	Horizontal	323	1.76	-	41.81	9.77	33.93

802.11ax HEW80-BF\_Nss2,(MCS0)\_3TX

09/10/2020

5775MHz\_TX




EUT Y\_3TX  
Setting 93  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	67.99	68.20	-0.21	65.68	3	Vertical	320	1.17	-	31.60	5.42	34.71
PK	5.764G	113.33	Inf	-Inf	110.61	3	Vertical	320	1.17	-	31.90	5.48	34.66
AV	5.808G	96.40	Inf	-Inf	93.61	3	Vertical	320	1.17	-	31.93	5.50	34.64
PK	5.927G	66.60	68.20	-1.60	63.49	3	Vertical	320	1.17	-	32.21	5.50	34.60

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_3TX

09/10/2020

### 5775MHz\_TX




EUT Y\_3TX  
Setting 93  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	61.84	68.20	-6.36	59.52	3	Horizontal	273	1.80	-	31.60	5.42	34.70
PK	5.794G	111.21	Inf	-Inf	108.46	3	Horizontal	273	1.80	-	31.90	5.50	34.65
AV	5.785G	95.77	Inf	-Inf	93.03	3	Horizontal	273	1.80	-	31.90	5.49	34.65
PK	5.928G	62.70	68.20	-5.50	59.59	3	Horizontal	273	1.80	-	32.21	5.50	34.60

802.11ax HEW80-BF\_Nss2,(MCS0)\_3TX

09/10/2020

5775MHz\_TX




EUT V\_3TX  
Setting 93  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54626G	55.68	74.00	-18.32	42.53	3	Vertical	178	2.30	-	40.16	7.84	34.85
AV	11.55256G	41.87	54.00	-12.13	28.74	3	Vertical	178	2.30	-	40.14	7.84	34.85
PK	17.3204G	62.28	68.20	-5.92	44.80	3	Vertical	360	1.80	-	41.64	9.76	33.92

802.11ax HEW80-BF\_Nss2,(MCS0)\_3TX

09/10/2020

5775MHz\_TX



EUT V\_3TX  
Setting 93  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54636G	55.42	74.00	-18.58	42.27	3	Horizontal	232	2.12	-	40.16	7.84	34.85
AV	11.55488G	41.71	54.00	-12.29	28.58	3	Horizontal	232	2.12	-	40.14	7.84	34.85
PK	17.3274G	62.61	68.20	-5.59	45.05	3	Horizontal	330	1.90	-	41.73	9.76	33.93






**Mode 6, Non beamforming mode: 5GHz Band 4, 3T3S, SDM  
Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss3,(MCS0)_3TX	Pass	PK	5.925G	68.15	68.20	-0.05	3	Vertical	342	1.00	-

802.11ac VHT80\_Nss3,(MCS0)\_3TX

09/10/2020

5775MHz\_TX




EUT Y\_3TX  
Setting 92  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	66.94	68.20	-1.26	64.63	3	Vertical	342	1.00	-	31.60	5.42	34.71
PK	5.764G	112.81	Inf	-Inf	110.09	3	Vertical	342	1.00	-	31.90	5.48	34.66
AV	5.763G	102.70	Inf	-Inf	99.98	3	Vertical	342	1.00	-	31.90	5.48	34.66
PK	5.925G	68.15	68.20	-0.05	65.05	3	Vertical	342	1.00	-	32.20	5.50	34.60

802.11ac VHT80\_Nss3,(MCS0)\_3TX

09/10/2020

5775MHz\_TX




EUT Y\_3TX  
Setting 92  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	64.14	68.20	-4.06	61.83	3	Horizontal	158	1.80	-	31.60	5.42	34.71
PK	5.791G	105.87	Inf	-Inf	103.12	3	Horizontal	158	1.80	-	31.90	5.50	34.65
AV	5.79G	97.02	Inf	-Inf	94.27	3	Horizontal	158	1.80	-	31.90	5.50	34.65
PK	5.932G	62.45	68.20	-5.75	59.32	3	Horizontal	158	1.80	-	32.23	5.50	34.60

802.11ac VHT80\_Nss3,(MCS0)\_3TX

09/10/2020

5775MHz\_TX




EUT V\_3TX  
Setting 92  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55452G	55.63	74.00	-18.37	42.50	3	Vertical	0	2.62	-	40.14	7.84	34.85
AV	11.54576G	45.62	54.00	-8.38	32.47	3	Vertical	0	2.62	-	40.16	7.84	34.85
PK	17.32297G	62.86	68.20	-5.34	45.34	3	Vertical	272	1.80	-	41.68	9.76	33.92

802.11ac VHT80\_Nss3,(MCS0)\_3TX

09/10/2020

5775MHz\_TX




EUT V\_3TX  
Setting 92  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54528G	56.10	74.00	-17.90	42.95	3	Horizontal	60	1.80	-	40.16	7.84	34.85
AV	11.54452G	44.79	54.00	-9.21	31.63	3	Horizontal	60	1.80	-	40.17	7.84	34.85
PK	17.329G	62.78	68.20	-5.42	45.19	3	Horizontal	316	1.93	-	41.75	9.77	33.93

802.11ax HEW80\_Nss3,(MCS0)\_3TX

09/10/2020

5775MHz\_TX




EUT Y\_3TX  
Setting 92  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	67.80	68.20	-0.40	65.49	3	Vertical	81	1.00	-	31.60	5.42	34.71
PK	5.813G	111.90	Inf	-Inf	109.09	3	Vertical	81	1.00	-	31.95	5.50	34.64
AV	5.792G	101.94	Inf	-Inf	99.19	3	Vertical	81	1.00	-	31.90	5.50	34.65
PK	5.926G	67.28	68.20	-0.92	64.18	3	Vertical	81	1.00	-	32.20	5.50	34.60

802.11ax HEW80\_Nss3,(MCS0)\_3TX

09/10/2020

5775MHz\_TX




EUT Y\_3TX  
Setting 92  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	62.83	68.20	-5.37	60.52	3	Horizontal	258	1.70	-	31.60	5.42	34.71
PK	5.806G	107.31	Inf	-Inf	104.53	3	Horizontal	258	1.70	-	31.92	5.50	34.64
AV	5.793G	96.80	Inf	-Inf	94.05	3	Horizontal	258	1.70	-	31.90	5.50	34.65
PK	5.923G	65.33	69.68	-4.35	62.24	3	Horizontal	258	1.70	-	32.19	5.50	34.60

802.11ax HEW80\_Nss3,(MCS0)\_3TX

09/10/2020

5775MHz\_TX



EUT V\_3TX  
Setting 92  
01-A-K-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55088G	56.65	74.00	-17.35	43.51	3	Vertical	224	1.80	-	40.15	7.84	34.85
AV	11.553G	45.14	54.00	-8.86	32.01	3	Vertical	224	1.80	-	40.14	7.84	34.85
PK	17.32516G	62.83	68.20	-5.37	45.29	3	Vertical	292	1.78	-	41.70	9.76	33.92



802.11ax HEW80\_Nss3,(MCS0)\_3TX

09/10/2020

5775MHz\_TX



EUT V\_3TX  
Setting 92  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5519G	55.76	74.00	-18.24	42.63	3	Horizontal	1	1.80	-	40.14	7.84	34.85
AV	11.55123G	45.05	54.00	-8.95	31.91	3	Horizontal	1	1.80	-	40.15	7.84	34.85
PK	17.32924G	63.32	68.20	-4.88	45.73	3	Horizontal	47	1.87	-	41.75	9.77	33.93




**Mode 7, Non-beamforming mode: 5GHz Band 2 2T1S and Band 3 3T1S CDD  
Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20_Nss1,(MCS0)_3TX	Pass	PK	5.4698G	68.19	68.20	-0.01	3	Vertical	314	1.03	-

802.11a\_Nss1,(6Mbps)\_2TX

09/10/2020

5260MHz\_TX




EUT\_Y\_2TX  
Setting 108  
03-C-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	64.27	74.00	-9.73	59.27	3	Vertical	171	1.57	-	33.90	6.43	35.33
AV	5.15G	49.22	54.00	-4.78	44.22	3	Vertical	171	1.57	-	33.90	6.43	35.33
PK	5.2636G	121.30	Inf	-Inf	116.03	3	Vertical	171	1.57	-	34.05	6.43	35.21
AV	5.2642G	110.79	Inf	-Inf	105.50	3	Vertical	171	1.57	-	34.06	6.43	35.20
PK	5.3596G	66.59	74.00	-7.41	60.83	3	Vertical	171	1.57	-	34.38	6.48	35.10
AV	5.35G	51.34	54.00	-2.66	45.57	3	Vertical	171	1.57	-	34.40	6.48	35.11

802.11a\_Nss1,(6Mbps)\_2TX

09/10/2020

5260MHz\_TX




EUT\_Y\_2TX  
Setting 108  
03-C-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	57.96	74.00	-16.04	52.97	3	Horizontal	162	1.94	-	33.90	6.43	35.34
AV	5.1412G	45.91	54.00	-8.09	40.92	3	Horizontal	162	1.94	-	33.90	6.43	35.34
PK	5.254G	109.77	Inf	-Inf	104.54	3	Horizontal	162	1.94	-	34.02	6.43	35.22
AV	5.254G	99.17	Inf	-Inf	93.94	3	Horizontal	162	1.94	-	34.02	6.43	35.22
PK	5.3626G	59.33	74.00	-14.67	53.58	3	Horizontal	162	1.94	-	34.37	6.48	35.10
AV	5.3536G	46.86	54.00	-7.14	41.10	3	Horizontal	162	1.94	-	34.39	6.48	35.11

802.11a\_Nss1,(6Mbps)\_2TX

09/10/2020

5260MHz\_TX




EUT Y\_2TX  
Setting 108  
03-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4888G	55.40	68.20	-12.80	42.38	3	Vertical	303	1.80	-	38.18	9.70	34.86
PK	15.771G	58.83	74.00	-15.17	44.69	3	Vertical	249	2.22	-	37.42	11.89	35.17
AV	15.7354G	46.18	54.00	-7.82	31.90	3	Vertical	249	2.22	-	37.56	11.87	35.15

802.11a\_Nss1,(6Mbps)\_2TX

09/10/2020

5260MHz\_TX




EUT Y\_2TX  
Setting 108  
03-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5538G	54.95	68.20	-13.25	41.85	3	Horizontal	186	2.36	-	38.20	9.71	34.81
PK	15.7764G	62.63	74.00	-11.37	48.53	3	Horizontal	130	2.01	-	37.39	11.89	35.18
AV	15.7806G	50.55	54.00	-3.45	36.46	3	Horizontal	130	2.01	-	37.38	11.89	35.18

802.11a\_Nss1,(6Mbps)\_2TX

09/10/2020

5300MHz\_TX




EUT\_Y\_2TX  
Setting 94  
03-C-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2976G	118.66	Inf	-Inf	113.19	3	Vertical	56	1.67	-	34.19	6.45	35.17
AV	5.298G	108.84	Inf	-Inf	103.37	3	Vertical	56	1.67	-	34.19	6.45	35.17
PK	5.3508G	70.76	74.00	-3.24	64.99	3	Vertical	56	1.67	-	34.40	6.48	35.11
AV	5.35G	53.92	54.00	-0.08	48.15	3	Vertical	56	1.67	-	34.40	6.48	35.11

802.11a\_Nss1,(6Mbps)\_2TX

09/10/2020

5300MHz\_TX



EUT\_Y\_2TX  
Setting 94  
03-C-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.304G	105.30	Inf	-Inf	99.79	3	Horizontal	175	1.88	-	34.22	6.45	35.16
AV	5.304G	95.59	Inf	-Inf	90.08	3	Horizontal	175	1.88	-	34.22	6.45	35.16
PK	5.3528G	60.64	74.00	-13.36	54.88	3	Horizontal	175	1.88	-	34.39	6.48	35.11
AV	5.3524G	47.39	54.00	-6.61	41.62	3	Horizontal	175	1.88	-	34.40	6.48	35.11



### 802.11a\_Nss1,(6Mbps)\_2TX

09/10/2020

### 5300MHz\_TX




EUT Y\_2TX  
Setting 94  
03-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.602G	54.98	74.00	-19.02	41.83	3	Vertical	36	2.46	-	38.20	9.72	34.77
PK	15.9006G	59.42	74.00	-14.58	45.23	3	Vertical	264	2.78	-	37.50	11.95	35.26
AV	15.907G	46.59	54.00	-7.41	32.40	3	Vertical	264	2.78	-	37.50	11.95	35.26

802.11a\_Nss1,(6Mbps)\_2TX

09/10/2020

5300MHz\_TX




EUT Y\_2TX  
Setting 94  
03-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5626G	55.36	68.20	-12.84	42.25	3	Horizontal	322	2.30	-	38.20	9.71	34.80
PK	15.8866G	62.41	74.00	-11.59	48.25	3	Horizontal	132	2.42	-	37.47	11.94	35.25
AV	15.9006G	50.01	54.00	-3.99	35.82	3	Horizontal	132	2.42	-	37.50	11.95	35.26

802.11a\_Nss1,(6Mbps)\_2TX

09/10/2020

5320MHz\_TX




EUT\_Y\_2TX  
Setting 84  
03-C-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3156G	115.65	Inf	-Inf	110.08	3	Vertical	182	1.54	-	34.26	6.46	35.15
AV	5.3154G	106.48	Inf	-Inf	100.91	3	Vertical	182	1.54	-	34.26	6.46	35.15
PK	5.3548G	72.58	74.00	-1.42	66.82	3	Vertical	182	1.54	-	34.39	6.48	35.11
AV	5.35G	53.98	54.00	-0.02	48.21	3	Vertical	182	1.54	-	34.40	6.48	35.11

802.11a\_Nss1,(6Mbps)\_2TX

09/10/2020

5320MHz\_TX




EUT\_Y\_2TX  
Setting 84  
03-C-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.325G	102.79	Inf	-Inf	97.17	3	Horizontal	100	2.39	-	34.30	6.46	35.14
AV	5.3258G	93.00	Inf	-Inf	87.38	3	Horizontal	100	2.39	-	34.30	6.46	35.14
PK	5.356G	61.36	74.00	-12.64	55.60	3	Horizontal	100	2.39	-	34.39	6.48	35.11
AV	5.3504G	47.19	54.00	-6.81	41.42	3	Horizontal	100	2.39	-	34.40	6.48	35.11

802.11a\_Nss1,(6Mbps)\_2TX

09/10/2020

5320MHz\_TX




EUT Y\_2TX  
Setting 84  
03-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9568G	59.40	74.00	-14.60	45.21	3	Vertical	240	2.14	-	37.50	11.98	35.29
AV	15.9604G	46.62	54.00	-7.38	32.43	3	Vertical	240	2.14	-	37.50	11.98	35.29

802.11a\_Nss1,(6Mbps)\_2TX

09/10/2020

5320MHz\_TX




EUT Y\_2TX  
Setting 84  
03-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.951G	60.34	74.00	-13.66	46.15	3	Horizontal	142	2.35	-	37.50	11.98	35.29
AV	15.9602G	47.23	54.00	-6.77	33.04	3	Horizontal	142	2.35	-	37.50	11.98	35.29

802.11a\_Nss1,(6Mbps)\_3TX

09/10/2020

5500MHz\_TX




EUT\_V\_3TX  
Setting 65  
03-C-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	62.91	74.00	-11.09	56.75	3	Vertical	321	1.00	-	34.56	6.59	34.99
AV	5.4596G	48.71	54.00	-5.29	42.55	3	Vertical	321	1.00	-	34.56	6.59	34.99
PK	5.4694G	68.01	68.20	-0.19	61.87	3	Vertical	321	1.00	-	34.52	6.60	34.98
PK	5.5006G	114.39	Inf	-Inf	108.29	3	Vertical	321	1.00	-	34.40	6.65	34.95
AV	5.501G	104.62	Inf	-Inf	98.52	3	Vertical	321	1.00	-	34.40	6.65	34.95

802.11a\_Nss1,(6Mbps)\_3TX

09/10/2020

5500MHz\_TX



EUT\_V\_3TX  
Setting 65  
03-C-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	60.00	74.00	-14.00	53.84	3	Horizontal	148	1.08	-	34.57	6.59	35.00
AV	5.4536G	47.60	54.00	-6.40	41.43	3	Horizontal	148	1.08	-	34.59	6.58	35.00
PK	5.4678G	60.59	68.20	-7.61	54.44	3	Horizontal	148	1.08	-	34.53	6.60	34.98
PK	5.5038G	108.80	Inf	-Inf	102.68	3	Horizontal	148	1.08	-	34.41	6.66	34.95
AV	5.504G	99.92	Inf	-Inf	93.80	3	Horizontal	148	1.08	-	34.41	6.66	34.95



### 802.11a\_Nss1,(6Mbps)\_3TX

09/10/2020

### 5500MHz\_TX




EUT\_V\_3TX  
Setting 65  
03-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0008G	55.91	74.00	-18.09	42.19	3	Vertical	354	1.33	-	38.40	9.80	34.48
AV	11.0322G	42.91	54.00	-11.09	29.16	3	Vertical	354	1.33	-	38.43	9.81	34.49
PK	16.4934G	61.08	68.20	-7.12	45.84	3	Vertical	274	2.02	-	37.90	12.17	34.83

802.11a\_Nss1,(6Mbps)\_3TX

09/10/2020

5500MHz\_TX




EUT\_V\_3TX  
Setting 65  
03-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9978G	56.81	74.00	-17.19	43.09	3	Horizontal	148	1.08	-	38.40	9.80	34.48
AV	10.9986G	43.99	54.00	-10.01	30.27	3	Horizontal	148	1.08	-	38.40	9.80	34.48
PK	16.4604G	61.50	68.20	-6.70	46.30	3	Horizontal	56	2.45	-	37.90	12.16	34.86

### 802.11a\_Nss1,(6Mbps)\_3TX

09/10/2020

### 5580MHz\_TX




EUT\_V\_3TX  
Setting 89  
03-C-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4438G	60.48	74.00	-13.52	54.36	3	Vertical	204	1.00	-	34.56	6.57	35.01
AV	5.4534G	48.27	54.00	-5.73	42.10	3	Vertical	204	1.00	-	34.59	6.58	35.00
PK	5.4696G	60.65	68.20	-7.55	54.51	3	Vertical	204	1.00	-	34.52	6.60	34.98
PK	5.5746G	118.66	Inf	-Inf	112.45	3	Vertical	204	1.00	-	34.40	6.76	34.95
AV	5.5752G	109.03	Inf	-Inf	102.82	3	Vertical	204	1.00	-	34.40	6.76	34.95
PK	5.7276G	61.76	68.20	-6.44	55.64	3	Vertical	204	1.00	-	34.20	6.86	34.94

802.11a\_Nss1,(6Mbps)\_3TX

09/10/2020

5580MHz\_TX




EUT\_V\_3TX  
Setting 89  
03-C-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4432G	60.11	74.00	-13.89	54.00	3	Horizontal	41	1.35	-	34.56	6.56	35.01
PK	5.4618G	60.56	68.20	-7.64	54.41	3	Horizontal	41	1.35	-	34.55	6.59	34.99
AV	5.4594G	47.72	54.00	-6.28	41.56	3	Horizontal	41	1.35	-	34.56	6.59	34.99
PK	5.5776G	115.23	Inf	-Inf	109.02	3	Horizontal	41	1.35	-	34.39	6.77	34.95
AV	5.5776G	105.98	Inf	-Inf	99.77	3	Horizontal	41	1.35	-	34.39	6.77	34.95
PK	5.7264G	61.30	68.20	-6.90	55.18	3	Horizontal	41	1.35	-	34.20	6.86	34.94

802.11a\_Nss1,(6Mbps)\_3TX

09/10/2020

5580MHz\_TX




EUT\_V\_3TX  
Setting 89  
03-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1393G	56.26	74.00	-17.74	42.42	3	Vertical	300	1.70	-	38.54	9.83	34.53
AV	11.1405G	42.63	54.00	-11.37	28.79	3	Vertical	300	1.70	-	38.54	9.83	34.53
PK	16.7355G	67.18	68.20	-1.02	50.73	3	Vertical	243	1.83	-	38.91	12.26	34.72

802.11a\_Nss1,(6Mbps)\_3TX

09/10/2020

5580MHz\_TX




EUT\_V\_3TX  
Setting 89  
03-C-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1607G	56.29	74.00	-17.71	42.43	3	Horizontal	17	2.25	-	38.56	9.83	34.53
AV	11.1603G	43.48	54.00	-10.52	29.62	3	Horizontal	17	2.25	-	38.56	9.83	34.53
PK	16.7451G	67.97	68.20	-0.23	51.48	3	Horizontal	327	2.55	-	38.94	12.26	34.71

802.11a\_Nss1,(6Mbps)\_3TX

09/10/2020

5620MHz\_TX




EUT\_V\_3TX  
Setting 86  
03-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.425G	61.04	74.00	-12.96	55.08	3	Vertical	135	1.00	-	34.45	6.54	35.03
PK	5.464G	61.80	68.20	-6.40	55.65	3	Vertical	135	1.00	-	34.54	6.60	34.99
AV	5.46G	48.24	54.00	-5.76	42.08	3	Vertical	135	1.00	-	34.56	6.59	34.99
PK	5.621G	119.55	Inf	-Inf	113.34	3	Vertical	135	1.00	-	34.34	6.81	34.94
AV	5.621G	92.10	Inf	-Inf	85.89	3	Vertical	135	1.00	-	34.34	6.81	34.94
PK	5.727G	62.97	68.20	-5.23	56.85	3	Vertical	135	1.00	-	34.20	6.86	34.94

802.11a\_Nss1,(6Mbps)\_3TX

09/10/2020

5620MHz\_TX



EUT\_V\_3TX  
Setting 86  
03-C-B-4-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.446G	60.25	74.00	-13.75	54.11	3	Horizontal	30	1.75	-	34.58	6.57	35.01
AV	5.455G	47.63	54.00	-6.37	41.47	3	Horizontal	30	1.75	-	34.58	6.58	35.00
PK	5.468G	59.63	68.20	-8.57	53.48	3	Horizontal	30	1.75	-	34.53	6.60	34.98
PK	5.619G	113.41	Inf	-Inf	107.20	3	Horizontal	30	1.75	-	34.34	6.81	34.94
AV	5.619G	87.82	Inf	-Inf	81.61	3	Horizontal	30	1.75	-	34.34	6.81	34.94
PK	5.795G	61.46	68.20	-6.74	55.29	3	Horizontal	30	1.75	-	34.20	6.90	34.93



802.11a\_Nss1,(6Mbps)\_3TX

09/10/2020

5620MHz\_TX




EUT\_V\_3TX  
Setting 86  
03-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.24612G	56.60	74.00	-17.40	42.71	3	Vertical	98	2.46	-	38.60	9.85	34.56
AV	11.24036G	43.19	54.00	-10.81	29.30	3	Vertical	98	2.46	-	38.60	9.85	34.56
PK	16.85952G	64.31	68.20	-3.89	47.33	3	Vertical	242	1.86	-	39.34	12.30	34.66

802.11a\_Nss1,(6Mbps)\_3TX

09/10/2020

5620MHz\_TX




EUT V\_3TX  
Setting 86  
03-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.24918G	56.11	74.00	-17.89	42.22	3	Horizontal	221	1.89	-	38.60	9.85	34.56
AV	11.2322G	43.13	54.00	-10.87	29.24	3	Horizontal	221	1.89	-	38.60	9.85	34.56
PK	16.85802G	68.03	68.20	-0.17	51.06	3	Horizontal	327	1.85	-	39.33	12.30	34.66

802.11a\_Nss1,(6Mbps)\_3TX

09/10/2020

5700MHz\_TX




EUT\_V\_3TX  
Setting 74  
03-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7016G	117.13	Inf	-Inf	111.02	3	Vertical	315	1.02	-	34.20	6.85	34.94
AV	5.7014G	90.60	Inf	-Inf	84.49	3	Vertical	315	1.02	-	34.20	6.85	34.94
PK	5.7268G	68.08	68.20	-0.12	61.96	3	Vertical	315	1.02	-	34.20	6.86	34.94

802.11a\_Nss1,(6Mbps)\_3TX

09/10/2020

5700MHz\_TX




EUT\_V\_3TX  
Setting 74  
03-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.702G	112.06	Inf	-Inf	105.95	3	Horizontal	136	1.80	-	34.20	6.85	34.94
AV	5.7016G	86.58	Inf	-Inf	80.47	3	Horizontal	136	1.80	-	34.20	6.85	34.94
PK	5.7282G	65.66	68.20	-2.54	59.54	3	Horizontal	136	1.80	-	34.20	6.86	34.94

802.11a\_Nss1,(6Mbps)\_3TX

09/10/2020

5700MHz\_TX




EUT V\_3TX  
Setting 74  
03-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4082G	57.64	74.00	-16.36	43.56	3	Vertical	52	1.89	-	38.82	9.88	34.62
AV	11.40996G	43.72	54.00	-10.28	29.64	3	Vertical	52	1.89	-	38.82	9.88	34.62

### 802.11a\_Nss1,(6Mbps)\_3TX

09/10/2020

### 5700MHz\_TX




EUT V\_3TX  
Setting 74  
03-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41482G	56.75	74.00	-17.25	42.66	3	Horizontal	327	2.47	-	38.83	9.88	34.62
AV	11.40984G	43.66	54.00	-10.34	29.58	3	Horizontal	327	2.47	-	38.82	9.88	34.62

802.11a\_Nss1,(6Mbps)\_3TX

09/10/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_V\_3TX  
Setting 80  
03-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	59.75	74.00	-14.25	53.57	3	Vertical	323	1.00	-	34.60	6.58	35.00
AV	5.4572G	47.82	54.00	-6.18	41.66	3	Vertical	323	1.00	-	34.57	6.59	35.00
PK	5.4644G	59.88	68.20	-8.32	53.73	3	Vertical	323	1.00	-	34.54	6.60	34.99
PK	5.7176G	117.72	Inf	-Inf	111.60	3	Vertical	323	1.00	-	34.20	6.86	34.94
AV	5.7188G	91.12	Inf	-Inf	85.00	3	Vertical	323	1.00	-	34.20	6.86	34.94
PK	5.93G	62.10	68.20	-6.10	55.54	3	Vertical	323	1.00	-	34.52	6.96	34.92

802.11a\_Nss1,(6Mbps)\_3TX

09/10/2020

5720MHz Straddle 5.47-5.725GHz\_TX



EUT\_V\_3TX  
Setting 80  
03-C-B-4-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	60.31	74.00	-13.69	54.13	3	Horizontal	14	2.17	-	34.60	6.58	35.00
AV	5.456G	47.47	54.00	-6.53	41.31	3	Horizontal	14	2.17	-	34.58	6.58	35.00
PK	5.4692G	59.21	68.20	-8.99	53.07	3	Horizontal	14	2.17	-	34.52	6.60	34.98
PK	5.7212G	113.25	Inf	-Inf	107.13	3	Horizontal	14	2.17	-	34.20	6.86	34.94
AV	5.7212G	88.16	Inf	-Inf	82.04	3	Horizontal	14	2.17	-	34.20	6.86	34.94
PK	5.8892G	61.14	68.20	-7.06	54.73	3	Horizontal	14	2.17	-	34.40	6.94	34.93



802.11a\_Nss1,(6Mbps)\_3TX

09/10/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_V\_3TX  
Setting 80  
03-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4433G	57.32	74.00	-16.68	43.17	3	Vertical	241	1.07	-	38.89	9.89	34.63
AV	11.43914G	43.88	54.00	-10.12	29.74	3	Vertical	241	1.07	-	38.88	9.89	34.63
PK	17.14734G	64.19	68.20	-4.01	45.99	3	Vertical	351	1.80	-	40.39	12.40	34.59

802.11a\_Nss1,(6Mbps)\_3TX

09/10/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_V\_3TX  
 Setting 80  
 03-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44346G	56.99	74.00	-17.01	42.84	3	Horizontal	312	1.62	-	38.89	9.89	34.63
AV	11.4496G	43.69	54.00	-10.31	29.53	3	Horizontal	312	1.62	-	38.90	9.89	34.63
PK	17.15772G	67.99	68.20	-0.21	49.73	3	Horizontal	14	2.35	-	40.43	12.41	34.58

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

09/10/2020

### 5260MHz\_TX




EUT\_Y\_2TX  
Setting 108  
03-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	66.36	74.00	-7.64	61.37	3	Vertical	172	1.62	-	33.90	6.43	35.34
AV	5.15G	48.30	54.00	-5.70	43.30	3	Vertical	172	1.62	-	33.90	6.43	35.33
PK	5.2648G	121.14	Inf	-Inf	115.85	3	Vertical	172	1.62	-	34.06	6.43	35.20
AV	5.2546G	101.02	Inf	-Inf	95.79	3	Vertical	172	1.62	-	34.02	6.43	35.22
PK	5.35G	66.53	74.00	-7.47	60.76	3	Vertical	172	1.62	-	34.40	6.48	35.11
AV	5.35G	50.11	54.00	-3.89	44.34	3	Vertical	172	1.62	-	34.40	6.48	35.11

802.11ac VHT20\_Nss1,(MCS0)\_2TX

09/10/2020

5260MHz\_TX




EUT Y\_2TX  
Setting 108  
03-C-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1304G	59.10	74.00	-14.90	54.12	3	Horizontal	0	2.29	-	33.90	6.43	35.35
AV	5.15G	45.48	54.00	-8.52	40.48	3	Horizontal	0	2.29	-	33.90	6.43	35.33
PK	5.2618G	108.82	Inf	-Inf	103.55	3	Horizontal	0	2.29	-	34.05	6.43	35.21
AV	5.2546G	90.96	Inf	-Inf	85.73	3	Horizontal	0	2.29	-	34.02	6.43	35.22
PK	5.353G	60.49	74.00	-13.51	54.73	3	Horizontal	0	2.29	-	34.39	6.48	35.11
AV	5.3542G	46.52	54.00	-7.48	40.76	3	Horizontal	0	2.29	-	34.39	6.48	35.11

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

09/10/2020

### 5260MHz\_TX




EUT Y\_2TX  
Setting 108  
03-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77622G	59.79	74.00	-14.21	45.68	3	Vertical	184	2.20	-	37.40	11.89	35.18
AV	15.77608G	45.61	54.00	-8.39	31.50	3	Vertical	184	2.20	-	37.40	11.89	35.18

802.11ac VHT20\_Nss1,(MCS0)\_2TX

09/10/2020

5260MHz\_TX




EUT Y\_2TX  
Setting 108  
03-C-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.76992G	62.80	74.00	-11.20	48.67	3	Horizontal	126	1.79	-	37.42	11.88	35.17
AV	15.77988G	48.15	54.00	-5.85	34.06	3	Horizontal	126	1.79	-	37.38	11.89	35.18

802.11ac VHT20\_Nss1,(MCS0)\_2TX

09/10/2020

5300MHz\_TX




EUT\_Y\_2TX  
Setting 94  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2976G	118.79	Inf	-Inf	115.09	3	Vertical	169	1.90	-	33.09	5.30	34.69
AV	5.2972G	107.87	Inf	-Inf	104.17	3	Vertical	169	1.90	-	33.09	5.30	34.69
PK	5.3524G	72.01	74.00	-1.99	68.27	3	Vertical	169	1.90	-	33.10	5.35	34.71
AV	5.35G	53.61	54.00	-0.39	49.87	3	Vertical	169	1.90	-	33.10	5.35	34.71

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

09/10/2020

### 5300MHz\_TX



EUT Y\_2TX  
Setting 94  
01-A-K-3-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.296G	109.57	Inf	-Inf	105.88	3	Horizontal	74	2.62	-	33.08	5.30	34.69
AV	5.296G	98.02	Inf	-Inf	94.33	3	Horizontal	74	2.62	-	33.08	5.30	34.69
PK	5.35G	63.28	74.00	-10.72	59.54	3	Horizontal	74	2.62	-	33.10	5.35	34.71
AV	5.3516G	47.16	54.00	-6.84	43.42	3	Horizontal	74	2.62	-	33.10	5.35	34.71



802.11ac VHT20\_Nss1,(MCS0)\_2TX

09/10/2020

5300MHz\_TX




EUT\_Y\_2TX  
Setting 94  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60173G	53.43	74.00	-20.57	42.60	3	Vertical	2	2.22	-	38.50	7.51	35.18
AV	10.60047G	39.95	54.00	-14.05	29.13	3	Vertical	2	2.22	-	38.50	7.51	35.19
PK	15.90067G	56.51	74.00	-17.49	43.92	3	Vertical	334	1.44	-	38.50	9.28	35.19
AV	15.89933G	43.01	54.00	-10.99	30.42	3	Vertical	334	1.44	-	38.50	9.28	35.19

802.11ac VHT20\_Nss1,(MCS0)\_2TX

09/10/2020

5300MHz\_TX




EUT Y\_2TX  
Setting 94  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60263G	54.02	74.00	-19.98	43.19	3	Horizontal	190	2.60	-	38.50	7.51	35.18
AV	10.60084G	39.81	54.00	-14.19	28.99	3	Horizontal	190	2.60	-	38.50	7.51	35.19
PK	15.89136G	58.02	74.00	-15.98	45.43	3	Horizontal	295	2.41	-	38.49	9.28	35.18
AV	15.9141G	43.45	54.00	-10.55	30.88	3	Horizontal	295	2.41	-	38.49	9.28	35.20

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

09/10/2020

### 5320MHz\_TX




EUT Y\_2TX  
Setting 83  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3224G	116.17	Inf	-Inf	112.45	3	Vertical	177	2.05	-	33.10	5.32	34.70
AV	5.325G	105.73	Inf	-Inf	102.00	3	Vertical	177	2.05	-	33.10	5.33	34.70
PK	5.3522G	71.55	74.00	-2.45	67.81	3	Vertical	177	2.05	-	33.10	5.35	34.71
AV	5.35G	53.86	54.00	-0.14	50.12	3	Vertical	177	2.05	-	33.10	5.35	34.71

802.11ac VHT20\_Nss1,(MCS0)\_2TX

09/10/2020

5320MHz\_TX




EUT\_Y\_2TX  
Setting 83  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3188G	107.22	Inf	-Inf	103.49	3	Horizontal	74	2.57	-	33.10	5.32	34.69
AV	5.3212G	95.47	Inf	-Inf	91.75	3	Horizontal	74	2.57	-	33.10	5.32	34.70
PK	5.351G	63.45	74.00	-10.55	59.71	3	Horizontal	74	2.57	-	33.10	5.35	34.71
AV	5.3506G	47.34	54.00	-6.66	43.60	3	Horizontal	74	2.57	-	33.10	5.35	34.71

802.11ac VHT20\_Nss1,(MCS0)\_2TX

09/10/2020

5320MHz\_TX




EUT\_Y\_2TX  
Setting 83  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63855G	53.49	74.00	-20.51	42.62	3	Vertical	209	1.97	-	38.50	7.52	35.15
AV	10.6376G	39.79	54.00	-14.21	28.92	3	Vertical	209	1.97	-	38.50	7.52	35.15
PK	15.95821G	56.35	74.00	-17.65	43.87	3	Vertical	51	1.31	-	38.44	9.29	35.25
AV	15.9594G	43.04	54.00	-10.96	30.56	3	Vertical	51	1.31	-	38.44	9.29	35.25

802.11ac VHT20\_Nss1,(MCS0)\_2TX

09/10/2020

5320MHz\_TX




EUT Y\_2TX  
Setting 83  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63751G	53.93	74.00	-20.07	43.06	3	Horizontal	243	2.24	-	38.50	7.52	35.15
AV	10.63764G	39.90	54.00	-14.10	29.03	3	Horizontal	243	2.24	-	38.50	7.52	35.15
PK	15.9528G	57.58	74.00	-16.42	45.08	3	Horizontal	75	2.04	-	38.45	9.29	35.24
AV	15.9568G	43.60	54.00	-10.40	31.12	3	Horizontal	75	2.04	-	38.44	9.29	35.25

802.11ac VHT20\_Nss1,(MCS0)\_3TX

09/10/2020

5500MHz\_TX




EUT\_V\_3TX  
Setting 69  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4578G	61.07	74.00	-12.93	56.78	3	Vertical	314	1.03	-	33.63	5.40	34.74
AV	5.4594G	48.17	54.00	-5.83	43.88	3	Vertical	314	1.03	-	33.64	5.40	34.75
PK	5.4698G	68.19	68.20	-0.01	63.86	3	Vertical	314	1.03	-	33.68	5.40	34.75
PK	5.495G	116.90	Inf	-Inf	112.48	3	Vertical	314	1.03	-	33.78	5.40	34.76
AV	5.5042G	105.20	Inf	-Inf	100.75	3	Vertical	314	1.03	-	33.81	5.40	34.76

802.11ac VHT20\_Nss1,(MCS0)\_3TX

09/10/2020

5500MHz\_TX



EUT\_V\_3TX  
Setting 69  
01-A-K-3-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	59.84	74.00	-14.16	55.56	3	Horizontal	291	2.03	-	33.62	5.40	34.74
AV	5.4592G	45.77	54.00	-8.23	41.48	3	Horizontal	291	2.03	-	33.64	5.40	34.75
PK	5.4688G	62.17	68.20	-6.03	57.84	3	Horizontal	291	2.03	-	33.68	5.40	34.75
PK	5.4944G	109.97	Inf	-Inf	105.55	3	Horizontal	291	2.03	-	33.78	5.40	34.76
AV	5.4994G	99.85	Inf	-Inf	95.41	3	Horizontal	291	2.03	-	33.80	5.40	34.76



802.11ac VHT20\_Nss1,(MCS0)\_3TX

09/10/2020

5500MHz\_TX




EUT\_V\_3TX  
Setting 69  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00234G	53.86	74.00	-20.14	42.66	3	Vertical	26	1.15	-	38.40	7.65	34.85
AV	10.99798G	38.85	54.00	-15.15	27.65	3	Vertical	26	1.15	-	38.40	7.65	34.85

### 802.11ac VHT20\_Nss1,(MCS0)\_3TX

09/10/2020

### 5500MHz\_TX




EUT V\_3TX  
Setting 69  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00136G	52.23	74.00	-21.77	41.03	3	Horizontal	359	2.38	-	38.40	7.65	34.85
AV	10.99824G	38.93	54.00	-15.07	27.73	3	Horizontal	359	2.38	-	38.40	7.65	34.85

802.11ac VHT20\_Nss1,(MCS0)\_3TX

09/10/2020

5580MHz\_TX




EUT\_V\_3TX  
Setting 84  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4344G	59.72	74.00	-14.28	55.58	3	Vertical	201	1.19	-	33.48	5.40	34.74
PK	5.4688G	59.32	68.20	-8.88	54.99	3	Vertical	201	1.19	-	33.68	5.40	34.75
AV	5.4576G	45.88	54.00	-8.12	41.59	3	Vertical	201	1.19	-	33.63	5.40	34.74
PK	5.5824G	118.49	Inf	-Inf	113.86	3	Vertical	201	1.19	-	33.96	5.40	34.73
AV	5.5776G	106.59	Inf	-Inf	101.96	3	Vertical	201	1.19	-	33.96	5.40	34.73
PK	5.7624G	60.67	68.20	-7.53	55.55	3	Vertical	201	1.19	-	34.30	5.48	34.66

802.11ac VHT20\_Nss1,(MCS0)\_3TX

09/10/2020

5580MHz\_TX




EUT\_V\_3TX  
Setting 84  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4384G	58.57	74.00	-15.43	54.40	3	Horizontal	289	2.29	-	33.51	5.40	34.74
PK	5.4696G	58.01	68.20	-10.19	53.68	3	Horizontal	289	2.29	-	33.68	5.40	34.75
AV	5.46G	45.39	54.00	-8.61	41.10	3	Horizontal	289	2.29	-	33.64	5.40	34.75
PK	5.5752G	114.85	Inf	-Inf	110.23	3	Horizontal	289	2.29	-	33.95	5.40	34.73
AV	5.5744G	104.23	Inf	-Inf	99.61	3	Horizontal	289	2.29	-	33.95	5.40	34.73
PK	5.728G	59.61	68.20	-8.59	54.65	3	Horizontal	289	2.29	-	34.17	5.46	34.67

802.11ac VHT20\_Nss1,(MCS0)\_3TX

09/10/2020

5580MHz\_TX




EUT V\_3TX  
Setting 84  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16G	52.65	74.00	-21.35	41.48	3	Vertical	14	2.86	-	38.30	7.71	34.84
AV	11.15911G	39.20	54.00	-14.80	28.03	3	Vertical	14	2.86	-	38.30	7.71	34.84
PK	16.7442G	63.57	68.20	-4.63	47.60	3	Vertical	238	1.80	-	40.63	9.56	34.22

### 802.11ac VHT20\_Nss1,(MCS0)\_3TX

09/10/2020

### 5580MHz\_TX




EUT\_V\_3TX  
Setting 84  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16241G	52.92	74.00	-21.08	41.75	3	Horizontal	210	2.42	-	38.30	7.71	34.84
AV	11.15915G	39.42	54.00	-14.58	28.25	3	Horizontal	210	2.42	-	38.30	7.71	34.84
PK	16.742G	68.05	68.20	-0.15	52.09	3	Horizontal	324	1.95	-	40.63	9.56	34.23

802.11ac VHT20\_Nss1,(MCS0)\_3TX

09/10/2020

5620MHz\_TX




EUT\_V\_3TX  
Setting 90  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	59.26	74.00	-14.74	54.99	3	Vertical	213	1.00	-	33.61	5.40	34.74
AV	5.456G	46.12	54.00	-7.88	41.84	3	Vertical	213	1.00	-	33.62	5.40	34.74
PK	5.467G	59.65	68.20	-8.55	55.33	3	Vertical	213	1.00	-	33.67	5.40	34.75
PK	5.618G	118.16	Inf	-Inf	113.40	3	Vertical	213	1.00	-	34.07	5.41	34.72
AV	5.618G	105.97	Inf	-Inf	101.21	3	Vertical	213	1.00	-	34.07	5.41	34.72
PK	5.827G	61.20	68.20	-7.00	55.82	3	Vertical	213	1.00	-	34.52	5.50	34.64

802.11ac VHT20\_Nss1,(MCS0)\_3TX

09/10/2020

5620MHz\_TX



EUT\_V\_3TX  
Setting 90  
01-A-K-3-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.438G	58.97	74.00	-15.03	54.81	3	Horizontal	287	2.28	-	33.50	5.40	34.74
PK	5.462G	58.52	68.20	-9.68	54.22	3	Horizontal	287	2.28	-	33.65	5.40	34.75
AV	5.451G	45.50	54.00	-8.50	41.24	3	Horizontal	287	2.28	-	33.60	5.40	34.74
PK	5.615G	115.28	Inf	-Inf	110.53	3	Horizontal	287	2.28	-	34.06	5.41	34.72
AV	5.615G	104.81	Inf	-Inf	100.06	3	Horizontal	287	2.28	-	34.06	5.41	34.72
PK	5.725G	60.86	68.20	-7.34	55.92	3	Horizontal	287	2.28	-	34.15	5.46	34.67



802.11ac VHT20\_Nss1,(MCS0)\_3TX

09/10/2020

5620MHz\_TX




EUT V\_3TX  
Setting 90  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23871G	52.67	74.00	-21.33	41.44	3	Vertical	282	1.23	-	38.34	7.73	34.84
AV	11.2395G	38.79	54.00	-15.21	27.56	3	Vertical	282	1.23	-	38.34	7.73	34.84
PK	16.8704G	63.46	68.20	-4.74	46.95	3	Vertical	356	1.00	-	40.87	9.60	33.96

802.11ac VHT20\_Nss1,(MCS0)\_3TX

09/10/2020

5620MHz\_TX




EUT\_V\_3TX  
Setting 90  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.24097G	52.91	74.00	-21.09	41.68	3	Horizontal	55	2.10	-	38.34	7.73	34.84
AV	11.24037G	39.09	54.00	-14.91	27.86	3	Horizontal	55	2.10	-	38.34	7.73	34.84
PK	16.8621G	68.18	68.20	-0.02	51.70	3	Horizontal	324	1.91	-	40.86	9.60	33.98

802.11ac VHT20\_Nss1,(MCS0)\_3TX

09/10/2020

5700MHz\_TX




EUT Y\_3TX  
Setting 72  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7026G	113.73	Inf	-Inf	108.94	3	Vertical	201	1.15	-	34.02	5.45	34.68
AV	5.7022G	101.48	Inf	-Inf	96.70	3	Vertical	201	1.15	-	34.01	5.45	34.68
PK	5.727G	65.63	68.20	-2.57	60.68	3	Vertical	201	1.15	-	34.16	5.46	34.67

802.11ac VHT20\_Nss1,(MCS0)\_3TX

09/10/2020

5700MHz\_TX




EUT Y\_3TX  
Setting 72  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6974G	110.30	Inf	-Inf	105.52	3	Horizontal	30	1.44	-	34.01	5.45	34.68
AV	5.7024G	99.78	Inf	-Inf	95.00	3	Horizontal	30	1.44	-	34.01	5.45	34.68
PK	5.7282G	67.83	68.20	-0.37	62.87	3	Horizontal	30	1.44	-	34.17	5.46	34.67

802.11ac VHT20\_Nss1,(MCS0)\_3TX

09/10/2020

5700MHz\_TX




EUT V\_3TX  
Setting 72  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.399G	52.89	74.00	-21.11	41.43	3	Vertical	129	2.91	-	38.50	7.79	34.83
AV	11.39938G	38.96	54.00	-15.04	27.50	3	Vertical	129	2.91	-	38.50	7.79	34.83

802.11ac VHT20\_Nss1,(MCS0)\_3TX

09/10/2020

5700MHz\_TX




EUT V\_3TX  
Setting 72  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39827G	52.75	74.00	-21.25	41.29	3	Horizontal	109	1.70	-	38.50	7.79	34.83
AV	11.40119G	38.95	54.00	-15.05	27.49	3	Horizontal	109	1.70	-	38.50	7.79	34.83

802.11ac VHT20\_Nss1,(MCS0)\_3TX

09/10/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_V\_3TX  
Setting 80  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4524G	58.20	74.00	-15.80	53.93	3	Vertical	211	1.04	-	33.61	5.40	34.74
AV	5.4476G	45.22	54.00	-8.78	40.98	3	Vertical	211	1.04	-	33.58	5.40	34.74
PK	5.47G	58.41	68.20	-9.79	54.08	3	Vertical	211	1.04	-	33.68	5.40	34.75
PK	5.7224G	115.37	Inf	-Inf	110.46	3	Vertical	211	1.04	-	34.13	5.46	34.68
AV	5.7176G	103.63	Inf	-Inf	98.74	3	Vertical	211	1.04	-	34.11	5.46	34.68
PK	5.9264G	60.87	68.20	-7.33	54.96	3	Vertical	211	1.04	-	35.01	5.50	34.60

802.11ac VHT20\_Nss1,(MCS0)\_3TX

09/10/2020

5720MHz Straddle 5.47-5.725GHz\_TX



EUT\_V\_3TX  
Setting 80  
01-A-K-3-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4308G	58.12	74.00	-15.88	54.01	3	Horizontal	265	1.62	-	33.45	5.40	34.74
PK	5.4656G	57.91	68.20	-10.29	53.60	3	Horizontal	265	1.62	-	33.66	5.40	34.75
AV	5.4548G	44.90	54.00	-9.10	40.62	3	Horizontal	265	1.62	-	33.62	5.40	34.74
PK	5.7224G	112.32	Inf	-Inf	107.41	3	Horizontal	265	1.62	-	34.13	5.46	34.68
AV	5.7272G	102.01	Inf	-Inf	97.06	3	Horizontal	265	1.62	-	34.16	5.46	34.67
PK	5.85G	60.64	68.20	-7.56	55.07	3	Horizontal	265	1.62	-	34.70	5.50	34.63



802.11ac VHT20\_Nss1,(MCS0)\_3TX

09/10/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_V\_3TX  
Setting 80  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43967G	53.08	74.00	-20.92	41.65	3	Vertical	159	2.68	-	38.46	7.80	34.83
AV	11.44056G	38.94	54.00	-15.06	27.51	3	Vertical	159	2.68	-	38.46	7.80	34.83
PK	17.16127G	63.81	68.20	-4.39	46.33	3	Vertical	113	2.38	-	41.58	9.71	33.81

802.11ac VHT20\_Nss1,(MCS0)\_3TX  
5720MHz Straddle 5.47-5.725GHz\_TX

09/10/2020




EUT V\_3TX  
Setting 80  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44204G	53.83	74.00	-20.17	42.40	3	Horizontal	24	1.96	-	38.46	7.80	34.83
AV	11.44057G	40.14	54.00	-13.86	28.71	3	Horizontal	24	1.96	-	38.46	7.80	34.83
PK	17.1462G	67.80	68.20	-0.40	50.36	3	Horizontal	22	1.91	-	41.54	9.70	33.80

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

09/10/2020

### 5270MHz\_TX




EUT\_Y\_2TX  
Setting 90  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1446G	60.89	74.00	-13.11	57.64	3	Vertical	183	2.00	-	32.71	5.17	34.63
AV	5.15G	49.07	54.00	-4.93	45.83	3	Vertical	183	2.00	-	32.70	5.17	34.63
PK	5.273G	115.65	Inf	-Inf	112.07	3	Vertical	183	2.00	-	32.99	5.27	34.68
AV	5.2658G	106.29	Inf	-Inf	102.74	3	Vertical	183	2.00	-	32.96	5.27	34.68
PK	5.351G	68.08	74.00	-5.92	64.34	3	Vertical	183	2.00	-	33.10	5.35	34.71
AV	5.351G	53.24	54.00	-0.76	49.50	3	Vertical	183	2.00	-	33.10	5.35	34.71

802.11ac VHT40\_Nss1,(MCS0)\_2TX

09/10/2020

5270MHz\_TX




EUT\_Y\_2TX  
Setting 90  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1338G	57.34	74.00	-16.66	54.07	3	Horizontal	88	2.60	-	32.73	5.17	34.63
AV	5.147G	45.49	54.00	-8.51	42.24	3	Horizontal	88	2.60	-	32.71	5.17	34.63
PK	5.2556G	105.46	Inf	-Inf	101.95	3	Horizontal	88	2.60	-	32.92	5.26	34.67
AV	5.2658G	95.73	Inf	-Inf	92.18	3	Horizontal	88	2.60	-	32.96	5.27	34.68
PK	5.3522G	59.40	74.00	-14.60	55.66	3	Horizontal	88	2.60	-	33.10	5.35	34.71
AV	5.35G	47.33	54.00	-6.67	43.59	3	Horizontal	88	2.60	-	33.10	5.35	34.71

802.11ac VHT40\_Nss1,(MCS0)\_2TX

09/10/2020

5270MHz\_TX




EUT Y\_2TX  
Setting 90  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54354G	52.78	68.20	-15.42	42.02	3	Vertical	194	2.33	-	38.50	7.49	35.23
PK	15.81522G	56.91	74.00	-17.09	44.33	3	Vertical	285	2.99	-	38.42	9.26	35.10
AV	15.82398G	44.40	54.00	-9.60	31.83	3	Vertical	285	2.99	-	38.42	9.26	35.11

802.11ac VHT40\_Nss1,(MCS0)\_2TX

09/10/2020

5270MHz\_TX




EUT Y\_2TX  
Setting 90  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53988G	53.99	68.20	-14.21	43.24	3	Horizontal	232	1.10	-	38.50	7.49	35.24
PK	15.80766G	57.93	74.00	-16.07	45.35	3	Horizontal	132	2.30	-	38.41	9.26	35.09
AV	15.81984G	45.54	54.00	-8.46	32.97	3	Horizontal	132	2.30	-	38.42	9.26	35.11

802.11ac VHT40\_Nss1,(MCS0)\_2TX

09/10/2020

5310MHz\_TX




EUT Y\_2TX  
Setting 67  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2956G	109.52	Inf	-Inf	105.83	3	Vertical	180	2.13	-	33.08	5.30	34.69
AV	5.3004G	100.08	Inf	-Inf	96.37	3	Vertical	180	2.13	-	33.10	5.30	34.69
PK	5.35G	68.29	74.00	-5.71	64.55	3	Vertical	180	2.13	-	33.10	5.35	34.71
AV	5.35G	53.42	54.00	-0.58	49.68	3	Vertical	180	2.13	-	33.10	5.35	34.71

802.11ac VHT40\_Nss1,(MCS0)\_2TX

09/10/2020

5310MHz\_TX



EUT Y\_2TX  
Setting 67  
01-A-K-3-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	99.99	Inf	-Inf	96.29	3	Horizontal	84	2.54	-	33.09	5.30	34.69
AV	5.3056G	90.19	Inf	-Inf	86.47	3	Horizontal	84	2.54	-	33.10	5.31	34.69
PK	5.3508G	61.66	74.00	-12.34	57.92	3	Horizontal	84	2.54	-	33.10	5.35	34.71
AV	5.3508G	46.86	54.00	-7.14	43.12	3	Horizontal	84	2.54	-	33.10	5.35	34.71



### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

09/10/2020

### 5310MHz\_TX




EUT Y\_2TX  
Setting 67  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61785G	54.04	74.00	-19.96	43.19	3	Vertical	36	1.85	-	38.50	7.52	35.17
AV	10.62128G	41.73	54.00	-12.27	30.88	3	Vertical	36	1.85	-	38.50	7.52	35.17
PK	15.93229G	56.93	74.00	-17.07	44.39	3	Vertical	306	1.28	-	38.47	9.29	35.22
AV	15.93216G	44.56	54.00	-9.44	32.02	3	Vertical	306	1.28	-	38.47	9.29	35.22

802.11ac VHT40\_Nss1,(MCS0)\_2TX

09/10/2020

5310MHz\_TX




EUT Y\_2TX  
Setting 67  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61786G	53.86	74.00	-20.14	43.01	3	Horizontal	309	2.07	-	38.50	7.52	35.17
AV	10.62127G	41.59	54.00	-12.41	30.74	3	Horizontal	309	2.07	-	38.50	7.52	35.17
PK	15.92926G	57.33	74.00	-16.67	44.79	3	Horizontal	313	1.13	-	38.47	9.29	35.22
AV	15.9322G	44.60	54.00	-9.40	32.06	3	Horizontal	313	1.13	-	38.47	9.29	35.22

802.11ac VHT40\_Nss1,(MCS0)\_3TX

09/10/2020

5510MHz\_TX




EUT\_V\_3TX  
Setting 63  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.63	74.00	-10.37	59.34	3	Vertical	317	1.00	-	33.64	5.40	34.75
AV	5.4596G	48.45	54.00	-5.55	44.16	3	Vertical	317	1.00	-	33.64	5.40	34.75
PK	5.4696G	67.43	68.20	-0.77	63.10	3	Vertical	317	1.00	-	33.68	5.40	34.75
PK	5.5192G	111.93	Inf	-Inf	107.44	3	Vertical	317	1.00	-	33.84	5.40	34.75
AV	5.5144G	100.95	Inf	-Inf	96.47	3	Vertical	317	1.00	-	33.83	5.40	34.75

802.11ac VHT40\_Nss1,(MCS0)\_3TX

09/10/2020

5510MHz\_TX




EUT V\_3TX  
Setting 63  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4304G	59.08	74.00	-14.92	54.97	3	Horizontal	286	2.04	-	33.44	5.40	34.73
PK	5.4692G	61.64	68.20	-6.56	57.31	3	Horizontal	286	2.04	-	33.68	5.40	34.75
AV	5.46G	46.76	54.00	-7.24	42.47	3	Horizontal	286	2.04	-	33.64	5.40	34.75
PK	5.5196G	104.87	Inf	-Inf	100.38	3	Horizontal	286	2.04	-	33.84	5.40	34.75
AV	5.5144G	95.87	Inf	-Inf	91.39	3	Horizontal	286	2.04	-	33.83	5.40	34.75

802.11ac VHT40\_Nss1,(MCS0)\_3TX

09/10/2020

5510MHz\_TX




EUT V\_3TX  
Setting 63  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0281G	53.00	74.00	-21.00	41.82	3	Vertical	228	2.64	-	38.37	7.66	34.85
AV	11.0094G	40.45	54.00	-13.55	29.26	3	Vertical	228	2.64	-	38.39	7.65	34.85
PK	16.5154G	62.23	68.20	-5.97	47.37	3	Vertical	305	2.01	-	40.08	9.48	34.70

802.11ac VHT40\_Nss1,(MCS0)\_3TX

09/10/2020

5510MHz\_TX




EUT V\_3TX  
Setting 63  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0265G	52.37	74.00	-21.63	41.19	3	Horizontal	310	1.59	-	38.37	7.66	34.85
AV	11.002G	40.61	54.00	-13.39	29.41	3	Horizontal	310	1.59	-	38.40	7.65	34.85
PK	16.5521G	61.87	68.20	-6.33	46.95	3	Horizontal	15	1.80	-	40.05	9.49	34.62

802.11ac VHT40\_Nss1,(MCS0)\_3TX

09/10/2020

5550MHz\_TX




EUT\_V\_3TX  
Setting 89  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4534G	66.15	74.00	-7.85	61.88	3	Vertical	203	1.11	-	33.61	5.40	34.74
AV	5.4582G	50.86	54.00	-3.14	46.57	3	Vertical	203	1.11	-	33.63	5.40	34.74
PK	5.4684G	67.78	68.20	-0.42	63.46	3	Vertical	203	1.11	-	33.67	5.40	34.75
PK	5.538G	115.28	Inf	-Inf	110.75	3	Vertical	203	1.11	-	33.88	5.40	34.75
AV	5.5476G	105.34	Inf	-Inf	100.78	3	Vertical	203	1.11	-	33.90	5.40	34.74

802.11ac VHT40\_Nss1,(MCS0)\_3TX

09/10/2020

5550MHz\_TX



EUT\_V\_3TX  
Setting 89  
01-A-K-3-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4546G	61.29	74.00	-12.71	57.01	3	Horizontal	289	1.99	-	33.62	5.40	34.74
AV	5.4588G	48.30	54.00	-5.70	44.01	3	Horizontal	289	1.99	-	33.64	5.40	34.75
PK	5.4696G	63.14	68.20	-5.06	58.81	3	Horizontal	289	1.99	-	33.68	5.40	34.75
PK	5.5644G	111.87	Inf	-Inf	107.28	3	Horizontal	289	1.99	-	33.93	5.40	34.74
AV	5.5644G	102.47	Inf	-Inf	97.88	3	Horizontal	289	1.99	-	33.93	5.40	34.74



802.11ac VHT40\_Nss1,(MCS0)\_3TX

09/10/2020

5550MHz\_TX




EUT\_V\_3TX  
Setting 89  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0987G	52.84	74.00	-21.16	41.71	3	Vertical	186	1.24	-	38.30	7.68	34.85
AV	11.09927G	40.42	54.00	-13.58	29.29	3	Vertical	186	1.24	-	38.30	7.68	34.85
PK	16.63816G	63.04	68.20	-5.16	47.77	3	Vertical	239	1.79	-	40.19	9.52	34.44

802.11ac VHT40\_Nss1,(MCS0)\_3TX

09/10/2020

5550MHz\_TX




EUT V\_3TX  
Setting 89  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09891G	52.65	74.00	-21.35	41.52	3	Horizontal	289	2.14	-	38.30	7.68	34.85
AV	11.09994G	40.55	54.00	-13.45	29.42	3	Horizontal	289	2.14	-	38.30	7.68	34.85
PK	16.64762G	65.12	68.20	-3.08	49.77	3	Horizontal	325	1.92	-	40.24	9.53	34.42

802.11ac VHT40\_Nss1,(MCS0)\_3TX

09/10/2020

5630MHz\_TX




EUT\_V\_3TX  
Setting 93  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.423G	58.99	74.00	-15.01	54.94	3	Vertical	201	1.13	-	33.38	5.40	34.73
PK	5.462G	59.04	68.20	-9.16	54.74	3	Vertical	201	1.13	-	33.65	5.40	34.75
AV	5.457G	47.77	54.00	-6.23	43.48	3	Vertical	201	1.13	-	33.63	5.40	34.74
PK	5.638G	115.89	Inf	-Inf	111.03	3	Vertical	201	1.13	-	34.15	5.42	34.71
AV	5.637G	105.52	Inf	-Inf	100.66	3	Vertical	201	1.13	-	34.15	5.42	34.71
PK	5.725G	68.06	68.20	-0.14	63.12	3	Vertical	201	1.13	-	34.15	5.46	34.67

### 802.11ac VHT40\_Nss1,(MCS0)\_3TX

09/10/2020

### 5630MHz\_TX




EUT\_V\_3TX  
Setting 93  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.448G	59.04	74.00	-14.96	54.80	3	Horizontal	287	2.29	-	33.58	5.40	34.74
AV	5.447G	47.09	54.00	-6.91	42.85	3	Horizontal	287	2.29	-	33.58	5.40	34.74
PK	5.464G	58.71	68.20	-9.49	54.40	3	Horizontal	287	2.29	-	33.66	5.40	34.75
PK	5.62G	112.47	Inf	-Inf	107.69	3	Horizontal	287	2.29	-	34.08	5.41	34.71
AV	5.62G	103.39	Inf	-Inf	98.61	3	Horizontal	287	2.29	-	34.08	5.41	34.71
PK	5.729G	65.51	68.20	-2.69	60.55	3	Horizontal	287	2.29	-	34.17	5.46	34.67

802.11ac VHT40\_Nss1,(MCS0)\_3TX

09/10/2020

5630MHz\_TX




EUT\_V\_3TX  
Setting 93  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.26135G	52.51	74.00	-21.49	41.25	3	Vertical	114	1.00	-	38.36	7.74	34.84
AV	11.2587G	40.73	54.00	-13.27	29.47	3	Vertical	114	1.00	-	38.36	7.74	34.84
PK	16.90584G	63.46	68.20	-4.74	46.81	3	Vertical	312	2.01	-	40.92	9.62	33.89

802.11ac VHT40\_Nss1,(MCS0)\_3TX

09/10/2020

5630MHz\_TX




EUT\_V\_3TX  
Setting 93  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.26219G	53.02	74.00	-20.98	41.76	3	Horizontal	174	2.47	-	38.36	7.74	34.84
AV	11.26009G	40.27	54.00	-13.73	29.01	3	Horizontal	174	2.47	-	38.36	7.74	34.84
PK	16.90216G	66.67	68.20	-1.53	50.03	3	Horizontal	323	1.85	-	40.91	9.62	33.89

802.11ac VHT40\_Nss1,(MCS0)\_3TX

09/10/2020

5670MHz\_TX




EUT Y\_3TX  
Setting 77  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.658G	111.27	Inf	-Inf	106.37	3	Vertical	199	1.21	-	34.17	5.43	34.70
AV	5.6824G	100.97	Inf	-Inf	96.15	3	Vertical	199	1.21	-	34.07	5.44	34.69
PK	5.7268G	67.58	68.20	-0.62	62.63	3	Vertical	199	1.21	-	34.16	5.46	34.67

802.11ac VHT40\_Nss1,(MCS0)\_3TX

09/10/2020

5670MHz\_TX



EUT\_V\_3TX  
Setting 77  
01-A-K-3-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6648G	107.87	Inf	-Inf	103.00	3	Horizontal	291	2.23	-	34.14	5.43	34.70
AV	5.66G	96.81	Inf	-Inf	91.92	3	Horizontal	291	2.23	-	34.16	5.43	34.70
PK	5.728G	64.20	68.20	-4.00	59.24	3	Horizontal	291	2.23	-	34.17	5.46	34.67



802.11ac VHT40\_Nss1,(MCS0)\_3TX

09/10/2020

5670MHz\_TX




EUT V\_3TX  
Setting 77  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3521G	52.57	74.00	-21.43	41.19	3	Vertical	45	1.28	-	38.45	7.77	34.84
AV	11.3517G	39.51	54.00	-14.49	28.13	3	Vertical	45	1.28	-	38.45	7.77	34.84
PK	17.0081G	63.02	68.20	-5.18	45.85	3	Vertical	153	2.79	-	41.22	9.65	33.70

### 802.11ac VHT40\_Nss1,(MCS0)\_3TX

09/10/2020

### 5670MHz\_TX




EUT V\_3TX  
Setting 77  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34147G	52.53	74.00	-21.47	41.16	3	Horizontal	122	1.74	-	38.44	7.77	34.84
AV	11.3401G	38.70	54.00	-15.30	27.33	3	Horizontal	122	1.74	-	38.44	7.77	34.84
PK	17.03G	62.56	68.20	-5.64	45.35	3	Horizontal	22	2.59	-	41.26	9.66	33.71

802.11ac VHT40\_Nss1,(MCS0)\_3TX

09/10/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_V\_3TX  
Setting 87  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	58.83	74.00	-15.17	54.54	3	Vertical	200	1.13	-	33.64	5.40	34.75
AV	5.458G	46.74	54.00	-7.26	42.45	3	Vertical	200	1.13	-	33.63	5.40	34.74
PK	5.4676G	58.22	68.20	-9.98	53.90	3	Vertical	200	1.13	-	33.67	5.40	34.75
PK	5.7124G	113.10	Inf	-Inf	108.25	3	Vertical	200	1.13	-	34.07	5.46	34.68
AV	5.7172G	103.87	Inf	-Inf	98.99	3	Vertical	200	1.13	-	34.10	5.46	34.68
PK	5.8624G	61.06	68.20	-7.14	55.46	3	Vertical	200	1.13	-	34.72	5.50	34.62

802.11ac VHT40\_Nss1,(MCS0)\_3TX

09/10/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_V\_3TX  
Setting 87  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	57.99	74.00	-16.01	53.70	3	Horizontal	205	1.51	-	33.63	5.40	34.74
AV	5.4376G	46.14	54.00	-7.86	41.98	3	Horizontal	205	1.51	-	33.50	5.40	34.74
PK	5.4616G	57.40	68.20	-10.80	53.10	3	Horizontal	205	1.51	-	33.65	5.40	34.75
PK	5.7244G	110.50	Inf	-Inf	105.56	3	Horizontal	205	1.51	-	34.15	5.46	34.67
AV	5.7136G	101.56	Inf	-Inf	96.70	3	Horizontal	205	1.51	-	34.08	5.46	34.68
PK	5.8828G	61.40	68.20	-6.80	55.74	3	Horizontal	205	1.51	-	34.77	5.50	34.61

802.11ac VHT40\_Nss1,(MCS0)\_3TX

09/10/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_V\_3TX  
Setting 87  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41962G	53.25	74.00	-20.75	41.80	3	Vertical	276	2.98	-	38.48	7.80	34.83
AV	11.42053G	41.16	54.00	-12.84	29.71	3	Vertical	276	2.98	-	38.48	7.80	34.83
PK	17.1465G	64.95	68.20	-3.25	47.51	3	Vertical	0	1.89	-	41.54	9.70	33.80

802.11ac VHT40\_Nss1,(MCS0)\_3TX

09/10/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_V\_3TX  
Setting 87  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42143G	52.97	74.00	-21.03	41.52	3	Horizontal	158	1.25	-	38.48	7.80	34.83
AV	11.41793G	41.21	54.00	-12.79	29.76	3	Horizontal	158	1.25	-	38.48	7.80	34.83
PK	17.136G	68.04	68.20	-0.16	50.62	3	Horizontal	22	1.94	-	41.51	9.70	33.79

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

09/10/2020

### 5290MHz\_TX




EUT\_Y\_2TX  
Setting 67  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.132G	60.06	74.00	-13.94	56.78	3	Vertical	178	2.01	-	32.74	5.17	34.63
AV	5.145G	47.74	54.00	-6.26	44.49	3	Vertical	178	2.01	-	32.71	5.17	34.63
PK	5.275G	107.02	Inf	-Inf	103.42	3	Vertical	178	2.01	-	33.00	5.28	34.68
AV	5.275G	97.24	Inf	-Inf	93.64	3	Vertical	178	2.01	-	33.00	5.28	34.68
PK	5.352G	68.98	74.00	-5.02	65.24	3	Vertical	178	2.01	-	33.10	5.35	34.71
AV	5.35G	53.89	54.00	-0.11	50.15	3	Vertical	178	2.01	-	33.10	5.35	34.71
PK	5.535G	57.66	68.20	-10.54	53.14	3	Vertical	178	2.01	-	33.87	5.40	34.75

802.11ac VHT80\_Nss1,(MCS0)\_2TX

09/10/2020

5290MHz\_TX



EUT Y\_2TX  
Setting 67  
01-A-K-3-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.145G	57.10	74.00	-16.90	53.85	3	Horizontal	88	2.62	-	32.71	5.17	34.63
AV	5.11G	45.10	54.00	-8.90	41.78	3	Horizontal	88	2.62	-	32.78	5.16	34.62
PK	5.281G	97.38	Inf	-Inf	93.76	3	Horizontal	88	2.62	-	33.02	5.28	34.68
AV	5.281G	87.20	Inf	-Inf	83.58	3	Horizontal	88	2.62	-	33.02	5.28	34.68
PK	5.353G	61.91	74.00	-12.09	58.16	3	Horizontal	88	2.62	-	33.11	5.35	34.71
AV	5.351G	47.07	54.00	-6.93	43.33	3	Horizontal	88	2.62	-	33.10	5.35	34.71
PK	5.488G	57.99	68.20	-10.21	53.60	3	Horizontal	88	2.62	-	33.75	5.40	34.76



802.11ac VHT80\_Nss1,(MCS0)\_2TX

09/10/2020

5290MHz\_TX




EUT Y\_2TX  
Setting 67  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87298G	57.44	74.00	-16.56	44.86	3	Vertical	256	1.80	-	38.47	9.27	35.16
AV	15.866G	44.77	54.00	-9.23	32.18	3	Vertical	256	1.80	-	38.47	9.27	35.15

802.11ac VHT80\_Nss1,(MCS0)\_2TX

09/10/2020

5290MHz\_TX




EUT Y\_2TX  
Setting 67  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86892G	57.13	74.00	-16.87	44.55	3	Horizontal	117	2.64	-	38.47	9.27	35.16
AV	15.8601G	45.10	54.00	-8.90	32.52	3	Horizontal	117	2.64	-	38.46	9.27	35.15

802.11ac VHT80\_Nss1,(MCS0)\_3TX

09/10/2020

5530MHz\_TX




EUT V\_3TX  
Setting 70  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.326G	57.97	68.20	-10.23	54.24	3	Vertical	197	1.11	-	33.10	5.33	34.70
PK	5.457G	66.35	74.00	-7.65	62.06	3	Vertical	197	1.11	-	33.63	5.40	34.74
AV	5.458G	51.12	54.00	-2.88	46.83	3	Vertical	197	1.11	-	33.63	5.40	34.74
PK	5.463G	67.99	68.20	-0.21	63.69	3	Vertical	197	1.11	-	33.65	5.40	34.75
PK	5.533G	107.24	Inf	-Inf	102.72	3	Vertical	197	1.11	-	33.87	5.40	34.75
AV	5.523G	97.42	Inf	-Inf	92.92	3	Vertical	197	1.11	-	33.85	5.40	34.75
PK	5.734G	60.37	68.20	-7.83	55.37	3	Vertical	197	1.11	-	34.20	5.47	34.67

802.11ac VHT80\_Nss1,(MCS0)\_3TX

09/10/2020

5530MHz\_TX




EUT V\_3TX  
Setting 70  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.34G	57.13	68.20	-11.07	53.39	3	Horizontal	282	2.24	-	33.10	5.34	34.70
PK	5.457G	65.08	74.00	-8.92	60.79	3	Horizontal	282	2.24	-	33.63	5.40	34.74
AV	5.459G	50.23	54.00	-3.77	45.94	3	Horizontal	282	2.24	-	33.64	5.40	34.75
PK	5.47G	65.92	68.20	-2.28	61.59	3	Horizontal	282	2.24	-	33.68	5.40	34.75
PK	5.545G	104.30	Inf	-Inf	99.75	3	Horizontal	282	2.24	-	33.89	5.40	34.74
AV	5.545G	95.13	Inf	-Inf	90.58	3	Horizontal	282	2.24	-	33.89	5.40	34.74
PK	5.777G	59.06	68.20	-9.14	53.92	3	Horizontal	282	2.24	-	34.30	5.49	34.65

802.11ac VHT80\_Nss1,(MCS0)\_3TX

09/10/2020

5530MHz\_TX




EUT V\_3TX  
Setting 70  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06258G	53.67	74.00	-20.33	42.51	3	Vertical	359	2.97	-	38.34	7.67	34.85
AV	11.07068G	41.17	54.00	-12.83	30.02	3	Vertical	359	2.97	-	38.33	7.67	34.85
PK	16.59996G	62.24	68.20	-5.96	47.25	3	Vertical	357	1.00	-	40.00	9.51	34.52

802.11ac VHT80\_Nss1,(MCS0)\_3TX

09/10/2020

5530MHz\_TX




EUT V\_3TX  
Setting 70  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05862G	53.71	74.00	-20.29	42.55	3	Horizontal	22	1.75	-	38.34	7.67	34.85
AV	11.06372G	40.82	54.00	-13.18	29.66	3	Horizontal	22	1.75	-	38.34	7.67	34.85
PK	16.58646G	61.84	68.20	-6.36	46.87	3	Horizontal	286	2.71	-	40.01	9.51	34.55

802.11ac VHT80\_Nss1,(MCS0)\_3TX

09/10/2020

5610MHz\_TX




EUT\_V\_3TX  
Setting 86  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	62.22	74.00	-11.78	57.94	3	Vertical	201	1.15	-	33.62	5.40	34.74
AV	5.457G	49.46	54.00	-4.54	45.17	3	Vertical	201	1.15	-	33.63	5.40	34.74
PK	5.465G	64.51	68.20	-3.69	60.20	3	Vertical	201	1.15	-	33.66	5.40	34.75
PK	5.603G	110.60	Inf	-Inf	105.91	3	Vertical	201	1.15	-	34.01	5.40	34.72
AV	5.603G	100.69	Inf	-Inf	96.00	3	Vertical	201	1.15	-	34.01	5.40	34.72
PK	5.725G	67.80	68.20	-0.40	62.86	3	Vertical	201	1.15	-	34.15	5.46	34.67

### 802.11ac VHT80\_Nss1,(MCS0)\_3TX

09/10/2020

### 5610MHz\_TX



EUT\_V\_3TX  
Setting 86  
01-A-G-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	59.87	74.00	-14.13	55.61	3	Horizontal	289	2.29	-	33.60	5.40	34.74
AV	5.455G	48.60	54.00	-5.40	44.32	3	Horizontal	289	2.29	-	33.62	5.40	34.74
PK	5.47G	61.51	68.20	-6.69	57.18	3	Horizontal	289	2.29	-	33.68	5.40	34.75
PK	5.62G	108.11	Inf	-Inf	103.33	3	Horizontal	289	2.29	-	34.08	5.41	34.71
AV	5.62G	99.08	Inf	-Inf	94.30	3	Horizontal	289	2.29	-	34.08	5.41	34.71
PK	5.725G	64.91	68.20	-3.29	59.97	3	Horizontal	289	2.29	-	34.15	5.46	34.67



### 802.11ac VHT80\_Nss1,(MCS0)\_3TX

09/10/2020

### 5610MHz\_TX




EUT\_V\_3TX  
Setting 86  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21888G	53.76	74.00	-20.24	42.55	3	Vertical	85	2.75	-	38.32	7.73	34.84
AV	11.22344G	40.94	54.00	-13.06	29.73	3	Vertical	85	2.75	-	38.32	7.73	34.84
PK	16.82672G	63.02	68.20	-5.18	46.65	3	Vertical	77	1.37	-	40.83	9.59	34.05

802.11ac VHT80\_Nss1,(MCS0)\_3TX

09/10/2020

5610MHz\_TX




EUT V\_3TX  
Setting 86  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22446G	53.04	74.00	-20.96	41.83	3	Horizontal	1	1.50	-	38.32	7.73	34.84
AV	11.2197G	40.65	54.00	-13.35	29.44	3	Horizontal	1	1.50	-	38.32	7.73	34.84
PK	16.82716G	64.30	68.20	-3.90	47.93	3	Horizontal	324	1.89	-	40.83	9.59	34.05

802.11ac VHT80\_Nss1,(MCS0)\_3TX

09/10/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_V\_3TX  
Setting 91  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4392G	59.73	74.00	-14.27	55.56	3	Vertical	200	1.15	-	33.51	5.40	34.74
PK	5.468G	59.15	68.20	-9.05	54.83	3	Vertical	200	1.15	-	33.67	5.40	34.75
AV	5.4572G	47.80	54.00	-6.20	43.51	3	Vertical	200	1.15	-	33.63	5.40	34.74
PK	5.6828G	112.14	Inf	-Inf	107.32	3	Vertical	200	1.15	-	34.07	5.44	34.69
AV	5.6828G	102.01	Inf	-Inf	97.19	3	Vertical	200	1.15	-	34.07	5.44	34.69
PK	5.8568G	67.41	68.20	-0.79	61.82	3	Vertical	200	1.15	-	34.71	5.50	34.62

802.11ac VHT80\_Nss1,(MCS0)\_3TX

09/10/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_V\_3TX  
Setting 91  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4488G	58.93	74.00	-15.07	54.68	3	Horizontal	29	2.32	-	33.59	5.40	34.74
AV	5.4524G	47.38	54.00	-6.62	43.11	3	Horizontal	29	2.32	-	33.61	5.40	34.74
PK	5.4656G	59.05	68.20	-9.15	54.74	3	Horizontal	29	2.32	-	33.66	5.40	34.75
PK	5.7212G	108.05	Inf	-Inf	103.14	3	Horizontal	29	2.32	-	34.13	5.46	34.68
AV	5.7164G	99.28	Inf	-Inf	94.40	3	Horizontal	29	2.32	-	34.10	5.46	34.68
PK	5.852G	67.98	68.20	-0.22	62.41	3	Horizontal	29	2.32	-	34.70	5.50	34.63

802.11ac VHT80\_Nss1,(MCS0)\_3TX

09/10/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_V\_3TX  
Setting 91  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3746G	52.85	74.00	-21.15	41.44	3	Vertical	276	1.80	-	38.47	7.78	34.84
AV	11.38582G	40.66	54.00	-13.34	29.21	3	Vertical	276	1.80	-	38.49	7.79	34.83
PK	17.0844G	63.05	68.20	-5.15	45.75	3	Vertical	21	1.80	-	41.37	9.68	33.75

802.11ac VHT80\_Nss1,(MCS0)\_3TX

09/10/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_V\_3TX  
Setting 91  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39284G	52.92	74.00	-21.08	41.47	3	Horizontal	176	1.80	-	38.49	7.79	34.83
AV	11.38018G	40.62	54.00	-13.38	29.19	3	Horizontal	176	1.80	-	38.48	7.78	34.83
PK	17.07174G	65.29	68.20	-2.91	48.01	3	Horizontal	22	1.97	-	41.34	9.68	33.74

802.11ax HEW20\_Nss1,(MCS0)\_2TX

09/10/2020

5260MHz\_TX




EUT\_Y\_2TX  
Setting 108  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	67.21	74.00	-6.79	63.96	3	Vertical	179	2.15	-	32.71	5.17	34.63
AV	5.149G	50.84	54.00	-3.16	47.60	3	Vertical	179	2.15	-	32.70	5.17	34.63
PK	5.2528G	123.50	Inf	-Inf	120.01	3	Vertical	179	2.15	-	32.91	5.25	34.67
AV	5.2552G	109.88	Inf	-Inf	106.37	3	Vertical	179	2.15	-	32.92	5.26	34.67
PK	5.3518G	70.19	74.00	-3.81	66.45	3	Vertical	179	2.15	-	33.10	5.35	34.71
AV	5.3518G	53.80	54.00	-0.20	50.06	3	Vertical	179	2.15	-	33.10	5.35	34.71

802.11ax HEW20\_Nss1,(MCS0)\_2TX

09/10/2020

5260MHz\_TX



EUT\_Y\_2TX  
Setting 108  
01-A-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1406G	59.43	74.00	-14.57	56.17	3	Horizontal	83	2.60	-	32.72	5.17	34.63
AV	5.15G	44.57	54.00	-9.43	41.33	3	Horizontal	83	2.60	-	32.70	5.17	34.63
PK	5.2606G	113.27	Inf	-Inf	109.74	3	Horizontal	83	2.60	-	32.94	5.26	34.67
AV	5.2534G	100.46	Inf	-Inf	96.97	3	Horizontal	83	2.60	-	32.91	5.25	34.67
PK	5.3512G	62.30	74.00	-11.70	58.56	3	Horizontal	83	2.60	-	33.10	5.35	34.71
AV	5.3512G	46.11	54.00	-7.89	42.37	3	Horizontal	83	2.60	-	33.10	5.35	34.71



802.11ax HEW20\_Nss1,(MCS0)\_2TX

09/10/2020

5260MHz\_TX




EUT Y\_2TX  
Setting 108  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78064G	59.83	74.00	-14.17	47.28	3	Vertical	144	1.93	-	38.36	9.26	35.07
AV	15.77824G	45.17	54.00	-8.83	32.61	3	Vertical	144	1.93	-	38.36	9.26	35.06

802.11ax HEW20\_Nss1,(MCS0)\_2TX

09/10/2020

5260MHz\_TX




EUT Y\_2TX  
Setting 108  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78492G	61.36	74.00	-12.64	48.80	3	Horizontal	129	1.79	-	38.37	9.26	35.07
AV	15.78252G	47.42	54.00	-6.58	34.86	3	Horizontal	129	1.79	-	38.37	9.26	35.07

802.11ax HEW20\_Nss1,(MCS0)\_2TX

09/10/2020

5300MHz\_TX




EUT\_Y\_2TX  
Setting 93  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2928G	120.35	Inf	-Inf	116.68	3	Vertical	180	2.13	-	33.07	5.29	34.69
AV	5.2952G	107.76	Inf	-Inf	104.07	3	Vertical	180	2.13	-	33.08	5.30	34.69
PK	5.35G	71.79	74.00	-2.21	68.05	3	Vertical	180	2.13	-	33.10	5.35	34.71
AV	5.35G	53.87	54.00	-0.13	50.13	3	Vertical	180	2.13	-	33.10	5.35	34.71

802.11ax HEW20\_Nss1,(MCS0)\_2TX

09/10/2020

5300MHz\_TX




EUT Y\_2TX  
Setting 93  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2928G	110.41	Inf	-Inf	106.74	3	Horizontal	89	2.63	-	33.07	5.29	34.69
AV	5.2956G	97.99	Inf	-Inf	94.30	3	Horizontal	89	2.63	-	33.08	5.30	34.69
PK	5.35G	62.42	74.00	-11.58	58.68	3	Horizontal	89	2.63	-	33.10	5.35	34.71
AV	5.35G	47.27	54.00	-6.73	43.53	3	Horizontal	89	2.63	-	33.10	5.35	34.71

802.11ax HEW20\_Nss1,(MCS0)\_2TX

09/10/2020

5300MHz\_TX




EUT Y\_2TX  
Setting 93  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90124G	58.98	74.00	-15.02	46.39	3	Vertical	105	1.80	-	38.50	9.28	35.19
AV	15.90164G	44.56	54.00	-9.44	31.97	3	Vertical	105	1.80	-	38.50	9.28	35.19

802.11ax HEW20\_Nss1,(MCS0)\_2TX

09/10/2020

5300MHz\_TX




EUT Y\_2TX  
Setting 93  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90004G	60.67	74.00	-13.33	48.08	3	Horizontal	127	1.80	-	38.50	9.28	35.19
AV	15.89984G	46.72	54.00	-7.28	34.13	3	Horizontal	127	1.80	-	38.50	9.28	35.19

802.11ax HEW20\_Nss1,(MCS0)\_2TX

09/10/2020

5320MHz\_TX




EUT\_Y\_2TX  
Setting 83  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3224G	116.40	Inf	-Inf	112.68	3	Vertical	176	1.76	-	33.10	5.32	34.70
AV	5.3176G	104.92	Inf	-Inf	101.19	3	Vertical	176	1.76	-	33.10	5.32	34.69
PK	5.35G	71.41	74.00	-2.59	67.67	3	Vertical	176	1.76	-	33.10	5.35	34.71
AV	5.35G	53.92	54.00	-0.08	50.18	3	Vertical	176	1.76	-	33.10	5.35	34.71

802.11ax HEW20\_Nss1,(MCS0)\_2TX

09/10/2020

5320MHz\_TX



EUT Y\_2TX  
Setting 83  
01-A-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3208G	108.42	Inf	-Inf	104.70	3	Horizontal	74	2.52	-	33.10	5.32	34.70
AV	5.3212G	95.12	Inf	-Inf	91.40	3	Horizontal	74	2.52	-	33.10	5.32	34.70
PK	5.35G	67.37	74.00	-6.63	63.63	3	Horizontal	74	2.52	-	33.10	5.35	34.71
AV	5.35G	48.24	54.00	-5.76	44.50	3	Horizontal	74	2.52	-	33.10	5.35	34.71



802.11ax HEW20\_Nss1,(MCS0)\_2TX

09/10/2020

5320MHz\_TX




EUT Y\_2TX  
Setting 83  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9522G	58.36	74.00	-15.64	45.86	3	Vertical	157	1.09	-	38.45	9.29	35.24
AV	15.9664G	43.98	54.00	-10.02	31.52	3	Vertical	157	1.09	-	38.43	9.29	35.26

802.11ax HEW20\_Nss1,(MCS0)\_2TX

09/10/2020

5320MHz\_TX




EUT\_Y\_2TX  
Setting 83  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96448G	59.51	74.00	-14.49	47.03	3	Horizontal	125	1.81	-	38.44	9.29	35.25
AV	15.95752G	44.72	54.00	-9.28	32.24	3	Horizontal	125	1.81	-	38.44	9.29	35.25

802.11ax HEW20\_Nss1,(MCS0)\_3TX

09/10/2020

5500MHz\_TX




EUT\_V\_3TX  
Setting 66  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	65.14	74.00	-8.86	60.85	3	Vertical	317	1.05	-	33.64	5.40	34.75
AV	5.4594G	47.79	54.00	-6.21	43.50	3	Vertical	317	1.05	-	33.64	5.40	34.75
PK	5.4688G	67.92	68.20	-0.28	63.59	3	Vertical	317	1.05	-	33.68	5.40	34.75
PK	5.5044G	118.67	Inf	-Inf	114.22	3	Vertical	317	1.05	-	33.81	5.40	34.76
AV	5.5046G	103.79	Inf	-Inf	99.34	3	Vertical	317	1.05	-	33.81	5.40	34.76

802.11ax HEW20\_Nss1,(MCS0)\_3TX

09/10/2020

5500MHz\_TX




EUT\_V\_3TX  
Setting 66  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4514G	58.78	74.00	-15.22	54.51	3	Horizontal	293	1.66	-	33.61	5.40	34.74
PK	5.4638G	62.06	68.20	-6.14	57.75	3	Horizontal	293	1.66	-	33.66	5.40	34.75
AV	5.4586G	45.62	54.00	-8.38	41.34	3	Horizontal	293	1.66	-	33.63	5.40	34.75
PK	5.4942G	111.94	Inf	-Inf	107.52	3	Horizontal	293	1.66	-	33.78	5.40	34.76
AV	5.4988G	98.92	Inf	-Inf	94.48	3	Horizontal	293	1.66	-	33.80	5.40	34.76

802.11ax HEW20\_Nss1,(MCS0)\_3TX

09/10/2020

5500MHz\_TX



EUT V\_3TX  
Setting 66  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9987G	53.94	74.00	-20.06	42.74	3	Vertical	67	1.13	-	38.40	7.65	34.85
AV	10.99566G	38.66	54.00	-15.34	27.46	3	Vertical	67	1.13	-	38.40	7.65	34.85
PK	16.50346G	60.12	68.20	-8.08	45.26	3	Vertical	116	2.76	-	40.10	9.48	34.72