


802.11ax HEW20\_Nss1,(MCS0)\_3TX

09/10/2020

5500MHz\_TX




EUT V\_3TX  
Setting 66  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00424G	52.68	74.00	-21.32	41.48	3	Horizontal	346	1.33	-	38.40	7.65	34.85
AV	10.99808G	38.68	54.00	-15.32	27.48	3	Horizontal	346	1.33	-	38.40	7.65	34.85
PK	16.49944G	59.64	68.20	-8.56	44.80	3	Horizontal	153	2.33	-	40.10	9.47	34.73

802.11ax HEW20\_Nss1,(MCS0)\_3TX

09/10/2020

5580MHz\_TX




EUT\_V\_3TX  
Setting 84  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4408G	58.84	74.00	-15.16	54.65	3	Vertical	200	1.19	-	33.53	5.40	34.74
PK	5.468G	58.76	68.20	-9.44	54.44	3	Vertical	200	1.19	-	33.67	5.40	34.75
AV	5.4576G	45.78	54.00	-8.22	41.49	3	Vertical	200	1.19	-	33.63	5.40	34.74
PK	5.5728G	119.42	Inf	-Inf	114.80	3	Vertical	200	1.19	-	33.95	5.40	34.73
AV	5.5824G	106.63	Inf	-Inf	102.00	3	Vertical	200	1.19	-	33.96	5.40	34.73
PK	5.7744G	60.27	68.20	-7.93	55.14	3	Vertical	200	1.19	-	34.30	5.49	34.66

802.11ax HEW20\_Nss1,(MCS0)\_3TX

09/10/2020

5580MHz\_TX




EUT\_V\_3TX  
Setting 84  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4312G	58.51	74.00	-15.49	54.40	3	Horizontal	288	2.28	-	33.45	5.40	34.74
PK	5.4664G	58.46	68.20	-9.74	54.14	3	Horizontal	288	2.28	-	33.67	5.40	34.75
AV	5.4552G	45.41	54.00	-8.59	41.13	3	Horizontal	288	2.28	-	33.62	5.40	34.74
PK	5.5768G	116.10	Inf	-Inf	111.48	3	Horizontal	288	2.28	-	33.95	5.40	34.73
AV	5.5744G	103.90	Inf	-Inf	99.28	3	Horizontal	288	2.28	-	33.95	5.40	34.73
PK	5.7496G	59.77	68.20	-8.43	54.67	3	Horizontal	288	2.28	-	34.30	5.47	34.67

802.11ax HEW20\_Nss1,(MCS0)\_3TX

09/10/2020

5580MHz\_TX




EUT V\_3TX  
Setting 84  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16298G	53.83	74.00	-20.17	42.66	3	Vertical	110	1.94	-	38.30	7.71	34.84
AV	11.16004G	39.26	54.00	-14.74	28.09	3	Vertical	110	1.94	-	38.30	7.71	34.84
PK	16.7382G	64.67	68.20	-3.53	48.73	3	Vertical	238	1.80	-	40.61	9.56	34.23

802.11ax HEW20\_Nss1,(MCS0)\_3TX

09/10/2020

5580MHz\_TX




EUT\_V\_3TX  
Setting 84  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1594G	53.59	74.00	-20.41	42.42	3	Horizontal	37	2.17	-	38.30	7.71	34.84
AV	11.16012G	39.27	54.00	-14.73	28.10	3	Horizontal	37	2.17	-	38.30	7.71	34.84
PK	16.74236G	68.00	68.20	-0.20	52.04	3	Horizontal	323	1.93	-	40.63	9.56	34.23

802.11ax HEW20\_Nss1,(MCS0)\_3TX

09/10/2020

5620MHz\_TX




EUT\_V\_3TX  
Setting 85  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6242G	121.58	Inf	-Inf	116.78	3	Vertical	318	1.06	-	34.10	5.41	34.71
AV	5.6146G	107.93	Inf	-Inf	103.18	3	Vertical	318	1.06	-	34.06	5.41	34.72
PK	5.7262G	62.95	68.20	-5.25	58.00	3	Vertical	318	1.06	-	34.16	5.46	34.67

802.11ax HEW20\_Nss1,(MCS0)\_3TX

09/10/2020

5620MHz\_TX




EUT\_V\_3TX  
Setting 85  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6254G	115.56	Inf	-Inf	110.76	3	Horizontal	288	2.28	-	34.10	5.41	34.71
AV	5.6146G	103.80	Inf	-Inf	99.05	3	Horizontal	288	2.28	-	34.06	5.41	34.72
PK	5.764G	60.63	68.20	-7.57	55.51	3	Horizontal	288	2.28	-	34.30	5.48	34.66

802.11ax HEW20\_Nss1,(MCS0)\_3TX

09/10/2020

5620MHz\_TX



EUT\_V\_3TX  
Setting 85  
01-A-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23552G	54.04	74.00	-19.96	42.81	3	Vertical	13	1.86	-	38.34	7.73	34.84
AV	11.24084G	40.59	54.00	-13.41	29.36	3	Vertical	13	1.86	-	38.34	7.73	34.84
PK	16.8612G	66.00	68.20	-2.20	49.52	3	Vertical	239	1.90	-	40.86	9.60	33.98



802.11ax HEW20\_Nss1,(MCS0)\_3TX

09/10/2020

5620MHz\_TX




EUT V\_3TX  
Setting 85  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.242G	54.48	74.00	-19.52	43.25	3	Horizontal	148	2.17	-	38.34	7.73	34.84
AV	11.24088G	40.64	54.00	-13.36	29.41	3	Horizontal	148	2.17	-	38.34	7.73	34.84
PK	16.86144G	67.82	68.20	-0.38	51.34	3	Horizontal	325	1.88	-	40.86	9.60	33.98

802.11ax HEW20\_Nss1,(MCS0)\_3TX

09/10/2020

5700MHz\_TX




EUT\_V\_3TX  
Setting 64  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.697G	112.95	Inf	-Inf	108.18	3	Vertical	201	1.10	-	34.01	5.45	34.69
AV	5.7022G	99.29	Inf	-Inf	94.51	3	Vertical	201	1.10	-	34.01	5.45	34.68
PK	5.7262G	68.16	68.20	-0.04	63.21	3	Vertical	201	1.10	-	34.16	5.46	34.67

802.11ax HEW20\_Nss1,(MCS0)\_3TX

09/10/2020

5700MHz\_TX




EUT Y\_3TX  
Setting 64  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7042G	110.94	Inf	-Inf	106.14	3	Horizontal	204	1.55	-	34.03	5.45	34.68
AV	5.704G	97.55	Inf	-Inf	92.76	3	Horizontal	204	1.55	-	34.02	5.45	34.68
PK	5.7262G	66.57	68.20	-1.63	61.62	3	Horizontal	204	1.55	-	34.16	5.46	34.67

802.11ax HEW20\_Nss1,(MCS0)\_3TX

09/10/2020

5700MHz\_TX




EUT\_V\_3TX  
Setting 64  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40326G	52.97	74.00	-21.03	41.51	3	Vertical	167	1.81	-	38.50	7.79	34.83
AV	11.40454G	39.06	54.00	-14.94	27.60	3	Vertical	167	1.81	-	38.50	7.79	34.83
PK	17.0968G	61.72	68.20	-6.48	44.41	3	Vertical	360	2.57	-	41.39	9.68	33.76

802.11ax HEW20\_Nss1,(MCS0)\_3TX

09/10/2020

5700MHz\_TX




EUT V\_3TX  
Setting 64  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3957G	53.10	74.00	-20.90	41.64	3	Horizontal	245	2.74	-	38.50	7.79	34.83
AV	11.39892G	38.99	54.00	-15.01	27.53	3	Horizontal	245	2.74	-	38.50	7.79	34.83
PK	17.09962G	61.99	68.20	-6.21	44.67	3	Horizontal	52	2.80	-	41.40	9.68	33.76

802.11ax HEW20\_Nss1,(MCS0)\_3TX  
5720MHz Straddle 5.47-5.725GHz\_TX

09/10/2020




EUT\_V\_3TX  
Setting 78  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	117.12	Inf	-Inf	112.24	3	Vertical	200	1.13	-	34.10	5.46	34.68
AV	5.7176G	102.98	Inf	-Inf	98.09	3	Vertical	200	1.13	-	34.11	5.46	34.68
PK	5.864G	61.08	68.20	-7.12	55.47	3	Vertical	200	1.13	-	34.73	5.50	34.62

802.11ax HEW20\_Nss1,(MCS0)\_3TX  
5720MHz Straddle 5.47-5.725GHz\_TX

09/10/2020




EUT\_V\_3TX  
Setting 78  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7256G	114.58	Inf	-Inf	109.64	3	Horizontal	214	1.06	-	34.15	5.46	34.67
AV	5.7208G	101.67	Inf	-Inf	96.77	3	Horizontal	214	1.06	-	34.12	5.46	34.68
PK	5.9072G	61.29	68.20	-6.91	55.54	3	Horizontal	214	1.06	-	34.86	5.50	34.61

802.11ax HEW20\_Nss1,(MCS0)\_3TX  
5720MHz Straddle 5.47-5.725GHz\_TX

09/10/2020




EUT\_V\_3TX  
Setting 78  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43456G	53.21	74.00	-20.79	41.77	3	Vertical	72	1.06	-	38.47	7.80	34.83
AV	11.44116G	38.94	54.00	-15.06	27.51	3	Vertical	72	1.06	-	38.46	7.80	34.83
PK	17.15648G	64.13	68.20	-4.07	46.66	3	Vertical	315	2.56	-	41.57	9.70	33.80



802.11ax HEW20\_Nss1,(MCS0)\_3TX  
5720MHz Straddle 5.47-5.725GHz\_TX

09/10/2020




EUT\_V\_3TX  
Setting 78  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44732G	53.50	74.00	-20.50	42.07	3	Horizontal	124	1.95	-	38.45	7.81	34.83
AV	11.44132G	39.07	54.00	-14.93	27.64	3	Horizontal	124	1.95	-	38.46	7.80	34.83
PK	17.16136G	68.01	68.20	-0.19	50.53	3	Horizontal	23	1.87	-	41.58	9.71	33.81

802.11ax HEW40\_Nss1,(MCS0)\_2TX

09/10/2020

5270MHz\_TX




EUT\_Y\_2TX  
Setting 90  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.86	74.00	-12.14	58.62	3	Vertical	185	1.97	-	32.70	5.17	34.63
AV	5.1494G	49.74	54.00	-4.26	46.50	3	Vertical	185	1.97	-	32.70	5.17	34.63
PK	5.2754G	118.26	Inf	-Inf	114.66	3	Vertical	185	1.97	-	33.00	5.28	34.68
AV	5.276G	106.31	Inf	-Inf	102.71	3	Vertical	185	1.97	-	33.00	5.28	34.68
PK	5.351G	67.77	74.00	-6.23	64.03	3	Vertical	185	1.97	-	33.10	5.35	34.71
AV	5.351G	53.94	54.00	-0.06	50.20	3	Vertical	185	1.97	-	33.10	5.35	34.71

802.11ax HEW40\_Nss1,(MCS0)\_2TX

09/10/2020

5270MHz\_TX




EUT\_Y\_2TX  
Setting 90  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1386G	57.89	74.00	-16.11	54.63	3	Horizontal	88	2.58	-	32.72	5.17	34.63
AV	5.1302G	45.54	54.00	-8.46	42.26	3	Horizontal	88	2.58	-	32.74	5.17	34.63
PK	5.2556G	105.60	Inf	-Inf	102.09	3	Horizontal	88	2.58	-	32.92	5.26	34.67
AV	5.2532G	95.99	Inf	-Inf	92.50	3	Horizontal	88	2.58	-	32.91	5.25	34.67
PK	5.3534G	61.24	74.00	-12.76	57.49	3	Horizontal	88	2.58	-	33.11	5.35	34.71
AV	5.3516G	47.72	54.00	-6.28	43.98	3	Horizontal	88	2.58	-	33.10	5.35	34.71

802.11ax HEW40\_Nss1,(MCS0)\_2TX

09/10/2020

5270MHz\_TX




EUT Y\_2TX  
Setting 90  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8026G	57.36	74.00	-16.64	44.79	3	Vertical	289	1.80	-	38.40	9.26	35.09
AV	15.81424G	44.68	54.00	-9.32	32.11	3	Vertical	289	1.80	-	38.41	9.26	35.10

802.11ax HEW40\_Nss1,(MCS0)\_2TX

09/10/2020

5270MHz\_TX




EUT Y\_2TX  
Setting 90  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.82G	57.81	74.00	-16.19	45.24	3	Horizontal	128	2.02	-	38.42	9.26	35.11
AV	15.81332G	45.18	54.00	-8.82	32.61	3	Horizontal	128	2.02	-	38.41	9.26	35.10

802.11ax HEW40\_Nss1,(MCS0)\_2TX

09/10/2020

5310MHz\_TX




EUT Y\_2TX  
Setting 67  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3068G	112.26	Inf	-Inf	108.54	3	Vertical	163	1.85	-	33.10	5.31	34.69
AV	5.2968G	99.77	Inf	-Inf	96.07	3	Vertical	163	1.85	-	33.09	5.30	34.69
PK	5.35G	69.76	74.00	-4.24	66.02	3	Vertical	163	1.85	-	33.10	5.35	34.71
AV	5.35G	53.86	54.00	-0.14	50.12	3	Vertical	163	1.85	-	33.10	5.35	34.71

802.11ax HEW40\_Nss1,(MCS0)\_2TX

09/10/2020

5310MHz\_TX




EUT Y\_2TX  
Setting 67  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3156G	101.88	Inf	-Inf	98.15	3	Horizontal	89	2.62	-	33.10	5.32	34.69
AV	5.2928G	90.28	Inf	-Inf	86.61	3	Horizontal	89	2.62	-	33.07	5.29	34.69
PK	5.3524G	59.80	74.00	-14.20	56.06	3	Horizontal	89	2.62	-	33.10	5.35	34.71
AV	5.3508G	47.43	54.00	-6.57	43.69	3	Horizontal	89	2.62	-	33.10	5.35	34.71

802.11ax HEW40\_Nss1,(MCS0)\_2TX

09/10/2020

5310MHz\_TX



EUT Y\_2TX  
Setting 67  
01-A-L-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9202G	58.23	74.00	-15.77	45.68	3	Vertical	149	2.71	-	38.48	9.28	35.21
AV	15.93708G	45.86	54.00	-8.14	33.34	3	Vertical	149	2.71	-	38.46	9.29	35.23



802.11ax HEW40\_Nss1,(MCS0)\_2TX

09/10/2020

5310MHz\_TX




EUT Y\_2TX  
Setting 67  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92988G	58.09	74.00	-15.91	45.55	3	Horizontal	345	1.69	-	38.47	9.29	35.22
AV	15.93184G	45.70	54.00	-8.30	33.16	3	Horizontal	345	1.69	-	38.47	9.29	35.22

802.11ax HEW40\_Nss1,(MCS0)\_3TX

09/10/2020

5510MHz\_TX




EUT\_V\_3TX  
Setting 64  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	62.77	74.00	-11.23	58.49	3	Vertical	320	1.00	-	33.62	5.40	34.74
AV	5.46G	49.65	54.00	-4.35	45.36	3	Vertical	320	1.00	-	33.64	5.40	34.75
PK	5.4692G	67.91	68.20	-0.29	63.58	3	Vertical	320	1.00	-	33.68	5.40	34.75
PK	5.5156G	114.62	Inf	-Inf	110.14	3	Vertical	320	1.00	-	33.83	5.40	34.75
AV	5.5156G	102.22	Inf	-Inf	97.74	3	Vertical	320	1.00	-	33.83	5.40	34.75

802.11ax HEW40\_Nss1,(MCS0)\_3TX

09/10/2020

5510MHz\_TX




EUT\_V\_3TX  
Setting 64  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	60.45	74.00	-13.55	56.16	3	Horizontal	290	1.78	-	33.64	5.40	34.75
AV	5.4588G	47.42	54.00	-6.58	43.13	3	Horizontal	290	1.78	-	33.64	5.40	34.75
PK	5.4688G	61.22	68.20	-6.98	56.89	3	Horizontal	290	1.78	-	33.68	5.40	34.75
PK	5.5192G	108.14	Inf	-Inf	103.65	3	Horizontal	290	1.78	-	33.84	5.40	34.75
AV	5.514G	96.37	Inf	-Inf	91.89	3	Horizontal	290	1.78	-	33.83	5.40	34.75

802.11ax HEW40\_Nss1,(MCS0)\_3TX

09/10/2020

5510MHz\_TX




EUT\_V\_3TX  
Setting 64  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0246G	52.49	74.00	-21.51	41.30	3	Vertical	195	1.48	-	38.38	7.66	34.85
AV	11.0226G	40.33	54.00	-13.67	29.14	3	Vertical	195	1.48	-	38.38	7.66	34.85
PK	16.53226G	60.53	68.20	-7.67	45.63	3	Vertical	254	1.15	-	40.07	9.49	34.66

802.11ax HEW40\_Nss1,(MCS0)\_3TX

09/10/2020

5510MHz\_TX




EUT V\_3TX  
Setting 64  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.025G	52.65	74.00	-21.35	41.47	3	Horizontal	261	2.54	-	38.37	7.66	34.85
AV	11.0216G	40.23	54.00	-13.77	29.04	3	Horizontal	261	2.54	-	38.38	7.66	34.85
PK	16.52922G	60.04	68.20	-8.16	45.15	3	Horizontal	265	2.58	-	40.07	9.49	34.67

802.11ax HEW40\_Nss1,(MCS0)\_3TX

09/10/2020

5550MHz\_TX




EUT\_V\_3TX  
Setting 86  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	64.37	74.00	-9.63	60.08	3	Vertical	203	1.18	-	33.63	5.40	34.74
AV	5.4576G	50.09	54.00	-3.91	45.80	3	Vertical	203	1.18	-	33.63	5.40	34.74
PK	5.4678G	68.18	68.20	-0.02	63.86	3	Vertical	203	1.18	-	33.67	5.40	34.75
PK	5.5374G	116.67	Inf	-Inf	112.15	3	Vertical	203	1.18	-	33.87	5.40	34.75
AV	5.5428G	105.16	Inf	-Inf	100.61	3	Vertical	203	1.18	-	33.89	5.40	34.74

802.11ax HEW40\_Nss1,(MCS0)\_3TX

09/10/2020

5550MHz\_TX




EUT\_V\_3TX  
Setting 86  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	60.08	74.00	-13.92	55.79	3	Horizontal	295	2.37	-	33.63	5.40	34.74
PK	5.4618G	64.35	68.20	-3.85	60.05	3	Horizontal	295	2.37	-	33.65	5.40	34.75
AV	5.46G	48.17	54.00	-5.83	43.88	3	Horizontal	295	2.37	-	33.64	5.40	34.75
PK	5.5554G	114.76	Inf	-Inf	110.19	3	Horizontal	295	2.37	-	33.91	5.40	34.74
AV	5.5656G	102.28	Inf	-Inf	97.69	3	Horizontal	295	2.37	-	33.93	5.40	34.74

802.11ax HEW40\_Nss1,(MCS0)\_3TX

09/10/2020

5550MHz\_TX



EUT V\_3TX  
Setting 86  
01-A-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10048G	53.56	74.00	-20.44	42.42	3	Vertical	106	1.19	-	38.30	7.69	34.85
AV	11.09466G	41.17	54.00	-12.83	30.03	3	Vertical	106	1.19	-	38.31	7.68	34.85
PK	16.6449G	63.88	68.20	-4.32	48.56	3	Vertical	238	1.84	-	40.22	9.53	34.43



802.11ax HEW40\_Nss1,(MCS0)\_3TX

09/10/2020

5550MHz\_TX




EUT\_V\_3TX  
Setting 86  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10066G	53.49	74.00	-20.51	42.35	3	Horizontal	192	2.51	-	38.30	7.69	34.85
AV	11.10942G	40.97	54.00	-13.03	29.83	3	Horizontal	192	2.51	-	38.30	7.69	34.85
PK	16.64484G	64.29	68.20	-3.91	48.97	3	Horizontal	256	2.22	-	40.22	9.53	34.43

802.11ax HEW40\_Nss1,(MCS0)\_3TX

09/10/2020

5630MHz\_TX




EUT\_V\_3TX  
Setting 90  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6174G	116.87	Inf	-Inf	112.11	3	Vertical	201	1.16	-	34.07	5.41	34.72
AV	5.6378G	105.41	Inf	-Inf	100.55	3	Vertical	201	1.16	-	34.15	5.42	34.71
PK	5.7254G	67.78	68.20	-0.42	62.84	3	Vertical	201	1.16	-	34.15	5.46	34.67

802.11ax HEW40\_Nss1,(MCS0)\_3TX

09/10/2020

5630MHz\_TX




EUT\_V\_3TX  
Setting 90  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6354G	115.14	Inf	-Inf	110.29	3	Horizontal	288	2.26	-	34.14	5.42	34.71
AV	5.6348G	103.83	Inf	-Inf	98.98	3	Horizontal	288	2.26	-	34.14	5.42	34.71
PK	5.726G	64.37	68.20	-3.83	59.42	3	Horizontal	288	2.26	-	34.16	5.46	34.67

802.11ax HEW40\_Nss1,(MCS0)\_3TX

09/10/2020

5630MHz\_TX




EUT\_V\_3TX  
Setting 90  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2519G	53.61	74.00	-20.39	42.36	3	Vertical	340	1.79	-	38.35	7.74	34.84
AV	11.25748G	40.86	54.00	-13.14	29.60	3	Vertical	340	1.79	-	38.36	7.74	34.84
PK	16.88094G	64.09	68.20	-4.11	47.54	3	Vertical	183	1.00	-	40.88	9.61	33.94

802.11ax HEW40\_Nss1,(MCS0)\_3TX

09/10/2020

5630MHz\_TX




EUT\_V\_3TX  
Setting 90  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.27002G	53.01	74.00	-20.99	41.74	3	Horizontal	8	2.98	-	38.37	7.74	34.84
AV	11.26822G	40.70	54.00	-13.30	29.43	3	Horizontal	8	2.98	-	38.37	7.74	34.84
PK	16.88712G	66.22	68.20	-1.98	49.64	3	Horizontal	324	1.89	-	40.89	9.61	33.92

802.11ax HEW40\_Nss1,(MCS0)\_3TX

09/10/2020

5670MHz\_TX




EUT\_V\_3TX  
Setting 78  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6576G	113.30	Inf	-Inf	108.40	3	Vertical	198	1.22	-	34.17	5.43	34.70
AV	5.6776G	101.80	Inf	-Inf	96.96	3	Vertical	198	1.22	-	34.09	5.44	34.69
PK	5.7276G	67.92	68.20	-0.28	62.96	3	Vertical	198	1.22	-	34.17	5.46	34.67

802.11ax HEW40\_Nss1,(MCS0)\_3TX

09/10/2020

5670MHz\_TX




EUT\_V\_3TX  
Setting 78  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6752G	110.64	Inf	-Inf	105.79	3	Horizontal	288	2.19	-	34.10	5.44	34.69
AV	5.6648G	99.69	Inf	-Inf	94.82	3	Horizontal	288	2.19	-	34.14	5.43	34.70
PK	5.7252G	66.40	68.20	-1.80	61.46	3	Horizontal	288	2.19	-	34.15	5.46	34.67

802.11ax HEW40\_Nss1,(MCS0)\_3TX

09/10/2020

5670MHz\_TX



EUT\_V\_3TX  
Setting 78  
01-A-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3411G	52.76	74.00	-21.24	41.39	3	Vertical	180	2.47	-	38.44	7.77	34.84
AV	11.33594G	40.46	54.00	-13.54	29.09	3	Vertical	180	2.47	-	38.44	7.77	34.84
PK	17.01094G	61.53	68.20	-6.67	44.36	3	Vertical	240	1.22	-	41.22	9.65	33.70



802.11ax HEW40\_Nss1,(MCS0)\_3TX

09/10/2020

5670MHz\_TX




EUT\_V\_3TX  
Setting 78  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33518G	53.03	74.00	-20.97	41.66	3	Horizontal	299	1.89	-	38.44	7.77	34.84
AV	11.33514G	40.29	54.00	-13.71	28.92	3	Horizontal	299	1.89	-	38.44	7.77	34.84
PK	17.01916G	62.21	68.20	-5.99	45.01	3	Horizontal	159	1.21	-	41.24	9.66	33.70

802.11ax HEW40\_Nss1,(MCS0)\_3TX  
5710MHz Straddle 5.47-5.725GHz\_TX

09/10/2020




EUT\_V\_3TX  
Setting 89  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7068G	115.90	Inf	-Inf	111.09	3	Vertical	201	1.43	-	34.04	5.45	34.68
AV	5.7124G	104.40	Inf	-Inf	99.55	3	Vertical	201	1.43	-	34.07	5.46	34.68
PK	5.8508G	62.27	68.20	-5.93	56.70	3	Vertical	201	1.43	-	34.70	5.50	34.63

802.11ax HEW40\_Nss1,(MCS0)\_3TX  
5710MHz Straddle 5.47-5.725GHz\_TX

09/10/2020




EUT\_V\_3TX  
Setting 89  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7164G	113.77	Inf	-Inf	108.89	3	Horizontal	213	1.09	-	34.10	5.46	34.68
AV	5.7156G	103.20	Inf	-Inf	98.33	3	Horizontal	213	1.09	-	34.09	5.46	34.68
PK	5.8508G	61.91	68.20	-6.29	56.34	3	Horizontal	213	1.09	-	34.70	5.50	34.63

802.11ax HEW40\_Nss1,(MCS0)\_3TX  
5710MHz Straddle 5.47-5.725GHz\_TX

09/10/2020




EUT\_V\_3TX  
Setting 89  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41444G	52.48	74.00	-21.52	41.02	3	Vertical	177	2.57	-	38.49	7.80	34.83
AV	11.42612G	41.07	54.00	-12.93	29.63	3	Vertical	177	2.57	-	38.47	7.80	34.83
PK	17.12664G	64.65	68.20	-3.55	47.26	3	Vertical	356	1.83	-	41.48	9.69	33.78

802.11ax HEW40\_Nss1,(MCS0)\_3TX  
5710MHz Straddle 5.47-5.725GHz\_TX

09/10/2020




EUT\_V\_3TX  
Setting 89  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42976G	53.53	74.00	-20.47	42.09	3	Horizontal	335	1.73	-	38.47	7.80	34.83
AV	11.41768G	40.98	54.00	-13.02	29.53	3	Horizontal	335	1.73	-	38.48	7.80	34.83
PK	17.12136G	68.12	68.20	-0.08	50.75	3	Horizontal	25	1.93	-	41.46	9.69	33.78

802.11ax HEW80\_Nss1,(MCS0)\_2TX

09/10/2020

5290MHz\_TX




EUT Y\_2TX  
Setting 63  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	59.13	74.00	-14.87	55.89	3	Vertical	182	1.98	-	32.70	5.17	34.63
AV	5.145G	47.21	54.00	-6.79	43.96	3	Vertical	182	1.98	-	32.71	5.17	34.63
PK	5.272G	108.46	Inf	-Inf	104.88	3	Vertical	182	1.98	-	32.99	5.27	34.68
AV	5.28G	97.43	Inf	-Inf	93.81	3	Vertical	182	1.98	-	33.02	5.28	34.68
PK	5.356G	66.32	74.00	-7.68	62.56	3	Vertical	182	1.98	-	33.11	5.36	34.71
AV	5.351G	53.82	54.00	-0.18	50.08	3	Vertical	182	1.98	-	33.10	5.35	34.71
PK	5.525G	58.12	68.20	-10.08	53.62	3	Vertical	182	1.98	-	33.85	5.40	34.75

802.11ax HEW80\_Nss1,(MCS0)\_2TX

09/10/2020

5290MHz\_TX




EUT Y\_2TX  
Setting 63  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.077G	57.93	74.00	-16.07	54.65	3	Horizontal	89	2.61	-	32.75	5.14	34.61
AV	5.069G	45.20	54.00	-8.80	41.93	3	Horizontal	89	2.61	-	32.74	5.13	34.60
PK	5.278G	98.55	Inf	-Inf	94.94	3	Horizontal	89	2.61	-	33.01	5.28	34.68
AV	5.276G	86.98	Inf	-Inf	83.38	3	Horizontal	89	2.61	-	33.00	5.28	34.68
PK	5.375G	58.60	74.00	-15.40	54.79	3	Horizontal	89	2.61	-	33.15	5.37	34.71
AV	5.351G	47.01	54.00	-6.99	43.27	3	Horizontal	89	2.61	-	33.10	5.35	34.71
PK	5.502G	59.04	68.20	-9.16	54.60	3	Horizontal	89	2.61	-	33.80	5.40	34.76

802.11ax HEW80\_Nss1,(MCS0)\_2TX

09/10/2020

5290MHz\_TX



EUT Y\_2TX  
Setting 63  
01-A-L-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8722G	57.65	74.00	-16.35	45.07	3	Vertical	109	2.54	-	38.47	9.27	35.16
AV	15.87572G	44.69	54.00	-9.31	32.09	3	Vertical	109	2.54	-	38.48	9.28	35.16



802.11ax HEW80\_Nss1,(MCS0)\_2TX

09/10/2020

5290MHz\_TX




EUT Y\_2TX  
Setting 63  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86812G	57.05	74.00	-16.95	44.47	3	Horizontal	282	1.80	-	38.47	9.27	35.16
AV	15.86904G	45.23	54.00	-8.77	32.65	3	Horizontal	282	1.80	-	38.47	9.27	35.16

802.11ax HEW80\_Nss1,(MCS0)\_3TX

09/10/2020

5530MHz\_TX




EUT\_V\_3TX  
Setting 72  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.312G	57.47	68.20	-10.73	53.75	3	Vertical	199	1.80	-	33.10	5.31	34.69
PK	5.457G	64.59	74.00	-9.41	60.30	3	Vertical	199	1.80	-	33.63	5.40	34.74
AV	5.457G	51.25	54.00	-2.75	46.96	3	Vertical	199	1.80	-	33.63	5.40	34.74
PK	5.466G	67.97	68.20	-0.23	63.66	3	Vertical	199	1.80	-	33.66	5.40	34.75
PK	5.533G	108.43	Inf	-Inf	103.91	3	Vertical	199	1.80	-	33.87	5.40	34.75
AV	5.543G	96.83	Inf	-Inf	92.28	3	Vertical	199	1.80	-	33.89	5.40	34.74
PK	5.753G	59.71	68.20	-8.49	54.59	3	Vertical	199	1.80	-	34.30	5.48	34.66

802.11ax HEW80\_Nss1,(MCS0)\_3TX

09/10/2020

5530MHz\_TX




EUT V\_3TX  
Setting 72  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.33G	57.06	68.20	-11.14	53.33	3	Horizontal	290	2.04	-	33.10	5.33	34.70
PK	5.452G	64.82	74.00	-9.18	60.55	3	Horizontal	290	2.04	-	33.61	5.40	34.74
AV	5.459G	51.55	54.00	-2.45	47.26	3	Horizontal	290	2.04	-	33.64	5.40	34.75
PK	5.47G	66.80	68.20	-1.40	62.47	3	Horizontal	290	2.04	-	33.68	5.40	34.75
PK	5.529G	106.82	Inf	-Inf	102.31	3	Horizontal	290	2.04	-	33.86	5.40	34.75
AV	5.52G	95.86	Inf	-Inf	91.37	3	Horizontal	290	2.04	-	33.84	5.40	34.75
PK	5.755G	59.52	68.20	-8.68	54.40	3	Horizontal	290	2.04	-	34.30	5.48	34.66

802.11ax HEW80\_Nss1,(MCS0)\_3TX

09/10/2020

5530MHz\_TX




EUT\_V\_3TX  
Setting 72  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0638G	53.15	74.00	-20.85	41.99	3	Vertical	8	2.10	-	38.34	7.67	34.85
AV	11.05776G	40.76	54.00	-13.24	29.60	3	Vertical	8	2.10	-	38.34	7.67	34.85
PK	16.58752G	61.10	68.20	-7.10	46.13	3	Vertical	153	2.89	-	40.01	9.51	34.55

802.11ax HEW80\_Nss1,(MCS0)\_3TX

09/10/2020

5530MHz\_TX




EUT\_V\_3TX  
Setting 72  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05794G	53.05	74.00	-20.95	41.89	3	Horizontal	113	2.93	-	38.34	7.67	34.85
AV	11.05886G	40.99	54.00	-13.01	29.83	3	Horizontal	113	2.93	-	38.34	7.67	34.85
PK	16.59296G	60.24	68.20	-7.96	45.26	3	Horizontal	350	2.40	-	40.01	9.51	34.54

802.11ax HEW80\_Nss1,(MCS0)\_3TX

09/10/2020

5610MHz\_TX




EUT\_V\_3TX  
Setting 86  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	60.84	74.00	-13.16	56.56	3	Vertical	200	1.28	-	33.62	5.40	34.74
AV	5.458G	49.37	54.00	-4.63	45.08	3	Vertical	200	1.28	-	33.63	5.40	34.74
PK	5.467G	62.48	68.20	-5.72	58.16	3	Vertical	200	1.28	-	33.67	5.40	34.75
PK	5.627G	112.54	Inf	-Inf	107.73	3	Vertical	200	1.28	-	34.11	5.41	34.71
AV	5.623G	100.91	Inf	-Inf	96.12	3	Vertical	200	1.28	-	34.09	5.41	34.71
PK	5.733G	67.98	68.20	-0.22	62.98	3	Vertical	200	1.28	-	34.20	5.47	34.67

802.11ax HEW80\_Nss1,(MCS0)\_3TX

09/10/2020

5610MHz\_TX




EUT\_V\_3TX  
Setting 86  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	60.54	74.00	-13.46	56.28	3	Horizontal	292	2.29	-	33.60	5.40	34.74
AV	5.456G	48.44	54.00	-5.56	44.16	3	Horizontal	292	2.29	-	33.62	5.40	34.74
PK	5.468G	61.13	68.20	-7.07	56.81	3	Horizontal	292	2.29	-	33.67	5.40	34.75
PK	5.58G	109.57	Inf	-Inf	104.94	3	Horizontal	292	2.29	-	33.96	5.40	34.73
AV	5.62G	99.33	Inf	-Inf	94.55	3	Horizontal	292	2.29	-	34.08	5.41	34.71
PK	5.731G	65.05	68.20	-3.15	60.06	3	Horizontal	292	2.29	-	34.19	5.47	34.67

802.11ax HEW80\_Nss1,(MCS0)\_3TX

09/10/2020

5610MHz\_TX



EUT\_V\_3TX  
Setting 86  
01-A-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22096G	53.41	74.00	-20.59	42.20	3	Vertical	64	1.59	-	38.32	7.73	34.84
AV	11.22864G	40.82	54.00	-13.18	29.60	3	Vertical	64	1.59	-	38.33	7.73	34.84
PK	16.82924G	61.61	68.20	-6.59	45.24	3	Vertical	73	1.42	-	40.83	9.59	34.05



802.11ax HEW80\_Nss1,(MCS0)\_3TX

09/10/2020

5610MHz\_TX




EUT\_V\_3TX  
Setting 86  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22464G	53.73	74.00	-20.27	42.52	3	Horizontal	72	1.07	-	38.32	7.73	34.84
AV	11.22182G	40.98	54.00	-13.02	29.77	3	Horizontal	72	1.07	-	38.32	7.73	34.84
PK	16.83474G	61.59	68.20	-6.61	45.20	3	Horizontal	174	1.29	-	40.83	9.59	34.03

802.11ax HEW80\_Nss1,(MCS0)\_3TX  
5690MHz Straddle 5.47-5.725GHz\_TX

09/10/2020




EUT\_V\_3TX  
Setting 90  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4488G	58.84	74.00	-15.16	54.59	3	Vertical	198	1.32	-	33.59	5.40	34.74
AV	5.4584G	47.52	54.00	-6.48	43.24	3	Vertical	198	1.32	-	33.63	5.40	34.75
PK	5.468G	59.01	68.20	-9.19	54.69	3	Vertical	198	1.32	-	33.67	5.40	34.75
PK	5.6924G	113.33	Inf	-Inf	108.54	3	Vertical	198	1.32	-	34.03	5.45	34.69
AV	5.6984G	101.43	Inf	-Inf	96.65	3	Vertical	198	1.32	-	34.01	5.45	34.68
PK	5.8532G	67.86	68.20	-0.34	62.28	3	Vertical	198	1.32	-	34.71	5.50	34.63

802.11ax HEW80\_Nss1,(MCS0)\_3TX

09/10/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_V\_3TX  
Setting 90  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	59.14	74.00	-14.86	54.86	3	Horizontal	259	1.85	-	33.62	5.40	34.74
AV	5.4392G	47.16	54.00	-6.84	42.99	3	Horizontal	259	1.85	-	33.51	5.40	34.74
PK	5.462G	58.39	68.20	-9.81	54.09	3	Horizontal	259	1.85	-	33.65	5.40	34.75
PK	5.7128G	109.81	Inf	-Inf	104.95	3	Horizontal	259	1.85	-	34.08	5.46	34.68
AV	5.6984G	98.81	Inf	-Inf	94.03	3	Horizontal	259	1.85	-	34.01	5.45	34.68
PK	5.8508G	67.94	68.20	-0.26	62.37	3	Horizontal	259	1.85	-	34.70	5.50	34.63

802.11ax HEW80\_Nss1,(MCS0)\_3TX  
5690MHz Straddle 5.47-5.725GHz\_TX

09/10/2020




EUT\_V\_3TX  
Setting 90  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38328G	52.78	74.00	-21.22	41.35	3	Vertical	58	2.49	-	38.48	7.78	34.83
AV	11.3854G	40.43	54.00	-13.57	28.99	3	Vertical	58	2.49	-	38.49	7.78	34.83
PK	17.07512G	64.55	68.20	-3.65	47.26	3	Vertical	263	1.02	-	41.35	9.68	33.74

802.11ax HEW80\_Nss1,(MCS0)\_3TX  
5690MHz Straddle 5.47-5.725GHz\_TX

09/10/2020



EUT\_V\_3TX  
Setting 90  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38068G	53.40	74.00	-20.60	41.97	3	Horizontal	184	1.07	-	38.48	7.78	34.83
AV	11.3774G	40.51	54.00	-13.49	29.08	3	Horizontal	184	1.07	-	38.48	7.78	34.83
PK	17.06956G	65.05	68.20	-3.15	47.78	3	Horizontal	341	1.87	-	41.34	9.67	33.74




Mode 8, Non-beamforming mode: 5GHz Band 3 3T2S CDD  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss2,(MCS0)_3TX	Pass	AV	5.458G	53.95	54.00	-0.05	3	Vertical	89	1.15	-

802.11ac VHT20\_Nss2,(MCS0)\_3TX

16/10/2020

5500MHz\_TX




EUT Y\_3TX  
Setting 75  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	62.18	74.00	-11.82	57.89	3	Vertical	199	1.04	-	33.64	5.40	34.75
AV	5.456G	48.35	54.00	-5.65	44.07	3	Vertical	199	1.04	-	33.62	5.40	34.74
PK	5.4694G	68.01	68.20	-0.19	63.68	3	Vertical	199	1.04	-	33.68	5.40	34.75
PK	5.5038G	114.59	Inf	-Inf	110.14	3	Vertical	199	1.04	-	33.81	5.40	34.76
AV	5.5016G	104.05	Inf	-Inf	99.61	3	Vertical	199	1.04	-	33.80	5.40	34.76

### 802.11ac VHT20\_Nss2,(MCS0)\_3TX

16/10/2020

### 5500MHz\_TX



EUT Y\_3TX  
Setting 75  
01-A-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4578G	59.48	74.00	-14.52	55.19	3	Horizontal	39	1.75	-	33.63	5.40	34.74
AV	5.4588G	47.33	54.00	-6.67	43.04	3	Horizontal	39	1.75	-	33.64	5.40	34.75
PK	5.469G	62.93	68.20	-5.27	58.60	3	Horizontal	39	1.75	-	33.68	5.40	34.75
PK	5.499G	111.80	Inf	-Inf	107.36	3	Horizontal	39	1.75	-	33.80	5.40	34.76
AV	5.4978G	101.85	Inf	-Inf	97.42	3	Horizontal	39	1.75	-	33.79	5.40	34.76



802.11ac VHT20\_Nss2,(MCS0)\_3TX

16/10/2020

5500MHz\_TX




EUT V\_3TX  
Setting 75  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9977G	52.50	74.00	-21.50	41.30	3	Vertical	244	1.80	-	38.40	7.65	34.85
AV	11.0092G	40.22	54.00	-13.78	29.03	3	Vertical	244	1.80	-	38.39	7.65	34.85
PK	16.5149G	60.34	68.20	-7.86	45.47	3	Vertical	119	1.22	-	40.09	9.48	34.70

802.11ac VHT20\_Nss2,(MCS0)\_3TX

16/10/2020

5500MHz\_TX




EUT V\_3TX  
Setting 75  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9821G	52.81	74.00	-21.19	41.64	3	Horizontal	259	2.47	-	38.40	7.64	34.87
AV	10.992G	40.38	54.00	-13.62	29.19	3	Horizontal	259	2.47	-	38.40	7.65	34.86
PK	16.5063G	62.34	68.20	-5.86	47.49	3	Horizontal	359	1.94	-	40.09	9.48	34.72

802.11ac VHT40\_Nss2,(MCS0)\_3TX

16/10/2020

5510MHz\_TX




EUT Y\_3TX  
Setting 72  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	64.22	74.00	-9.78	59.93	3	Vertical	202	1.19	-	33.63	5.40	34.74
AV	5.4596G	48.99	54.00	-5.01	44.70	3	Vertical	202	1.19	-	33.64	5.40	34.75
PK	5.4676G	67.99	68.20	-0.21	63.67	3	Vertical	202	1.19	-	33.67	5.40	34.75
PK	5.5144G	110.51	Inf	-Inf	106.03	3	Vertical	202	1.19	-	33.83	5.40	34.75
AV	5.5136G	101.11	Inf	-Inf	96.63	3	Vertical	202	1.19	-	33.83	5.40	34.75

802.11ac VHT40\_Nss2,(MCS0)\_3TX

16/10/2020

5510MHz\_TX




EUT Y\_3TX  
Setting 72  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.03	74.00	-12.97	56.74	3	Horizontal	291	1.80	-	33.64	5.40	34.75
AV	5.458G	47.35	54.00	-6.65	43.06	3	Horizontal	291	1.80	-	33.63	5.40	34.74
PK	5.4696G	65.20	68.20	-3.00	60.87	3	Horizontal	291	1.80	-	33.68	5.40	34.75
PK	5.504G	106.06	Inf	-Inf	101.61	3	Horizontal	291	1.80	-	33.81	5.40	34.76
AV	5.518G	97.50	Inf	-Inf	93.01	3	Horizontal	291	1.80	-	33.84	5.40	34.75

802.11ac VHT40\_Nss2,(MCS0)\_3TX

16/10/2020

5510MHz\_TX




EUT V\_3TX  
Setting 72  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01304G	52.56	74.00	-21.44	41.37	3	Vertical	70	1.80	-	38.39	7.65	34.85
AV	11.01152G	40.26	54.00	-13.74	29.07	3	Vertical	70	1.80	-	38.39	7.65	34.85
PK	16.52988G	61.24	68.20	-6.96	46.35	3	Vertical	261	2.08	-	40.07	9.49	34.67

802.11ac VHT40\_Nss2,(MCS0)\_3TX

16/10/2020

5510MHz\_TX




EUT V\_3TX  
Setting 72  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.028G	52.69	74.00	-21.31	41.51	3	Horizontal	127	1.80	-	38.37	7.66	34.85
AV	11.0162G	40.06	54.00	-13.94	28.87	3	Horizontal	127	1.80	-	38.38	7.66	34.85
PK	16.52908G	61.40	68.20	-6.80	46.51	3	Horizontal	3	2.97	-	40.07	9.49	34.67

802.11ac VHT80\_Nss2,(MCS0)\_3TX

16/10/2020

5530MHz\_TX




EUT Y\_3TX  
Setting 73  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.343G	57.87	68.20	-10.33	54.13	3	Vertical	197	1.08	-	33.10	5.34	34.70
PK	5.452G	68.23	74.00	-5.77	63.96	3	Vertical	197	1.08	-	33.61	5.40	34.74
AV	5.456G	51.94	54.00	-2.06	47.66	3	Vertical	197	1.08	-	33.62	5.40	34.74
PK	5.464G	67.96	68.20	-0.24	63.65	3	Vertical	197	1.08	-	33.66	5.40	34.75
PK	5.534G	106.83	Inf	-Inf	102.31	3	Vertical	197	1.08	-	33.87	5.40	34.75
AV	5.534G	98.02	Inf	-Inf	93.50	3	Vertical	197	1.08	-	33.87	5.40	34.75
PK	5.757G	59.41	68.20	-8.79	54.29	3	Vertical	197	1.08	-	34.30	5.48	34.66

802.11ac VHT80\_Nss2,(MCS0)\_3TX

16/10/2020

5530MHz\_TX



EUT Y\_3TX  
Setting 73  
01-A-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.343G	57.03	68.20	-11.17	53.29	3	Horizontal	287	2.42	-	33.10	5.34	34.70
PK	5.453G	65.75	74.00	-8.25	61.48	3	Horizontal	287	2.42	-	33.61	5.40	34.74
AV	5.452G	50.93	54.00	-3.07	46.66	3	Horizontal	287	2.42	-	33.61	5.40	34.74
PK	5.461G	65.24	68.20	-2.96	60.95	3	Horizontal	287	2.42	-	33.64	5.40	34.75
PK	5.544G	104.44	Inf	-Inf	99.89	3	Horizontal	287	2.42	-	33.89	5.40	34.74
AV	5.518G	95.54	Inf	-Inf	91.05	3	Horizontal	287	2.42	-	33.84	5.40	34.75
PK	5.749G	59.85	68.20	-8.35	54.76	3	Horizontal	287	2.42	-	34.29	5.47	34.67



802.11ac VHT80\_Nss2,(MCS0)\_3TX

16/10/2020

5530MHz\_TX




EUT V\_3TX  
Setting 73  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05024G	52.69	74.00	-21.31	41.52	3	Vertical	31	2.46	-	38.35	7.67	34.85
AV	11.06196G	41.90	54.00	-12.10	30.74	3	Vertical	31	2.46	-	38.34	7.67	34.85
PK	16.59896G	60.65	68.20	-7.55	45.66	3	Vertical	276	1.80	-	40.00	9.51	34.52

802.11ac VHT80\_Nss2,(MCS0)\_3TX

16/10/2020

5530MHz\_TX




EUT V\_3TX  
Setting 73  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06944G	51.94	74.00	-22.06	40.79	3	Horizontal	185	1.22	-	38.33	7.67	34.85
AV	11.05504G	41.57	54.00	-12.43	30.41	3	Horizontal	185	1.22	-	38.34	7.67	34.85
PK	16.58448G	60.95	68.20	-7.25	45.98	3	Horizontal	103	1.93	-	40.02	9.50	34.55

802.11ax HEW20\_Nss2,(MCS0)\_3TX

16/10/2020

5500MHz\_TX




EUT Y\_3TX  
Setting 75  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	63.99	74.00	-10.01	59.70	3	Vertical	201	1.21	-	33.64	5.40	34.75
AV	5.4586G	48.88	54.00	-5.12	44.60	3	Vertical	201	1.21	-	33.63	5.40	34.75
PK	5.4662G	68.07	68.20	-0.13	63.76	3	Vertical	201	1.21	-	33.66	5.40	34.75
PK	5.5026G	116.86	Inf	-Inf	112.41	3	Vertical	201	1.21	-	33.81	5.40	34.76
AV	5.501G	104.63	Inf	-Inf	100.19	3	Vertical	201	1.21	-	33.80	5.40	34.76

802.11ax HEW20\_Nss2,(MCS0)\_3TX

16/10/2020

5500MHz\_TX




EUT Y\_3TX  
Setting 75  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	60.53	74.00	-13.47	56.24	3	Horizontal	287	2.11	-	33.63	5.40	34.74
AV	5.4558G	47.58	54.00	-6.42	43.30	3	Horizontal	287	2.11	-	33.62	5.40	34.74
PK	5.4698G	66.21	68.20	-1.99	61.88	3	Horizontal	287	2.11	-	33.68	5.40	34.75
PK	5.4948G	112.30	Inf	-Inf	107.88	3	Horizontal	287	2.11	-	33.78	5.40	34.76
AV	5.4976G	102.06	Inf	-Inf	97.63	3	Horizontal	287	2.11	-	33.79	5.40	34.76

802.11ax HEW20\_Nss2,(MCS0)\_3TX

16/10/2020

5500MHz\_TX




EUT V\_3TX  
Setting 75  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9958G	52.25	74.00	-21.75	41.05	3	Vertical	327	2.39	-	38.40	7.65	34.85
AV	10.99508G	39.88	54.00	-14.12	28.68	3	Vertical	327	2.39	-	38.40	7.65	34.85
PK	16.50488G	61.61	68.20	-6.59	46.75	3	Vertical	359	1.80	-	40.10	9.48	34.72

802.11ax HEW20\_Nss2,(MCS0)\_3TX

16/10/2020

5500MHz\_TX




EUT Y\_3TX  
Setting 75  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00408G	52.82	74.00	-21.18	41.62	3	Horizontal	239	2.38	-	38.40	7.65	34.85
AV	11.00892G	40.00	54.00	-14.00	28.81	3	Horizontal	239	2.38	-	38.39	7.65	34.85
PK	16.50452G	62.97	68.20	-5.23	48.11	3	Horizontal	359	1.86	-	40.10	9.48	34.72

802.11ax HEW40\_Nss2,(MCS0)\_3TX

16/10/2020

5510MHz\_TX




EUT Y\_3TX  
Setting 70  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.43	74.00	-10.57	59.14	3	Vertical	199	1.03	-	33.64	5.40	34.75
AV	5.4596G	49.00	54.00	-5.00	44.71	3	Vertical	199	1.03	-	33.64	5.40	34.75
PK	5.4664G	67.98	68.20	-0.22	63.66	3	Vertical	199	1.03	-	33.67	5.40	34.75
PK	5.5116G	113.27	Inf	-Inf	108.81	3	Vertical	199	1.03	-	33.82	5.40	34.76
AV	5.512G	99.72	Inf	-Inf	95.26	3	Vertical	199	1.03	-	33.82	5.40	34.76

802.11ax HEW40\_Nss2,(MCS0)\_3TX

16/10/2020

5510MHz\_TX



EUT Y\_3TX  
Setting 70  
01-A-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	63.17	74.00	-10.83	58.88	3	Horizontal	292	2.32	-	33.64	5.40	34.75
AV	5.458G	47.69	54.00	-6.31	43.40	3	Horizontal	292	2.32	-	33.63	5.40	34.74
PK	5.47G	64.38	68.20	-3.82	60.05	3	Horizontal	292	2.32	-	33.68	5.40	34.75
PK	5.5228G	107.98	Inf	-Inf	103.48	3	Horizontal	292	2.32	-	33.85	5.40	34.75
AV	5.524G	96.62	Inf	-Inf	92.12	3	Horizontal	292	2.32	-	33.85	5.40	34.75



802.11ax HEW40\_Nss2,(MCS0)\_3TX

16/10/2020

5510MHz\_TX




EUT Y\_3TX  
Setting 70  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01152G	51.94	74.00	-22.06	40.75	3	Vertical	157	2.83	-	38.39	7.65	34.85
AV	11.01332G	40.09	54.00	-13.91	28.90	3	Vertical	157	2.83	-	38.39	7.65	34.85
PK	16.52136G	61.26	68.20	-6.94	46.39	3	Vertical	119	1.80	-	40.08	9.48	34.69

802.11ax HEW40\_Nss2,(MCS0)\_3TX

16/10/2020

5510MHz\_TX




EUT Y\_3TX  
Setting 70  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0164G	51.63	74.00	-22.37	40.44	3	Horizontal	335	1.35	-	38.38	7.66	34.85
AV	11.01576G	39.96	54.00	-14.04	28.77	3	Horizontal	335	1.35	-	38.38	7.66	34.85
PK	16.53512G	61.39	68.20	-6.81	46.50	3	Horizontal	328	2.24	-	40.06	9.49	34.66

802.11ax HEW80\_Nss2,(MCS0)\_3TX

16/10/2020

5530MHz\_TX




EUT Y\_3TX  
Setting 73  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.312G	56.92	68.20	-11.28	53.20	3	Vertical	89	1.15	-	33.10	5.31	34.69
PK	5.453G	64.52	74.00	-9.48	60.25	3	Vertical	89	1.15	-	33.61	5.40	34.74
AV	5.458G	53.95	54.00	-0.05	49.66	3	Vertical	89	1.15	-	33.63	5.40	34.74
PK	5.469G	66.34	68.20	-1.86	62.01	3	Vertical	89	1.15	-	33.68	5.40	34.75
PK	5.517G	109.47	Inf	-Inf	104.99	3	Vertical	89	1.15	-	33.83	5.40	34.75
AV	5.54G	99.55	Inf	-Inf	95.01	3	Vertical	89	1.15	-	33.88	5.40	34.74
PK	5.735G	60.63	68.20	-7.57	55.62	3	Vertical	89	1.15	-	34.21	5.47	34.67

802.11ax HEW80\_Nss2,(MCS0)\_3TX

16/10/2020

5530MHz\_TX




EUT Y\_3TX  
Setting 73  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.289G	57.09	68.20	-11.11	53.42	3	Horizontal	287	2.13	-	33.06	5.29	34.68
PK	5.459G	66.49	74.00	-7.51	62.20	3	Horizontal	287	2.13	-	33.64	5.40	34.75
AV	5.459G	51.45	54.00	-2.55	47.16	3	Horizontal	287	2.13	-	33.64	5.40	34.75
PK	5.464G	64.42	68.20	-3.78	60.11	3	Horizontal	287	2.13	-	33.66	5.40	34.75
PK	5.542G	105.19	Inf	-Inf	100.65	3	Horizontal	287	2.13	-	33.88	5.40	34.74
AV	5.543G	95.71	Inf	-Inf	91.16	3	Horizontal	287	2.13	-	33.89	5.40	34.74
PK	5.761G	59.41	68.20	-8.79	54.29	3	Horizontal	287	2.13	-	34.30	5.48	34.66

802.11ax HEW80\_Nss2,(MCS0)\_3TX

16/10/2020

5530MHz\_TX




EUT V\_3TX  
Setting 73  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06292G	52.49	74.00	-21.51	41.33	3	Vertical	58	2.80	-	38.34	7.67	34.85
AV	11.06692G	41.91	54.00	-12.09	30.76	3	Vertical	58	2.80	-	38.33	7.67	34.85
PK	16.5916G	62.31	68.20	-5.89	47.33	3	Vertical	102	1.75	-	40.01	9.51	34.54

802.11ax HEW80\_Nss2,(MCS0)\_3TX

16/10/2020

5530MHz\_TX



EUT V\_3TX  
Setting 73  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05568G	52.60	74.00	-21.40	41.44	3	Horizontal	356	1.03	-	38.34	7.67	34.85
AV	11.0582G	41.75	54.00	-12.25	30.59	3	Horizontal	356	1.03	-	38.34	7.67	34.85
PK	16.59404G	61.74	68.20	-6.46	46.75	3	Horizontal	162	2.12	-	40.01	9.51	34.53




**Mode 9, Non-beamforming mode: 5GHz Band 3 3T3S SDM  
Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT40_Nss3,(MCS0)_3TX	Pass	PK	5.4648G	68.17	68.20	-0.03	3	Vertical	199	1.00	-

### 802.11ac VHT20\_Nss3,(MCS0)\_3TX

16/10/2020

### 5500MHz\_TX



EUT Y\_3TX  
Setting 75  
01-A-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	61.94	74.00	-12.06	57.65	3	Vertical	200	1.21	-	33.64	5.40	34.75
AV	5.4594G	48.29	54.00	-5.71	44.00	3	Vertical	200	1.21	-	33.64	5.40	34.75
PK	5.4678G	68.10	68.20	-0.10	63.78	3	Vertical	200	1.21	-	33.67	5.40	34.75
PK	5.4956G	113.90	Inf	-Inf	109.48	3	Vertical	200	1.21	-	33.78	5.40	34.76
AV	5.4978G	103.48	Inf	-Inf	99.05	3	Vertical	200	1.21	-	33.79	5.40	34.76



802.11ac VHT20\_Nss3,(MCS0)\_3TX

16/10/2020

5500MHz\_TX




EUT Y\_3TX  
Setting 75  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	59.27	74.00	-14.73	54.98	3	Horizontal	271	1.80	-	33.63	5.40	34.74
AV	5.4566G	47.11	54.00	-6.89	42.82	3	Horizontal	271	1.80	-	33.63	5.40	34.74
PK	5.4692G	62.55	68.20	-5.65	58.22	3	Horizontal	271	1.80	-	33.68	5.40	34.75
PK	5.4976G	109.37	Inf	-Inf	104.94	3	Horizontal	271	1.80	-	33.79	5.40	34.76
AV	5.496G	99.68	Inf	-Inf	95.26	3	Horizontal	271	1.80	-	33.78	5.40	34.76

802.11ac VHT20\_Nss3,(MCS0)\_3TX

16/10/2020

5500MHz\_TX




EUT V\_3TX  
Setting 75  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9958G	53.25	74.00	-20.75	42.05	3	Vertical	148	2.42	-	38.40	7.65	34.85
AV	10.98896G	40.32	54.00	-13.68	29.13	3	Vertical	148	2.42	-	38.40	7.65	34.86
PK	16.50684G	59.90	68.20	-8.30	45.05	3	Vertical	3	1.72	-	40.09	9.48	34.72

802.11ac VHT20\_Nss3,(MCS0)\_3TX

16/10/2020

5500MHz\_TX




EUT V\_3TX  
Setting 75  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01368G	53.08	74.00	-20.92	41.89	3	Horizontal	160	2.03	-	38.39	7.65	34.85
AV	11.01194G	40.99	54.00	-13.01	29.80	3	Horizontal	160	2.03	-	38.39	7.65	34.85
PK	16.51482G	60.90	68.20	-7.30	46.03	3	Horizontal	89	1.91	-	40.09	9.48	34.70

802.11ac VHT40\_Nss3,(MCS0)\_3TX

16/10/2020

5510MHz\_TX




EUT Y\_3TX  
Setting 69  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	63.32	74.00	-10.68	59.04	3	Vertical	199	1.00	-	33.62	5.40	34.74
AV	5.4544G	48.73	54.00	-5.27	44.45	3	Vertical	199	1.00	-	33.62	5.40	34.74
PK	5.4648G	68.17	68.20	-0.03	63.86	3	Vertical	199	1.00	-	33.66	5.40	34.75
PK	5.518G	110.67	Inf	-Inf	106.18	3	Vertical	199	1.00	-	33.84	5.40	34.75
AV	5.518G	99.28	Inf	-Inf	94.79	3	Vertical	199	1.00	-	33.84	5.40	34.75

### 802.11ac VHT40\_Nss3,(MCS0)\_3TX

16/10/2020

### 5510MHz\_TX




EUT Y\_3TX  
Setting 69  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.43	74.00	-11.57	58.14	3	Horizontal	283	2.29	-	33.64	5.40	34.75
AV	5.4596G	47.67	54.00	-6.33	43.38	3	Horizontal	283	2.29	-	33.64	5.40	34.75
PK	5.4684G	66.13	68.20	-2.07	61.81	3	Horizontal	283	2.29	-	33.67	5.40	34.75
PK	5.5196G	105.89	Inf	-Inf	101.40	3	Horizontal	283	2.29	-	33.84	5.40	34.75
AV	5.5184G	95.85	Inf	-Inf	91.36	3	Horizontal	283	2.29	-	33.84	5.40	34.75

802.11ac VHT40\_Nss3,(MCS0)\_3TX

16/10/2020

5510MHz\_TX




EUT V\_3TX  
Setting 69  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01754G	53.00	74.00	-21.00	41.81	3	Vertical	316	2.28	-	38.38	7.66	34.85
AV	11.01954G	40.49	54.00	-13.51	29.30	3	Vertical	316	2.28	-	38.38	7.66	34.85
PK	16.5286G	60.45	68.20	-7.75	45.56	3	Vertical	108	2.35	-	40.07	9.49	34.67

802.11ac VHT40\_Nss3,(MCS0)\_3TX

16/10/2020

5510MHz\_TX




EUT V\_3TX  
Setting 69  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02442G	52.77	74.00	-21.23	41.58	3	Horizontal	266	1.98	-	38.38	7.66	34.85
AV	11.02454G	40.34	54.00	-13.66	29.15	3	Horizontal	266	1.98	-	38.38	7.66	34.85
PK	16.53744G	60.74	68.20	-7.46	45.84	3	Horizontal	330	1.71	-	40.06	9.49	34.65

### 802.11ac VHT80\_Nss3,(MCS0)\_3TX

16/10/2020

### 5530MHz\_TX



EUT Y\_3TX  
Setting 71  
01-A-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.322G	57.15	68.20	-11.05	53.43	3	Vertical	200	1.00	-	33.10	5.32	34.70
PK	5.454G	66.07	74.00	-7.93	61.79	3	Vertical	200	1.00	-	33.62	5.40	34.74
AV	5.46G	52.05	54.00	-1.95	47.76	3	Vertical	200	1.00	-	33.64	5.40	34.75
PK	5.47G	68.02	68.20	-0.18	63.69	3	Vertical	200	1.00	-	33.68	5.40	34.75
PK	5.519G	107.16	Inf	-Inf	102.67	3	Vertical	200	1.00	-	33.84	5.40	34.75
AV	5.518G	97.53	Inf	-Inf	93.04	3	Vertical	200	1.00	-	33.84	5.40	34.75
PK	5.766G	60.15	68.20	-8.05	55.03	3	Vertical	200	1.00	-	34.30	5.48	34.66



### 802.11ac VHT80\_Nss3,(MCS0)\_3TX

16/10/2020

### 5530MHz\_TX




EUT Y\_3TX  
Setting 71  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.321G	57.26	68.20	-10.94	53.54	3	Horizontal	284	2.87	-	33.10	5.32	34.70
PK	5.453G	63.39	74.00	-10.61	59.12	3	Horizontal	284	2.87	-	33.61	5.40	34.74
AV	5.454G	50.36	54.00	-3.64	46.08	3	Horizontal	284	2.87	-	33.62	5.40	34.74
PK	5.463G	64.50	68.20	-3.70	60.20	3	Horizontal	284	2.87	-	33.65	5.40	34.75
PK	5.543G	103.40	Inf	-Inf	98.85	3	Horizontal	284	2.87	-	33.89	5.40	34.74
AV	5.533G	93.99	Inf	-Inf	89.47	3	Horizontal	284	2.87	-	33.87	5.40	34.75
PK	5.739G	58.28	68.20	-9.92	53.25	3	Horizontal	284	2.87	-	34.23	5.47	34.67

802.11ac VHT80\_Nss3,(MCS0)\_3TX

16/10/2020

5530MHz\_TX




EUT V\_3TX  
Setting 71  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05602G	52.47	74.00	-21.53	41.31	3	Vertical	12	2.47	-	38.34	7.67	34.85
AV	11.05852G	41.80	54.00	-12.20	30.64	3	Vertical	12	2.47	-	38.34	7.67	34.85
PK	16.58626G	60.88	68.20	-7.32	45.91	3	Vertical	167	2.07	-	40.01	9.51	34.55

802.11ac VHT80\_Nss3,(MCS0)\_3TX

16/10/2020

5530MHz\_TX




EUT V\_3TX  
Setting 71  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06444G	52.57	74.00	-21.43	41.41	3	Horizontal	220	1.03	-	38.34	7.67	34.85
AV	11.05512G	42.44	54.00	-11.56	31.28	3	Horizontal	220	1.03	-	38.34	7.67	34.85
PK	16.59254G	60.98	68.20	-7.22	46.00	3	Horizontal	329	2.31	-	40.01	9.51	34.54

802.11ax HEW20\_Nss3,(MCS0)\_3TX

16/10/2020

5500MHz\_TX




EUT Y\_3TX  
Setting 73  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	60.41	74.00	-13.59	56.12	3	Vertical	202	1.08	-	33.63	5.40	34.74
AV	5.457G	48.26	54.00	-5.74	43.97	3	Vertical	202	1.08	-	33.63	5.40	34.74
PK	5.4696G	67.99	68.20	-0.21	63.66	3	Vertical	202	1.08	-	33.68	5.40	34.75
PK	5.501G	113.88	Inf	-Inf	109.44	3	Vertical	202	1.08	-	33.80	5.40	34.76
AV	5.4984G	102.93	Inf	-Inf	98.50	3	Vertical	202	1.08	-	33.79	5.40	34.76

802.11ax HEW20\_Nss3,(MCS0)\_3TX

16/10/2020

5500MHz\_TX




EUT Y\_3TX  
Setting 73  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4566G	60.94	74.00	-13.06	56.65	3	Horizontal	286	2.04	-	33.63	5.40	34.74
AV	5.4542G	47.63	54.00	-6.37	43.35	3	Horizontal	286	2.04	-	33.62	5.40	34.74
PK	5.4626G	65.36	68.20	-2.84	61.06	3	Horizontal	286	2.04	-	33.65	5.40	34.75
PK	5.5018G	112.12	Inf	-Inf	107.68	3	Horizontal	286	2.04	-	33.80	5.40	34.76
AV	5.4978G	99.68	Inf	-Inf	95.25	3	Horizontal	286	2.04	-	33.79	5.40	34.76

802.11ax HEW20\_Nss3,(MCS0)\_3TX

16/10/2020

5500MHz\_TX




EUT V\_3TX  
Setting 73  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99518G	53.55	74.00	-20.45	42.35	3	Vertical	213	1.68	-	38.40	7.65	34.85
AV	10.99954G	40.83	54.00	-13.17	29.63	3	Vertical	213	1.68	-	38.40	7.65	34.85
PK	16.49874G	61.94	68.20	-6.26	47.11	3	Vertical	182	1.14	-	40.09	9.47	34.73

802.11ax HEW20\_Nss3,(MCS0)\_3TX

16/10/2020

5500MHz\_TX




EUT V\_3TX  
Setting 73  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99516G	53.03	74.00	-20.97	41.83	3	Horizontal	357	2.28	-	38.40	7.65	34.85
AV	10.99546G	40.95	54.00	-13.05	29.75	3	Horizontal	357	2.28	-	38.40	7.65	34.85
PK	16.49682G	61.58	68.20	-6.62	46.75	3	Horizontal	90	1.91	-	40.09	9.47	34.73

802.11ax HEW40\_Nss3,(MCS0)\_3TX

16/10/2020

5510MHz\_TX



EUT Y\_3TX  
Setting 67  
01-A-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	63.22	74.00	-10.78	58.93	3	Vertical	198	1.05	-	33.64	5.40	34.75
AV	5.4564G	50.02	54.00	-3.98	45.73	3	Vertical	198	1.05	-	33.63	5.40	34.74
PK	5.47G	67.98	68.20	-0.22	63.65	3	Vertical	198	1.05	-	33.68	5.40	34.75
PK	5.518G	111.46	Inf	-Inf	106.97	3	Vertical	198	1.05	-	33.84	5.40	34.75
AV	5.5132G	99.22	Inf	-Inf	94.74	3	Vertical	198	1.05	-	33.83	5.40	34.75



802.11ax HEW40\_Nss3,(MCS0)\_3TX

16/10/2020

5510MHz\_TX




EUT Y\_3TX  
Setting 67  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	60.78	74.00	-13.22	56.49	3	Horizontal	268	2.16	-	33.63	5.40	34.74
AV	5.46G	49.10	54.00	-4.90	44.81	3	Horizontal	268	2.16	-	33.64	5.40	34.75
PK	5.47G	64.65	68.20	-3.55	60.32	3	Horizontal	268	2.16	-	33.68	5.40	34.75
PK	5.518G	106.04	Inf	-Inf	101.55	3	Horizontal	268	2.16	-	33.84	5.40	34.75
AV	5.5172G	95.88	Inf	-Inf	91.40	3	Horizontal	268	2.16	-	33.83	5.40	34.75

802.11ax HEW40\_Nss3,(MCS0)\_3TX

16/10/2020

5510MHz\_TX




EUT V\_3TX  
Setting 67  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01876G	52.51	74.00	-21.49	41.32	3	Vertical	161	2.20	-	38.38	7.66	34.85
AV	11.01514G	41.50	54.00	-12.50	30.31	3	Vertical	161	2.20	-	38.38	7.66	34.85
PK	16.53292G	62.04	68.20	-6.16	47.14	3	Vertical	112	1.32	-	40.07	9.49	34.66

802.11ax HEW40\_Nss3,(MCS0)\_3TX

16/10/2020

5510MHz\_TX




EUT V\_3TX  
Setting 67  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02098G	52.84	74.00	-21.16	41.65	3	Horizontal	193	2.63	-	38.38	7.66	34.85
AV	11.01856G	41.89	54.00	-12.11	30.70	3	Horizontal	193	2.63	-	38.38	7.66	34.85
PK	16.5297G	62.09	68.20	-6.11	47.20	3	Horizontal	313	2.80	-	40.07	9.49	34.67

802.11ax HEW80\_Nss3,(MCS0)\_3TX

16/10/2020

5530MHz\_TX




EUT Y\_3TX  
Setting 73  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.322G	57.18	68.20	-11.02	53.46	3	Vertical	209	1.00	-	33.10	5.32	34.70
PK	5.454G	69.83	74.00	-4.17	65.55	3	Vertical	209	1.00	-	33.62	5.40	34.74
AV	5.454G	53.78	54.00	-0.22	49.50	3	Vertical	209	1.00	-	33.62	5.40	34.74
PK	5.466G	67.53	68.20	-0.67	63.22	3	Vertical	209	1.00	-	33.66	5.40	34.75
PK	5.546G	107.46	Inf	-Inf	102.91	3	Vertical	209	1.00	-	33.89	5.40	34.74
AV	5.54G	97.05	Inf	-Inf	92.51	3	Vertical	209	1.00	-	33.88	5.40	34.74
PK	5.77G	60.18	68.20	-8.02	55.05	3	Vertical	209	1.00	-	34.30	5.49	34.66

802.11ax HEW80\_Nss3,(MCS0)\_3TX

16/10/2020

5530MHz\_TX




EUT Y\_3TX  
Setting 73  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3G	57.79	68.20	-10.41	54.08	3	Horizontal	273	2.36	-	33.10	5.30	34.69
PK	5.459G	66.12	74.00	-7.88	61.83	3	Horizontal	273	2.36	-	33.64	5.40	34.75
AV	5.458G	51.84	54.00	-2.16	47.55	3	Horizontal	273	2.36	-	33.63	5.40	34.74
PK	5.466G	64.79	68.20	-3.41	60.48	3	Horizontal	273	2.36	-	33.66	5.40	34.75
PK	5.536G	105.78	Inf	-Inf	101.26	3	Horizontal	273	2.36	-	33.87	5.40	34.75
AV	5.541G	94.68	Inf	-Inf	90.14	3	Horizontal	273	2.36	-	33.88	5.40	34.74
PK	5.776G	60.34	68.20	-7.86	55.21	3	Horizontal	273	2.36	-	34.30	5.49	34.66

802.11ax HEW80\_Nss3,(MCS0)\_3TX

16/10/2020

5530MHz\_TX




EUT V\_3TX  
Setting 73  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06426G	52.41	74.00	-21.59	41.25	3	Vertical	213	2.96	-	38.34	7.67	34.85
AV	11.0595G	41.68	54.00	-12.32	30.52	3	Vertical	213	2.96	-	38.34	7.67	34.85
PK	16.59392G	61.82	68.20	-6.38	46.83	3	Vertical	178	2.77	-	40.01	9.51	34.53

802.11ax HEW80\_Nss3,(MCS0)\_3TX

16/10/2020

5530MHz\_TX



EUT V\_3TX  
Setting 73  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0637G	52.53	74.00	-21.47	41.37	3	Horizontal	331	1.51	-	38.34	7.67	34.85
AV	11.065G	41.83	54.00	-12.17	30.68	3	Horizontal	331	1.51	-	38.33	7.67	34.85
PK	16.58992G	61.89	68.20	-6.31	46.91	3	Horizontal	0	2.46	-	40.01	9.51	34.54



**Mode 10, Beamforming mode: 5GHz Band 2 2T1S and Band 3 3T1S Beamforming Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.99	54.00	-0.01	3	Vertical	173	2.09	-



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/10/2020

### 5260MHz\_TX




EUT Y\_2TX  
Setting 108  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	67.12	74.00	-6.88	63.88	3	Vertical	177	2.02	-	32.70	5.17	34.63
AV	5.15G	49.27	54.00	-4.73	46.03	3	Vertical	177	2.02	-	32.70	5.17	34.63
PK	5.2576G	122.96	Inf	-Inf	119.44	3	Vertical	177	2.02	-	32.93	5.26	34.67
AV	5.2588G	111.24	Inf	-Inf	107.71	3	Vertical	177	2.02	-	32.94	5.26	34.67
PK	5.3506G	67.06	74.00	-6.94	63.32	3	Vertical	177	2.02	-	33.10	5.35	34.71
AV	5.3512G	50.55	54.00	-3.45	46.81	3	Vertical	177	2.02	-	33.10	5.35	34.71

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/10/2020

### 5260MHz\_TX




EUT Y\_2TX  
Setting 108  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1364G	57.69	74.00	-16.31	54.42	3	Horizontal	83	1.75	-	32.73	5.17	34.63
AV	5.1472G	43.70	54.00	-10.30	40.45	3	Horizontal	83	1.75	-	32.71	5.17	34.63
PK	5.2582G	111.61	Inf	-Inf	108.09	3	Horizontal	83	1.75	-	32.93	5.26	34.67
AV	5.254G	99.73	Inf	-Inf	96.23	3	Horizontal	83	1.75	-	32.92	5.25	34.67
PK	5.35G	59.31	74.00	-14.69	55.57	3	Horizontal	83	1.75	-	33.10	5.35	34.71
AV	5.3506G	45.15	54.00	-8.85	41.41	3	Horizontal	83	1.75	-	33.10	5.35	34.71

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/10/2020

### 5260MHz\_TX




EUT Y\_2TX  
Setting 108  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7747G	59.18	74.00	-14.82	46.64	3	Vertical	151	1.88	-	38.35	9.25	35.06
AV	15.7784G	45.05	54.00	-8.95	32.49	3	Vertical	151	1.88	-	38.36	9.26	35.06

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/10/2020

### 5260MHz\_TX




EUT Y\_2TX  
Setting 108  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7857G	62.57	74.00	-11.43	50.01	3	Horizontal	129	2.08	-	38.37	9.26	35.07
AV	15.7822G	47.59	54.00	-6.41	35.04	3	Horizontal	129	2.08	-	38.36	9.26	35.07

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/10/2020

### 5300MHz\_TX




EUT Y\_2TX  
Setting 95  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2936G	119.91	Inf	-Inf	116.24	3	Vertical	0	1.83	-	33.07	5.29	34.69
AV	5.2928G	109.74	Inf	-Inf	106.07	3	Vertical	0	1.83	-	33.07	5.29	34.69
PK	5.3512G	72.87	74.00	-1.13	69.13	3	Vertical	0	1.83	-	33.10	5.35	34.71
AV	5.35G	53.82	54.00	-0.18	50.08	3	Vertical	0	1.83	-	33.10	5.35	34.71

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/10/2020

### 5300MHz\_TX




EUT Y\_2TX  
Setting 95  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.294G	108.10	Inf	-Inf	104.42	3	Horizontal	85	1.80	-	33.08	5.29	34.69
AV	5.3016G	97.19	Inf	-Inf	93.48	3	Horizontal	85	1.80	-	33.10	5.30	34.69
PK	5.3516G	64.06	74.00	-9.94	60.32	3	Horizontal	85	1.80	-	33.10	5.35	34.71
AV	5.35G	47.26	54.00	-6.74	43.52	3	Horizontal	85	1.80	-	33.10	5.35	34.71

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/10/2020

### 5300MHz\_TX




EUT Y\_2TX  
Setting 95  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6035G	52.95	74.00	-21.05	42.12	3	Vertical	260	1.90	-	38.50	7.51	35.18
AV	10.60032G	38.98	54.00	-15.02	28.16	3	Vertical	260	1.90	-	38.50	7.51	35.19
PK	15.9047G	59.16	74.00	-14.84	46.57	3	Vertical	104	1.75	-	38.50	9.28	35.19
AV	15.902G	45.51	54.00	-8.49	32.92	3	Vertical	104	1.75	-	38.50	9.28	35.19

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/10/2020

### 5300MHz\_TX



EUT Y\_2TX  
Setting 95  
01-A-K-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6016G	52.82	74.00	-21.18	41.99	3	Horizontal	342	2.02	-	38.50	7.51	35.18
AV	10.60024G	39.02	54.00	-14.98	28.20	3	Horizontal	342	2.02	-	38.50	7.51	35.19
PK	15.913G	61.05	74.00	-12.95	48.48	3	Horizontal	94	2.54	-	38.49	9.28	35.20
AV	15.9046G	47.73	54.00	-6.27	35.14	3	Horizontal	94	2.54	-	38.50	9.28	35.19



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5320MHz\_TX




EUT Y\_2TX  
Setting 83  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3218G	116.64	Inf	-Inf	112.92	3	Vertical	178	1.98	-	33.10	5.32	34.70
AV	5.3222G	105.78	Inf	-Inf	102.06	3	Vertical	178	1.98	-	33.10	5.32	34.70
PK	5.3512G	71.76	74.00	-2.24	68.02	3	Vertical	178	1.98	-	33.10	5.35	34.71
AV	5.35G	53.28	54.00	-0.72	49.54	3	Vertical	178	1.98	-	33.10	5.35	34.71

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5320MHz\_TX




EUT Y\_2TX  
Setting 83  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3218G	105.65	Inf	-Inf	101.93	3	Horizontal	81	1.82	-	33.10	5.32	34.70
AV	5.3216G	94.79	Inf	-Inf	91.07	3	Horizontal	81	1.82	-	33.10	5.32	34.70
PK	5.35G	62.54	74.00	-11.46	58.80	3	Horizontal	81	1.82	-	33.10	5.35	34.71
AV	5.35G	46.66	54.00	-7.34	42.92	3	Horizontal	81	1.82	-	33.10	5.35	34.71

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5320MHz\_TX




EUT Y\_2TX  
Setting 83  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64226G	52.77	74.00	-21.23	41.90	3	Vertical	25	1.77	-	38.50	7.52	35.15
AV	10.64035G	38.75	54.00	-15.25	27.88	3	Vertical	25	1.77	-	38.50	7.52	35.15
PK	15.95934G	58.10	74.00	-15.90	45.62	3	Vertical	118	1.31	-	38.44	9.29	35.25
AV	15.96235G	44.20	54.00	-9.80	31.72	3	Vertical	118	1.31	-	38.44	9.29	35.25

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

14/10/2020

### 5320MHz\_TX




EUT Y\_2TX  
Setting 83  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63758G	52.70	74.00	-21.30	41.83	3	Horizontal	266	1.66	-	38.50	7.52	35.15
AV	10.6397G	38.46	54.00	-15.54	27.59	3	Horizontal	266	1.66	-	38.50	7.52	35.15
PK	15.95825G	57.57	74.00	-16.43	45.09	3	Horizontal	277	1.55	-	38.44	9.29	35.25
AV	15.9625G	43.98	54.00	-10.02	31.50	3	Horizontal	277	1.55	-	38.44	9.29	35.25

802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5500MHz\_TX




EUT Y\_3TX  
Setting 71  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	61.15	74.00	-12.85	56.86	3	Vertical	134	1.12	-	33.64	5.40	34.75
AV	5.4554G	47.59	54.00	-6.41	43.31	3	Vertical	134	1.12	-	33.62	5.40	34.74
PK	5.4696G	67.99	68.20	-0.21	63.66	3	Vertical	134	1.12	-	33.68	5.40	34.75
PK	5.5054G	116.07	Inf	-Inf	111.62	3	Vertical	134	1.12	-	33.81	5.40	34.76
AV	5.495G	105.03	Inf	-Inf	100.61	3	Vertical	134	1.12	-	33.78	5.40	34.76

802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5500MHz\_TX




EUT Y\_3TX  
Setting 71  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	58.56	74.00	-15.44	54.28	3	Horizontal	150	2.11	-	33.62	5.40	34.74
AV	5.4568G	45.29	54.00	-8.71	41.00	3	Horizontal	150	2.11	-	33.63	5.40	34.74
PK	5.469G	59.01	68.20	-9.19	54.68	3	Horizontal	150	2.11	-	33.68	5.40	34.75
PK	5.5056G	111.51	Inf	-Inf	107.06	3	Horizontal	150	2.11	-	33.81	5.40	34.76
AV	5.5072G	99.90	Inf	-Inf	95.45	3	Horizontal	150	2.11	-	33.81	5.40	34.76

802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5500MHz\_TX




EUT V\_3TX  
Setting 71  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98777G	53.99	74.00	-20.01	42.80	3	Vertical	39	2.56	-	38.40	7.65	34.86
AV	11.0027G	39.52	54.00	-14.48	28.32	3	Vertical	39	2.56	-	38.40	7.65	34.85
PK	16.5034G	61.54	68.20	-6.66	46.68	3	Vertical	20	2.71	-	40.10	9.48	34.72

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

### 5500MHz\_TX



EUT V\_3TX  
Setting 71  
01-A-L-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9793G	53.11	74.00	-20.89	41.94	3	Horizontal	192	1.80	-	38.40	7.64	34.87
AV	10.994G	39.44	54.00	-14.56	28.25	3	Horizontal	192	1.80	-	38.40	7.65	34.86
PK	16.513G	61.84	68.20	-6.36	46.97	3	Horizontal	93	2.23	-	40.09	9.48	34.70



802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5580MHz\_TX




EUT V\_3TX  
Setting 87  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4392G	60.11	74.00	-13.89	55.94	3	Vertical	316	1.00	-	33.51	5.40	34.74
PK	5.4672G	60.40	68.20	-7.80	56.08	3	Vertical	316	1.00	-	33.67	5.40	34.75
AV	5.4592G	47.40	54.00	-6.60	43.11	3	Vertical	316	1.00	-	33.64	5.40	34.75
PK	5.5752G	120.74	Inf	-Inf	116.12	3	Vertical	316	1.00	-	33.95	5.40	34.73
AV	5.5744G	109.87	Inf	-Inf	105.25	3	Vertical	316	1.00	-	33.95	5.40	34.73
PK	5.7456G	62.68	68.20	-5.52	57.61	3	Vertical	316	1.00	-	34.27	5.47	34.67

802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5580MHz\_TX




EUT Y\_3TX  
Setting 87  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	57.64	74.00	-16.36	53.37	3	Horizontal	158	1.36	-	33.61	5.40	34.74
PK	5.4656G	58.30	68.20	-9.90	53.99	3	Horizontal	158	1.36	-	33.66	5.40	34.75
AV	5.46G	45.09	54.00	-8.91	40.80	3	Horizontal	158	1.36	-	33.64	5.40	34.75
PK	5.5752G	114.80	Inf	-Inf	110.18	3	Horizontal	158	1.36	-	33.95	5.40	34.73
AV	5.5744G	105.03	Inf	-Inf	100.41	3	Horizontal	158	1.36	-	33.95	5.40	34.73
PK	5.7424G	59.49	68.20	-8.71	54.44	3	Horizontal	158	1.36	-	34.25	5.47	34.67

802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5580MHz\_TX




EUT V\_3TX  
Setting 87  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16324G	52.76	74.00	-21.24	41.59	3	Vertical	0	1.95	-	38.30	7.71	34.84
AV	11.16748G	38.70	54.00	-15.30	27.53	3	Vertical	0	1.95	-	38.30	7.71	34.84
PK	16.7472G	65.41	68.20	-2.79	49.43	3	Vertical	13	1.97	-	40.64	9.56	34.22

802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5580MHz\_TX




EUT V\_3TX  
Setting 87  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15704G	52.70	74.00	-21.30	41.54	3	Horizontal	53	1.80	-	38.30	7.70	34.84
AV	11.16756G	38.74	54.00	-15.26	27.57	3	Horizontal	53	1.80	-	38.30	7.71	34.84
PK	16.73068G	68.02	68.20	-0.18	52.12	3	Horizontal	359	1.92	-	40.59	9.56	34.25

802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5620MHz\_TX




EUT V\_3TX  
Setting 96  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	59.84	74.00	-14.16	55.55	3	Vertical	202	1.06	-	33.63	5.40	34.74
AV	5.4592G	46.16	54.00	-7.84	41.87	3	Vertical	202	1.06	-	33.64	5.40	34.75
PK	5.464G	58.53	68.20	-9.67	54.22	3	Vertical	202	1.06	-	33.66	5.40	34.75
PK	5.6144G	118.35	Inf	-Inf	113.60	3	Vertical	202	1.06	-	34.06	5.41	34.72
AV	5.6144G	107.40	Inf	-Inf	102.65	3	Vertical	202	1.06	-	34.06	5.41	34.72
PK	5.7264G	61.34	68.20	-6.86	56.39	3	Vertical	202	1.06	-	34.16	5.46	34.67

802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5620MHz\_TX




EUT Y\_3TX  
Setting 96  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	58.64	74.00	-15.36	54.37	3	Horizontal	60	1.87	-	33.61	5.40	34.74
AV	5.4528G	45.71	54.00	-8.29	41.44	3	Horizontal	60	1.87	-	33.61	5.40	34.74
PK	5.4656G	58.22	68.20	-9.98	53.91	3	Horizontal	60	1.87	-	33.66	5.40	34.75
PK	5.6264G	117.21	Inf	-Inf	112.40	3	Horizontal	60	1.87	-	34.11	5.41	34.71
AV	5.6264G	107.61	Inf	-Inf	102.80	3	Horizontal	60	1.87	-	34.11	5.41	34.71
PK	5.7272G	61.31	68.20	-6.89	56.36	3	Horizontal	60	1.87	-	34.16	5.46	34.67

802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5620MHz\_TX




EUT V\_3TX  
Setting 96  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.217G	53.22	74.00	-20.78	42.01	3	Vertical	95	1.93	-	38.32	7.73	34.84
AV	11.2506G	39.57	54.00	-14.43	28.32	3	Vertical	95	1.93	-	38.35	7.74	34.84
PK	16.8724G	66.00	68.20	-2.20	49.48	3	Vertical	12	1.94	-	40.87	9.61	33.96

802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5620MHz\_TX



EUT V\_3TX  
Setting 96  
01-A-L-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2341G	53.94	74.00	-20.06	42.72	3	Horizontal	150	2.15	-	38.33	7.73	34.84
AV	11.2391G	40.66	54.00	-13.34	29.43	3	Horizontal	150	2.15	-	38.34	7.73	34.84
PK	16.8674G	68.07	68.20	-0.13	51.57	3	Horizontal	144	1.90	-	40.87	9.60	33.97



### 802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

### 5700MHz\_TX




EUT V\_3TX  
Setting 74  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7056G	113.42	Inf	-Inf	108.62	3	Vertical	200	1.14	-	34.03	5.45	34.68
AV	5.7026G	102.17	Inf	-Inf	97.38	3	Vertical	200	1.14	-	34.02	5.45	34.68
PK	5.7252G	68.02	68.20	-0.18	63.08	3	Vertical	200	1.14	-	34.15	5.46	34.67

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

### 5700MHz\_TX




EUT V\_3TX  
Setting 74  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7076G	114.67	Inf	-Inf	109.85	3	Horizontal	162	1.75	-	34.05	5.45	34.68
AV	5.7072G	104.72	Inf	-Inf	99.91	3	Horizontal	162	1.75	-	34.04	5.45	34.68
PK	5.725G	67.79	68.20	-0.41	62.85	3	Horizontal	162	1.75	-	34.15	5.46	34.67

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

### 5700MHz\_TX




EUT V\_3TX  
Setting 74  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39952G	53.97	74.00	-20.03	42.51	3	Vertical	59	1.80	-	38.50	7.79	34.83
AV	11.40056G	39.80	54.00	-14.20	28.34	3	Vertical	59	1.80	-	38.50	7.79	34.83
PK	17.1028G	63.57	68.20	-4.63	46.23	3	Vertical	78	1.80	-	41.41	9.69	33.76

802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5700MHz\_TX




EUT V\_3TX  
Setting 74  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.412G	53.50	74.00	-20.50	42.05	3	Horizontal	315	1.80	-	38.49	7.79	34.83
AV	11.4238G	39.98	54.00	-14.02	28.53	3	Horizontal	315	1.80	-	38.48	7.80	34.83
PK	17.0955G	66.42	68.20	-1.78	49.11	3	Horizontal	13	2.62	-	41.39	9.68	33.76

802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_V\_3TX  
Setting 79  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7256G	117.59	Inf	-Inf	112.65	3	Vertical	314	1.22	-	34.15	5.46	34.67
AV	5.7176G	106.61	Inf	-Inf	101.72	3	Vertical	314	1.22	-	34.11	5.46	34.68
PK	5.8736G	61.31	68.20	-6.89	55.68	3	Vertical	314	1.22	-	34.75	5.50	34.62

802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_3TX  
Setting 79  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7256G	112.25	Inf	-Inf	107.31	3	Horizontal	94	2.35	-	34.15	5.46	34.67
AV	5.728G	103.25	Inf	-Inf	98.29	3	Horizontal	94	2.35	-	34.17	5.46	34.67
PK	5.8912G	60.21	68.20	-7.99	54.54	3	Horizontal	94	2.35	-	34.78	5.50	34.61

802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT V\_3TX  
Setting 79  
01-A-L-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4368G	54.42	74.00	-19.58	42.99	3	Vertical	305	1.00	-	38.46	7.80	34.83
AV	11.4408G	40.62	54.00	-13.38	29.19	3	Vertical	305	1.00	-	38.46	7.80	34.83
PK	17.1793G	63.48	68.20	-4.72	45.95	3	Vertical	315	1.80	-	41.64	9.71	33.82

802.11ac VHT20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5720MHz Straddle 5.47-5.725GHz\_TX



EUT V\_3TX  
Setting 79  
01-A-L-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4521G	54.38	74.00	-19.62	42.95	3	Horizontal	0	1.80	-	38.45	7.81	34.83
AV	11.4526G	40.08	54.00	-13.92	28.65	3	Horizontal	0	1.80	-	38.45	7.81	34.83
PK	17.1661G	67.97	68.20	-0.23	50.47	3	Horizontal	23	1.86	-	41.60	9.71	33.81



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5270MHz\_TX




EUT Y\_2TX  
Setting 92  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1422G	64.05	74.00	-9.95	60.79	3	Vertical	181	2.19	-	32.72	5.17	34.63
AV	5.1482G	49.17	54.00	-4.83	45.93	3	Vertical	181	2.19	-	32.70	5.17	34.63
PK	5.264G	116.07	Inf	-Inf	112.53	3	Vertical	181	2.19	-	32.96	5.26	34.68
AV	5.2622G	106.19	Inf	-Inf	102.65	3	Vertical	181	2.19	-	32.95	5.26	34.67
PK	5.3504G	71.14	74.00	-2.86	67.40	3	Vertical	181	2.19	-	33.10	5.35	34.71
AV	5.35G	53.91	54.00	-0.09	50.17	3	Vertical	181	2.19	-	33.10	5.35	34.71

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/10/2020

### 5270MHz\_TX




EUT Y\_2TX  
Setting 92  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1284G	57.13	74.00	-16.87	53.86	3	Horizontal	82	2.64	-	32.74	5.16	34.63
AV	5.1284G	44.21	54.00	-9.79	40.94	3	Horizontal	82	2.64	-	32.74	5.16	34.63
PK	5.2658G	105.37	Inf	-Inf	101.82	3	Horizontal	82	2.64	-	32.96	5.27	34.68
AV	5.2736G	92.92	Inf	-Inf	89.34	3	Horizontal	82	2.64	-	32.99	5.27	34.68
PK	5.3504G	62.24	74.00	-11.76	58.50	3	Horizontal	82	2.64	-	33.10	5.35	34.71
AV	5.35G	46.78	54.00	-7.22	43.04	3	Horizontal	82	2.64	-	33.10	5.35	34.71

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5270MHz\_TX




EUT Y\_2TX  
Setting 92  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80884G	57.61	74.00	-16.39	45.04	3	Vertical	193	2.74	-	38.41	9.26	35.10
AV	15.80864G	43.57	54.00	-10.43	30.99	3	Vertical	193	2.74	-	38.41	9.26	35.09

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5270MHz\_TX




EUT Y\_2TX  
Setting 92  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8118G	58.09	74.00	-15.91	45.52	3	Horizontal	129	1.78	-	38.41	9.26	35.10
AV	15.81158G	43.63	54.00	-10.37	31.06	3	Horizontal	129	1.78	-	38.41	9.26	35.10

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/10/2020

### 5310MHz\_TX




EUT Y\_2TX  
Setting 67  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2976G	110.87	Inf	-Inf	107.17	3	Vertical	56	1.80	-	33.09	5.30	34.69
AV	5.3028G	98.94	Inf	-Inf	95.23	3	Vertical	56	1.80	-	33.10	5.30	34.69
PK	5.3524G	72.69	74.00	-1.31	68.95	3	Vertical	56	1.80	-	33.10	5.35	34.71
AV	5.3504G	52.23	54.00	-1.77	48.49	3	Vertical	56	1.80	-	33.10	5.35	34.71

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5310MHz\_TX




EUT Y\_2TX  
Setting 67  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	101.75	Inf	-Inf	98.04	3	Horizontal	76	2.62	-	33.10	5.30	34.69
AV	5.302G	88.25	Inf	-Inf	84.54	3	Horizontal	76	2.62	-	33.10	5.30	34.69
PK	5.3532G	65.32	74.00	-8.68	61.57	3	Horizontal	76	2.62	-	33.11	5.35	34.71
AV	5.35G	45.56	54.00	-8.44	41.82	3	Horizontal	76	2.62	-	33.10	5.35	34.71

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5310MHz\_TX




EUT Y\_2TX  
Setting 67  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6207G	53.99	74.00	-20.01	43.14	3	Vertical	354	1.59	-	38.50	7.52	35.17
AV	10.62046G	39.82	54.00	-14.18	28.97	3	Vertical	354	1.59	-	38.50	7.52	35.17
PK	15.92877G	57.08	74.00	-16.92	44.54	3	Vertical	115	1.19	-	38.47	9.29	35.22
AV	15.92803G	43.46	54.00	-10.54	30.92	3	Vertical	115	1.19	-	38.47	9.29	35.22

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5310MHz\_TX



EUT Y\_2TX  
Setting 67  
01-A-K-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62085G	53.87	74.00	-20.13	43.02	3	Horizontal	342	1.48	-	38.50	7.52	35.17
AV	10.6204G	39.53	54.00	-14.47	28.68	3	Horizontal	342	1.48	-	38.50	7.52	35.17
PK	15.9309G	57.03	74.00	-16.97	44.49	3	Horizontal	48	2.19	-	38.47	9.29	35.22
AV	15.93077G	43.52	54.00	-10.48	30.98	3	Horizontal	48	2.19	-	38.47	9.29	35.22



802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5510MHz\_TX




EUT Y\_3TX  
Setting 66  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	61.56	74.00	-12.44	57.28	3	Vertical	197	1.20	-	33.63	5.40	34.75
AV	5.4584G	47.22	54.00	-6.78	42.94	3	Vertical	197	1.20	-	33.63	5.40	34.75
PK	5.47G	67.97	68.20	-0.23	63.64	3	Vertical	197	1.20	-	33.68	5.40	34.75
PK	5.5144G	109.77	Inf	-Inf	105.29	3	Vertical	197	1.20	-	33.83	5.40	34.75
AV	5.516G	99.39	Inf	-Inf	94.91	3	Vertical	197	1.20	-	33.83	5.40	34.75

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

### 5510MHz\_TX




EUT Y\_3TX  
Setting 66  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	61.06	74.00	-12.94	56.77	3	Horizontal	161	1.60	-	33.64	5.40	34.75
AV	5.4592G	46.74	54.00	-7.26	42.45	3	Horizontal	161	1.60	-	33.64	5.40	34.75
PK	5.4624G	65.47	68.20	-2.73	61.17	3	Horizontal	161	1.60	-	33.65	5.40	34.75
PK	5.524G	107.48	Inf	-Inf	102.98	3	Horizontal	161	1.60	-	33.85	5.40	34.75
AV	5.5268G	97.52	Inf	-Inf	93.02	3	Horizontal	161	1.60	-	33.85	5.40	34.75

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

### 5510MHz\_TX




EUT V\_3TX  
Setting 66  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0068G	53.26	74.00	-20.74	42.07	3	Vertical	132	2.11	-	38.39	7.65	34.85
AV	11.00548G	39.16	54.00	-14.84	27.97	3	Vertical	132	2.11	-	38.39	7.65	34.85
PK	16.54092G	61.43	68.20	-6.77	46.52	3	Vertical	12	1.75	-	40.06	9.49	34.64

802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5510MHz\_TX




EUT V\_3TX  
Setting 66  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02444G	53.49	74.00	-20.51	42.30	3	Horizontal	29	1.80	-	38.38	7.66	34.85
AV	11.0251G	39.27	54.00	-14.73	28.09	3	Horizontal	29	1.80	-	38.37	7.66	34.85
PK	16.51632G	62.20	68.20	-6.00	47.34	3	Horizontal	188	2.40	-	40.08	9.48	34.70

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

### 5550MHz\_TX




EUT Y\_3TX  
Setting 88  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4534G	64.18	74.00	-9.82	59.91	3	Vertical	202	1.21	-	33.61	5.40	34.74
AV	5.4588G	48.95	54.00	-5.05	44.66	3	Vertical	202	1.21	-	33.64	5.40	34.75
PK	5.469G	67.96	68.20	-0.24	63.63	3	Vertical	202	1.21	-	33.68	5.40	34.75
PK	5.5452G	116.27	Inf	-Inf	111.72	3	Vertical	202	1.21	-	33.89	5.40	34.74
AV	5.5434G	105.21	Inf	-Inf	100.66	3	Vertical	202	1.21	-	33.89	5.40	34.74

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

### 5550MHz\_TX




EUT Y\_3TX  
Setting 88  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.73	74.00	-12.27	57.44	3	Horizontal	50	1.80	-	33.64	5.40	34.75
AV	5.4576G	47.14	54.00	-6.86	42.85	3	Horizontal	50	1.80	-	33.63	5.40	34.74
PK	5.4684G	61.17	68.20	-7.03	56.85	3	Horizontal	50	1.80	-	33.67	5.40	34.75
PK	5.5602G	114.73	Inf	-Inf	110.15	3	Horizontal	50	1.80	-	33.92	5.40	34.74
AV	5.5584G	104.58	Inf	-Inf	100.00	3	Horizontal	50	1.80	-	33.92	5.40	34.74

802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5550MHz\_TX




EUT V\_3TX  
Setting 88  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09712G	53.74	74.00	-20.26	42.61	3	Vertical	190	1.45	-	38.30	7.68	34.85
AV	11.11002G	39.62	54.00	-14.38	28.48	3	Vertical	190	1.45	-	38.30	7.69	34.85
PK	16.6548G	63.05	68.20	-5.15	47.66	3	Vertical	239	1.80	-	40.27	9.53	34.41

802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5550MHz\_TX



EUT V\_3TX  
Setting 88  
01-A-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10384G	55.00	74.00	-19.00	43.86	3	Horizontal	340	2.77	-	38.30	7.69	34.85
AV	11.11476G	39.48	54.00	-14.52	28.34	3	Horizontal	340	2.77	-	38.30	7.69	34.85
PK	16.64316G	64.27	68.20	-3.93	48.95	3	Horizontal	268	2.02	-	40.22	9.53	34.43



802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5630MHz\_TX




EUT\_V\_3TX  
Setting 93  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6276G	118.28	Inf	-Inf	113.47	3	Vertical	73	1.00	-	34.11	5.41	34.71
AV	5.6246G	105.37	Inf	-Inf	100.57	3	Vertical	73	1.00	-	34.10	5.41	34.71
PK	5.7266G	67.99	68.20	-0.21	63.04	3	Vertical	73	1.00	-	34.16	5.46	34.67

802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5630MHz\_TX




EUT Y\_3TX  
Setting 93  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6348G	114.00	Inf	-Inf	109.15	3	Horizontal	149	1.50	-	34.14	5.42	34.71
AV	5.6354G	104.57	Inf	-Inf	99.72	3	Horizontal	149	1.50	-	34.14	5.42	34.71
PK	5.7302G	64.54	68.20	-3.66	59.56	3	Horizontal	149	1.50	-	34.18	5.47	34.67

802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5630MHz\_TX




EUT V\_3TX  
Setting 93  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2732G	53.66	74.00	-20.34	42.38	3	Vertical	62	1.31	-	38.37	7.75	34.84
AV	11.26504G	40.21	54.00	-13.79	28.94	3	Vertical	62	1.31	-	38.37	7.74	34.84
PK	16.9014G	63.50	68.20	-4.70	46.88	3	Vertical	137	1.20	-	40.90	9.62	33.90

802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5630MHz\_TX




EUT V\_3TX  
Setting 93  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2675G	54.37	74.00	-19.63	43.10	3	Horizontal	275	1.80	-	38.37	7.74	34.84
AV	11.27392G	40.03	54.00	-13.97	28.75	3	Horizontal	275	1.80	-	38.37	7.75	34.84
PK	16.8858G	66.84	68.20	-1.36	50.27	3	Horizontal	269	2.00	-	40.89	9.61	33.93

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

### 5670MHz\_TX




EUT V\_3TX  
Setting 77  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6616G	111.80	Inf	-Inf	106.92	3	Vertical	202	1.03	-	34.15	5.43	34.70
AV	5.6562G	101.10	Inf	-Inf	96.19	3	Vertical	202	1.03	-	34.18	5.43	34.70
PK	5.7258G	68.06	68.20	-0.14	63.12	3	Vertical	202	1.03	-	34.15	5.46	34.67

802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5670MHz\_TX




EUT\_V\_3TX  
Setting 77  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6556G	111.37	Inf	-Inf	106.46	3	Horizontal	62	1.48	-	34.18	5.43	34.70
AV	5.655G	101.11	Inf	-Inf	96.20	3	Horizontal	62	1.48	-	34.18	5.43	34.70
PK	5.7252G	61.62	68.20	-6.58	56.68	3	Horizontal	62	1.48	-	34.15	5.46	34.67

802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5670MHz\_TX




EUT V\_3TX  
Setting 77  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34342G	53.32	74.00	-20.68	41.95	3	Vertical	232	1.22	-	38.44	7.77	34.84
AV	11.34292G	39.85	54.00	-14.15	28.48	3	Vertical	232	1.22	-	38.44	7.77	34.84
PK	17.0122G	63.27	68.20	-4.93	46.10	3	Vertical	158	2.62	-	41.22	9.65	33.70

802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5670MHz\_TX



EUT Y\_3TX  
Setting 77  
01-A-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34864G	53.62	74.00	-20.38	42.24	3	Horizontal	254	1.98	-	38.45	7.77	34.84
AV	11.35434G	40.28	54.00	-13.72	28.90	3	Horizontal	254	1.98	-	38.45	7.77	34.84
PK	17.02212G	63.48	68.20	-4.72	46.29	3	Horizontal	353	1.80	-	41.24	9.66	33.71



802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT V\_3TX  
Setting 85  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7204G	113.64	Inf	-Inf	108.74	3	Vertical	199	1.21	-	34.12	5.46	34.68
AV	5.7252G	103.04	Inf	-Inf	98.10	3	Vertical	199	1.21	-	34.15	5.46	34.67
PK	5.8516G	61.28	68.20	-6.92	55.71	3	Vertical	199	1.21	-	34.70	5.50	34.63

802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_3TX  
Setting 85  
01-A-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7276G	110.95	Inf	-Inf	105.99	3	Horizontal	179	1.49	-	34.17	5.46	34.67
AV	5.7284G	98.47	Inf	-Inf	93.51	3	Horizontal	179	1.49	-	34.17	5.46	34.67
PK	5.8876G	60.15	68.20	-8.05	54.48	3	Horizontal	179	1.49	-	34.78	5.50	34.61

802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT V\_3TX  
Setting 85  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4083G	54.55	74.00	-19.45	43.10	3	Vertical	19	1.58	-	38.49	7.79	34.83
AV	11.4297G	40.70	54.00	-13.30	29.26	3	Vertical	19	1.58	-	38.47	7.80	34.83
PK	17.1121G	64.13	68.20	-4.07	46.77	3	Vertical	4	1.80	-	41.44	9.69	33.77

802.11ac VHT40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT V\_3TX  
Setting 85  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4141G	54.79	74.00	-19.21	43.34	3	Horizontal	201	1.79	-	38.49	7.79	34.83
AV	11.4383G	40.63	54.00	-13.37	29.20	3	Horizontal	201	1.79	-	38.46	7.80	34.83
PK	17.1521G	68.03	68.20	-0.17	50.57	3	Horizontal	19	2.52	-	41.56	9.70	33.80

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

14/10/2020

### 5290MHz\_TX




EUT Y\_2TX  
Setting 67  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	59.98	74.00	-14.02	56.73	3	Vertical	173	2.09	-	32.71	5.17	34.63
AV	5.146G	47.09	54.00	-6.91	43.84	3	Vertical	173	2.09	-	32.71	5.17	34.63
PK	5.264G	111.87	Inf	-Inf	108.33	3	Vertical	173	2.09	-	32.96	5.26	34.68
AV	5.263G	98.20	Inf	-Inf	94.66	3	Vertical	173	2.09	-	32.95	5.26	34.67
PK	5.352G	71.58	74.00	-2.42	67.84	3	Vertical	173	2.09	-	33.10	5.35	34.71
AV	5.35G	53.99	54.00	-0.01	50.25	3	Vertical	173	2.09	-	33.10	5.35	34.71
PK	5.468G	57.92	68.20	-10.28	53.60	3	Vertical	173	2.09	-	33.67	5.40	34.75

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

14/10/2020

### 5290MHz\_TX




EUT Y\_2TX  
Setting 67  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.125G	56.85	74.00	-17.15	53.56	3	Horizontal	80	1.81	-	32.75	5.16	34.62
AV	5.146G	43.72	54.00	-10.28	40.47	3	Horizontal	80	1.81	-	32.71	5.17	34.63
PK	5.266G	100.62	Inf	-Inf	97.07	3	Horizontal	80	1.81	-	32.96	5.27	34.68
AV	5.279G	86.06	Inf	-Inf	82.44	3	Horizontal	80	1.81	-	33.02	5.28	34.68
PK	5.352G	63.78	74.00	-10.22	60.04	3	Horizontal	80	1.81	-	33.10	5.35	34.71
AV	5.35G	46.12	54.00	-7.88	42.38	3	Horizontal	80	1.81	-	33.10	5.35	34.71
PK	5.524G	57.72	68.20	-10.48	53.22	3	Horizontal	80	1.81	-	33.85	5.40	34.75

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5290MHz\_TX




EUT Y\_2TX  
Setting 67  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86876G	56.51	74.00	-17.49	43.93	3	Vertical	149	1.59	-	38.47	9.27	35.16
AV	15.87237G	42.96	54.00	-11.04	30.38	3	Vertical	149	1.59	-	38.47	9.27	35.16

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5290MHz\_TX



EUT Y\_2TX  
Setting 67  
01-A-K-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86951G	56.54	74.00	-17.46	43.96	3	Horizontal	230	1.93	-	38.47	9.27	35.16
AV	15.87023G	43.02	54.00	-10.98	30.44	3	Horizontal	230	1.93	-	38.47	9.27	35.16



### 802.11ac VHT80-BF\_Nss1,(MCS0)\_3TX

14/10/2020

### 5530MHz\_TX




EUT Y\_3TX  
Setting 69  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.295G	56.53	68.20	-11.67	52.84	3	Vertical	124	1.44	-	33.08	5.30	34.69
PK	5.457G	67.14	74.00	-6.86	62.85	3	Vertical	124	1.44	-	33.63	5.40	34.74
AV	5.46G	49.24	54.00	-4.76	44.95	3	Vertical	124	1.44	-	33.64	5.40	34.75
PK	5.468G	67.93	68.20	-0.27	63.61	3	Vertical	124	1.44	-	33.67	5.40	34.75
PK	5.546G	106.99	Inf	-Inf	102.44	3	Vertical	124	1.44	-	33.89	5.40	34.74
AV	5.54G	96.72	Inf	-Inf	92.18	3	Vertical	124	1.44	-	33.88	5.40	34.74
PK	5.775G	59.02	68.20	-9.18	53.89	3	Vertical	124	1.44	-	34.30	5.49	34.66

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_3TX

14/10/2020

### 5530MHz\_TX




EUT Y\_3TX  
Setting 69  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.349G	56.06	68.20	-12.14	52.32	3	Horizontal	147	1.50	-	33.10	5.35	34.71
PK	5.458G	59.00	74.00	-15.00	54.71	3	Horizontal	147	1.50	-	33.63	5.40	34.74
AV	5.457G	45.51	54.00	-8.49	41.22	3	Horizontal	147	1.50	-	33.63	5.40	34.74
PK	5.47G	65.69	68.20	-2.51	61.36	3	Horizontal	147	1.50	-	33.68	5.40	34.75
PK	5.531G	105.40	Inf	-Inf	100.89	3	Horizontal	147	1.50	-	33.86	5.40	34.75
AV	5.532G	95.87	Inf	-Inf	91.36	3	Horizontal	147	1.50	-	33.86	5.40	34.75
PK	5.769G	58.49	68.20	-9.71	53.37	3	Horizontal	147	1.50	-	34.30	5.48	34.66

802.11ac VHT80-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5530MHz\_TX




EUT V\_3TX  
Setting 69  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0584G	52.66	74.00	-21.34	41.50	3	Vertical	149	1.43	-	38.34	7.67	34.85
AV	11.06196G	38.69	54.00	-15.31	27.53	3	Vertical	149	1.43	-	38.34	7.67	34.85
PK	16.59352G	60.65	68.20	-7.55	45.67	3	Vertical	271	1.41	-	40.01	9.51	34.54

802.11ac VHT80-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5530MHz\_TX




EUT V\_3TX  
Setting 69  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0625G	52.23	74.00	-21.77	41.07	3	Horizontal	181	1.34	-	38.34	7.67	34.85
AV	11.0643G	38.57	54.00	-15.43	27.41	3	Horizontal	181	1.34	-	38.34	7.67	34.85
PK	16.5884G	60.97	68.20	-7.23	46.00	3	Horizontal	271	2.15	-	40.01	9.51	34.55

802.11ac VHT80-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5610MHz\_TX




EUT Y\_3TX  
Setting 87  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	60.50	74.00	-13.50	56.22	3	Vertical	34	1.14	-	33.62	5.40	34.74
AV	5.459G	47.36	54.00	-6.64	43.07	3	Vertical	34	1.14	-	33.64	5.40	34.75
PK	5.468G	62.20	68.20	-6.00	57.88	3	Vertical	34	1.14	-	33.67	5.40	34.75
PK	5.616G	110.24	Inf	-Inf	105.49	3	Vertical	34	1.14	-	34.06	5.41	34.72
AV	5.612G	99.95	Inf	-Inf	95.21	3	Vertical	34	1.14	-	34.05	5.41	34.72
PK	5.74G	68.02	68.20	-0.18	62.98	3	Vertical	34	1.14	-	34.24	5.47	34.67

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_3TX

14/10/2020

### 5610MHz\_TX




EUT V\_3TX  
Setting 87  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	59.87	74.00	-14.13	55.61	3	Horizontal	262	1.43	-	33.60	5.40	34.74
PK	5.466G	61.54	68.20	-6.66	57.23	3	Horizontal	262	1.43	-	33.66	5.40	34.75
AV	5.459G	47.29	54.00	-6.71	43.00	3	Horizontal	262	1.43	-	33.64	5.40	34.75
PK	5.582G	108.38	Inf	-Inf	103.75	3	Horizontal	262	1.43	-	33.96	5.40	34.73
AV	5.582G	97.95	Inf	-Inf	93.32	3	Horizontal	262	1.43	-	33.96	5.40	34.73
PK	5.731G	66.67	68.20	-1.53	61.68	3	Horizontal	262	1.43	-	34.19	5.47	34.67

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_3TX

14/10/2020

### 5610MHz\_TX




EUT V\_3TX  
Setting 87  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2218G	52.99	74.00	-21.01	41.78	3	Vertical	236	2.21	-	38.32	7.73	34.84
AV	11.22204G	39.34	54.00	-14.66	28.13	3	Vertical	236	2.21	-	38.32	7.73	34.84
PK	16.82742G	60.59	68.20	-7.61	44.22	3	Vertical	249	1.90	-	40.83	9.59	34.05

802.11ac VHT80-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5610MHz\_TX



EUT V\_3TX  
Setting 87  
01-A-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21614G	52.91	74.00	-21.09	41.70	3	Horizontal	350	2.26	-	38.32	7.73	34.84
AV	11.21916G	39.25	54.00	-14.75	28.04	3	Horizontal	350	2.26	-	38.32	7.73	34.84
PK	16.83708G	60.83	68.20	-7.37	44.43	3	Horizontal	355	1.80	-	40.84	9.59	34.03



### 802.11ac VHT80-BF\_Nss1,(MCS0)\_3TX

14/10/2020

### 5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_3TX  
Setting 88  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	59.25	74.00	-14.75	54.97	3	Vertical	138	1.01	-	33.62	5.40	34.74
AV	5.4596G	46.13	54.00	-7.87	41.84	3	Vertical	138	1.01	-	33.64	5.40	34.75
PK	5.4632G	58.91	68.20	-9.29	54.61	3	Vertical	138	1.01	-	33.65	5.40	34.75
PK	5.7128G	113.36	Inf	-Inf	108.50	3	Vertical	138	1.01	-	34.08	5.46	34.68
AV	5.7032G	102.50	Inf	-Inf	97.71	3	Vertical	138	1.01	-	34.02	5.45	34.68
PK	5.8532G	68.08	68.20	-0.12	62.50	3	Vertical	138	1.01	-	34.71	5.50	34.63

802.11ac VHT80-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT V\_3TX  
Setting 88  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	60.13	74.00	-13.87	55.84	3	Horizontal	11	2.33	-	33.64	5.40	34.75
AV	5.4548G	45.55	54.00	-8.45	41.27	3	Horizontal	11	2.33	-	33.62	5.40	34.74
PK	5.4644G	60.37	68.20	-7.83	56.06	3	Horizontal	11	2.33	-	33.66	5.40	34.75
PK	5.7272G	113.00	Inf	-Inf	108.05	3	Horizontal	11	2.33	-	34.16	5.46	34.67
AV	5.7272G	104.45	Inf	-Inf	99.50	3	Horizontal	11	2.33	-	34.16	5.46	34.67
PK	5.8616G	68.14	68.20	-0.06	62.54	3	Horizontal	11	2.33	-	34.72	5.50	34.62

802.11ac VHT80-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT V\_3TX  
Setting 88  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3774G	54.15	74.00	-19.85	42.72	3	Vertical	359	1.20	-	38.48	7.78	34.83
AV	11.38326G	40.21	54.00	-13.79	28.78	3	Vertical	359	1.20	-	38.48	7.78	34.83
PK	17.0694G	63.30	68.20	-4.90	46.03	3	Vertical	128	1.47	-	41.34	9.67	33.74

802.11ac VHT80-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT V\_3TX  
Setting 88  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37952G	53.74	74.00	-20.26	42.31	3	Horizontal	246	2.90	-	38.48	7.78	34.83
AV	11.38348G	40.24	54.00	-13.76	28.81	3	Horizontal	246	2.90	-	38.48	7.78	34.83
PK	17.1098G	66.75	68.20	-1.45	49.40	3	Horizontal	28	2.59	-	41.43	9.69	33.77

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

14/10/2020

### 5260MHz\_TX




EUT Y\_2TX  
Setting 108  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.07	74.00	-7.93	62.83	3	Vertical	179	2.01	-	32.70	5.17	34.63
AV	5.15G	51.16	54.00	-2.84	47.92	3	Vertical	179	2.01	-	32.70	5.17	34.63
PK	5.2612G	124.05	Inf	-Inf	120.52	3	Vertical	179	2.01	-	32.94	5.26	34.67
AV	5.2606G	111.62	Inf	-Inf	108.09	3	Vertical	179	2.01	-	32.94	5.26	34.67
PK	5.353G	67.75	74.00	-6.25	64.00	3	Vertical	179	2.01	-	33.11	5.35	34.71
AV	5.3518G	52.57	54.00	-1.43	48.83	3	Vertical	179	2.01	-	33.10	5.35	34.71

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5260MHz\_TX




EUT Y\_2TX  
Setting 108  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1418G	57.27	74.00	-16.73	54.01	3	Horizontal	84	1.74	-	32.72	5.17	34.63
AV	5.149G	44.27	54.00	-9.73	41.03	3	Horizontal	84	1.74	-	32.70	5.17	34.63
PK	5.2558G	111.53	Inf	-Inf	108.02	3	Horizontal	84	1.74	-	32.92	5.26	34.67
AV	5.2558G	99.48	Inf	-Inf	95.97	3	Horizontal	84	1.74	-	32.92	5.26	34.67
PK	5.3512G	59.86	74.00	-14.14	56.12	3	Horizontal	84	1.74	-	33.10	5.35	34.71
AV	5.3512G	45.90	54.00	-8.10	42.16	3	Horizontal	84	1.74	-	33.10	5.35	34.71

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5260MHz\_TX




EUT Y\_2TX  
Setting 108  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51876G	52.53	68.20	-15.67	41.80	3	Vertical	28	1.80	-	38.50	7.48	35.25
PK	15.7671G	58.30	74.00	-15.70	45.77	3	Vertical	152	1.96	-	38.33	9.25	35.05
AV	15.7827G	45.18	54.00	-8.82	32.62	3	Vertical	152	1.96	-	38.37	9.26	35.07

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5260MHz\_TX



EUT Y\_2TX  
Setting 108  
01-A-K-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5282G	52.16	68.20	-16.04	41.43	3	Horizontal	27	1.80	-	38.50	7.48	35.25
PK	15.7877G	60.76	74.00	-13.24	48.19	3	Horizontal	130	1.79	-	38.38	9.26	35.07
AV	15.7827G	47.30	54.00	-6.70	34.74	3	Horizontal	130	1.79	-	38.37	9.26	35.07



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5300MHz\_TX




EUT Y\_2TX  
Setting 94  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2916G	119.80	Inf	-Inf	116.12	3	Vertical	1	1.87	-	33.07	5.29	34.68
AV	5.2928G	108.69	Inf	-Inf	105.02	3	Vertical	1	1.87	-	33.07	5.29	34.69
PK	5.35G	69.78	74.00	-4.22	66.04	3	Vertical	1	1.87	-	33.10	5.35	34.71
AV	5.35G	53.93	54.00	-0.07	50.19	3	Vertical	1	1.87	-	33.10	5.35	34.71

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5300MHz\_TX




EUT Y\_2TX  
Setting 94  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2972G	108.77	Inf	-Inf	105.07	3	Horizontal	297	1.79	-	33.09	5.30	34.69
AV	5.296G	98.25	Inf	-Inf	94.56	3	Horizontal	297	1.79	-	33.08	5.30	34.69
PK	5.3732G	57.20	74.00	-16.80	53.39	3	Horizontal	297	1.79	-	33.15	5.37	34.71
AV	5.3508G	44.31	54.00	-9.69	40.57	3	Horizontal	297	1.79	-	33.10	5.35	34.71

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5300MHz\_TX




EUT Y\_2TX  
Setting 94  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60151G	52.31	74.00	-21.69	41.48	3	Vertical	36	1.68	-	38.50	7.51	35.18
AV	10.602G	39.76	54.00	-14.24	28.93	3	Vertical	36	1.68	-	38.50	7.51	35.18
PK	15.89538G	60.12	74.00	-13.88	47.52	3	Vertical	107	1.76	-	38.50	9.28	35.18
AV	15.89972G	46.60	54.00	-7.40	34.01	3	Vertical	107	1.76	-	38.50	9.28	35.19

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5300MHz\_TX




EUT Y\_2TX  
Setting 94  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.608G	52.85	74.00	-21.15	42.02	3	Horizontal	262	2.58	-	38.50	7.51	35.18
AV	10.6031G	39.99	54.00	-14.01	29.16	3	Horizontal	262	2.58	-	38.50	7.51	35.18
PK	15.8998G	61.10	74.00	-12.90	48.51	3	Horizontal	129	2.56	-	38.50	9.28	35.19
AV	15.8953G	48.34	54.00	-5.66	35.74	3	Horizontal	129	2.56	-	38.50	9.28	35.18

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5320MHz\_TX




EUT Y\_2TX  
Setting 80  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.321G	118.14	Inf	-Inf	114.42	3	Vertical	174	2.05	-	33.10	5.32	34.70
AV	5.327G	105.46	Inf	-Inf	101.73	3	Vertical	174	2.05	-	33.10	5.33	34.70
PK	5.3534G	72.04	74.00	-1.96	68.29	3	Vertical	174	2.05	-	33.11	5.35	34.71
AV	5.35G	53.22	54.00	-0.78	49.48	3	Vertical	174	2.05	-	33.10	5.35	34.71

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5320MHz\_TX




EUT Y\_2TX  
Setting 80  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.321G	107.74	Inf	-Inf	104.02	3	Horizontal	82	1.80	-	33.10	5.32	34.70
AV	5.318G	94.38	Inf	-Inf	90.65	3	Horizontal	82	1.80	-	33.10	5.32	34.69
PK	5.35G	64.88	74.00	-9.12	61.14	3	Horizontal	82	1.80	-	33.10	5.35	34.71
AV	5.3502G	46.92	54.00	-7.08	43.18	3	Horizontal	82	1.80	-	33.10	5.35	34.71

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

14/10/2020

### 5320MHz\_TX




EUT Y\_2TX  
Setting 80  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6424G	52.62	74.00	-21.38	41.75	3	Vertical	193	2.88	-	38.50	7.52	35.15
AV	10.64004G	39.51	54.00	-14.49	28.64	3	Vertical	193	2.88	-	38.50	7.52	35.15
PK	15.9622G	58.27	74.00	-15.73	45.79	3	Vertical	238	1.93	-	38.44	9.29	35.25
AV	15.95827G	45.05	54.00	-8.95	32.57	3	Vertical	238	1.93	-	38.44	9.29	35.25

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5320MHz\_TX



EUT Y\_2TX  
Setting 80  
01-A-K-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63959G	53.25	74.00	-20.75	42.38	3	Horizontal	336	2.35	-	38.50	7.52	35.15
AV	10.63959G	39.67	54.00	-14.33	28.80	3	Horizontal	336	2.35	-	38.50	7.52	35.15
PK	15.935G	58.50	74.00	-15.50	45.96	3	Horizontal	230	1.80	-	38.47	9.29	35.22
AV	15.9423G	45.49	54.00	-8.51	32.97	3	Horizontal	230	1.80	-	38.46	9.29	35.23



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

### 5500MHz\_TX




EUT Y\_3TX  
Setting 73  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	61.15	74.00	-12.85	56.86	3	Vertical	82	1.22	-	33.64	5.40	34.75
AV	5.4546G	47.78	54.00	-6.22	43.50	3	Vertical	82	1.22	-	33.62	5.40	34.74
PK	5.47G	67.97	68.20	-0.23	63.64	3	Vertical	82	1.22	-	33.68	5.40	34.75
PK	5.4958G	117.32	Inf	-Inf	112.90	3	Vertical	82	1.22	-	33.78	5.40	34.76
AV	5.5046G	104.63	Inf	-Inf	100.18	3	Vertical	82	1.22	-	33.81	5.40	34.76

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5500MHz\_TX




EUT Y\_3TX  
Setting 73  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	58.60	74.00	-15.40	54.34	3	Horizontal	153	2.28	-	33.60	5.40	34.74
AV	5.4564G	46.15	54.00	-7.85	41.86	3	Horizontal	153	2.28	-	33.63	5.40	34.74
PK	5.4698G	61.48	68.20	-6.72	57.15	3	Horizontal	153	2.28	-	33.68	5.40	34.75
PK	5.5086G	115.83	Inf	-Inf	111.37	3	Horizontal	153	2.28	-	33.82	5.40	34.76
AV	5.509G	104.92	Inf	-Inf	100.46	3	Horizontal	153	2.28	-	33.82	5.40	34.76

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

### 5500MHz\_TX




EUT V\_3TX  
Setting 73  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99548G	53.16	74.00	-20.84	41.96	3	Vertical	320	1.53	-	38.40	7.65	34.85
AV	10.99676G	40.01	54.00	-13.99	28.81	3	Vertical	320	1.53	-	38.40	7.65	34.85
PK	16.5018G	62.36	68.20	-5.84	47.51	3	Vertical	29	1.93	-	40.10	9.48	34.73

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5500MHz\_TX




EUT V\_3TX  
Setting 73  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99822G	53.94	74.00	-20.06	42.74	3	Horizontal	131	1.00	-	38.40	7.65	34.85
AV	10.99662G	40.15	54.00	-13.85	28.95	3	Horizontal	131	1.00	-	38.40	7.65	34.85
PK	16.49952G	64.19	68.20	-4.01	49.35	3	Horizontal	340	2.39	-	40.10	9.47	34.73

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5580MHz\_TX




EUT Y\_3TX  
Setting 87  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4456G	59.63	74.00	-14.37	55.41	3	Vertical	202	1.17	-	33.56	5.40	34.74
AV	5.4456G	46.27	54.00	-7.73	42.05	3	Vertical	202	1.17	-	33.56	5.40	34.74
PK	5.4608G	57.88	68.20	-10.32	53.59	3	Vertical	202	1.17	-	33.64	5.40	34.75
PK	5.588G	118.97	Inf	-Inf	114.32	3	Vertical	202	1.17	-	33.98	5.40	34.73
AV	5.5832G	106.34	Inf	-Inf	101.70	3	Vertical	202	1.17	-	33.97	5.40	34.73
PK	5.7648G	59.30	68.20	-8.90	54.18	3	Vertical	202	1.17	-	34.30	5.48	34.66

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5580MHz\_TX




EUT Y\_3TX  
Setting 87  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4288G	57.47	74.00	-16.53	53.37	3	Horizontal	132	1.80	-	33.43	5.40	34.73
AV	5.4424G	45.47	54.00	-8.53	41.27	3	Horizontal	132	1.80	-	33.54	5.40	34.74
PK	5.4632G	58.10	68.20	-10.10	53.80	3	Horizontal	132	1.80	-	33.65	5.40	34.75
PK	5.572G	116.87	Inf	-Inf	112.26	3	Horizontal	132	1.80	-	33.94	5.40	34.73
AV	5.572G	106.03	Inf	-Inf	101.42	3	Horizontal	132	1.80	-	33.94	5.40	34.73
PK	5.7728G	59.47	68.20	-8.73	54.34	3	Horizontal	132	1.80	-	34.30	5.49	34.66

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5580MHz\_TX




EUT V\_3TX  
Setting 87  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16358G	53.07	74.00	-20.93	41.90	3	Vertical	49	1.78	-	38.30	7.71	34.84
AV	11.15546G	39.79	54.00	-14.21	28.63	3	Vertical	49	1.78	-	38.30	7.70	34.84
PK	16.7406G	64.16	68.20	-4.04	48.21	3	Vertical	14	1.93	-	40.62	9.56	34.23

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5580MHz\_TX



EUT V\_3TX  
Setting 87  
01-A-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1542G	52.58	74.00	-21.42	41.42	3	Horizontal	179	1.68	-	38.30	7.70	34.84
AV	11.1605G	39.84	54.00	-14.16	28.67	3	Horizontal	179	1.68	-	38.30	7.71	34.84
PK	16.7359G	67.92	68.20	-0.28	51.99	3	Horizontal	357	1.92	-	40.61	9.56	34.24



802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5620MHz\_TX




EUT Y\_3TX  
Setting 87  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6176G	117.34	Inf	-Inf	112.58	3	Vertical	200	1.60	-	34.07	5.41	34.72
AV	5.614G	104.61	Inf	-Inf	99.86	3	Vertical	200	1.60	-	34.06	5.41	34.72
PK	5.7274G	59.96	68.20	-8.24	55.01	3	Vertical	200	1.60	-	34.16	5.46	34.67

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5620MHz\_TX




EUT Y\_3TX  
Setting 87  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6272G	116.83	Inf	-Inf	112.02	3	Horizontal	64	1.75	-	34.11	5.41	34.71
AV	5.629G	106.02	Inf	-Inf	101.20	3	Horizontal	64	1.75	-	34.12	5.41	34.71
PK	5.7292G	60.16	68.20	-8.04	55.19	3	Horizontal	64	1.75	-	34.18	5.46	34.67

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5620MHz\_TX




EUT V\_3TX  
Setting 87  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2407G	53.13	74.00	-20.87	41.90	3	Vertical	309	2.17	-	38.34	7.73	34.84
AV	11.24464G	39.79	54.00	-14.21	28.55	3	Vertical	309	2.17	-	38.34	7.74	34.84
PK	16.8557G	63.45	68.20	-4.75	46.98	3	Vertical	239	1.92	-	40.86	9.60	33.99

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5620MHz\_TX




EUT V\_3TX  
Setting 87  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.24226G	52.52	74.00	-21.48	41.29	3	Horizontal	226	2.88	-	38.34	7.73	34.84
AV	11.23896G	39.94	54.00	-14.06	28.71	3	Horizontal	226	2.88	-	38.34	7.73	34.84
PK	16.8605G	67.92	68.20	-0.28	51.44	3	Horizontal	325	1.95	-	40.86	9.60	33.98

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

### 5700MHz\_TX




EUT Y\_3TX  
Setting 64  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6958G	113.27	Inf	-Inf	108.49	3	Vertical	201	1.31	-	34.02	5.45	34.69
AV	5.702G	99.91	Inf	-Inf	95.13	3	Vertical	201	1.31	-	34.01	5.45	34.68
PK	5.7258G	61.88	68.20	-6.32	56.94	3	Vertical	201	1.31	-	34.15	5.46	34.67

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5700MHz\_TX




EUT Y\_3TX  
Setting 64  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7082G	112.84	Inf	-Inf	108.02	3	Horizontal	158	1.54	-	34.05	5.45	34.68
AV	5.7092G	102.10	Inf	-Inf	97.27	3	Horizontal	158	1.54	-	34.06	5.45	34.68
PK	5.7262G	67.83	68.20	-0.37	62.88	3	Horizontal	158	1.54	-	34.16	5.46	34.67

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5700MHz\_TX




EUT V\_3TX  
Setting 64  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39676G	52.61	74.00	-21.39	41.15	3	Vertical	134	1.55	-	38.50	7.79	34.83
AV	11.39802G	39.89	54.00	-14.11	28.43	3	Vertical	134	1.55	-	38.50	7.79	34.83
PK	17.09708G	62.13	68.20	-6.07	44.82	3	Vertical	260	2.15	-	41.39	9.68	33.76

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5700MHz\_TX



EUT V\_3TX  
Setting 64  
01-A-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39544G	52.97	74.00	-21.03	41.51	3	Horizontal	154	1.12	-	38.50	7.79	34.83
AV	11.39704G	39.57	54.00	-14.43	28.11	3	Horizontal	154	1.12	-	38.50	7.79	34.83
PK	17.10428G	62.49	68.20	-5.71	45.16	3	Horizontal	323	1.23	-	41.41	9.69	33.77



802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_3TX  
Setting 78  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.716G	116.60	Inf	-Inf	111.72	3	Vertical	201	1.21	-	34.10	5.46	34.68
AV	5.7248G	103.97	Inf	-Inf	99.03	3	Vertical	201	1.21	-	34.15	5.46	34.67
PK	5.88G	60.08	68.20	-8.12	54.44	3	Vertical	201	1.21	-	34.76	5.50	34.62

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_3TX  
Setting 78  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7296G	118.46	Inf	-Inf	113.49	3	Horizontal	359	2.50	-	34.18	5.46	34.67
AV	5.7288G	108.66	Inf	-Inf	103.70	3	Horizontal	359	2.50	-	34.17	5.46	34.67
PK	5.8792G	59.27	68.20	-8.93	53.63	3	Horizontal	359	2.50	-	34.76	5.50	34.62

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT V\_3TX  
Setting 78  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4358G	54.35	74.00	-19.65	42.92	3	Vertical	219	1.35	-	38.46	7.80	34.83
AV	11.4352G	40.63	54.00	-13.37	29.20	3	Vertical	219	1.35	-	38.46	7.80	34.83
PK	17.15888G	63.55	68.20	-4.65	46.06	3	Vertical	25	1.80	-	41.58	9.71	33.80

802.11ax HEW20-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_3TX  
Setting 78  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.429G	53.92	74.00	-20.08	42.48	3	Horizontal	251	2.77	-	38.47	7.80	34.83
AV	11.4322G	41.36	54.00	-12.64	29.92	3	Horizontal	251	2.77	-	38.47	7.80	34.83
PK	17.182G	68.02	68.20	-0.18	50.48	3	Horizontal	19	2.55	-	41.65	9.71	33.82

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

14/10/2020

### 5270MHz\_TX




EUT Y\_2TX  
Setting 92  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.58	74.00	-8.42	62.34	3	Vertical	63	1.80	-	32.70	5.17	34.63
AV	5.15G	49.82	54.00	-4.18	46.58	3	Vertical	63	1.80	-	32.70	5.17	34.63
PK	5.2568G	119.16	Inf	-Inf	115.64	3	Vertical	63	1.80	-	32.93	5.26	34.67
AV	5.2664G	106.00	Inf	-Inf	102.44	3	Vertical	63	1.80	-	32.97	5.27	34.68
PK	5.351G	68.76	74.00	-5.24	65.02	3	Vertical	63	1.80	-	33.10	5.35	34.71
AV	5.3504G	53.73	54.00	-0.27	49.99	3	Vertical	63	1.80	-	33.10	5.35	34.71

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5270MHz\_TX




EUT Y\_2TX  
Setting 92  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	57.46	74.00	-16.54	54.22	3	Horizontal	79	2.70	-	32.70	5.17	34.63
AV	5.1488G	44.41	54.00	-9.59	41.17	3	Horizontal	79	2.70	-	32.70	5.17	34.63
PK	5.267G	108.45	Inf	-Inf	104.89	3	Horizontal	79	2.70	-	32.97	5.27	34.68
AV	5.2748G	92.87	Inf	-Inf	89.28	3	Horizontal	79	2.70	-	33.00	5.27	34.68
PK	5.351G	61.18	74.00	-12.82	57.44	3	Horizontal	79	2.70	-	33.10	5.35	34.71
AV	5.3522G	48.21	54.00	-5.79	44.47	3	Horizontal	79	2.70	-	33.10	5.35	34.71

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5270MHz\_TX




EUT Y\_2TX  
Setting 92  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81196G	56.59	74.00	-17.41	44.02	3	Vertical	255	2.23	-	38.41	9.26	35.10
AV	15.81236G	43.26	54.00	-10.74	30.69	3	Vertical	255	2.23	-	38.41	9.26	35.10

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5270MHz\_TX



EUT Y\_2TX  
Setting 92  
01-A-K-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81002G	57.94	74.00	-16.06	45.37	3	Horizontal	128	2.06	-	38.41	9.26	35.10
AV	15.80964G	44.52	54.00	-9.48	31.95	3	Horizontal	128	2.06	-	38.41	9.26	35.10



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

14/10/2020

### 5310MHz\_TX




EUT Y\_2TX  
Setting 67  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2968G	111.72	Inf	-Inf	108.02	3	Vertical	173	1.79	-	33.09	5.30	34.69
AV	5.316G	98.27	Inf	-Inf	94.54	3	Vertical	173	1.79	-	33.10	5.32	34.69
PK	5.35G	73.32	74.00	-0.68	69.58	3	Vertical	173	1.79	-	33.10	5.35	34.71
AV	5.35G	53.76	54.00	-0.24	50.02	3	Vertical	173	1.79	-	33.10	5.35	34.71

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5310MHz\_TX




EUT Y\_2TX  
Setting 67  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.296G	99.07	Inf	-Inf	95.38	3	Horizontal	106	2.68	-	33.08	5.30	34.69
AV	5.3076G	86.67	Inf	-Inf	82.95	3	Horizontal	106	2.68	-	33.10	5.31	34.69
PK	5.3588G	58.84	74.00	-15.16	55.07	3	Horizontal	106	2.68	-	33.12	5.36	34.71
AV	5.3524G	44.43	54.00	-9.57	40.69	3	Horizontal	106	2.68	-	33.10	5.35	34.71

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5310MHz\_TX




EUT Y\_2TX  
Setting 67  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62171G	52.19	74.00	-21.81	41.34	3	Vertical	87	1.76	-	38.50	7.52	35.17
AV	10.6199G	38.63	54.00	-15.37	27.78	3	Vertical	87	1.76	-	38.50	7.52	35.17
PK	15.93078G	58.27	74.00	-15.73	45.73	3	Vertical	17	1.34	-	38.47	9.29	35.22
AV	15.93046G	44.47	54.00	-9.53	31.93	3	Vertical	17	1.34	-	38.47	9.29	35.22

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5310MHz\_TX




EUT Y\_2TX  
Setting 67  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61861G	53.04	74.00	-20.96	42.19	3	Horizontal	10	2.51	-	38.50	7.52	35.17
AV	10.61964G	38.92	54.00	-15.08	28.07	3	Horizontal	10	2.51	-	38.50	7.52	35.17
PK	15.93185G	58.12	74.00	-15.88	45.58	3	Horizontal	208	2.39	-	38.47	9.29	35.22
AV	15.93081G	44.68	54.00	-9.32	32.14	3	Horizontal	208	2.39	-	38.47	9.29	35.22

802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5510MHz\_TX




EUT Y\_3TX  
Setting 64  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	61.07	74.00	-12.93	56.78	3	Vertical	72	1.00	-	33.64	5.40	34.75
AV	5.46G	47.74	54.00	-6.26	43.45	3	Vertical	72	1.00	-	33.64	5.40	34.75
PK	5.4692G	67.92	68.20	-0.28	63.59	3	Vertical	72	1.00	-	33.68	5.40	34.75
PK	5.5128G	111.79	Inf	-Inf	107.32	3	Vertical	72	1.00	-	33.83	5.40	34.76
AV	5.5244G	99.55	Inf	-Inf	95.05	3	Vertical	72	1.00	-	33.85	5.40	34.75

802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5510MHz\_TX




EUT Y\_3TX  
Setting 64  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4444G	58.12	74.00	-15.88	53.90	3	Horizontal	61	1.80	-	33.56	5.40	34.74
PK	5.4668G	61.66	68.20	-6.54	57.34	3	Horizontal	61	1.80	-	33.67	5.40	34.75
AV	5.4588G	45.20	54.00	-8.80	40.91	3	Horizontal	61	1.80	-	33.64	5.40	34.75
PK	5.5196G	107.20	Inf	-Inf	102.71	3	Horizontal	61	1.80	-	33.84	5.40	34.75
AV	5.5212G	94.88	Inf	-Inf	90.39	3	Horizontal	61	1.80	-	33.84	5.40	34.75

802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5510MHz\_TX




EUT V\_3TX  
Setting 64  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02232G	51.97	74.00	-22.03	40.78	3	Vertical	192	1.91	-	38.38	7.66	34.85
AV	11.02078G	38.61	54.00	-15.39	27.42	3	Vertical	192	1.91	-	38.38	7.66	34.85
PK	16.52526G	60.05	68.20	-8.15	45.18	3	Vertical	292	1.44	-	40.07	9.48	34.68

802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5510MHz\_TX



EUT V\_3TX  
Setting 64  
01-A-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0201G	52.45	74.00	-21.55	41.26	3	Horizontal	176	2.78	-	38.38	7.66	34.85
AV	11.01706G	38.56	54.00	-15.44	27.37	3	Horizontal	176	2.78	-	38.38	7.66	34.85
PK	16.52968G	61.11	68.20	-7.09	46.22	3	Horizontal	322	1.33	-	40.07	9.49	34.67



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

### 5550MHz\_TX




EUT Y\_3TX  
Setting 90  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	65.05	74.00	-8.95	60.76	3	Vertical	202	1.01	-	33.63	5.40	34.74
AV	5.46G	50.11	54.00	-3.89	45.82	3	Vertical	202	1.01	-	33.64	5.40	34.75
PK	5.469G	67.92	68.20	-0.28	63.59	3	Vertical	202	1.01	-	33.68	5.40	34.75
PK	5.5488G	117.45	Inf	-Inf	112.89	3	Vertical	202	1.01	-	33.90	5.40	34.74
AV	5.547G	104.78	Inf	-Inf	100.23	3	Vertical	202	1.01	-	33.89	5.40	34.74

802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5550MHz\_TX




EUT Y\_3TX  
Setting 90  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4474G	59.45	74.00	-14.55	55.21	3	Horizontal	260	1.41	-	33.58	5.40	34.74
AV	5.4432G	46.76	54.00	-7.24	42.55	3	Horizontal	260	1.41	-	33.55	5.40	34.74
PK	5.4678G	62.31	68.20	-5.89	57.99	3	Horizontal	260	1.41	-	33.67	5.40	34.75
PK	5.544G	116.72	Inf	-Inf	112.17	3	Horizontal	260	1.41	-	33.89	5.40	34.74
AV	5.5434G	105.28	Inf	-Inf	100.73	3	Horizontal	260	1.41	-	33.89	5.40	34.74

802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5550MHz\_TX




EUT V\_3TX  
Setting 90  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10416G	53.22	74.00	-20.78	42.08	3	Vertical	190	1.32	-	38.30	7.69	34.85
AV	11.09564G	39.00	54.00	-15.00	27.87	3	Vertical	190	1.32	-	38.30	7.68	34.85
PK	16.64782G	63.03	68.20	-5.17	47.68	3	Vertical	112	1.43	-	40.24	9.53	34.42

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

### 5550MHz\_TX




EUT V\_3TX  
Setting 90  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1008G	52.74	74.00	-21.26	41.60	3	Horizontal	241	1.22	-	38.30	7.69	34.85
AV	11.10972G	39.15	54.00	-14.85	28.01	3	Horizontal	241	1.22	-	38.30	7.69	34.85
PK	16.6552G	64.00	68.20	-4.20	48.60	3	Horizontal	278	2.61	-	40.28	9.53	34.41

802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5630MHz\_TX




EUT\_V\_3TX  
Setting 90  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6294G	117.23	Inf	-Inf	112.41	3	Vertical	201	1.18	-	34.12	5.41	34.71
AV	5.6282G	103.91	Inf	-Inf	99.10	3	Vertical	201	1.18	-	34.11	5.41	34.71
PK	5.726G	67.82	68.20	-0.38	62.87	3	Vertical	201	1.18	-	34.16	5.46	34.67

802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5630MHz\_TX




EUT Y\_3TX  
Setting 90  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6132G	116.68	Inf	-Inf	111.94	3	Horizontal	49	1.50	-	34.05	5.41	34.72
AV	5.612G	105.02	Inf	-Inf	100.28	3	Horizontal	49	1.50	-	34.05	5.41	34.72
PK	5.7296G	61.72	68.20	-6.48	56.75	3	Horizontal	49	1.50	-	34.18	5.46	34.67

802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5630MHz\_TX




EUT Y\_3TX  
Setting 90  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2546G	53.08	74.00	-20.92	41.83	3	Vertical	130	1.94	-	38.35	7.74	34.84
AV	11.27404G	39.47	54.00	-14.53	28.19	3	Vertical	130	1.94	-	38.37	7.75	34.84
PK	16.87614G	63.08	68.20	-5.12	46.54	3	Vertical	358	1.93	-	40.88	9.61	33.95

802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5630MHz\_TX



EUT V\_3TX  
Setting 90  
01-A-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.25706G	52.84	74.00	-21.16	41.58	3	Horizontal	53	1.11	-	38.36	7.74	34.84
AV	11.25934G	39.60	54.00	-14.40	28.34	3	Horizontal	53	1.11	-	38.36	7.74	34.84
PK	16.8993G	67.51	68.20	-0.69	50.90	3	Horizontal	326	1.92	-	40.90	9.61	33.90



802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5670MHz\_TX




EUT\_V\_3TX  
Setting 79  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6636G	115.13	Inf	-Inf	110.25	3	Vertical	89	1.00	-	34.15	5.43	34.70
AV	5.6612G	101.82	Inf	-Inf	96.93	3	Vertical	89	1.00	-	34.16	5.43	34.70
PK	5.7252G	68.13	68.20	-0.07	63.19	3	Vertical	89	1.00	-	34.15	5.46	34.67

802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5670MHz\_TX




EUT Y\_3TX  
Setting 79  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.684G	115.13	Inf	-Inf	110.32	3	Horizontal	43	1.69	-	34.06	5.44	34.69
AV	5.6868G	102.57	Inf	-Inf	97.77	3	Horizontal	43	1.69	-	34.05	5.44	34.69
PK	5.7252G	67.36	68.20	-0.84	62.42	3	Horizontal	43	1.69	-	34.15	5.46	34.67

802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5670MHz\_TX




EUT Y\_3TX  
Setting 79  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3369G	53.45	74.00	-20.55	42.08	3	Vertical	106	2.08	-	38.44	7.77	34.84
AV	11.34006G	39.09	54.00	-14.91	27.72	3	Vertical	106	2.08	-	38.44	7.77	34.84
PK	17.0119G	62.06	68.20	-6.14	44.89	3	Vertical	138	2.88	-	41.22	9.65	33.70

802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5670MHz\_TX




EUT V\_3TX  
Setting 79  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3394G	52.92	74.00	-21.08	41.55	3	Horizontal	68	2.78	-	38.44	7.77	34.84
AV	11.3402G	39.41	54.00	-14.59	28.04	3	Horizontal	68	2.78	-	38.44	7.77	34.84
PK	17.0074G	61.84	68.20	-6.36	44.68	3	Horizontal	92	1.16	-	41.21	9.65	33.70

802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_3TX  
Setting 81  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4256G	58.49	74.00	-15.51	54.42	3	Vertical	77	1.19	-	33.40	5.40	34.73
AV	5.4424G	45.32	54.00	-8.68	41.12	3	Vertical	77	1.19	-	33.54	5.40	34.74
PK	5.4628G	57.96	68.20	-10.24	53.66	3	Vertical	77	1.19	-	33.65	5.40	34.75
PK	5.7148G	115.89	Inf	-Inf	111.02	3	Vertical	77	1.19	-	34.09	5.46	34.68
AV	5.7064G	102.75	Inf	-Inf	97.94	3	Vertical	77	1.19	-	34.04	5.45	34.68
PK	5.8588G	61.37	68.20	-6.83	55.77	3	Vertical	77	1.19	-	34.72	5.50	34.62

802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_3TX  
Setting 81  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	58.53	74.00	-15.47	54.24	3	Horizontal	0	1.18	-	33.64	5.40	34.75
AV	5.4568G	45.11	54.00	-8.89	40.82	3	Horizontal	0	1.18	-	33.63	5.40	34.74
PK	5.4652G	57.14	68.20	-11.06	52.83	3	Horizontal	0	1.18	-	33.66	5.40	34.75
PK	5.728G	113.36	Inf	-Inf	108.40	3	Horizontal	0	1.18	-	34.17	5.46	34.67
AV	5.728G	101.63	Inf	-Inf	96.67	3	Horizontal	0	1.18	-	34.17	5.46	34.67
PK	5.8612G	60.54	68.20	-7.66	54.94	3	Horizontal	0	1.18	-	34.72	5.50	34.62

802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT V\_3TX  
Setting 81  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4193G	53.21	74.00	-20.79	41.76	3	Vertical	62	2.29	-	38.48	7.80	34.83
AV	11.42498G	39.30	54.00	-14.70	27.85	3	Vertical	62	2.29	-	38.48	7.80	34.83
PK	17.1896G	64.17	68.20	-4.03	46.61	3	Vertical	119	1.79	-	41.67	9.72	33.83

802.11ax HEW40-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5710MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_3TX  
Setting 81  
01-A-K-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4089G	53.05	74.00	-20.95	41.60	3	Horizontal	142	1.80	-	38.49	7.79	34.83
AV	11.4382G	39.52	54.00	-14.48	28.09	3	Horizontal	142	1.80	-	38.46	7.80	34.83
PK	17.1663G	67.62	68.20	-0.58	50.12	3	Horizontal	21	1.94	-	41.60	9.71	33.81



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5290MHz\_TX




EUT Y\_2TX  
Setting 67  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.12G	59.49	74.00	-14.51	56.19	3	Vertical	357	1.80	-	32.76	5.16	34.62
AV	5.149G	46.26	54.00	-7.74	43.02	3	Vertical	357	1.80	-	32.70	5.17	34.63
PK	5.255G	110.02	Inf	-Inf	106.52	3	Vertical	357	1.80	-	32.92	5.25	34.67
AV	5.275G	96.70	Inf	-Inf	93.10	3	Vertical	357	1.80	-	33.00	5.28	34.68
PK	5.356G	70.97	74.00	-3.03	67.21	3	Vertical	357	1.80	-	33.11	5.36	34.71
AV	5.35G	53.84	54.00	-0.16	50.10	3	Vertical	357	1.80	-	33.10	5.35	34.71
PK	5.527G	58.35	68.20	-9.85	53.85	3	Vertical	357	1.80	-	33.85	5.40	34.75

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

14/10/2020

### 5290MHz\_TX




EUT Y\_2TX  
Setting 67  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.061G	57.70	74.00	-16.30	54.45	3	Horizontal	77	2.43	-	32.72	5.13	34.60
AV	5.114G	43.37	54.00	-10.63	40.06	3	Horizontal	77	2.43	-	32.77	5.16	34.62
PK	5.285G	98.51	Inf	-Inf	94.86	3	Horizontal	77	2.43	-	33.04	5.29	34.68
AV	5.278G	85.51	Inf	-Inf	81.90	3	Horizontal	77	2.43	-	33.01	5.28	34.68
PK	5.358G	62.95	74.00	-11.05	59.18	3	Horizontal	77	2.43	-	33.12	5.36	34.71
AV	5.357G	46.90	54.00	-7.10	43.14	3	Horizontal	77	2.43	-	33.11	5.36	34.71
PK	5.492G	57.79	68.20	-10.41	53.38	3	Horizontal	77	2.43	-	33.77	5.40	34.76

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5290MHz\_TX




EUT Y\_2TX  
Setting 67  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87212G	57.09	74.00	-16.91	44.51	3	Vertical	357	1.90	-	38.47	9.27	35.16
AV	15.87042G	43.55	54.00	-10.45	30.97	3	Vertical	357	1.90	-	38.47	9.27	35.16

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

14/10/2020

5290MHz\_TX




EUT Y\_2TX  
Setting 67  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86973G	57.34	74.00	-16.66	44.76	3	Horizontal	121	2.46	-	38.47	9.27	35.16
AV	15.87039G	43.67	54.00	-10.33	31.09	3	Horizontal	121	2.46	-	38.47	9.27	35.16

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_3TX

14/10/2020

### 5530MHz\_TX




EUT Y\_3TX  
Setting 66  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.335G	56.94	68.20	-11.26	53.20	3	Vertical	69	1.04	-	33.10	5.34	34.70
PK	5.459G	65.16	74.00	-8.84	60.87	3	Vertical	69	1.04	-	33.64	5.40	34.75
AV	5.46G	50.41	54.00	-3.59	46.12	3	Vertical	69	1.04	-	33.64	5.40	34.75
PK	5.467G	68.03	68.20	-0.17	63.71	3	Vertical	69	1.04	-	33.67	5.40	34.75
PK	5.515G	110.11	Inf	-Inf	105.63	3	Vertical	69	1.04	-	33.83	5.40	34.75
AV	5.516G	96.57	Inf	-Inf	92.09	3	Vertical	69	1.04	-	33.83	5.40	34.75
PK	5.725G	60.58	68.20	-7.62	55.64	3	Vertical	69	1.04	-	34.15	5.46	34.67

802.11ax HEW80-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5530MHz\_TX




EUT Y\_3TX  
Setting 66  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	57.60	68.20	-10.60	53.90	3	Horizontal	154	1.80	-	33.09	5.30	34.69
PK	5.453G	60.15	74.00	-13.85	55.88	3	Horizontal	154	1.80	-	33.61	5.40	34.74
AV	5.459G	46.13	54.00	-7.87	41.84	3	Horizontal	154	1.80	-	33.64	5.40	34.75
PK	5.467G	61.78	68.20	-6.42	57.46	3	Horizontal	154	1.80	-	33.67	5.40	34.75
PK	5.542G	107.85	Inf	-Inf	103.31	3	Horizontal	154	1.80	-	33.88	5.40	34.74
AV	5.54G	95.72	Inf	-Inf	91.18	3	Horizontal	154	1.80	-	33.88	5.40	34.74
PK	5.772G	60.13	68.20	-8.07	55.00	3	Horizontal	154	1.80	-	34.30	5.49	34.66

802.11ax HEW80-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5530MHz\_TX




EUT V\_3TX  
Setting 66  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05913G	52.82	74.00	-21.18	41.66	3	Vertical	114	1.54	-	38.34	7.67	34.85
AV	11.05817G	39.23	54.00	-14.77	28.07	3	Vertical	114	1.54	-	38.34	7.67	34.85
PK	16.58775G	61.11	68.20	-7.09	46.14	3	Vertical	290	2.87	-	40.01	9.51	34.55

802.11ax HEW80-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5530MHz\_TX



EUT V\_3TX  
Setting 66  
01-A-K-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06242G	53.40	74.00	-20.60	42.24	3	Horizontal	80	1.76	-	38.34	7.67	34.85
AV	11.06074G	39.21	54.00	-14.79	28.05	3	Horizontal	80	1.76	-	38.34	7.67	34.85
PK	16.58972G	61.30	68.20	-6.90	46.32	3	Horizontal	70	1.29	-	40.01	9.51	34.54



802.11ax HEW80-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5610MHz\_TX




EUT V\_3TX  
Setting 83  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	61.21	74.00	-12.79	56.92	3	Vertical	35	1.11	-	33.63	5.40	34.74
AV	5.457G	46.91	54.00	-7.09	42.62	3	Vertical	35	1.11	-	33.63	5.40	34.74
PK	5.469G	60.83	68.20	-7.37	56.50	3	Vertical	35	1.11	-	33.68	5.40	34.75
PK	5.624G	112.77	Inf	-Inf	107.97	3	Vertical	35	1.11	-	34.10	5.41	34.71
AV	5.619G	100.13	Inf	-Inf	95.35	3	Vertical	35	1.11	-	34.08	5.41	34.71
PK	5.73G	67.92	68.20	-0.28	62.95	3	Vertical	35	1.11	-	34.18	5.46	34.67

802.11ax HEW80-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5610MHz\_TX




EUT Y\_3TX  
Setting 83  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	59.73	74.00	-14.27	55.44	3	Horizontal	196	1.53	-	33.64	5.40	34.75
AV	5.457G	46.13	54.00	-7.87	41.84	3	Horizontal	196	1.53	-	33.63	5.40	34.74
PK	5.466G	58.46	68.20	-9.74	54.15	3	Horizontal	196	1.53	-	33.66	5.40	34.75
PK	5.613G	110.10	Inf	-Inf	105.36	3	Horizontal	196	1.53	-	34.05	5.41	34.72
AV	5.603G	99.02	Inf	-Inf	94.33	3	Horizontal	196	1.53	-	34.01	5.40	34.72
PK	5.738G	65.10	68.20	-3.10	60.07	3	Horizontal	196	1.53	-	34.23	5.47	34.67

802.11ax HEW80-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5610MHz\_TX




EUT V\_3TX  
Setting 83  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22G	52.30	74.00	-21.70	41.09	3	Vertical	252	2.58	-	38.32	7.73	34.84
AV	11.2111G	39.11	54.00	-14.89	27.92	3	Vertical	252	2.58	-	38.31	7.72	34.84
PK	16.8387G	61.54	68.20	-6.66	45.14	3	Vertical	306	1.80	-	40.84	9.59	34.03

802.11ax HEW80-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5610MHz\_TX




EUT V\_3TX  
Setting 83  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22234G	53.25	74.00	-20.75	42.04	3	Horizontal	314	1.75	-	38.32	7.73	34.84
AV	11.21768G	38.90	54.00	-15.10	27.69	3	Horizontal	314	1.75	-	38.32	7.73	34.84
PK	16.8396G	61.31	68.20	-6.89	44.90	3	Horizontal	328	2.26	-	40.84	9.59	34.02

802.11ax HEW80-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT V\_3TX  
Setting 82  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	59.48	74.00	-14.52	55.20	3	Vertical	132	1.15	-	33.63	5.40	34.75
AV	5.4584G	46.11	54.00	-7.89	41.83	3	Vertical	132	1.15	-	33.63	5.40	34.75
PK	5.4608G	58.25	68.20	-9.95	53.96	3	Vertical	132	1.15	-	33.64	5.40	34.75
PK	5.72G	114.38	Inf	-Inf	109.48	3	Vertical	132	1.15	-	34.12	5.46	34.68
AV	5.7188G	101.86	Inf	-Inf	96.97	3	Vertical	132	1.15	-	34.11	5.46	34.68
PK	5.8628G	64.57	68.20	-3.63	58.96	3	Vertical	132	1.15	-	34.73	5.50	34.62

802.11ax HEW80-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT V\_3TX  
Setting 82  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4428G	59.25	74.00	-14.75	55.05	3	Horizontal	11	2.75	-	33.54	5.40	34.74
PK	5.47G	58.34	68.20	-9.86	54.01	3	Horizontal	11	2.75	-	33.68	5.40	34.75
AV	5.4572G	45.60	54.00	-8.40	41.31	3	Horizontal	11	2.75	-	33.63	5.40	34.74
PK	5.7272G	115.08	Inf	-Inf	110.13	3	Horizontal	11	2.75	-	34.16	5.46	34.67
AV	5.7272G	102.02	Inf	-Inf	97.07	3	Horizontal	11	2.75	-	34.16	5.46	34.67
PK	5.8568G	68.12	68.20	-0.08	62.53	3	Horizontal	11	2.75	-	34.71	5.50	34.62

802.11ax HEW80-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT V\_3TX  
Setting 82  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38234G	52.70	74.00	-21.30	41.27	3	Vertical	199	1.57	-	38.48	7.78	34.83
AV	11.38127G	39.15	54.00	-14.85	27.72	3	Vertical	199	1.57	-	38.48	7.78	34.83
PK	17.07245G	63.37	68.20	-4.83	46.09	3	Vertical	177	1.00	-	41.34	9.68	33.74

802.11ax HEW80-BF\_Nss1,(MCS0)\_3TX

14/10/2020

5690MHz Straddle 5.47-5.725GHz\_TX



EUT V\_3TX  
Setting 82  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38115G	52.71	74.00	-21.29	41.28	3	Horizontal	311	2.03	-	38.48	7.78	34.83
AV	11.38099G	39.23	54.00	-14.77	27.80	3	Horizontal	311	2.03	-	38.48	7.78	34.83
PK	17.1057G	64.16	68.20	-4.04	46.82	3	Horizontal	11	2.65	-	41.42	9.69	33.77






**Mode 11, Beamforming mode: 5GHz Band 3 3T2S Beamforming  
Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss2,(MCS0)_3TX	Pass	PK	5.4636G	68.14	68.20	-0.06	3	Horizontal	59	1.84	-

802.11ac VHT20-BF\_Nss2,(MCS0)\_3TX

16/10/2020

5500MHz\_TX




EUT Y\_3TX  
Setting 76  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	63.30	74.00	-10.70	59.01	3	Vertical	198	1.45	-	33.64	5.40	34.75
AV	5.459G	47.52	54.00	-6.48	43.23	3	Vertical	198	1.45	-	33.64	5.40	34.75
PK	5.469G	67.56	68.20	-0.64	63.23	3	Vertical	198	1.45	-	33.68	5.40	34.75
PK	5.5052G	113.80	Inf	-Inf	109.35	3	Vertical	198	1.45	-	33.81	5.40	34.76
AV	5.4978G	103.39	Inf	-Inf	98.96	3	Vertical	198	1.45	-	33.79	5.40	34.76

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_3TX

16/10/2020

### 5500MHz\_TX




EUT Y\_3TX  
Setting 76  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	59.25	74.00	-14.75	54.96	3	Horizontal	47	1.79	-	33.64	5.40	34.75
AV	5.452G	46.26	54.00	-7.74	41.99	3	Horizontal	47	1.79	-	33.61	5.40	34.74
PK	5.4686G	63.07	68.20	-5.13	58.75	3	Horizontal	47	1.79	-	33.67	5.40	34.75
PK	5.4934G	113.79	Inf	-Inf	109.38	3	Horizontal	47	1.79	-	33.77	5.40	34.76
AV	5.493G	101.88	Inf	-Inf	97.47	3	Horizontal	47	1.79	-	33.77	5.40	34.76

802.11ac VHT20-BF\_Nss2,(MCS0)\_3TX

16/10/2020

5500MHz\_TX




EUT Y\_3TX  
Setting 76  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00197G	52.73	74.00	-21.27	41.53	3	Vertical	229	1.96	-	38.40	7.65	34.85
AV	11.00129G	39.14	54.00	-14.86	27.94	3	Vertical	229	1.96	-	38.40	7.65	34.85
PK	16.49777G	61.31	68.20	-6.89	46.48	3	Vertical	128	2.97	-	40.09	9.47	34.73

802.11ac VHT20-BF\_Nss2,(MCS0)\_3TX

16/10/2020

5500MHz\_TX




EUT Y\_3TX  
Setting 76  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99841G	52.59	74.00	-21.41	41.39	3	Horizontal	337	2.86	-	38.40	7.65	34.85
AV	10.9984G	38.93	54.00	-15.07	27.73	3	Horizontal	337	2.86	-	38.40	7.65	34.85
PK	16.51504G	63.40	68.20	-4.80	48.54	3	Horizontal	359	1.92	-	40.08	9.48	34.70

802.11ac VHT40-BF\_Nss2,(MCS0)\_3TX

15/10/2020

5510MHz\_TX




EUT Y\_3TX  
Setting 64  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4508G	61.62	74.00	-12.38	57.36	3	Vertical	316	1.04	-	33.60	5.40	34.74
AV	5.458G	48.28	54.00	-5.72	43.99	3	Vertical	316	1.04	-	33.63	5.40	34.74
PK	5.4672G	67.67	68.20	-0.53	63.35	3	Vertical	316	1.04	-	33.67	5.40	34.75
PK	5.514G	110.41	Inf	-Inf	105.93	3	Vertical	316	1.04	-	33.83	5.40	34.75
AV	5.5156G	99.82	Inf	-Inf	95.34	3	Vertical	316	1.04	-	33.83	5.40	34.75

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_3TX

15/10/2020

### 5510MHz\_TX




EUT Y\_3TX  
Setting 64  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4248G	58.13	74.00	-15.87	54.06	3	Horizontal	125	1.80	-	33.40	5.40	34.73
PK	5.4676G	63.23	68.20	-4.97	58.91	3	Horizontal	125	1.80	-	33.67	5.40	34.75
AV	5.4572G	45.53	54.00	-8.47	41.24	3	Horizontal	125	1.80	-	33.63	5.40	34.74
PK	5.516G	105.78	Inf	-Inf	101.30	3	Horizontal	125	1.80	-	33.83	5.40	34.75
AV	5.5136G	94.53	Inf	-Inf	90.05	3	Horizontal	125	1.80	-	33.83	5.40	34.75

802.11ac VHT40-BF\_Nss2,(MCS0)\_3TX

15/10/2020

5510MHz\_TX



EUT V\_3TX  
Setting 64  
01-A-K-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02007G	52.37	74.00	-21.63	41.18	3	Vertical	95	1.43	-	38.38	7.66	34.85
AV	11.02111G	38.68	54.00	-15.32	27.49	3	Vertical	95	1.43	-	38.38	7.66	34.85
PK	16.52808G	61.30	68.20	-6.90	46.42	3	Vertical	19	2.52	-	40.07	9.48	34.67



802.11ac VHT40-BF\_Nss2,(MCS0)\_3TX

15/10/2020

5510MHz\_TX




EUT V\_3TX  
Setting 64  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02117G	52.60	74.00	-21.40	41.41	3	Horizontal	132	2.40	-	38.38	7.66	34.85
AV	11.01944G	38.71	54.00	-15.29	27.52	3	Horizontal	132	2.40	-	38.38	7.66	34.85
PK	16.53055G	62.37	68.20	-5.83	47.48	3	Horizontal	84	2.82	-	40.07	9.49	34.67

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_3TX

15/10/2020

### 5530MHz\_TX




EUT Y\_3TX  
Setting 64  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.315G	56.65	68.20	-11.55	52.92	3	Vertical	318	1.07	-	33.10	5.32	34.69
PK	5.458G	64.11	74.00	-9.89	59.82	3	Vertical	318	1.07	-	33.63	5.40	34.74
AV	5.457G	49.42	54.00	-4.58	45.13	3	Vertical	318	1.07	-	33.63	5.40	34.74
PK	5.47G	67.83	68.20	-0.37	63.50	3	Vertical	318	1.07	-	33.68	5.40	34.75
PK	5.493G	109.56	Inf	-Inf	105.15	3	Vertical	318	1.07	-	33.77	5.40	34.76
AV	5.501G	100.24	Inf	-Inf	95.80	3	Vertical	318	1.07	-	33.80	5.40	34.76
PK	5.739G	60.13	68.20	-8.07	55.10	3	Vertical	318	1.07	-	34.23	5.47	34.67

802.11ac VHT80-BF\_Nss2,(MCS0)\_3TX

15/10/2020

5530MHz\_TX




EUT Y\_3TX  
Setting 64  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.309G	57.22	68.20	-10.98	53.50	3	Horizontal	130	1.02	-	33.10	5.31	34.69
PK	5.458G	62.10	74.00	-11.90	57.81	3	Horizontal	130	1.02	-	33.63	5.40	34.74
AV	5.456G	47.57	54.00	-6.43	43.29	3	Horizontal	130	1.02	-	33.62	5.40	34.74
PK	5.467G	60.62	68.20	-7.58	56.30	3	Horizontal	130	1.02	-	33.67	5.40	34.75
PK	5.526G	104.75	Inf	-Inf	100.25	3	Horizontal	130	1.02	-	33.85	5.40	34.75
AV	5.498G	93.08	Inf	-Inf	88.65	3	Horizontal	130	1.02	-	33.79	5.40	34.76
PK	5.743G	58.88	68.20	-9.32	53.82	3	Horizontal	130	1.02	-	34.26	5.47	34.67

802.11ac VHT80-BF\_Nss2,(MCS0)\_3TX

15/10/2020

5530MHz\_TX




EUT V\_3TX  
Setting 64  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06129G	52.55	74.00	-21.45	41.39	3	Vertical	29	1.57	-	38.34	7.67	34.85
AV	11.06139G	39.31	54.00	-14.69	28.15	3	Vertical	29	1.57	-	38.34	7.67	34.85
PK	16.59214G	62.19	68.20	-6.01	47.21	3	Vertical	32	1.80	-	40.01	9.51	34.54

802.11ac VHT80-BF\_Nss2,(MCS0)\_3TX

15/10/2020

5530MHz\_TX




EUT V\_3TX  
Setting 64  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06067G	52.39	74.00	-21.61	41.23	3	Horizontal	312	1.55	-	38.34	7.67	34.85
AV	11.05858G	39.22	54.00	-14.78	28.06	3	Horizontal	312	1.55	-	38.34	7.67	34.85
PK	16.574G	61.98	68.20	-6.22	47.03	3	Horizontal	277	2.97	-	40.03	9.50	34.58

802.11ax HEW20-BF\_Nss2,(MCS0)\_3TX

15/10/2020

5500MHz\_TX




EUT Y\_3TX  
Setting 73  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	65.24	74.00	-8.76	60.95	3	Vertical	200	1.05	-	33.63	5.40	34.74
AV	5.4598G	47.48	54.00	-6.52	43.19	3	Vertical	200	1.05	-	33.64	5.40	34.75
PK	5.4674G	67.89	68.20	-0.31	63.57	3	Vertical	200	1.05	-	33.67	5.40	34.75
PK	5.4924G	114.75	Inf	-Inf	110.34	3	Vertical	200	1.05	-	33.77	5.40	34.76
AV	5.498G	101.93	Inf	-Inf	97.50	3	Vertical	200	1.05	-	33.79	5.40	34.76

802.11ax HEW20-BF\_Nss2,(MCS0)\_3TX

15/10/2020

5500MHz\_TX




EUT Y\_3TX  
Setting 73  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.04	74.00	-11.96	57.75	3	Horizontal	58	1.88	-	33.64	5.40	34.75
AV	5.4578G	46.00	54.00	-8.00	41.71	3	Horizontal	58	1.88	-	33.63	5.40	34.74
PK	5.4686G	65.84	68.20	-2.36	61.52	3	Horizontal	58	1.88	-	33.67	5.40	34.75
PK	5.4934G	113.74	Inf	-Inf	109.33	3	Horizontal	58	1.88	-	33.77	5.40	34.76
AV	5.4914G	101.27	Inf	-Inf	96.86	3	Horizontal	58	1.88	-	33.77	5.40	34.76

802.11ax HEW20-BF\_Nss2,(MCS0)\_3TX

15/10/2020

5500MHz\_TX



EUT V\_3TX  
Setting 73  
01-A-K-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99856G	52.20	74.00	-21.80	41.00	3	Vertical	331	1.10	-	38.40	7.65	34.85
AV	11.00099G	38.94	54.00	-15.06	27.74	3	Vertical	331	1.10	-	38.40	7.65	34.85
PK	16.50021G	61.36	68.20	-6.84	46.51	3	Vertical	344	2.53	-	40.10	9.48	34.73



802.11ax HEW20-BF\_Nss2,(MCS0)\_3TX

15/10/2020

5500MHz\_TX




EUT V\_3TX  
Setting 73  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0239G	52.57	74.00	-21.43	41.38	3	Horizontal	125	2.92	-	38.38	7.66	34.85
AV	10.9941G	39.09	54.00	-14.91	27.89	3	Horizontal	125	2.92	-	38.40	7.65	34.85
PK	16.5024G	62.34	68.20	-5.86	47.49	3	Horizontal	356	1.90	-	40.10	9.48	34.73

802.11ax HEW40-BF\_Nss2,(MCS0)\_3TX

15/10/2020

5510MHz\_TX




EUT Y\_3TX  
Setting 64  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4496G	61.30	74.00	-12.70	57.04	3	Vertical	72	1.16	-	33.60	5.40	34.74
AV	5.4588G	47.08	54.00	-6.92	42.79	3	Vertical	72	1.16	-	33.64	5.40	34.75
PK	5.47G	67.85	68.20	-0.35	63.52	3	Vertical	72	1.16	-	33.68	5.40	34.75
PK	5.4984G	111.87	Inf	-Inf	107.44	3	Vertical	72	1.16	-	33.79	5.40	34.76
AV	5.5132G	97.47	Inf	-Inf	92.99	3	Vertical	72	1.16	-	33.83	5.40	34.75

802.11ax HEW40-BF\_Nss2,(MCS0)\_3TX

15/10/2020

5510MHz\_TX




EUT Y\_3TX  
Setting 64  
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	61.01	74.00	-12.99	56.72	3	Horizontal	59	1.84	-	33.64	5.40	34.75
AV	5.4588G	47.22	54.00	-6.78	42.93	3	Horizontal	59	1.84	-	33.64	5.40	34.75
PK	5.4636G	68.14	68.20	-0.06	63.84	3	Horizontal	59	1.84	-	33.65	5.40	34.75
PK	5.5276G	110.37	Inf	-Inf	105.86	3	Horizontal	59	1.84	-	33.86	5.40	34.75
AV	5.528G	98.03	Inf	-Inf	93.52	3	Horizontal	59	1.84	-	33.86	5.40	34.75

802.11ax HEW40-BF\_Nss2,(MCS0)\_3TX

15/10/2020

5510MHz\_TX




EUT V\_3TX  
Setting 64  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0183G	52.73	74.00	-21.27	41.54	3	Vertical	103	2.55	-	38.38	7.66	34.85
AV	11.02244G	38.74	54.00	-15.26	27.55	3	Vertical	103	2.55	-	38.38	7.66	34.85
PK	16.53009G	60.81	68.20	-7.39	45.92	3	Vertical	47	1.77	-	40.07	9.49	34.67

802.11ax HEW40-BF\_Nss2,(MCS0)\_3TX

15/10/2020

5510MHz\_TX



EUT V\_3TX  
Setting 64  
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02078G	51.85	74.00	-22.15	40.66	3	Horizontal	19	1.74	-	38.38	7.66	34.85
AV	11.02152G	38.62	54.00	-15.38	27.43	3	Horizontal	19	1.74	-	38.38	7.66	34.85
PK	16.52891G	60.20	68.20	-8.00	45.31	3	Horizontal	243	2.92	-	40.07	9.49	34.67