


802.11ax HEW80-BF_Nss2,(MCS0)_3TX

16/10/2020

5530MHz_TX




EUT Y_3TX
Setting 60
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.319G	57.59	68.20	-10.61	53.86	3	Vertical	117	1.00	-	33.10	5.32	34.69
PK	5.455G	70.16	74.00	-3.84	65.88	3	Vertical	117	1.00	-	33.62	5.40	34.74
AV	5.46G	49.17	54.00	-4.83	44.88	3	Vertical	117	1.00	-	33.64	5.40	34.75
PK	5.468G	67.94	68.20	-0.26	63.62	3	Vertical	117	1.00	-	33.67	5.40	34.75
PK	5.496G	112.78	Inf	-Inf	108.36	3	Vertical	117	1.00	-	33.78	5.40	34.76
AV	5.507G	102.79	Inf	-Inf	98.34	3	Vertical	117	1.00	-	33.81	5.40	34.76
PK	5.731G	59.43	68.20	-8.77	54.44	3	Vertical	117	1.00	-	34.19	5.47	34.67

802.11ax HEW80-BF_Nss2,(MCS0)_3TX

16/10/2020

5530MHz_TX




EUT Y_3TX
Setting 60
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.291G	57.94	68.20	-10.26	54.27	3	Horizontal	33	1.27	-	33.06	5.29	34.68
PK	5.457G	65.68	74.00	-8.32	61.39	3	Horizontal	33	1.27	-	33.63	5.40	34.74
AV	5.441G	47.03	54.00	-6.97	42.84	3	Horizontal	33	1.27	-	33.53	5.40	34.74
PK	5.466G	62.45	68.20	-5.75	58.14	3	Horizontal	33	1.27	-	33.66	5.40	34.75
PK	5.506G	105.94	Inf	-Inf	101.49	3	Horizontal	33	1.27	-	33.81	5.40	34.76
AV	5.497G	97.58	Inf	-Inf	93.15	3	Horizontal	33	1.27	-	33.79	5.40	34.76
PK	5.749G	58.71	68.20	-9.49	53.62	3	Horizontal	33	1.27	-	34.29	5.47	34.67

802.11ax HEW80-BF_Nss2,(MCS0)_3TX

16/10/2020

5530MHz_TX




EUT V_3TX
Setting 60
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05794G	52.55	74.00	-21.45	41.39	3	Vertical	56	1.08	-	38.34	7.67	34.85
AV	11.05793G	40.39	54.00	-13.61	29.23	3	Vertical	56	1.08	-	38.34	7.67	34.85
PK	16.5768G	62.35	68.20	-5.85	47.40	3	Vertical	193	1.36	-	40.02	9.50	34.57

802.11ax HEW80-BF_Nss2,(MCS0)_3TX

16/10/2020

5530MHz_TX



EUT V_3TX
Setting 60
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05875G	52.65	74.00	-21.35	41.49	3	Horizontal	260	2.73	-	38.34	7.67	34.85
AV	11.05986G	40.51	54.00	-13.49	29.35	3	Horizontal	260	2.73	-	38.34	7.67	34.85
PK	16.6062G	61.70	68.20	-6.50	46.67	3	Horizontal	327	2.92	-	40.03	9.51	34.51



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	7.23474G	46.88	54.00	-7.12	Vertical

