


802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
Setting 80
01-L-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6512G	51.19	83.54	-32.35	47.36	1	Vertical	279	1.54	-	37.88	15.79	49.84
AV	20.6520G	38.02	63.54	-25.52	34.19	1	Vertical	279	1.54	-	37.88	15.79	49.84

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
 Setting 80
 01-L-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65094G	51.42	83.54	-32.12	47.59	1	Horizontal	109	1.57	-	37.88	15.79	49.84
AV	20.65246G	37.95	63.54	-25.59	34.12	1	Horizontal	109	1.57	-	37.88	15.79	49.84

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-L-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.937G	113.75	Inf	-Inf	103.28	3	Vertical	160	2.40	-	36.42	7.21	33.16
RMS	6.9346G	104.44	Inf	-Inf	93.99	3	Vertical	160	2.40	-	36.41	7.20	33.16
PK	7.1962G	64.26	88.20	-23.94	53.10	3	Vertical	160	2.40	-	37.08	7.20	33.12
RMS	7.2178G	53.00	68.20	-15.20	41.79	3	Vertical	160	2.40	-	37.10	7.22	33.11

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-L-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9226G	117.54	Inf	-Inf	107.17	3	Horizontal	52	1.00	-	36.34	7.18	33.15
RMS	6.9106G	107.42	Inf	-Inf	97.14	3	Horizontal	52	1.00	-	36.26	7.17	33.15
PK	7.2142G	63.81	88.20	-24.39	52.61	3	Horizontal	52	1.00	-	37.10	7.21	33.11
RMS	7.2202G	53.07	68.20	-15.13	41.86	3	Horizontal	52	1.00	-	37.10	7.22	33.11

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-L-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85188G	63.81	88.20	-24.39	44.36	3	Vertical	262	2.02	-	40.85	9.83	31.23
RMS	13.84698G	49.74	68.20	-18.46	30.29	3	Vertical	262	2.02	-	40.85	9.83	31.23

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-L-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8538G	64.01	88.20	-24.19	44.56	3	Horizontal	313	1.55	-	40.85	9.83	31.23
RMS	13.8496G	49.68	68.20	-18.52	30.23	3	Horizontal	313	1.55	-	40.85	9.83	31.23

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-L-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77G	51.78	83.54	-31.76	47.75	1	Vertical	70	1.55	-	37.97	15.85	49.79
AV	20.77298G	37.78	63.54	-25.76	33.76	1	Vertical	70	1.55	-	37.96	15.85	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-L-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77918G	51.22	83.54	-32.32	47.21	1	Horizontal	152	1.53	-	37.95	15.85	49.79
AV	20.77588G	37.83	63.54	-25.71	33.81	1	Horizontal	152	1.53	-	37.96	15.85	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-L-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9946G	112.85	Inf	-Inf	102.43	3	Vertical	0	2.23	-	36.32	7.29	33.19
RMS	6.9994G	101.34	Inf	-Inf	90.93	3	Vertical	0	2.23	-	36.30	7.30	33.19
PK	7.1738G	63.61	88.20	-24.59	52.53	3	Vertical	0	2.23	-	37.00	7.21	33.13
RMS	7.1986G	52.97	68.20	-15.23	41.80	3	Vertical	0	2.23	-	37.09	7.20	33.12

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-L-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0074G	118.37	Inf	-Inf	107.92	3	Horizontal	49	1.00	-	36.34	7.30	33.19
RMS	7.0114G	107.82	Inf	-Inf	97.35	3	Horizontal	49	1.00	-	36.37	7.29	33.19
PK	7.1986G	65.18	88.20	-23.02	54.01	3	Horizontal	49	1.00	-	37.09	7.20	33.12
RMS	7.2002G	53.28	68.20	-14.92	42.10	3	Horizontal	49	1.00	-	37.10	7.20	33.12

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-L-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01464G	63.19	88.20	-25.01	43.73	3	Vertical	260	2.41	-	40.90	9.90	31.34
RMS	14.0064G	49.22	68.20	-18.98	29.76	3	Vertical	260	2.41	-	40.90	9.90	31.34

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-L-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00662G	62.98	88.20	-25.22	43.52	3	Horizontal	30	2.64	-	40.90	9.90	31.34
RMS	14.005G	49.20	68.20	-19.00	29.73	3	Horizontal	30	2.64	-	40.90	9.90	31.33

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-L-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01762G	51.48	83.54	-32.06	47.62	1	Vertical	158	1.56	-	37.60	15.96	49.70
AV	21.01926G	37.51	63.54	-26.03	33.65	1	Vertical	158	1.56	-	37.60	15.96	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-L-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01848G	51.48	83.54	-32.06	47.62	1	Horizontal	162	1.52	-	37.60	15.96	49.70
AV	21.01756G	37.38	63.54	-26.16	33.52	1	Horizontal	162	1.52	-	37.60	15.96	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Z_4TX
Setting 80
01-L-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0946G	112.64	Inf	-Inf	102.04	3	Vertical	4	2.28	-	36.51	7.25	33.16
RMS	7.0966G	101.59	Inf	-Inf	90.99	3	Vertical	4	2.28	-	36.51	7.25	33.16
PK	7.125G	74.42	88.20	-13.78	63.62	3	Vertical	4	2.28	-	36.70	7.24	33.14
RMS	7.125G	60.09	68.20	-8.11	49.29	3	Vertical	4	2.28	-	36.70	7.24	33.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-L-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0726G	113.57	Inf	-Inf	102.92	3	Horizontal	128	1.04	-	36.55	7.26	33.16
RMS	7.0718G	103.15	Inf	-Inf	92.49	3	Horizontal	128	1.04	-	36.56	7.26	33.16
PK	7.125G	70.60	88.20	-17.60	59.80	3	Horizontal	128	1.04	-	36.70	7.24	33.14
RMS	7.125G	58.02	68.20	-10.18	47.22	3	Horizontal	128	1.04	-	36.70	7.24	33.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-L-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17266G	62.68	88.20	-25.52	43.40	3	Vertical	208	2.26	-	40.83	9.95	31.50
RMS	14.16568G	48.50	68.20	-19.70	29.21	3	Vertical	208	2.26	-	40.83	9.95	31.49

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-L-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16532G	62.54	88.20	-25.66	43.25	3	Horizontal	134	1.98	-	40.83	9.95	31.49
RMS	14.17286G	48.48	68.20	-19.72	29.20	3	Horizontal	134	1.98	-	40.83	9.95	31.50

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-L-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25236G	53.04	83.54	-30.50	49.03	1	Vertical	160	1.58	-	37.60	16.06	49.65
AV	21.25552G	38.73	63.54	-24.81	34.71	1	Vertical	160	1.58	-	37.61	16.06	49.65

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-L-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25804G	52.00	83.54	-31.54	47.97	1	Horizontal	94	1.52	-	37.61	16.07	49.65
AV	21.25822G	38.73	63.54	-24.81	34.70	1	Horizontal	94	1.52	-	37.61	16.07	49.65

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	70.40	88.20	-17.80	61.74	3	Vertical	170	2.33	-	35.00	6.60	32.94
RMS	5.925G	58.89	68.20	-9.31	50.23	3	Vertical	170	2.33	-	35.00	6.60	32.94
PK	5.9962G	113.86	Inf	-Inf	104.93	3	Vertical	170	2.33	-	35.28	6.60	32.95
RMS	5.9962G	104.20	Inf	-Inf	95.27	3	Vertical	170	2.33	-	35.28	6.60	32.95

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	78.64	88.20	-9.56	69.98	3	Horizontal	195	1.07	-	35.00	6.60	32.94
RMS	5.925G	66.83	68.20	-1.37	58.17	3	Horizontal	195	1.07	-	35.00	6.60	32.94
PK	5.9682G	118.42	Inf	-Inf	109.60	3	Horizontal	195	1.07	-	35.17	6.60	32.95
RMS	5.9714G	108.73	Inf	-Inf	99.89	3	Horizontal	195	1.07	-	35.19	6.60	32.95

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9677G	56.38	74.00	-17.62	41.77	3	Vertical	197	1.29	-	38.50	8.99	32.88
AV	11.97028G	42.63	54.00	-11.37	28.02	3	Vertical	197	1.29	-	38.50	8.99	32.88
PK	17.95104G	66.68	74.00	-7.32	44.40	3	Vertical	276	2.33	-	42.85	11.09	31.66
AV	17.9502G	52.57	54.00	-1.43	30.29	3	Vertical	276	2.33	-	42.85	11.09	31.66

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97398G	57.11	74.00	-16.89	42.50	3	Horizontal	266	1.95	-	38.50	8.99	32.88
AV	11.96536G	42.64	54.00	-11.36	28.03	3	Horizontal	266	1.95	-	38.50	8.99	32.88
PK	17.952G	65.92	74.00	-8.08	43.64	3	Horizontal	185	2.92	-	42.85	11.09	31.66
AV	17.9536G	52.57	54.00	-1.43	30.29	3	Horizontal	185	2.92	-	42.85	11.09	31.66

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8666G	60.69	88.20	-27.51	52.20	3	Vertical	360	1.48	-	34.83	6.60	32.94
RMS	5.925G	50.30	68.20	-17.90	41.64	3	Vertical	360	1.48	-	35.00	6.60	32.94
PK	6.1534G	112.11	Inf	-Inf	102.92	3	Vertical	360	1.48	-	35.31	6.83	32.95
RMS	6.133G	101.22	Inf	-Inf	92.07	3	Vertical	360	1.48	-	35.30	6.80	32.95

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	61.36	88.20	-26.84	52.74	3	Horizontal	346	1.20	-	34.96	6.60	32.94
RMS	5.9242G	51.20	68.20	-17.00	42.54	3	Horizontal	346	1.20	-	35.00	6.60	32.94
PK	6.1306G	118.18	Inf	-Inf	109.03	3	Horizontal	346	1.20	-	35.30	6.80	32.95
RMS	6.1342G	108.31	Inf	-Inf	99.16	3	Horizontal	346	1.20	-	35.30	6.80	32.95

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28936G	56.82	74.00	-17.18	41.73	3	Vertical	204	1.53	-	38.48	9.13	32.52
AV	12.28538G	43.03	54.00	-10.97	27.96	3	Vertical	204	1.53	-	38.47	9.13	32.53

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29208G	56.93	74.00	-17.07	41.84	3	Horizontal	138	2.61	-	38.48	9.13	32.52
AV	12.28634G	43.03	54.00	-10.97	27.95	3	Horizontal	138	2.61	-	38.47	9.13	32.52

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43234G	48.09	83.54	-35.45	45.63	1	Vertical	14	1.54	-	37.72	14.87	50.13
AV	18.43G	34.39	63.54	-29.15	31.93	1	Vertical	14	1.54	-	37.72	14.87	50.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43368G	49.26	83.54	-34.28	46.80	1	Horizontal	183	1.53	-	37.72	14.87	50.13
AV	18.43036G	34.46	63.54	-29.08	32.00	1	Horizontal	183	1.53	-	37.72	14.87	50.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	60.47	88.20	-27.73	51.82	3	Vertical	349	1.56	-	34.99	6.60	32.94
RMS	5.9146G	50.13	68.20	-18.07	41.51	3	Vertical	349	1.56	-	34.96	6.60	32.94
PK	6.3922G	111.70	Inf	-Inf	102.10	3	Vertical	349	1.56	-	35.55	7.00	32.95
RMS	6.3562G	102.03	Inf	-Inf	92.66	3	Vertical	349	1.56	-	35.34	6.98	32.95

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.881G	60.92	88.20	-27.28	52.40	3	Horizontal	183	2.42	-	34.86	6.60	32.94
RMS	5.9242G	50.14	68.20	-18.06	41.48	3	Horizontal	183	2.42	-	35.00	6.60	32.94
PK	6.4162G	111.38	Inf	-Inf	101.79	3	Horizontal	183	2.42	-	35.54	7.00	32.95
RMS	6.4138G	101.73	Inf	-Inf	92.14	3	Horizontal	183	2.42	-	35.54	7.00	32.95

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76738G	58.16	88.20	-30.04	41.60	3	Vertical	298	2.67	-	39.13	9.35	31.92
RMS	12.77124G	43.91	68.20	-24.29	27.33	3	Vertical	298	2.67	-	39.14	9.35	31.91

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7742G	57.89	88.20	-30.31	41.30	3	Horizontal	17	1.21	-	39.15	9.35	31.91
RMS	12.7741G	43.96	68.20	-24.24	27.37	3	Horizontal	17	1.21	-	39.15	9.35	31.91

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1556G	47.65	83.54	-35.89	44.31	1	Vertical	54	1.56	-	37.81	15.16	49.63
AV	19.1532G	34.11	63.54	-29.43	30.76	1	Vertical	54	1.56	-	37.82	15.16	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1546G	47.91	83.54	-35.63	44.57	1	Horizontal	161	1.58	-	37.81	15.16	49.63
AV	19.15124G	34.08	63.54	-29.46	30.73	1	Horizontal	161	1.58	-	37.82	15.16	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8696G	60.90	88.20	-27.30	52.40	3	Vertical	352	1.62	-	34.84	6.60	32.94
RMS	5.9216G	50.20	68.20	-18.00	41.55	3	Vertical	352	1.62	-	34.99	6.60	32.94
PK	6.4286G	114.62	Inf	-Inf	105.08	3	Vertical	352	1.62	-	35.49	7.00	32.95
RMS	6.4286G	103.82	Inf	-Inf	94.28	3	Vertical	352	1.62	-	35.49	7.00	32.95

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9008G	60.62	88.20	-27.58	52.06	3	Horizontal	74	1.32	-	34.90	6.60	32.94
RMS	5.919G	50.28	68.20	-17.92	41.64	3	Horizontal	74	1.32	-	34.98	6.60	32.94
PK	6.4286G	116.71	Inf	-Inf	107.17	3	Horizontal	74	1.32	-	35.49	7.00	32.95
RMS	6.4286G	106.09	Inf	-Inf	96.55	3	Horizontal	74	1.32	-	35.49	7.00	32.95

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9263G	58.31	88.20	-29.89	41.22	3	Vertical	14	1.33	-	39.38	9.42	31.71
RMS	12.9334G	44.00	68.20	-24.20	26.89	3	Vertical	14	1.33	-	39.40	9.42	31.71

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92916G	57.93	88.20	-30.27	40.83	3	Horizontal	304	1.69	-	39.39	9.42	31.71
RMS	12.93362G	44.09	68.20	-24.11	26.97	3	Horizontal	304	1.69	-	39.40	9.42	31.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39264G	48.50	83.54	-35.04	45.11	1	Vertical	62	1.53	-	37.81	15.26	49.68
AV	19.39678G	35.01	63.54	-28.53	31.61	1	Vertical	62	1.53	-	37.82	15.26	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6465MHz_TnomVnom



EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39248G	48.88	83.54	-34.66	45.49	1	Horizontal	217	1.50	-	37.81	15.26	49.68
AV	19.39704G	34.95	63.54	-28.59	31.55	1	Horizontal	217	1.50	-	37.82	15.26	49.68


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_4TX
 Setting 80
 01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9106G	60.12	88.20	-28.08	51.52	3	Vertical	169	2.37	-	34.94	6.60	32.94
RMS	5.9236G	50.17	68.20	-18.03	41.52	3	Vertical	169	2.37	-	34.99	6.60	32.94
PK	6.5164G	112.63	Inf	-Inf	102.92	3	Vertical	169	2.37	-	35.67	7.00	32.96
RMS	6.5164G	102.92	Inf	-Inf	93.21	3	Vertical	169	2.37	-	35.67	7.00	32.96
PK	7.1638G	62.86	88.20	-25.34	51.81	3	Vertical	169	2.37	-	36.96	7.22	33.13
RMS	7.1456G	52.80	68.20	-15.40	41.85	3	Vertical	169	2.37	-	36.86	7.23	33.14


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_4TX
 Setting 80
 01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9106G	60.38	88.20	-27.82	51.78	3	Horizontal	76	1.07	-	34.94	6.60	32.94
RMS	5.9236G	50.18	68.20	-18.02	41.53	3	Horizontal	76	1.07	-	34.99	6.60	32.94
PK	6.5346G	116.34	Inf	-Inf	106.57	3	Horizontal	76	1.07	-	35.74	7.00	32.97
RMS	6.532G	107.34	Inf	-Inf	97.58	3	Horizontal	76	1.07	-	35.73	7.00	32.97
PK	7.1742G	63.56	88.20	-24.64	52.48	3	Horizontal	76	1.07	-	37.00	7.21	33.13
RMS	7.143G	52.83	68.20	-15.37	41.90	3	Horizontal	76	1.07	-	36.84	7.23	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
 Setting 80
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09224G	58.41	88.20	-29.79	40.73	3	Vertical	206	1.56	-	39.69	9.49	31.50
RMS	13.09144G	44.63	68.20	-23.57	26.95	3	Vertical	206	1.56	-	39.69	9.49	31.50

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




11/05/2022

EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08552G	59.00	88.20	-29.20	41.33	3	Horizontal	186	1.93	-	39.69	9.49	31.51
RMS	13.08864G	44.64	68.20	-23.56	26.97	3	Horizontal	186	1.93	-	39.69	9.49	31.51

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63952G	49.96	83.54	-33.58	46.46	1	Vertical	26	1.57	-	37.84	15.36	49.70
AV	19.63814G	35.81	63.54	-27.73	32.31	1	Vertical	26	1.57	-	37.84	15.36	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
 Setting 80
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63072G	49.41	83.54	-34.13	45.91	1	Horizontal	208	1.54	-	37.85	15.35	49.70
AV	19.6353G	35.71	63.54	-27.83	32.21	1	Horizontal	208	1.54	-	37.85	15.35	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6202G	110.04	Inf	-Inf	100.11	3	Vertical	182	1.77	-	35.94	7.00	33.01
RMS	6.6202G	101.10	Inf	-Inf	91.17	3	Vertical	182	1.77	-	35.94	7.00	33.01
PK	7.153G	63.75	88.20	-24.45	52.75	3	Vertical	182	1.77	-	36.91	7.22	33.13
RMS	7.1434G	52.82	68.20	-15.38	41.88	3	Vertical	182	1.77	-	36.85	7.23	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.613G	115.82	Inf	-Inf	105.89	3	Horizontal	27	1.00	-	35.93	7.00	33.00
RMS	6.613G	106.00	Inf	-Inf	96.07	3	Horizontal	27	1.00	-	35.93	7.00	33.00
PK	7.1482G	63.05	88.20	-25.15	52.07	3	Horizontal	27	1.00	-	36.89	7.23	33.14
RMS	7.1314G	52.87	68.20	-15.33	42.03	3	Horizontal	27	1.00	-	36.75	7.23	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2507G	59.18	74.00	-14.82	40.97	3	Vertical	102	1.77	-	39.95	9.56	31.30
AV	13.25208G	45.32	54.00	-8.68	27.11	3	Vertical	102	1.77	-	39.95	9.56	31.30

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2537G	60.15	74.00	-13.85	41.94	3	Horizontal	234	2.77	-	39.95	9.56	31.30
AV	13.2548G	45.23	54.00	-8.77	27.02	3	Horizontal	234	2.77	-	39.95	9.56	31.30

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87008G	49.51	83.54	-34.03	46.15	1	Vertical	147	1.53	-	37.61	15.45	49.70
AV	19.8751G	35.69	63.54	-27.85	32.34	1	Vertical	147	1.53	-	37.60	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8775G	49.71	83.54	-33.83	46.36	1	Horizontal	96	1.58	-	37.60	15.45	49.70
AV	19.87558G	35.68	63.54	-27.86	32.33	1	Horizontal	96	1.58	-	37.60	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.717G	112.72	Inf	-Inf	102.77	3	Vertical	172	2.38	-	36.00	7.00	33.05
RMS	6.713G	102.02	Inf	-Inf	92.09	3	Vertical	172	2.38	-	35.98	7.00	33.05
PK	7.181G	64.65	88.20	-23.55	53.54	3	Vertical	172	2.38	-	37.02	7.21	33.12
RMS	7.133G	52.89	68.20	-15.31	42.04	3	Vertical	172	2.38	-	36.76	7.23	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.711G	114.09	Inf	-Inf	104.17	3	Horizontal	205	1.18	-	35.97	7.00	33.05
RMS	6.711G	104.01	Inf	-Inf	94.09	3	Horizontal	205	1.18	-	35.97	7.00	33.05
PK	7.183G	63.42	88.20	-24.78	52.30	3	Horizontal	205	1.18	-	37.03	7.21	33.12
RMS	7.149G	52.87	68.20	-15.33	41.89	3	Horizontal	205	1.18	-	36.89	7.23	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41474G	60.38	88.20	-27.82	41.64	3	Vertical	157	1.06	-	40.20	9.64	31.10
RMS	13.4118G	45.72	68.20	-22.48	26.98	3	Vertical	157	1.06	-	40.20	9.64	31.10

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




11/05/2022

EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4051G	60.16	88.20	-28.04	41.44	3	Horizontal	297	2.33	-	40.20	9.63	31.11
RMS	13.40556G	45.68	68.20	-22.52	26.96	3	Horizontal	297	2.33	-	40.20	9.63	31.11

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11368G	50.98	83.54	-32.56	47.69	1	Vertical	30	1.51	-	37.49	15.55	49.75
AV	20.11822G	37.36	63.54	-26.18	34.07	1	Vertical	30	1.51	-	37.49	15.55	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11398G	50.73	83.54	-32.81	47.44	1	Horizontal	109	1.50	-	37.49	15.55	49.75
AV	20.1111G	37.35	63.54	-26.19	34.05	1	Horizontal	109	1.50	-	37.49	15.55	49.74

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7882G	110.63	Inf	-Inf	100.52	3	Vertical	184	1.26	-	36.20	7.00	33.09
RMS	6.7914G	100.15	Inf	-Inf	90.04	3	Vertical	184	1.26	-	36.20	7.00	33.09
PK	7.1418G	63.52	88.20	-24.68	52.60	3	Vertical	184	1.26	-	36.83	7.23	33.14
RMS	7.1258G	52.94	68.20	-15.26	42.13	3	Vertical	184	1.26	-	36.71	7.24	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7642G	115.99	Inf	-Inf	105.87	3	Horizontal	54	1.17	-	36.20	7.00	33.08
RMS	6.7674G	106.02	Inf	-Inf	95.90	3	Horizontal	54	1.17	-	36.20	7.00	33.08
PK	7.1594G	63.79	88.20	-24.41	52.76	3	Horizontal	54	1.17	-	36.94	7.22	33.13
RMS	7.1258G	53.14	68.20	-15.06	42.33	3	Horizontal	54	1.17	-	36.71	7.24	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57474G	59.32	88.20	-28.88	40.38	3	Vertical	314	2.29	-	40.27	9.71	31.04
RMS	13.56556G	45.23	68.20	-22.97	26.29	3	Vertical	314	2.29	-	40.27	9.70	31.03

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56552G	59.00	88.20	-29.20	40.06	3	Horizontal	300	2.12	-	40.27	9.70	31.03
RMS	13.5667G	45.30	68.20	-22.90	26.36	3	Horizontal	300	2.12	-	40.27	9.71	31.04

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3553G	50.23	83.54	-33.31	46.77	1	Vertical	199	1.53	-	37.64	15.66	49.84
AV	20.3583G	36.69	63.54	-26.85	33.23	1	Vertical	199	1.53	-	37.64	15.66	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6785MHz_TnomVnom



EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35424G	50.16	83.54	-33.38	46.70	1	Horizontal	112	1.51	-	37.64	15.66	49.84
AV	20.35882G	36.79	63.54	-26.75	33.33	1	Horizontal	112	1.51	-	37.64	15.66	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
 Setting 80
 01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8614G	111.54	Inf	-Inf	101.06	3	Vertical	6	2.44	-	36.51	7.09	33.12
RMS	6.859G	101.73	Inf	-Inf	91.23	3	Vertical	6	2.44	-	36.53	7.09	33.12
PK	7.1518G	63.64	88.20	-24.56	52.65	3	Vertical	6	2.44	-	36.91	7.22	33.14
RMS	7.1266G	53.09	68.20	-15.11	42.28	3	Vertical	6	2.44	-	36.71	7.24	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8482G	117.04	Inf	-Inf	106.50	3	Horizontal	59	1.12	-	36.59	7.07	33.12
RMS	6.8506G	106.94	Inf	-Inf	96.38	3	Horizontal	59	1.12	-	36.60	7.08	33.12
PK	7.1554G	64.80	88.20	-23.40	53.79	3	Horizontal	59	1.12	-	36.92	7.22	33.13
RMS	7.1326G	53.23	68.20	-14.97	42.38	3	Horizontal	59	1.12	-	36.76	7.23	33.14


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
 Setting 80
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73322G	62.53	88.20	-25.67	43.30	3	Vertical	288	2.68	-	40.60	9.78	31.15
RMS	13.73172G	48.82	68.20	-19.38	29.59	3	Vertical	288	2.68	-	40.60	9.78	31.15


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
 Setting 80
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73372G	62.45	88.20	-25.75	43.22	3	Horizontal	116	2.22	-	40.60	9.78	31.15
RMS	13.73156G	48.79	68.20	-19.41	29.57	3	Horizontal	116	2.22	-	40.59	9.78	31.15


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
 Setting 80
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5979G	51.20	83.54	-32.34	47.47	1	Vertical	90	1.57	-	37.82	15.77	49.86
AV	20.59736G	37.92	63.54	-25.62	34.19	1	Vertical	90	1.57	-	37.82	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
 Setting 80
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5942G	51.11	83.54	-32.43	47.39	1	Horizontal	0	1.56	-	37.81	15.77	49.86
AV	20.59758G	38.11	63.54	-25.43	34.38	1	Horizontal	0	1.56	-	37.82	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9066G	111.15	Inf	-Inf	100.90	3	Vertical	155	2.30	-	36.24	7.16	33.15
RMS	6.9078G	101.14	Inf	-Inf	90.88	3	Vertical	155	2.30	-	36.25	7.16	33.15
PK	7.161G	63.82	88.20	-24.38	52.79	3	Vertical	155	2.30	-	36.94	7.22	33.13
RMS	7.1322G	53.21	68.20	-14.99	42.36	3	Vertical	155	2.30	-	36.76	7.23	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9222G	116.65	Inf	-Inf	106.29	3	Horizontal	60	1.10	-	36.33	7.18	33.15
RMS	6.921G	106.70	Inf	-Inf	96.34	3	Horizontal	60	1.10	-	36.33	7.18	33.15
PK	7.125G	65.07	88.20	-23.13	54.27	3	Horizontal	60	1.10	-	36.70	7.24	33.14
RMS	7.1322G	53.65	68.20	-14.55	42.80	3	Horizontal	60	1.10	-	36.76	7.23	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88516G	63.67	88.20	-24.53	44.18	3	Vertical	205	1.46	-	40.89	9.85	31.25
RMS	13.88602G	49.64	68.20	-18.56	30.15	3	Vertical	205	1.46	-	40.89	9.85	31.25

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89284G	63.33	88.20	-24.87	43.85	3	Horizontal	156	2.65	-	40.89	9.85	31.26
RMS	13.89168G	49.66	68.20	-18.54	30.18	3	Horizontal	156	2.65	-	40.89	9.85	31.26

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83074G	50.98	83.54	-32.56	47.01	1	Vertical	338	1.58	-	37.87	15.87	49.77
AV	20.83268G	37.61	63.54	-25.93	33.64	1	Vertical	338	1.58	-	37.87	15.87	49.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83756G	51.00	83.54	-32.54	47.02	1	Horizontal	290	1.58	-	37.86	15.88	49.76
AV	20.83492G	37.43	63.54	-26.11	33.46	1	Horizontal	290	1.58	-	37.86	15.88	49.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0226G	112.73	Inf	-Inf	102.18	3	Vertical	5	2.42	-	36.44	7.29	33.18
RMS	7.0226G	102.75	Inf	-Inf	92.20	3	Vertical	5	2.42	-	36.44	7.29	33.18
PK	7.125G	65.83	88.20	-22.37	55.03	3	Vertical	5	2.42	-	36.70	7.24	33.14
RMS	7.125G	55.43	68.20	-12.77	44.63	3	Vertical	5	2.42	-	36.70	7.24	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0146G	117.97	Inf	-Inf	107.47	3	Horizontal	50	1.00	-	36.39	7.29	33.18
RMS	7.033G	108.25	Inf	-Inf	97.65	3	Horizontal	50	1.00	-	36.50	7.28	33.18
PK	7.1266G	73.47	88.20	-14.73	62.66	3	Horizontal	50	1.00	-	36.71	7.24	33.14
RMS	7.125G	60.22	68.20	-7.98	49.42	3	Horizontal	50	1.00	-	36.70	7.24	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05324G	63.13	88.20	-25.07	43.69	3	Vertical	115	2.75	-	40.90	9.92	31.38
RMS	14.04536G	48.92	68.20	-19.28	29.48	3	Vertical	115	2.75	-	40.90	9.91	31.37

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05076G	63.55	88.20	-24.65	44.11	3	Horizontal	76	2.28	-	40.90	9.92	31.38
RMS	14.05392G	48.84	68.20	-19.36	29.40	3	Horizontal	76	2.28	-	40.90	9.92	31.38

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07004G	51.62	83.54	-31.92	47.73	1	Vertical	13	1.57	-	37.60	15.98	49.69
AV	21.07944G	37.88	63.54	-25.66	33.97	1	Vertical	13	1.57	-	37.60	15.99	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07278G	51.34	83.54	-32.20	47.45	1	Horizontal	31	1.56	-	37.60	15.98	49.69
AV	21.07912G	37.88	63.54	-25.66	33.97	1	Horizontal	31	1.56	-	37.60	15.99	49.68

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	79.46	88.20	-8.74	70.82	3	Vertical	168	2.39	-	34.98	6.60	32.94
RMS	5.921G	57.22	68.20	-10.98	48.58	3	Vertical	168	2.39	-	34.98	6.60	32.94
PK	6.051G	112.16	Inf	-Inf	103.23	3	Vertical	168	2.39	-	35.20	6.68	32.95
RMS	6.05G	101.98	Inf	-Inf	93.06	3	Vertical	168	2.39	-	35.20	6.67	32.95

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	79.44	88.20	-8.76	70.79	3	Horizontal	353	1.02	-	34.99	6.60	32.94
RMS	5.921G	58.01	68.20	-10.19	49.37	3	Horizontal	353	1.02	-	34.98	6.60	32.94
PK	6.081G	116.78	Inf	-Inf	107.75	3	Horizontal	353	1.02	-	35.26	6.72	32.95
RMS	6.083G	106.12	Inf	-Inf	97.08	3	Horizontal	353	1.02	-	35.27	6.72	32.95

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04674G	56.47	74.00	-17.53	41.72	3	Vertical	42	2.86	-	38.55	9.02	32.82
AV	12.05366G	42.70	54.00	-11.30	27.94	3	Vertical	42	2.86	-	38.55	9.02	32.81

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04922G	56.80	74.00	-17.20	42.05	3	Horizontal	329	1.60	-	38.55	9.02	32.82
AV	12.0511G	42.74	54.00	-11.26	27.99	3	Horizontal	329	1.60	-	38.55	9.02	32.82

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07458G	45.90	83.54	-37.64	43.80	1	Vertical	270	1.55	-	37.64	14.73	50.27
AV	18.07848G	32.83	63.54	-30.71	30.73	1	Vertical	270	1.55	-	37.64	14.73	50.27

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07866G	46.31	83.54	-37.23	44.21	1	Horizontal	33	1.52	-	37.64	14.73	50.27
AV	18.07896G	32.62	63.54	-30.92	30.52	1	Horizontal	33	1.52	-	37.64	14.73	50.27

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	64.08	88.20	-24.12	55.46	3	Vertical	184	2.42	-	34.96	6.60	32.94
RMS	5.921G	50.88	68.20	-17.32	42.24	3	Vertical	184	2.42	-	34.98	6.60	32.94
PK	6.2058G	113.87	Inf	-Inf	104.47	3	Vertical	184	2.42	-	35.45	6.90	32.95
RMS	6.209G	103.93	Inf	-Inf	94.55	3	Vertical	184	2.42	-	35.43	6.90	32.95

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	66.59	88.20	-21.61	57.98	3	Horizontal	344	1.28	-	34.95	6.60	32.94
RMS	5.9242G	52.52	68.20	-15.68	43.86	3	Horizontal	344	1.28	-	35.00	6.60	32.94
PK	6.1066G	114.78	Inf	-Inf	105.67	3	Horizontal	344	1.28	-	35.30	6.76	32.95
RMS	6.1082G	104.93	Inf	-Inf	95.82	3	Horizontal	344	1.28	-	35.30	6.76	32.95

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37066G	56.67	74.00	-17.33	41.28	3	Vertical	13	1.87	-	38.64	9.17	32.42
AV	12.36884G	42.72	54.00	-11.28	27.33	3	Vertical	13	1.87	-	38.64	9.17	32.42

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37362G	56.90	74.00	-17.10	41.50	3	Horizontal	57	1.36	-	38.65	9.17	32.42
AV	12.36898G	42.67	54.00	-11.33	27.28	3	Horizontal	57	1.36	-	38.64	9.17	32.42

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55492G	47.41	83.54	-36.13	44.76	1	Vertical	281	1.53	-	37.78	14.92	50.05
AV	18.55406G	34.11	63.54	-29.43	31.46	1	Vertical	281	1.53	-	37.78	14.92	50.05

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55828G	47.51	83.54	-36.03	44.85	1	Horizontal	2	1.50	-	37.78	14.92	50.04
AV	18.55702G	34.04	63.54	-29.50	31.38	1	Horizontal	2	1.50	-	37.78	14.92	50.04

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.889G	61.24	88.20	-26.96	52.70	3	Vertical	360	1.78	-	34.88	6.60	32.94
RMS	5.925G	50.06	68.20	-18.14	41.40	3	Vertical	360	1.78	-	35.00	6.60	32.94
PK	6.283G	110.07	Inf	-Inf	100.85	3	Vertical	360	1.78	-	35.23	6.94	32.95
RMS	6.283G	100.68	Inf	-Inf	91.46	3	Vertical	360	1.78	-	35.23	6.94	32.95

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.885G	60.24	88.20	-27.96	51.71	3	Horizontal	72	1.00	-	34.87	6.60	32.94
RMS	5.925G	50.52	68.20	-17.68	41.86	3	Horizontal	72	1.00	-	35.00	6.60	32.94
PK	6.355G	115.21	Inf	-Inf	105.85	3	Horizontal	72	1.00	-	35.33	6.98	32.95
RMS	6.297G	105.12	Inf	-Inf	95.83	3	Horizontal	72	1.00	-	35.29	6.95	32.95

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68762G	58.56	74.00	-15.44	42.31	3	Vertical	59	2.54	-	38.96	9.31	32.02
AV	12.68576G	43.55	54.00	-10.45	27.30	3	Vertical	59	2.54	-	38.96	9.31	32.02

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68552G	57.33	74.00	-16.67	41.08	3	Horizontal	121	2.94	-	38.96	9.31	32.02
AV	12.69406G	43.53	54.00	-10.47	27.25	3	Horizontal	121	2.94	-	38.98	9.31	32.01

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03486G	48.58	83.54	-34.96	45.12	1	Vertical	93	1.55	-	37.96	15.11	49.61
AV	19.03202G	34.49	63.54	-29.05	31.03	1	Vertical	93	1.55	-	37.96	15.11	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6345MHz_TnomVnom



EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03952G	48.45	83.54	-35.09	44.99	1	Horizontal	257	1.53	-	37.95	15.12	49.61
AV	19.03502G	34.43	63.54	-29.11	30.97	1	Horizontal	257	1.53	-	37.96	15.11	49.61


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_4TX
 Setting 80
 01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8862G	60.73	88.20	-27.47	52.20	3	Vertical	167	2.28	-	34.87	6.60	32.94
RMS	5.9198G	49.90	68.20	-18.30	41.26	3	Vertical	167	2.28	-	34.98	6.60	32.94
PK	6.4406G	111.44	Inf	-Inf	101.95	3	Vertical	167	2.28	-	35.44	7.00	32.95
RMS	6.4294G	101.76	Inf	-Inf	92.23	3	Vertical	167	2.28	-	35.48	7.00	32.95
PK	7.1546G	63.30	88.20	-24.90	52.29	3	Vertical	167	2.28	-	36.92	7.22	33.13
RMS	7.1434G	52.35	68.20	-15.85	41.41	3	Vertical	167	2.28	-	36.85	7.23	33.14


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_4TX
 Setting 80
 01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9058G	60.97	88.20	-27.23	52.39	3	Horizontal	344	1.20	-	34.92	6.60	32.94
RMS	5.925G	50.20	68.20	-18.00	41.54	3	Horizontal	344	1.20	-	35.00	6.60	32.94
PK	6.4294G	112.10	Inf	-Inf	102.57	3	Horizontal	344	1.20	-	35.48	7.00	32.95
RMS	6.5526G	102.46	Inf	-Inf	92.63	3	Horizontal	344	1.20	-	35.81	7.00	32.98
PK	7.1546G	63.26	88.20	-24.94	52.25	3	Horizontal	344	1.20	-	36.92	7.22	33.13
RMS	7.1546G	52.43	68.20	-15.77	41.42	3	Horizontal	344	1.20	-	36.92	7.22	33.13

802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




11/05/2022

EUT_Z_4TX
 Setting 80
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01266G	58.07	88.20	-30.13	40.60	3	Vertical	284	2.88	-	39.61	9.46	31.60
RMS	13.00562G	44.46	68.20	-23.74	27.01	3	Vertical	284	2.88	-	39.61	9.45	31.61


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_4TX
 Setting 80
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01458G	58.08	88.20	-30.12	40.61	3	Horizontal	126	2.40	-	39.61	9.46	31.60
RMS	13.01484G	44.54	68.20	-23.66	27.07	3	Horizontal	126	2.40	-	39.61	9.46	31.60


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_4TX
 Setting 80
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51796G	49.02	83.54	-34.52	45.52	1	Vertical	148	1.54	-	37.89	15.31	49.70
AV	19.51522G	35.55	63.54	-27.99	32.05	1	Vertical	148	1.54	-	37.89	15.31	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
 Setting 80
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.514G	49.30	83.54	-34.24	45.80	1	Horizontal	150	1.56	-	37.89	15.31	49.70
AV	19.51864G	35.64	63.54	-27.90	32.14	1	Horizontal	150	1.56	-	37.89	15.31	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.632G	108.86	Inf	-Inf	98.91	3	Vertical	186	1.38	-	35.96	7.00	33.01
RMS	6.632G	98.43	Inf	-Inf	88.48	3	Vertical	186	1.38	-	35.96	7.00	33.01
PK	7.1732G	63.49	88.20	-24.71	52.42	3	Vertical	186	1.38	-	36.99	7.21	33.13
RMS	7.215G	52.33	68.20	-15.87	41.12	3	Vertical	186	1.38	-	37.10	7.22	33.11

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6474G	114.69	Inf	-Inf	104.72	3	Horizontal	353	1.00	-	35.99	7.00	33.02
RMS	6.643G	103.70	Inf	-Inf	93.73	3	Horizontal	353	1.00	-	35.99	7.00	33.02
PK	7.1974G	63.13	88.20	-25.07	51.96	3	Horizontal	353	1.00	-	37.09	7.20	33.12
RMS	7.1512G	52.40	68.20	-15.80	41.42	3	Horizontal	353	1.00	-	36.90	7.22	33.14

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3301G	59.75	74.00	-14.25	41.29	3	Vertical	325	2.38	-	40.06	9.60	31.20
AV	13.33442G	45.60	54.00	-8.40	27.13	3	Vertical	325	2.38	-	40.07	9.60	31.20

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3334G	59.23	74.00	-14.77	40.76	3	Horizontal	237	2.74	-	40.07	9.60	31.20
AV	13.33486G	45.61	54.00	-8.39	27.14	3	Horizontal	237	2.74	-	40.07	9.60	31.20

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99698G	50.63	83.54	-32.91	47.43	1	Vertical	245	1.54	-	37.40	15.50	49.70
AV	19.99284G	36.18	63.54	-27.36	32.97	1	Vertical	245	1.54	-	37.41	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6665MHz_TnomVnom



EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99626G	49.36	83.54	-34.18	46.15	1	Horizontal	352	1.56	-	37.41	15.50	49.70
AV	19.99018G	35.98	63.54	-27.56	32.76	1	Horizontal	352	1.56	-	37.42	15.50	49.70


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
 Setting 80
 01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8554G	108.72	Inf	-Inf	98.20	3	Vertical	7	2.52	-	36.56	7.08	33.12
RMS	6.8586G	99.26	Inf	-Inf	88.76	3	Vertical	7	2.52	-	36.53	7.09	33.12
PK	7.2042G	64.69	88.20	-23.51	53.51	3	Vertical	7	2.52	-	37.10	7.20	33.12
RMS	7.1386G	52.82	68.20	-15.38	41.92	3	Vertical	7	2.52	-	36.81	7.23	33.14


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
 Setting 80
 01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8458G	113.52	Inf	-Inf	103.00	3	Horizontal	58	1.00	-	36.57	7.07	33.12
RMS	6.8474G	103.95	Inf	-Inf	93.42	3	Horizontal	58	1.00	-	36.58	7.07	33.12
PK	7.1722G	66.11	88.20	-22.09	55.04	3	Horizontal	58	1.00	-	36.99	7.21	33.13
RMS	7.1386G	53.52	68.20	-14.68	42.62	3	Horizontal	58	1.00	-	36.81	7.23	33.14


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
 Setting 80
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65014G	62.80	88.20	-25.40	43.75	3	Vertical	312	1.32	-	40.40	9.74	31.09
RMS	13.65476G	47.95	68.20	-20.25	28.90	3	Vertical	312	1.32	-	40.41	9.74	31.10


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
 Setting 80
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65468G	61.76	88.20	-26.44	42.71	3	Horizontal	291	1.97	-	40.41	9.74	31.10
RMS	13.64602G	47.93	68.20	-20.27	28.89	3	Horizontal	291	1.97	-	40.39	9.74	31.09

802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
 Setting 80
 01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47552G	51.10	83.54	-32.44	47.59	1	Vertical	139	1.54	-	37.69	15.71	49.89
AV	20.47962G	37.19	63.54	-26.35	33.67	1	Vertical	139	1.54	-	37.69	15.72	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 80
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47784G	51.10	83.54	-32.44	47.58	1	Horizontal	117	1.52	-	37.69	15.72	49.89
AV	20.47752G	37.24	63.54	-26.30	33.73	1	Horizontal	117	1.52	-	37.69	15.71	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Z_4TX
Setting 80
01-L-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.937G	109.10	Inf	-Inf	98.63	3	Vertical	160	2.39	-	36.42	7.21	33.16
RMS	6.932G	98.22	Inf	-Inf	87.79	3	Vertical	160	2.39	-	36.39	7.20	33.16
PK	7.141G	70.13	88.20	-18.07	59.21	3	Vertical	160	2.39	-	36.83	7.23	33.14
RMS	7.142G	53.31	68.20	-14.89	42.38	3	Vertical	160	2.39	-	36.84	7.23	33.14

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-L-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.019G	113.08	Inf	-Inf	102.56	3	Horizontal	50	1.00	-	36.41	7.29	33.18
RMS	7.01G	101.59	Inf	-Inf	91.13	3	Horizontal	50	1.00	-	36.36	7.29	33.19
PK	7.129G	78.14	88.20	-10.06	67.31	3	Horizontal	50	1.00	-	36.73	7.24	33.14
RMS	7.143G	56.71	68.20	-11.49	45.78	3	Horizontal	50	1.00	-	36.84	7.23	33.14

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-L-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96558G	63.17	88.20	-25.03	43.70	3	Vertical	266	2.22	-	40.90	9.88	31.31
RMS	13.96566G	48.99	68.20	-19.21	29.52	3	Vertical	266	2.22	-	40.90	9.88	31.31

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-L-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97048G	63.69	88.20	-24.51	44.21	3	Horizontal	87	1.63	-	40.90	9.89	31.31
RMS	13.9748G	48.98	68.20	-19.22	29.50	3	Horizontal	87	1.63	-	40.90	9.89	31.31

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_Z_4TX
Setting 80
01-L-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9561G	52.09	83.54	-31.45	48.21	1	Vertical	339	1.57	-	37.67	15.93	49.72
AV	20.95878G	36.65	63.54	-26.89	32.77	1	Vertical	339	1.57	-	37.67	15.93	49.72

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom



EUT_Z_4TX
Setting 80
01-L-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95974G	51.01	83.54	-32.53	47.14	1	Horizontal	38	1.55	-	37.66	15.93	49.72
AV	20.95948G	36.63	63.54	-26.91	32.76	1	Horizontal	38	1.55	-	37.66	15.93	49.72

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	6.4104G	-5.12	6.3657G	-46.37	-45.12	-1.25	2
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	6.39141G	-5.39	6.4902G	-47.15	-45.39	-1.76	4
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	6.37261G	-5.24	6.5758G	-46.46	-45.24	-1.22	2
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	6.32022G	-3.15	6.0946G	-45.32	-43.15	-2.17	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	6.4306G	-2.91	6.3892G	-46.25	-42.91	-3.34	2
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	6.4414G	-4.14	6.544G	-46.79	-44.14	-2.65	4
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	6.53381G	-3.37	6.7346G	-45.38	-43.37	-2.01	3
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	6.47783G	-2.89	6.8818G	-44.55	-42.89	-1.66	3
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	6.5324G	-4.04	6.5815G	-46.17	-44.04	-2.13	1
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	6.8898G	-4.55	6.8214G	-45.75	-44.53	-1.22	3
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Fail	6.87979G	-6.33	6.9962G	-45.72	-46.33	0.61	3
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	6.85617G	-5.03	6.5698G	-45.92	-45.03	-0.89	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	7.00009G	-4.41	6.9536G	-47.47	-44.41	-3.06	4
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	6.93G	-3.62	6.8614G	-45.23	-43.62	-1.61	3
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Fail	6.93261G	-5.73	6.7714G	-45.34	-45.73	0.39	3
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Fail	6.96022G	-5.81	6.7282G	-45.39	-45.81	0.42	1



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.9597G	-2.78	5.9962G	-46.84	-42.78	-4.06	1
5955MHz	Pass	5.96079G	-2.60	5.994G	-46.59	-42.60	-3.99	2
5955MHz	Pass	5.9576G	-2.82	6.0026G	-46.80	-42.82	-3.98	3
5955MHz	Pass	5.96129G	-6.18	6.005G	-46.69	-31.42	-15.27	4
6175MHz	Pass	6.1733G	-2.52	6.2164G	-49.55	-42.52	-7.03	1
6175MHz	Pass	6.1762G	-3.00	6.2088G	-46.48	-43.00	-3.48	2
6175MHz	Pass	6.1759G	-3.31	6.2092G	-48.95	-43.31	-5.64	3
6175MHz	Pass	6.1775G	-2.72	6.2113G	-49.35	-42.72	-6.63	4
6415MHz	Pass	6.4123G	-5.34	6.3673G	-49.47	-45.34	-4.13	1
6415MHz	Pass	6.4104G	-5.12	6.3657G	-46.37	-45.12	-1.25	2
6415MHz	Pass	6.4137G	-5.05	6.3811G	-49.09	-45.05	-4.04	3
6415MHz	Pass	6.4115G	-5.01	6.3651G	-49.51	-45.01	-4.50	4
6435MHz	Pass	6.4322G	-2.80	6.398G	-49.49	-42.80	-6.69	1
6435MHz	Pass	6.4306G	-2.91	6.3892G	-46.25	-42.91	-3.34	2
6435MHz	Pass	6.4336G	-2.65	6.3959G	-49.12	-42.65	-6.47	3
6435MHz	Pass	6.4339G	-2.29	6.4007G	-49.29	-42.29	-7.00	4
6475MHz	Pass	6.4726G	-2.55	6.4349G	-49.77	-42.55	-7.22	1
6475MHz	Pass	6.46981G	-2.80	6.4407G	-46.23	-42.80	-3.43	2
6475MHz	Pass	6.4739G	-2.09	6.4398G	-49.15	-42.05	-7.10	3
6475MHz	Pass	6.4708G	-2.28	6.439G	-49.58	-42.28	-7.30	4
6515MHz	Pass	6.5123G	-2.70	6.5494G	-49.58	-42.70	-6.88	1
6515MHz	Pass	6.50991G	-2.81	6.5528G	-46.32	-42.81	-3.51	2
6515MHz	Pass	6.5137G	-2.51	6.5507G	-49.37	-42.51	-6.86	3
6515MHz	Pass	6.5128G	-2.67	6.4774G	-49.80	-42.67	-7.13	4
6535MHz	Pass	6.5324G	-4.04	6.5815G	-46.17	-44.04	-2.13	1
6535MHz	Pass	6.5324G	-3.56	6.5712G	-49.63	-43.56	-6.07	2
6535MHz	Pass	6.5336G	-3.74	6.5754G	-46.35	-43.74	-2.61	3
6535MHz	Pass	6.5338G	-3.99	6.5692G	-48.96	-43.99	-4.97	4
6695MHz	Pass	6.6922G	-2.66	6.7374G	-45.53	-42.66	-2.87	1
6695MHz	Pass	6.6935G	-2.30	6.7316G	-48.97	-42.30	-6.67	2
6695MHz	Pass	6.6937G	-2.83	6.7426G	-45.58	-42.83	-2.75	3
6695MHz	Pass	6.6964G	-3.14	6.7338G	-48.42	-43.14	-5.28	4
6855MHz	Pass	6.8536G	-3.25	6.8889G	-45.40	-43.25	-2.15	1
6855MHz	Pass	6.8578G	-3.37	6.8202G	-48.58	-43.37	-5.21	2
6855MHz	Pass	6.8588G	-3.18	6.8142G	-45.60	-43.18	-2.42	3
6855MHz	Pass	6.8541G	-3.42	6.8197G	-48.00	-43.42	-4.58	4
6875MHz Straddle 6.525-6.875GHz	Pass	6.8725G	-3.10	6.8337G	-45.46	-43.10	-2.36	1
6875MHz Straddle 6.525-6.875GHz	Pass	6.8774G	-3.30	6.8335G	-48.73	-43.30	-5.43	2
6875MHz Straddle 6.525-6.875GHz	Pass	6.8786G	-3.25	6.8399G	-45.51	-43.25	-2.26	3
6875MHz Straddle 6.525-6.875GHz	Pass	6.8737G	-3.39	6.8389G	-47.91	-43.39	-4.52	4
6895MHz	Pass	6.8915G	-2.99	6.8591G	-48.49	-42.99	-5.50	1
6895MHz	Pass	6.8978G	-2.88	6.9432G	-48.36	-42.88	-5.48	2
6895MHz	Pass	6.8938G	-3.14	6.8597G	-48.38	-43.14	-5.24	3
6895MHz	Pass	6.8983G	-2.74	6.9305G	-47.34	-42.74	-4.60	4
6995MHz	Pass	7.00009G	-4.75	6.9514G	-48.62	-44.75	-3.87	1
6995MHz	Pass	7.00039G	-4.19	6.9617G	-48.20	-44.14	-4.06	2
6995MHz	Pass	7.00019G	-4.73	6.9614G	-48.41	-44.73	-3.68	3
6995MHz	Pass	7.00009G	-4.41	6.9536G	-47.47	-44.41	-3.06	4
7095MHz	Pass	7.0901G	-3.95	7.0796G	-33.78	-25.94	-7.84	1
7095MHz	Pass	7.08991G	-3.64	7.0799G	-32.93	-24.01	-8.92	2
7095MHz	Pass	7.0901G	-3.99	7.0802G	-33.42	-24.62	-8.80	3
7095MHz	Pass	7.0913G	-3.27	7.0807G	-32.23	-24.75	-7.48	4
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.97739G	-2.00	6.0596G	-46.44	-42.00	-4.44	1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5965MHz	Pass	5.98058G	-1.63	6.0568G	-46.34	-41.63	-4.71	2
5965MHz	Pass	5.97299G	-2.34	6.0628G	-46.55	-42.34	-4.21	3
5965MHz	Pass	5.97119G	-1.55	6.0282G	-46.35	-41.55	-4.80	4
6165MHz	Pass	6.1626G	-2.61	6.094G	-46.51	-42.61	-3.90	1
6165MHz	Pass	6.16G	-2.76	6.099G	-46.29	-42.76	-3.53	2
6165MHz	Pass	6.1688G	-2.88	6.0792G	-46.41	-42.88	-3.53	3
6165MHz	Pass	6.15941G	-3.09	6.1002G	-46.40	-43.09	-3.31	4
6405MHz	Pass	6.39961G	-4.55	6.342G	-47.14	-44.55	-2.59	1
6405MHz	Pass	6.4G	-4.81	6.4924G	-47.07	-44.81	-2.26	2
6405MHz	Pass	6.39861G	-4.64	6.4966G	-47.12	-44.64	-2.48	3
6405MHz	Pass	6.39141G	-5.39	6.4902G	-47.15	-45.39	-1.76	4
6445MHz	Pass	6.43741G	-3.37	6.545G	-46.65	-43.37	-3.28	1
6445MHz	Pass	6.4406G	-3.38	6.539G	-46.66	-43.38	-3.28	2
6445MHz	Pass	6.43001G	-3.40	6.3696G	-46.65	-43.40	-3.25	3
6445MHz	Pass	6.4414G	-4.14	6.544G	-46.79	-44.14	-2.65	4
6485MHz	Pass	6.48G	-1.92	6.5794G	-46.19	-41.92	-4.27	1
6485MHz	Pass	6.4804G	-1.86	6.5718G	-46.14	-41.86	-4.28	2
6485MHz	Pass	6.48G	-2.21	6.5748G	-46.28	-42.21	-4.07	3
6485MHz	Pass	6.47841G	-2.96	6.584G	-46.42	-42.96	-3.46	4
6525MHz Straddle 6.425-6.525GHz	Pass	6.52G	-2.05	6.5894G	-45.97	-42.05	-3.92	1
6525MHz Straddle 6.425-6.525GHz	Pass	6.52G	-1.77	6.6186G	-46.00	-41.77	-4.23	2
6525MHz Straddle 6.425-6.525GHz	Pass	6.51901G	-2.19	6.5934G	-46.00	-42.19	-3.81	3
6525MHz Straddle 6.425-6.525GHz	Pass	6.5212G	-3.26	6.6146G	-46.07	-43.26	-2.81	4
6565MHz	Pass	6.5626G	-2.82	6.6298G	-46.16	-42.82	-3.34	1
6565MHz	Pass	6.5602G	-2.28	6.6308G	-45.84	-42.28	-3.56	2
6565MHz	Pass	6.5686G	-3.21	6.6298G	-46.13	-43.21	-2.92	3
6565MHz	Pass	6.55881G	-3.83	6.6318G	-46.04	-43.83	-2.21	4
6685MHz	Pass	6.6874G	-3.05	6.7494G	-45.58	-43.05	-2.53	1
6685MHz	Pass	6.69G	-2.90	6.7504G	-45.36	-42.90	-2.46	2
6685MHz	Pass	6.69039G	-3.36	6.754G	-45.60	-43.36	-2.24	3
6685MHz	Pass	6.67921G	-3.01	6.7506G	-45.32	-43.01	-2.31	4
6845MHz	Pass	6.8494G	-3.18	6.7748G	-45.72	-43.18	-2.54	1
6845MHz	Pass	6.8476G	-3.46	6.7792G	-45.47	-43.46	-2.01	2
6845MHz	Pass	6.85G	-3.32	6.7662G	-45.72	-43.32	-2.40	3
6845MHz	Pass	6.8486G	-2.82	6.7826G	-45.39	-42.82	-2.57	4
6885MHz Straddle 6.525-6.875GHz	Pass	6.87981G	-4.09	6.8174G	-45.65	-44.09	-1.56	1
6885MHz Straddle 6.525-6.875GHz	Pass	6.89039G	-4.23	6.8214G	-45.49	-44.23	-1.26	2
6885MHz Straddle 6.525-6.875GHz	Pass	6.8898G	-4.55	6.8214G	-45.75	-44.53	-1.22	3
6885MHz Straddle 6.525-6.875GHz	Pass	6.87881G	-4.23	6.8088G	-45.62	-44.23	-1.39	4
6925MHz	Pass	6.93019G	-3.63	6.8492G	-45.39	-43.63	-1.76	1
6925MHz	Pass	6.9204G	-3.86	6.9874G	-48.05	-43.86	-4.19	2
6925MHz	Pass	6.93G	-3.62	6.8614G	-45.23	-43.62	-1.61	3
6925MHz	Pass	6.91841G	-3.19	6.9882G	-48.09	-43.19	-4.90	4
7005MHz	Pass	7.0004G	-3.09	6.9384G	-45.52	-43.09	-2.43	1
7005MHz	Pass	7.0002G	-2.88	6.941G	-48.19	-42.88	-5.31	2
7005MHz	Pass	7.0026G	-3.30	6.9398G	-45.46	-43.30	-2.16	3
7005MHz	Pass	7.0014G	-2.64	6.9418G	-47.96	-42.64	-5.32	4
7085MHz	Pass	7.07641G	-3.18	6.9864G	-47.42	-43.18	-4.24	1
7085MHz	Pass	7.07981G	-2.94	7.0482G	-36.22	-29.16	-7.06	2
7085MHz	Pass	7.07741G	-3.35	7.0228G	-47.25	-43.35	-3.90	3
7085MHz	Pass	7.07981G	-2.85	7.052G	-34.45	-27.29	-7.16	4
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01377G	-4.03	6.1118G	-46.52	-44.03	-2.49	1
5985MHz	Pass	5.99619G	-3.65	6.1074G	-46.35	-43.65	-2.70	2
5985MHz	Pass	5.99379G	-4.00	6.1138G	-46.52	-44.00	-2.52	3
5985MHz	Pass	5.99619G	-3.27	6.1094G	-46.16	-43.27	-2.89	4



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6145MHz	Pass	6.13261G	-3.36	6.007G	-46.74	-43.36	-3.38	1
6145MHz	Pass	6.13341G	-3.27	6.013G	-46.18	-43.27	-2.91	2
6145MHz	Pass	6.15939G	-3.50	6.017G	-46.40	-43.50	-2.90	3
6145MHz	Pass	6.15739G	-3.14	6.009G	-46.56	-43.14	-3.42	4
6385MHz	Pass	6.35623G	-5.35	6.5762G	-46.66	-45.35	-1.31	1
6385MHz	Pass	6.37261G	-5.24	6.5758G	-46.46	-45.24	-1.22	2
6385MHz	Pass	6.35383G	-4.98	6.5842G	-46.52	-44.98	-1.54	3
6385MHz	Pass	6.35623G	-4.88	6.5838G	-46.50	-44.88	-1.62	4
6465MHz	Pass	6.42744G	-3.40	6.6074G	-45.92	-43.40	-2.52	1
6465MHz	Pass	6.45261G	-3.35	6.619G	-45.95	-43.35	-2.60	2
6465MHz	Pass	6.43543G	-3.39	6.6442G	-45.94	-43.39	-2.55	3
6465MHz	Pass	6.43623G	-3.10	6.6462G	-46.06	-43.10	-2.96	4
6545MHz Straddle 6.425-6.525GHz	Pass	6.53621G	-3.04	6.7438G	-45.43	-43.04	-2.39	1
6545MHz Straddle 6.425-6.525GHz	Pass	6.55539G	-2.92	6.7338G	-45.39	-42.92	-2.47	2
6545MHz Straddle 6.425-6.525GHz	Pass	6.53381G	-3.37	6.7346G	-45.38	-43.37	-2.01	3
6545MHz Straddle 6.425-6.525GHz	Pass	6.53381G	-3.21	6.7442G	-45.48	-43.21	-2.27	4
6625MHz	Pass	6.61341G	-3.62	6.767G	-45.42	-43.62	-1.80	1
6625MHz	Pass	6.61381G	-3.75	6.7818G	-45.19	-43.75	-1.44	2
6625MHz	Pass	6.64018G	-4.01	6.7558G	-45.45	-44.01	-1.44	3
6625MHz	Pass	6.61381G	-3.73	6.7558G	-45.18	-43.73	-1.45	4
6705MHz	Pass	6.69221G	-4.00	6.8566G	-45.37	-44.00	-1.37	1
6705MHz	Pass	6.69101G	-3.80	6.889G	-45.13	-43.80	-1.33	2
6705MHz	Pass	6.69501G	-4.25	6.8782G	-45.35	-44.25	-1.10	3
6705MHz	Pass	6.73377G	-3.93	6.829G	-45.05	-43.93	-1.12	4
6785MHz	Pass	6.77341G	-3.75	6.9198G	-45.62	-43.75	-1.87	1
6785MHz	Pass	6.79779G	-3.85	6.983G	-45.35	-43.85	-1.50	2
6785MHz	Pass	6.79979G	-5.47	6.945G	-45.82	-45.47	-0.35	3
6785MHz	Pass	6.81617G	-3.97	6.9158G	-45.51	-43.97	-1.54	4
6865MHz Straddle 6.525-6.875GHz	Fail	6.85381G	-4.83	6.9926G	-45.55	-44.83	-0.72	1
6865MHz Straddle 6.525-6.875GHz	Fail	6.87739G	-5.02	6.997G	-45.21	-45.02	-0.19	2
6865MHz Straddle 6.525-6.875GHz	Fail	6.87979G	-6.33	6.9962G	-45.72	-46.33	0.61	3
6865MHz Straddle 6.525-6.875GHz	Fail	6.85301G	-4.98	6.9906G	-45.49	-44.98	-0.51	4
6945MHz	Fail	6.93381G	-5.23	6.8066G	-45.34	-45.23	-0.11	1
6945MHz	Fail	6.93141G	-5.85	6.811G	-48.38	-45.85	-2.53	2
6945MHz	Fail	6.93261G	-5.73	6.7714G	-45.34	-45.73	0.39	3
6945MHz	Fail	6.93141G	-5.11	6.8162G	-48.21	-45.11	-3.10	4
7025MHz	Pass	7.01261G	-2.80	6.8826G	-44.84	-42.80	-2.04	1
7025MHz	Pass	7.01261G	-2.97	6.8878G	-48.19	-42.97	-5.22	2
7025MHz	Pass	7.01261G	-3.43	6.887G	-44.98	-43.43	-1.55	3
7025MHz	Pass	7.01381G	-2.71	6.8862G	-47.80	-42.71	-5.09	4
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04898G	-2.17	6.2754G	-45.67	-42.17	-3.50	1
6025MHz	Pass	6.00022G	-1.81	6.2842G	-45.76	-41.81	-3.95	2
6025MHz	Pass	5.99383G	-2.60	6.2898G	-46.10	-42.60	-3.50	3
6025MHz	Pass	6.05217G	-2.00	6.2722G	-45.08	-41.98	-3.10	4
6185MHz	Pass	6.15863G	-2.55	6.4514G	-46.27	-42.55	-3.72	1
6185MHz	Pass	6.21057G	-2.69	6.4338G	-46.02	-42.69	-3.33	2
6185MHz	Pass	6.16262G	-2.56	5.9338G	-46.03	-42.56	-3.47	3
6185MHz	Pass	6.16022G	-2.25	5.9322G	-45.58	-42.25	-3.33	4
6345MHz	Pass	6.32182G	-3.05	6.0962G	-45.42	-43.05	-2.37	1
6345MHz	Pass	6.32022G	-3.15	6.0946G	-45.32	-43.15	-2.17	2
6345MHz	Pass	6.31863G	-2.74	6.0826G	-45.57	-42.74	-2.83	3
6345MHz	Pass	6.31783G	-2.83	6.0818G	-45.16	-42.83	-2.33	4
6505MHz Straddle 6.425-6.525GHz	Pass	6.48022G	-2.82	6.7714G	-44.87	-42.82	-2.05	1
6505MHz Straddle 6.425-6.525GHz	Pass	6.47623G	-2.44	6.781G	-44.82	-42.44	-2.38	2
6505MHz Straddle 6.425-6.525GHz	Pass	6.47783G	-2.89	6.8818G	-44.55	-42.89	-1.66	3

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6505MHz Straddle 6.425-6.525GHz	Pass	6.47863G	-2.50	6.1906G	-44.56	-42.50	-2.06	4
6665MHz	Pass	6.64262G	-3.66	6.9274G	-45.35	-43.66	-1.69	1
6665MHz	Pass	6.63783G	-3.53	6.9314G	-44.75	-43.53	-1.22	2
6665MHz	Pass	6.69377G	-4.02	6.9514G	-45.05	-44.02	-1.03	3
6665MHz	Pass	6.64022G	-3.65	6.9234G	-44.83	-43.65	-1.18	4
6825MHz Straddle 6.525-6.875GHz	Pass	6.85377G	-5.25	6.5714G	-46.24	-45.25	-0.99	1
6825MHz Straddle 6.525-6.875GHz	Pass	6.85617G	-5.03	6.5698G	-45.92	-45.03	-0.89	2
6825MHz Straddle 6.525-6.875GHz	Pass	6.85057G	-5.06	6.5786G	-46.21	-44.93	-1.28	3
6825MHz Straddle 6.525-6.875GHz	Pass	6.84978G	-4.95	6.5762G	-45.96	-44.95	-1.01	4
6985MHz	Fail	6.96022G	-5.81	6.7282G	-45.39	-45.81	0.42	1
6985MHz	Fail	7.01137G	-4.68	6.7042G	-48.54	-44.68	-3.86	2
6985MHz	Fail	6.95863G	-4.37	6.7338G	-45.21	-44.37	-0.84	3
6985MHz	Fail	6.92266G	-4.22	6.7354G	-48.03	-44.22	-3.81	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TnomVnom

14/05/2022

CF Freq
5.955GHz


Span
100MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9597G	-2.78	5.9962G	-46.84	-42.78	-4.06	1
5.96079G	-2.60	5.994G	-46.59	-42.60	-3.99	2
5.9576G	-2.82	6.0026G	-46.80	-42.82	-3.98	3
5.96129G	-6.18	6.005G	-46.69	-31.42	-15.27	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6175MHz_TnomVnom

16/04/2022

CF Freq
6.175GHz


Span
100MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1733G	-2.52	6.2164G	-49.55	-42.52	-7.03	1
6.1762G	-3.00	6.2088G	-46.48	-43.00	-3.48	2
6.1759G	-3.31	6.2092G	-48.95	-43.31	-5.64	3
6.1775G	-2.72	6.2113G	-49.35	-42.72	-6.63	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TnomVnom

16/04/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4123G	-5.34	6.3673G	-49.47	-45.34	-4.13	1
6.4104G	-5.12	6.3657G	-46.37	-45.12	-1.25	2
6.4137G	-5.05	6.3811G	-49.09	-45.05	-4.04	3
6.4115G	-5.01	6.3651G	-49.51	-45.01	-4.50	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TnomVnom

16/04/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4322G	-2.80	6.398G	-49.49	-42.80	-6.69	1
6.4306G	-2.91	6.3892G	-46.25	-42.91	-3.34	2
6.4336G	-2.65	6.3959G	-49.12	-42.65	-6.47	3
6.4339G	-2.29	6.4007G	-49.29	-42.29	-7.00	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TnomVnom

16/04/2022

CF Freq
6.475GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4726G	-2.55	6.4349G	-49.77	-42.55	-7.22	1
6.46981G	-2.80	6.4407G	-46.23	-42.80	-3.43	2
6.4739G	-2.09	6.4398G	-49.15	-42.05	-7.10	3
6.4708G	-2.28	6.439G	-49.58	-42.28	-7.30	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TnomVnom

16/04/2022

CF Freq
6.515GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5123G	-2.70	6.5494G	-49.58	-42.70	-6.88	1
6.50991G	-2.81	6.5528G	-46.32	-42.81	-3.51	2
6.5137G	-2.51	6.5507G	-49.37	-42.51	-6.86	3
6.5128G	-2.67	6.4774G	-49.80	-42.67	-7.13	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TnomVnom

14/05/2022

CF Freq
6.535GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5324G	-4.04	6.5815G	-46.17	-44.04	-2.13	1
6.5324G	-3.56	6.5712G	-49.63	-43.56	-6.07	2
6.5336G	-3.74	6.5754G	-46.35	-43.74	-2.61	3
6.5338G	-3.99	6.5692G	-48.96	-43.99	-4.97	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TnomVnom

14/05/2022

CF Freq
6.695GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6922G	-2.66	6.7374G	-45.53	-42.66	-2.87	1
6.6935G	-2.30	6.7316G	-48.97	-42.30	-6.67	2
6.6937G	-2.83	6.7426G	-45.58	-42.83	-2.75	3
6.6964G	-3.14	6.7338G	-48.42	-43.14	-5.28	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TnomVnom

14/05/2022

CF Freq
6.855GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8536G	-3.25	6.8889G	-45.40	-43.25	-2.15	1
6.8578G	-3.37	6.8202G	-48.58	-43.37	-5.21	2
6.8588G	-3.18	6.8142G	-45.60	-43.18	-2.42	3
6.8541G	-3.42	6.8197G	-48.00	-43.42	-4.58	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

14/05/2022

CF Freq
6.875GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8725G	-3.10	6.8337G	-45.46	-43.10	-2.36	1
6.8774G	-3.30	6.8335G	-48.73	-43.30	-5.43	2
6.8786G	-3.25	6.8399G	-45.51	-43.25	-2.26	3
6.8737G	-3.39	6.8389G	-47.91	-43.39	-4.52	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TnomVnom

14/05/2022

CF Freq
6.895GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8915G	-2.99	6.8591G	-48.49	-42.99	-5.50	1
6.8978G	-2.88	6.9432G	-48.36	-42.88	-5.48	2
6.8938G	-3.14	6.8597G	-48.38	-43.14	-5.24	3
6.8983G	-2.74	6.9305G	-47.34	-42.74	-4.60	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TnomVnom

14/05/2022

CF Freq
6.995GHz


Span
100MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00009G	-4.75	6.9514G	-48.62	-44.75	-3.87	1
7.00039G	-4.19	6.9617G	-48.20	-44.14	-4.06	2
7.00019G	-4.73	6.9614G	-48.41	-44.73	-3.68	3
7.00009G	-4.41	6.9536G	-47.47	-44.41	-3.06	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TnomVnom

14/05/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0901G	-3.95	7.0796G	-33.78	-25.94	-7.84	1
7.08991G	-3.64	7.0799G	-32.93	-24.01	-8.92	2
7.0901G	-3.99	7.0802G	-33.42	-24.62	-8.80	3
7.0913G	-3.27	7.0807G	-32.23	-24.75	-7.48	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TnomVnom

14/05/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97739G	-2.00	6.0596G	-46.44	-42.00	-4.44	1
5.98058G	-1.63	6.0568G	-46.34	-41.63	-4.71	2
5.97299G	-2.34	6.0628G	-46.55	-42.34	-4.21	3
5.97119G	-1.55	6.0282G	-46.35	-41.55	-4.80	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6165MHz_TnomVnom

14/05/2022

CF Freq
6.165GHz


Span
200MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1626G	-2.61	6.094G	-46.51	-42.61	-3.90	1
6.16G	-2.76	6.099G	-46.29	-42.76	-3.53	2
6.1688G	-2.88	6.0792G	-46.41	-42.88	-3.53	3
6.15941G	-3.09	6.1002G	-46.40	-43.09	-3.31	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TnomVnom

14/05/2022

CF Freq
6.405GHz


Span
200MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39961G	-4.55	6.342G	-47.14	-44.55	-2.59	1
6.4G	-4.81	6.4924G	-47.07	-44.81	-2.26	2
6.39861G	-4.64	6.4966G	-47.12	-44.64	-2.48	3
6.39141G	-5.39	6.4902G	-47.15	-45.39	-1.76	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TnomVnom

14/05/2022

CF Freq
6.445GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43741G	-3.37	6.545G	-46.65	-43.37	-3.28	1
6.4406G	-3.38	6.539G	-46.66	-43.38	-3.28	2
6.43001G	-3.40	6.3696G	-46.65	-43.40	-3.25	3
6.4414G	-4.14	6.544G	-46.79	-44.14	-2.65	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TnomVnom

14/05/2022

CF Freq
6.485GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48G	-1.92	6.5794G	-46.19	-41.92	-4.27	1
6.4804G	-1.86	6.5718G	-46.14	-41.86	-4.28	2
6.48G	-2.21	6.5748G	-46.28	-42.21	-4.07	3
6.47841G	-2.96	6.584G	-46.42	-42.96	-3.46	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

14/05/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52G	-2.05	6.5894G	-45.97	-42.05	-3.92	1
6.52G	-1.77	6.6186G	-46.00	-41.77	-4.23	2
6.51901G	-2.19	6.5934G	-46.00	-42.19	-3.81	3
6.5212G	-3.26	6.6146G	-46.07	-43.26	-2.81	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TnomVnom

14/05/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5626G	-2.82	6.6298G	-46.16	-42.82	-3.34	1
6.5602G	-2.28	6.6308G	-45.84	-42.28	-3.56	2
6.5686G	-3.21	6.6298G	-46.13	-43.21	-2.92	3
6.55881G	-3.83	6.6318G	-46.04	-43.83	-2.21	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TnomVnom

14/05/2022

CF Freq
6.685GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6874G	-3.05	6.7494G	-45.58	-43.05	-2.53	1
6.69G	-2.90	6.7504G	-45.36	-42.90	-2.46	2
6.69039G	-3.36	6.754G	-45.60	-43.36	-2.24	3
6.67921G	-3.01	6.7506G	-45.32	-43.01	-2.31	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TnomVnom

14/05/2022

CF Freq
6.845GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8494G	-3.18	6.7748G	-45.72	-43.18	-2.54	1
6.8476G	-3.46	6.7792G	-45.47	-43.46	-2.01	2
6.85G	-3.32	6.7662G	-45.72	-43.32	-2.40	3
6.8486G	-2.82	6.7826G	-45.39	-42.82	-2.57	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

14/05/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87981G	-4.09	6.8174G	-45.65	-44.09	-1.56	1
6.89039G	-4.23	6.8214G	-45.49	-44.23	-1.26	2
6.8898G	-4.55	6.8214G	-45.75	-44.53	-1.22	3
6.87881G	-4.23	6.8088G	-45.62	-44.23	-1.39	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TnomVnom

14/05/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93019G	-3.63	6.8492G	-45.39	-43.63	-1.76	1
6.9204G	-3.86	6.9874G	-48.05	-43.86	-4.19	2
6.93G	-3.62	6.8614G	-45.23	-43.62	-1.61	3
6.91841G	-3.19	6.9882G	-48.09	-43.19	-4.90	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TnomVnom

14/05/2022

CF Freq
7.005GHz


Span
200MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0004G	-3.09	6.9384G	-45.52	-43.09	-2.43	1
7.0002G	-2.88	6.941G	-48.19	-42.88	-5.31	2
7.0026G	-3.30	6.9398G	-45.46	-43.30	-2.16	3
7.0014G	-2.64	6.9418G	-47.96	-42.64	-5.32	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TnomVnom

14/05/2022

CF Freq
7.085GHz


Span
200MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.07641G	-3.18	6.9864G	-47.42	-43.18	-4.24	1
7.07981G	-2.94	7.0482G	-36.22	-29.16	-7.06	2
7.07741G	-3.35	7.0228G	-47.25	-43.35	-3.90	3
7.07981G	-2.85	7.052G	-34.45	-27.29	-7.16	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TnomVnom

14/05/2022

CF Freq
5.985GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01377G	-4.03	6.1118G	-46.52	-44.03	-2.49	1
5.99619G	-3.65	6.1074G	-46.35	-43.65	-2.70	2
5.99379G	-4.00	6.1138G	-46.52	-44.00	-2.52	3
5.99619G	-3.27	6.1094G	-46.16	-43.27	-2.89	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6145MHz_TnomVnom

14/05/2022

CF Freq
6.145GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13261G	-3.36	6.007G	-46.74	-43.36	-3.38	1
6.13341G	-3.27	6.013G	-46.18	-43.27	-2.91	2
6.15939G	-3.50	6.017G	-46.40	-43.50	-2.90	3
6.15739G	-3.14	6.009G	-46.56	-43.14	-3.42	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TnomVnom

14/05/2022

CF Freq
6.385GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.35623G	-5.35	6.5762G	-46.66	-45.35	-1.31	1
6.37261G	-5.24	6.5758G	-46.46	-45.24	-1.22	2
6.35383G	-4.98	6.5842G	-46.52	-44.98	-1.54	3
6.35623G	-4.88	6.5838G	-46.50	-44.88	-1.62	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TnomVnom

14/05/2022

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42744G	-3.40	6.6074G	-45.92	-43.40	-2.52	1
6.45261G	-3.35	6.619G	-45.95	-43.35	-2.60	2
6.43543G	-3.39	6.6442G	-45.94	-43.39	-2.55	3
6.43623G	-3.10	6.6462G	-46.06	-43.10	-2.96	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

14/05/2022

CF Freq
6.545GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53621G	-3.04	6.7438G	-45.43	-43.04	-2.39	1
6.55539G	-2.92	6.7338G	-45.39	-42.92	-2.47	2
6.53381G	-3.37	6.7346G	-45.38	-43.37	-2.01	3
6.53381G	-3.21	6.7442G	-45.48	-43.21	-2.27	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TnomVnom

14/05/2022

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.61341G	-3.62	6.767G	-45.42	-43.62	-1.80	1
6.61381G	-3.75	6.7818G	-45.19	-43.75	-1.44	2
6.64018G	-4.01	6.7558G	-45.45	-44.01	-1.44	3
6.61381G	-3.73	6.7558G	-45.18	-43.73	-1.45	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TnomVnom

14/05/2022

CF Freq
6.705GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69221G	-4.00	6.8566G	-45.37	-44.00	-1.37	1
6.69101G	-3.80	6.889G	-45.13	-43.80	-1.33	2
6.69501G	-4.25	6.8782G	-45.35	-44.25	-1.10	3
6.73377G	-3.93	6.829G	-45.05	-43.93	-1.12	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TnomVnom

14/05/2022

CF Freq
6.785GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77341G	-3.75	6.9198G	-45.62	-43.75	-1.87	1
6.79779G	-3.85	6.983G	-45.35	-43.85	-1.50	2
6.79979G	-5.47	6.945G	-45.82	-45.47	-0.35	3
6.81617G	-3.97	6.9158G	-45.51	-43.97	-1.54	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

14/05/2022

CF Freq
6.865GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85381G	-4.83	6.9926G	-45.55	-44.83	-0.72	1
6.87739G	-5.02	6.997G	-45.21	-45.02	-0.19	2
6.87979G	-6.33	6.9962G	-45.72	-46.33	0.61	3
6.85301G	-4.98	6.9906G	-45.49	-44.98	-0.51	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TnomVnom

14/05/2022

CF Freq
6.945GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93381G	-5.23	6.8066G	-45.34	-45.23	-0.11	1
6.93141G	-5.85	6.811G	-48.38	-45.85	-2.53	2
6.93261G	-5.73	6.7714G	-45.34	-45.73	0.39	3
6.93141G	-5.11	6.8162G	-48.21	-45.11	-3.10	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TnomVnom

14/05/2022

CF Freq
7.025GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01261G	-2.80	6.8826G	-44.84	-42.80	-2.04	1
7.01261G	-2.97	6.8878G	-48.19	-42.97	-5.22	2
7.01261G	-3.43	6.887G	-44.98	-43.43	-1.55	3
7.01381G	-2.71	6.8862G	-47.80	-42.71	-5.09	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TnomVnom

14/05/2022

CF Freq
6.025GHz


Span
800MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04898G	-2.17	6.2754G	-45.67	-42.17	-3.50	1
6.00022G	-1.81	6.2842G	-45.76	-41.81	-3.95	2
5.99383G	-2.60	6.2898G	-46.10	-42.60	-3.50	3
6.05217G	-2.00	6.2722G	-45.08	-41.98	-3.10	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TnomVnom

14/05/2022

CF Freq
6.185GHz


Span
800MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15863G	-2.55	6.4514G	-46.27	-42.55	-3.72	1
6.21057G	-2.69	6.4338G	-46.02	-42.69	-3.33	2
6.16262G	-2.56	5.9338G	-46.03	-42.56	-3.47	3
6.16022G	-2.25	5.9322G	-45.58	-42.25	-3.33	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TnomVnom

14/05/2022

CF Freq
6.345GHz


Span
800MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.32182G	-3.05	6.0962G	-45.42	-43.05	-2.37	1
6.32022G	-3.15	6.0946G	-45.32	-43.15	-2.17	2
6.31863G	-2.74	6.0826G	-45.57	-42.74	-2.83	3
6.31783G	-2.83	6.0818G	-45.16	-42.83	-2.33	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

14/05/2022

CF Freq
6.505GHz


Span
800MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48022G	-2.82	6.7714G	-44.87	-42.82	-2.05	1
6.47623G	-2.44	6.781G	-44.82	-42.44	-2.38	2
6.47783G	-2.89	6.8818G	-44.55	-42.89	-1.66	3
6.47863G	-2.50	6.1906G	-44.56	-42.50	-2.06	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TnomVnom

14/05/2022

CF Freq
6.665GHz


Span
800MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64262G	-3.66	6.9274G	-45.35	-43.66	-1.69	1
6.63783G	-3.53	6.9314G	-44.75	-43.53	-1.22	2
6.69377G	-4.02	6.9514G	-45.05	-44.02	-1.03	3
6.64022G	-3.65	6.9234G	-44.83	-43.65	-1.18	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

14/05/2022

CF Freq
6.825GHz


Span
800MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85377G	-5.25	6.5714G	-46.24	-45.25	-0.99	1
6.85617G	-5.03	6.5698G	-45.92	-45.03	-0.89	2
6.85057G	-5.06	6.5786G	-46.21	-44.93	-1.28	3
6.84978G	-4.95	6.5762G	-45.96	-44.95	-1.01	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TnomVnom

14/05/2022

CF Freq
6.985GHz


Span
800MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96022G	-5.81	6.7282G	-45.39	-45.81	0.42	1
7.01137G	-4.68	6.7042G	-48.54	-44.68	-3.86	2
6.95863G	-4.37	6.7338G	-45.21	-44.37	-0.84	3
6.92266G	-4.22	6.7354G	-48.03	-44.22	-3.81	4



Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-63	Stop Transmission	10	100	90	PASS
						-64	Stop & with Beacon	-			
						-67	Start Transmission	-			
6	101	20	6455	Center	6455	-64	Stop Transmission	10	100	90	PASS
						-65	Stop & with Beacon	-			
						-67	Start Transmission	-			
7	149	20	6695	Center	6695	-63	Stop Transmission	10	100	90	PASS
						-64	Stop & with Beacon	-			
						-67	Start Transmission	-			
8	213	20	7015	Center	7015	-63	Stop Transmission	10	100	90	PASS
						-64	Stop & with Beacon	-			
						-67	Start Transmission	-			

Note:

1. EUT antenna gain = Band 5=1.3dBi / Band 6=1.29dBi / Band 7=1.05dBi / Band 8=2dBi considered in the measurement path loss.
2. Measurement use conducted measurement at the antenna connector.

Contention Based protocol 802.11ax HEW160											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)	AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result	
5	47	160	6185	Low edge	6110	-64.00	Stop Transmission	9	90	90	PASS
						-65.00	Stop & with Beacon	-	-	-	-
						-67.00	Start Transmission	-	-	-	-
				Center	6185	-62.00	Stop Transmission	9	90	90	PASS
						-63.00	Stop & with Beacon	-	-	-	-
						-67.00	Start Transmission	-	-	-	-
				High edge	6260	-63.00	Stop Transmission	9	90	90	PASS
						-64.00	Stop & with Beacon	-	-	-	-
						-66.00	Start Transmission	-	-	-	-
6	111	160	6505	Low edge	6430	-63.00	Stop Transmission	9	90	90	PASS
						-64.00	Stop & with Beacon	-	-	-	-
						-67.00	Start Transmission	-	-	-	-
				Center	6505	-62.00	Stop Transmission	9	90	90	PASS
						-63.00	Stop & with Beacon	-	-	-	-
						-67.00	Start Transmission	-	-	-	-
				High edge	6580	-65.00	Stop Transmission	10	100	90	PASS
						-66.00	Stop & with Beacon	-	-	-	-
						-68.00	Start Transmission	-	-	-	-
7	143	160	6665	Low edge	6590	-62.00	Stop Transmission	9	90	90	PASS
						-63.00	Stop & with Beacon	-	-	-	-
						-67.00	Start Transmission	-	-	-	-
				Center	6665	-62.00	Stop Transmission	9	90	90	PASS
						-63.00	Stop & with Beacon	-	-	-	-
						-69.00	Start Transmission	-	-	-	-
				High edge	6740	-62.00	Stop Transmission	9	90	90	PASS
						-63.00	Stop & with Beacon	-	-	-	-
						-66.00	Start Transmission	-	-	-	-
8	207	160	6985	Low edge	6910	-63.00	Stop Transmission	9	90	90	PASS
						-64.00	Stop & with Beacon	-	-	-	-
						-66.00	Start Transmission	-	-	-	-
				Center	6985	-62.00	Stop Transmission	9	90	90	PASS
						-63.00	Stop & with Beacon	-	-	-	-
						-67.00	Start Transmission	-	-	-	-
				High edge	7060	-62.00	Stop Transmission	9	90	90	PASS
						-63.00	Stop & with Beacon	-	-	-	-
						-66.00	Start Transmission	-	-	-	-


Note:

1. EUT antenna gain = Band 5=1.3dBi / Band 6=1.29dBi / Band 7=1.05dBi / Band 8=2dBi considered in the measurement path loss.
2. Measurement use conducted measurement at the antenna connector.

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz




Date: 17.MAR.2022 18:34:42

Frequency (MHz): 6455 MHz




Date: 17.MAR.2022 18:36:11

Frequency (MHz): 6695 MHz





Date: 17.MAR.2022 18:36:50


Frequency (MHz): 7015 MHz



Date: 17.MAR.2022 18:37:11




Frequency (MHz): 6260 MHz



Date: 17.MAR.2022 18:39:35

Frequency (MHz): 6430 MHz




Date: 17.MAR.2022 18:39:56

Frequency (MHz): 6505 MHz



Date: 17.MAR.2022 18:40:21

Frequency (MHz): 6580 MHz




Date: 17.MAR.2022 18:40:58

Frequency (MHz): 6590 MHz



Date: 17.MAR.2022 18:41:39

Frequency (MHz): 6665 MHz




Date: 17.MAR.2022 18:42:03

Frequency (MHz): 6740 MHz




Date: 17.MAR.2022 18:42:27

Frequency (MHz): 6910 MHz




Date: 17.MAR.2022 18:42:50

Frequency (MHz): 6985 MHz




Date: 17.MAR.2022 18:43:17


Frequency (MHz): 7060 MHz




Date: 17.MAR.2022 18:43:57




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal