


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
 Setting 96
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.588G	58.86	68.20	-9.34	52.22	3	Vertical	331	1.80	-	31.90	7.21	32.47
PK	5.82G	117.20	Inf	-Inf	109.95	3	Vertical	331	1.80	-	32.30	7.35	32.40
AV	5.824G	108.03	Inf	-Inf	100.77	3	Vertical	331	1.80	-	32.30	7.36	32.40
PK	5.9395G	59.45	68.20	-8.75	51.83	3	Vertical	331	1.80	-	32.60	7.38	32.36

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_V_2TX
Setting 96
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.62G	58.41	68.20	-9.79	51.80	3	Horizontal	201	1.76	-	31.86	7.21	32.46
PK	5.819G	111.95	Inf	-Inf	104.70	3	Horizontal	201	1.76	-	32.30	7.35	32.40
AV	5.824G	102.20	Inf	-Inf	94.94	3	Horizontal	201	1.76	-	32.30	7.36	32.40
PK	5.9855G	59.54	68.20	-8.66	51.95	3	Horizontal	201	1.76	-	32.53	7.40	32.34

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
Setting 96
06-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6501G	57.42	74.00	-16.58	42.08	3	Vertical	145	1.40	-	39.60	10.39	34.65
AV	11.64639G	44.13	54.00	-9.87	28.76	3	Vertical	145	1.40	-	39.62	10.39	34.64
PK	17.47063G	64.57	68.20	-3.63	43.86	3	Vertical	265	1.14	-	43.21	12.82	35.32

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
Setting 96
06-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65162G	58.29	74.00	-15.71	42.96	3	Horizontal	144	2.79	-	39.59	10.39	34.65
AV	11.6455G	44.24	54.00	-9.76	28.86	3	Horizontal	144	2.79	-	39.63	10.39	34.64
PK	17.47141G	64.97	68.20	-3.23	44.26	3	Horizontal	212	1.30	-	43.21	12.82	35.32

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 79
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	72.89	74.00	-1.11	66.35	3	Vertical	340	1.77	-	31.90	7.10	32.46
AV	5.1491G	53.62	54.00	-0.38	47.08	3	Vertical	340	1.77	-	31.90	7.10	32.46
PK	5.1753G	118.07	Inf	-Inf	111.53	3	Vertical	340	1.77	-	31.85	7.15	32.46
AV	5.1754G	105.04	Inf	-Inf	98.50	3	Vertical	340	1.77	-	31.85	7.15	32.46

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT Y_2TX
 Setting 79
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1497G	65.05	74.00	-8.95	58.51	3	Horizontal	343	2.40	-	31.90	7.10	32.46
AV	5.1498G	48.71	54.00	-5.29	42.17	3	Horizontal	343	2.40	-	31.90	7.10	32.46
PK	5.1809G	114.18	Inf	-Inf	107.64	3	Horizontal	343	2.40	-	31.84	7.16	32.46
AV	5.1812G	101.07	Inf	-Inf	94.53	3	Horizontal	343	2.40	-	31.84	7.16	32.46

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 79
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36022G	57.79	68.20	-10.41	42.39	3	Vertical	268	2.45	-	39.94	10.06	34.60
PK	15.53813G	60.41	74.00	-13.59	44.80	3	Vertical	340	1.59	-	38.47	11.96	34.82
AV	15.54066G	47.24	54.00	-6.76	31.64	3	Vertical	340	1.59	-	38.46	11.96	34.82

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 79
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35964G	57.08	68.20	-11.12	41.68	3	Horizontal	22	1.35	-	39.94	10.06	34.60
PK	15.53869G	60.81	74.00	-13.19	45.20	3	Horizontal	262	1.18	-	38.47	11.96	34.82
AV	15.54332G	47.21	54.00	-6.79	31.63	3	Horizontal	262	1.18	-	38.44	11.96	34.82

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
 Setting 95
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	69.96	74.00	-4.04	63.41	3	Vertical	256	1.80	-	31.91	7.10	32.46
AV	5.1498G	53.35	54.00	-0.65	46.81	3	Vertical	256	1.80	-	31.90	7.10	32.46
PK	5.195G	120.63	Inf	-Inf	114.09	3	Vertical	256	1.80	-	31.81	7.19	32.46
AV	5.1924G	109.13	Inf	-Inf	102.58	3	Vertical	256	1.80	-	31.82	7.19	32.46

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
 Setting 95
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	61.57	74.00	-12.43	55.03	3	Horizontal	349	2.96	-	31.90	7.10	32.46
AV	5.15G	47.94	54.00	-6.06	41.39	3	Horizontal	349	2.96	-	31.90	7.11	32.46
PK	5.2086G	113.95	Inf	-Inf	107.43	3	Horizontal	349	2.96	-	31.77	7.22	32.47
AV	5.2084G	102.79	Inf	-Inf	96.27	3	Horizontal	349	2.96	-	31.77	7.22	32.47

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 95
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3999G	57.11	68.20	-11.09	41.57	3	Vertical	82	1.78	-	40.10	10.07	34.63
PK	15.60394G	59.71	74.00	-14.29	44.44	3	Vertical	347	1.60	-	38.09	11.99	34.81
AV	15.60897G	46.87	54.00	-7.13	31.60	3	Vertical	347	1.60	-	38.08	12.00	34.81

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 95
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40403G	57.90	68.20	-10.30	42.36	3	Horizontal	211	1.30	-	40.10	10.07	34.63
PK	15.60137G	59.89	74.00	-14.11	44.61	3	Horizontal	243	2.35	-	38.10	11.99	34.81
AV	15.59978G	46.86	54.00	-7.14	31.58	3	Horizontal	243	2.35	-	38.10	11.99	34.81

5.15-5.25GHz 802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
 Setting 96
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1485G	59.42	74.00	-14.58	52.88	3	Vertical	222	1.86	-	31.90	7.10	32.46
AV	5.1482G	47.97	54.00	-6.03	41.43	3	Vertical	222	1.86	-	31.90	7.10	32.46
PK	5.2409G	122.52	Inf	-Inf	116.07	3	Vertical	222	1.86	-	31.64	7.28	32.47
AV	5.2418G	109.90	Inf	-Inf	103.46	3	Vertical	222	1.86	-	31.63	7.28	32.47
PK	5.3816G	59.21	74.00	-14.79	52.72	3	Vertical	222	1.86	-	31.43	7.55	32.49
AV	5.3528G	47.55	54.00	-6.45	41.23	3	Vertical	222	1.86	-	31.31	7.49	32.48

5.15-5.25GHz 802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
 Setting 96
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1485G	59.56	74.00	-14.44	53.02	3	Horizontal	354	2.64	-	31.90	7.10	32.46
AV	5.1422G	46.36	54.00	-7.64	39.81	3	Horizontal	354	2.64	-	31.92	7.09	32.46
PK	5.2436G	116.17	Inf	-Inf	109.73	3	Horizontal	354	2.64	-	31.63	7.28	32.47
AV	5.2454G	104.48	Inf	-Inf	98.04	3	Horizontal	354	2.64	-	31.62	7.29	32.47
PK	5.3813G	58.60	74.00	-15.40	52.12	3	Horizontal	354	2.64	-	31.43	7.54	32.49
AV	5.3894G	46.00	54.00	-8.00	39.47	3	Horizontal	354	2.64	-	31.46	7.56	32.49

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 96
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47656G	57.71	68.20	-10.49	42.12	3	Vertical	124	2.31	-	40.18	10.09	34.68
PK	15.72222G	60.65	74.00	-13.35	45.50	3	Vertical	354	1.01	-	37.90	12.06	34.81
AV	15.72309G	46.66	54.00	-7.34	31.51	3	Vertical	354	1.01	-	37.90	12.06	34.81

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 96
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47803G	57.57	68.20	-10.63	41.98	3	Horizontal	188	1.40	-	40.18	10.09	34.68
PK	15.72249G	59.71	74.00	-14.29	44.56	3	Horizontal	193	1.84	-	37.90	12.06	34.81
AV	15.72204G	46.68	54.00	-7.32	31.53	3	Horizontal	193	1.84	-	37.90	12.06	34.81

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
 Setting 96
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1469G	58.32	74.00	-15.68	51.77	3	Vertical	211	1.80	-	31.91	7.10	32.46
AV	5.1499G	46.68	54.00	-7.32	40.14	3	Vertical	211	1.80	-	31.90	7.10	32.46
PK	5.2555G	120.31	Inf	-Inf	113.89	3	Vertical	211	1.80	-	31.58	7.31	32.47
AV	5.2675G	109.24	Inf	-Inf	102.85	3	Vertical	211	1.80	-	31.53	7.33	32.47
PK	5.3671G	60.42	74.00	-13.58	54.01	3	Vertical	211	1.80	-	31.37	7.52	32.48
AV	5.3665G	49.19	54.00	-4.81	42.78	3	Vertical	211	1.80	-	31.37	7.52	32.48

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
 Setting 96
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	57.94	74.00	-16.06	51.39	3	Horizontal	272	1.80	-	31.91	7.10	32.46
AV	5.1466G	46.10	54.00	-7.90	39.55	3	Horizontal	272	1.80	-	31.91	7.10	32.46
PK	5.2531G	111.23	Inf	-Inf	104.81	3	Horizontal	272	1.80	-	31.59	7.30	32.47
AV	5.2513G	100.56	Inf	-Inf	94.14	3	Horizontal	272	1.80	-	31.59	7.30	32.47
PK	5.3656G	58.08	74.00	-15.92	51.69	3	Horizontal	272	1.80	-	31.36	7.51	32.48
AV	5.4055G	46.06	54.00	-7.94	39.46	3	Horizontal	272	1.80	-	31.52	7.57	32.49

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
Setting 96
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52177G	57.62	68.20	-10.58	42.04	3	Vertical	271	1.08	-	40.18	10.10	34.70
PK	15.78064G	59.75	74.00	-14.25	44.56	3	Vertical	268	1.17	-	37.90	12.09	34.80
AV	15.77893G	46.86	54.00	-7.14	31.67	3	Vertical	268	1.17	-	37.90	12.09	34.80

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
Setting 96
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52459G	58.11	68.20	-10.09	42.53	3	Horizontal	222	1.24	-	40.18	10.10	34.70
PK	15.78375G	59.95	74.00	-14.05	44.76	3	Horizontal	325	1.96	-	37.90	12.09	34.80
AV	15.78406G	46.89	54.00	-7.11	31.70	3	Horizontal	325	1.96	-	37.90	12.09	34.80

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT Y_2TX
Setting 93
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3088G	118.94	Inf	-Inf	112.63	3	Vertical	100	2.35	-	31.38	7.41	32.48
AV	5.309G	108.43	Inf	-Inf	102.12	3	Vertical	100	2.35	-	31.38	7.41	32.48
PK	5.3532G	69.36	74.00	-4.64	63.04	3	Vertical	100	2.35	-	31.31	7.49	32.48
AV	5.3508G	53.09	54.00	-0.91	46.78	3	Vertical	100	2.35	-	31.30	7.49	32.48

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT Y_2TX
Setting 93
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2988G	114.51	Inf	-Inf	108.20	3	Horizontal	343	1.98	-	31.40	7.39	32.48
AV	5.292G	103.19	Inf	-Inf	96.87	3	Horizontal	343	1.98	-	31.43	7.37	32.48
PK	5.3526G	59.53	74.00	-14.47	53.21	3	Horizontal	343	1.98	-	31.31	7.49	32.48
AV	5.3514G	47.12	54.00	-6.88	40.80	3	Horizontal	343	1.98	-	31.31	7.49	32.48

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 93
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.605G	57.41	74.00	-16.59	41.88	3	Vertical	0	1.08	-	40.10	10.12	34.69
AV	10.60133G	44.19	54.00	-9.81	28.66	3	Vertical	0	1.08	-	40.10	10.12	34.69
PK	15.89559G	59.69	74.00	-14.31	44.63	3	Vertical	83	1.05	-	37.71	12.15	34.80
AV	15.8961G	46.39	54.00	-7.61	31.33	3	Vertical	83	1.05	-	37.71	12.15	34.80

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 93
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60119G	57.79	74.00	-16.21	42.26	3	Horizontal	93	2.20	-	40.10	10.12	34.69
AV	10.6003G	44.35	54.00	-9.65	28.82	3	Horizontal	93	2.20	-	40.10	10.12	34.69
PK	15.90103G	59.26	74.00	-14.74	44.20	3	Horizontal	174	2.13	-	37.70	12.16	34.80
AV	15.89585G	46.50	54.00	-7.50	31.44	3	Horizontal	174	2.13	-	37.71	12.15	34.80

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
Setting 82
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3209G	119.73	Inf	-Inf	113.42	3	Vertical	204	1.79	-	31.36	7.43	32.48
AV	5.3212G	106.33	Inf	-Inf	100.02	3	Vertical	204	1.79	-	31.36	7.43	32.48
PK	5.3506G	71.87	74.00	-2.13	65.56	3	Vertical	204	1.79	-	31.30	7.49	32.48
AV	5.3521G	53.84	54.00	-0.16	47.52	3	Vertical	204	1.79	-	31.31	7.49	32.48

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
Setting 82
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3208G	112.45	Inf	-Inf	106.14	3	Horizontal	344	1.83	-	31.36	7.43	32.48
AV	5.3213G	99.60	Inf	-Inf	93.29	3	Horizontal	344	1.83	-	31.36	7.43	32.48
PK	5.3507G	63.79	74.00	-10.21	57.48	3	Horizontal	344	1.83	-	31.30	7.49	32.48
AV	5.3503G	49.25	54.00	-4.75	42.94	3	Horizontal	344	1.83	-	31.30	7.49	32.48

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 82
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63813G	57.37	74.00	-16.63	41.83	3	Vertical	265	2.85	-	40.10	10.13	34.69
AV	10.63214G	43.81	54.00	-10.19	28.27	3	Vertical	265	2.85	-	40.10	10.13	34.69
PK	15.95901G	58.67	74.00	-15.33	43.63	3	Vertical	288	2.83	-	37.64	12.19	34.79
AV	15.95808G	46.09	54.00	-7.91	31.05	3	Vertical	288	2.83	-	37.64	12.19	34.79

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 82
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64076G	57.66	74.00	-16.34	42.12	3	Horizontal	118	2.34	-	40.10	10.13	34.69
AV	10.64172G	43.75	54.00	-10.25	28.21	3	Horizontal	118	2.34	-	40.10	10.13	34.69
PK	15.9571G	59.31	74.00	-14.69	44.27	3	Horizontal	87	2.41	-	37.64	12.19	34.79
AV	15.96347G	45.89	54.00	-8.11	30.85	3	Horizontal	87	2.41	-	37.64	12.19	34.79

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
Setting 79
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.06	74.00	-12.94	54.36	3	Vertical	295	1.79	-	31.74	7.46	32.50
AV	5.4591G	47.75	54.00	-6.25	41.05	3	Vertical	295	1.79	-	31.74	7.46	32.50
PK	5.4699G	67.02	68.20	-1.18	60.30	3	Vertical	295	1.79	-	31.78	7.44	32.50
PK	5.5012G	117.58	Inf	-Inf	110.80	3	Vertical	295	1.79	-	31.90	7.38	32.50
AV	5.5011G	105.30	Inf	-Inf	98.52	3	Vertical	295	1.79	-	31.90	7.38	32.50

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
Setting 79
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4591G	62.45	74.00	-11.55	55.75	3	Horizontal	340	3.00	-	31.74	7.46	32.50
AV	5.4577G	46.60	54.00	-7.40	39.89	3	Horizontal	340	3.00	-	31.73	7.47	32.49
PK	5.4696G	67.58	68.20	-0.62	60.86	3	Horizontal	340	3.00	-	31.78	7.44	32.50
PK	5.5089G	109.65	Inf	-Inf	102.88	3	Horizontal	340	3.00	-	31.90	7.37	32.50
AV	5.5088G	97.78	Inf	-Inf	91.01	3	Horizontal	340	3.00	-	31.90	7.37	32.50

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
Setting 79
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99917G	58.41	74.00	-15.59	42.24	3	Vertical	304	1.42	-	40.60	10.22	34.65
AV	10.99828G	45.15	54.00	-8.85	28.98	3	Vertical	304	1.42	-	40.60	10.22	34.65
PK	16.49799G	61.57	68.20	-6.63	44.41	3	Vertical	163	2.51	-	39.68	12.42	34.94

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
Setting 79
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00491G	58.22	74.00	-15.78	42.06	3	Horizontal	59	1.52	-	40.58	10.23	34.65
AV	11.00174G	45.20	54.00	-8.80	29.03	3	Horizontal	59	1.52	-	40.59	10.23	34.65
PK	16.49765G	62.00	68.20	-6.20	44.84	3	Horizontal	294	2.59	-	39.68	12.42	34.94

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
Setting 96
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.438G	58.66	74.00	-15.34	51.99	3	Vertical	273	1.93	-	31.65	7.51	32.49
AV	5.4352G	46.72	54.00	-7.28	40.06	3	Vertical	273	1.93	-	31.64	7.51	32.49
PK	5.4672G	58.79	68.20	-9.41	52.07	3	Vertical	273	1.93	-	31.77	7.45	32.50
PK	5.5892G	120.86	Inf	-Inf	114.22	3	Vertical	273	1.93	-	31.90	7.21	32.47
AV	5.5888G	109.17	Inf	-Inf	102.53	3	Vertical	273	1.93	-	31.90	7.21	32.47
PK	5.7676G	60.44	68.20	-7.76	53.29	3	Vertical	273	1.93	-	32.24	7.32	32.41

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 96
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.43G	58.59	74.00	-15.41	51.94	3	Horizontal	189	1.71	-	31.62	7.52	32.49
AV	5.4236G	46.21	54.00	-7.79	39.58	3	Horizontal	189	1.71	-	31.59	7.53	32.49
PK	5.4652G	57.89	68.20	-10.31	51.18	3	Horizontal	189	1.71	-	31.76	7.45	32.50
PK	5.5836G	112.22	Inf	-Inf	105.57	3	Horizontal	189	1.71	-	31.90	7.22	32.47
AV	5.5856G	100.62	Inf	-Inf	93.97	3	Horizontal	189	1.71	-	31.90	7.22	32.47
PK	5.7684G	59.54	68.20	-8.66	52.39	3	Horizontal	189	1.71	-	32.24	7.32	32.41

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
Setting 96
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16145G	57.78	74.00	-16.22	42.13	3	Vertical	151	1.68	-	40.02	10.27	34.64
AV	11.1563G	44.49	54.00	-9.51	28.84	3	Vertical	151	1.68	-	40.03	10.26	34.64
PK	16.74076G	62.82	68.20	-5.38	44.81	3	Vertical	175	1.18	-	40.33	12.52	34.84

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
Setting 96
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15885G	57.52	74.00	-16.48	41.87	3	Horizontal	115	1.82	-	40.02	10.27	34.64
AV	11.1603G	44.46	54.00	-9.54	28.81	3	Horizontal	115	1.82	-	40.02	10.27	34.64
PK	16.7439G	62.54	68.20	-5.66	44.51	3	Horizontal	95	2.26	-	40.35	12.52	34.84

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
Setting 69
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6954G	117.13	Inf	-Inf	110.32	3	Vertical	327	1.70	-	31.98	7.27	32.44
AV	5.693G	104.48	Inf	-Inf	97.69	3	Vertical	327	1.70	-	31.97	7.26	32.44
PK	5.7258G	67.41	68.20	-0.79	60.45	3	Vertical	327	1.70	-	32.10	7.29	32.43

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_V_2TX
Setting 69
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.709G	107.88	Inf	-Inf	100.99	3	Horizontal	203	1.80	-	32.04	7.28	32.43
AV	5.709G	95.80	Inf	-Inf	88.91	3	Horizontal	203	1.80	-	32.04	7.28	32.43
PK	5.7284G	63.48	68.20	-4.72	56.51	3	Horizontal	203	1.80	-	32.11	7.29	32.43

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 69
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39864G	57.81	74.00	-16.19	42.01	3	Vertical	334	2.18	-	40.10	10.33	34.63
AV	11.4014G	44.63	54.00	-9.37	28.83	3	Vertical	334	2.18	-	40.10	10.33	34.63
PK	17.10317G	63.26	68.20	-4.94	44.54	3	Vertical	7	1.13	-	40.91	12.67	34.86

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 69
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39943G	57.67	74.00	-16.33	41.87	3	Horizontal	286	1.62	-	40.10	10.33	34.63
AV	11.3992G	44.58	54.00	-9.42	28.78	3	Horizontal	286	1.62	-	40.10	10.33	34.63
PK	17.09924G	62.55	68.20	-5.65	43.84	3	Horizontal	15	1.07	-	40.90	12.67	34.86

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 96
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7228G	122.45	Inf	-Inf	115.50	3	Vertical	344	2.08	-	32.09	7.29	32.43
AV	5.7276G	110.69	Inf	-Inf	103.72	3	Vertical	344	2.08	-	32.11	7.29	32.43
PK	5.878G	59.58	68.20	-8.62	52.12	3	Vertical	344	2.08	-	32.47	7.37	32.38

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 96
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7212G	115.48	Inf	-Inf	108.54	3	Horizontal	340.3	2.00	-	32.08	7.29	32.43
AV	5.7164G	102.65	Inf	-Inf	95.73	3	Horizontal	340.3	2.00	-	32.07	7.28	32.43
PK	5.9144G	59.42	68.20	-8.78	51.81	3	Horizontal	340.3	2.00	-	32.60	7.38	32.37

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 96
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4357G	58.02	74.00	-15.98	42.21	3	Vertical	145	1.32	-	40.10	10.34	34.63
AV	11.44496G	44.67	54.00	-9.33	28.86	3	Vertical	145	1.32	-	40.10	10.34	34.63
PK	17.16063G	63.26	68.20	-4.94	44.36	3	Vertical	133	1.29	-	41.14	12.69	34.93

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 96
 06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43989G	58.01	74.00	-15.99	42.20	3	Horizontal	132	2.78	-	40.10	10.34	34.63
AV	11.44371G	44.65	54.00	-9.35	28.84	3	Horizontal	132	2.78	-	40.10	10.34	34.63
PK	17.1628G	63.14	68.20	-5.06	44.24	3	Horizontal	319	2.03	-	41.15	12.69	34.94

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
 Setting 96
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	59.95	68.20	-8.25	53.37	3	Vertical	332	1.78	-	31.80	7.23	32.45
PK	5.742G	121.41	Inf	-Inf	114.36	3	Vertical	332	1.78	-	32.17	7.30	32.42
AV	5.739G	110.41	Inf	-Inf	103.37	3	Vertical	332	1.78	-	32.16	7.30	32.42
PK	5.934G	59.33	68.20	-8.87	51.71	3	Vertical	332	1.78	-	32.60	7.38	32.36

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
 Setting 96
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	58.99	68.20	-9.21	52.40	3	Horizontal	341	3.00	-	31.83	7.22	32.46
PK	5.737G	114.82	Inf	-Inf	107.79	3	Horizontal	341	3.00	-	32.15	7.30	32.42
AV	5.737G	105.10	Inf	-Inf	98.07	3	Horizontal	341	3.00	-	32.15	7.30	32.42
PK	5.9805G	59.28	68.20	-8.92	51.69	3	Horizontal	341	3.00	-	32.54	7.40	32.35

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
Setting 96
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49391G	58.25	74.00	-15.75	42.43	3	Vertical	193	1.46	-	40.10	10.35	34.63
AV	11.48566G	44.77	54.00	-9.23	28.95	3	Vertical	193	1.46	-	40.10	10.35	34.63
PK	17.23388G	63.91	68.20	-4.29	44.84	3	Vertical	280	1.56	-	41.37	12.72	35.02

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
Setting 96
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48519G	57.80	74.00	-16.20	41.98	3	Horizontal	228	1.85	-	40.10	10.35	34.63
AV	11.48518G	44.75	54.00	-9.25	28.93	3	Horizontal	228	1.85	-	40.10	10.35	34.63
PK	17.23797G	63.68	68.20	-4.52	44.61	3	Horizontal	352	2.10	-	41.38	12.72	35.03

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
 Setting 96
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.552G	59.43	68.20	-8.77	52.73	3	Vertical	230	1.46	-	31.90	7.28	32.48
PK	5.7915G	119.30	Inf	-Inf	112.09	3	Vertical	230	1.46	-	32.28	7.34	32.41
AV	5.794G	109.05	Inf	-Inf	101.82	3	Vertical	230	1.46	-	32.29	7.35	32.41
PK	5.9325G	59.43	68.20	-8.77	51.81	3	Vertical	230	1.46	-	32.60	7.38	32.36

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
Setting 96
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	58.83	68.20	-9.37	52.22	3	Horizontal	311	2.24	-	31.87	7.20	32.46
PK	5.7805G	116.71	Inf	-Inf	109.53	3	Horizontal	311	2.24	-	32.26	7.33	32.41
AV	5.7785G	105.26	Inf	-Inf	98.08	3	Horizontal	311	2.24	-	32.26	7.33	32.41
PK	6.02G	59.38	68.20	-8.82	51.80	3	Horizontal	311	2.24	-	32.54	7.41	32.37

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
Setting 96
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57135G	58.42	74.00	-15.58	42.73	3	Vertical	285	1.45	-	39.96	10.37	34.64
AV	11.56604G	44.87	54.00	-9.13	29.17	3	Vertical	285	1.45	-	39.97	10.37	34.64
PK	17.35686G	64.87	68.20	-3.33	45.21	3	Vertical	36	2.64	-	42.07	12.77	35.18

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
Setting 96
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57435G	58.59	74.00	-15.41	42.91	3	Horizontal	169	2.62	-	39.95	10.37	34.64
AV	11.56647G	44.83	54.00	-9.17	29.13	3	Horizontal	169	2.62	-	39.97	10.37	34.64
PK	17.3524G	65.02	68.20	-3.18	45.40	3	Horizontal	48	1.58	-	42.02	12.77	35.17

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
Setting 96
06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.625G	60.59	68.20	-7.61	53.99	3	Vertical	219	1.82	-	31.85	7.21	32.46
PK	5.8175G	119.81	Inf	-Inf	112.56	3	Vertical	219	1.82	-	32.30	7.35	32.40
AV	5.818G	108.88	Inf	-Inf	101.63	3	Vertical	219	1.82	-	32.30	7.35	32.40
PK	5.9455G	60.05	68.20	-8.15	52.42	3	Vertical	219	1.82	-	32.60	7.39	32.36

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
 Setting 96
 06-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6025G	58.20	68.20	-10.00	51.59	3	Horizontal	330	2.74	-	31.89	7.19	32.47
PK	5.8165G	116.01	Inf	-Inf	108.76	3	Horizontal	330	2.74	-	32.30	7.35	32.40
AV	5.816G	104.48	Inf	-Inf	97.23	3	Horizontal	330	2.74	-	32.30	7.35	32.40
PK	6.0615G	59.62	68.20	-8.58	52.01	3	Horizontal	330	2.74	-	32.60	7.44	32.43

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
Setting 96
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64738G	57.49	74.00	-16.51	42.12	3	Vertical	337	1.52	-	39.62	10.39	34.64
AV	11.6459G	44.48	54.00	-9.52	29.11	3	Vertical	337	1.52	-	39.62	10.39	34.64
PK	17.47826G	65.10	68.20	-3.10	44.33	3	Vertical	126	2.76	-	43.28	12.82	35.33

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
Setting 96
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64534G	57.39	74.00	-16.61	42.01	3	Horizontal	211	1.67	-	39.63	10.39	34.64
AV	11.64973G	44.46	54.00	-9.54	29.11	3	Horizontal	211	1.67	-	39.60	10.39	34.64
PK	17.47301G	65.20	68.20	-3.00	44.48	3	Horizontal	47	2.67	-	43.23	12.82	35.33

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
 Setting 75
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	72.06	74.00	-1.94	65.52	3	Vertical	342	1.80	-	31.90	7.10	32.46
AV	5.15G	53.49	54.00	-0.51	46.94	3	Vertical	342	1.80	-	31.90	7.11	32.46
PK	5.2038G	113.94	Inf	-Inf	107.41	3	Vertical	342	1.80	-	31.78	7.21	32.46
AV	5.1792G	102.01	Inf	-Inf	95.47	3	Vertical	342	1.80	-	31.84	7.16	32.46

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 75
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1486G	64.61	74.00	-9.39	58.07	3	Horizontal	7	2.62	-	31.90	7.10	32.46
AV	5.1498G	47.51	54.00	-6.49	40.97	3	Horizontal	7	2.62	-	31.90	7.10	32.46
PK	5.2014G	108.98	Inf	-Inf	102.45	3	Horizontal	7	2.62	-	31.79	7.20	32.46
AV	5.2002G	96.28	Inf	-Inf	89.74	3	Horizontal	7	2.62	-	31.80	7.20	32.46

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 75
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37975G	57.34	68.20	-10.86	41.87	3	Vertical	338	1.37	-	40.02	10.07	34.62
PK	15.57G	60.12	74.00	-13.88	44.68	3	Vertical	244	2.08	-	38.28	11.98	34.82
AV	15.56837G	46.51	54.00	-7.49	31.07	3	Vertical	244	2.08	-	38.29	11.97	34.82

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 75
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3825G	56.78	68.20	-11.42	41.30	3	Horizontal	239	1.68	-	40.03	10.07	34.62
PK	15.57182G	60.19	74.00	-13.81	44.76	3	Horizontal	290	1.58	-	38.27	11.98	34.82
AV	15.5674G	46.36	54.00	-7.64	30.91	3	Horizontal	290	1.58	-	38.30	11.97	34.82

5.15-5.25GHz 802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
Setting 93
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	68.48	74.00	-5.52	61.94	3	Vertical	196	2.20	-	31.90	7.10	32.46
AV	5.1499G	53.30	54.00	-0.70	46.76	3	Vertical	196	2.20	-	31.90	7.10	32.46
PK	5.2378G	117.72	Inf	-Inf	111.27	3	Vertical	196	2.20	-	31.65	7.27	32.47
AV	5.2378G	106.12	Inf	-Inf	99.67	3	Vertical	196	2.20	-	31.65	7.27	32.47
PK	5.3752G	61.07	74.00	-12.93	54.63	3	Vertical	196	2.20	-	31.40	7.53	32.49
AV	5.3518G	48.64	54.00	-5.36	42.32	3	Vertical	196	2.20	-	31.31	7.49	32.48

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 93
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1481G	61.53	74.00	-12.47	54.99	3	Horizontal	352	2.56	-	31.90	7.10	32.46
AV	5.1484G	48.01	54.00	-5.99	41.47	3	Horizontal	352	2.56	-	31.90	7.10	32.46
PK	5.2414G	112.44	Inf	-Inf	106.00	3	Horizontal	352	2.56	-	31.63	7.28	32.47
AV	5.239G	100.52	Inf	-Inf	94.08	3	Horizontal	352	2.56	-	31.64	7.27	32.47
PK	5.3683G	58.53	74.00	-15.47	52.12	3	Horizontal	352	2.56	-	31.37	7.52	32.48
AV	5.3725G	46.16	54.00	-7.84	39.72	3	Horizontal	352	2.56	-	31.39	7.53	32.48

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
Setting 93
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46002G	57.49	68.20	-10.71	41.91	3	Vertical	67	2.88	-	40.16	10.09	34.67
PK	15.68717G	59.66	74.00	-14.34	44.50	3	Vertical	19	1.59	-	37.93	12.04	34.81
AV	15.68624G	46.27	54.00	-7.73	31.11	3	Vertical	19	1.59	-	37.93	12.04	34.81

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
Setting 93
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46157G	57.87	68.20	-10.33	42.29	3	Horizontal	339	1.00	-	40.16	10.09	34.67
PK	15.68814G	60.06	74.00	-13.94	44.91	3	Horizontal	306	1.29	-	37.92	12.04	34.81
AV	15.69071G	46.30	54.00	-7.70	31.15	3	Horizontal	306	1.29	-	37.92	12.04	34.81

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 94
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	60.58	74.00	-13.42	54.04	3	Vertical	91	1.79	-	31.90	7.10	32.46
AV	5.1494G	48.08	54.00	-5.92	41.54	3	Vertical	91	1.79	-	31.90	7.10	32.46
PK	5.2526G	119.71	Inf	-Inf	113.29	3	Vertical	91	1.79	-	31.59	7.30	32.47
AV	5.252G	108.30	Inf	-Inf	101.88	3	Vertical	91	1.79	-	31.59	7.30	32.47
PK	5.351G	67.09	74.00	-6.91	60.78	3	Vertical	91	1.79	-	31.30	7.49	32.48
AV	5.35G	53.43	54.00	-0.57	47.12	3	Vertical	91	1.79	-	31.30	7.49	32.48

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
Setting 94
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	59.33	74.00	-14.67	52.78	3	Horizontal	336	2.57	-	31.91	7.10	32.46
AV	5.1473G	46.65	54.00	-7.35	40.10	3	Horizontal	336	2.57	-	31.91	7.10	32.46
PK	5.2844G	110.01	Inf	-Inf	103.66	3	Horizontal	336	2.57	-	31.46	7.36	32.47
AV	5.2736G	96.11	Inf	-Inf	89.73	3	Horizontal	336	2.57	-	31.51	7.34	32.47
PK	5.3546G	63.14	74.00	-10.86	56.81	3	Horizontal	336	2.57	-	31.32	7.49	32.48
AV	5.3504G	49.80	54.00	-4.20	43.49	3	Horizontal	336	2.57	-	31.30	7.49	32.48

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
Setting 94
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53989G	57.50	68.20	-10.70	41.93	3	Vertical	110	2.37	-	40.16	10.11	34.70
PK	15.80969G	59.98	74.00	-14.02	44.79	3	Vertical	242	2.65	-	37.88	12.11	34.80
AV	15.81351G	46.35	54.00	-7.65	31.17	3	Vertical	242	2.65	-	37.87	12.11	34.80

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 94
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53739G	57.55	68.20	-10.65	41.98	3	Horizontal	35	2.83	-	40.16	10.11	34.70
PK	15.81384G	60.19	74.00	-13.81	45.01	3	Horizontal	245	2.43	-	37.87	12.11	34.80
AV	15.80561G	46.28	54.00	-7.72	31.09	3	Horizontal	245	2.43	-	37.89	12.10	34.80

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
 Setting 74
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3244G	113.19	Inf	-Inf	106.88	3	Vertical	202	1.80	-	31.35	7.44	32.48
AV	5.3232G	100.49	Inf	-Inf	94.19	3	Vertical	202	1.80	-	31.35	7.43	32.48
PK	5.3504G	72.72	74.00	-1.28	66.41	3	Vertical	202	1.80	-	31.30	7.49	32.48
AV	5.3504G	53.89	54.00	-0.11	47.58	3	Vertical	202	1.80	-	31.30	7.49	32.48

5.25-5.35GHz 802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT Y_2TX
Setting 74
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	107.69	Inf	-Inf	101.38	3	Horizontal	344	2.84	-	31.39	7.40	32.48
AV	5.3048G	97.23	Inf	-Inf	90.92	3	Horizontal	344	2.84	-	31.39	7.40	32.48
PK	5.3524G	63.37	74.00	-10.63	57.05	3	Horizontal	344	2.84	-	31.31	7.49	32.48
AV	5.35G	48.05	54.00	-5.95	41.74	3	Horizontal	344	2.84	-	31.30	7.49	32.48

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 74
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61751G	57.28	74.00	-16.72	41.74	3	Vertical	194	2.91	-	40.10	10.13	34.69
AV	10.61937G	43.50	54.00	-10.50	27.96	3	Vertical	194	2.91	-	40.10	10.13	34.69
PK	15.93399G	59.07	74.00	-14.93	44.02	3	Vertical	252	1.31	-	37.67	12.17	34.79
AV	15.93007G	45.55	54.00	-8.45	30.50	3	Vertical	252	1.31	-	37.67	12.17	34.79

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 74
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61935G	57.38	74.00	-16.62	41.84	3	Horizontal	162	1.80	-	40.10	10.13	34.69
AV	10.61649G	43.45	54.00	-10.55	27.91	3	Horizontal	162	1.80	-	40.10	10.13	34.69
PK	15.93119G	59.03	74.00	-14.97	43.98	3	Horizontal	286	1.00	-	37.67	12.17	34.79
AV	15.92888G	45.55	54.00	-8.45	30.50	3	Horizontal	286	1.00	-	37.67	12.17	34.79

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
 Setting 78
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4586G	67.07	74.00	-6.93	60.37	3	Vertical	198	1.79	-	31.73	7.47	32.50
AV	5.459G	49.93	54.00	-4.07	43.23	3	Vertical	198	1.79	-	31.74	7.46	32.50
PK	5.4636G	68.03	68.20	-0.17	61.32	3	Vertical	198	1.79	-	31.75	7.46	32.50
PK	5.5036G	111.44	Inf	-Inf	104.66	3	Vertical	198	1.79	-	31.90	7.38	32.50
AV	5.5024G	99.24	Inf	-Inf	92.46	3	Vertical	198	1.79	-	31.90	7.38	32.50

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
Setting 78
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	63.51	74.00	-10.49	56.81	3	Horizontal	346	2.84	-	31.74	7.46	32.50
AV	5.4586G	47.20	54.00	-6.80	40.50	3	Horizontal	346	2.84	-	31.73	7.47	32.50
PK	5.4688G	66.40	68.20	-1.80	59.67	3	Horizontal	346	2.84	-	31.78	7.45	32.50
PK	5.5178G	109.76	Inf	-Inf	103.00	3	Horizontal	346	2.84	-	31.90	7.35	32.49
AV	5.5178G	98.44	Inf	-Inf	91.68	3	Horizontal	346	2.84	-	31.90	7.35	32.49

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
Setting 78
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.024777G	58.78	74.00	-15.22	42.70	3	Vertical	3	2.57	-	40.50	10.23	34.65
AV	11.02354G	44.57	54.00	-9.43	28.48	3	Vertical	3	2.57	-	40.51	10.23	34.65
PK	16.53153G	61.93	68.20	-6.27	44.79	3	Vertical	94	2.97	-	39.64	12.43	34.93

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
Setting 78
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01998G	58.60	74.00	-15.40	42.50	3	Horizontal	92	1.19	-	40.52	10.23	34.65
AV	11.02383G	44.64	54.00	-9.36	28.56	3	Horizontal	92	1.19	-	40.50	10.23	34.65
PK	16.52707G	61.44	68.20	-6.76	44.29	3	Horizontal	69	1.58	-	39.65	12.43	34.93

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
Setting 95
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	58.42	74.00	-15.58	52.11	3	Vertical	327	1.64	-	31.30	7.49	32.48
AV	5.35G	46.35	54.00	-7.65	40.04	3	Vertical	327	1.64	-	31.30	7.49	32.48
PK	5.46G	65.51	74.00	-8.49	58.81	3	Vertical	327	1.64	-	31.74	7.46	32.50
AV	5.4596G	51.04	54.00	-2.96	44.34	3	Vertical	327	1.64	-	31.74	7.46	32.50
PK	5.47G	67.67	68.20	-0.53	60.95	3	Vertical	327	1.64	-	31.78	7.44	32.50
PK	5.5488G	117.82	Inf	-Inf	111.11	3	Vertical	327	1.64	-	31.90	7.29	32.48
AV	5.5456G	105.79	Inf	-Inf	99.08	3	Vertical	327	1.64	-	31.90	7.30	32.49
PK	5.7348G	61.61	68.20	-6.59	54.59	3	Vertical	327	1.64	-	32.14	7.30	32.42

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_V_2TX
Setting 95
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	55.79	74.00	-18.21	49.48	3	Horizontal	203	1.80	-	31.30	7.49	32.48
AV	5.35G	45.05	54.00	-8.95	38.74	3	Horizontal	203	1.80	-	31.30	7.49	32.48
PK	5.452G	60.92	74.00	-13.08	54.22	3	Horizontal	203	1.80	-	31.71	7.48	32.49
AV	5.4588G	46.50	54.00	-7.50	39.79	3	Horizontal	203	1.80	-	31.74	7.47	32.50
PK	5.4676G	60.07	68.20	-8.13	53.35	3	Horizontal	203	1.80	-	31.77	7.45	32.50
PK	5.5528G	110.41	Inf	-Inf	103.71	3	Horizontal	203	1.80	-	31.90	7.28	32.48
AV	5.5524G	97.76	Inf	-Inf	91.06	3	Horizontal	203	1.80	-	31.90	7.28	32.48
PK	5.7364G	59.52	68.20	-8.68	52.49	3	Horizontal	203	1.80	-	32.15	7.30	32.42

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
Setting 95
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10432G	57.65	74.00	-16.35	41.86	3	Vertical	355	1.25	-	40.19	10.25	34.65
AV	11.09743G	44.18	54.00	-9.82	28.37	3	Vertical	355	1.25	-	40.21	10.25	34.65
PK	16.64755G	61.33	68.20	-6.87	43.99	3	Vertical	44	2.83	-	39.74	12.48	34.88

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
Setting 95
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10096G	57.96	74.00	-16.04	42.16	3	Horizontal	130	1.23	-	40.20	10.25	34.65
AV	11.09606G	44.11	54.00	-9.89	28.29	3	Horizontal	130	1.23	-	40.22	10.25	34.65
PK	16.64501G	61.44	68.20	-6.76	44.11	3	Horizontal	333	1.96	-	39.73	12.48	34.88

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
Setting 79
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6834G	112.53	Inf	-Inf	105.78	3	Vertical	320	1.67	-	31.93	7.26	32.44
AV	5.6868G	100.23	Inf	-Inf	93.46	3	Vertical	320	1.67	-	31.95	7.26	32.44
PK	5.7254G	67.77	68.20	-0.43	60.81	3	Vertical	320	1.67	-	32.10	7.29	32.43

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
Setting 79
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6748G	108.71	Inf	-Inf	102.00	3	Horizontal	344	3.00	-	31.90	7.25	32.44
AV	5.6734G	95.95	Inf	-Inf	89.25	3	Horizontal	344	3.00	-	31.89	7.25	32.44
PK	5.7252G	60.79	68.20	-7.41	53.83	3	Horizontal	344	3.00	-	32.10	7.29	32.43

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
Setting 79
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34069G	57.61	74.00	-16.39	41.96	3	Vertical	257	1.64	-	39.98	10.31	34.64
AV	11.34406G	43.93	54.00	-10.07	28.27	3	Vertical	257	1.64	-	39.99	10.31	34.64
PK	17.00792G	62.55	68.20	-5.65	43.94	3	Vertical	82	1.82	-	40.72	12.63	34.74

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
Setting 79
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33729G	57.64	74.00	-16.36	42.00	3	Horizontal	121	1.72	-	39.97	10.31	34.64
AV	11.33819G	43.94	54.00	-10.06	28.29	3	Horizontal	121	1.72	-	39.98	10.31	34.64
PK	17.0124G	62.83	68.20	-5.37	44.23	3	Horizontal	202	1.74	-	40.72	12.63	34.75

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 96
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7276G	117.55	Inf	-Inf	110.58	3	Vertical	336	1.80	-	32.11	7.29	32.43
AV	5.7276G	106.06	Inf	-Inf	99.09	3	Vertical	336	1.80	-	32.11	7.29	32.43
PK	5.8524G	61.62	68.20	-6.58	54.34	3	Vertical	336	1.80	-	32.31	7.36	32.39

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 96
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.728G	112.19	Inf	-Inf	105.22	3	Horizontal	352	2.04	-	32.11	7.29	32.43
AV	5.728G	101.75	Inf	-Inf	94.78	3	Horizontal	352	2.04	-	32.11	7.29	32.43
PK	5.8908G	59.02	68.20	-9.18	51.48	3	Horizontal	352	2.04	-	32.54	7.37	32.37

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 96
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41513G	57.44	74.00	-16.56	41.64	3	Vertical	51	2.65	-	40.10	10.33	34.63
AV	11.41557G	43.97	54.00	-10.03	28.17	3	Vertical	51	2.65	-	40.10	10.33	34.63
PK	17.13111G	63.09	68.20	-5.11	44.29	3	Vertical	49	2.28	-	41.02	12.68	34.90

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 96
 06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42293G	57.86	74.00	-16.14	42.06	3	Horizontal	312	1.46	-	40.10	10.33	34.63
AV	11.42408G	43.85	54.00	-10.15	28.05	3	Horizontal	312	1.46	-	40.10	10.33	34.63
PK	17.13088G	63.39	68.20	-4.81	44.58	3	Horizontal	90	2.78	-	41.02	12.68	34.89

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
 Setting 96
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6505G	64.64	68.57	-3.93	58.06	3	Vertical	331	1.80	-	31.80	7.23	32.45
PK	5.765G	118.41	Inf	-Inf	111.28	3	Vertical	331	1.80	-	32.23	7.32	32.42
AV	5.761G	105.28	Inf	-Inf	98.16	3	Vertical	331	1.80	-	32.22	7.32	32.42
PK	5.9485G	58.82	68.20	-9.38	51.19	3	Vertical	331	1.80	-	32.60	7.39	32.36

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
Setting 96
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6505G	59.64	68.57	-8.93	53.06	3	Horizontal	203	1.80	-	31.80	7.23	32.45
PK	5.7455G	111.94	Inf	-Inf	104.87	3	Horizontal	203	1.80	-	32.18	7.31	32.42
AV	5.744G	99.66	Inf	-Inf	92.59	3	Horizontal	203	1.80	-	32.18	7.31	32.42
PK	5.9805G	58.93	68.20	-9.27	51.34	3	Horizontal	203	1.80	-	32.54	7.40	32.35

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
Setting 96
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50891G	57.89	74.00	-16.11	42.09	3	Vertical	292	2.74	-	40.08	10.35	34.63
AV	11.50623G	44.14	54.00	-9.86	28.33	3	Vertical	292	2.74	-	40.09	10.35	34.63
PK	17.26942G	63.99	68.20	-4.21	44.88	3	Vertical	182	1.69	-	41.44	12.74	35.07

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
Setting 96
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50888G	57.62	74.00	-16.38	41.82	3	Horizontal	104	2.13	-	40.08	10.35	34.63
AV	11.51155G	44.24	54.00	-9.76	28.43	3	Horizontal	104	2.13	-	40.08	10.36	34.63
PK	17.26092G	64.92	68.20	-3.28	45.83	3	Horizontal	303	1.61	-	41.42	12.73	35.06

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
 Setting 96
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6345G	59.35	68.20	-8.85	52.76	3	Vertical	341	1.80	-	31.83	7.22	32.46
PK	5.79G	116.29	Inf	-Inf	109.08	3	Vertical	341	1.80	-	32.28	7.34	32.41
AV	5.79G	104.02	Inf	-Inf	96.81	3	Vertical	341	1.80	-	32.28	7.34	32.41
PK	6.0445G	59.27	68.20	-8.93	51.65	3	Vertical	341	1.80	-	32.59	7.43	32.40

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
 Setting 96
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6085G	58.60	68.20	-9.60	51.99	3	Horizontal	340	2.50	-	31.88	7.20	32.47
PK	5.782G	111.16	Inf	-Inf	103.97	3	Horizontal	340	2.50	-	32.26	7.34	32.41
AV	5.7825G	100.01	Inf	-Inf	92.81	3	Horizontal	340	2.50	-	32.27	7.34	32.41
PK	6.037G	59.21	68.20	-8.99	51.61	3	Horizontal	340	2.50	-	32.57	7.42	32.39

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
Setting 96
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59275G	57.26	74.00	-16.74	41.61	3	Vertical	183	2.27	-	39.91	10.38	34.64
AV	11.58503G	44.08	54.00	-9.92	28.42	3	Vertical	183	2.27	-	39.93	10.37	34.64
PK	17.38651G	64.99	68.20	-3.21	45.05	3	Vertical	321	2.57	-	42.37	12.79	35.22

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
Setting 96
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58922G	57.90	74.00	-16.10	42.24	3	Horizontal	280	1.54	-	39.92	10.38	34.64
AV	11.59064G	44.15	54.00	-9.85	28.49	3	Horizontal	280	1.54	-	39.92	10.38	34.64
PK	17.3881G	64.92	68.20	-3.28	44.97	3	Horizontal	98	2.84	-	42.38	12.79	35.22

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
Setting 76
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	71.75	74.00	-2.25	65.21	3	Vertical	349	1.80	-	31.90	7.10	32.46
AV	5.149G	53.38	54.00	-0.62	46.84	3	Vertical	349	1.80	-	31.90	7.10	32.46
PK	5.241G	109.25	Inf	-Inf	102.80	3	Vertical	349	1.80	-	31.64	7.28	32.47
AV	5.242G	97.87	Inf	-Inf	91.43	3	Vertical	349	1.80	-	31.63	7.28	32.47
PK	5.3575G	60.01	74.00	-13.99	53.66	3	Vertical	349	1.80	-	31.33	7.50	32.48
AV	5.3505G	47.81	54.00	-6.19	41.50	3	Vertical	349	1.80	-	31.30	7.49	32.48

5.15-5.25GHz 802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
 Setting 76
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	62.95	74.00	-11.05	56.41	3	Horizontal	346	1.78	-	31.91	7.09	32.46
AV	5.15G	47.71	54.00	-6.29	41.16	3	Horizontal	346	1.78	-	31.90	7.11	32.46
PK	5.206G	103.37	Inf	-Inf	96.84	3	Horizontal	346	1.78	-	31.78	7.21	32.46
AV	5.2445G	91.15	Inf	-Inf	84.72	3	Horizontal	346	1.78	-	31.62	7.28	32.47
PK	5.41G	57.55	74.00	-16.45	50.94	3	Horizontal	346	1.78	-	31.54	7.56	32.49
AV	5.352G	45.50	54.00	-8.50	39.18	3	Horizontal	346	1.78	-	31.31	7.49	32.48

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 76
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41532G	57.28	68.20	-10.92	41.72	3	Vertical	87	2.72	-	40.12	10.08	34.64
PK	15.63076G	59.30	74.00	-14.70	44.06	3	Vertical	216	2.73	-	38.04	12.01	34.81
AV	15.63067G	45.95	54.00	-8.05	30.71	3	Vertical	216	2.73	-	38.04	12.01	34.81

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 76
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42305G	57.53	68.20	-10.67	41.98	3	Horizontal	75	2.96	-	40.12	10.08	34.65
PK	15.62886G	59.02	74.00	-14.98	43.78	3	Horizontal	200	1.58	-	38.04	12.01	34.81
AV	15.62514G	45.89	54.00	-8.11	30.64	3	Horizontal	200	1.58	-	38.05	12.01	34.81

5.25-5.35GHz 802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
Setting 76
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	58.93	74.00	-15.07	52.38	3	Vertical	219	1.80	-	31.90	7.11	32.46
AV	5.1465G	46.57	54.00	-7.43	40.02	3	Vertical	219	1.80	-	31.91	7.10	32.46
PK	5.2785G	109.37	Inf	-Inf	103.00	3	Vertical	219	1.80	-	31.49	7.35	32.47
AV	5.3045G	96.75	Inf	-Inf	90.44	3	Vertical	219	1.80	-	31.39	7.40	32.48
PK	5.353G	73.09	74.00	-0.91	66.77	3	Vertical	219	1.80	-	31.31	7.49	32.48
AV	5.3525G	53.86	54.00	-0.14	47.54	3	Vertical	219	1.80	-	31.31	7.49	32.48
PK	5.4615G	59.42	68.20	-8.78	52.71	3	Vertical	219	1.80	-	31.75	7.46	32.50

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 76
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.067G	57.97	74.00	-16.03	51.54	3	Horizontal	341	1.80	-	31.93	6.95	32.45
AV	5.1495G	45.36	54.00	-8.64	38.82	3	Horizontal	341	1.80	-	31.90	7.10	32.46
PK	5.256G	100.76	Inf	-Inf	94.34	3	Horizontal	341	1.80	-	31.58	7.31	32.47
AV	5.2545G	88.24	Inf	-Inf	81.83	3	Horizontal	341	1.80	-	31.58	7.30	32.47
PK	5.366G	66.44	74.00	-7.56	60.04	3	Horizontal	341	1.80	-	31.36	7.52	32.48
AV	5.3505G	49.69	54.00	-4.31	43.38	3	Horizontal	341	1.80	-	31.30	7.49	32.48
PK	5.4765G	57.67	68.20	-10.53	50.93	3	Horizontal	341	1.80	-	31.81	7.43	32.50

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 76
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57871G	56.96	68.20	-11.24	41.41	3	Vertical	110	2.45	-	40.12	10.12	34.69
PK	15.87034G	59.63	74.00	-14.37	44.53	3	Vertical	273	2.11	-	37.76	12.14	34.80
AV	15.86824G	45.83	54.00	-8.17	30.73	3	Vertical	273	2.11	-	37.76	12.14	34.80

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 76
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57633G	57.20	68.20	-11.00	41.65	3	Horizontal	54	2.80	-	40.12	10.12	34.69
PK	15.86884G	58.89	74.00	-15.11	43.79	3	Horizontal	333	2.50	-	37.76	12.14	34.80
AV	15.87004G	45.84	54.00	-8.16	30.74	3	Horizontal	333	2.50	-	37.76	12.14	34.80

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
Setting 76
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3265G	58.30	68.20	-9.90	51.99	3	Vertical	216	1.80	-	31.35	7.44	32.48
AV	5.35G	45.68	54.00	-8.32	39.37	3	Vertical	216	1.80	-	31.30	7.49	32.48
PK	5.46G	66.32	74.00	-7.68	59.62	3	Vertical	216	1.80	-	31.74	7.46	32.50
AV	5.46G	51.41	54.00	-2.59	44.71	3	Vertical	216	1.80	-	31.74	7.46	32.50
PK	5.468G	67.37	68.20	-0.83	60.65	3	Vertical	216	1.80	-	31.77	7.45	32.50
PK	5.5395G	108.17	Inf	-Inf	101.45	3	Vertical	216	1.80	-	31.90	7.31	32.49
AV	5.539G	96.07	Inf	-Inf	89.35	3	Vertical	216	1.80	-	31.90	7.31	32.49
PK	5.7275G	59.75	68.20	-8.45	52.78	3	Vertical	216	1.80	-	32.11	7.29	32.43

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
Setting 76
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3425G	58.50	68.20	-9.70	52.19	3	Horizontal	334	2.14	-	31.32	7.47	32.48
AV	5.35G	44.77	54.00	-9.23	38.46	3	Horizontal	334	2.14	-	31.30	7.49	32.48
PK	5.444G	59.78	74.00	-14.22	53.10	3	Horizontal	334	2.14	-	31.68	7.49	32.49
PK	5.468G	61.74	68.20	-6.46	55.02	3	Horizontal	334	2.14	-	31.77	7.45	32.50
AV	5.4585G	47.13	54.00	-6.87	40.43	3	Horizontal	334	2.14	-	31.73	7.47	32.50
PK	5.5185G	105.12	Inf	-Inf	98.36	3	Horizontal	334	2.14	-	31.90	7.35	32.49
AV	5.5155G	91.98	Inf	-Inf	85.23	3	Horizontal	334	2.14	-	31.90	7.35	32.50
PK	5.7745G	57.80	68.20	-10.40	50.63	3	Horizontal	334	2.14	-	32.25	7.33	32.41

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
Setting 76
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05716G	58.27	74.00	-15.73	42.31	3	Vertical	195	1.97	-	40.37	10.24	34.65
AV	11.0639G	44.35	54.00	-9.65	28.42	3	Vertical	195	1.97	-	40.34	10.24	34.65
PK	16.58502G	61.37	68.20	-6.83	44.29	3	Vertical	92	1.48	-	39.53	12.45	34.90

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
Setting 76
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06208G	57.95	74.00	-16.05	42.01	3	Horizontal	206	2.43	-	40.35	10.24	34.65
AV	11.05598G	44.42	54.00	-9.58	28.45	3	Horizontal	206	2.43	-	40.38	10.24	34.65
PK	16.59075G	61.00	68.20	-7.20	43.92	3	Horizontal	53	2.67	-	39.52	12.46	34.90

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
 Setting 88
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.01	74.00	-12.99	54.31	3	Vertical	208	1.79	-	31.74	7.46	32.50
AV	5.46G	48.89	54.00	-5.11	42.19	3	Vertical	208	1.79	-	31.74	7.46	32.50
PK	5.465G	62.68	68.20	-5.52	55.97	3	Vertical	208	1.79	-	31.76	7.45	32.50
PK	5.618G	111.17	Inf	-Inf	104.57	3	Vertical	208	1.79	-	31.86	7.20	32.46
AV	5.6165G	99.54	Inf	-Inf	92.93	3	Vertical	208	1.79	-	31.87	7.20	32.46
PK	5.726G	67.62	68.20	-0.58	60.66	3	Vertical	208	1.79	-	32.10	7.29	32.43

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 88
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4305G	58.30	74.00	-15.70	51.65	3	Horizontal	327	2.91	-	31.62	7.52	32.49
PK	5.468G	61.17	68.20	-7.03	54.45	3	Horizontal	327	2.91	-	31.77	7.45	32.50
AV	5.4515G	46.19	54.00	-7.81	39.49	3	Horizontal	327	2.91	-	31.71	7.48	32.49
PK	5.587G	106.77	Inf	-Inf	100.12	3	Horizontal	327	2.91	-	31.90	7.22	32.47
AV	5.62G	93.70	Inf	-Inf	87.09	3	Horizontal	327	2.91	-	31.86	7.21	32.46
PK	5.727G	62.14	68.20	-6.06	55.17	3	Horizontal	327	2.91	-	32.11	7.29	32.43

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
Setting 88
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21697G	57.06	74.00	-16.94	41.52	3	Vertical	176	2.64	-	39.90	10.28	34.64
AV	11.21823G	43.74	54.00	-10.26	28.20	3	Vertical	176	2.64	-	39.90	10.28	34.64
PK	16.83462G	63.67	68.20	-4.53	45.11	3	Vertical	6	1.17	-	40.80	12.56	34.80

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
Setting 88
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22472G	56.84	74.00	-17.16	41.30	3	Horizontal	360	2.38	-	39.90	10.28	34.64
AV	11.21684G	43.70	54.00	-10.30	28.16	3	Horizontal	360	2.38	-	39.90	10.28	34.64
PK	16.83401G	64.05	68.20	-4.15	45.49	3	Horizontal	212	2.92	-	40.80	12.56	34.80

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
 Setting 96
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.446G	59.46	74.00	-14.54	52.78	3	Vertical	223	1.80	-	31.68	7.49	32.49
PK	5.47G	59.00	68.20	-9.20	52.28	3	Vertical	223	1.80	-	31.78	7.44	32.50
AV	5.4585G	47.04	54.00	-6.96	40.34	3	Vertical	223	1.80	-	31.73	7.47	32.50
PK	5.6755G	110.67	Inf	-Inf	103.96	3	Vertical	223	1.80	-	31.90	7.25	32.44
AV	5.659G	98.72	Inf	-Inf	92.09	3	Vertical	223	1.80	-	31.84	7.24	32.45
PK	5.85G	65.90	68.20	-2.30	58.63	3	Vertical	223	1.80	-	32.30	7.36	32.39

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 96
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	57.08	74.00	-16.92	50.38	3	Horizontal	325	2.51	-	31.71	7.48	32.49
PK	5.466G	58.11	68.20	-10.09	51.40	3	Horizontal	325	2.51	-	31.76	7.45	32.50
AV	5.46G	45.49	54.00	-8.51	38.79	3	Horizontal	325	2.51	-	31.74	7.46	32.50
PK	5.693G	106.53	Inf	-Inf	99.74	3	Horizontal	325	2.51	-	31.97	7.26	32.44
AV	5.692G	93.44	Inf	-Inf	86.65	3	Horizontal	325	2.51	-	31.97	7.26	32.44
PK	5.922G	59.06	68.20	-9.14	51.44	3	Horizontal	325	2.51	-	32.60	7.38	32.36

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 96
 06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37836G	57.40	74.00	-16.60	41.65	3	Vertical	341	2.93	-	40.06	10.32	34.63
AV	11.37961G	43.79	54.00	-10.21	28.04	3	Vertical	341	2.93	-	40.06	10.32	34.63
PK	17.06983G	62.51	68.20	-5.69	43.84	3	Vertical	6	2.99	-	40.84	12.65	34.82

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 96
 06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38479G	58.07	74.00	-15.93	42.31	3	Horizontal	246	1.76	-	40.07	10.32	34.63
AV	11.37993G	43.89	54.00	-10.11	28.14	3	Horizontal	246	1.76	-	40.06	10.32	34.63
PK	17.07476G	63.38	68.20	-4.82	44.69	3	Horizontal	18	2.20	-	40.85	12.66	34.82

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
 Setting 96
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.653G	69.17	70.42	-1.25	62.58	3	Vertical	335	1.80	-	31.81	7.23	32.45
PK	5.7385G	116.07	Inf	-Inf	109.04	3	Vertical	335	1.80	-	32.15	7.30	32.42
AV	5.7635G	100.97	Inf	-Inf	93.84	3	Vertical	335	1.80	-	32.23	7.32	32.42
PK	5.992G	58.82	68.20	-9.38	51.24	3	Vertical	335	1.80	-	32.52	7.40	32.34

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
 Setting 96
 06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	61.35	68.20	-6.85	54.77	3	Horizontal	2	2.36	-	31.80	7.23	32.45
PK	5.786G	109.81	Inf	-Inf	102.61	3	Horizontal	2	2.36	-	32.27	7.34	32.41
AV	5.782G	97.76	Inf	-Inf	90.57	3	Horizontal	2	2.36	-	32.26	7.34	32.41
PK	5.9335G	58.67	68.20	-9.53	51.05	3	Horizontal	2	2.36	-	32.60	7.38	32.36

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
Setting 96
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5493G	57.72	74.00	-16.28	41.98	3	Vertical	56	2.80	-	40.00	10.37	34.63
AV	11.55218G	44.08	54.00	-9.92	28.35	3	Vertical	56	2.80	-	40.00	10.37	34.64
PK	17.32082G	64.84	68.20	-3.36	45.50	3	Vertical	290	1.56	-	41.71	12.76	35.13

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
 Setting 96
 06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.554G	58.08	74.00	-15.92	42.36	3	Horizontal	77	2.77	-	39.99	10.37	34.64
AV	11.55233G	44.05	54.00	-9.95	28.32	3	Horizontal	77	2.77	-	40.00	10.37	34.64
PK	17.32331G	65.22	68.20	-2.98	45.87	3	Horizontal	86	1.61	-	41.73	12.76	35.14

5.25-5.35GHz 802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 71
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1324G	67.86	74.00	-6.14	61.31	3	Vertical	26	2.80	-	31.94	7.07	32.46
AV	5.1228G	50.40	54.00	-3.60	43.85	3	Vertical	26	2.80	-	31.95	7.05	32.45
PK	5.3252G	106.62	Inf	-Inf	100.31	3	Vertical	26	2.80	-	31.35	7.44	32.48
AV	5.3244G	94.67	Inf	-Inf	88.36	3	Vertical	26	2.80	-	31.35	7.44	32.48
PK	5.3772G	72.83	74.00	-1.17	66.37	3	Vertical	26	2.80	-	31.41	7.54	32.49
AV	5.3988G	53.66	54.00	-0.34	47.07	3	Vertical	26	2.80	-	31.50	7.58	32.49
PK	5.482G	61.37	68.20	-6.83	54.62	3	Vertical	26	2.80	-	31.83	7.42	32.50

5.25-5.35GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 71
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	63.53	74.00	-10.47	56.98	3	Horizontal	344	2.57	-	31.92	7.09	32.46
AV	5.1076G	47.53	54.00	-6.47	40.98	3	Horizontal	344	2.57	-	31.98	7.02	32.45
PK	5.2028G	99.09	Inf	-Inf	92.55	3	Horizontal	344	2.57	-	31.79	7.21	32.46
AV	5.202G	89.32	Inf	-Inf	82.79	3	Horizontal	344	2.57	-	31.79	7.20	32.46
PK	5.3996G	63.78	74.00	-10.22	57.19	3	Horizontal	344	2.57	-	31.50	7.58	32.49
AV	5.3724G	47.63	54.00	-6.37	41.19	3	Horizontal	344	2.57	-	31.39	7.53	32.48
PK	5.5196G	58.00	68.20	-10.20	51.24	3	Horizontal	344	2.57	-	31.90	7.35	32.49

5.25-5.35GHz 802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_2TX
Setting 71
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4969G	57.91	68.20	-10.29	42.31	3	Vertical	307	2.62	-	40.20	10.10	34.70
PK	15.74856G	59.14	74.00	-14.86	43.98	3	Vertical	31	1.11	-	37.90	12.07	34.81
AV	15.75479G	46.08	54.00	-7.92	30.90	3	Vertical	31	1.11	-	37.90	12.08	34.80

5.25-5.35GHz 802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 71
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50344G	56.93	68.20	-11.27	41.33	3	Horizontal	309	2.91	-	40.20	10.10	34.70
PK	15.74516G	59.21	74.00	-14.79	44.05	3	Horizontal	300	2.39	-	37.90	12.07	34.81
AV	15.74947G	45.97	54.00	-8.03	30.81	3	Horizontal	300	2.39	-	37.90	12.07	34.81

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT Y_2TX
Setting 73
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3356G	59.65	68.20	-8.55	53.34	3	Vertical	240	1.80	-	31.33	7.46	32.48
AV	5.35G	46.44	54.00	-7.56	40.13	3	Vertical	240	1.80	-	31.30	7.49	32.48
PK	5.4588G	69.16	74.00	-4.84	62.45	3	Vertical	240	1.80	-	31.74	7.47	32.50
AV	5.43G	53.73	54.00	-0.27	47.08	3	Vertical	240	1.80	-	31.62	7.52	32.49
PK	5.4692G	64.67	68.20	-3.53	57.94	3	Vertical	240	1.80	-	31.78	7.45	32.50
PK	5.5908G	104.73	Inf	-Inf	98.09	3	Vertical	240	1.80	-	31.90	7.21	32.47
AV	5.6236G	93.49	Inf	-Inf	86.89	3	Vertical	240	1.80	-	31.85	7.21	32.46
PK	5.7804G	67.38	68.20	-0.82	60.20	3	Vertical	240	1.80	-	32.26	7.33	32.41

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT Y_2TX
Setting 73
06-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.338G	58.21	68.20	-9.99	51.91	3	Horizontal	190	1.80	-	31.32	7.46	32.48
AV	5.35G	45.04	54.00	-8.96	38.73	3	Horizontal	190	1.80	-	31.30	7.49	32.48
PK	5.4204G	64.21	74.00	-9.79	57.58	3	Horizontal	190	1.80	-	31.58	7.54	32.49
AV	5.4348G	47.27	54.00	-6.73	40.61	3	Horizontal	190	1.80	-	31.64	7.51	32.49
PK	5.47G	59.44	68.20	-8.76	52.72	3	Horizontal	190	1.80	-	31.78	7.44	32.50
PK	5.6292G	97.51	Inf	-Inf	90.92	3	Horizontal	190	1.80	-	31.84	7.21	32.46
AV	5.6212G	85.11	Inf	-Inf	78.50	3	Horizontal	190	1.80	-	31.86	7.21	32.46
PK	5.7388G	60.21	68.20	-7.99	53.17	3	Horizontal	190	1.80	-	32.16	7.30	32.42

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT Y_2TX
Setting 73
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14473G	56.88	74.00	-17.12	41.19	3	Vertical	271	2.54	-	40.07	10.26	34.64
AV	11.13586G	43.59	54.00	-10.41	27.88	3	Vertical	271	2.54	-	40.09	10.26	34.64
PK	16.70863G	61.52	68.20	-6.68	43.80	3	Vertical	268	2.37	-	40.07	12.50	34.85

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX



EUT Y_2TX
Setting 73
06-D-G-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13935G	57.71	74.00	-16.29	42.01	3	Horizontal	45	1.53	-	40.08	10.26	34.64
AV	11.13713G	43.72	54.00	-10.28	28.01	3	Horizontal	45	1.53	-	40.09	10.26	34.64
PK	16.7068G	61.40	68.20	-6.80	43.70	3	Horizontal	200	1.80	-	40.05	12.50	34.85



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	3.19991G	48.13	54.00	-5.87	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	3.20001G	49.33	74.00	-24.67	-0.21	3	Vertical	110	1.04	-	49.54	29.90	5.80	35.91
AV	3.19987G	46.61	54.00	-7.39	-0.21	3	Vertical	110	1.04	"Worst"	46.82	29.90	5.80	35.91

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	3.20002G	51.69	74.00	-22.31	-0.21	3	Horizontal	313	1.21	-	51.90	29.90	5.80	35.91
AV	3.19991G	48.13	54.00	-5.87	-0.21	3	Horizontal	313	1.21	"Worst"	48.34	29.90	5.80	35.91