


### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 5670MHz\_TnomVnom




EUT Y\_2TX  
Setting 79  
01-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6812G	109.76	Inf	-Inf	101.83	3	Horizontal	348	3.00	-	34.04	6.60	32.71
AV	5.666G	97.02	Inf	-Inf	89.06	3	Horizontal	348	3.00	-	34.07	6.60	32.71
PK	5.7284G	65.37	68.20	-2.83	57.27	3	Horizontal	348	3.00	-	34.23	6.60	32.73

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 5670MHz\_TnomVnom




EUT Y\_2TX  
Setting 79  
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33574G	56.94	74.00	-17.06	41.55	3	Vertical	328	2.95	-	38.40	8.83	31.84
AV	11.34106G	43.27	54.00	-10.73	27.87	3	Vertical	328	2.95	-	38.40	8.84	31.84
PK	17.00554G	66.65	68.20	-1.55	44.55	3	Vertical	45	2.12	-	41.12	10.80	29.82

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


#### 5670MHz\_TnomVnom



EUT Y\_2TX  
Setting 79  
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34484G	56.77	74.00	-17.23	41.36	3	Horizontal	198	2.82	-	38.40	8.84	31.83
AV	11.34476G	43.28	54.00	-10.72	27.87	3	Horizontal	198	2.82	-	38.40	8.84	31.83
PK	17.01366G	67.65	68.20	-0.55	45.54	3	Horizontal	25	1.64	-	41.14	10.80	29.83


**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_2TX  
 Setting 116  
 01-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7076G	122.11	Inf	-Inf	114.17	3	Vertical	318	1.80	-	34.06	6.60	32.72
AV	5.7156G	109.22	Inf	-Inf	101.23	3	Vertical	318	1.80	-	34.12	6.60	32.73
PK	5.8516G	67.86	68.20	-0.34	59.24	3	Vertical	318	1.80	-	34.80	6.60	32.78


**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_2TX  
 Setting 116  
 01-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.714G	115.86	Inf	-Inf	107.88	3	Horizontal	348	2.98	-	34.11	6.60	32.73
AV	5.7188G	104.01	Inf	-Inf	95.99	3	Horizontal	348	2.98	-	34.15	6.60	32.73
PK	5.85G	63.49	68.20	-4.71	54.87	3	Horizontal	348	2.98	-	34.80	6.60	32.78


**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_2TX  
 Setting 116  
 01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4193G	56.99	74.00	-17.01	41.53	3	Vertical	360	1.80	-	38.40	8.85	31.79
AV	11.41584G	43.44	54.00	-10.56	27.98	3	Vertical	360	1.80	-	38.40	8.85	31.79
PK	17.10568G	67.13	68.20	-1.07	44.86	3	Vertical	232	1.82	-	41.41	10.83	29.97

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_2TX  
 Setting 116  
 01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41896G	57.33	74.00	-16.67	41.87	3	Horizontal	180	1.80	-	38.40	8.85	31.79
AV	11.42064G	43.63	54.00	-10.37	28.16	3	Horizontal	180	1.80	-	38.40	8.86	31.79
PK	17.09736G	65.75	68.20	-2.45	43.49	3	Horizontal	34	1.82	-	41.39	10.83	29.96

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5755MHz\_TnomVnom




EUT Y\_2TX  
Setting 108  
01-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	68.18	68.20	-0.02	60.18	3	Vertical	310	1.80	-	34.10	6.60	32.70
PK	5.769G	119.83	Inf	-Inf	111.58	3	Vertical	310	1.80	-	34.40	6.60	32.75
AV	5.748G	107.39	Inf	-Inf	99.15	3	Vertical	310	1.80	-	34.38	6.60	32.74
PK	5.981G	61.45	68.20	-6.75	52.46	3	Vertical	310	1.80	-	35.22	6.60	32.83



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5755MHz\_TnomVnom




EUT Y\_2TX  
Setting 108  
01-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	65.94	68.20	-2.26	57.95	3	Horizontal	340	3.00	-	34.09	6.60	32.70
PK	5.759G	115.23	Inf	-Inf	106.97	3	Horizontal	340	3.00	-	34.40	6.60	32.74
AV	5.747G	103.62	Inf	-Inf	95.38	3	Horizontal	340	3.00	-	34.38	6.60	32.74
PK	6.005G	61.38	68.20	-6.82	52.32	3	Horizontal	340	3.00	-	35.29	6.61	32.84

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5755MHz\_TnomVnom




EUT Y\_2TX  
Setting 108  
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52458G	56.71	74.00	-17.29	41.11	3	Vertical	224	2.39	-	38.45	8.88	31.73
AV	11.51756G	43.40	54.00	-10.60	27.81	3	Vertical	224	2.39	-	38.44	8.88	31.73
PK	17.24292G	66.64	68.20	-1.56	44.15	3	Vertical	0	1.80	-	41.81	10.87	30.19

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

#### 5755MHz\_TnomVnom




EUT Y\_2TX  
Setting 108  
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50728G	56.19	74.00	-17.81	40.64	3	Horizontal	171	2.23	-	38.41	8.88	31.74
AV	11.49416G	43.50	54.00	-10.50	27.97	3	Horizontal	171	2.23	-	38.40	8.87	31.74
PK	17.27492G	65.69	68.20	-2.51	43.08	3	Horizontal	79	2.59	-	41.97	10.88	30.24

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5795MHz\_TnomVnom




EUT Y\_2TX  
Setting 115  
01-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	66.50	68.20	-1.70	58.53	3	Vertical	314	1.80	-	34.07	6.60	32.70
PK	5.796G	120.73	Inf	-Inf	112.49	3	Vertical	314	1.80	-	34.40	6.60	32.76
AV	5.781G	107.85	Inf	-Inf	99.60	3	Vertical	314	1.80	-	34.40	6.60	32.75
PK	5.943G	62.28	68.20	-5.92	53.43	3	Vertical	314	1.80	-	35.07	6.60	32.82

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5795MHz\_TnomVnom




EUT Y\_2TX  
Setting 115  
01-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	64.03	68.20	-4.17	56.04	3	Horizontal	342	2.98	-	34.09	6.60	32.70
PK	5.802G	115.35	Inf	-Inf	107.09	3	Horizontal	342	2.98	-	34.42	6.60	32.76
AV	5.782G	103.36	Inf	-Inf	95.11	3	Horizontal	342	2.98	-	34.40	6.60	32.75
PK	6.04G	61.77	68.20	-6.43	52.73	3	Horizontal	342	2.98	-	35.22	6.66	32.84

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5795MHz\_TnomVnom




EUT Y\_2TX  
Setting 115  
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59042G	56.92	74.00	-17.08	41.14	3	Vertical	15	2.38	-	38.58	8.90	31.70
AV	11.59056G	43.40	54.00	-10.60	27.62	3	Vertical	15	2.38	-	38.58	8.90	31.70
PK	17.38362G	66.13	68.20	-2.07	43.44	3	Vertical	32	1.31	-	42.18	10.92	30.41

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 5795MHz\_TnomVnom




EUT Y\_2TX  
Setting 115  
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59172G	57.12	74.00	-16.88	41.34	3	Horizontal	91	1.14	-	38.58	8.90	31.70
AV	11.59368G	43.39	54.00	-10.61	27.60	3	Horizontal	91	1.14	-	38.59	8.90	31.70
PK	17.38534G	66.66	68.20	-1.54	43.96	3	Horizontal	204	1.71	-	42.19	10.92	30.41

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5210MHz\_TnomVnom




EUT V\_2TX  
Setting 80  
01-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	72.99	74.00	-1.01	66.71	3	Vertical	206.5	2.17	-	32.70	6.37	32.79
AV	5.15G	53.09	54.00	-0.91	46.81	3	Vertical	206.5	2.17	-	32.70	6.37	32.79
PK	5.222G	113.39	Inf	-Inf	107.01	3	Vertical	206.5	2.17	-	32.74	6.40	32.76
AV	5.2244G	100.02	Inf	-Inf	93.63	3	Vertical	206.5	2.17	-	32.75	6.40	32.76
PK	5.3532G	63.47	74.00	-10.53	56.76	3	Vertical	206.5	2.17	-	33.01	6.40	32.70
AV	5.3548G	50.35	54.00	-3.65	43.63	3	Vertical	206.5	2.17	-	33.02	6.40	32.70



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

#### 5210MHz\_TnomVnom




EUT Y\_2TX  
Setting 80  
01-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	66.36	74.00	-7.64	60.08	3	Horizontal	178	2.03	-	32.70	6.37	32.79
AV	5.1484G	49.56	54.00	-4.44	43.28	3	Horizontal	178	2.03	-	32.70	6.37	32.79
PK	5.222G	108.23	Inf	-Inf	101.85	3	Horizontal	178	2.03	-	32.74	6.40	32.76
AV	5.2356G	94.56	Inf	-Inf	88.14	3	Horizontal	178	2.03	-	32.77	6.40	32.75
PK	5.3636G	60.97	74.00	-13.03	54.22	3	Horizontal	178	2.03	-	33.05	6.40	32.70
AV	5.3636G	47.73	54.00	-6.27	40.98	3	Horizontal	178	2.03	-	33.05	6.40	32.70

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5210MHz\_TnomVnom




EUT Y\_2TX  
Setting 80  
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41866G	56.45	68.20	-11.75	41.16	3	Vertical	206	1.49	-	38.42	8.60	31.73
PK	15.63346G	62.47	74.00	-11.53	45.00	3	Vertical	228	1.94	-	37.77	10.39	30.69
AV	15.62536G	48.99	54.00	-5.01	31.52	3	Vertical	228	1.94	-	37.77	10.39	30.69

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

#### 5210MHz\_TnomVnom




EUT Y\_2TX  
Setting 80  
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42402G	56.10	68.20	-12.10	40.79	3	Horizontal	43	2.18	-	38.42	8.61	31.72
PK	15.62518G	62.28	74.00	-11.72	44.81	3	Horizontal	211	2.81	-	37.77	10.39	30.69
AV	15.63122G	48.88	54.00	-5.12	31.41	3	Horizontal	211	2.81	-	37.77	10.39	30.69

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5290MHz\_TnomVnom




EUT V\_2TX  
Setting 77  
01-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1388G	60.36	74.00	-13.64	54.06	3	Vertical	212.5	1.80	-	32.72	6.37	32.79
AV	5.1492G	47.30	54.00	-6.70	41.02	3	Vertical	212.5	1.80	-	32.70	6.37	32.79
PK	5.266G	112.51	Inf	-Inf	106.02	3	Vertical	212.5	1.80	-	32.83	6.40	32.74
AV	5.3052G	99.90	Inf	-Inf	93.31	3	Vertical	212.5	1.80	-	32.91	6.40	32.72
PK	5.3604G	72.10	74.00	-1.90	65.36	3	Vertical	212.5	1.80	-	33.04	6.40	32.70
AV	5.3516G	53.68	54.00	-0.32	46.97	3	Vertical	212.5	1.80	-	33.01	6.40	32.70
PK	5.4716G	61.88	68.20	-6.32	54.36	3	Vertical	212.5	1.80	-	33.70	6.47	32.65

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5290MHz\_TnomVnom




EUT\_V\_2TX  
Setting 77  
01-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1364G	59.21	74.00	-14.79	52.90	3	Horizontal	187	1.80	-	32.73	6.37	32.79
AV	5.1492G	46.13	54.00	-7.87	39.85	3	Horizontal	187	1.80	-	32.70	6.37	32.79
PK	5.2548G	106.64	Inf	-Inf	100.17	3	Horizontal	187	1.80	-	32.81	6.40	32.74
AV	5.3028G	92.60	Inf	-Inf	86.01	3	Horizontal	187	1.80	-	32.91	6.40	32.72
PK	5.3508G	63.89	74.00	-10.11	57.19	3	Horizontal	187	1.80	-	33.00	6.40	32.70
AV	5.3508G	48.67	54.00	-5.33	41.97	3	Horizontal	187	1.80	-	33.00	6.40	32.70
PK	5.462G	59.97	68.20	-8.23	52.47	3	Horizontal	187	1.80	-	33.70	6.46	32.66

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5290MHz\_TnomVnom




EUT Y\_2TX  
Setting 77  
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57558G	56.65	68.20	-11.55	41.13	3	Vertical	320	2.75	-	38.58	8.64	31.70
PK	15.86784G	61.73	74.00	-12.27	43.52	3	Vertical	176	2.54	-	38.37	10.46	30.62
AV	15.86694G	48.33	54.00	-5.67	30.12	3	Vertical	176	2.54	-	38.37	10.46	30.62

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5290MHz\_TnomVnom




EUT Y\_2TX  
Setting 77  
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5802G	55.96	68.20	-12.24	40.43	3	Horizontal	143	2.43	-	38.58	8.65	31.70
PK	15.87178G	61.61	74.00	-12.39	43.40	3	Horizontal	80	2.94	-	38.37	10.46	30.62
AV	15.86744G	48.28	54.00	-5.72	30.07	3	Horizontal	80	2.94	-	38.37	10.46	30.62

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5530MHz\_TnomVnom




EUT V\_2TX  
Setting 79  
01-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.34G	59.60	68.20	-8.60	52.93	3	Vertical	326.1	2.46	-	32.98	6.40	32.71
PK	5.458G	67.78	74.00	-6.22	60.28	3	Vertical	326.1	2.46	-	33.70	6.46	32.66
AV	5.46G	52.05	54.00	-1.95	44.55	3	Vertical	326.1	2.46	-	33.70	6.46	32.66
PK	5.468G	68.14	68.20	-0.06	60.62	3	Vertical	326.1	2.46	-	33.70	6.47	32.65
PK	5.518G	112.63	Inf	-Inf	104.99	3	Vertical	326.1	2.46	-	33.77	6.52	32.65
AV	5.545G	99.48	Inf	-Inf	91.72	3	Vertical	326.1	2.46	-	33.88	6.54	32.66
PK	5.75G	62.34	68.20	-5.86	54.08	3	Vertical	326.1	2.46	-	34.40	6.60	32.74



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5530MHz\_TnomVnom




EUT\_V\_2TX  
Setting 79  
01-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.345G	59.54	68.20	-8.66	52.86	3	Horizontal	356	2.77	-	32.99	6.40	32.71
PK	5.449G	61.58	74.00	-12.42	54.10	3	Horizontal	356	2.77	-	33.69	6.45	32.66
PK	5.464G	62.65	68.20	-5.55	55.15	3	Horizontal	356	2.77	-	33.70	6.46	32.66
AV	5.458G	48.92	54.00	-5.08	41.42	3	Horizontal	356	2.77	-	33.70	6.46	32.66
PK	5.533G	105.80	Inf	-Inf	98.09	3	Horizontal	356	2.77	-	33.83	6.53	32.65
AV	5.535G	93.20	Inf	-Inf	85.47	3	Horizontal	356	2.77	-	33.84	6.54	32.65
PK	5.731G	61.17	68.20	-7.03	53.05	3	Horizontal	356	2.77	-	34.25	6.60	32.73

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5530MHz\_TnomVnom




EUT Y\_2TX  
Setting 79  
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05614G	56.19	74.00	-17.81	41.00	3	Vertical	282	1.67	-	38.44	8.76	32.01
AV	11.05938G	42.77	54.00	-11.23	27.57	3	Vertical	282	1.67	-	38.44	8.76	32.00
PK	16.58576G	66.04	68.20	-2.16	44.15	3	Vertical	37	1.39	-	40.30	10.68	29.09

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5530MHz\_TnomVnom




EUT Y\_2TX  
Setting 79  
01-C-B-5  
25/08/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06038G	56.20	74.00	-17.80	40.99	3	Horizontal	76	1.81	-	38.44	8.77	32.00
AV	11.05904G	42.76	54.00	-11.24	27.56	3	Horizontal	76	1.81	-	38.44	8.76	32.00
PK	16.58802G	65.53	68.20	-2.67	43.64	3	Horizontal	24	1.34	-	40.30	10.68	29.09

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 5610MHz\_TnomVnom




EUT V\_2TX  
Setting 87  
01-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4516G	62.25	74.00	-11.75	54.76	3	Vertical	4	2.33	-	33.70	6.45	32.66
PK	5.462G	64.70	68.20	-3.50	57.20	3	Vertical	4	2.33	-	33.70	6.46	32.66
AV	5.4572G	49.88	54.00	-4.12	42.38	3	Vertical	4	2.33	-	33.70	6.46	32.66
PK	5.5812G	116.98	Inf	-Inf	109.23	3	Vertical	4	2.33	-	33.84	6.58	32.67
AV	5.6212G	101.92	Inf	-Inf	94.08	3	Vertical	4	2.33	-	33.93	6.60	32.69
PK	5.726G	67.85	68.20	-0.35	59.77	3	Vertical	4	2.33	-	34.21	6.60	32.73

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

#### 5610MHz\_TnomVnom




EUT V\_2TX  
Setting 87  
01-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	60.29	74.00	-13.71	52.79	3	Horizontal	347	2.65	-	33.70	6.46	32.66
AV	5.45G	47.79	54.00	-6.21	40.30	3	Horizontal	347	2.65	-	33.70	6.45	32.66
PK	5.4612G	61.49	68.20	-6.71	53.99	3	Horizontal	347	2.65	-	33.70	6.46	32.66
PK	5.5732G	109.60	Inf	-Inf	101.85	3	Horizontal	347	2.65	-	33.85	6.57	32.67
AV	5.6172G	95.77	Inf	-Inf	87.96	3	Horizontal	347	2.65	-	33.90	6.60	32.69
PK	5.7268G	63.76	68.20	-4.44	55.68	3	Horizontal	347	2.65	-	34.21	6.60	32.73

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

#### 5610MHz\_TnomVnom




EUT Y\_2TX  
Setting 87  
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22182G	56.49	74.00	-17.51	41.27	3	Vertical	171	2.58	-	38.32	8.81	31.91
AV	11.22126G	42.64	54.00	-11.36	27.42	3	Vertical	171	2.58	-	38.32	8.81	31.91
PK	16.83328G	65.34	68.20	-2.86	43.44	3	Vertical	57	2.09	-	40.67	10.75	29.52

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX


#### 5610MHz\_TnomVnom



EUT Y\_2TX  
Setting 87  
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2203G	55.96	74.00	-18.04	40.74	3	Horizontal	173	2.18	-	38.32	8.81	31.91
AV	11.22216G	42.58	54.00	-11.42	27.36	3	Horizontal	173	2.18	-	38.32	8.81	31.91
PK	16.83334G	65.41	68.20	-2.79	43.51	3	Horizontal	291	1.64	-	40.67	10.75	29.52

**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_2TX  
 Setting 97  
 01-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7188G	118.12	Inf	-Inf	110.10	3	Vertical	331.6	2.34	-	34.15	6.60	32.73
AV	5.7188G	104.77	Inf	-Inf	96.75	3	Vertical	331.6	2.34	-	34.15	6.60	32.73
PK	5.8532G	67.99	68.20	-0.21	59.36	3	Vertical	331.6	2.34	-	34.81	6.60	32.78




**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_2TX  
 Setting 97  
 01-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.714G	109.57	Inf	-Inf	101.59	3	Horizontal	314.4	2.78	-	34.11	6.60	32.73
AV	5.7108G	97.09	Inf	-Inf	89.12	3	Horizontal	314.4	2.78	-	34.09	6.60	32.72
PK	5.8652G	62.61	68.20	-5.59	53.97	3	Horizontal	314.4	2.78	-	34.83	6.60	32.79


**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_2TX  
 Setting 97  
 01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38372G	57.57	74.00	-16.43	42.13	3	Vertical	225	1.93	-	38.40	8.85	31.81
AV	11.38162G	43.62	54.00	-10.38	28.18	3	Vertical	225	1.93	-	38.40	8.85	31.81
PK	17.07126G	67.04	68.20	-1.16	44.83	3	Vertical	257	1.89	-	41.31	10.82	29.92

**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_2TX  
 Setting 97  
 01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37824G	57.40	74.00	-16.60	41.97	3	Horizontal	348	1.44	-	38.40	8.84	31.81
AV	11.38298G	43.58	54.00	-10.42	28.14	3	Horizontal	348	1.44	-	38.40	8.85	31.81
PK	17.06732G	67.46	68.20	-0.74	45.26	3	Horizontal	209	1.69	-	41.30	10.82	29.92

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

#### 5775MHz\_TnomVnom




EUT Y\_2TX  
Setting 96  
01-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	68.09	68.20	-0.11	60.10	3	Vertical	327.3	1.80	-	34.09	6.60	32.70
PK	5.744G	117.43	Inf	-Inf	109.22	3	Vertical	327.3	1.80	-	34.35	6.60	32.74
AV	5.785G	102.93	Inf	-Inf	94.68	3	Vertical	327.3	1.80	-	34.40	6.60	32.75
PK	5.932G	61.48	68.20	-6.72	52.66	3	Vertical	327.3	1.80	-	35.03	6.60	32.81

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5775MHz\_TnomVnom




EUT Y\_2TX  
Setting 96  
01-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	63.01	68.20	-5.19	55.05	3	Horizontal	352.3	1.90	-	34.06	6.60	32.70
PK	5.785G	108.08	Inf	-Inf	99.83	3	Horizontal	352.3	1.90	-	34.40	6.60	32.75
AV	5.785G	95.80	Inf	-Inf	87.55	3	Horizontal	352.3	1.90	-	34.40	6.60	32.75
PK	5.962G	62.31	68.20	-5.89	53.38	3	Horizontal	352.3	1.90	-	35.15	6.60	32.82

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5775MHz\_TnomVnom




EUT Y\_2TX  
Setting 96  
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55036G	56.85	74.00	-17.15	41.18	3	Vertical	7	2.39	-	38.50	8.89	31.72
AV	11.54664G	43.32	54.00	-10.68	27.66	3	Vertical	7	2.39	-	38.49	8.89	31.72
PK	17.3277G	65.70	68.20	-2.50	42.99	3	Vertical	58	1.43	-	42.13	10.90	30.32

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5775MHz\_TnomVnom




EUT Y\_2TX  
Setting 96  
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54522G	56.94	74.00	-17.06	41.28	3	Horizontal	87	2.67	-	38.49	8.89	31.72
AV	11.55162G	43.36	54.00	-10.64	27.69	3	Horizontal	87	2.67	-	38.50	8.89	31.72
PK	17.32864G	65.86	68.20	-2.34	43.15	3	Horizontal	190	2.58	-	42.13	10.90	30.32

802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT\_V\_2TX  
Setting 72  
01-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0996G	67.66	74.00	-6.34	61.32	3	Vertical	202.4	1.80	-	32.80	6.35	32.81
AV	5.1428G	49.60	54.00	-4.40	43.31	3	Vertical	202.4	1.80	-	32.71	6.37	32.79
PK	5.3156G	109.28	Inf	-Inf	102.67	3	Vertical	202.4	1.80	-	32.93	6.40	32.72
AV	5.2836G	96.88	Inf	-Inf	90.34	3	Vertical	202.4	1.80	-	32.87	6.40	32.73
PK	5.3844G	70.75	74.00	-3.25	63.90	3	Vertical	202.4	1.80	-	33.14	6.40	32.69
AV	5.3572G	53.84	54.00	-0.16	47.11	3	Vertical	202.4	1.80	-	33.03	6.40	32.70
PK	5.4644G	67.75	68.20	-0.45	60.24	3	Vertical	202.4	1.80	-	33.70	6.46	32.65



802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT\_V\_2TX  
Setting 72  
01-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1076G	61.84	74.00	-12.16	55.51	3	Horizontal	121.8	2.96	-	32.78	6.35	32.80
AV	5.138G	47.67	54.00	-6.33	41.37	3	Horizontal	121.8	2.96	-	32.72	6.37	32.79
PK	5.1764G	103.31	Inf	-Inf	97.00	3	Horizontal	121.8	2.96	-	32.70	6.39	32.78
AV	5.2436G	88.94	Inf	-Inf	82.50	3	Horizontal	121.8	2.96	-	32.79	6.40	32.75
PK	5.4068G	66.30	74.00	-7.70	59.30	3	Horizontal	121.8	2.96	-	33.27	6.41	32.68
AV	5.3748G	48.27	54.00	-5.73	41.46	3	Horizontal	121.8	2.96	-	33.10	6.40	32.69
PK	5.474G	60.49	68.20	-7.71	52.97	3	Horizontal	121.8	2.96	-	33.70	6.47	32.65

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 5250MHz\_TnomVnom




EUT Y\_2TX  
Setting 72  
01-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50372G	56.57	68.20	-11.63	41.08	3	Vertical	91	1.49	-	38.50	8.63	31.64
PK	15.75006G	61.75	74.00	-12.25	43.97	3	Vertical	63	2.00	-	38.00	10.43	30.65
AV	15.75154G	48.07	54.00	-5.93	30.28	3	Vertical	63	2.00	-	38.01	10.43	30.65

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 5250MHz\_TnomVnom




EUT Y\_2TX  
Setting 72  
01-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4999G	56.83	68.20	-11.37	41.35	3	Horizontal	336	2.99	-	38.50	8.62	31.64
PK	15.74634G	61.64	74.00	-12.36	43.90	3	Horizontal	202	2.33	-	37.98	10.42	30.66
AV	15.75042G	48.03	54.00	-5.97	30.25	3	Horizontal	202	2.33	-	38.00	10.43	30.65

802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

5570MHz\_TnomVnom




EUT\_V\_2TX  
Setting 72  
01-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2516G	60.23	68.20	-7.97	53.77	3	Vertical	313.4	1.80	-	32.80	6.40	32.74
PK	5.4564G	70.37	74.00	-3.63	62.87	3	Vertical	313.4	1.80	-	33.70	6.46	32.66
AV	5.4516G	51.38	54.00	-2.62	43.89	3	Vertical	313.4	1.80	-	33.70	6.45	32.66
PK	5.4628G	67.14	68.20	-1.06	59.64	3	Vertical	313.4	1.80	-	33.70	6.46	32.66
PK	5.6324G	109.76	Inf	-Inf	101.86	3	Vertical	313.4	1.80	-	33.99	6.60	32.69
AV	5.6324G	96.61	Inf	-Inf	88.71	3	Vertical	313.4	1.80	-	33.99	6.60	32.69
PK	5.73G	67.75	68.20	-0.45	59.64	3	Vertical	313.4	1.80	-	34.24	6.60	32.73

802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

5570MHz\_TnomVnom




EUT\_V\_2TX  
Setting 72  
01-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.226G	59.26	68.20	-8.94	52.87	3	Horizontal	183	2.78	-	32.75	6.40	32.76
PK	5.458G	64.22	74.00	-9.78	56.72	3	Horizontal	183	2.78	-	33.70	6.46	32.66
AV	5.4292G	50.31	54.00	-3.69	43.06	3	Horizontal	183	2.78	-	33.49	6.43	32.67
PK	5.4644G	62.15	68.20	-6.05	54.64	3	Horizontal	183	2.78	-	33.70	6.46	32.65
PK	5.5892G	103.10	Inf	-Inf	95.37	3	Horizontal	183	2.78	-	33.82	6.59	32.68
AV	5.5924G	89.86	Inf	-Inf	82.13	3	Horizontal	183	2.78	-	33.82	6.59	32.68
PK	5.7636G	62.61	68.20	-5.59	54.36	3	Horizontal	183	2.78	-	34.40	6.60	32.75

802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

5570MHz\_TnomVnom




EUT Y\_2TX  
Setting 72  
01-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14168G	55.76	74.00	-18.24	40.56	3	Vertical	228	2.64	-	38.36	8.79	31.95
AV	11.14272G	42.20	54.00	-11.80	27.00	3	Vertical	228	2.64	-	38.36	8.79	31.95
PK	16.70962G	65.46	68.20	-2.74	43.64	3	Vertical	181	2.55	-	40.41	10.71	29.30

802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

5570MHz\_TnomVnom



EUT Y\_2TX  
Setting 72  
01-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14488G	55.71	74.00	-18.29	40.51	3	Horizontal	108	2.94	-	38.36	8.79	31.95
AV	11.14246G	42.14	54.00	-11.86	26.94	3	Horizontal	108	2.94	-	38.36	8.79	31.95
PK	16.71378G	65.06	68.20	-3.14	43.25	3	Horizontal	134	2.14	-	40.41	10.71	29.31




**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	3.19991G	48.13	54.00	-5.87	Horizontal




### Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	3.20001G	49.33	74.00	-24.67	-0.21	3	Vertical	110	1.04	-	49.54	29.90	5.80	35.91
AV	3.19987G	46.61	54.00	-7.39	-0.21	3	Vertical	110	1.04	"Worst"	46.82	29.90	5.80	35.91

### Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	3.20002G	51.69	74.00	-22.31	-0.21	3	Horizontal	313	1.21	-	51.90	29.90	5.80	35.91
AV	3.19991G	48.13	54.00	-5.87	-0.21	3	Horizontal	313	1.21	"Worst"	48.34	29.90	5.80	35.91