


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7563G	53.51	83.54	-30.03	49.58	1	Vertical	36	1.56	-	38.69	15.29	50.05
AV	20.7936G	40.20	63.54	-23.34	36.29	1	Vertical	36	1.56	-	38.63	15.30	50.02

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7912G	54.35	83.54	-29.19	50.45	1	Horizontal	190	1.54	-	38.63	15.30	50.03
AV	20.7936G	40.13	63.54	-23.41	36.22	1	Horizontal	190	1.54	-	38.63	15.30	50.02

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0146G	115.13	Inf	-Inf	104.48	3	Vertical	0	2.19	-	36.39	7.29	33.03
RMS	7.013G	105.10	Inf	-Inf	94.46	3	Vertical	0	2.19	-	36.38	7.29	33.03
PK	7.1642G	65.07	88.20	-23.13	54.00	3	Vertical	0	2.19	-	36.96	7.22	33.11
RMS	7.1962G	53.77	68.20	-14.43	42.61	3	Vertical	0	2.19	-	37.08	7.20	33.12

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9874G	111.45	Inf	-Inf	100.84	3	Horizontal	12	2.12	-	36.35	7.28	33.02
RMS	6.9874G	101.61	Inf	-Inf	91.00	3	Horizontal	12	2.12	-	36.35	7.28	33.02
PK	7.169G	64.27	88.20	-23.93	53.18	3	Horizontal	12	2.12	-	36.98	7.22	33.11
RMS	7.2026G	53.77	68.20	-14.43	42.60	3	Horizontal	12	2.12	-	37.10	7.20	33.13

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0069G	64.26	88.20	-23.94	42.95	3	Vertical	20	1.83	-	40.90	9.90	29.49
RMS	14.0026G	50.70	68.20	-17.50	29.39	3	Vertical	20	1.83	-	40.90	9.90	29.49

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0165G	64.65	88.20	-23.55	43.35	3	Horizontal	64	2.38	-	40.90	9.90	29.50
RMS	14.0131G	50.72	68.20	-17.48	29.42	3	Horizontal	64	2.38	-	40.90	9.90	29.50

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0132G	51.79	83.54	-31.75	48.06	1	Vertical	322	1.54	-	38.28	15.35	49.90
AV	21.0279G	38.95	63.54	-24.59	35.23	1	Vertical	322	1.54	-	38.27	15.36	49.91

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0205G	52.71	83.54	-30.83	48.97	1	Horizontal	130	1.58	-	38.28	15.36	49.90
AV	20.9965G	38.83	63.54	-24.71	35.07	1	Horizontal	130	1.58	-	38.31	15.35	49.90

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0706G	114.56	Inf	-Inf	103.80	3	Vertical	0	1.80	-	36.56	7.26	33.06
RMS	7.0702G	104.50	Inf	-Inf	93.74	3	Vertical	0	1.80	-	36.56	7.26	33.06
PK	7.1262G	65.79	88.20	-22.41	54.93	3	Vertical	0	1.80	-	36.71	7.24	33.09
RMS	7.125G	55.52	68.20	-12.68	44.67	3	Vertical	0	1.80	-	36.70	7.24	33.09

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0922G	111.86	Inf	-Inf	101.16	3	Horizontal	352	2.08	-	36.52	7.25	33.07
RMS	7.0922G	101.81	Inf	-Inf	91.11	3	Horizontal	352	2.08	-	36.52	7.25	33.07
PK	7.1254G	65.71	88.20	-22.49	54.86	3	Horizontal	352	2.08	-	36.70	7.24	33.09
RMS	7.125G	55.32	68.20	-12.88	44.47	3	Horizontal	352	2.08	-	36.70	7.24	33.09

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1715G	64.00	88.20	-24.20	42.83	3	Vertical	163	2.80	-	40.83	9.95	29.61
RMS	14.1631G	50.37	68.20	-17.83	29.18	3	Vertical	163	2.80	-	40.84	9.95	29.60

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1745G	63.55	88.20	-24.65	42.38	3	Horizontal	190	1.06	-	40.83	9.95	29.61
RMS	14.1678G	50.41	68.20	-17.79	29.24	3	Horizontal	190	1.06	-	40.83	9.95	29.61

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2784G	52.93	83.54	-30.61	49.40	1	Vertical	112	1.53	-	38.07	15.42	49.96
AV	21.2736G	39.57	63.54	-23.97	36.04	1	Vertical	112	1.53	-	38.06	15.42	49.95

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




02/09/2022

EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2483G	52.18	83.54	-31.36	48.72	1	Horizontal	273	1.55	-	38.00	15.41	49.95
AV	21.2765G	39.49	63.54	-24.05	35.97	1	Horizontal	273	1.55	-	38.06	15.42	49.96

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	64.96	88.20	-23.24	56.22	3	Vertical	357	1.00	-	34.94	6.60	32.80
RMS	5.9234G	54.28	68.20	-13.92	45.50	3	Vertical	357	1.00	-	34.99	6.60	32.81
PK	5.949G	112.55	Inf	-Inf	103.67	3	Vertical	357	1.00	-	35.10	6.60	32.82
RMS	6.0114G	99.43	Inf	-Inf	90.37	3	Vertical	357	1.00	-	35.28	6.62	32.84

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9186G	62.70	88.20	-25.50	53.94	3	Horizontal	178.3	1.80	-	34.97	6.60	32.81
RMS	5.9242G	52.46	68.20	-15.74	43.67	3	Horizontal	178.3	1.80	-	35.00	6.60	32.81
PK	5.953G	103.94	Inf	-Inf	95.05	3	Horizontal	178.3	1.80	-	35.11	6.60	32.82
RMS	5.9546G	93.84	Inf	-Inf	84.94	3	Horizontal	178.3	1.80	-	35.12	6.60	32.82

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9908G	56.16	74.00	-17.84	40.20	3	Vertical	352	2.29	-	38.50	9.00	31.54
AV	11.9503G	43.34	54.00	-10.66	27.41	3	Vertical	352	2.29	-	38.50	8.99	31.56
PK	17.9764G	66.24	74.00	-7.76	42.96	3	Vertical	112	2.53	-	42.88	11.09	30.69
AV	17.9608G	52.58	54.00	-1.42	29.31	3	Vertical	112	2.53	-	42.86	11.09	30.68

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9506G	56.87	74.00	-17.13	40.94	3	Horizontal	355	2.28	-	38.50	8.99	31.56
AV	11.9469G	43.44	54.00	-10.56	27.51	3	Horizontal	355	2.28	-	38.50	8.99	31.56
PK	17.9556G	66.66	74.00	-7.34	43.39	3	Horizontal	39	2.26	-	42.86	11.09	30.68
AV	17.9608G	52.55	54.00	-1.45	29.28	3	Horizontal	39	2.26	-	42.86	11.09	30.68

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8474G	61.82	88.20	-26.38	53.22	3	Vertical	12	2.04	-	34.78	6.60	32.78
RMS	5.925G	51.15	68.20	-17.05	42.36	3	Vertical	12	2.04	-	35.00	6.60	32.81
PK	6.139G	113.09	Inf	-Inf	103.83	3	Vertical	12	2.04	-	35.30	6.81	32.85
RMS	6.139G	103.06	Inf	-Inf	93.80	3	Vertical	12	2.04	-	35.30	6.81	32.85

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.893G	61.05	88.20	-27.15	52.36	3	Horizontal	202	1.77	-	34.89	6.60	32.80
RMS	5.924G	50.68	68.20	-17.52	41.89	3	Horizontal	202	1.77	-	35.00	6.60	32.81
PK	6.1414G	107.15	Inf	-Inf	97.89	3	Horizontal	202	1.77	-	35.30	6.81	32.85
RMS	6.1402G	97.10	Inf	-Inf	87.84	3	Horizontal	202	1.77	-	35.30	6.81	32.85

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2821G	56.16	74.00	-17.84	40.14	3	Vertical	146	2.52	-	38.46	9.13	31.57
AV	12.3134G	43.45	54.00	-10.55	27.35	3	Vertical	146	2.52	-	38.53	9.14	31.57

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2948G	56.41	74.00	-17.59	40.36	3	Horizontal	357	1.92	-	38.49	9.13	31.57
AV	12.3144G	43.45	54.00	-10.55	27.35	3	Horizontal	357	1.92	-	38.53	9.14	31.57

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4146G	50.39	83.54	-33.15	48.59	1	Vertical	214	1.49	-	37.80	14.55	50.55
AV	18.4189G	37.35	63.54	-26.19	35.55	1	Vertical	214	1.49	-	37.80	14.55	50.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




02/09/2022

EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.459G	50.45	83.54	-33.09	48.67	1	Horizontal	77	1.53	-	37.80	14.56	50.58
AV	18.4153G	37.51	63.54	-26.03	35.71	1	Horizontal	77	1.53	-	37.80	14.55	50.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8954G	61.60	88.20	-26.60	52.91	3	Vertical	217	1.80	-	34.89	6.60	32.80
RMS	5.9218G	50.54	68.20	-17.66	41.76	3	Vertical	217	1.80	-	34.99	6.60	32.81
PK	6.3538G	109.13	Inf	-Inf	99.68	3	Vertical	217	1.80	-	35.32	6.98	32.85
RMS	6.3538G	99.90	Inf	-Inf	90.45	3	Vertical	217	1.80	-	35.32	6.98	32.85

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




01/09/2022

EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.833G	60.54	88.20	-27.66	52.05	3	Horizontal	0	3.00	-	34.66	6.60	32.77
RMS	5.924G	50.54	68.20	-17.66	41.75	3	Horizontal	0	3.00	-	35.00	6.60	32.81
PK	6.361G	110.30	Inf	-Inf	100.80	3	Horizontal	0	3.00	-	35.37	6.98	32.85
RMS	6.3778G	97.84	Inf	-Inf	88.24	3	Horizontal	0	3.00	-	35.47	6.99	32.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7771G	57.35	88.20	-30.85	39.85	3	Vertical	54	2.12	-	39.15	9.35	31.00
RMS	12.7938G	44.57	68.20	-23.63	26.98	3	Vertical	54	2.12	-	39.19	9.36	30.96

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7917G	58.00	88.20	-30.20	40.43	3	Horizontal	71	2.80	-	39.18	9.36	30.97
RMS	12.7864G	44.49	68.20	-23.71	26.95	3	Horizontal	71	2.80	-	39.17	9.35	30.98

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1694G	51.42	83.54	-32.12	49.18	1	Vertical	58	1.56	-	38.03	14.81	50.60
AV	19.1791G	38.21	63.54	-25.33	35.97	1	Vertical	58	1.56	-	38.03	14.81	50.60

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1723G	51.17	83.54	-32.37	48.93	1	Horizontal	306	1.54	-	38.03	14.81	50.60
AV	19.1795G	38.10	63.54	-25.44	35.86	1	Horizontal	306	1.54	-	38.03	14.81	50.60

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8852G	61.00	88.20	-27.20	52.32	3	Vertical	360	2.14	-	34.87	6.60	32.79
RMS	5.9242G	50.63	68.20	-17.57	41.84	3	Vertical	360	2.14	-	35.00	6.60	32.81
PK	6.4286G	112.40	Inf	-Inf	102.77	3	Vertical	360	2.14	-	35.49	7.00	32.86
RMS	6.4286G	102.26	Inf	-Inf	92.63	3	Vertical	360	2.14	-	35.49	7.00	32.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9164G	61.54	88.20	-26.66	52.78	3	Horizontal	346	1.73	-	34.97	6.60	32.81
RMS	5.9216G	50.45	68.20	-17.75	41.67	3	Horizontal	346	1.73	-	34.99	6.60	32.81
PK	6.4624G	109.41	Inf	-Inf	99.82	3	Horizontal	346	1.73	-	35.45	7.00	32.86
RMS	6.4624G	99.28	Inf	-Inf	89.69	3	Horizontal	346	1.73	-	35.45	7.00	32.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9427G	59.31	88.20	-28.89	41.10	3	Vertical	220	1.32	-	39.43	9.42	30.64
RMS	12.9537G	45.98	68.20	-22.22	27.71	3	Vertical	220	1.32	-	39.46	9.43	30.62

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9413G	58.98	88.20	-29.22	40.79	3	Horizontal	39	2.59	-	39.42	9.42	30.65
RMS	12.9403G	46.00	68.20	-22.20	27.81	3	Horizontal	39	2.59	-	39.42	9.42	30.65

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3937G	50.91	83.54	-32.63	48.62	1	Vertical	1	1.52	-	38.00	14.89	50.60
AV	19.4114G	37.85	63.54	-25.69	35.56	1	Vertical	1	1.52	-	38.00	14.89	50.60

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6465MHz_TnomVnom



EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3807G	51.33	83.54	-32.21	49.05	1	Horizontal	175	1.57	-	38.00	14.88	50.60
AV	19.3959G	37.88	63.54	-25.66	35.59	1	Horizontal	175	1.57	-	38.00	14.89	50.60


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_2TX
 Setting 80
 01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8758G	60.36	88.20	-27.84	51.70	3	Vertical	0	2.42	-	34.85	6.60	32.79
RMS	5.9234G	50.55	68.20	-17.65	41.77	3	Vertical	0	2.42	-	34.99	6.60	32.81
PK	6.5114G	112.36	Inf	-Inf	102.57	3	Vertical	0	2.42	-	35.65	7.00	32.86
RMS	6.5338G	102.32	Inf	-Inf	92.45	3	Vertical	0	2.42	-	35.74	7.00	32.87
PK	7.1806G	64.30	88.20	-23.90	53.18	3	Vertical	0	2.42	-	37.02	7.21	33.11
RMS	7.231G	53.68	68.20	-14.52	42.49	3	Vertical	0	2.42	-	37.10	7.23	33.14


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_2TX
 Setting 80
 01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	60.71	88.20	-27.49	51.93	3	Horizontal	9	1.80	-	34.99	6.60	32.81
RMS	5.925G	50.46	68.20	-17.74	41.67	3	Horizontal	9	1.80	-	35.00	6.60	32.81
PK	6.5618G	109.16	Inf	-Inf	99.22	3	Horizontal	9	1.80	-	35.82	7.00	32.88
RMS	6.559G	99.65	Inf	-Inf	89.71	3	Horizontal	9	1.80	-	35.82	7.00	32.88
PK	7.1666G	65.53	88.20	-22.67	54.45	3	Horizontal	9	1.80	-	36.97	7.22	33.11
RMS	7.245G	53.71	68.20	-14.49	42.51	3	Horizontal	9	1.80	-	37.10	7.25	33.15


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_2TX
 Setting 80
 01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0845G	59.64	88.20	-28.56	40.86	3	Vertical	164	2.05	-	39.68	9.49	30.39
RMS	13.0985G	46.48	68.20	-21.72	27.66	3	Vertical	164	2.05	-	39.70	9.49	30.37

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
 Setting 80
 01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0879G	59.83	88.20	-28.37	41.04	3	Horizontal	292	2.48	-	39.69	9.49	30.39
RMS	13.1002G	46.54	68.20	-21.66	27.71	3	Horizontal	292	2.48	-	39.70	9.50	30.37

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6554G	52.34	83.54	-31.20	49.93	1	Vertical	191	1.55	-	37.94	14.98	50.51
AV	19.6273G	38.88	63.54	-24.66	36.48	1	Vertical	191	1.55	-	37.95	14.97	50.52

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




02/09/2022

EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6189G	52.06	83.54	-31.48	49.67	1	Horizontal	140	1.57	-	37.95	14.97	50.53
AV	19.61G	38.89	63.54	-24.65	36.50	1	Horizontal	140	1.57	-	37.96	14.96	50.53

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6034G	113.24	Inf	-Inf	103.22	3	Vertical	12	1.35	-	35.91	7.00	32.89
RMS	6.601G	103.05	Inf	-Inf	93.04	3	Vertical	12	1.35	-	35.90	7.00	32.89
PK	7.1794G	64.77	88.20	-23.43	53.65	3	Vertical	12	1.35	-	37.02	7.21	33.11
RMS	7.189G	53.64	68.20	-14.56	42.49	3	Vertical	12	1.35	-	37.06	7.21	33.12

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6034G	107.53	Inf	-Inf	97.51	3	Horizontal	10	1.80	-	35.91	7.00	32.89
RMS	6.6394G	98.58	Inf	-Inf	88.50	3	Horizontal	10	1.80	-	35.98	7.00	32.90
PK	7.213G	63.30	88.20	-24.90	52.12	3	Horizontal	10	1.80	-	37.10	7.21	33.13
RMS	7.225G	53.61	68.20	-14.59	42.42	3	Horizontal	10	1.80	-	37.10	7.23	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2363G	59.56	88.20	-28.64	40.23	3	Vertical	302	1.89	-	39.94	9.56	30.17
RMS	13.2269G	46.39	68.20	-21.81	27.09	3	Vertical	302	1.89	-	39.93	9.55	30.18

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_X_2TX
 Setting 80
 01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2519G	59.57	74.00	-14.43	40.21	3	Horizontal	96	1.79	-	39.95	9.56	30.15
RMS	13.2293G	46.32	68.20	-21.88	27.02	3	Horizontal	96	1.79	-	39.93	9.55	30.18

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




02/09/2022

EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8511G	52.14	83.54	-31.40	49.42	1	Vertical	341	1.58	-	38.06	15.05	50.39
AV	19.85G	38.58	63.54	-24.96	35.86	1	Vertical	341	1.58	-	38.06	15.05	50.39

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8924G	51.80	83.54	-31.74	48.97	1	Horizontal	343	1.55	-	38.13	15.06	50.36
AV	19.8978G	38.39	63.54	-25.15	35.55	1	Horizontal	343	1.55	-	38.14	15.06	50.36

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.701G	111.97	Inf	-Inf	101.98	3	Vertical	0	1.80	-	35.91	7.00	32.92
RMS	6.699G	100.89	Inf	-Inf	90.91	3	Vertical	0	1.80	-	35.90	7.00	32.92
PK	7.177G	63.65	88.20	-24.55	52.54	3	Vertical	0	1.80	-	37.01	7.21	33.11
RMS	7.195G	53.67	68.20	-14.53	42.51	3	Vertical	0	1.80	-	37.08	7.20	33.12

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.719G	106.79	Inf	-Inf	96.71	3	Horizontal	6	1.80	-	36.01	7.00	32.93
RMS	6.717G	97.15	Inf	-Inf	87.08	3	Horizontal	6	1.80	-	36.00	7.00	32.93
PK	7.151G	65.20	88.20	-23.00	54.18	3	Horizontal	6	1.80	-	36.90	7.22	33.10
RMS	7.193G	53.58	68.20	-14.62	42.43	3	Horizontal	6	1.80	-	37.07	7.20	33.12

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4006G	59.67	88.20	-28.53	39.77	3	Vertical	73	2.76	-	40.20	9.63	29.93
RMS	13.4044G	46.82	68.20	-21.38	26.91	3	Vertical	73	2.76	-	40.20	9.63	29.92

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41G	60.94	88.20	-27.26	41.02	3	Horizontal	17	2.02	-	40.20	9.63	29.91
RMS	13.407G	46.81	68.20	-21.39	26.90	3	Horizontal	17	2.02	-	40.20	9.63	29.92

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0908G	51.99	83.54	-31.55	49.03	1	Vertical	69	1.56	-	38.12	15.12	50.28
AV	20.113G	39.10	63.54	-24.44	36.18	1	Vertical	69	1.56	-	38.07	15.13	50.28

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0964G	52.41	83.54	-31.13	49.46	1	Horizontal	80	1.56	-	38.11	15.12	50.28
AV	20.1294G	39.24	63.54	-24.30	36.34	1	Horizontal	80	1.56	-	38.04	15.13	50.27

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7946G	111.16	Inf	-Inf	100.91	3	Vertical	4	1.80	-	36.20	7.00	32.95
RMS	6.7882G	101.15	Inf	-Inf	90.90	3	Vertical	4	1.80	-	36.20	7.00	32.95
PK	7.1274G	64.83	88.20	-23.37	53.96	3	Vertical	4	1.80	-	36.72	7.24	33.09
RMS	7.1834G	53.62	68.20	-14.58	42.50	3	Vertical	4	1.80	-	37.03	7.21	33.12

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.817G	108.07	Inf	-Inf	97.66	3	Horizontal	16.5	1.80	-	36.34	7.03	32.96
RMS	6.8154G	97.45	Inf	-Inf	87.07	3	Horizontal	16.5	1.80	-	36.32	7.02	32.96
PK	7.1626G	63.95	88.20	-24.25	52.88	3	Horizontal	16.5	1.80	-	36.95	7.22	33.10
RMS	7.1818G	53.65	68.20	-14.55	42.52	3	Horizontal	16.5	1.80	-	37.03	7.21	33.11

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5732G	60.71	88.20	-27.49	40.47	3	Vertical	18	1.74	-	40.27	9.71	29.74
RMS	13.5783G	47.45	68.20	-20.75	27.19	3	Vertical	18	1.74	-	40.28	9.71	29.73

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5572G	60.39	88.20	-27.81	40.18	3	Horizontal	242	2.60	-	40.26	9.70	29.75
RMS	13.5901G	47.51	68.20	-20.69	27.23	3	Horizontal	242	2.60	-	40.29	9.72	29.73

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




02/09/2022

EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3609G	53.26	83.54	-30.28	50.32	1	Vertical	77	1.55	-	37.98	15.19	50.23
AV	20.3361G	39.63	63.54	-23.91	36.74	1	Vertical	77	1.55	-	37.94	15.18	50.23

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6785MHz_TnomVnom



EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3335G	53.00	83.54	-30.54	50.12	1	Horizontal	7	1.53	-	37.93	15.18	50.23
AV	20.3365G	39.53	63.54	-24.01	36.64	1	Horizontal	7	1.53	-	37.94	15.18	50.23


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_2TX
 Setting 80
 01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8326G	112.47	Inf	-Inf	101.93	3	Vertical	356	2.21	-	36.46	7.05	32.97
RMS	6.8566G	100.96	Inf	-Inf	90.30	3	Vertical	356	2.21	-	36.55	7.08	32.97
PK	7.159G	64.57	88.20	-23.63	53.51	3	Vertical	356	2.21	-	36.94	7.22	33.10
RMS	7.1506G	53.62	68.20	-14.58	42.60	3	Vertical	356	2.21	-	36.90	7.22	33.10


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_2TX
 Setting 80
 01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.853G	109.62	Inf	-Inf	98.93	3	Horizontal	14	2.22	-	36.58	7.08	32.97
RMS	6.8542G	98.58	Inf	-Inf	87.90	3	Horizontal	14	2.22	-	36.57	7.08	32.97
PK	7.147G	63.74	88.20	-24.46	52.73	3	Horizontal	14	2.22	-	36.88	7.23	33.10
RMS	7.1542G	53.57	68.20	-14.63	42.53	3	Horizontal	14	2.22	-	36.92	7.22	33.10


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_2TX
 Setting 80
 01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7067G	62.79	88.20	-25.41	42.16	3	Vertical	77	2.17	-	40.52	9.77	29.66
RMS	13.7187G	49.45	68.20	-18.75	28.77	3	Vertical	77	2.17	-	40.56	9.77	29.65


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_2TX
 Setting 80
 01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7298G	63.30	88.20	-24.90	42.58	3	Horizontal	9	1.83	-	40.59	9.78	29.65
RMS	13.7181G	49.53	68.20	-18.67	28.86	3	Horizontal	9	1.83	-	40.55	9.77	29.65


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_2TX
 Setting 80
 01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6155G	52.84	83.54	-30.70	49.29	1	Vertical	60	1.58	-	38.43	15.25	50.13
AV	20.5891G	40.10	63.54	-23.44	36.62	1	Vertical	60	1.58	-	38.38	15.25	50.15

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
 Setting 80
 01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5933G	53.47	83.54	-30.07	49.97	1	Horizontal	115	1.52	-	38.39	15.25	50.14
AV	20.5892G	40.14	63.54	-23.40	36.66	1	Horizontal	115	1.52	-	38.38	15.25	50.15

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9078G	114.86	Inf	-Inf	104.44	3	Vertical	13	2.27	-	36.25	7.16	32.99
RMS	6.9318G	102.74	Inf	-Inf	92.15	3	Vertical	13	2.27	-	36.39	7.20	33.00
PK	7.1622G	64.99	88.20	-23.21	53.92	3	Vertical	13	2.27	-	36.95	7.22	33.10
RMS	7.155G	53.73	68.20	-14.47	42.69	3	Vertical	13	2.27	-	36.92	7.22	33.10

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9222G	109.81	Inf	-Inf	99.30	3	Horizontal	9	1.61	-	36.33	7.18	33.00
RMS	6.9558G	96.61	Inf	-Inf	85.91	3	Horizontal	9	1.61	-	36.48	7.23	33.01
PK	7.2114G	64.54	88.20	-23.66	53.36	3	Horizontal	9	1.61	-	37.10	7.21	33.13
RMS	7.1982G	53.70	68.20	-14.50	42.53	3	Horizontal	9	1.61	-	37.09	7.20	33.12

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8808G	63.14	88.20	-25.06	41.97	3	Vertical	332	2.20	-	40.88	9.85	29.56
RMS	13.9084G	50.26	68.20	-17.94	29.04	3	Vertical	332	2.20	-	40.90	9.86	29.54

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.896G	63.35	88.20	-24.85	42.15	3	Horizontal	50	2.93	-	40.90	9.85	29.55
RMS	13.9095G	50.30	68.20	-17.90	29.08	3	Horizontal	50	2.93	-	40.90	9.86	29.54

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8446G	53.69	83.54	-29.85	49.82	1	Vertical	60	1.57	-	38.55	15.31	49.99
AV	20.8324G	40.13	63.54	-23.41	36.25	1	Vertical	60	1.57	-	38.57	15.31	50.00

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.815G	52.72	83.54	-30.82	48.83	1	Horizontal	99	1.58	-	38.60	15.30	50.01
AV	20.8135G	40.12	63.54	-23.42	36.23	1	Horizontal	99	1.58	-	38.60	15.30	50.01

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0362G	111.32	Inf	-Inf	100.56	3	Vertical	156	1.80	-	36.52	7.28	33.04
RMS	7.0066G	101.31	Inf	-Inf	90.69	3	Vertical	156	1.80	-	36.34	7.30	33.02
PK	7.125G	67.51	88.20	-20.69	56.66	3	Vertical	156	1.80	-	36.70	7.24	33.09
RMS	7.125G	56.25	68.20	-11.95	45.40	3	Vertical	156	1.80	-	36.70	7.24	33.09

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0266G	106.85	Inf	-Inf	96.13	3	Horizontal	14	1.80	-	36.46	7.29	33.03
RMS	7.0306G	96.74	Inf	-Inf	86.02	3	Horizontal	14	1.80	-	36.48	7.28	33.04
PK	7.1258G	67.97	88.20	-20.23	57.11	3	Horizontal	14	1.80	-	36.71	7.24	33.09
RMS	7.125G	55.44	68.20	-12.76	44.59	3	Horizontal	14	1.80	-	36.70	7.24	33.09

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0624G	63.71	88.20	-24.49	42.42	3	Vertical	49	2.84	-	40.90	9.92	29.53
RMS	14.0285G	50.82	68.20	-17.38	29.52	3	Vertical	49	2.84	-	40.90	9.91	29.51

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.058G	63.93	88.20	-24.27	42.64	3	Horizontal	244	1.62	-	40.90	9.92	29.53
RMS	14.0308G	50.73	68.20	-17.47	29.43	3	Horizontal	244	1.62	-	40.90	9.91	29.51

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0848G	51.60	83.54	-31.94	47.95	1	Vertical	74	1.53	-	38.20	15.37	49.92
AV	21.0689G	38.98	63.54	-24.56	35.30	1	Vertical	74	1.53	-	38.22	15.37	49.91

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0723G	52.10	83.54	-31.44	48.43	1	Horizontal	7	1.57	-	38.21	15.37	49.91
AV	21.0662G	38.96	63.54	-24.58	35.28	1	Horizontal	7	1.57	-	38.22	15.37	49.91

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	79.34	88.20	-8.86	70.57	3	Vertical	0	1.72	-	34.98	6.60	32.81
RMS	5.925G	64.66	68.20	-3.54	55.87	3	Vertical	0	1.72	-	35.00	6.60	32.81
PK	6.037G	109.79	Inf	-Inf	100.74	3	Vertical	0	1.72	-	35.23	6.66	32.84
RMS	6.05G	98.95	Inf	-Inf	89.92	3	Vertical	0	1.72	-	35.20	6.67	32.84

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.908G	75.07	88.20	-13.13	66.34	3	Horizontal	67.1	1.80	-	34.93	6.60	32.80
RMS	5.925G	60.21	68.20	-7.99	51.42	3	Horizontal	67.1	1.80	-	35.00	6.60	32.81
PK	5.957G	107.23	Inf	-Inf	98.32	3	Horizontal	67.1	1.80	-	35.13	6.60	32.82
RMS	6.1G	94.51	Inf	-Inf	85.30	3	Horizontal	67.1	1.80	-	35.30	6.75	32.84

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0557G	56.99	74.00	-17.01	40.95	3	Vertical	292	1.40	-	38.56	9.03	31.55
AV	12.0269G	43.38	54.00	-10.62	27.38	3	Vertical	292	1.40	-	38.53	9.01	31.54

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0316G	56.86	74.00	-17.14	40.86	3	Horizontal	226	2.16	-	38.53	9.01	31.54
AV	12.052G	43.48	54.00	-10.52	27.46	3	Horizontal	226	2.16	-	38.55	9.02	31.55

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.086G	51.40	83.54	-32.14	49.85	1	Vertical	216	1.55	-	37.47	14.43	50.35
AV	18.0783G	38.06	63.54	-25.48	36.52	1	Vertical	216	1.55	-	37.46	14.43	50.35

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0786G	51.35	83.54	-32.19	49.81	1	Horizontal	297	1.56	-	37.46	14.43	50.35
AV	18.0755G	38.12	63.54	-25.42	36.59	1	Horizontal	297	1.56	-	37.45	14.43	50.35

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	61.27	88.20	-26.93	52.53	3	Vertical	360	1.80	-	34.94	6.60	32.80
RMS	5.9242G	51.88	68.20	-16.32	43.09	3	Vertical	360	1.80	-	35.00	6.60	32.81
PK	6.2586G	109.85	Inf	-Inf	100.64	3	Vertical	360	1.80	-	35.13	6.93	32.85
RMS	6.169G	99.80	Inf	-Inf	90.42	3	Vertical	360	1.80	-	35.38	6.85	32.85

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	61.62	88.20	-26.58	52.86	3	Horizontal	13	1.80	-	34.97	6.60	32.81
RMS	5.9242G	50.46	68.20	-17.74	41.67	3	Horizontal	13	1.80	-	35.00	6.60	32.81
PK	6.241G	106.96	Inf	-Inf	97.72	3	Horizontal	13	1.80	-	35.17	6.92	32.85
RMS	6.2298G	96.33	Inf	-Inf	87.01	3	Horizontal	13	1.80	-	35.26	6.91	32.85

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3813G	57.90	74.00	-16.10	41.65	3	Vertical	240	2.13	-	38.66	9.17	31.58
AV	12.3719G	44.40	54.00	-9.60	28.17	3	Vertical	240	2.13	-	38.64	9.17	31.58

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3613G	57.91	74.00	-16.09	41.71	3	Horizontal	61	1.27	-	38.62	9.16	31.58
AV	12.3939G	44.28	54.00	-9.72	27.99	3	Horizontal	61	1.27	-	38.69	9.18	31.58

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5404G	51.60	83.54	-31.94	49.75	1	Vertical	303	1.58	-	37.86	14.59	50.60
AV	18.5388G	38.75	63.54	-24.79	36.90	1	Vertical	303	1.58	-	37.86	14.59	50.60

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5364G	51.88	83.54	-31.66	50.03	1	Horizontal	125	1.53	-	37.86	14.59	50.60
AV	18.5394G	39.06	63.54	-24.48	37.21	1	Horizontal	125	1.53	-	37.86	14.59	50.60

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	61.65	88.20	-26.55	52.91	3	Vertical	22	1.80	-	34.94	6.60	32.80
RMS	5.925G	50.10	68.20	-18.10	41.31	3	Vertical	22	1.80	-	35.00	6.60	32.81
PK	6.329G	111.17	Inf	-Inf	101.76	3	Vertical	22	1.80	-	35.30	6.96	32.85
RMS	6.335G	100.29	Inf	-Inf	90.87	3	Vertical	22	1.80	-	35.30	6.97	32.85

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	60.05	88.20	-28.15	51.29	3	Horizontal	177	1.80	-	34.97	6.60	32.81
RMS	5.925G	49.84	68.20	-18.36	41.05	3	Horizontal	177	1.80	-	35.00	6.60	32.81
PK	6.329G	107.71	Inf	-Inf	98.30	3	Horizontal	177	1.80	-	35.30	6.96	32.85
RMS	6.333G	96.70	Inf	-Inf	87.28	3	Horizontal	177	1.80	-	35.30	6.97	32.85

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7126G	57.19	88.20	-31.01	39.98	3	Vertical	254	1.26	-	39.03	9.32	31.14
RMS	12.7088G	44.00	68.20	-24.20	26.80	3	Vertical	254	1.26	-	39.02	9.32	31.14

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.708G	57.22	88.20	-30.98	40.02	3	Horizontal	113	2.29	-	39.02	9.32	31.14
RMS	12.7097G	44.05	68.20	-24.15	26.85	3	Horizontal	113	2.29	-	39.02	9.32	31.14

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.04G	50.30	83.54	-33.24	48.06	1	Vertical	144	1.55	-	38.08	14.76	50.60
AV	19.0529G	37.62	63.54	-25.92	35.37	1	Vertical	144	1.55	-	38.08	14.77	50.60

802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6345MHz_TnomVnom



EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0144G	51.11	83.54	-32.43	48.86	1	Horizontal	195	1.54	-	38.09	14.76	50.60
AV	19.0362G	37.49	63.54	-26.05	35.24	1	Horizontal	195	1.54	-	38.09	14.76	50.60


802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_2TX
 Setting 80
 01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9058G	61.06	88.20	-27.14	52.34	3	Vertical	14	1.01	-	34.92	6.60	32.80
RMS	5.9226G	49.91	68.20	-18.29	41.13	3	Vertical	14	1.01	-	34.99	6.60	32.81
PK	6.4434G	109.68	Inf	-Inf	100.11	3	Vertical	14	1.01	-	35.43	7.00	32.86
RMS	6.4854G	100.79	Inf	-Inf	91.11	3	Vertical	14	1.01	-	35.54	7.00	32.86
PK	7.1854G	63.57	88.20	-24.63	52.44	3	Vertical	14	1.01	-	37.04	7.21	33.12
RMS	7.2022G	52.86	68.20	-15.34	41.69	3	Vertical	14	1.01	-	37.10	7.20	33.13

802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
 Setting 80
 01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8498G	60.04	88.20	-28.16	51.42	3	Horizontal	12	1.53	-	34.80	6.60	32.78
RMS	5.925G	49.76	68.20	-18.44	40.97	3	Horizontal	12	1.53	-	35.00	6.60	32.81
PK	6.4546G	106.08	Inf	-Inf	96.52	3	Horizontal	12	1.53	-	35.42	7.00	32.86
RMS	6.4546G	95.93	Inf	-Inf	86.37	3	Horizontal	12	1.53	-	35.42	7.00	32.86
PK	7.1994G	63.17	88.20	-25.03	51.99	3	Horizontal	12	1.53	-	37.10	7.20	33.12
RMS	7.1994G	52.83	68.20	-15.37	41.65	3	Horizontal	12	1.53	-	37.10	7.20	33.12

802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_2TX
 Setting 80
 01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0231G	59.89	88.20	-28.31	41.30	3	Vertical	286	1.26	-	39.62	9.46	30.49
RMS	13.0171G	46.28	68.20	-21.92	27.69	3	Vertical	286	1.26	-	39.62	9.46	30.49

802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_2TX
 Setting 80
 01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9922G	59.46	88.20	-28.74	40.97	3	Horizontal	165	2.45	-	39.58	9.45	30.54
RMS	13.0312G	46.33	68.20	-21.87	27.71	3	Horizontal	165	2.45	-	39.63	9.46	30.47

802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51694G	52.70	83.54	-30.84	50.37	1	Vertical	163	1.55	-	37.99	14.93	50.59
AV	19.51676G	39.15	63.54	-24.39	36.82	1	Vertical	163	1.55	-	37.99	14.93	50.59

802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_2TX
 Setting 80
 01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51186G	52.70	83.54	-30.84	50.36	1	Horizontal	342	1.56	-	38.00	14.93	50.59
AV	19.51666G	39.19	63.54	-24.35	36.86	1	Horizontal	342	1.56	-	37.99	14.93	50.59

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6848G	109.06	Inf	-Inf	99.05	3	Vertical	10	2.24	-	35.93	7.00	32.92
RMS	6.6848G	98.62	Inf	-Inf	88.61	3	Vertical	10	2.24	-	35.93	7.00	32.92
PK	7.215G	62.66	88.20	-25.54	51.47	3	Vertical	10	2.24	-	37.10	7.22	33.13
RMS	7.2018G	52.76	68.20	-15.44	41.58	3	Vertical	10	2.24	-	37.10	7.20	33.12

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6056G	106.12	Inf	-Inf	96.10	3	Horizontal	16	1.80	-	35.91	7.00	32.89
RMS	6.6012G	96.00	Inf	-Inf	85.99	3	Horizontal	16	1.80	-	35.90	7.00	32.89
PK	7.1798G	64.04	88.20	-24.16	52.92	3	Horizontal	16	1.80	-	37.02	7.21	33.11
RMS	7.2084G	52.75	68.20	-15.45	41.57	3	Horizontal	16	1.80	-	37.10	7.21	33.13

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3071G	59.29	74.00	-14.71	39.76	3	Vertical	278	2.53	-	40.01	9.59	30.07
AV	13.3403G	46.25	54.00	-7.75	26.59	3	Vertical	278	2.53	-	40.08	9.60	30.02

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3386G	59.18	74.00	-14.82	39.52	3	Horizontal	78	1.87	-	40.08	9.60	30.02
AV	13.3445G	46.39	54.00	-7.61	26.70	3	Horizontal	78	1.87	-	40.09	9.61	30.01

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99558G	53.06	83.54	-30.48	49.97	1	Vertical	297	1.53	-	38.29	15.10	50.30
AV	19.99488G	39.82	63.54	-23.72	36.73	1	Vertical	297	1.53	-	38.29	15.10	50.30

802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6665MHz_TnomVnom



EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99816G	53.41	83.54	-30.13	50.31	1	Horizontal	100	1.54	-	38.30	15.10	50.30
AV	19.9984G	39.76	63.54	-23.78	36.66	1	Horizontal	100	1.54	-	38.30	15.10	50.30


802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_2TX
 Setting 80
 01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.793G	109.95	Inf	-Inf	99.70	3	Vertical	9	1.57	-	36.20	7.00	32.95
RMS	6.7866G	99.60	Inf	-Inf	89.35	3	Vertical	9	1.57	-	36.20	7.00	32.95
PK	7.2074G	64.52	88.20	-23.68	53.34	3	Vertical	9	1.57	-	37.10	7.21	33.13
RMS	7.1514G	53.55	68.20	-14.65	42.52	3	Vertical	9	1.57	-	36.91	7.22	33.10


802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_2TX
 Setting 80
 01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8458G	105.54	Inf	-Inf	94.87	3	Horizontal	353	1.80	-	36.57	7.07	32.97
RMS	6.849G	95.39	Inf	-Inf	84.70	3	Horizontal	353	1.80	-	36.59	7.07	32.97
PK	7.1642G	63.57	88.20	-24.63	52.50	3	Horizontal	353	1.80	-	36.96	7.22	33.11
RMS	7.1994G	52.87	68.20	-15.33	41.69	3	Horizontal	353	1.80	-	37.10	7.20	33.12


802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT X_2TX
 Setting 80
 01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6622G	62.58	88.20	-25.62	42.10	3	Vertical	336	2.11	-	40.42	9.75	29.69
RMS	13.6676G	49.39	68.20	-18.81	28.88	3	Vertical	336	2.11	-	40.44	9.75	29.68


802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_2TX
 Setting 80
 01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.666G	62.60	88.20	-25.60	42.10	3	Horizontal	258	2.68	-	40.43	9.75	29.68
RMS	13.6646G	49.35	68.20	-18.85	28.85	3	Horizontal	258	2.68	-	40.43	9.75	29.68


802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_X_2TX
 Setting 80
 01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47856G	52.45	83.54	-31.09	49.26	1	Vertical	256	1.55	-	38.17	15.22	50.20
AV	20.47324G	39.34	63.54	-24.20	36.17	1	Vertical	256	1.55	-	38.16	15.22	50.21

802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_2TX
 Setting 80
 01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47944G	52.73	83.54	-30.81	49.54	1	Horizontal	10	1.50	-	38.17	15.22	50.20
AV	20.47964G	39.34	63.54	-24.20	36.15	1	Horizontal	10	1.50	-	38.17	15.22	50.20

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.923G	110.41	Inf	-Inf	99.89	3	Vertical	360	1.33	-	36.34	7.18	33.00
RMS	6.934G	98.63	Inf	-Inf	88.03	3	Vertical	360	1.33	-	36.40	7.20	33.00
PK	7.136G	74.01	88.20	-14.19	63.08	3	Vertical	360	1.33	-	36.79	7.23	33.09
RMS	7.139G	60.77	68.20	-7.43	49.82	3	Vertical	360	1.33	-	36.81	7.23	33.09

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.931G	106.39	Inf	-Inf	95.80	3	Horizontal	18	1.26	-	36.39	7.20	33.00
AV	6.934G	94.61	Inf	-Inf	84.01	3	Horizontal	18	1.26	-	36.40	7.20	33.00
PK	7.134G	75.75	88.20	-12.45	64.84	3	Horizontal	18	1.26	-	36.77	7.23	33.09
AV	7.125G	58.33	68.20	-9.87	47.48	3	Horizontal	18	1.26	-	36.70	7.24	33.09

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9786G	63.46	88.20	-24.74	42.17	3	Vertical	191	1.80	-	40.90	9.89	29.50
RMS	13.9935G	50.75	68.20	-17.45	29.44	3	Vertical	191	1.80	-	40.90	9.90	29.49

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9595G	63.82	88.20	-24.38	42.55	3	Horizontal	240	2.68	-	40.90	9.88	29.51
RMS	13.9689G	50.69	68.20	-17.51	29.41	3	Horizontal	240	2.68	-	40.90	9.89	29.51

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9523G	52.28	83.54	-31.26	48.49	1	Vertical	20	1.53	-	38.38	15.34	49.93
AV	20.9548G	39.20	63.54	-24.34	35.42	1	Vertical	20	1.53	-	38.37	15.34	49.93

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom



EUT_X_2TX
Setting 80
01-L-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95174G	52.27	83.54	-31.27	48.48	1	Horizontal	160	1.51	-	38.38	15.34	49.93
AV	20.95162G	39.25	63.54	-24.29	35.46	1	Horizontal	160	1.51	-	38.38	15.34	49.93

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5955MHz_TnomVnom

MASK

06/09/2022

CF Freq
5.955GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9562G	-6.45	5.9702G	-36.57	-28.98	-7.59	1
5.9577G	-6.05	5.9703G	-36.55	-27.92	-8.63	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6175MHz_TnomVnom

MASK

06/09/2022

CF Freq
6.175GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1763G	-6.03	6.1902G	-36.51	-28.23	-8.28	1
6.1775G	-6.24	6.1907G	-37.47	-28.60	-8.87	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TnomVnom

06/09/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TnomVnom

06/09/2022



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TnomVnom

06/09/2022

CF Freq
6.475GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4762G	-4.73	6.4902G	-34.90	-27.26	-7.64	1
6.4776G	-5.54	6.4577G	-37.93	-29.01	-8.92	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TnomVnom

06/09/2022

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52139G	-5.28	6.5305G	-35.60	-28.00	-7.60	1
6.5125G	-6.16	6.5007G	-36.17	-26.96	-9.21	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TnomVnom

06/09/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TnomVnom

06/09/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6855MHz_TnomVnom

06/09/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

06/09/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6895MHz_TnomVnom

06/09/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6995MHz_TnomVnom

06/09/2022



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TnomVnom

06/09/2022

CF Freq
7.095GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0901G	-6.25	7.0805G	-36.13	-28.23	-7.90	1
7.0926G	-6.10	7.0795G	-36.78	-28.21	-8.57	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

7115MHz_TnomVnom

06/09/2022

CF Freq
7.115GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.1113G	-7.96	7.0981G	-39.73	-31.64	-8.09	1
7.1104G	-8.03	7.0979G	-39.88	-31.24	-8.64	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TnomVnom

06/09/2022

CF Freq
5.965GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97119G	-5.42	5.9866G	-32.01	-25.45	-6.56	1
5.97139G	-5.60	5.987G	-32.70	-25.64	-7.06	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6165MHz_TnomVnom

06/09/2022

CF Freq
6.165GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.169G	-2.78	6.1864G	-29.61	-22.85	-6.76	1
6.17019G	-2.81	6.1434G	-30.39	-22.88	-7.51	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TnomVnom

06/09/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6445MHz_TnomVnom

06/09/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TnomVnom

06/09/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

06/09/2022



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TnomVnom

06/09/2022

CF Freq
6.565GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5688G	-2.35	6.5298G	-34.95	-28.17	-6.78	1
6.55801G	-2.24	6.5276G	-35.74	-28.91	-6.83	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TnomVnom

06/09/2022

CF Freq
6.685GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6888G	-3.44	6.648G	-36.30	-30.03	-6.27	1
6.69019G	-3.83	6.6488G	-37.33	-29.89	-7.44	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6845MHz_TnomVnom

06/09/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

06/09/2022



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6925MHz_TnomVnom

06/09/2022

CF Freq
6.925GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93019G	-6.46	6.9464G	-33.20	-26.47	-6.73	1
6.91761G	-6.24	6.8888G	-40.07	-32.21	-7.86	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

7005MHz_TnomVnom

06/09/2022

CF Freq
7.005GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0088G	-4.27	6.9722G	-36.89	-28.63	-8.26	1
7.0022G	-4.17	6.969G	-37.11	-29.75	-7.36	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TnomVnom

06/09/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TnomVnom

06/09/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6145MHz_TnomVnom

06/09/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TnomVnom

06/09/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6465MHz_TnomVnom

06/09/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

06/09/2022



802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TnomVnom

06/09/2022

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60982G	0.68	6.567G	-28.82	-22.26	-6.56	1
6.61341G	0.22	6.5578G	-32.02	-24.34	-7.68	2

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TnomVnom

06/09/2022

CF Freq
6.705GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69341G	-0.76	6.6378G	-32.13	-25.50	-6.63	1
6.69301G	-1.34	6.7478G	-28.92	-21.37	-7.55	2

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TnomVnom

06/09/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

06/09/2022



802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TnomVnom

06/09/2022

CF Freq
6.945GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95619G	-2.12	6.9874G	-29.06	-22.17	-6.89	1
6.93141G	-2.20	6.8866G	-32.71	-25.16	-7.55	2

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TnomVnom

06/09/2022

CF Freq
7.025GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01341G	-3.26	6.967G	-32.97	-26.24	-6.73	1
6.99503G	-3.15	6.9586G	-33.71	-27.62	-6.09	2

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TnomVnom

06/09/2022

CF Freq
6.025GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99943G	1.26	6.269G	-43.93	-38.36	-5.57	1
6.05057G	1.27	6.2714G	-45.19	-38.73	-6.46	2

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TnomVnom

06/09/2022

CF Freq
6.185GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16102G	1.33	5.9418G	-44.29	-38.28	-6.01	1
6.10988G	2.78	6.4666G	-45.53	-37.22	-8.31	2

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TnomVnom

06/09/2022




802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

06/09/2022




802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TnomVnom

06/09/2022




802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

06/09/2022




802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TnomVnom

06/09/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95943G	-0.09	6.5874G	-49.47	-39.15	-10.32	1
6.90988G	0.75	6.585G	-50.65	-39.25	-11.40	2



Contention Based Protocol Threshold Level										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-73.68	1.32	-75.03	≤ -62
						Minimal	-74.68	1.32	-76.00	≤ -62
						ON	-80.68	1.32	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-73.54	1.46	-75.05	≤ -62
						Minimal	-74.54	1.46	-76.00	≤ -62
						ON	-80.54	1.46	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-70.24	1.76	-72.04	≤ -62
						Minimal	-71.24	1.76	-73.00	≤ -62
						ON	-80.24	1.76	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-64.88	2.12	-67.04	≤ -62
						Minimal	-65.88	2.12	-68.00	≤ -62
						ON	-79.88	2.12	-82.00	≤ -62

Contention Based Protocol Threshold Level										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	47	160	6185	Low edge	6110	OFF	-72.68	1.32	-74.05	≤ -62
						Minimal	-73.68	1.32	-75.00	≤ -62
						ON	-80.68	1.32	-82.00	≤ -62
				Center	6185	OFF	-60.68	1.32	-62.01	≤ -62
						Minimal	-61.68	1.32	-63.00	≤ -62
						ON	-80.68	1.32	-82.00	≤ -62
				High edge	6260	OFF	-73.68	1.32	-75.02	≤ -62
						Minimal	-74.68	1.32	-76.00	≤ -62
						ON	-80.68	1.32	-82.00	≤ -62
6	111	160	6505	Low edge	6430	OFF	-74.54	1.46	-76.04	≤ -62
						Minimal	-75.54	1.46	-77.00	≤ -62
						ON	-80.54	1.46	-82.00	≤ -62
				Center	6505	OFF	-60.54	1.46	-62.04	≤ -62
						Minimal	-61.54	1.46	-63.00	≤ -62
						ON	-80.54	1.46	-82.00	≤ -62
				High edge	6580	OFF	-71.54	1.46	-73.03	≤ -62
						Minimal	-72.54	1.46	-74.00	≤ -62
						ON	-80.54	1.46	-82.00	≤ -62
7	143	160	6665	Low edge	6590	OFF	-70.24	1.76	-72.00	≤ -62
						Minimal	-71.24	1.76	-73.00	≤ -62
						ON	-80.24	1.76	-82.00	≤ -62
				Center	6665	OFF	-60.24	1.76	-62.05	≤ -62
						Minimal	-61.24	1.76	-63.00	≤ -62
						ON	-80.24	1.76	-82.00	≤ -62
				High edge	6740	OFF	-70.24	1.76	-72.00	≤ -62
						Minimal	-71.24	1.76	-73.00	≤ -62
						ON	-80.24	1.76	-82.00	≤ -62



Contention-Based Protocol Result

Appendix F

8	207	160	6985	Low edge	6910	OFF	-69.88	2.12	-72.07	≤ -62
						Minimal	-70.88	2.12	-73.00	≤ -62
						ON	-79.88	2.12	-82.00	≤ -62
				Center	6985	OFF	-62.88	2.12	-65.03	≤ -62
						Minimal	-63.88	2.12	-66.00	≤ -62
						ON	-79.88	2.12	-82.00	≤ -62
				High edge	7060	OFF	-65.88	2.12	-68.04	≤ -62
						Minimal	-66.88	2.12	-69.00	≤ -62
						ON	-79.88	2.12	-82.00	≤ -62



Contention-Based Protocol Result

Appendix F


Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-75.03	OFF	9	90	90	PASS
6	101	20	6455	Center	6455	-75.05	OFF	10	100	90	PASS
7	149	20	6695	Center	6695	-72.04	OFF	9	90	90	PASS
8	213	20	7015	Center	7015	-67.04	OFF	9	90	90	PASS

Contention Based protocol 802.11ax HEW160											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-74.05	OFF	10	100	90	PASS
				Center	6185	-62.01	OFF	9	90	90	PASS
				High edge	6260	-75.02	OFF	9	90	90	PASS
6	111	160	6505	Low edge	6430	-76.04	OFF	9	90	90	PASS
				Center	6505	-62.04	OFF	9	90	90	PASS
				High edge	6580	-73.03	OFF	9	90	90	PASS
7	143	160	6665	Low edge	6590	-72.00	OFF	9	90	90	PASS
				Center	6665	-62.05	OFF	9	90	90	PASS
				High edge	6740	-72.00	OFF	10	100	90	PASS
8	207	160	6985	Low edge	6910	-72.07	OFF	10	100	90	PASS
				Center	6985	-65.03	OFF	9	90	90	PASS
				High edge	7060	-68.04	OFF	9	90	90	PASS

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz




Date: 6.OCT 2022 14:15:23

Frequency (MHz): 6455 MHz




Date: 6.OCT 2022 14:16:26

Frequency (MHz): 6695 MHz





Date: 6.OCT 2022 14:19:43


Frequency (MHz): 7015 MHz



Date: 6.OCT 2022 14:21:58




Frequency (MHz): 6260 MHz





Date: 6.OCT 2022 14:35:56


Frequency (MHz): 6430 MHz



Date: 6.OCT 2022 14:35:06




Frequency (MHz): 6590 MHz




Date: 6.OCT 2022 14:32:38

Frequency (MHz): 6665 MHz




Date: 6.OCT 2022 14:28:09

Frequency (MHz): 6740 MHz




Date: 6.OCT 2022 14:27:18

Frequency (MHz): 6910 MHz




Date: 6.OCT 2022 14:25:59

Frequency (MHz): 6985 MHz




Date: 6.OCT 2022 14:24:47


Frequency (MHz): 7060 MHz




Date: 6.OCT 2022 14:23:43




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Summary

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5.925-6.425GHz	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.175G	6.17502931G	4.7467	20	1	5 min
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	6.165G	6.16503791G	6.1496	20	1	0 min
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	6.145G	6.14503355G	5.4596	20	1	0 min
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.185G	6.18502905G	4.6975	20	1	0 min
6.425-6.525GHz	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.475G	6.47503127G	4.8287	20	1	0 min
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	6.465G	6.46503373G	5.2169	20	1	0 min
6.525-6.875GHz	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.695G	6.69503556G	5.3107	20	1	10 min
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	6.685G	6.68504019G	6.0121	20	1	2 min
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	6.705G	6.70490116G	14.7414	20	1	5 min
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.665G	6.66503025G	4.5388	20	1	0 min
6.875-7.125GHz	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.995G	6.99504384G	6.267	20	1	0 min
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	7.005G	7.00504047G	5.7769	20	1	0 min
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	6.985G	6.98503066G	4.3891	20	1	0 min



Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-
6175MHz_-30°C	Pass	6.175G	6.17502923G	4.7341	20	1	0 min
6175MHz_-30°C	Pass	6.175G	6.17502925G	4.737	20	1	2 min
6175MHz_-30°C	Pass	6.175G	6.17502925G	4.7373	20	1	5 min
6175MHz_-30°C	Pass	6.175G	6.17502926G	4.7378	20	1	10 min
6175MHz_-20°C	Pass	6.175G	6.17502922G	4.7326	20	1	0 min
6175MHz_-20°C	Pass	6.175G	6.17502925G	4.7364	20	1	2 min
6175MHz_-20°C	Pass	6.175G	6.17502925G	4.7372	20	1	5 min
6175MHz_-20°C	Pass	6.175G	6.17502924G	4.7355	20	1	10 min
6175MHz_-10°C	Pass	6.175G	6.17502923G	4.7343	20	1	0 min
6175MHz_-10°C	Pass	6.175G	6.17502923G	4.7334	20	1	2 min
6175MHz_-10°C	Pass	6.175G	6.17502898G	4.6926	20	1	5 min
6175MHz_-10°C	Pass	6.175G	6.17502927G	4.7402	20	1	10 min
6175MHz_0°C	Pass	6.175G	6.17502922G	4.7312	20	1	0 min
6175MHz_0°C	Pass	6.175G	6.17502921G	4.7307	20	1	2 min
6175MHz_0°C	Pass	6.175G	6.17502931G	4.7467	20	1	5 min
6175MHz_0°C	Pass	6.175G	6.17502921G	4.7309	20	1	10 min
6175MHz_10°C	Pass	6.175G	6.17502914G	4.7189	20	1	0 min
6175MHz_10°C	Pass	6.175G	6.17502922G	4.7325	20	1	2 min
6175MHz_10°C	Pass	6.175G	6.17502923G	4.7334	20	1	5 min
6175MHz_10°C	Pass	6.175G	6.17502923G	4.7341	20	1	10 min
6175MHz_20°C	Pass	6.175G	6.17502923G	4.7338	20	1	0 min
6175MHz_20°C	Pass	6.175G	6.17502922G	4.7326	20	1	2 min
6175MHz_20°C	Pass	6.175G	6.17502923G	4.7333	20	1	5 min
6175MHz_20°C	Pass	6.175G	6.1750293G	4.7441	20	1	10 min
6175MHz_30°C	Pass	6.175G	6.17502897G	4.6917	20	1	0 min
6175MHz_30°C	Pass	6.175G	6.17502922G	4.7313	20	1	2 min
6175MHz_30°C	Pass	6.175G	6.17502922G	4.7326	20	1	5 min
6175MHz_30°C	Pass	6.175G	6.17502928G	4.7411	20	1	10 min
6175MHz_40°C	Pass	6.175G	6.17502929G	4.7427	20	1	0 min
6175MHz_40°C	Pass	6.175G	6.17502905G	4.7046	20	1	2 min
6175MHz_40°C	Pass	6.175G	6.1750291G	4.713	20	1	5 min
6175MHz_40°C	Pass	6.175G	6.17502908G	4.7093	20	1	10 min
6175MHz_50°C	Pass	6.175G	6.17502892G	4.6836	20	1	0 min
6175MHz_50°C	Pass	6.175G	6.17502923G	4.733	20	1	2 min
6175MHz_50°C	Pass	6.175G	6.17502914G	4.7182	20	1	5 min
6175MHz_50°C	Pass	6.175G	6.17502908G	4.7091	20	1	10 min
6175MHz_138V	Pass	6.175G	6.17502913G	4.7168	20	1	0 min
6175MHz_138V	Pass	6.175G	6.17502897G	4.6918	20	1	2 min
6175MHz_138V	Pass	6.175G	6.17502921G	4.7304	20	1	5 min
6175MHz_138V	Pass	6.175G	6.17502913G	4.7176	20	1	10 min
6175MHz_120V	Pass	6.175G	6.17502905G	4.7046	20	1	0 min
6175MHz_120V	Pass	6.175G	6.17502913G	4.7168	20	1	2 min
6175MHz_120V	Pass	6.175G	6.17502922G	4.7315	20	1	5 min
6175MHz_120V	Pass	6.175G	6.17502921G	4.7305	20	1	10 min
6175MHz_102V	Pass	6.175G	6.17502904G	4.7032	20	1	0 min
6175MHz_102V	Pass	6.175G	6.17502919G	4.7278	20	1	2 min
6175MHz_102V	Pass	6.175G	6.17502915G	4.7206	20	1	5 min
6175MHz_102V	Pass	6.175G	6.17502902G	4.6991	20	1	10 min
6475MHz_-30°C	Pass	6.475G	6.47503113G	4.8077	20	1	0 min
6475MHz_-30°C	Pass	6.475G	6.47503115G	4.8103	20	1	2 min
6475MHz_-30°C	Pass	6.475G	6.47503114G	4.8093	20	1	5 min
6475MHz_-30°C	Pass	6.475G	6.47503114G	4.8096	20	1	10 min
6475MHz_-20°C	Pass	6.475G	6.47503114G	4.8094	20	1	0 min
6475MHz_-20°C	Pass	6.475G	6.47503113G	4.8082	20	1	2 min



Frequency Stability

Appendix G

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
6475MHz_-20°C	Pass	6.475G	6.47503113G	4.8071	20	1	5 min
6475MHz_-20°C	Pass	6.475G	6.47503113G	4.8076	20	1	10 min
6475MHz_-10°C	Pass	6.475G	6.47503113G	4.8083	20	1	0 min
6475MHz_-10°C	Pass	6.475G	6.47503112G	4.8066	20	1	2 min
6475MHz_-10°C	Pass	6.475G	6.47503113G	4.8073	20	1	5 min
6475MHz_-10°C	Pass	6.475G	6.47503112G	4.8066	20	1	10 min
6475MHz_0°C	Pass	6.475G	6.47503113G	4.8079	20	1	0 min
6475MHz_0°C	Pass	6.475G	6.47503113G	4.8073	20	1	2 min
6475MHz_0°C	Pass	6.475G	6.47503113G	4.8074	20	1	5 min
6475MHz_0°C	Pass	6.475G	6.47503113G	4.8074	20	1	10 min
6475MHz_10°C	Pass	6.475G	6.47503113G	4.8071	20	1	0 min
6475MHz_10°C	Pass	6.475G	6.47503112G	4.8068	20	1	2 min
6475MHz_10°C	Pass	6.475G	6.47503113G	4.8074	20	1	5 min
6475MHz_10°C	Pass	6.475G	6.47503112G	4.8065	20	1	10 min
6475MHz_20°C	Pass	6.475G	6.47503112G	4.8068	20	1	0 min
6475MHz_20°C	Pass	6.475G	6.47503112G	4.8063	20	1	2 min
6475MHz_20°C	Pass	6.475G	6.47503112G	4.8062	20	1	5 min
6475MHz_20°C	Pass	6.475G	6.47503111G	4.8046	20	1	10 min
6475MHz_30°C	Pass	6.475G	6.47503127G	4.8287	20	1	0 min
6475MHz_30°C	Pass	6.475G	6.47503111G	4.8046	20	1	2 min
6475MHz_30°C	Pass	6.475G	6.4750311G	4.8028	20	1	5 min
6475MHz_30°C	Pass	6.475G	6.4750311G	4.8036	20	1	10 min
6475MHz_40°C	Pass	6.475G	6.4750311G	4.8031	20	1	0 min
6475MHz_40°C	Pass	6.475G	6.4750311G	4.8025	20	1	2 min
6475MHz_40°C	Pass	6.475G	6.4750311G	4.8029	20	1	5 min
6475MHz_40°C	Pass	6.475G	6.47503109G	4.8019	20	1	10 min
6475MHz_50°C	Pass	6.475G	6.47503109G	4.8022	20	1	0 min
6475MHz_50°C	Pass	6.475G	6.47503109G	4.8022	20	1	2 min
6475MHz_50°C	Pass	6.475G	6.4750311G	4.8026	20	1	5 min
6475MHz_50°C	Pass	6.475G	6.4750311G	4.8026	20	1	10 min
6475MHz_138V	Pass	6.475G	6.4750311G	4.8023	20	1	0 min
6475MHz_138V	Pass	6.475G	6.47503109G	4.8009	20	1	2 min
6475MHz_138V	Pass	6.475G	6.47503109G	4.8011	20	1	5 min
6475MHz_138V	Pass	6.475G	6.47503108G	4.8003	20	1	10 min
6475MHz_120V	Pass	6.475G	6.47503109G	4.8017	20	1	0 min
6475MHz_120V	Pass	6.475G	6.47503109G	4.8011	20	1	2 min
6475MHz_120V	Pass	6.475G	6.47503109G	4.8014	20	1	5 min
6475MHz_120V	Pass	6.475G	6.47503109G	4.8014	20	1	10 min
6475MHz_102V	Pass	6.475G	6.47503108G	4.8	20	1	0 min
6475MHz_102V	Pass	6.475G	6.47503108G	4.7998	20	1	2 min
6475MHz_102V	Pass	6.475G	6.47503108G	4.8	20	1	5 min
6475MHz_102V	Pass	6.475G	6.47503108G	4.7997	20	1	10 min
6695MHz_-30°C	Pass	6.695G	6.69503549G	5.3007	20	1	0 min
6695MHz_-30°C	Pass	6.695G	6.69503549G	5.3007	20	1	2 min
6695MHz_-30°C	Pass	6.695G	6.69503549G	5.3002	20	1	5 min
6695MHz_-30°C	Pass	6.695G	6.69503556G	5.3107	20	1	10 min
6695MHz_-20°C	Pass	6.695G	6.69503548G	5.299	20	1	0 min
6695MHz_-20°C	Pass	6.695G	6.69503548G	5.299	20	1	2 min
6695MHz_-20°C	Pass	6.695G	6.69503547G	5.2974	20	1	5 min
6695MHz_-20°C	Pass	6.695G	6.69503546G	5.296	20	1	10 min
6695MHz_-10°C	Pass	6.695G	6.69503545G	5.2953	20	1	0 min
6695MHz_-10°C	Pass	6.695G	6.69503545G	5.2953	20	1	2 min
6695MHz_-10°C	Pass	6.695G	6.69503544G	5.2938	20	1	5 min
6695MHz_-10°C	Pass	6.695G	6.69503543G	5.292	20	1	10 min
6695MHz_0°C	Pass	6.695G	6.69503543G	5.2916	20	1	0 min
6695MHz_0°C	Pass	6.695G	6.69503542G	5.2904	20	1	2 min



Frequency Stability

Appendix G

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
6695MHz_0°C	Pass	6.695G	6.69503533G	5.2763	20	1	5 min
6695MHz_0°C	Pass	6.695G	6.69503541G	5.2892	20	1	10 min
6695MHz_10°C	Pass	6.695G	6.6950354G	5.2874	20	1	0 min
6695MHz_10°C	Pass	6.695G	6.6950354G	5.2878	20	1	2 min
6695MHz_10°C	Pass	6.695G	6.69503539G	5.2859	20	1	5 min
6695MHz_10°C	Pass	6.695G	6.69503538G	5.2848	20	1	10 min
6695MHz_20°C	Pass	6.695G	6.69503537G	5.2826	20	1	0 min
6695MHz_20°C	Pass	6.695G	6.69503536G	5.2813	20	1	2 min
6695MHz_20°C	Pass	6.695G	6.69503535G	5.2795	20	1	5 min
6695MHz_20°C	Pass	6.695G	6.69503534G	5.278	20	1	10 min
6695MHz_30°C	Pass	6.695G	6.69503532G	5.2756	20	1	0 min
6695MHz_30°C	Pass	6.695G	6.6950353G	5.273	20	1	2 min
6695MHz_30°C	Pass	6.695G	6.6950353G	5.272	20	1	5 min
6695MHz_30°C	Pass	6.695G	6.69503528G	5.2692	20	1	10 min
6695MHz_40°C	Pass	6.695G	6.69503528G	5.269	20	1	0 min
6695MHz_40°C	Pass	6.695G	6.69503526G	5.2666	20	1	2 min
6695MHz_40°C	Pass	6.695G	6.69503526G	5.2659	20	1	5 min
6695MHz_40°C	Pass	6.695G	6.69503525G	5.2651	20	1	10 min
6695MHz_50°C	Pass	6.695G	6.69503524G	5.2632	20	1	0 min
6695MHz_50°C	Pass	6.695G	6.69503523G	5.2615	20	1	2 min
6695MHz_50°C	Pass	6.695G	6.69503522G	5.2608	20	1	5 min
6695MHz_50°C	Pass	6.695G	6.69503521G	5.2584	20	1	10 min
6695MHz_138V	Pass	6.695G	6.6950352G	5.2574	20	1	0 min
6695MHz_138V	Pass	6.695G	6.69503519G	5.2566	20	1	2 min
6695MHz_138V	Pass	6.695G	6.69503517G	5.253	20	1	5 min
6695MHz_138V	Pass	6.695G	6.69503516G	5.2523	20	1	10 min
6695MHz_120V	Pass	6.695G	6.69503517G	5.2533	20	1	0 min
6695MHz_120V	Pass	6.695G	6.69503524G	5.2642	20	1	2 min
6695MHz_120V	Pass	6.695G	6.69503515G	5.2503	20	1	5 min
6695MHz_120V	Pass	6.695G	6.69503514G	5.2488	20	1	10 min
6695MHz_102V	Pass	6.695G	6.69503513G	5.2476	20	1	0 min
6695MHz_102V	Pass	6.695G	6.69503513G	5.2469	20	1	2 min
6695MHz_102V	Pass	6.695G	6.69503511G	5.2436	20	1	5 min
6695MHz_102V	Pass	6.695G	6.69503511G	5.2445	20	1	10 min
6995MHz_-30°C	Pass	6.995G	6.99504384G	6.267	20	1	0 min
6995MHz_-30°C	Pass	6.995G	6.99504381G	6.2628	20	1	2 min
6995MHz_-30°C	Pass	6.995G	6.99504378G	6.2586	20	1	5 min
6995MHz_-30°C	Pass	6.995G	6.99504375G	6.2542	20	1	10 min
6995MHz_-20°C	Pass	6.995G	6.99504372G	6.2502	20	1	0 min
6995MHz_-20°C	Pass	6.995G	6.9950437G	6.2466	20	1	2 min
6995MHz_-20°C	Pass	6.995G	6.99504367G	6.2432	20	1	5 min
6995MHz_-20°C	Pass	6.995G	6.99504364G	6.2387	20	1	10 min
6995MHz_-10°C	Pass	6.995G	6.99504362G	6.2357	20	1	0 min
6995MHz_-10°C	Pass	6.995G	6.99504359G	6.2313	20	1	2 min
6995MHz_-10°C	Pass	6.995G	6.99504356G	6.2277	20	1	5 min
6995MHz_-10°C	Pass	6.995G	6.99504353G	6.2236	20	1	10 min
6995MHz_0°C	Pass	6.995G	6.99504351G	6.2207	20	1	0 min
6995MHz_0°C	Pass	6.995G	6.99504349G	6.2172	20	1	2 min
6995MHz_0°C	Pass	6.995G	6.99504346G	6.213	20	1	5 min
6995MHz_0°C	Pass	6.995G	6.99504345G	6.2109	20	1	10 min
6995MHz_10°C	Pass	6.995G	6.99504342G	6.2066	20	1	0 min
6995MHz_10°C	Pass	6.995G	6.99504341G	6.206	20	1	2 min
6995MHz_10°C	Pass	6.995G	6.99504337G	6.2001	20	1	5 min
6995MHz_10°C	Pass	6.995G	6.99504335G	6.1979	20	1	10 min
6995MHz_20°C	Pass	6.995G	6.99504334G	6.1951	20	1	0 min
6995MHz_20°C	Pass	6.995G	6.99504332G	6.1924	20	1	2 min



Frequency Stability

Appendix G

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
6995MHz_20°C	Pass	6.995G	6.99504329G	6.1883	20	1	5 min
6995MHz_20°C	Pass	6.995G	6.99504327G	6.186	20	1	10 min
6995MHz_30°C	Pass	6.995G	6.99504324G	6.1811	20	1	0 min
6995MHz_30°C	Pass	6.995G	6.99504321G	6.1776	20	1	2 min
6995MHz_30°C	Pass	6.995G	6.99504319G	6.1746	20	1	5 min
6995MHz_30°C	Pass	6.995G	6.99504317G	6.1717	20	1	10 min
6995MHz_40°C	Pass	6.995G	6.99504314G	6.1667	20	1	0 min
6995MHz_40°C	Pass	6.995G	6.99504312G	6.1643	20	1	2 min
6995MHz_40°C	Pass	6.995G	6.99504309G	6.1603	20	1	5 min
6995MHz_40°C	Pass	6.995G	6.99504307G	6.1578	20	1	10 min
6995MHz_50°C	Pass	6.995G	6.99504305G	6.1537	20	1	0 min
6995MHz_50°C	Pass	6.995G	6.99504302G	6.1505	20	1	2 min
6995MHz_50°C	Pass	6.995G	6.995043G	6.1474	20	1	5 min
6995MHz_50°C	Pass	6.995G	6.99504298G	6.1447	20	1	10 min
6995MHz_138V	Pass	6.995G	6.99504296G	6.1411	20	1	0 min
6995MHz_138V	Pass	6.995G	6.99504294G	6.1387	20	1	2 min
6995MHz_138V	Pass	6.995G	6.99504292G	6.1357	20	1	5 min
6995MHz_138V	Pass	6.995G	6.9950429G	6.133	20	1	10 min
6995MHz_120V	Pass	6.995G	6.99504288G	6.1298	20	1	0 min
6995MHz_120V	Pass	6.995G	6.99504285G	6.1264	20	1	2 min
6995MHz_120V	Pass	6.995G	6.99504283G	6.1232	20	1	5 min
6995MHz_120V	Pass	6.995G	6.99504281G	6.1194	20	1	10 min
6995MHz_102V	Pass	6.995G	6.99504278G	6.1158	20	1	0 min
6995MHz_102V	Pass	6.995G	6.99504276G	6.1122	20	1	2 min
6995MHz_102V	Pass	6.995G	6.99504273G	6.1092	20	1	5 min
6995MHz_102V	Pass	6.995G	6.99504271G	6.1058	20	1	10 min
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-
6165MHz_30°C	Pass	6.165G	6.16503791G	6.1496	20	1	0 min
6165MHz_30°C	Pass	6.165G	6.16503789G	6.1452	20	1	2 min
6165MHz_30°C	Pass	6.165G	6.16503786G	6.1403	20	1	5 min
6165MHz_30°C	Pass	6.165G	6.16503784G	6.1382	20	1	10 min
6165MHz_20°C	Pass	6.165G	6.16503782G	6.1338	20	1	0 min
6165MHz_20°C	Pass	6.165G	6.16503779G	6.1304	20	1	2 min
6165MHz_20°C	Pass	6.165G	6.16503777G	6.1257	20	1	5 min
6165MHz_20°C	Pass	6.165G	6.16503774G	6.1223	20	1	10 min
6165MHz_10°C	Pass	6.165G	6.16503771G	6.1174	20	1	0 min
6165MHz_10°C	Pass	6.165G	6.16503769G	6.1135	20	1	2 min
6165MHz_10°C	Pass	6.165G	6.16503767G	6.1105	20	1	5 min
6165MHz_10°C	Pass	6.165G	6.16503766G	6.1082	20	1	10 min
6165MHz_0°C	Pass	6.165G	6.16503763G	6.1035	20	1	0 min
6165MHz_0°C	Pass	6.165G	6.1650376G	6.0993	20	1	2 min
6165MHz_0°C	Pass	6.165G	6.16503759G	6.0973	20	1	5 min
6165MHz_0°C	Pass	6.165G	6.16503756G	6.0921	20	1	10 min
6165MHz_10°C	Pass	6.165G	6.16503755G	6.0905	20	1	0 min
6165MHz_10°C	Pass	6.165G	6.16503753G	6.0868	20	1	2 min
6165MHz_10°C	Pass	6.165G	6.1650375G	6.0829	20	1	5 min
6165MHz_10°C	Pass	6.165G	6.16503749G	6.0818	20	1	10 min
6165MHz_20°C	Pass	6.165G	6.16503748G	6.0792	20	1	0 min
6165MHz_20°C	Pass	6.165G	6.16503746G	6.0756	20	1	2 min
6165MHz_20°C	Pass	6.165G	6.16503744G	6.073	20	1	5 min
6165MHz_20°C	Pass	6.165G	6.16503743G	6.0712	20	1	10 min
6165MHz_30°C	Pass	6.165G	6.16503741G	6.0675	20	1	0 min
6165MHz_30°C	Pass	6.165G	6.16503739G	6.0646	20	1	2 min
6165MHz_30°C	Pass	6.165G	6.16503737G	6.0612	20	1	5 min
6165MHz_30°C	Pass	6.165G	6.16503734G	6.0574	20	1	10 min
6165MHz_40°C	Pass	6.165G	6.16503732G	6.054	20	1	0 min



Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
6165MHz_40°C	Pass	6.165G	6.1650373G	6.0508	20	1	2 min
6165MHz_40°C	Pass	6.165G	6.16503729G	6.0485	20	1	5 min
6165MHz_40°C	Pass	6.165G	6.16503728G	6.0469	20	1	10 min
6165MHz_50°C	Pass	6.165G	6.16503725G	6.0427	20	1	0 min
6165MHz_50°C	Pass	6.165G	6.16503724G	6.0406	20	1	2 min
6165MHz_50°C	Pass	6.165G	6.16503722G	6.0378	20	1	5 min
6165MHz_50°C	Pass	6.165G	6.1650372G	6.0341	20	1	10 min
6165MHz_138V	Pass	6.165G	6.16503719G	6.0323	20	1	0 min
6165MHz_138V	Pass	6.165G	6.16503717G	6.0289	20	1	2 min
6165MHz_138V	Pass	6.165G	6.16503715G	6.0266	20	1	5 min
6165MHz_138V	Pass	6.165G	6.16503709G	6.0154	20	1	10 min
6165MHz_120V	Pass	6.165G	6.16503712G	6.0203	20	1	0 min
6165MHz_120V	Pass	6.165G	6.1650371G	6.0172	20	1	2 min
6165MHz_120V	Pass	6.165G	6.16503708G	6.0141	20	1	5 min
6165MHz_120V	Pass	6.165G	6.16503706G	6.0109	20	1	10 min
6165MHz_102V	Pass	6.165G	6.16503722G	6.0378	20	1	0 min
6165MHz_102V	Pass	6.165G	6.165037G	6.0023	20	1	2 min
6165MHz_102V	Pass	6.165G	6.165037G	6.0018	20	1	5 min
6165MHz_102V	Pass	6.165G	6.16503706G	6.0105	20	1	10 min
6685MHz_-30°C	Pass	6.685G	6.68504007G	5.9943	20	1	0 min
6685MHz_-30°C	Pass	6.685G	6.68504019G	6.0121	20	1	2 min
6685MHz_-30°C	Pass	6.685G	6.68504019G	6.0121	20	1	5 min
6685MHz_-30°C	Pass	6.685G	6.68504011G	5.9996	20	1	10 min
6685MHz_-20°C	Pass	6.685G	6.6850401G	5.9978	20	1	0 min
6685MHz_-20°C	Pass	6.685G	6.68504009G	5.9967	20	1	2 min
6685MHz_-20°C	Pass	6.685G	6.68504012G	6.001	20	1	5 min
6685MHz_-20°C	Pass	6.685G	6.68504004G	5.9901	20	1	10 min
6685MHz_-10°C	Pass	6.685G	6.68504003G	5.9879	20	1	0 min
6685MHz_-10°C	Pass	6.685G	6.68504002G	5.9868	20	1	2 min
6685MHz_-10°C	Pass	6.685G	6.68504G	5.984	20	1	5 min
6685MHz_-10°C	Pass	6.685G	6.68503998G	5.9812	20	1	10 min
6685MHz_0°C	Pass	6.685G	6.68503997G	5.9792	20	1	0 min
6685MHz_0°C	Pass	6.685G	6.68503996G	5.9776	20	1	2 min
6685MHz_0°C	Pass	6.685G	6.68504004G	5.9901	20	1	5 min
6685MHz_0°C	Pass	6.685G	6.68503993G	5.9734	20	1	10 min
6685MHz_10°C	Pass	6.685G	6.68503992G	5.971	20	1	0 min
6685MHz_10°C	Pass	6.685G	6.6850399G	5.9684	20	1	2 min
6685MHz_10°C	Pass	6.685G	6.68503989G	5.9674	20	1	5 min
6685MHz_10°C	Pass	6.685G	6.68503978G	5.9502	20	1	10 min
6685MHz_20°C	Pass	6.685G	6.68503889G	5.8172	20	1	0 min
6685MHz_20°C	Pass	6.685G	6.68503891G	5.8209	20	1	2 min
6685MHz_20°C	Pass	6.685G	6.68503869G	5.788	20	1	5 min
6685MHz_20°C	Pass	6.685G	6.68503875G	5.7967	20	1	10 min
6685MHz_30°C	Pass	6.685G	6.68503978G	5.9506	20	1	0 min
6685MHz_30°C	Pass	6.685G	6.68503987G	5.9635	20	1	2 min
6685MHz_30°C	Pass	6.685G	6.68503974G	5.9448	20	1	5 min
6685MHz_30°C	Pass	6.685G	6.6850397G	5.9391	20	1	10 min
6685MHz_40°C	Pass	6.685G	6.68503974G	5.9451	20	1	0 min
6685MHz_40°C	Pass	6.685G	6.68503965G	5.9307	20	1	2 min
6685MHz_40°C	Pass	6.685G	6.68503956G	5.9173	20	1	5 min
6685MHz_40°C	Pass	6.685G	6.68503941G	5.8951	20	1	10 min
6685MHz_50°C	Pass	6.685G	6.68503957G	5.9194	20	1	0 min
6685MHz_50°C	Pass	6.685G	6.68503954G	5.914	20	1	2 min
6685MHz_50°C	Pass	6.685G	6.68503924G	5.8703	20	1	5 min
6685MHz_50°C	Pass	6.685G	6.68503948G	5.9056	20	1	10 min
6685MHz_138V	Pass	6.685G	6.68503944G	5.9002	20	1	0 min



Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
6685MHz_138V	Pass	6.685G	6.68503934G	5.8845	20	1	2 min
6685MHz_138V	Pass	6.685G	6.6850394G	5.8935	20	1	5 min
6685MHz_138V	Pass	6.685G	6.68503937G	5.8886	20	1	10 min
6685MHz_120V	Pass	6.685G	6.68503937G	5.8886	20	1	0 min
6685MHz_120V	Pass	6.685G	6.68503931G	5.8799	20	1	2 min
6685MHz_120V	Pass	6.685G	6.68503926G	5.8733	20	1	5 min
6685MHz_120V	Pass	6.685G	6.68503938G	5.8905	20	1	10 min
6685MHz_102V	Pass	6.685G	6.68503923G	5.8676	20	1	0 min
6685MHz_102V	Pass	6.685G	6.68503946G	5.9031	20	1	2 min
6685MHz_102V	Pass	6.685G	6.68503919G	5.8619	20	1	5 min
6685MHz_102V	Pass	6.685G	6.68503912G	5.8524	20	1	10 min
7005MHz_30°C	Pass	7.005G	7.00504047G	5.7769	20	1	0 min
7005MHz_30°C	Pass	7.005G	7.00504044G	5.7727	20	1	2 min
7005MHz_30°C	Pass	7.005G	7.0050404G	5.7673	20	1	5 min
7005MHz_30°C	Pass	7.005G	7.00504037G	5.7635	20	1	10 min
7005MHz_20°C	Pass	7.005G	7.00504034G	5.7583	20	1	0 min
7005MHz_20°C	Pass	7.005G	7.0050403G	5.7527	20	1	2 min
7005MHz_20°C	Pass	7.005G	7.00504027G	5.7483	20	1	5 min
7005MHz_20°C	Pass	7.005G	7.00504024G	5.7445	20	1	10 min
7005MHz_10°C	Pass	7.005G	7.00504021G	5.7402	20	1	0 min
7005MHz_10°C	Pass	7.005G	7.00504017G	5.7338	20	1	2 min
7005MHz_10°C	Pass	7.005G	7.00504013G	5.7285	20	1	5 min
7005MHz_10°C	Pass	7.005G	7.00504009G	5.7225	20	1	10 min
7005MHz_0°C	Pass	7.005G	7.00504004G	5.7163	20	1	0 min
7005MHz_0°C	Pass	7.005G	7.00504G	5.7105	20	1	2 min
7005MHz_0°C	Pass	7.005G	7.00503997G	5.7056	20	1	5 min
7005MHz_0°C	Pass	7.005G	7.00503993G	5.7004	20	1	10 min
7005MHz_10°C	Pass	7.005G	7.00503988G	5.6934	20	1	0 min
7005MHz_10°C	Pass	7.005G	7.00503984G	5.6869	20	1	2 min
7005MHz_10°C	Pass	7.005G	7.00503979G	5.6808	20	1	5 min
7005MHz_10°C	Pass	7.005G	7.00503975G	5.6747	20	1	10 min
7005MHz_20°C	Pass	7.005G	7.00503971G	5.6682	20	1	0 min
7005MHz_20°C	Pass	7.005G	7.00503966G	5.6617	20	1	2 min
7005MHz_20°C	Pass	7.005G	7.00503962G	5.6561	20	1	5 min
7005MHz_20°C	Pass	7.005G	7.00503957G	5.6491	20	1	10 min
7005MHz_30°C	Pass	7.005G	7.00503953G	5.6428	20	1	0 min
7005MHz_30°C	Pass	7.005G	7.00503949G	5.6377	20	1	2 min
7005MHz_30°C	Pass	7.005G	7.00503945G	5.6313	20	1	5 min
7005MHz_30°C	Pass	7.005G	7.00503941G	5.6257	20	1	10 min
7005MHz_40°C	Pass	7.005G	7.00503937G	5.6201	20	1	0 min
7005MHz_40°C	Pass	7.005G	7.00503932G	5.6133	20	1	2 min
7005MHz_40°C	Pass	7.005G	7.00503928G	5.6067	20	1	5 min
7005MHz_40°C	Pass	7.005G	7.00503923G	5.6009	20	1	10 min
7005MHz_50°C	Pass	7.005G	7.00503918G	5.5934	20	1	0 min
7005MHz_50°C	Pass	7.005G	7.00503915G	5.5886	20	1	2 min
7005MHz_50°C	Pass	7.005G	7.0050391G	5.582	20	1	5 min
7005MHz_50°C	Pass	7.005G	7.00503906G	5.5754	20	1	10 min
7005MHz_138V	Pass	7.005G	7.00503902G	5.57	20	1	0 min
7005MHz_138V	Pass	7.005G	7.00503897G	5.5637	20	1	2 min
7005MHz_138V	Pass	7.005G	7.00503893G	5.5576	20	1	5 min
7005MHz_138V	Pass	7.005G	7.00503889G	5.5519	20	1	10 min
7005MHz_120V	Pass	7.005G	7.00503886G	5.5469	20	1	0 min
7005MHz_120V	Pass	7.005G	7.00503881G	5.5406	20	1	2 min
7005MHz_120V	Pass	7.005G	7.00503877G	5.5342	20	1	5 min
7005MHz_120V	Pass	7.005G	7.00503873G	5.5289	20	1	10 min
7005MHz_102V	Pass	7.005G	7.00503868G	5.5221	20	1	0 min



Frequency Stability

Appendix G

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
7005MHz_102V	Pass	7.005G	7.00503864G	5.5153	20	1	2 min
7005MHz_102V	Pass	7.005G	7.00503859G	5.5092	20	1	5 min
7005MHz_102V	Pass	7.005G	7.00503855G	5.5035	20	1	10 min
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-
6145MHz_-30°C	Pass	6.145G	6.14503355G	5.4596	20	1	0 min
6145MHz_-30°C	Pass	6.145G	6.14503353G	5.4568	20	1	2 min
6145MHz_-30°C	Pass	6.145G	6.14503352G	5.4552	20	1	5 min
6145MHz_-30°C	Pass	6.145G	6.1450335G	5.4522	20	1	10 min
6145MHz_-20°C	Pass	6.145G	6.14503348G	5.4487	20	1	0 min
6145MHz_-20°C	Pass	6.145G	6.14503346G	5.4449	20	1	2 min
6145MHz_-20°C	Pass	6.145G	6.14503343G	5.4404	20	1	5 min
6145MHz_-20°C	Pass	6.145G	6.14503341G	5.4365	20	1	10 min
6145MHz_-10°C	Pass	6.145G	6.14503338G	5.4324	20	1	0 min
6145MHz_-10°C	Pass	6.145G	6.14503334G	5.4255	20	1	2 min
6145MHz_-10°C	Pass	6.145G	6.14503333G	5.4241	20	1	5 min
6145MHz_-10°C	Pass	6.145G	6.1450333G	5.4187	20	1	10 min
6145MHz_0°C	Pass	6.145G	6.14503328G	5.4158	20	1	0 min
6145MHz_0°C	Pass	6.145G	6.14503326G	5.4119	20	1	2 min
6145MHz_0°C	Pass	6.145G	6.14503322G	5.4059	20	1	5 min
6145MHz_0°C	Pass	6.145G	6.14503319G	5.4018	20	1	10 min
6145MHz_10°C	Pass	6.145G	6.14503316G	5.3966	20	1	0 min
6145MHz_10°C	Pass	6.145G	6.14503314G	5.3928	20	1	2 min
6145MHz_10°C	Pass	6.145G	6.14503312G	5.3891	20	1	5 min
6145MHz_10°C	Pass	6.145G	6.14503308G	5.3826	20	1	10 min
6145MHz_20°C	Pass	6.145G	6.14503303G	5.3745	20	1	0 min
6145MHz_20°C	Pass	6.145G	6.14503303G	5.3746	20	1	2 min
6145MHz_20°C	Pass	6.145G	6.145033G	5.3699	20	1	5 min
6145MHz_20°C	Pass	6.145G	6.14503296G	5.364	20	1	10 min
6145MHz_30°C	Pass	6.145G	6.14503294G	5.3596	20	1	0 min
6145MHz_30°C	Pass	6.145G	6.14503291G	5.3554	20	1	2 min
6145MHz_30°C	Pass	6.145G	6.14503288G	5.3507	20	1	5 min
6145MHz_30°C	Pass	6.145G	6.14503286G	5.3479	20	1	10 min
6145MHz_40°C	Pass	6.145G	6.14503283G	5.3417	20	1	0 min
6145MHz_40°C	Pass	6.145G	6.1450328G	5.3382	20	1	2 min
6145MHz_40°C	Pass	6.145G	6.14503277G	5.3333	20	1	5 min
6145MHz_40°C	Pass	6.145G	6.14503271G	5.3222	20	1	10 min
6145MHz_50°C	Pass	6.145G	6.14503272G	5.3253	20	1	0 min
6145MHz_50°C	Pass	6.145G	6.14503274G	5.3274	20	1	2 min
6145MHz_50°C	Pass	6.145G	6.14503268G	5.3173	20	1	5 min
6145MHz_50°C	Pass	6.145G	6.14503265G	5.3129	20	1	10 min
6145MHz_138V	Pass	6.145G	6.14503262G	5.3085	20	1	0 min
6145MHz_138V	Pass	6.145G	6.14503259G	5.3037	20	1	2 min
6145MHz_138V	Pass	6.145G	6.14503257G	5.2998	20	1	5 min
6145MHz_138V	Pass	6.145G	6.14503255G	5.2962	20	1	10 min
6145MHz_120V	Pass	6.145G	6.14503251G	5.291	20	1	0 min
6145MHz_120V	Pass	6.145G	6.14503249G	5.2872	20	1	2 min
6145MHz_120V	Pass	6.145G	6.14503245G	5.2809	20	1	5 min
6145MHz_120V	Pass	6.145G	6.14503243G	5.2781	20	1	10 min
6145MHz_102V	Pass	6.145G	6.14503241G	5.2744	20	1	0 min
6145MHz_102V	Pass	6.145G	6.14503238G	5.2693	20	1	2 min
6145MHz_102V	Pass	6.145G	6.14503235G	5.2649	20	1	5 min
6145MHz_102V	Pass	6.145G	6.14503233G	5.2604	20	1	10 min
6465MHz_-30°C	Pass	6.465G	6.46503373G	5.2169	20	1	0 min
6465MHz_-30°C	Pass	6.465G	6.46503371G	5.2142	20	1	2 min
6465MHz_-30°C	Pass	6.465G	6.46503369G	5.2108	20	1	5 min
6465MHz_-30°C	Pass	6.465G	6.46503367G	5.208	20	1	10 min



Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
6465MHz_-20°C	Pass	6.465G	6.46503364G	5.204	20	1	0 min
6465MHz_-20°C	Pass	6.465G	6.46503362G	5.1998	20	1	2 min
6465MHz_-20°C	Pass	6.465G	6.4650336G	5.1972	20	1	5 min
6465MHz_-20°C	Pass	6.465G	6.46503357G	5.193	20	1	10 min
6465MHz_-10°C	Pass	6.465G	6.46503356G	5.1903	20	1	0 min
6465MHz_-10°C	Pass	6.465G	6.46503353G	5.1869	20	1	2 min
6465MHz_-10°C	Pass	6.465G	6.4650335G	5.1821	20	1	5 min
6465MHz_-10°C	Pass	6.465G	6.46503348G	5.178	20	1	10 min
6465MHz_0°C	Pass	6.465G	6.46503345G	5.1743	20	1	0 min
6465MHz_0°C	Pass	6.465G	6.46503343G	5.1701	20	1	2 min
6465MHz_0°C	Pass	6.465G	6.4650334G	5.1667	20	1	5 min
6465MHz_0°C	Pass	6.465G	6.46503338G	5.1632	20	1	10 min
6465MHz_10°C	Pass	6.465G	6.46503335G	5.1587	20	1	0 min
6465MHz_10°C	Pass	6.465G	6.46503333G	5.1551	20	1	2 min
6465MHz_10°C	Pass	6.465G	6.4650333G	5.1514	20	1	5 min
6465MHz_10°C	Pass	6.465G	6.46503328G	5.1469	20	1	10 min
6465MHz_20°C	Pass	6.465G	6.46503324G	5.1422	20	1	0 min
6465MHz_20°C	Pass	6.465G	6.46503322G	5.1386	20	1	2 min
6465MHz_20°C	Pass	6.465G	6.4650332G	5.136	20	1	5 min
6465MHz_20°C	Pass	6.465G	6.46503317G	5.1313	20	1	10 min
6465MHz_30°C	Pass	6.465G	6.46503316G	5.1285	20	1	0 min
6465MHz_30°C	Pass	6.465G	6.46503312G	5.1234	20	1	2 min
6465MHz_30°C	Pass	6.465G	6.4650331G	5.1196	20	1	5 min
6465MHz_30°C	Pass	6.465G	6.46503307G	5.1159	20	1	10 min
6465MHz_40°C	Pass	6.465G	6.46503305G	5.1117	20	1	0 min
6465MHz_40°C	Pass	6.465G	6.46503303G	5.1084	20	1	2 min
6465MHz_40°C	Pass	6.465G	6.465033G	5.1036	20	1	5 min
6465MHz_40°C	Pass	6.465G	6.46503297G	5.0991	20	1	10 min
6465MHz_50°C	Pass	6.465G	6.46503294G	5.0953	20	1	0 min
6465MHz_50°C	Pass	6.465G	6.46503292G	5.0919	20	1	2 min
6465MHz_50°C	Pass	6.465G	6.4650329G	5.0883	20	1	5 min
6465MHz_50°C	Pass	6.465G	6.46503287G	5.0845	20	1	10 min
6465MHz_138V	Pass	6.465G	6.46503284G	5.0801	20	1	0 min
6465MHz_138V	Pass	6.465G	6.46503282G	5.0759	20	1	2 min
6465MHz_138V	Pass	6.465G	6.4650328G	5.0729	20	1	5 min
6465MHz_138V	Pass	6.465G	6.46503277G	5.069	20	1	10 min
6465MHz_120V	Pass	6.465G	6.46503275G	5.0654	20	1	0 min
6465MHz_120V	Pass	6.465G	6.46503272G	5.0611	20	1	2 min
6465MHz_120V	Pass	6.465G	6.4650327G	5.0582	20	1	5 min
6465MHz_120V	Pass	6.465G	6.46503267G	5.0534	20	1	10 min
6465MHz_102V	Pass	6.465G	6.46503265G	5.0497	20	1	0 min
6465MHz_102V	Pass	6.465G	6.46503263G	5.0466	20	1	2 min
6465MHz_102V	Pass	6.465G	6.4650326G	5.043	20	1	5 min
6465MHz_102V	Pass	6.465G	6.46503258G	5.0387	20	1	10 min
6705MHz_-30°C	Pass	6.705G	6.70503366G	5.0197	20	1	0 min
6705MHz_-30°C	Pass	6.705G	6.70503299G	4.9198	20	1	2 min
6705MHz_-30°C	Pass	6.705G	6.70503336G	4.9754	20	1	5 min
6705MHz_-30°C	Pass	6.705G	6.70503336G	4.9754	20	1	10 min
6705MHz_-20°C	Pass	6.705G	6.70503334G	4.9721	20	1	0 min
6705MHz_-20°C	Pass	6.705G	6.70503327G	4.9618	20	1	2 min
6705MHz_-20°C	Pass	6.705G	6.70503329G	4.9652	20	1	5 min
6705MHz_-20°C	Pass	6.705G	6.70503329G	4.9645	20	1	10 min
6705MHz_-10°C	Pass	6.705G	6.70503321G	4.9524	20	1	0 min
6705MHz_-10°C	Pass	6.705G	6.70503309G	4.9345	20	1	2 min
6705MHz_-10°C	Pass	6.705G	6.70503315G	4.9438	20	1	5 min
6705MHz_-10°C	Pass	6.705G	6.70503291G	4.9081	20	1	10 min



Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
6705MHz_0°C	Pass	6.705G	6.70503294G	4.913	20	1	0 min
6705MHz_0°C	Pass	6.705G	6.70503305G	4.9286	20	1	2 min
6705MHz_0°C	Pass	6.705G	6.70490116G	14.7414	20	1	5 min
6705MHz_0°C	Pass	6.705G	6.70503305G	4.929	20	1	10 min
6705MHz_10°C	Pass	6.705G	6.70503312G	4.939	20	1	0 min
6705MHz_10°C	Pass	6.705G	6.70497929G	3.0887	20	1	2 min
6705MHz_10°C	Pass	6.705G	6.70503299G	4.9201	20	1	5 min
6705MHz_10°C	Pass	6.705G	6.70503268G	4.8743	20	1	10 min
6705MHz_20°C	Pass	6.705G	6.70503281G	4.8926	20	1	0 min
6705MHz_20°C	Pass	6.705G	6.70503285G	4.8999	20	1	2 min
6705MHz_20°C	Pass	6.705G	6.70503289G	4.9054	20	1	5 min
6705MHz_20°C	Pass	6.705G	6.70503293G	4.9119	20	1	10 min
6705MHz_30°C	Pass	6.705G	6.70503284G	4.8972	20	1	0 min
6705MHz_30°C	Pass	6.705G	6.7050328G	4.8922	20	1	2 min
6705MHz_30°C	Pass	6.705G	6.7050327G	4.8767	20	1	5 min
6705MHz_30°C	Pass	6.705G	6.7050328G	4.8911	20	1	10 min
6705MHz_40°C	Pass	6.705G	6.70503275G	4.8846	20	1	0 min
6705MHz_40°C	Pass	6.705G	6.70503262G	4.8655	20	1	2 min
6705MHz_40°C	Pass	6.705G	6.70503271G	4.879	20	1	5 min
6705MHz_40°C	Pass	6.705G	6.70503257G	4.858	20	1	10 min
6705MHz_50°C	Pass	6.705G	6.70503264G	4.8686	20	1	0 min
6705MHz_50°C	Pass	6.705G	6.70503272G	4.8792	20	1	2 min
6705MHz_50°C	Pass	6.705G	6.70503261G	4.8629	20	1	5 min
6705MHz_50°C	Pass	6.705G	6.70503234G	4.8237	20	1	10 min
6705MHz_138V	Pass	6.705G	6.70503255G	4.8541	20	1	0 min
6705MHz_138V	Pass	6.705G	6.70503254G	4.8523	20	1	2 min
6705MHz_138V	Pass	6.705G	6.70503268G	4.8738	20	1	5 min
6705MHz_138V	Pass	6.705G	6.70503215G	4.7948	20	1	10 min
6705MHz_120V	Pass	6.705G	6.70503246G	4.8407	20	1	0 min
6705MHz_120V	Pass	6.705G	6.70503253G	4.851	20	1	2 min
6705MHz_120V	Pass	6.705G	6.70503235G	4.824	20	1	5 min
6705MHz_120V	Pass	6.705G	6.70503238G	4.8294	20	1	10 min
6705MHz_102V	Pass	6.705G	6.70503196G	4.767	20	1	0 min
6705MHz_102V	Pass	6.705G	6.70503189G	4.7565	20	1	2 min
6705MHz_102V	Pass	6.705G	6.70503193G	4.7615	20	1	5 min
6705MHz_102V	Pass	6.705G	6.70503136G	4.6777	20	1	10 min
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-
6185MHz_30°C	Pass	6.185G	6.18502905G	4.6975	20	1	0 min
6185MHz_30°C	Pass	6.185G	6.18502902G	4.6926	20	1	2 min
6185MHz_30°C	Pass	6.185G	6.185029G	4.6888	20	1	5 min
6185MHz_30°C	Pass	6.185G	6.18502898G	4.6847	20	1	10 min
6185MHz_20°C	Pass	6.185G	6.18502896G	4.6825	20	1	0 min
6185MHz_20°C	Pass	6.185G	6.18502894G	4.6784	20	1	2 min
6185MHz_20°C	Pass	6.185G	6.18502891G	4.6741	20	1	5 min
6185MHz_20°C	Pass	6.185G	6.1850289G	4.6718	20	1	10 min
6185MHz_10°C	Pass	6.185G	6.18502888G	4.6686	20	1	0 min
6185MHz_10°C	Pass	6.185G	6.18502886G	4.6658	20	1	2 min
6185MHz_10°C	Pass	6.185G	6.18502883G	4.6618	20	1	5 min
6185MHz_10°C	Pass	6.185G	6.18502882G	4.6593	20	1	10 min
6185MHz_0°C	Pass	6.185G	6.18502879G	4.6548	20	1	0 min
6185MHz_0°C	Pass	6.185G	6.18502877G	4.6516	20	1	2 min
6185MHz_0°C	Pass	6.185G	6.18502875G	4.648	20	1	5 min
6185MHz_0°C	Pass	6.185G	6.18502873G	4.6449	20	1	10 min
6185MHz_10°C	Pass	6.185G	6.18502871G	4.6412	20	1	0 min
6185MHz_10°C	Pass	6.185G	6.18502868G	4.637	20	1	2 min
6185MHz_10°C	Pass	6.185G	6.18502866G	4.6343	20	1	5 min



Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
6185MHz_10°C	Pass	6.185G	6.18502864G	4.6307	20	1	10 min
6185MHz_20°C	Pass	6.185G	6.18502862G	4.6273	20	1	0 min
6185MHz_20°C	Pass	6.185G	6.1850286G	4.6238	20	1	2 min
6185MHz_20°C	Pass	6.185G	6.18502857G	4.6197	20	1	5 min
6185MHz_20°C	Pass	6.185G	6.18502856G	4.6168	20	1	10 min
6185MHz_30°C	Pass	6.185G	6.18502853G	4.6131	20	1	0 min
6185MHz_30°C	Pass	6.185G	6.18502852G	4.6107	20	1	2 min
6185MHz_30°C	Pass	6.185G	6.18502849G	4.606	20	1	5 min
6185MHz_30°C	Pass	6.185G	6.18502847G	4.6031	20	1	10 min
6185MHz_40°C	Pass	6.185G	6.18502845G	4.5992	20	1	0 min
6185MHz_40°C	Pass	6.185G	6.18502843G	4.596	20	1	2 min
6185MHz_40°C	Pass	6.185G	6.1850284G	4.5924	20	1	5 min
6185MHz_40°C	Pass	6.185G	6.18502838G	4.5892	20	1	10 min
6185MHz_50°C	Pass	6.185G	6.18502835G	4.584	20	1	0 min
6185MHz_50°C	Pass	6.185G	6.18502834G	4.5819	20	1	2 min
6185MHz_50°C	Pass	6.185G	6.18502832G	4.5788	20	1	5 min
6185MHz_50°C	Pass	6.185G	6.1850283G	4.5751	20	1	10 min
6185MHz_138V	Pass	6.185G	6.18502827G	4.5711	20	1	0 min
6185MHz_138V	Pass	6.185G	6.18502825G	4.5669	20	1	2 min
6185MHz_138V	Pass	6.185G	6.18502823G	4.5649	20	1	5 min
6185MHz_138V	Pass	6.185G	6.18502821G	4.5614	20	1	10 min
6185MHz_120V	Pass	6.185G	6.18502819G	4.5573	20	1	0 min
6185MHz_120V	Pass	6.185G	6.18502817G	4.5542	20	1	2 min
6185MHz_120V	Pass	6.185G	6.18502815G	4.551	20	1	5 min
6185MHz_120V	Pass	6.185G	6.18502813G	4.5476	20	1	10 min
6185MHz_102V	Pass	6.185G	6.18502811G	4.5441	20	1	0 min
6185MHz_102V	Pass	6.185G	6.18502809G	4.5413	20	1	2 min
6185MHz_102V	Pass	6.185G	6.18502806G	4.5366	20	1	5 min
6185MHz_102V	Pass	6.185G	6.18502804G	4.5332	20	1	10 min
6665MHz_30°C	Pass	6.665G	6.66503025G	4.5388	20	1	0 min
6665MHz_30°C	Pass	6.665G	6.66503024G	4.5364	20	1	2 min
6665MHz_30°C	Pass	6.665G	6.66503021G	4.5331	20	1	5 min
6665MHz_30°C	Pass	6.665G	6.66503019G	4.5302	20	1	10 min
6665MHz_20°C	Pass	6.665G	6.66503018G	4.5274	20	1	0 min
6665MHz_20°C	Pass	6.665G	6.66503016G	4.5251	20	1	2 min
6665MHz_20°C	Pass	6.665G	6.66503014G	4.522	20	1	5 min
6665MHz_20°C	Pass	6.665G	6.66503012G	4.5184	20	1	10 min
6665MHz_10°C	Pass	6.665G	6.6650301G	4.5157	20	1	0 min
6665MHz_10°C	Pass	6.665G	6.66503008G	4.5125	20	1	2 min
6665MHz_10°C	Pass	6.665G	6.66503006G	4.5097	20	1	5 min
6665MHz_10°C	Pass	6.665G	6.66503003G	4.505	20	1	10 min
6665MHz_0°C	Pass	6.665G	6.66503001G	4.5032	20	1	0 min
6665MHz_0°C	Pass	6.665G	6.66502999G	4.4998	20	1	2 min
6665MHz_0°C	Pass	6.665G	6.66502996G	4.4957	20	1	5 min
6665MHz_0°C	Pass	6.665G	6.66502995G	4.4939	20	1	10 min
6665MHz_10°C	Pass	6.665G	6.66502993G	4.4903	20	1	0 min
6665MHz_10°C	Pass	6.665G	6.66502991G	4.4876	20	1	2 min
6665MHz_10°C	Pass	6.665G	6.66502989G	4.4842	20	1	5 min
6665MHz_10°C	Pass	6.665G	6.66502986G	4.4807	20	1	10 min
6665MHz_20°C	Pass	6.665G	6.66502984G	4.477	20	1	0 min
6665MHz_20°C	Pass	6.665G	6.66502982G	4.4744	20	1	2 min
6665MHz_20°C	Pass	6.665G	6.66502979G	4.4702	20	1	5 min
6665MHz_20°C	Pass	6.665G	6.66502978G	4.4675	20	1	10 min
6665MHz_30°C	Pass	6.665G	6.66502975G	4.4642	20	1	0 min
6665MHz_30°C	Pass	6.665G	6.66502974G	4.4614	20	1	2 min
6665MHz_30°C	Pass	6.665G	6.66502971G	4.4573	20	1	5 min



Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
6665MHz_30°C	Pass	6.665G	6.66502969G	4.4548	20	1	10 min
6665MHz_40°C	Pass	6.665G	6.66502967G	4.4515	20	1	0 min
6665MHz_40°C	Pass	6.665G	6.66502964G	4.4477	20	1	2 min
6665MHz_40°C	Pass	6.665G	6.66502963G	4.4449	20	1	5 min
6665MHz_40°C	Pass	6.665G	6.6650296G	4.4404	20	1	10 min
6665MHz_50°C	Pass	6.665G	6.66502958G	4.438	20	1	0 min
6665MHz_50°C	Pass	6.665G	6.66502956G	4.4351	20	1	2 min
6665MHz_50°C	Pass	6.665G	6.66502953G	4.4309	20	1	5 min
6665MHz_50°C	Pass	6.665G	6.66502952G	4.4285	20	1	10 min
6665MHz_138V	Pass	6.665G	6.66502949G	4.4251	20	1	0 min
6665MHz_138V	Pass	6.665G	6.66502947G	4.4219	20	1	2 min
6665MHz_138V	Pass	6.665G	6.66502946G	4.4194	20	1	5 min
6665MHz_138V	Pass	6.665G	6.66502943G	4.4161	20	1	10 min
6665MHz_120V	Pass	6.665G	6.66502941G	4.4126	20	1	0 min
6665MHz_120V	Pass	6.665G	6.66502938G	4.4086	20	1	2 min
6665MHz_120V	Pass	6.665G	6.66502936G	4.4053	20	1	5 min
6665MHz_120V	Pass	6.665G	6.66502934G	4.4023	20	1	10 min
6665MHz_102V	Pass	6.665G	6.66502932G	4.3991	20	1	0 min
6665MHz_102V	Pass	6.665G	6.6650293G	4.3956	20	1	2 min
6665MHz_102V	Pass	6.665G	6.66502927G	4.392	20	1	5 min
6665MHz_102V	Pass	6.665G	6.66502925G	4.3884	20	1	10 min
6985MHz_30°C	Pass	6.985G	6.98503066G	4.3891	20	1	0 min
6985MHz_30°C	Pass	6.985G	6.98503064G	4.386	20	1	2 min
6985MHz_30°C	Pass	6.985G	6.98503062G	4.3834	20	1	5 min
6985MHz_30°C	Pass	6.985G	6.9850306G	4.3802	20	1	10 min
6985MHz_20°C	Pass	6.985G	6.98503058G	4.3782	20	1	0 min
6985MHz_20°C	Pass	6.985G	6.98503056G	4.3749	20	1	2 min
6985MHz_20°C	Pass	6.985G	6.98503054G	4.3718	20	1	5 min
6985MHz_20°C	Pass	6.985G	6.98503052G	4.3689	20	1	10 min
6985MHz_10°C	Pass	6.985G	6.9850305G	4.3661	20	1	0 min
6985MHz_10°C	Pass	6.985G	6.98503048G	4.3634	20	1	2 min
6985MHz_10°C	Pass	6.985G	6.98503046G	4.3601	20	1	5 min
6985MHz_10°C	Pass	6.985G	6.98503044G	4.3573	20	1	10 min
6985MHz_0°C	Pass	6.985G	6.98503042G	4.3548	20	1	0 min
6985MHz_0°C	Pass	6.985G	6.98503039G	4.3509	20	1	2 min
6985MHz_0°C	Pass	6.985G	6.98503037G	4.348	20	1	5 min
6985MHz_0°C	Pass	6.985G	6.98503035G	4.3447	20	1	10 min
6985MHz_10°C	Pass	6.985G	6.98503032G	4.3407	20	1	0 min
6985MHz_10°C	Pass	6.985G	6.9850303G	4.3383	20	1	2 min
6985MHz_10°C	Pass	6.985G	6.98503028G	4.3349	20	1	5 min
6985MHz_10°C	Pass	6.985G	6.98503026G	4.3316	20	1	10 min
6985MHz_20°C	Pass	6.985G	6.98503024G	4.3293	20	1	0 min
6985MHz_20°C	Pass	6.985G	6.98503022G	4.3267	20	1	2 min
6985MHz_20°C	Pass	6.985G	6.98503019G	4.3224	20	1	5 min
6985MHz_20°C	Pass	6.985G	6.98503017G	4.3198	20	1	10 min
6985MHz_30°C	Pass	6.985G	6.98503015G	4.3168	20	1	0 min
6985MHz_30°C	Pass	6.985G	6.98503013G	4.3131	20	1	2 min
6985MHz_30°C	Pass	6.985G	6.98503011G	4.3101	20	1	5 min
6985MHz_30°C	Pass	6.985G	6.98503009G	4.3081	20	1	10 min
6985MHz_40°C	Pass	6.985G	6.98503006G	4.3037	20	1	0 min
6985MHz_40°C	Pass	6.985G	6.98503004G	4.3006	20	1	2 min
6985MHz_40°C	Pass	6.985G	6.98503002G	4.2975	20	1	5 min
6985MHz_40°C	Pass	6.985G	6.98503G	4.2946	20	1	10 min
6985MHz_50°C	Pass	6.985G	6.98502998G	4.2915	20	1	0 min
6985MHz_50°C	Pass	6.985G	6.98502995G	4.2882	20	1	2 min
6985MHz_50°C	Pass	6.985G	6.98502993G	4.2848	20	1	5 min




Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
6985MHz_50°C	Pass	6.985G	6.98502991G	4.2815	20	1	10 min
6985MHz_138V	Pass	6.985G	6.98502989G	4.2792	20	1	0 min
6985MHz_138V	Pass	6.985G	6.98502986G	4.2747	20	1	2 min
6985MHz_138V	Pass	6.985G	6.98502984G	4.2716	20	1	5 min
6985MHz_138V	Pass	6.985G	6.98502981G	4.2681	20	1	10 min
6985MHz_120V	Pass	6.985G	6.98502979G	4.2651	20	1	0 min
6985MHz_120V	Pass	6.985G	6.98502977G	4.2626	20	1	2 min
6985MHz_120V	Pass	6.985G	6.98502975G	4.2588	20	1	5 min
6985MHz_120V	Pass	6.985G	6.98502974G	4.2571	20	1	10 min
6985MHz_102V	Pass	6.985G	6.98502971G	4.2535	20	1	0 min
6985MHz_102V	Pass	6.985G	6.9850297G	4.2514	20	1	2 min
6985MHz_102V	Pass	6.985G	6.98502967G	4.2477	20	1	5 min
6985MHz_102V	Pass	6.985G	6.98502965G	4.2451	20	1	10 min



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	2.99979G	34.03	54.00	-19.97	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	2.00007G	39.94	74.00	-34.06	-5.29	3	Vertical	0	1.39	-	45.23	26.40	4.70	36.39
AV	1.99981G	32.57	54.00	-21.43	-5.29	3	Vertical	0	1.39	"Worst"	37.86	26.40	4.70	36.39
PK	3.00015G	41.50	74.00	-32.50	-1.00	3	Vertical	200	1.00	-	42.50	29.30	5.70	36.00
AV	2.99976G	32.52	54.00	-21.48	-1.00	3	Vertical	200	1.00	-	33.52	29.30	5.70	36.00

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.9999G	39.80	74.00	-34.20	-5.29	3	Horizontal	140	1.00	-	45.09	26.40	4.70	36.39
AV	1.9998G	31.17	54.00	-22.83	-5.29	3	Horizontal	140	1.00	-	36.46	26.40	4.70	36.39
PK	3.00016G	43.33	74.00	-30.67	-1.00	3	Horizontal	182	1.77	-	44.33	29.30	5.70	36.00
AV	2.99979G	34.03	54.00	-19.97	-1.00	3	Horizontal	182	1.77	"Worst"	35.03	29.30	5.70	36.00