


6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 79
04-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0834G	113.98	Inf	-Inf	112.95	3	Horizontal	356	1.91	-	36.43	7.03	42.43			
RMS	7.0784G	104.59	Inf	-Inf	103.55	3	Horizontal	356	1.91	-	36.44	7.02	42.42			
PK	7.1254G	73.22	88.20	-14.98	72.17	3	Horizontal	356	1.91	-	36.50	7.04	42.49			
RMS	7.125G	61.52	68.20	-6.68	60.47	3	Horizontal	356	1.91	-	36.50	7.04	42.49			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 79
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1265G	62.70	88.20	-25.50	40.80	3	Vertical	26	1.48	-	41.31	11.94	31.35			
RMS	14.2015G	50.21	68.20	-17.99	28.15	3	Vertical	26	1.48	-	41.50	11.97	31.41			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 79
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1314G	62.39	88.20	-25.81	40.48	3	Horizontal	186	1.77	-	41.33	11.94	31.36			
RMS	14.1945G	50.21	68.20	-17.99	28.15	3	Horizontal	186	1.77	-	41.49	11.97	31.40			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 79
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.2069G	47.28	83.54	-36.26	41.97	1	Vertical	104	1.85	-	38.00	16.17	48.86			
AV	21.3028G	35.77	63.54	-27.77	29.98	1	Vertical	104	1.85	-	38.39	16.24	48.84			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 79
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.3G	47.35	83.54	-36.19	41.55	1	Horizontal	92	1.79	-	38.40	16.24	48.84			
AV	21.3047G	35.78	63.54	-27.76	29.99	1	Horizontal	92	1.79	-	38.39	16.24	48.84			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 76
04-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9214G	81.65	88.20	-6.55	83.58	3	Vertical	196	1.27	-	34.83	6.31	43.07			
RMS	5.925G	66.75	68.20	-1.45	68.66	3	Vertical	196	1.27	-	34.85	6.31	43.07			
PK	6.0206G	114.53	Inf	-Inf	116.15	3	Vertical	196	1.27	-	35.00	6.40	43.02			
RMS	6.0226G	104.39	Inf	-Inf	106.00	3	Vertical	196	1.27	-	35.00	6.41	43.02			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 76
04-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9222G	76.16	88.20	-12.04	78.09	3	Horizontal	183	1.39	-	34.83	6.31	43.07			
RMS	5.9242G	61.11	68.20	-7.09	63.02	3	Horizontal	183	1.39	-	34.85	6.31	43.07			
PK	5.9666G	111.22	Inf	-Inf	112.92	3	Horizontal	183	1.39	-	35.00	6.35	43.05			
RMS	5.967G	101.61	Inf	-Inf	103.31	3	Horizontal	183	1.39	-	35.00	6.35	43.05			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 76
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9496G	53.62	74.00	-20.38	36.31	3	Vertical	257	257	-	39.00	11.09	32.78			
AV	11.98165G	41.52	54.00	-12.48	24.14	3	Vertical	257	257	-	39.06	11.11	32.79			
PK	17.9703G	58.76	74.00	-15.24	28.05	3	Vertical	139	2.05	-	48.65	13.44	31.38			
AV	17.97225G	47.26	54.00	-6.74	16.49	3	Vertical	139	2.05	-	48.71	13.44	31.38			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 76
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.982G	54.00	74.00	-20.00	36.62	3	Horizontal	280	1.80	-	39.06	11.11	32.79			
AV	11.98505G	42.10	54.00	-11.90	24.71	3	Horizontal	280	1.80	-	39.07	11.11	32.79			
PK	17.97735G	58.93	74.00	-15.07	27.99	3	Horizontal	209	1.80	-	48.88	13.44	31.38			
AV	17.97545G	47.47	54.00	-6.53	16.60	3	Horizontal	209	1.80	-	48.81	13.44	31.38			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_Y_4TX
Setting 76
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9315G	50.62	83.54	-32.92	41.50	1	Vertical	289	1.86	-	38.86	17.38	47.12			
AV	23.9248G	42.55	63.54	-20.99	33.45	1	Vertical	289	1.86	-	38.85	17.38	47.13			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_Y_4TX
Setting 76
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.9255G	50.76	83.54	-32.78	41.66	1	Horizontal	155	1.65	-	38.85	17.38	47.13			
AV	23.9601G	41.34	63.54	-22.20	32.12	1	Horizontal	155	1.65	-	38.94	17.39	47.11			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.46865G	57.55	74.00	-16.45	39.88	3	Vertical	175	2.94	-	38.50	11.30	32.13			
AV	12.46865G	45.23	54.00	-8.77	27.56	3	Vertical	175	2.94	-	38.50	11.30	32.13			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.46695G	54.38	74.00	-19.62	36.71	3	Horizontal	80	2.24	-	38.50	11.30	32.13			
AV	12.42655G	42.56	54.00	-11.44	24.83	3	Horizontal	80	2.24	-	38.64	11.28	32.19			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX

EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6728G	45.19	83.54	-38.35	41.77	1	Vertical	198	1.81	-	37.71	15.27	49.56			
AV	18.6724G	32.77	63.54	-30.77	29.35	1	Vertical	198	1.81	-	37.71	15.27	49.56			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX

EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6797G	44.38	83.54	-39.16	40.99	1	Horizontal	210	1.92	-	37.68	15.27	49.56			
AV	18.6714G	32.78	63.54	-30.76	29.36	1	Horizontal	210	1.92	-	37.71	15.27	49.56			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.78135G	55.42	88.20	-32.78	36.71	3	Vertical	193	3.00	-	39.09	11.42	31.80			
RMS	12.78775G	43.81	68.20	-24.39	25.05	3	Vertical	193	3.00	-	39.13	11.42	31.79			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7837G	56.02	88.20	-32.18	37.30	3	Horizontal	178	1.80	-	39.10	11.42	31.80			
RMS	12.79495G	43.23	68.20	-24.97	24.43	3	Horizontal	178	1.80	-	39.17	11.42	31.79			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.1281G	44.67	83.54	-38.87	41.07	1	Vertical	195	1.92	-	37.79	15.24	49.43			
AV	19.1997G	32.36	63.54	-31.18	28.60	1	Vertical	195	1.92	-	38.00	15.24	49.48			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1524G	44.33	83.54	-39.21	40.82	1	Horizontal	309	1.93	-	37.71	15.24	49.44			
AV	19.201G	32.36	63.54	-31.18	28.60	1	Horizontal	309	1.93	-	38.00	15.24	49.48			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.9607G	59.33	88.20	-28.87	40.10	3	Vertical	74	1.77	-	39.36	11.49	31.62			
RMS	12.9665G	46.71	68.20	-21.49	27.50	3	Vertical	74	1.77	-	39.33	11.49	31.61			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.9177G	58.28	88.20	-29.92	39.13	3	Horizontal	230	1.84	-	39.34	11.47	31.66			
RMS	12.805G	46.81	68.20	-21.39	27.76	3	Horizontal	230	1.84	-	39.30	11.45	31.70			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4287G	44.58	83.54	-38.96	41.09	1	Vertical	159	1.88	-	37.89	15.23	49.63			
AV	19.3564G	32.64	63.54	-30.90	29.16	1	Vertical	159	1.88	-	37.83	15.23	49.58			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3621G	44.16	83.54	-39.38	40.67	1	Horizontal	282	1.38	-	37.85	15.23	49.59			
AV	19.364G	32.66	63.54	-30.88	29.16	1	Horizontal	282	1.38	-	37.86	15.23	49.59			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.1097G	60.05	88.20	-28.15	40.73	3	Vertical	310	1.67	-	39.24	11.54	31.46			
RMS	13.1166G	47.56	68.20	-20.64	28.20	3	Vertical	310	1.67	-	39.27	11.54	31.45			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1024G	59.20	88.20	-29.00	39.92	3	Horizontal	239	1.64	-	39.21	11.54	31.47			
RMS	13.1229G	47.51	68.20	-20.69	28.12	3	Horizontal	239	1.64	-	39.29	11.55	31.45			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_Y_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.654G	44.40	83.54	-39.14	40.65	1	Vertical	150	1.74	-	38.08	15.22	49.55			
AV	19.6504G	32.82	63.54	-30.72	29.06	1	Vertical	150	1.74	-	38.10	15.22	49.56			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.6218G	45.08	83.54	-38.46	41.51	1	Horizontal	298	1.51	-	37.93	15.22	49.58			
AV	19.6455G	32.84	63.54	-30.70	29.11	1	Horizontal	298	1.51	-	38.07	15.22	49.56			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25095G	60.31	74.00	-13.69	40.82	3	Vertical	4	1.80	-	39.20	11.60	31.31			
AV	13.25375G	47.71	54.00	-6.29	28.20	3	Vertical	4	1.80	-	39.22	11.60	31.31			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2625G	59.73	74.00	-14.27	40.18	3	Horizontal	259	1.00	-	39.25	11.60	31.30			
AV	13.25675G	47.68	54.00	-6.32	28.15	3	Horizontal	259	1.00	-	39.23	11.60	31.30			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.9083G	43.37	83.54	-40.17	39.64	1	Vertical	260	1.65	-	37.88	15.20	49.35			
AV	19.8794G	31.87	63.54	-31.67	28.25	1	Vertical	260	1.65	-	37.78	15.21	49.37			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.8557G	43.45	83.54	-40.09	40.00	1	Horizontal	285	1.67	-	37.63	15.21	49.39			
AV	19.8928G	31.88	63.54	-31.66	28.17	1	Horizontal	285	1.67	-	37.86	15.21	49.36			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38352G	61.25	74.00	-12.75	41.00	3	Vertical	13	1.80	-	39.77	11.65	31.17			
AV	13.37004G	48.24	54.00	-5.76	28.04	3	Vertical	13	1.80	-	39.74	11.64	31.18			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37908G	60.09	74.00	-13.91	39.86	3	Horizontal	360	1.80	-	39.76	11.64	31.17			
AV	13.36756G	48.21	54.00	-5.79	28.01	3	Horizontal	360	1.80	-	39.74	11.64	31.18			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0936G	42.47	83.54	-41.07	38.58	1	Vertical	63	1.70	-	37.87	15.27	49.25			
AV	20.0814G	30.94	63.54	-32.60	27.09	1	Vertical	63	1.70	-	37.83	15.27	49.25			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0945G	42.84	83.54	-40.70	38.93	1	Horizontal	280	1.41	-	37.88	15.28	49.25			
AV	20.0916G	30.92	63.54	-32.62	27.03	1	Horizontal	280	1.41	-	37.87	15.27	49.25			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5614G	60.57	88.20	-27.63	39.68	3	Vertical	159	1.63	-	40.25	11.71	31.07			
RMS	13.5565G	48.48	68.20	-19.72	27.56	3	Vertical	159	1.63	-	40.27	11.71	31.06			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.5509G	60.92	88.20	-27.28	39.97	3	Horizontal	355	1.56	-	40.30	11.71	31.06			
RMS	13.6085G	48.48	68.20	-19.72	27.74	3	Horizontal	355	1.56	-	40.10	11.73	31.09			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.3649G	43.06	83.54	-40.48	38.68	1	Vertical	51	1.49	-	38.07	15.49	49.18			
AV	20.3496G	30.80	63.54	-32.74	26.40	1	Vertical	51	1.49	-	38.10	15.48	49.18			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.3569G	42.54	83.54	-41.00	38.14	1	Horizontal	175	1.42	-	38.09	15.49	49.18			
AV	20.3524G	30.78	63.54	-32.76	26.38	1	Horizontal	175	1.42	-	38.10	15.48	49.18			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.7252G	60.46	88.20	-27.74	39.67	3	Vertical	123	1.68	-	40.15	11.78	31.14			
RMS	13.7793G	48.81	68.20	-19.39	27.97	3	Vertical	123	1.68	-	40.20	11.80	31.16			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6865MHz_TX

EUT_Y_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6868G	60.67	88.20	-27.53	39.93	3	Horizontal	24	1.91	-	40.10	11.76	31.12			
RMS	13.7788G	48.89	68.20	-19.31	28.05	3	Horizontal	24	1.91	-	40.20	11.80	31.16			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_Y_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5747G	44.79	83.54	-38.75	40.28	1	Vertical	342	1.80	-	37.95	15.66	49.10			
AV	20.645G	33.09	63.54	-30.45	28.52	1	Vertical	342	1.80	-	37.91	15.72	49.06			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6265G	44.92	83.54	-38.62	40.34	1	Horizontal	10	1.81	-	37.95	15.70	49.07			
AV	20.5676G	33.07	63.54	-30.47	28.58	1	Horizontal	10	1.81	-	37.94	15.65	49.10			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8715G	61.17	88.20	-27.03	40.07	3	Vertical	299	1.80	-	40.47	11.83	31.20			
RMS	13.8947G	49.63	68.20	-18.57	28.34	3	Vertical	299	1.80	-	40.66	11.84	31.21			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.9262G	60.88	88.20	-27.32	39.51	3	Horizontal	232	1.65	-	40.75	11.85	31.23			
RMS	13.8977G	49.48	68.20	-18.72	28.17	3	Horizontal	232	1.65	-	40.68	11.84	31.21			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.7901G	45.85	83.54	-37.69	40.89	1	Vertical	202	1.70	-	38.12	15.83	48.99			
AV	20.8832G	34.42	63.54	-29.12	29.32	1	Vertical	202	1.70	-	38.13	15.91	48.94			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.8844G	45.66	83.54	-37.88	40.56	1	Horizontal	203	1.74	-	38.13	15.91	48.94			
AV	20.8826G	34.42	63.54	-29.12	29.32	1	Horizontal	203	1.74	-	38.13	15.91	48.94			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 86
04-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0154G	113.08	Inf	-Inf	111.98	3	Vertical	258	2.08	-	36.43	7.00	42.33			
RMS	7.0158G	104.57	Inf	-Inf	103.47	3	Vertical	258	2.08	-	36.43	7.00	42.33			
PK	7.1254G	79.41	88.20	-8.79	78.36	3	Vertical	258	2.08	-	36.50	7.04	42.49			
RMS	7.125G	62.22	68.20	-5.98	61.17	3	Vertical	258	2.08	-	36.50	7.04	42.49			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 86
04-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9886G	112.31	Inf	-Inf	111.24	3	Horizontal	3	1.42	-	36.40	6.99	42.32			
RMS	6.9874G	103.93	Inf	-Inf	102.86	3	Horizontal	3	1.42	-	36.40	6.99	42.32			
PK	7.125G	82.40	88.20	-5.80	81.35	3	Horizontal	3	1.42	-	36.50	7.04	42.49			
RMS	7.125G	66.72	68.20	-1.48	65.67	3	Horizontal	3	1.42	-	36.50	7.04	42.49			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 86
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0833G	62.18	88.20	-26.02	40.45	3	Vertical	30	1.86	-	41.13	11.92	31.32			
RMS	14.0933G	49.91	68.20	-18.29	28.15	3	Vertical	30	1.86	-	41.17	11.92	31.33			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 86
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.0146G	61.87	88.20	-26.33	40.32	3	Horizontal	28	1.61	-	40.93	11.89	31.27			
RMS	14.0968G	49.97	68.20	-18.23	28.19	3	Horizontal	28	1.61	-	41.19	11.92	31.33			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 86
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.1134G	57.23	83.54	-26.31	51.88	1	Vertical	210	1.99	-	38.13	16.09	48.87			
AV	21.0878G	42.53	63.54	-21.01	37.16	1	Vertical	210	1.99	-	38.17	16.07	48.87			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 86
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.0806G	56.22	83.54	-27.32	50.81	1	Horizontal	260	1.95	-	38.22	16.06	48.87			
AV	21.1068G	43.21	63.54	-20.33	37.88	1	Horizontal	260	1.95	-	38.11	16.09	48.87			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 88
04-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9135G	78.20	88.20	-10.00	80.20	3	Vertical	121	3.00	-	34.78	6.30	43.08			
RMS	5.925G	67.11	68.20	-1.09	69.02	3	Vertical	121	3.00	-	34.85	6.31	43.07			
PK	6.047G	110.79	Inf	-Inf	112.37	3	Vertical	121	3.00	-	35.00	6.43	43.01			
RMS	6.0795G	102.49	Inf	-Inf	103.96	3	Vertical	121	3.00	-	35.06	6.47	43.00			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 88
04-H-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	73.05	88.20	-15.15	74.96	3	Horizontal	314	2.94	-	34.85	6.31	43.07			
RMS	5.9245G	61.75	68.20	-6.45	63.66	3	Horizontal	314	2.94	-	34.85	6.31	43.07			
PK	6.048G	113.03	Inf	-Inf	114.60	3	Horizontal	314	2.94	-	35.00	6.44	43.01			
RMS	6.045G	102.86	Inf	-Inf	104.44	3	Horizontal	314	2.94	-	35.00	6.43	43.01			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_V_4TX
Setting 88
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0408G	58.84	74.00	-15.16	41.18	3	Vertical	229	200	-	39.26	11.14	32.74			
AV	12.0734G	47.08	54.00	-6.92	29.32	3	Vertical	229	200	-	39.30	11.15	32.69			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 88
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0311G	59.21	74.00	-14.79	41.62	3	Horizontal	88	1.71	-	39.22	11.13	32.76			
AV	12.0755G	47.11	54.00	-6.89	29.35	3	Horizontal	88	1.71	-	39.30	11.15	32.69			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 88
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.1005G	45.16	83.54	-38.38	41.76	1	Vertical	101	1.39	-	37.60	15.29	49.49			
AV	18.084G	33.23	63.54	-30.31	29.87	1	Vertical	101	1.39	-	37.54	15.30	49.48			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 88
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0536G	45.35	83.54	-38.19	42.11	1	Horizontal	110	1.84	-	37.41	15.30	49.47			
AV	18.078G	33.15	63.54	-30.39	29.82	1	Horizontal	110	1.84	-	37.51	15.30	49.48			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4087G	58.02	74.00	-15.98	40.20	3	Vertical	166	1.75	-	38.75	11.28	32.21			
AV	12.3875G	46.86	54.00	-7.14	29.01	3	Vertical	166	1.75	-	38.82	11.27	32.24			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3949G	59.14	74.00	-14.86	41.29	3	Horizontal	175	1.54	-	38.81	11.27	32.23			
AV	12.3871G	46.95	54.00	-7.05	29.09	3	Horizontal	175	1.54	-	38.83	11.27	32.24			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5932G	44.93	83.54	-38.61	41.58	1	Vertical	271	1.84	-	37.70	15.27	49.62			
AV	18.5051G	32.90	63.54	-30.64	29.43	1	Vertical	271	1.84	-	37.88	15.27	49.68			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_Y_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5875G	44.77	83.54	-38.77	41.42	1	Horizontal	224	1.44	-	37.70	15.27	49.62			
AV	18.5676G	32.72	63.54	-30.82	29.38	1	Horizontal	224	1.44	-	37.70	15.27	49.63			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.6532G	58.55	74.00	-15.45	40.31	3	Vertical	165	1.98	-	38.80	11.37	31.93			
AV	12.6572G	46.95	54.00	-7.05	28.70	3	Vertical	165	1.98	-	38.80	11.37	31.92			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.6658G	58.55	74.00	-15.45	40.29	3	Horizontal	177	1.61	-	38.80	11.37	31.91			
AV	12.6657G	46.92	54.00	-7.08	28.66	3	Horizontal	177	1.61	-	38.80	11.37	31.91			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.039G	44.63	83.54	-38.91	40.85	1	Vertical	198	1.58	-	37.90	15.25	49.37			
AV	19.0475G	32.72	63.54	-30.82	28.94	1	Vertical	198	1.58	-	37.90	15.25	49.37			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0244G	44.03	83.54	-39.51	40.24	1	Horizontal	88	1.71	-	37.90	15.25	49.36			
AV	19.055G	32.64	63.54	-30.90	28.87	1	Horizontal	88	1.71	-	37.90	15.25	49.38			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0046G	59.73	88.20	-28.47	40.63	3	Vertical	270	1.76	-	39.18	11.50	31.58			
RMS	13.0285G	47.26	68.20	-20.94	28.21	3	Vertical	270	1.76	-	39.09	11.51	31.55			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.0418G	59.42	88.20	-28.78	40.40	3	Horizontal	279	1.99	-	39.03	11.52	31.53			
RMS	12.9701G	47.29	68.20	-20.91	28.09	3	Horizontal	279	1.99	-	39.32	11.49	31.61			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4879G	45.20	83.54	-38.34	41.69	1	Vertical	144	1.83	-	37.95	15.23	49.67			
AV	19.5398G	32.92	63.54	-30.62	29.27	1	Vertical	144	1.83	-	38.08	15.22	49.65			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.5631G	44.84	83.54	-38.70	41.23	1	Horizontal	81	1.77	-	38.02	15.22	49.63			
AV	19.5536G	32.99	63.54	-30.55	29.33	1	Horizontal	81	1.77	-	38.08	15.22	49.64			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3376G	60.92	74.00	-13.08	40.88	3	Vertical	149	1.83	-	39.63	11.63	31.22			
AV	13.2883G	48.32	54.00	-5.68	28.63	3	Vertical	149	1.83	-	39.35	11.61	31.27			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.3052G	60.11	74.00	-13.89	40.31	3	Horizontal	313	1.57	-	39.43	11.62	31.25			
AV	13.2808G	49.40	54.00	-4.60	29.75	3	Horizontal	313	1.57	-	39.32	11.61	31.28			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.9519G	44.15	83.54	-39.39	40.46	1	Vertical	313	1.44	-	37.80	15.20	49.31			
AV	19.946G	31.26	63.54	-32.28	27.56	1	Vertical	313	1.44	-	37.81	15.20	49.31			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.9545G	43.58	83.54	-39.96	39.89	1	Horizontal	158	1.54	-	37.80	15.20	49.31			
AV	19.9456G	31.38	63.54	-32.16	27.68	1	Horizontal	158	1.54	-	37.81	15.20	49.31			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.6714G	59.68	88.20	-28.52	38.94	3	Vertical	251	1.86	-	40.10	11.76	31.12			
RMS	13.6685G	48.48	68.20	-19.72	27.74	3	Vertical	251	1.86	-	40.10	11.75	31.11			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6187G	60.33	88.20	-27.87	39.58	3	Horizontal	1	1.95	-	40.10	11.74	31.09			
RMS	13.6642G	48.52	68.20	-19.68	27.78	3	Horizontal	1	1.95	-	40.10	11.75	31.11			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.4516G	44.96	83.54	-38.58	40.56	1	Vertical	143	1.53	-	37.99	15.56	49.15			
AV	20.4387G	33.28	63.54	-30.26	28.89	1	Vertical	143	1.53	-	38.00	15.55	49.16			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.4504G	45.10	83.54	-38.44	40.69	1	Horizontal	187	1.74	-	38.00	15.56	49.15			
AV	20.4258G	33.10	63.54	-30.44	28.72	1	Horizontal	187	1.74	-	38.00	15.54	49.16			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 83
04-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9535G	112.65	Inf	-Inf	111.64	3	Vertical	238.1	2.69	-	36.40	6.97	42.36			
RMS	6.9535G	103.56	Inf	-Inf	102.55	3	Vertical	238.1	2.69	-	36.40	6.97	42.36			
PK	7.134G	78.37	88.20	-9.83	77.30	3	Vertical	238.1	2.69	-	36.54	7.04	42.51			
RMS	7.1305G	67.15	68.20	-1.05	66.09	3	Vertical	238.1	2.69	-	36.52	7.04	42.50			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 83
04-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9915G	111.53	Inf	-Inf	110.46	3	Horizontal	23	2.12	-	36.40	6.99	42.32			
RMS	6.99G	102.07	Inf	-Inf	101.00	3	Horizontal	23	2.12	-	36.40	6.99	42.32			
PK	7.143G	74.86	88.20	-13.34	73.77	3	Horizontal	23	2.12	-	36.57	7.04	42.52			
RMS	7.132G	62.31	68.20	-5.89	61.24	3	Horizontal	23	2.12	-	36.53	7.04	42.50			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 83
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.9882G	61.20	88.20	-27.00	39.69	3	Vertical	324	1.63	-	40.88	11.88	31.25			
RMS	14.0177G	49.55	68.20	-18.65	27.99	3	Vertical	324	1.63	-	40.94	11.89	31.27			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 83
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.9869G	61.96	88.20	-26.24	40.46	3	Horizontal	101	1.39	-	40.87	11.88	31.25			
RMS	13.9917G	49.49	68.20	-18.71	27.99	3	Horizontal	101	1.39	-	40.88	11.88	31.26			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 83
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9933G	46.78	83.54	-36.76	41.74	1	Vertical	313	1.74	-	37.93	15.99	48.88			
AV	21.0033G	34.65	63.54	-28.89	29.60	1	Vertical	313	1.74	-	37.93	16.00	48.88			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 83
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9974G	46.38	83.54	-37.16	41.35	1	Horizontal	190	1.62	-	37.91	16.00	48.88			
AV	20.9995G	34.62	63.54	-28.92	29.60	1	Horizontal	190	1.62	-	37.90	16.00	48.88			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 79
04-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9202G	78.37	88.20	-9.83	80.31	3	Vertical	194	1.08	-	34.82	6.31	43.07			
RMS	5.9196G	67.03	68.20	-1.17	68.98	3	Vertical	194	1.08	-	34.82	6.31	43.08			
PK	6.0726G	109.88	Inf	-Inf	111.38	3	Vertical	194	1.08	-	35.05	6.46	43.01			
RMS	6.141G	100.30	Inf	-Inf	101.64	3	Vertical	194	1.08	-	35.10	6.54	42.98			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 79
04-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.889G	68.85	88.20	-19.35	71.03	3	Horizontal	312	2.45	-	34.63	6.28	43.09			
RMS	5.925G	58.68	68.20	-9.52	60.59	3	Horizontal	312	2.45	-	34.85	6.31	43.07			
PK	6.048G	103.58	Inf	-Inf	105.15	3	Horizontal	312	2.45	-	35.00	6.44	43.01			
RMS	6.048G	95.91	Inf	-Inf	97.48	3	Horizontal	312	2.45	-	35.00	6.44	43.01			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_V_4TX
Setting 79
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.2397G	58.69	74.00	-15.31	40.83	3	Vertical	120	1.51	-	39.10	11.21	32.45			
AV	12.1916G	47.26	54.00	-6.74	29.46	3	Vertical	120	1.51	-	39.13	11.19	32.52			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 79
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.222G	57.82	74.00	-16.18	40.00	3	Horizontal	96	1.62	-	39.10	11.20	32.48			
AV	12.1606G	47.21	54.00	-6.79	29.34	3	Horizontal	96	1.62	-	39.26	11.18	32.57			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 79
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.3082G	44.78	83.54	-38.76	41.59	1	Vertical	357	1.40	-	37.50	15.28	49.59			
AV	18.267G	32.82	63.54	-30.72	29.47	1	Vertical	357	1.40	-	37.63	15.29	49.57			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_Y_4TX
Setting 79
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3151G	45.27	83.54	-38.27	42.08	1	Horizontal	30	1.84	-	37.50	15.28	49.59			
AV	18.2668G	32.82	63.54	-30.72	29.47	1	Horizontal	30	1.84	-	37.63	15.29	49.57			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5235G	58.28	74.00	-15.72	40.52	3	Vertical	161	1.38	-	38.50	11.32	32.06			
AV	12.5661G	47.39	54.00	-6.61	29.50	3	Vertical	161	1.38	-	38.56	11.34	32.01			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5046G	58.40	74.00	-15.60	40.67	3	Horizontal	350	1.83	-	38.50	11.31	32.08			
AV	12.575G	47.40	54.00	-6.60	29.46	3	Horizontal	350	1.83	-	38.60	11.34	32.00			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.8148G	45.46	83.54	-38.08	41.81	1	Vertical	206	1.57	-	37.86	15.26	49.47			
AV	18.8416G	32.98	63.54	-30.56	29.20	1	Vertical	206	1.57	-	37.97	15.26	49.45			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.7985G	45.20	83.54	-38.34	41.62	1	Horizontal	155	1.59	-	37.80	15.26	49.48			
AV	18.845G	32.91	63.54	-30.63	29.12	1	Horizontal	155	1.59	-	37.98	15.26	49.45			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8123G	59.34	88.20	-28.86	40.46	3	Vertical	360	1.65	-	39.22	11.43	31.77			
RMS	12.8239G	48.37	68.20	-19.83	29.45	3	Vertical	360	1.65	-	39.25	11.43	31.76			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8697G	59.58	88.20	-28.62	40.54	3	Horizontal	350	1.51	-	39.30	11.45	31.71			
RMS	12.8524G	48.55	68.20	-19.65	29.54	3	Horizontal	350	1.51	-	39.30	11.44	31.73			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz_TX




EUT_Y_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3117G	44.93	83.54	-38.61	41.30	1	Vertical	352	1.98	-	37.95	15.23	49.55			
AV	19.2288G	34.06	63.54	-29.48	30.38	1	Vertical	352	1.98	-	37.94	15.24	49.50			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6425MHz_TX

EUT_Y_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2857G	44.74	83.54	-38.80	41.06	1	Horizontal	123	1.61	-	37.97	15.24	49.53			
AV	19.3163G	33.99	63.54	-29.55	30.39	1	Horizontal	123	1.61	-	37.93	15.23	49.56			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.1491G	60.25	88.20	-27.95	40.71	3	Vertical	282	1.43	-	39.40	11.56	31.42			
RMS	13.1345G	48.83	68.20	-19.37	29.37	3	Vertical	282	1.43	-	39.34	11.55	31.43			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.1247G	59.50	88.20	-28.70	40.10	3	Horizontal	338	1.36	-	39.30	11.55	31.45			
RMS	13.1288G	48.65	68.20	-19.55	29.22	3	Horizontal	338	1.36	-	39.32	11.55	31.44			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7615G	45.21	83.54	-38.33	41.52	1	Vertical	123	1.89	-	37.95	15.21	49.47			
AV	19.7604G	34.11	63.54	-29.43	30.43	1	Vertical	123	1.89	-	37.94	15.21	49.47			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8008G	45.35	83.54	-38.19	41.48	1	Horizontal	162	1.57	-	38.09	15.21	49.43			
AV	19.7765G	34.23	63.54	-29.31	30.46	1	Horizontal	162	1.57	-	38.01	15.21	49.45			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.534G	59.73	88.20	-28.47	38.84	3	Vertical	297	1.75	-	40.24	11.70	31.05			
RMS	13.4583G	49.18	68.20	-19.02	28.58	3	Vertical	297	1.75	-	40.02	11.67	31.09			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.4795G	60.50	88.20	-27.70	39.82	3	Horizontal	196	1.48	-	40.06	11.68	31.06			
RMS	13.4734G	49.11	68.20	-19.09	28.45	3	Horizontal	196	1.48	-	40.05	11.68	31.07			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.2737G	44.86	83.54	-38.68	40.55	1	Vertical	144	1.55	-	38.09	15.42	49.20			
AV	20.237G	34.02	63.54	-29.52	29.87	1	Vertical	144	1.55	-	37.97	15.39	49.21			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 92
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.2627G	44.65	83.54	-38.89	40.39	1	Horizontal	19	1.64	-	38.05	15.41	49.20			
AV	20.2491G	34.08	63.54	-29.46	29.89	1	Horizontal	19	1.64	-	38.00	15.40	49.21			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT Y_4TX
Setting 60
04-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.766G	102.94	Inf	-Inf	102.52	3	Vertical	175	1.12	-	36.13	6.86	42.57			
RMS	6.747G	94.53	Inf	-Inf	94.18	3	Vertical	175	1.12	-	36.09	6.85	42.59			
PK	7.199G	64.04	88.20	-24.16	62.69	3	Vertical	175	1.12	-	36.89	7.06	42.60			
RMS	7.143G	54.67	68.20	-13.53	53.58	3	Vertical	175	1.12	-	36.57	7.04	42.52			
PK	7.293G	61.97	74.00	-12.03	60.43	3	Vertical	175	1.12	-	37.17	7.11	42.74			
AV	7.252G	52.60	54.00	-1.40	51.18	3	Vertical	175	1.12	-	37.01	7.09	42.68			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 60
04-H-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.799G	101.19	Inf	-Inf	100.66	3	Horizontal	321	2.25	-	36.20	6.86	42.53			
RMS	6.992G	93.91	Inf	-Inf	92.84	3	Horizontal	321	2.25	-	36.40	6.99	42.32			
PK	7.18G	59.26	88.20	-28.94	58.00	3	Horizontal	321	2.25	-	36.78	7.05	42.57			
RMS	7.127G	49.75	68.20	-18.45	48.70	3	Horizontal	321	2.25	-	36.51	7.04	42.50			
PK	7.307G	59.81	74.00	-14.19	58.25	3	Horizontal	321	2.25	-	37.20	7.12	42.76			
AV	7.252G	48.57	54.00	-5.43	47.15	3	Horizontal	321	2.25	-	37.01	7.09	42.68			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_V_4TX
Setting 60
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.8383G	60.65	88.20	-27.55	39.74	3	Vertical	181	1.45	-	40.28	11.82	31.19			
RMS	13.8229G	50.26	68.20	-17.94	29.38	3	Vertical	181	1.45	-	40.25	11.81	31.18			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_V_4TX
Setting 60
01-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.8197G	61.36	88.20	-26.84	40.49	3	Horizontal	241	1.56	-	40.24	11.81	31.18			
RMS	13.8011G	50.36	68.20	-17.84	29.53	3	Horizontal	241	1.56	-	40.20	11.80	31.17			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_V_4TX
Setting 60
01-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7448G	45.91	83.54	-37.63	41.31	1	Vertical	101	1.99	-	37.81	15.80	49.01			
AV	20.7552G	34.82	63.54	-28.72	30.19	1	Vertical	101	1.99	-	37.84	15.80	49.01			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX



EUT_V_4TX
Setting 60
01-H-R-7


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7347G	45.59	83.54	-37.95	40.99	1	Horizontal	354	1.49	-	37.83	15.79	49.02			
AV	20.7642G	34.94	63.54	-28.60	30.22	1	Horizontal	354	1.49	-	37.91	15.81	49.00			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

07/08/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

07/08/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

07/08/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

07/08/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

07/08/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

07/08/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

07/08/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

07/08/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

07/08/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

07/08/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

07/08/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

07/08/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

07/08/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

07/08/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

07/08/2024

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.418397G	-0.30	6.46625G	-51.84	-40.30	-11.54	1
6.410399G	-1.59	6.3432G	-54.55	-41.59	-12.96	2
6.398802G	-2.36	6.3437G	-54.97	-42.36	-12.61	3
6.410899G	-0.82	6.46675G	-52.82	-40.82	-12.00	4


6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

07/08/2024

CF (Hz)
6.445G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.439951G	-1.36	6.50655G	-53.22	-41.36	-11.86	1
6.440001G	-1.78	6.3854G	-53.98	-41.41	-12.57	2
6.462546G	-1.72	6.50735G	-53.75	-41.72	-12.03	3
6.440451G	-1.56	6.3856G	-52.50	-41.07	-11.43	4

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

07/08/2024




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

07/08/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

07/08/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

07/08/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

07/08/2024




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

07/08/2024




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

07/08/2024




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

07/08/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

07/08/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

07/08/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

07/08/2024

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3931G	-2.86	6.508G	-52.65	-42.86	-9.79	1
6.3709G	-3.34	6.5075G	-54.95	-43.34	-11.61	2
6.3764G	-4.38	6.5075G	-55.29	-44.38	-10.91	3
6.3712G	-3.11	6.5066G	-52.76	-43.11	-9.65	4

Port 1
Port 2
Port 3
Port 4


6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

07/08/2024

CF (Hz)
6.465G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4797G	0.79	6.5856G	-45.54	-39.16	-6.38	1
6.4483G	0.21	6.3419G	-47.71	-39.79	-7.92	2
6.4531G	0.01	6.3416G	-47.92	-39.99	-7.93	3
6.4503G	0.11	6.5844G	-46.87	-39.48	-7.39	4


Port 1
Port 2
Port 3
Port 4

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

07/08/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

07/08/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

07/08/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

07/08/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

07/08/2024

CF (Hz)
6.865G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8532G	-2.44	6.7049G	-48.59	-42.44	-6.15	1
6.8501G	-1.63	6.7457G	-50.85	-41.38	-9.47	2
6.8539G	-1.69	6.743G	-51.73	-41.69	-10.04	3
6.8555G	-2.06	6.7409G	-52.68	-42.06	-10.62	4

Port 1
Port 2
Port 3
Port 4


6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

07/08/2024

CF (Hz)
6.945G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9299G	-0.68	6.7852G	-48.82	-40.68	-8.14	1
6.9355G	0.15	7.0669G	-49.48	-39.85	-9.63	2
6.9577G	-0.50	7.0683G	-51.06	-40.50	-10.56	3
6.9328G	-1.12	6.8233G	-51.37	-41.12	-10.25	4


Port 1
Port 2
Port 3
Port 4

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

07/08/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

07/08/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

07/08/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

07/08/2024




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

07/08/2024

CF (Hz)
6.505G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.56898G	3.17	6.2602G	-40.23	-36.83	-3.40	1
6.44821G	2.76	6.746G	-42.99	-36.77	-6.22	2
6.52779G	2.34	6.7472G	-44.50	-37.56	-6.94	3
6.42882G	2.36	6.7468G	-42.49	-37.58	-4.91	4


6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

07/08/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69599G	1.10	6.9124G	-42.32	-38.90	-3.42	1
6.69359G	0.36	6.9058G	-45.96	-39.33	-6.63	2
6.69039G	0.19	6.9088G	-47.35	-39.81	-7.54	3
6.72718G	-0.80	6.9074G	-47.44	-40.63	-6.81	4


6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

07/08/2024

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76162G	0.95	6.6254G	-38.19	-32.55	-5.64	1
6.75042G	1.29	7.0688G	-47.66	-38.71	-8.95	2
6.75102G	0.14	6.5822G	-48.74	-39.85	-8.89	3
6.74882G	0.93	6.5814G	-46.84	-38.98	-7.86	4


6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

07/08/2024

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90862G	1.43	7.2288G	-40.74	-38.51	-2.23	1
6.91002G	1.79	6.7402G	-42.99	-38.20	-4.79	2
6.90842G	1.85	6.7364G	-43.85	-38.15	-5.70	3
6.92801G	1.48	7.2304G	-43.32	-38.50	-4.82	4

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

07/08/2024




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

07/08/2024




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

07/08/2024




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

07/08/2024




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

07/08/2024




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

07/08/2024



Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-66.16	2.84	-69.03	≤ -62
						Minimal	-67.16	2.84	-70.00	≤ -62
						ON	-79.16	2.84	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-67.16	2.84	-70.02	≤ -62
						Minimal	-68.16	2.84	-71.00	≤ -62
						ON	-79.16	2.84	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-65.16	2.84	-68.06	≤ -62
						Minimal	-66.16	2.84	-69.00	≤ -62
						ON	-79.16	2.84	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-65.16	2.84	-68.05	≤ -62
						Minimal	-66.16	2.84	-69.00	≤ -62
						ON	-79.16	2.84	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11be EHT320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	160	6105	Low edge	5950	OFF	-63.16	2.84	-66.05	≤ -62
						Minimal	-64.16	2.84	-67.00	≤ -62
						ON	-79.16	2.84	-82.00	≤ -62
				Center	6105	OFF	-61.16	2.84	-64.03	≤ -62
						Minimal	-62.16	2.84	-65.00	≤ -62
						ON	-79.16	2.84	-82.00	≤ -62
				High edge	6260	OFF	-65.16	2.84	-68.03	≤ -62
						Minimal	-66.16	2.84	-69.00	≤ -62
						ON	-79.16	2.84	-82.00	≤ -62
5/6/7	95	160	6425	Low edge	6270	OFF	-65.16	2.84	-68.04	≤ -62
						Minimal	-66.16	2.84	-69.00	≤ -62
						ON	-79.16	2.84	-82.00	≤ -62
				Center	6425	OFF	-61.16	2.84	-64.04	≤ -62
						Minimal	-62.16	2.84	-65.00	≤ -62
						ON	-79.16	2.84	-82.00	≤ -62
				High edge	6580	OFF	-61.16	2.84	-64.03	≤ -62
						Minimal	-62.16	2.84	-65.00	≤ -62
						ON	-79.16	2.84	-82.00	≤ -62
7/8	159	160	6745	Low edge	6590	OFF	-61.16	2.84	-64.05	≤ -62
						Minimal	-62.16	2.84	-65.00	≤ -62
						ON	-79.16	2.84	-82.00	≤ -62
				Center	6745	OFF	-61.16	2.84	-64.04	≤ -62
						Minimal	-62.16	2.84	-65.00	≤ -62
						ON	-79.16	2.84	-82.00	≤ -62
				High edge	6900	OFF	-60.16	2.84	-63.04	≤ -62
						Minimal	-61.16	2.84	-64.00	≤ -62
						ON	-79.16	2.84	-82.00	≤ -62


7/8	191	160	6905	Low edge	6750	OFF	-62.16	2.84	-65.06	≤ -62
						Minimal	-63.16	2.84	-66.00	≤ -62
						ON	-79.16	2.84	-82.00	≤ -62
				Center	6905	OFF	-60.16	2.84	-63.04	≤ -62
						Minimal	-61.16	2.84	-64.00	≤ -62
						ON	-79.16	2.84	-82.00	≤ -62
				High edge	7060	OFF	-59.16	2.84	-62.02	≤ -62
						Minimal	-60.16	2.84	-63.00	≤ -62
						ON	-79.16	2.84	-82.00	≤ -62

Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-69.03	OFF	9	90	90	PASS
6	101	20	6455	Center	6455	-70.02	OFF	10	100	90	PASS
7	149	20	6695	Center	6695	-68.06	OFF	10	100	90	PASS
8	213	20	7015	Center	7015	-68.05	OFF	9	90	90	PASS

Contention Based protocol 802.11be EHT320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	160	6105	Low edge	5950	-66.05	OFF	10	100	90	PASS
				Center	6105	-64.03	OFF	9	90	90	PASS
				High edge	6260	-68.03	OFF	10	100	90	PASS
5/6/7	95	160	6425	Low edge	6270	-68.04	OFF	9	90	90	PASS
				Center	6425	-64.04	OFF	9	90	90	PASS
				High edge	6580	-64.03	OFF	10	100	90	PASS
6/7	159	160	6745	Low edge	6590	-64.05	OFF	9	90	90	PASS
				Center	6745	-64.04	OFF	10	100	90	PASS
				High edge	6900	-63.04	OFF	9	90	90	PASS
7/8	191	160	6905	Low edge	6750	-65.06	OFF	9	90	90	PASS
				Center	6905	-63.04	OFF	9	90	90	PASS
				High edge	7060	-62.02	OFF	9	90	90	PASS


Bandwidth: 20MHz

Traffic Loading Plot




Date: 29.JUL.2024 11:19:01

Traffic Loading Calculation




Bandwidth: 320MHz

Traffic Loading Plot




Traffic Loading Calculation




Incumbent signal (AWGN) Plot

Bandwidth: 20MHz


Frequency (MHz): 6215 MHz




Frequency (MHz): 6455 MHz



Frequency (MHz): 6695 MHz




Frequency (MHz): 7015 MHz




Bandwidth: 320MHz


Frequency (MHz): 5950 MHz




Frequency (MHz): 6105 MHz



Frequency (MHz): 6260 MHz




Frequency (MHz): 6270 MHz




Frequency (MHz): 6425 MHz




Frequency (MHz): 6580 MHz




Frequency (MHz): 6590 MHz




Frequency (MHz): 6745 MHz




Frequency (MHz): 6750 MHz




Frequency (MHz): 6900 MHz



Frequency (MHz): 6905 MHz




Frequency (MHz): 7060 MHz



Contention-Based Protocol Plot


Bandwidth: 20MHz

Test CH 53 ; Incumbent signal 6215 MHz




Note : M1 : Inject AWGN signal

Test CH 101 ; Incumbent signal 6455 MHz




Note : M1 : Inject AWGN signal

Test CH 149 ; Incumbent signal 6695 MHz



Note : M1 : Inject AWGN signal


Test CH 213 ; Incumbent signal 7015 MHz



Note : M1 : Inject AWGN signal

Bandwidth: 320MHz


Test CH 31 ; Incumbent signal 5950 MHz



Date: 29 JUL 2024 14:37:07

Note : M1 : Inject AWGN signal


Test CH 31 ; Incumbent signal 6105 MHz



Date: 29 JUL 2024 16:26:55


Note : M1 : Inject AWGN signal

Test CH 31 ; Incumbent signal 6260 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6270 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6425 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6580 MHz



Note : M1 : Inject AWGN signal


Test CH 159 ; Incumbent signal 6590 MHz



Date: 30 JUL 2024 10:17:52

Note : M1 : Inject AWGN signal


Test CH 159 ; Incumbent signal 6745 MHz



Date: 30 JUL 2024 10:21:12


Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6900 MHz




Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 6750 MHz




Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 6905 MHz



Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 7060 MHz



Note : M1 : Inject AWGN signal