


## 5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

## 5580MHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-D-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.169G      | 55.84             | 74.00             | -18.16         | 72.12         | 3           | Vertical  | 28             | 2.40          | -       | 38.60      | 11.55      | 66.43      |  |  |  |
| AV   | 11.16078G    | 42.87             | 54.00             | -11.13         | 59.16         | 3           | Vertical  | 28             | 2.40          | -       | 38.60      | 11.55      | 66.44      |  |  |  |
| PK   | 16.75416G    | 56.03             | 68.20             | -12.17         | 66.86         | 3           | Vertical  | 252            | 2.58          | -       | 40.02      | 12.23      | 63.08      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

## 5580MHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-D-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.17035G    | 55.42             | 74.00             | -18.58         | 71.70         | 3           | Horizontal | 142            | 2.58          | -       | 38.60      | 11.55      | 66.43      |  |  |  |
| AV   | 11.16006G    | 42.90             | 54.00             | -11.10         | 59.19         | 3           | Horizontal | 142            | 2.58          | -       | 38.60      | 11.55      | 66.44      |  |  |  |
| PK   | 16.74972G    | 56.13             | 68.20             | -12.07         | 66.98         | 3           | Horizontal | 183            | 1.14          | -       | 40.00      | 12.23      | 63.08      |  |  |  |

5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5700MHz\_TX




EUT\_Y\_4TX  
Setting 77  
02-D-Y-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6918G      | 118.56            | Inf               | -Inf           | 107.54        | 3           | Vertical  | 307            | 1.78          | -       | 34.00      | 7.70       | 30.68      |  |  |  |
| AV   | 5.6924G      | 105.76            | Inf               | -Inf           | 94.74         | 3           | Vertical  | 307            | 1.78          | -       | 34.00      | 7.70       | 30.68      |  |  |  |
| PK   | 5.725G       | 66.60             | 68.20             | -1.60          | 55.55         | 3           | Vertical  | 307            | 1.78          | -       | 34.00      | 7.73       | 30.68      |  |  |  |

5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


5700MHz\_TX

EUT\_Y\_4TX  
Setting 77  
02-D-Y-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6908G      | 119.55            | Inf               | -Inf           | 108.53        | 3           | Horizontal | 78             | 2.69          | -       | 34.00      | 7.70       | 30.68      |  |  |  |
| AV   | 5.6916G      | 107.48            | Inf               | -Inf           | 96.46         | 3           | Horizontal | 78             | 2.69          | -       | 34.00      | 7.70       | 30.68      |  |  |  |
| PK   | 5.7258G      | 65.31             | 68.20             | -2.89          | 54.26         | 3           | Horizontal | 78             | 2.69          | -       | 34.00      | 7.73       | 30.68      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

## 5700MHz\_TX




EUT\_Y\_4TX  
Setting 77  
02-D-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.39628G    | 53.36             | 74.00             | -20.64         | 69.05         | 3           | Vertical  | 314            | 1.47          | -       | 38.79      | 11.70      | 66.18      |  |  |  |
| AV   | 11.38776G    | 40.14             | 54.00             | -13.86         | 55.86         | 3           | Vertical  | 314            | 1.47          | -       | 38.78      | 11.69      | 66.19      |  |  |  |
| PK   | 17.10483G    | 58.34             | 68.20             | -9.86          | 67.44         | 3           | Vertical  | 294            | 2.06          | -       | 41.53      | 12.39      | 63.02      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

## 5700MHz\_TX




EUT\_Y\_4TX  
Setting 77  
02-D-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.39772G    | 55.03             | 74.00             | -18.97         | 70.71         | 3           | Horizontal | 199            | 1.44          | -       | 38.80      | 11.70      | 66.18      |  |  |  |
| AV   | 11.40711G    | 42.04             | 54.00             | -11.96         | 57.70         | 3           | Horizontal | 199            | 1.44          | -       | 38.81      | 11.70      | 66.17      |  |  |  |
| PK   | 17.11389G    | 57.86             | 68.20             | -10.34         | 66.91         | 3           | Horizontal | 80             | 2.66          | -       | 41.58      | 12.40      | 63.03      |  |  |  |

5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-D-Y-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.728G       | 124.53            | Inf               | -Inf           | 113.47        | 3           | Vertical  | 215            | 1.94          | -       | 34.00      | 7.74       | 30.68      |  |  |  |
| AV   | 5.728G       | 113.27            | Inf               | -Inf           | 102.21        | 3           | Vertical  | 215            | 1.94          | -       | 34.00      | 7.74       | 30.68      |  |  |  |
| PK   | 5.9196G      | 61.85             | 68.20             | -6.35          | 50.40         | 3           | Vertical  | 215            | 1.94          | -       | 34.20      | 7.88       | 30.63      |  |  |  |

5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX

EUT\_Y\_4TX  
Setting 96  
02-D-Y-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.712G       | 122.40            | Inf               | -Inf           | 111.36        | 3           | Horizontal | 110            | 1.94          | -       | 34.00      | 7.72       | 30.68      |  |  |  |
| AV   | 5.7116G      | 111.65            | Inf               | -Inf           | 100.61        | 3           | Horizontal | 110            | 1.94          | -       | 34.00      | 7.72       | 30.68      |  |  |  |
| PK   | 5.8672G      | 61.97             | 68.20             | -6.23          | 50.70         | 3           | Horizontal | 110            | 1.94          | -       | 34.07      | 7.84       | 30.64      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

## 5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-D-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.43643G    | 56.16             | 74.00             | -17.84         | 71.71         | 3           | Vertical  | 62             | 1.48          | -       | 38.87      | 11.72      | 66.14      |  |  |  |
| AV   | 11.43832G    | 43.43             | 54.00             | -10.57         | 58.97         | 3           | Vertical  | 62             | 1.48          | -       | 38.88      | 11.72      | 66.14      |  |  |  |
| PK   | 17.17038G    | 59.45             | 68.20             | -8.75          | 68.20         | 3           | Vertical  | 180            | 1.70          | -       | 41.88      | 12.43      | 63.06      |  |  |  |

5.47-5.725GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX

EUT\_Y\_4TX  
Setting 96  
02-D-V-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.43559G    | 56.49             | 74.00             | -17.51         | 72.04         | 3           | Horizontal | 113            | 1.63          | -       | 38.87      | 11.72      | 66.14      |  |  |  |
| AV   | 11.43778G    | 43.29             | 54.00             | -10.71         | 58.83         | 3           | Horizontal | 113            | 1.63          | -       | 38.88      | 11.72      | 66.14      |  |  |  |
| PK   | 17.16732G    | 58.71             | 68.20             | -9.49          | 67.48         | 3           | Horizontal | 119            | 1.47          | -       | 41.87      | 12.42      | 63.06      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

## 5745MHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-D-Y-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6455G      | 62.36             | 68.20             | -5.84          | 51.40         | 3           | Vertical  | 168            | 1.79          | -       | 34.00      | 7.66       | 30.70      |  |  |  |
| PK   | 5.751G       | 122.49            | Inf               | -Inf           | 111.40        | 3           | Vertical  | 168            | 1.79          | -       | 34.00      | 7.76       | 30.67      |  |  |  |
| AV   | 5.7535G      | 112.29            | Inf               | -Inf           | 101.19        | 3           | Vertical  | 168            | 1.79          | -       | 34.01      | 7.76       | 30.67      |  |  |  |
| PK   | 5.9795G      | 61.81             | 68.20             | -6.39          | 50.24         | 3           | Vertical  | 168            | 1.79          | -       | 34.26      | 7.92       | 30.61      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

## 5745MHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-D-Y-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6305G      | 62.11             | 68.20             | -6.09          | 51.16         | 3           | Horizontal | 283            | 2.02          | -       | 34.00      | 7.65       | 30.70      |  |  |  |
| PK   | 5.7505G      | 122.92            | Inf               | -Inf           | 111.83        | 3           | Horizontal | 283            | 2.02          | -       | 34.00      | 7.76       | 30.67      |  |  |  |
| AV   | 5.753G       | 112.68            | Inf               | -Inf           | 101.58        | 3           | Horizontal | 283            | 2.02          | -       | 34.01      | 7.76       | 30.67      |  |  |  |
| PK   | 5.98G        | 62.10             | 68.20             | -6.10          | 50.53         | 3           | Horizontal | 283            | 2.02          | -       | 34.26      | 7.92       | 30.61      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

## 5745MHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.49258G    | 57.58             | 74.00             | -16.42         | 37.54         | 3           | Vertical  | 339            | 2.97          | -       | 38.99      | 11.76      | 30.71      |  |  |  |
| AV   | 11.49457G    | 47.36             | 54.00             | -6.64          | 27.32         | 3           | Vertical  | 339            | 2.97          | -       | 38.99      | 11.76      | 30.71      |  |  |  |
| PK   | 17.23853G    | 59.44             | 68.20             | -8.76          | 36.96         | 3           | Vertical  | 164            | 2.56          | -       | 42.23      | 12.46      | 32.21      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

## 5745MHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.49412G    | 57.39             | 74.00             | -16.61         | 37.35         | 3           | Horizontal | 183            | 2.58          | -       | 38.99      | 11.76      | 30.71      |  |  |  |
| AV   | 11.49168G    | 47.22             | 54.00             | -6.78          | 27.19         | 3           | Horizontal | 183            | 2.58          | -       | 38.98      | 11.76      | 30.71      |  |  |  |
| PK   | 17.23967G    | 59.12             | 68.20             | -9.08          | 36.63         | 3           | Horizontal | 232            | 1.52          | -       | 42.24      | 12.46      | 32.21      |  |  |  |

5.725-5.85GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5785MHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-D-Y-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.649G       | 62.36             | 68.20             | -5.84          | 51.39         | 3           | Vertical  | 179            | 1.38          | -       | 34.00      | 7.66       | 30.69      |  |  |  |
| PK   | 5.777G       | 123.49            | Inf               | -Inf           | 112.32        | 3           | Vertical  | 179            | 1.38          | -       | 34.05      | 7.78       | 30.66      |  |  |  |
| AV   | 5.7765G      | 111.50            | Inf               | -Inf           | 100.33        | 3           | Vertical  | 179            | 1.38          | -       | 34.05      | 7.78       | 30.66      |  |  |  |
| PK   | 5.9605G      | 61.73             | 68.20             | -6.47          | 50.23         | 3           | Vertical  | 179            | 1.38          | -       | 34.22      | 7.90       | 30.62      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

## 5785MHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-D-Y-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.646G       | 62.45             | 68.20             | -5.75          | 51.48         | 3           | Horizontal | 102            | 2.05          | -       | 34.00      | 7.66       | 30.69      |  |  |  |
| PK   | 5.792G       | 125.81            | Inf               | -Inf           | 114.60        | 3           | Horizontal | 102            | 2.05          | -       | 34.08      | 7.79       | 30.66      |  |  |  |
| AV   | 5.7935G      | 114.48            | Inf               | -Inf           | 103.26        | 3           | Horizontal | 102            | 2.05          | -       | 34.09      | 7.79       | 30.66      |  |  |  |
| PK   | 5.9275G      | 62.09             | 68.20             | -6.11          | 50.64         | 3           | Horizontal | 102            | 2.05          | -       | 34.20      | 7.88       | 30.63      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

## 5785MHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.5722G     | 60.78             | 74.00             | -13.22         | 40.55         | 3           | Vertical  | 230            | 1.56          | -       | 39.19      | 11.81      | 30.77      |  |  |  |
| AV   | 11.57383G    | 47.30             | 54.00             | -6.70          | 27.06         | 3           | Vertical  | 230            | 1.56          | -       | 39.20      | 11.81      | 30.77      |  |  |  |
| PK   | 17.35907G    | 61.03             | 68.20             | -7.17          | 37.71         | 3           | Vertical  | 236            | 2.08          | -       | 43.05      | 12.52      | 32.25      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

## 5785MHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.57012G    | 61.06             | 74.00             | -12.94         | 40.84         | 3           | Horizontal | 168            | 1.58          | -       | 39.18      | 11.81      | 30.77      |  |  |  |
| AV   | 11.57438G    | 47.35             | 54.00             | -6.65          | 27.11         | 3           | Horizontal | 168            | 1.58          | -       | 39.20      | 11.81      | 30.77      |  |  |  |
| PK   | 17.3535G     | 61.98             | 68.20             | -6.22          | 38.70         | 3           | Horizontal | 1              | 2.25          | -       | 43.02      | 12.51      | 32.25      |  |  |  |

5.725-5.85GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


5825MHz\_TX

EUT\_Y\_4TX  
Setting 96  
02-D-Y-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6455G      | 61.81             | 68.20             | -6.39          | 50.85         | 3           | Vertical  | 4              | 1.80          | -       | 34.00      | 7.66       | 30.70      |  |  |  |
| PK   | 5.832G       | 120.00            | Inf               | -Inf           | 108.79        | 3           | Vertical  | 4              | 1.80          | -       | 34.04      | 7.82       | 30.65      |  |  |  |
| AV   | 5.8335G      | 109.89            | Inf               | -Inf           | 98.69         | 3           | Vertical  | 4              | 1.80          | -       | 34.03      | 7.82       | 30.65      |  |  |  |
| PK   | 6.0305G      | 61.73             | 68.20             | -6.47          | 50.09         | 3           | Vertical  | 4              | 1.80          | -       | 34.30      | 7.98       | 30.64      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

## 5825MHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-D-Y-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.617G       | 62.22             | 68.20             | -5.98          | 51.28         | 3           | Horizontal | 103            | 1.52          | -       | 34.00      | 7.64       | 30.70      |  |  |  |
| PK   | 5.834G       | 123.68            | Inf               | -Inf           | 112.48        | 3           | Horizontal | 103            | 1.52          | -       | 34.03      | 7.82       | 30.65      |  |  |  |
| AV   | 5.8325G      | 112.04            | Inf               | -Inf           | 100.83        | 3           | Horizontal | 103            | 1.52          | -       | 34.04      | 7.82       | 30.65      |  |  |  |
| PK   | 6.074G       | 61.94             | 68.20             | -6.26          | 50.19         | 3           | Horizontal | 103            | 1.52          | -       | 34.40      | 8.04       | 30.69      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

## 5825MHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.64567G    | 60.52             | 74.00             | -13.48         | 40.19         | 3           | Vertical  | 24             | 2.05          | -       | 39.30      | 11.86      | 30.83      |  |  |  |
| AV   | 11.65306G    | 47.03             | 54.00             | -6.97          | 26.70         | 3           | Vertical  | 24             | 2.05          | -       | 39.31      | 11.86      | 30.84      |  |  |  |
| PK   | 17.4744G     | 62.22             | 68.20             | -5.98          | 38.00         | 3           | Vertical  | 171            | 2.63          | -       | 43.94      | 12.57      | 32.29      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

## 5825MHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.64704G    | 60.33             | 74.00             | -13.67         | 40.00         | 3           | Horizontal | 352            | 2.39          | -       | 39.30      | 11.86      | 30.83      |  |  |  |
| AV   | 11.6538G     | 47.05             | 54.00             | -6.95          | 26.71         | 3           | Horizontal | 352            | 2.39          | -       | 39.32      | 11.86      | 30.84      |  |  |  |
| PK   | 17.47864G    | 62.46             | 68.20             | -5.74          | 38.19         | 3           | Horizontal | 61             | 1.40          | -       | 43.99      | 12.57      | 32.29      |  |  |  |

## 5.15-5.25GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5190MHz\_TX




EUT\_Y\_4TX  
Setting 84  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.15G        | 65.83             | 74.00             | -8.17          | 56.18         | 3           | Vertical  | 160            | 1.56          | -       | 33.60      | 6.98       | 30.93      |  |  |  |
| AV   | 5.1496G      | 52.70             | 54.00             | -1.30          | 43.05         | 3           | Vertical  | 160            | 1.56          | -       | 33.60      | 6.98       | 30.93      |  |  |  |
| PK   | 5.203G       | 118.52            | Inf               | -Inf           | 108.70        | 3           | Vertical  | 160            | 1.56          | -       | 33.71      | 7.01       | 30.90      |  |  |  |
| AV   | 5.2056G      | 107.33            | Inf               | -Inf           | 97.50         | 3           | Vertical  | 160            | 1.56          | -       | 33.71      | 7.01       | 30.89      |  |  |  |

## 5.15-5.25GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




EUT\_Y\_4TX  
Setting 84  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1484G      | 64.34             | 74.00             | -9.66          | 54.69         | 3           | Horizontal | 26             | 1.92          | -       | 33.60      | 6.98       | 30.93      |  |  |  |
| AV   | 5.1484G      | 52.37             | 54.00             | -1.63          | 42.72         | 3           | Horizontal | 26             | 1.92          | -       | 33.60      | 6.98       | 30.93      |  |  |  |
| PK   | 5.1942G      | 114.95            | Inf               | -Inf           | 105.15        | 3           | Horizontal | 26             | 1.92          | -       | 33.69      | 7.01       | 30.90      |  |  |  |
| AV   | 5.1962G      | 102.46            | Inf               | -Inf           | 92.66         | 3           | Horizontal | 26             | 1.92          | -       | 33.69      | 7.01       | 30.90      |  |  |  |

## 5.15-5.25GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5190MHz\_TX




EUT\_Y\_4TX  
Setting 84  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.38357G    | 52.23             | 68.20             | -15.97         | 68.94         | 3           | Vertical  | 250            | 1.95          | -       | 38.53      | 11.05      | 66.29      |  |  |  |
| PK   | 15.56734G    | 54.59             | 74.00             | -19.41         | 67.48         | 3           | Vertical  | 206            | 2.55          | -       | 37.97      | 11.85      | 62.71      |  |  |  |
| AV   | 15.57308G    | 40.65             | 54.00             | -13.35         | 53.56         | 3           | Vertical  | 206            | 2.55          | -       | 37.95      | 11.85      | 62.71      |  |  |  |

## 5.15-5.25GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5190MHz\_TX




EUT\_Y\_4TX  
Setting 84  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.38481G    | 52.21             | 68.20             | -15.99         | 68.92         | 3           | Horizontal | 327            | 2.99          | -       | 38.53      | 11.05      | 66.29      |  |  |  |
| PK   | 15.56802G    | 54.64             | 74.00             | -19.36         | 67.54         | 3           | Horizontal | 149            | 1.57          | -       | 37.96      | 11.85      | 62.71      |  |  |  |
| AV   | 15.56954G    | 40.58             | 54.00             | -13.42         | 53.48         | 3           | Horizontal | 149            | 1.57          | -       | 37.96      | 11.85      | 62.71      |  |  |  |

## 5.15-5.25GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5230MHz\_TX




EUT Y\_4TX  
Setting 96  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1484G      | 62.54             | 74.00             | -11.46         | 52.89         | 3           | Vertical  | 167            | 1.80          | -       | 33.60      | 6.98       | 30.93      |  |  |  |
| AV   | 5.1472G      | 49.87             | 54.00             | -4.13          | 40.22         | 3           | Vertical  | 167            | 1.80          | -       | 33.60      | 6.98       | 30.93      |  |  |  |
| PK   | 5.2123G      | 116.21            | Inf               | -Inf           | 106.37        | 3           | Vertical  | 167            | 1.80          | -       | 33.72      | 7.01       | 30.89      |  |  |  |
| AV   | 5.2246G      | 104.43            | Inf               | -Inf           | 94.56         | 3           | Vertical  | 167            | 1.80          | -       | 33.75      | 7.00       | 30.88      |  |  |  |
| PK   | 5.3545G      | 62.54             | 74.00             | -11.46         | 52.47         | 3           | Vertical  | 167            | 1.80          | -       | 33.91      | 6.97       | 30.81      |  |  |  |
| AV   | 5.3503G      | 48.97             | 54.00             | -5.03          | 38.91         | 3           | Vertical  | 167            | 1.80          | -       | 33.90      | 6.97       | 30.81      |  |  |  |

## 5.15-5.25GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5230MHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1454G      | 62.48             | 74.00             | -11.52         | 52.84         | 3           | Horizontal | 26             | 1.65          | -       | 33.60      | 6.97       | 30.93      |  |  |  |
| AV   | 5.1499G      | 50.18             | 54.00             | -3.82          | 40.53         | 3           | Horizontal | 26             | 1.65          | -       | 33.60      | 6.98       | 30.93      |  |  |  |
| PK   | 5.2168G      | 119.40            | Inf               | -Inf           | 109.55        | 3           | Horizontal | 26             | 1.65          | -       | 33.73      | 7.01       | 30.89      |  |  |  |
| AV   | 5.2168G      | 107.79            | Inf               | -Inf           | 97.94         | 3           | Horizontal | 26             | 1.65          | -       | 33.73      | 7.01       | 30.89      |  |  |  |
| PK   | 5.3515G      | 62.25             | 74.00             | -11.75         | 52.19         | 3           | Horizontal | 26             | 1.65          | -       | 33.90      | 6.97       | 30.81      |  |  |  |
| AV   | 5.3506G      | 48.99             | 54.00             | -5.01          | 38.93         | 3           | Horizontal | 26             | 1.65          | -       | 33.90      | 6.97       | 30.81      |  |  |  |

## 5.15-5.25GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5230MHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.45604G    | 52.31             | 68.20             | -15.89         | 68.98         | 3           | Vertical  | 133            | 2.92          | -       | 38.41      | 11.10      | 66.18      |  |  |  |
| PK   | 15.69084G    | 53.74             | 74.00             | -20.26         | 67.04         | 3           | Vertical  | 4              | 2.59          | -       | 37.62      | 11.86      | 62.78      |  |  |  |
| AV   | 15.69234G    | 40.07             | 54.00             | -13.93         | 53.38         | 3           | Vertical  | 4              | 2.59          | -       | 37.62      | 11.86      | 62.79      |  |  |  |

## 5.15-5.25GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5230MHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.45634G    | 52.28             | 68.20             | -15.92         | 68.95         | 3           | Horizontal | 136            | 2.65          | -       | 38.41      | 11.10      | 66.18      |  |  |  |
| PK   | 15.68651G    | 53.46             | 74.00             | -20.54         | 66.75         | 3           | Horizontal | 88             | 1.01          | -       | 37.63      | 11.86      | 62.78      |  |  |  |
| AV   | 15.68993G    | 40.22             | 54.00             | -13.78         | 53.52         | 3           | Horizontal | 88             | 1.01          | -       | 37.62      | 11.86      | 62.78      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5270MHz\_TX




EUT Y\_4TX  
Setting 94  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1479G      | 60.77             | 74.00             | -13.23         | 51.12         | 3           | Vertical  | 165            | 1.66          | -       | 33.60      | 6.98       | 30.93      |  |  |  |
| AV   | 5.1476G      | 48.37             | 54.00             | -5.63          | 38.72         | 3           | Vertical  | 165            | 1.66          | -       | 33.60      | 6.98       | 30.93      |  |  |  |
| PK   | 5.2631G      | 120.17            | Inf               | -Inf           | 110.21        | 3           | Vertical  | 165            | 1.66          | -       | 33.83      | 6.99       | 30.86      |  |  |  |
| AV   | 5.2619G      | 107.15            | Inf               | -Inf           | 97.20         | 3           | Vertical  | 165            | 1.66          | -       | 33.82      | 6.99       | 30.86      |  |  |  |
| PK   | 5.3726G      | 65.58             | 74.00             | -8.42          | 55.46         | 3           | Vertical  | 165            | 1.66          | -       | 33.95      | 6.97       | 30.80      |  |  |  |
| AV   | 5.35G        | 52.23             | 54.00             | -1.77          | 42.17         | 3           | Vertical  | 165            | 1.66          | -       | 33.90      | 6.97       | 30.81      |  |  |  |

5.25-5.35GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5270MHz\_TX




EUT Y\_4TX  
Setting 94  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1362G      | 60.20             | 74.00             | -13.80         | 50.56         | 3           | Horizontal | 262            | 1.84          | -       | 33.60      | 6.97       | 30.93      |  |  |  |
| AV   | 5.1491G      | 48.05             | 54.00             | -5.95          | 38.40         | 3           | Horizontal | 262            | 1.84          | -       | 33.60      | 6.98       | 30.93      |  |  |  |
| PK   | 5.2886G      | 120.80            | Inf               | -Inf           | 110.78        | 3           | Horizontal | 262            | 1.84          | -       | 33.88      | 6.99       | 30.85      |  |  |  |
| AV   | 5.288G       | 108.68            | Inf               | -Inf           | 98.66         | 3           | Horizontal | 262            | 1.84          | -       | 33.88      | 6.99       | 30.85      |  |  |  |
| PK   | 5.3852G      | 65.97             | 74.00             | -8.03          | 55.83         | 3           | Horizontal | 262            | 1.84          | -       | 33.97      | 6.96       | 30.79      |  |  |  |
| AV   | 5.351G       | 51.84             | 54.00             | -2.16          | 41.78         | 3           | Horizontal | 262            | 1.84          | -       | 33.90      | 6.97       | 30.81      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5270MHz\_TX




EUT\_Y\_4TX  
Setting 94  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.53843G    | 52.57             | 68.20             | -15.63         | 68.99         | 3           | Vertical  | 127            | 1.59          | -       | 38.58      | 11.15      | 66.15      |  |  |  |
| PK   | 15.81172G    | 53.83             | 74.00             | -20.17         | 67.41         | 3           | Vertical  | 210            | 2.03          | -       | 37.42      | 11.86      | 62.86      |  |  |  |
| AV   | 15.81064G    | 40.18             | 54.00             | -13.82         | 53.76         | 3           | Vertical  | 210            | 2.03          | -       | 37.42      | 11.86      | 62.86      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5270MHz\_TX




EUT\_Y\_4TX  
Setting 94  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.54256G    | 52.86             | 68.20             | -15.34         | 69.27         | 3           | Horizontal | 202            | 1.81          | -       | 38.59      | 11.15      | 66.15      |  |  |  |
| PK   | 15.81089G    | 53.59             | 74.00             | -20.41         | 67.17         | 3           | Horizontal | 72             | 1.88          | -       | 37.42      | 11.86      | 62.86      |  |  |  |
| AV   | 15.80787G    | 40.25             | 54.00             | -13.75         | 53.82         | 3           | Horizontal | 72             | 1.88          | -       | 37.42      | 11.86      | 62.85      |  |  |  |

5.25-5.35GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5310MHz\_TX




EUT\_Y\_4TX  
Setting 77  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3254G      | 114.45            | Inf               | -Inf           | 104.40        | 3           | Vertical  | 164            | 1.50          | -       | 33.90      | 6.98       | 30.83      |  |  |  |
| AV   | 5.3258G      | 102.46            | Inf               | -Inf           | 92.41         | 3           | Vertical  | 164            | 1.50          | -       | 33.90      | 6.98       | 30.83      |  |  |  |
| PK   | 5.3526G      | 65.31             | 74.00             | -8.69          | 55.24         | 3           | Vertical  | 164            | 1.50          | -       | 33.91      | 6.97       | 30.81      |  |  |  |
| AV   | 5.35G        | 51.75             | 54.00             | -2.25          | 41.69         | 3           | Vertical  | 164            | 1.50          | -       | 33.90      | 6.97       | 30.81      |  |  |  |

5.25-5.35GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5310MHz\_TX




EUT\_Y\_4TX  
Setting 77  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3284G      | 117.37            | Inf               | -Inf           | 107.32        | 3           | Horizontal | 1              | 1.21          | -       | 33.90      | 6.98       | 30.83      |  |  |  |
| AV   | 5.328G       | 105.64            | Inf               | -Inf           | 95.59         | 3           | Horizontal | 1              | 1.21          | -       | 33.90      | 6.98       | 30.83      |  |  |  |
| PK   | 5.3598G      | 67.61             | 74.00             | -6.39          | 57.53         | 3           | Horizontal | 1              | 1.21          | -       | 33.92      | 6.97       | 30.81      |  |  |  |
| AV   | 5.3518G      | 52.71             | 54.00             | -1.29          | 42.65         | 3           | Horizontal | 1              | 1.21          | -       | 33.90      | 6.97       | 30.81      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




EUT\_Y\_4TX  
Setting 77  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.61801G    | 52.77             | 74.00             | -21.23         | 69.24         | 3           | Vertical  | 95             | 2.50          | -       | 38.56      | 11.20      | 66.23      |  |  |  |
| AV   | 10.61542G    | 38.55             | 54.00             | -15.45         | 55.01         | 3           | Vertical  | 95             | 2.50          | -       | 38.57      | 11.20      | 66.23      |  |  |  |
| PK   | 15.92767G    | 55.09             | 74.00             | -18.91         | 68.56         | 3           | Vertical  | 58             | 1.58          | -       | 37.59      | 11.87      | 62.93      |  |  |  |
| AV   | 15.92749G    | 40.71             | 54.00             | -13.29         | 54.18         | 3           | Vertical  | 58             | 1.58          | -       | 37.59      | 11.87      | 62.93      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5310MHz\_TX




EUT\_Y\_4TX  
Setting 77  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.6212G     | 52.31             | 74.00             | -21.69         | 68.78         | 3           | Horizontal | 213            | 2.71          | -       | 38.56      | 11.20      | 66.23      |  |  |  |
| AV   | 10.61578G    | 38.54             | 54.00             | -15.46         | 55.00         | 3           | Horizontal | 213            | 2.71          | -       | 38.57      | 11.20      | 66.23      |  |  |  |
| PK   | 15.93286G    | 54.46             | 74.00             | -19.54         | 67.95         | 3           | Horizontal | 352            | 2.14          | -       | 37.57      | 11.87      | 62.93      |  |  |  |
| AV   | 15.92978G    | 40.70             | 54.00             | -13.30         | 54.18         | 3           | Horizontal | 352            | 2.14          | -       | 37.58      | 11.87      | 62.93      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




EUT\_Y\_4TX  
Setting 73  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.46G        | 65.67             | 74.00             | -8.33          | 55.24         | 3           | Vertical  | 159            | 1.70          | -       | 34.02      | 7.16       | 30.75      |  |  |  |
| AV   | 5.46G        | 51.47             | 54.00             | -2.53          | 41.04         | 3           | Vertical  | 159            | 1.70          | -       | 34.02      | 7.16       | 30.75      |  |  |  |
| PK   | 5.464G       | 66.53             | 68.20             | -1.67          | 56.08         | 3           | Vertical  | 159            | 1.70          | -       | 34.03      | 7.17       | 30.75      |  |  |  |
| PK   | 5.519G       | 111.87            | Inf               | -Inf           | 101.19        | 3           | Vertical  | 159            | 1.70          | -       | 34.06      | 7.35       | 30.73      |  |  |  |
| AV   | 5.5192G      | 98.74             | Inf               | -Inf           | 88.06         | 3           | Vertical  | 159            | 1.70          | -       | 34.06      | 7.35       | 30.73      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




EUT\_Y\_4TX  
Setting 73  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4456G      | 61.46             | 74.00             | -12.54         | 51.11         | 3           | Horizontal | 100            | 1.87          | -       | 34.00      | 7.11       | 30.76      |  |  |  |
| PK   | 5.4622G      | 61.91             | 68.20             | -6.29          | 51.47         | 3           | Horizontal | 100            | 1.87          | -       | 34.02      | 7.17       | 30.75      |  |  |  |
| AV   | 5.4596G      | 48.92             | 54.00             | -5.08          | 38.49         | 3           | Horizontal | 100            | 1.87          | -       | 34.02      | 7.16       | 30.75      |  |  |  |
| PK   | 5.5242G      | 117.53            | Inf               | -Inf           | 106.83        | 3           | Horizontal | 100            | 1.87          | -       | 34.05      | 7.37       | 30.72      |  |  |  |
| AV   | 5.524G       | 104.46            | Inf               | -Inf           | 93.76         | 3           | Horizontal | 100            | 1.87          | -       | 34.05      | 7.37       | 30.72      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5510MHz\_TX




EUT\_Y\_4TX  
Setting 73  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.02435G    | 54.39             | 74.00             | -19.61         | 70.92         | 3           | Vertical  | 55             | 2.49          | -       | 38.60      | 11.46      | 66.59      |  |  |  |
| AV   | 11.02306G    | 39.79             | 54.00             | -14.21         | 56.32         | 3           | Vertical  | 55             | 2.49          | -       | 38.60      | 11.46      | 66.59      |  |  |  |
| PK   | 16.53303G    | 55.20             | 68.20             | -13.00         | 67.20         | 3           | Vertical  | 21             | 2.11          | -       | 39.06      | 12.12      | 63.18      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5510MHz\_TX




EUT\_Y\_4TX  
Setting 73  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.01793G    | 53.71             | 74.00             | -20.29         | 70.25         | 3           | Horizontal | 156            | 1.22          | -       | 38.60      | 11.46      | 66.60      |  |  |  |
| AV   | 11.02434G    | 39.90             | 54.00             | -14.10         | 56.43         | 3           | Horizontal | 156            | 1.22          | -       | 38.60      | 11.46      | 66.59      |  |  |  |
| PK   | 16.52712G    | 54.73             | 68.20             | -13.47         | 66.78         | 3           | Horizontal | 43             | 2.17          | -       | 39.02      | 12.12      | 63.19      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5550MHz\_TX




EUT\_Y\_4TX  
Setting 90  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.457G       | 64.86             | 74.00             | -9.14          | 54.45         | 3           | Vertical  | 178            | 1.74          | -       | 34.01      | 7.15       | 30.75      |  |  |  |
| AV   | 5.4582G      | 52.26             | 54.00             | -1.74          | 41.84         | 3           | Vertical  | 178            | 1.74          | -       | 34.02      | 7.15       | 30.75      |  |  |  |
| PK   | 5.4699G      | 66.70             | 68.20             | -1.50          | 56.22         | 3           | Vertical  | 178            | 1.74          | -       | 34.04      | 7.19       | 30.75      |  |  |  |
| PK   | 5.5524G      | 115.18            | Inf               | -Inf           | 104.44        | 3           | Vertical  | 178            | 1.74          | -       | 34.00      | 7.46       | 30.72      |  |  |  |
| AV   | 5.5515G      | 103.17            | Inf               | -Inf           | 92.43         | 3           | Vertical  | 178            | 1.74          | -       | 34.00      | 7.46       | 30.72      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5550MHz\_TX




EUT\_Y\_4TX  
Setting 90  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4594G      | 64.57             | 74.00             | -9.43          | 54.14         | 3           | Horizontal | 326            | 1.32          | -       | 34.02      | 7.16       | 30.75      |  |  |  |
| AV   | 5.4594G      | 51.71             | 54.00             | -2.29          | 41.28         | 3           | Horizontal | 326            | 1.32          | -       | 34.02      | 7.16       | 30.75      |  |  |  |
| PK   | 5.4648G      | 66.29             | 68.20             | -1.91          | 55.84         | 3           | Horizontal | 326            | 1.32          | -       | 34.03      | 7.17       | 30.75      |  |  |  |
| PK   | 5.5659G      | 123.44            | Inf               | -Inf           | 112.64        | 3           | Horizontal | 326            | 1.32          | -       | 34.00      | 7.51       | 30.71      |  |  |  |
| AV   | 5.568G       | 110.73            | Inf               | -Inf           | 99.93         | 3           | Horizontal | 326            | 1.32          | -       | 34.00      | 7.51       | 30.71      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5550MHz\_TX




EUT\_Y\_4TX  
Setting 90  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.1007G     | 54.68             | 74.00             | -19.32         | 71.08         | 3           | Vertical  | 11             | 1.26          | -       | 38.60      | 11.51      | 66.51      |  |  |  |
| AV   | 11.09673G    | 39.97             | 54.00             | -14.03         | 56.37         | 3           | Vertical  | 11             | 1.26          | -       | 38.60      | 11.51      | 66.51      |  |  |  |
| PK   | 16.64972G    | 56.01             | 68.20             | -12.19         | 67.16         | 3           | Vertical  | 103            | 2.50          | -       | 39.80      | 12.18      | 63.13      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5550MHz\_TX




EUT\_Y\_4TX  
Setting 90  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.10351G    | 54.26             | 74.00             | -19.74         | 70.66         | 3           | Horizontal | 157            | 1.35          | -       | 38.60      | 11.51      | 66.51      |  |  |  |
| AV   | 11.09594G    | 40.00             | 54.00             | -14.00         | 56.40         | 3           | Horizontal | 157            | 1.35          | -       | 38.60      | 11.51      | 66.51      |  |  |  |
| PK   | 16.65115G    | 56.87             | 68.20             | -11.33         | 68.02         | 3           | Horizontal | 105            | 1.20          | -       | 39.80      | 12.18      | 63.13      |  |  |  |

5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


5670MHz\_TX

EUT\_Y\_4TX  
Setting 73  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6548G      | 111.51            | Inf               | -Inf           | 100.53        | 3           | Vertical  | 166            | 1.67          | -       | 34.00      | 7.67       | 30.69      |  |  |  |
| AV   | 5.6646G      | 98.15             | Inf               | -Inf           | 87.16         | 3           | Vertical  | 166            | 1.67          | -       | 34.00      | 7.68       | 30.69      |  |  |  |
| PK   | 5.7336G      | 65.03             | 68.20             | -3.17          | 53.96         | 3           | Vertical  | 166            | 1.67          | -       | 34.00      | 7.74       | 30.67      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5670MHz\_TX




EUT\_Y\_4TX  
Setting 73  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6572G      | 116.69            | Inf               | -Inf           | 105.71        | 3           | Horizontal | 80             | 2.04          | -       | 34.00      | 7.67       | 30.69      |  |  |  |
| AV   | 5.6548G      | 104.02            | Inf               | -Inf           | 93.04         | 3           | Horizontal | 80             | 2.04          | -       | 34.00      | 7.67       | 30.69      |  |  |  |
| PK   | 5.7252G      | 66.95             | 68.20             | -1.25          | 55.90         | 3           | Horizontal | 80             | 2.04          | -       | 34.00      | 7.73       | 30.68      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5670MHz\_TX




EUT\_Y\_4TX  
Setting 73  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.33861G    | 53.51             | 74.00             | -20.49         | 69.40         | 3           | Vertical  | 247            | 2.66          | -       | 38.70      | 11.66      | 66.25      |  |  |  |
| AV   | 11.33976G    | 39.57             | 54.00             | -14.43         | 55.46         | 3           | Vertical  | 247            | 2.66          | -       | 38.70      | 11.66      | 66.25      |  |  |  |
| PK   | 17.00677G    | 58.12             | 68.20             | -10.08         | 67.33         | 3           | Vertical  | 135            | 2.03          | -       | 41.40      | 12.35      | 62.96      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5670MHz\_TX




EUT\_Y\_4TX  
Setting 73  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.34241G    | 54.34             | 74.00             | -19.66         | 70.22         | 3           | Horizontal | 12             | 2.90          | -       | 38.70      | 11.66      | 66.24      |  |  |  |
| AV   | 11.34024G    | 39.56             | 54.00             | -14.44         | 55.45         | 3           | Horizontal | 12             | 2.90          | -       | 38.70      | 11.66      | 66.25      |  |  |  |
| PK   | 17.00648G    | 58.34             | 68.20             | -9.86          | 67.55         | 3           | Horizontal | 170            | 2.70          | -       | 41.40      | 12.35      | 62.96      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7032G      | 116.69            | Inf               | -Inf           | 105.66        | 3           | Vertical  | 190            | 1.72          | -       | 34.00      | 7.71       | 30.68      |  |  |  |
| AV   | 5.7276G      | 103.53            | Inf               | -Inf           | 92.48         | 3           | Vertical  | 190            | 1.72          | -       | 34.00      | 7.73       | 30.68      |  |  |  |
| PK   | 5.8576G      | 63.91             | 68.20             | -4.29          | 52.68         | 3           | Vertical  | 190            | 1.72          | -       | 34.03      | 7.84       | 30.64      |  |  |  |

5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TX

EUT\_Y\_4TX  
Setting 96  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.7272G      | 120.40            | Inf               | -Inf           | 109.35        | 3           | Horizontal | 262            | 2.45          | -       | 34.00      | 7.73       | 30.68      |  |  |  |
| AV   | 5.7284G      | 108.91            | Inf               | -Inf           | 97.85         | 3           | Horizontal | 262            | 2.45          | -       | 34.00      | 7.74       | 30.68      |  |  |  |
| PK   | 5.9044G      | 61.90             | 68.20             | -6.30          | 50.46         | 3           | Horizontal | 262            | 2.45          | -       | 34.20      | 7.87       | 30.63      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.4236G     | 53.51             | 74.00             | -20.49         | 69.10         | 3           | Vertical  | 198            | 2.94          | -       | 38.85      | 11.71      | 66.15      |  |  |  |
| AV   | 11.425G      | 39.81             | 54.00             | -14.19         | 55.40         | 3           | Vertical  | 198            | 2.94          | -       | 38.85      | 11.71      | 66.15      |  |  |  |
| PK   | 17.1331G     | 58.24             | 68.20             | -9.96          | 67.17         | 3           | Vertical  | 326            | 1.31          | -       | 41.70      | 12.41      | 63.04      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.41783G    | 54.22             | 74.00             | -19.78         | 69.83         | 3           | Horizontal | 113            | 2.92          | -       | 38.84      | 11.71      | 66.16      |  |  |  |
| AV   | 11.42458G    | 39.53             | 54.00             | -14.47         | 55.12         | 3           | Horizontal | 113            | 2.92          | -       | 38.85      | 11.71      | 66.15      |  |  |  |
| PK   | 17.12798G    | 58.09             | 68.20             | -10.11         | 67.05         | 3           | Horizontal | 235            | 2.83          | -       | 41.67      | 12.41      | 63.04      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5755MHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6345G      | 65.63             | 68.20             | -2.57          | 54.68         | 3           | Vertical  | 166            | 1.47          | -       | 34.00      | 7.65       | 30.70      |  |  |  |
| PK   | 5.747G       | 119.12            | Inf               | -Inf           | 108.04        | 3           | Vertical  | 166            | 1.47          | -       | 34.00      | 7.75       | 30.67      |  |  |  |
| AV   | 5.757G       | 106.63            | Inf               | -Inf           | 95.53         | 3           | Vertical  | 166            | 1.47          | -       | 34.01      | 7.76       | 30.67      |  |  |  |
| PK   | 5.937G       | 61.71             | 68.20             | -6.49          | 50.25         | 3           | Vertical  | 166            | 1.47          | -       | 34.20      | 7.89       | 30.63      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5755MHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6485G      | 65.49             | 68.20             | -2.71          | 54.52         | 3           | Horizontal | 99             | 1.92          | -       | 34.00      | 7.66       | 30.69      |  |  |  |
| PK   | 5.77G        | 121.72            | Inf               | -Inf           | 110.58        | 3           | Horizontal | 99             | 1.92          | -       | 34.04      | 7.77       | 30.67      |  |  |  |
| AV   | 5.772G       | 109.49            | Inf               | -Inf           | 98.34         | 3           | Horizontal | 99             | 1.92          | -       | 34.04      | 7.77       | 30.66      |  |  |  |
| PK   | 6.0025G      | 61.82             | 68.20             | -6.38          | 50.20         | 3           | Horizontal | 99             | 1.92          | -       | 34.30      | 7.93       | 30.61      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5755MHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.50581G    | 53.76             | 74.00             | -20.24         | 69.05         | 3           | Vertical  | 213            | 1.79          | -       | 39.01      | 11.77      | 66.07      |  |  |  |
| AV   | 11.51207G    | 39.56             | 54.00             | -14.44         | 54.83         | 3           | Vertical  | 213            | 1.79          | -       | 39.02      | 11.77      | 66.06      |  |  |  |
| PK   | 17.26311G    | 59.64             | 68.20             | -8.56          | 67.89         | 3           | Vertical  | 189            | 2.21          | -       | 42.40      | 12.47      | 63.12      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5755MHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.50887G    | 53.75             | 74.00             | -20.25         | 69.02         | 3           | Horizontal | 156            | 1.61          | -       | 39.02      | 11.77      | 66.06      |  |  |  |
| AV   | 11.50824G    | 39.61             | 54.00             | -14.39         | 54.88         | 3           | Horizontal | 156            | 1.61          | -       | 39.02      | 11.77      | 66.06      |  |  |  |
| PK   | 17.2656G     | 59.98             | 68.20             | -8.22          | 68.21         | 3           | Horizontal | 65             | 1.23          | -       | 42.42      | 12.47      | 63.12      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5795MHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6235G      | 64.08             | 68.20             | -4.12          | 53.14         | 3           | Vertical  | 177            | 1.80          | -       | 34.00      | 7.64       | 30.70      |  |  |  |
| PK   | 5.782G       | 121.22            | Inf               | -Inf           | 110.04        | 3           | Vertical  | 177            | 1.80          | -       | 34.06      | 7.78       | 30.66      |  |  |  |
| AV   | 5.8025G      | 107.98            | Inf               | -Inf           | 96.75         | 3           | Vertical  | 177            | 1.80          | -       | 34.09      | 7.80       | 30.66      |  |  |  |
| PK   | 5.951G       | 62.44             | 68.20             | -5.76          | 50.96         | 3           | Vertical  | 177            | 1.80          | -       | 34.20      | 7.90       | 30.62      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5795MHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.645G       | 64.81             | 68.20             | -3.39          | 53.85         | 3           | Horizontal | 154            | 2.68          | -       | 34.00      | 7.66       | 30.70      |  |  |  |
| PK   | 5.8105G      | 122.67            | Inf               | -Inf           | 111.44        | 3           | Horizontal | 154            | 2.68          | -       | 34.08      | 7.81       | 30.66      |  |  |  |
| AV   | 5.8125G      | 110.65            | Inf               | -Inf           | 99.42         | 3           | Horizontal | 154            | 2.68          | -       | 34.08      | 7.81       | 30.66      |  |  |  |
| PK   | 5.9535G      | 62.75             | 68.20             | -5.45          | 51.26         | 3           | Horizontal | 154            | 2.68          | -       | 34.21      | 7.90       | 30.62      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5795MHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.59401G    | 53.81             | 74.00             | -20.19         | 68.72         | 3           | Vertical  | 38             | 1.54          | -       | 39.28      | 11.82      | 66.01      |  |  |  |
| AV   | 11.59448G    | 39.60             | 54.00             | -14.40         | 54.51         | 3           | Vertical  | 38             | 1.54          | -       | 39.28      | 11.82      | 66.01      |  |  |  |
| PK   | 17.38725G    | 60.83             | 68.20             | -7.37          | 68.27         | 3           | Vertical  | 175            | 1.64          | -       | 43.22      | 12.53      | 63.19      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5795MHz\_TX




EUT\_Y\_4TX  
Setting 96  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.58876G    | 55.02             | 74.00             | -18.98         | 69.95         | 3           | Horizontal | 210            | 1.51          | -       | 39.26      | 11.82      | 66.01      |  |  |  |
| AV   | 11.59482G    | 39.74             | 54.00             | -14.26         | 54.65         | 3           | Horizontal | 210            | 1.51          | -       | 39.28      | 11.82      | 66.01      |  |  |  |
| PK   | 17.38452G    | 61.59             | 68.20             | -6.61          | 69.04         | 3           | Horizontal | 105            | 2.12          | -       | 43.21      | 12.53      | 63.19      |  |  |  |

## 5.15-5.25GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 5210MHz\_TX




EUT\_Y\_4TX  
Setting 80  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1445G      | 66.81             | 74.00             | -7.19          | 57.17         | 3           | Vertical  | 318            | 1.19          | -       | 33.60      | 6.97       | 30.93      |  |  |  |
| AV   | 5.1475G      | 49.97             | 54.00             | -4.03          | 40.32         | 3           | Vertical  | 318            | 1.19          | -       | 33.60      | 6.98       | 30.93      |  |  |  |
| PK   | 5.188G       | 110.28            | Inf               | -Inf           | 100.50        | 3           | Vertical  | 318            | 1.19          | -       | 33.68      | 7.00       | 30.90      |  |  |  |
| AV   | 5.1775G      | 100.99            | Inf               | -Inf           | 91.24         | 3           | Vertical  | 318            | 1.19          | -       | 33.66      | 7.00       | 30.91      |  |  |  |
| PK   | 5.3915G      | 61.81             | 74.00             | -12.19         | 51.66         | 3           | Vertical  | 318            | 1.19          | -       | 33.98      | 6.96       | 30.79      |  |  |  |
| AV   | 5.3515G      | 49.94             | 54.00             | -4.06          | 39.88         | 3           | Vertical  | 318            | 1.19          | -       | 33.90      | 6.97       | 30.81      |  |  |  |

## 5.15-5.25GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 5210MHz\_TX




EUT Y\_4TX  
Setting 80  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1355G      | 64.25             | 74.00             | -9.75          | 54.61         | 3           | Horizontal | 98             | 1.80          | -       | 33.60      | 6.97       | 30.93      |  |  |  |
| AV   | 5.1425G      | 52.25             | 54.00             | -1.75          | 42.61         | 3           | Horizontal | 98             | 1.80          | -       | 33.60      | 6.97       | 30.93      |  |  |  |
| PK   | 5.228G       | 111.41            | Inf               | -Inf           | 101.53        | 3           | Horizontal | 98             | 1.80          | -       | 33.76      | 7.00       | 30.88      |  |  |  |
| AV   | 5.174G       | 102.19            | Inf               | -Inf           | 92.46         | 3           | Horizontal | 98             | 1.80          | -       | 33.65      | 6.99       | 30.91      |  |  |  |
| PK   | 5.364G       | 61.78             | 74.00             | -12.22         | 51.69         | 3           | Horizontal | 98             | 1.80          | -       | 33.93      | 6.97       | 30.81      |  |  |  |
| AV   | 5.3595G      | 49.64             | 54.00             | -4.36          | 39.56         | 3           | Horizontal | 98             | 1.80          | -       | 33.92      | 6.97       | 30.81      |  |  |  |

## 5.15-5.25GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 5210MHz\_TX




EUT\_Y\_4TX  
Setting 80  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.41908G    | 52.39             | 68.20             | -15.81         | 69.09         | 3           | Vertical  | 308            | 2.91          | -       | 38.46      | 11.08      | 66.24      |  |  |  |
| PK   | 15.62973G    | 54.03             | 74.00             | -19.97         | 67.15         | 3           | Vertical  | 272            | 1.74          | -       | 37.78      | 11.85      | 62.75      |  |  |  |
| AV   | 15.63277G    | 40.96             | 54.00             | -13.04         | 54.09         | 3           | Vertical  | 272            | 1.74          | -       | 37.77      | 11.85      | 62.75      |  |  |  |

## 5.15-5.25GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 5210MHz\_TX




EUT\_Y\_4TX  
Setting 80  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.42015G    | 52.10             | 68.20             | -16.10         | 68.80         | 3           | Horizontal | 40             | 2.97          | -       | 38.46      | 11.08      | 66.24      |  |  |  |
| PK   | 15.63432G    | 54.52             | 74.00             | -19.48         | 67.66         | 3           | Horizontal | 266            | 1.81          | -       | 37.76      | 11.85      | 62.75      |  |  |  |
| AV   | 15.62972G    | 40.87             | 54.00             | -13.13         | 53.99         | 3           | Horizontal | 266            | 1.81          | -       | 37.78      | 11.85      | 62.75      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 5290MHz\_TX




EUT\_Y\_4TX  
Setting 72  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.127G       | 60.34             | 74.00             | -13.66         | 50.72         | 3           | Vertical  | 157            | 1.65          | -       | 33.60      | 6.96       | 30.94      |  |  |  |
| AV   | 5.1495G      | 48.12             | 54.00             | -5.88          | 38.47         | 3           | Vertical  | 157            | 1.65          | -       | 33.60      | 6.98       | 30.93      |  |  |  |
| PK   | 5.261G       | 111.18            | Inf               | -Inf           | 101.23        | 3           | Vertical  | 157            | 1.65          | -       | 33.82      | 6.99       | 30.86      |  |  |  |
| AV   | 5.2585G      | 99.94             | Inf               | -Inf           | 89.99         | 3           | Vertical  | 157            | 1.65          | -       | 33.82      | 7.00       | 30.87      |  |  |  |
| PK   | 5.3595G      | 63.22             | 74.00             | -10.78         | 53.14         | 3           | Vertical  | 157            | 1.65          | -       | 33.92      | 6.97       | 30.81      |  |  |  |
| AV   | 5.36G        | 50.38             | 54.00             | -3.62          | 40.30         | 3           | Vertical  | 157            | 1.65          | -       | 33.92      | 6.97       | 30.81      |  |  |  |
| PK   | 5.3395G      | 62.47             | 68.20             | -5.73          | 51.75         | 3           | Vertical  | 157            | 1.65          | -       | 34.02      | 7.42       | 30.72      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 5290MHz\_TX




EUT\_Y\_4TX  
Setting 72  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.136G       | 60.02             | 74.00             | -13.98         | 50.38         | 3           | Horizontal | 360            | 1.80          | -       | 33.60      | 6.97       | 30.93      |  |  |  |
| AV   | 5.1425G      | 48.25             | 54.00             | -5.75          | 38.61         | 3           | Horizontal | 360            | 1.80          | -       | 33.60      | 6.97       | 30.93      |  |  |  |
| PK   | 5.326G       | 109.95            | Inf               | -Inf           | 99.90         | 3           | Horizontal | 360            | 1.80          | -       | 33.90      | 6.98       | 30.83      |  |  |  |
| AV   | 5.328G       | 98.75             | Inf               | -Inf           | 88.70         | 3           | Horizontal | 360            | 1.80          | -       | 33.90      | 6.98       | 30.83      |  |  |  |
| PK   | 5.366G       | 65.28             | 74.00             | -8.72          | 55.19         | 3           | Horizontal | 360            | 1.80          | -       | 33.93      | 6.97       | 30.81      |  |  |  |
| AV   | 5.3665G      | 52.70             | 54.00             | -1.30          | 42.60         | 3           | Horizontal | 360            | 1.80          | -       | 33.93      | 6.97       | 30.80      |  |  |  |
| PK   | 5.4855G      | 61.61             | 68.20             | -6.59          | 51.04         | 3           | Horizontal | 360            | 1.80          | -       | 34.07      | 7.24       | 30.74      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 5290MHz\_TX




EUT\_Y\_4TX  
Setting 72  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.58081G    | 53.29             | 68.20             | -14.91         | 69.70         | 3           | Vertical  | 19             | 1.58          | -       | 38.60      | 11.18      | 66.19      |  |  |  |
| PK   | 15.86503G    | 54.17             | 74.00             | -19.83         | 67.64         | 3           | Vertical  | 331            | 2.62          | -       | 37.56      | 11.86      | 62.89      |  |  |  |
| AV   | 15.87022G    | 41.33             | 54.00             | -12.67         | 54.78         | 3           | Vertical  | 331            | 2.62          | -       | 37.58      | 11.86      | 62.89      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 5290MHz\_TX




EUT\_Y\_4TX  
Setting 72  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.57747G    | 53.27             | 68.20             | -14.93         | 69.68         | 3           | Horizontal | 326            | 1.06          | -       | 38.60      | 11.18      | 66.19      |  |  |  |
| PK   | 15.87186G    | 54.49             | 74.00             | -19.51         | 67.93         | 3           | Horizontal | 279            | 1.56          | -       | 37.59      | 11.86      | 62.89      |  |  |  |
| AV   | 15.8695G     | 41.16             | 54.00             | -12.84         | 54.61         | 3           | Horizontal | 279            | 1.56          | -       | 37.58      | 11.86      | 62.89      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




EUT Y\_4TX  
Setting 77  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.307G       | 61.12             | 68.20             | -7.08          | 51.08         | 3           | Vertical  | 187            | 1.78          | -       | 33.90      | 6.98       | 30.84      |  |  |  |
| AV   | 5.35G        | 48.49             | 54.00             | -5.51          | 38.43         | 3           | Vertical  | 187            | 1.78          | -       | 33.90      | 6.97       | 30.81      |  |  |  |
| PK   | 5.4465G      | 66.25             | 74.00             | -7.75          | 55.90         | 3           | Vertical  | 187            | 1.78          | -       | 34.00      | 7.11       | 30.76      |  |  |  |
| PK   | 5.467G       | 64.92             | 68.20             | -3.28          | 54.46         | 3           | Vertical  | 187            | 1.78          | -       | 34.03      | 7.18       | 30.75      |  |  |  |
| AV   | 5.459G       | 52.47             | 54.00             | -1.53          | 42.05         | 3           | Vertical  | 187            | 1.78          | -       | 34.02      | 7.15       | 30.75      |  |  |  |
| PK   | 5.499G       | 113.17            | Inf               | -Inf           | 102.51        | 3           | Vertical  | 187            | 1.78          | -       | 34.10      | 7.29       | 30.73      |  |  |  |
| AV   | 5.551G       | 95.69             | Inf               | -Inf           | 84.95         | 3           | Vertical  | 187            | 1.78          | -       | 34.00      | 7.46       | 30.72      |  |  |  |
| PK   | 5.779G       | 61.86             | 68.20             | -6.34          | 50.68         | 3           | Vertical  | 187            | 1.78          | -       | 34.06      | 7.78       | 30.66      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 5530MHz\_TX




EUT\_Y\_4TX  
Setting 77  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.28G        | 61.94             | 68.20             | -6.26          | 51.94         | 3           | Horizontal | 25             | 1.80          | -       | 33.86      | 6.99       | 30.85      |  |  |  |
| AV   | 5.35G        | 48.29             | 54.00             | -5.71          | 38.23         | 3           | Horizontal | 25             | 1.80          | -       | 33.90      | 6.97       | 30.81      |  |  |  |
| PK   | 5.4515G      | 64.42             | 74.00             | -9.58          | 54.05         | 3           | Horizontal | 25             | 1.80          | -       | 34.00      | 7.13       | 30.76      |  |  |  |
| AV   | 5.4525G      | 50.77             | 54.00             | -3.23          | 40.39         | 3           | Horizontal | 25             | 1.80          | -       | 34.01      | 7.13       | 30.76      |  |  |  |
| PK   | 5.4615G      | 63.45             | 68.20             | -4.75          | 53.02         | 3           | Horizontal | 25             | 1.80          | -       | 34.02      | 7.16       | 30.75      |  |  |  |
| AV   | 5.503G       | 104.96            | Inf               | -Inf           | 94.30         | 3           | Horizontal | 25             | 1.80          | -       | 34.09      | 7.30       | 30.73      |  |  |  |
| PK   | 5.5625G      | 110.93            | Inf               | -Inf           | 100.14        | 3           | Horizontal | 25             | 1.80          | -       | 34.00      | 7.50       | 30.71      |  |  |  |
| PK   | 5.752G       | 62.52             | 68.20             | -5.68          | 51.43         | 3           | Horizontal | 25             | 1.80          | -       | 34.00      | 7.76       | 30.67      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 5530MHz\_TX




EUT\_Y\_4TX  
Setting 77  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.05773G    | 54.28             | 74.00             | -19.72         | 70.76         | 3           | Vertical  | 82             | 2.64          | -       | 38.60      | 11.48      | 66.56      |  |  |  |
| AV   | 11.05954G    | 40.81             | 54.00             | -13.19         | 57.28         | 3           | Vertical  | 82             | 2.64          | -       | 38.60      | 11.48      | 66.55      |  |  |  |
| PK   | 16.58758G    | 55.21             | 68.20             | -12.99         | 66.72         | 3           | Vertical  | 71             | 1.45          | -       | 39.50      | 12.15      | 63.16      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 5530MHz\_TX




EUT\_Y\_4TX  
Setting 77  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.06079G    | 54.23             | 74.00             | -19.77         | 70.70         | 3           | Horizontal | 29             | 2.58          | -       | 38.60      | 11.48      | 66.55      |  |  |  |
| AV   | 11.05629G    | 40.78             | 54.00             | -13.22         | 57.26         | 3           | Horizontal | 29             | 2.58          | -       | 38.60      | 11.48      | 66.56      |  |  |  |
| PK   | 16.59214G    | 55.01             | 68.20             | -13.19         | 66.48         | 3           | Horizontal | 138            | 2.43          | -       | 39.54      | 12.15      | 63.16      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 5610MHz\_TX




EUT\_Y\_4TX  
Setting 78  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.38G        | 61.73             | 74.00             | -12.27         | 51.61         | 3           | Vertical  | 170            | 2.98          | -       | 33.96      | 6.96       | 30.80      |  |  |  |
| PK   | 5.4655G      | 62.36             | 68.20             | -5.84          | 51.90         | 3           | Vertical  | 170            | 2.98          | -       | 34.03      | 7.18       | 30.75      |  |  |  |
| AV   | 5.458G       | 49.35             | 54.00             | -4.65          | 38.93         | 3           | Vertical  | 170            | 2.98          | -       | 34.02      | 7.15       | 30.75      |  |  |  |
| PK   | 5.576G       | 112.96            | Inf               | -Inf           | 102.13        | 3           | Vertical  | 170            | 2.98          | -       | 34.00      | 7.54       | 30.71      |  |  |  |
| AV   | 5.5835G      | 104.64            | Inf               | -Inf           | 93.78         | 3           | Vertical  | 170            | 2.98          | -       | 34.00      | 7.57       | 30.71      |  |  |  |
| PK   | 5.7265G      | 64.72             | 68.20             | -3.48          | 53.67         | 3           | Vertical  | 170            | 2.98          | -       | 34.00      | 7.73       | 30.68      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




EUT Y\_4TX  
Setting 78  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4575G      | 61.46             | 74.00             | -12.54         | 51.04         | 3           | Horizontal | 324            | 1.80          | -       | 34.02      | 7.15       | 30.75      |  |  |  |
| AV   | 5.451G       | 49.50             | 54.00             | -4.50          | 39.13         | 3           | Horizontal | 324            | 1.80          | -       | 34.00      | 7.13       | 30.76      |  |  |  |
| PK   | 5.4645G      | 61.48             | 68.20             | -6.72          | 51.03         | 3           | Horizontal | 324            | 1.80          | -       | 34.03      | 7.17       | 30.75      |  |  |  |
| PK   | 5.616G       | 114.68            | Inf               | -Inf           | 103.75        | 3           | Horizontal | 324            | 1.80          | -       | 34.00      | 7.63       | 30.70      |  |  |  |
| AV   | 5.5755G      | 104.84            | Inf               | -Inf           | 94.01         | 3           | Horizontal | 324            | 1.80          | -       | 34.00      | 7.54       | 30.71      |  |  |  |
| PK   | 5.7255G      | 66.67             | 68.20             | -1.53          | 55.62         | 3           | Horizontal | 324            | 1.80          | -       | 34.00      | 7.73       | 30.68      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 5610MHz\_TX




EUT\_Y\_4TX  
Setting 78  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.21536G    | 53.57             | 74.00             | -20.43         | 69.74         | 3           | Vertical  | 217            | 1.49          | -       | 38.63      | 11.58      | 66.38      |  |  |  |
| AV   | 11.21863G    | 40.03             | 54.00             | -13.97         | 56.19         | 3           | Vertical  | 217            | 1.49          | -       | 38.64      | 11.58      | 66.38      |  |  |  |
| PK   | 16.83195G    | 57.33             | 68.20             | -10.87         | 67.61         | 3           | Vertical  | 297            | 2.44          | -       | 40.49      | 12.27      | 63.04      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 5610MHz\_TX




EUT\_Y\_4TX  
Setting 78  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.22378G    | 53.64             | 74.00             | -20.36         | 69.77         | 3           | Horizontal | 343            | 2.88          | -       | 38.65      | 11.59      | 66.37      |  |  |  |
| AV   | 11.21633G    | 40.18             | 54.00             | -13.82         | 56.35         | 3           | Horizontal | 343            | 2.88          | -       | 38.63      | 11.58      | 66.38      |  |  |  |
| PK   | 16.83315G    | 57.00             | 68.20             | -11.20         | 67.27         | 3           | Horizontal | 328            | 2.70          | -       | 40.50      | 12.27      | 63.04      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 94  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.445G       | 62.16             | 74.00             | -11.84         | 51.81         | 3           | Vertical  | 152            | 1.30          | -       | 34.00      | 7.11       | 30.76      |  |  |  |
| AV   | 5.4485G      | 50.13             | 54.00             | -3.87          | 39.77         | 3           | Vertical  | 152            | 1.30          | -       | 34.00      | 7.12       | 30.76      |  |  |  |
| PK   | 5.4665G      | 62.07             | 68.20             | -6.13          | 51.61         | 3           | Vertical  | 152            | 1.30          | -       | 34.03      | 7.18       | 30.75      |  |  |  |
| PK   | 5.676G       | 116.20            | Inf               | -Inf           | 105.20        | 3           | Vertical  | 152            | 1.30          | -       | 34.00      | 7.69       | 30.69      |  |  |  |
| AV   | 5.666G       | 104.22            | Inf               | -Inf           | 93.23         | 3           | Vertical  | 152            | 1.30          | -       | 34.00      | 7.68       | 30.69      |  |  |  |
| PK   | 5.863G       | 66.99             | 68.20             | -1.21          | 55.74         | 3           | Vertical  | 152            | 1.30          | -       | 34.05      | 7.84       | 30.64      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 94  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.445G       | 61.49             | 74.00             | -12.51         | 51.14         | 3           | Horizontal | 360            | 1.79          | -       | 34.00      | 7.11       | 30.76      |  |  |  |
| AV   | 5.4515G      | 49.36             | 54.00             | -4.64          | 38.99         | 3           | Horizontal | 360            | 1.79          | -       | 34.00      | 7.13       | 30.76      |  |  |  |
| PK   | 5.467G       | 61.05             | 68.20             | -7.15          | 50.59         | 3           | Horizontal | 360            | 1.79          | -       | 34.03      | 7.18       | 30.75      |  |  |  |
| PK   | 5.699G       | 116.26            | Inf               | -Inf           | 105.23        | 3           | Horizontal | 360            | 1.79          | -       | 34.00      | 7.71       | 30.68      |  |  |  |
| AV   | 5.6585G      | 107.46            | Inf               | -Inf           | 96.48         | 3           | Horizontal | 360            | 1.79          | -       | 34.00      | 7.67       | 30.69      |  |  |  |
| PK   | 5.852G       | 65.65             | 68.20             | -2.55          | 54.46         | 3           | Horizontal | 360            | 1.79          | -       | 34.01      | 7.83       | 30.65      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 94  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.38481G    | 54.14             | 74.00             | -19.86         | 69.88         | 3           | Vertical  | 345            | 1.51          | -       | 38.77      | 11.69      | 66.20      |  |  |  |
| AV   | 11.38491G    | 40.36             | 54.00             | -13.64         | 56.10         | 3           | Vertical  | 345            | 1.51          | -       | 38.77      | 11.69      | 66.20      |  |  |  |
| PK   | 17.06692G    | 58.14             | 68.20             | -10.06         | 67.33         | 3           | Vertical  | 328            | 1.59          | -       | 41.43      | 12.38      | 63.00      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 94  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.38224G    | 53.97             | 74.00             | -20.03         | 69.72         | 3           | Horizontal | 255            | 2.01          | -       | 38.76      | 11.69      | 66.20      |  |  |  |
| AV   | 11.37542G    | 40.41             | 54.00             | -13.59         | 56.19         | 3           | Horizontal | 255            | 2.01          | -       | 38.75      | 11.68      | 66.21      |  |  |  |
| PK   | 17.06598G    | 57.49             | 68.20             | -10.71         | 66.68         | 3           | Horizontal | 287            | 2.41          | -       | 41.43      | 12.38      | 63.00      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 5775MHz\_TX




EUT\_Y\_4TX  
Setting 84  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.639G       | 66.46             | 68.20             | -1.74          | 55.50         | 3           | Vertical  | 162            | 1.70          | -       | 34.00      | 7.66       | 30.70      |  |  |  |
| PK   | 5.8G         | 113.52            | Inf               | -Inf           | 102.28        | 3           | Vertical  | 162            | 1.70          | -       | 34.10      | 7.80       | 30.66      |  |  |  |
| AV   | 5.737G       | 104.81            | Inf               | -Inf           | 93.74         | 3           | Vertical  | 162            | 1.70          | -       | 34.00      | 7.74       | 30.67      |  |  |  |
| PK   | 5.963G       | 62.39             | 68.20             | -5.81          | 50.87         | 3           | Vertical  | 162            | 1.70          | -       | 34.23      | 7.91       | 30.62      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




EUT\_Y\_4TX  
Setting 84  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.645G       | 65.77             | 68.20             | -2.43          | 54.81         | 3           | Horizontal | 360            | 1.75          | -       | 34.00      | 7.66       | 30.70      |  |  |  |
| PK   | 5.7425G      | 112.30            | Inf               | -Inf           | 101.22        | 3           | Horizontal | 360            | 1.75          | -       | 34.00      | 7.75       | 30.67      |  |  |  |
| AV   | 5.7385G      | 100.64            | Inf               | -Inf           | 89.57         | 3           | Horizontal | 360            | 1.75          | -       | 34.00      | 7.74       | 30.67      |  |  |  |
| PK   | 6.016G       | 62.11             | 68.20             | -6.09          | 50.49         | 3           | Horizontal | 360            | 1.75          | -       | 34.30      | 7.95       | 30.63      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 5775MHz\_TX




EUT\_Y\_4TX  
Setting 84  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.5497G     | 53.82             | 74.00             | -20.18         | 68.97         | 3           | Vertical  | 352            | 1.54          | -       | 39.10      | 11.79      | 66.04      |  |  |  |
| AV   | 11.55475G    | 40.22             | 54.00             | -13.78         | 55.33         | 3           | Vertical  | 352            | 1.54          | -       | 39.12      | 11.80      | 66.03      |  |  |  |
| PK   | 17.32252G    | 60.58             | 68.20             | -7.62          | 68.39         | 3           | Vertical  | 345            | 1.04          | -       | 42.84      | 12.50      | 63.15      |  |  |  |

## 5.725-5.85GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 5775MHz\_TX




EUT\_Y\_4TX  
Setting 84  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.55223G    | 54.36             | 74.00             | -19.64         | 69.49         | 3           | Horizontal | 129            | 1.58          | -       | 39.11      | 11.80      | 66.04      |  |  |  |
| AV   | 11.54927G    | 40.35             | 54.00             | -13.65         | 55.50         | 3           | Horizontal | 129            | 1.58          | -       | 39.10      | 11.79      | 66.04      |  |  |  |
| PK   | 17.32721G    | 60.08             | 68.20             | -8.12          | 67.88         | 3           | Horizontal | 47             | 2.64          | -       | 42.86      | 12.50      | 63.16      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

### 5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Y\_4TX  
Setting 72  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1436G      | 61.03             | 74.00             | -12.97         | 51.39         | 3           | Vertical  | 343            | 2.61          | -       | 33.60      | 6.97       | 30.93      |  |  |  |
| AV   | 5.1412G      | 48.53             | 54.00             | -5.47          | 38.89         | 3           | Vertical  | 343            | 2.61          | -       | 33.60      | 6.97       | 30.93      |  |  |  |
| AV   | 5.1732G      | 94.90             | Inf               | -Inf           | 85.17         | 3           | Vertical  | 343            | 2.61          | -       | 33.65      | 6.99       | 30.91      |  |  |  |
| PK   | 5.3132G      | 107.07            | Inf               | -Inf           | 97.02         | 3           | Vertical  | 343            | 2.61          | -       | 33.90      | 6.98       | 30.83      |  |  |  |
| PK   | 5.3652G      | 63.84             | 74.00             | -10.16         | 53.75         | 3           | Vertical  | 343            | 2.61          | -       | 33.93      | 6.97       | 30.81      |  |  |  |
| AV   | 5.3636G      | 52.19             | 54.00             | -1.81          | 42.10         | 3           | Vertical  | 343            | 2.61          | -       | 33.93      | 6.97       | 30.81      |  |  |  |
| PK   | 5.6212G      | 61.65             | 68.20             | -6.55          | 50.71         | 3           | Vertical  | 343            | 2.61          | -       | 34.00      | 7.64       | 30.70      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

## 5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Y\_4TX  
Setting 72  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.15G        | 63.36             | 74.00             | -10.64         | 53.71         | 3           | Horizontal | 177            | 1.80          | -       | 33.60      | 6.98       | 30.93      |  |  |  |
| AV   | 5.1476G      | 51.81             | 54.00             | -2.19          | 42.16         | 3           | Horizontal | 177            | 1.80          | -       | 33.60      | 6.98       | 30.93      |  |  |  |
| PK   | 5.2244G      | 107.85            | Inf               | -Inf           | 97.98         | 3           | Horizontal | 177            | 1.80          | -       | 33.75      | 7.00       | 30.88      |  |  |  |
| AV   | 5.2268G      | 95.90             | Inf               | -Inf           | 86.03         | 3           | Horizontal | 177            | 1.80          | -       | 33.75      | 7.00       | 30.88      |  |  |  |
| PK   | 5.3668G      | 62.27             | 74.00             | -11.73         | 52.17         | 3           | Horizontal | 177            | 1.80          | -       | 33.93      | 6.97       | 30.80      |  |  |  |
| AV   | 5.362G       | 49.63             | 54.00             | -4.37          | 39.55         | 3           | Horizontal | 177            | 1.80          | -       | 33.92      | 6.97       | 30.81      |  |  |  |
| PK   | 5.3332G      | 62.18             | 68.20             | -6.02          | 51.47         | 3           | Horizontal | 177            | 1.80          | -       | 34.03      | 7.40       | 30.72      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

## 5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Y\_4TX  
Setting 72  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.50298G    | 52.64             | 68.20             | -15.56         | 69.11         | 3           | Vertical  | 25             | 1.66          | -       | 38.51      | 11.13      | 66.11      |  |  |  |
| PK   | 15.74955G    | 53.11             | 74.00             | -20.89         | 66.57         | 3           | Vertical  | 285            | 2.10          | -       | 37.50      | 11.86      | 62.82      |  |  |  |
| AV   | 15.74558G    | 39.89             | 54.00             | -14.11         | 53.34         | 3           | Vertical  | 285            | 2.10          | -       | 37.51      | 11.86      | 62.82      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

## 5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Y\_4TX  
Setting 72  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.50256G    | 53.13             | 68.20             | -15.07         | 69.60         | 3           | Horizontal | 331            | 2.36          | -       | 38.51      | 11.13      | 66.11      |  |  |  |
| PK   | 15.75065G    | 53.88             | 74.00             | -20.12         | 67.34         | 3           | Horizontal | 188            | 2.66          | -       | 37.50      | 11.86      | 62.82      |  |  |  |
| AV   | 15.74543G    | 39.90             | 54.00             | -14.10         | 53.35         | 3           | Horizontal | 188            | 2.66          | -       | 37.51      | 11.86      | 62.82      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

### 5570MHz\_TX




EUT\_Y\_4TX  
Setting 73  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.2124G      | 61.33             | 68.20             | -6.87          | 51.49         | 3           | Vertical  | 156            | 1.84          | -       | 33.72      | 7.01       | 30.89      |  |  |  |
| PK   | 5.4588G      | 65.63             | 74.00             | -8.37          | 55.21         | 3           | Vertical  | 156            | 1.84          | -       | 34.02      | 7.15       | 30.75      |  |  |  |
| AV   | 5.35G        | 48.58             | 54.00             | -5.42          | 38.52         | 3           | Vertical  | 156            | 1.84          | -       | 33.90      | 6.97       | 30.81      |  |  |  |
| AV   | 5.4132G      | 52.87             | 54.00             | -1.13          | 42.65         | 3           | Vertical  | 156            | 1.84          | -       | 34.00      | 7.00       | 30.78      |  |  |  |
| PK   | 5.47G        | 64.92             | 68.20             | -3.28          | 54.44         | 3           | Vertical  | 156            | 1.84          | -       | 34.04      | 7.19       | 30.75      |  |  |  |
| PK   | 5.494G       | 106.11            | Inf               | -Inf           | 95.48         | 3           | Vertical  | 156            | 1.84          | -       | 34.09      | 7.27       | 30.73      |  |  |  |
| AV   | 5.4988G      | 93.96             | Inf               | -Inf           | 83.30         | 3           | Vertical  | 156            | 1.84          | -       | 34.10      | 7.29       | 30.73      |  |  |  |
| PK   | 5.7252G      | 63.76             | 68.20             | -4.44          | 52.71         | 3           | Vertical  | 156            | 1.84          | -       | 34.00      | 7.73       | 30.68      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

### 5570MHz\_TX




EUT\_Y\_4TX  
Setting 73  
02-D-V-1-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.234G       | 61.23             | 68.20             | -6.97          | 51.34         | 3           | Horizontal | 287            | 2.04          | -       | 33.77      | 7.00       | 30.88      |  |  |  |
| PK   | 5.4148G      | 63.04             | 74.00             | -10.96         | 52.81         | 3           | Horizontal | 287            | 2.04          | -       | 34.00      | 7.01       | 30.78      |  |  |  |
| AV   | 5.35G        | 48.08             | 54.00             | -5.92          | 38.02         | 3           | Horizontal | 287            | 2.04          | -       | 33.90      | 6.97       | 30.81      |  |  |  |
| AV   | 5.4132G      | 50.93             | 54.00             | -3.07          | 40.71         | 3           | Horizontal | 287            | 2.04          | -       | 34.00      | 7.00       | 30.78      |  |  |  |
| PK   | 5.47G        | 62.40             | 68.20             | -5.80          | 51.92         | 3           | Horizontal | 287            | 2.04          | -       | 34.04      | 7.19       | 30.75      |  |  |  |
| PK   | 5.538G       | 110.00            | Inf               | -Inf           | 99.28         | 3           | Horizontal | 287            | 2.04          | -       | 34.02      | 7.42       | 30.72      |  |  |  |
| AV   | 5.5388G      | 96.54             | Inf               | -Inf           | 85.82         | 3           | Horizontal | 287            | 2.04          | -       | 34.02      | 7.42       | 30.72      |  |  |  |
| PK   | 5.742G       | 63.19             | 68.20             | -5.01          | 52.11         | 3           | Horizontal | 287            | 2.04          | -       | 34.00      | 7.75       | 30.67      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

## 5570MHz\_TX




EUT\_Y\_4TX  
Setting 73  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.14431G    | 53.80             | 74.00             | -20.20         | 70.12         | 3           | Vertical  | 244            | 1.88          | -       | 38.60      | 11.54      | 66.46      |  |  |  |
| AV   | 11.13859G    | 39.48             | 54.00             | -14.52         | 55.82         | 3           | Vertical  | 244            | 1.88          | -       | 38.60      | 11.53      | 66.47      |  |  |  |
| PK   | 16.70727G    | 55.88             | 68.20             | -12.32         | 66.86         | 3           | Vertical  | 136            | 2.12          | -       | 39.91      | 12.21      | 63.10      |  |  |  |

## 5.47-5.725GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

## 5570MHz\_TX



EUT\_Y\_4TX  
Setting 73  
02-E-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.14329G    | 53.65             | 74.00             | -20.35         | 69.97         | 3           | Horizontal | 76             | 2.99          | -       | 38.60      | 11.54      | 66.46      |  |  |  |
| AV   | 11.14216G    | 39.41             | 54.00             | -14.59         | 55.73         | 3           | Horizontal | 76             | 2.99          | -       | 38.60      | 11.54      | 66.46      |  |  |  |
| PK   | 16.70697G    | 56.10             | 68.20             | -12.10         | 67.08         | 3           | Horizontal | 49             | 1.40          | -       | 39.91      | 12.21      | 63.10      |  |  |  |




## ***Radiated Emissions above 1GHz***

## ***Appendix F***

### **Summary**

| Mode   | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Condition |
|--------|--------|------|--------------|-------------------|-------------------|----------------|-----------|
| Mode 1 | Pass   | AV   | 1.43218G     | 40.66             | 54.00             | -13.34         | Vertical  |

## Mode 1



### Mode 1

