Modular Approval Request Letter

FCC ID: Z4T-GROVENFCV2

Dear Examiner,

There's an <u>NFC Module</u> that we would like to have your authorization as a modular approval. The device with its designed features and specified description meets special requirements for Single, [X]Limited Single <u>Modular Approval</u> mentioned in FCC KDB996369 by cross-reference list below.

	Requirement of FCC KDB996369	Comply (Y/N)
1.	The modular transmitter must have its	N
	own RF shielding.	The EUT do not have RF shielding.
2.	The modular transmitter must have buffered	Y
	modulation/data inputs (if such inputs are provided)	The EUT has its buffered modulation.
	to ensure that the module will comply with Part 15	Please see the Schematic Diagram.
	requirements under conditions of excessive data rates	
	or over-modulation.	
3.	The modular transmitter must have its	Y
	own power supply regulation.	The EUT has its own power supply
		regulation, please see the Schematic
		Diagram.
4.	The modular transmitter must comply with the	Y
	antenna and transmission system requirements of	The EUT meets the FCC antenna
	Sections 15.203, 15.204(b) and 15.204(c). The antenna	requirements; unique antenna connector
	must either be permanently attached or employ a	and photo of antenna are shown in the test
	"unique" antenna coupler (at all connections between	report.
	the module and the antenna, including the cable). The	
	"professional installation" provision of Section 15.203	
	is not applicable to modules but can apply to limited	
	modular approvals under paragraph (b) of this section.	
5.	The modular transmitter must be tested in a	Y
	stand-alone configuration, i.e., the module must not	The EUT was tested with a test board,
	be inside another device during testing.	Please see test report and setup photo
6.	The modular transmitter must be labeled with its own	Y
	FCC ID number, and, if the FCC ID is not visible when	Please see exhibition label sample for the
	the module is installed inside another device, then the	FCC ID of this module. Also in the
	outside of the device into which the module is	exhibition Users manual, there are
	installed must also display a label referring to the	instructions give to the OEM on how to
	enclosed module.	label the end product.
7.	The modular transmitter must comply with any	Y
	specific rule or operating requirements applicable to	The EUT is compliant with all applicable
	the transmitter and the manufacturer must provide	FCC rules. Details instructions for
	adequate instructions along with the module to	maintaining compliance are give in the User

1F, Tower B, Building 2, Shanshui Building, NanshanYungu Innovation Industry Park, Liuxian Ave, Nanshan District, Shenzhen, Guangdong, P.R.C. Seeed Technology Co., Ltd.

	explain any such requirements. A copy of these	Manual.	
	instructions must be included in the application for		
	equipment authorization.		
8.	The modular transmitter must comply with any	Y	
	applicable RF exposure requirements. For example,	The EUT complies with RF exposure	
	FCC Rules in Sections 2.1091, 2.1093 and specific	requirement.	
	Sections of Part 15, including 15.319(i),		
	15.407(f),15.253(f)and15.255(g), require that		
	Unlicensed PCS, UNII and millimeter wave device		
	performing routine environmental evaluation for RF		
	Exposure to demonstrate compliance. In addition,		
	spread spectrum Transmitters operating under Section		
	15.247 are required to address RF Exposure		
	compliance in accordance with Section 15.247(b)(4).		

Sincerely,

Print Name: Albert Miao

Title: Director of R&D

Albert Mirao Signature:

On behalf of Company: Seeed Technology Co., Ltd.

Telephone: 86 0755-33162243

E-mail: albert.miao@seeedstudio.com