

Test Graphs









Appendix F: Conducted Spurious Emission

Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	Reference	2.70	2.70	---	PASS
			30~1000	2.70	-66.82	≤ -17.3	PASS
			1000~26500	2.70	-54.74	≤ -17.3	PASS
		2437	Reference	2.49	2.49	---	PASS
			30~1000	2.49	-66.74	≤ -17.51	PASS
			1000~26500	2.49	-55.39	≤ -17.51	PASS
		2462	Reference	2.54	2.54	---	PASS
			30~1000	2.54	-66.52	≤ -17.46	PASS
			1000~26500	2.54	-56.97	≤ -17.46	PASS
11G	Ant1	2412	Reference	-1.75	-1.75	---	PASS
			30~1000	-1.75	-66.07	≤ -21.75	PASS
			1000~26500	-1.75	-57.03	≤ -21.75	PASS
		2437	Reference	-1.59	-1.59	---	PASS
			30~1000	-1.59	-66.49	≤ -21.59	PASS
			1000~26500	-1.59	-57.37	≤ -21.59	PASS
		2462	Reference	-1.68	-1.68	---	PASS
			30~1000	-1.68	-66.83	≤ -21.68	PASS
			1000~26500	-1.68	-58.61	≤ -21.68	PASS
11N20SISO	Ant1	2412	Reference	-2.70	-2.70	---	PASS
			30~1000	-2.70	-66.78	≤ -22.7	PASS
			1000~26500	-2.70	-56.58	≤ -22.7	PASS
		2437	Reference	-2.47	-2.47	---	PASS
			30~1000	-2.47	-66.34	≤ -22.47	PASS
			1000~26500	-2.47	-57.53	≤ -22.47	PASS
		2462	Reference	-2.48	-2.48	---	PASS
			30~1000	-2.48	-66.17	≤ -22.48	PASS
			1000~26500	-2.48	-58.61	≤ -22.48	PASS
11N40SISO	Ant1	2422	Reference	-5.54	-5.54	---	PASS
			30~1000	-5.54	-65.25	≤ -25.54	PASS
			1000~26500	-5.54	-57.43	≤ -25.54	PASS
		2437	Reference	-5.29	-5.29	---	PASS
			30~1000	-5.29	-64.03	≤ -25.29	PASS
			1000~26500	-5.29	-57.67	≤ -25.29	PASS
		2452	Reference	-5.42	-5.42	---	PASS

			30~1000	-5.42	-64.02	≤-25.42	PASS
			1000~26500	-5.42	-57.62	≤-25.42	PASS

Test Graphs

















