

Report No.: SZEM151000664404 Page: 1 of 37

Appendix For Test Report No.: SZEM1510006644CR



Report No.: SZEM151000664404 Page: 2 of 37

2 Content

1 COVER PAGE 1 2 CONTENT 2 3 APPENDIX_A: EFFECTIVE (ISOTROPIC) RADIATED POWER OUTPUT DATA 4 PART I - RESULTS 4 PART I - RF CONDUCTED POWER OF TRANSMITTER FOR GSM850 4 PART 2 - EFFECTIVE RADIATED POWER OF TRANSMITTER (ERP) FOR GSM850 4 PART 1 - RF CONDUCTED POWER OF TRANSMITTER FOR GSM1900 5 PART 2 - EFFECTIVE ISOTROPIC RADIATED POWER OF TRANSMITTER (EIRP) FOR GSM1900 5 PART 2 - EFFECTIVE ISOTROPIC RADIATED POWER OF TRANSMITTER (EIRP) FOR GSM1900 5 PART 1 - RF CONDUCTED POWER OF TRANSMITTER FOR GSM1900 5 PART 1 - RF CONDUCTED POWER OF TRANSMITTER (EIRP) FOR GSM1900 5 4 APPENDIX_B: PEAK-TO-AVERAGE RATIO 6 PART 1 - TEST RESULTS 6 5 APPENDIX_C: MODULATION CHARACTERISTICS 7 5.1. FOR GSM 7 5.1.1 Test Band = GPRS50 7 5.1.2 Test Band = GPRS50 7 6.1 FOR GPRS 10 6.1.1 FOR GPRS 16 7.1.1 FOR GPRS 16 7.1.2 Test Band = GPRS50 16 <th></th> <th>P</th> <th>age</th>		P	age
3 APPENDIX_A: EFFECTIVE (ISOTROPIC) RADIATED POWER OUTPUT DATA	1	COVER PAGE	1
PART I - TEST RESULTS	2	CONTENT	2
PART I - RF CONDUCTED POWER OF TRANSMITTER FOR GSM850	3	APPENDIX_A: EFFECTIVE (ISOTROPIC) RADIATED POWER OUTPUT DATA	4
PART 2- EFFECTIVE RADIATED POWER OF TRANSMITTER (ERP) FOR GSM850	PAR	T I - TEST RESULTS	4
PART I - RF CONDUCTED POWER OF TRANSMITTER FOR GSM1900	PAR	T I – RF CONDUCTED POWER OF TRANSMITTER FOR GSM850	4
PART 2- EFFECTIVE ISOTROPIC RADIATED POWER OF TRANSMITTER (EIRP) FOR GSM1900 5 4 APPENDIX_B: PEAK-TO-AVERAGE RATIO 6 PART I - TEST RESULTS	PAR	T 2– EFFECTIVE RADIATED POWER OF TRANSMITTER (ERP) FOR GSM850	4
4 APPENDIX_B: PEAK-TO-AVERAGE RATIO 6 PART I - TEST RESULTS 6 5 APPENDIX_C: MODULATION CHARACTERISTICS 7 PART I - TEST PLOTS 7 5.1 FOR GSM 7 5.1.1 Test Band = GPRS850 7 5.1.2 Test Band = GPRS1900 6 6 APPENDIX_D: BANDWIDTH 9 6.1 FOR GPRS 10 6.1.1 Test Band = GPRS850 10 6.1.1 Test Band = GPRS850 10 6.1.1 Test Band = GPRS850 10 6.2 Test BAND EDGES COMPLIANCE 16 7.1.1 Test Band = GPRS850 16 7.1.2 Test Band = GPRS1900 13 7 APPENDIX_E: BAND EDGES COMPLIANCE 16 7.1.1 Test Band = GPRS1900 16 8 APPENDIX_F: SPURIOUS EMISSION AT ANTENNA TERMINAL 20 8.1 FOR GPRS 20 8.1.1 Test Band = GPRS1900 23 9 APPENDIX_G: FIELD STRENGTH OF SPURIOUS RADIATION 26 9.1.2 Test Band = GPRS1900	PAR	T I – RF CONDUCTED POWER OF TRANSMITTER FOR GSM1900	5
PART I - TEST RESULTS.	PAR	T 2- EFFECTIVE ISOTROPIC RADIATED POWER OF TRANSMITTER (EIRP) FOR GSM1900	5
5 APPENDIX_C: MODULATION CHARACTERISTICS 7 PART I - TEST PLOTS 7 5.1 FOR GSM 7 5.1.1 Test Band = GPRS850 7 5.1.2 Test Band = GPRS1900 8 6 APPENDIX_D: BANDWIDTH 9 6.1 FOR GPRS 10 6.1.1 Test Band = GPRS850 10 6.2 TEST BAND = GPRS1900 13 7 APPENDIX_E: BAND EDGES COMPLIANCE 16 7.1.1 Test Band = GPRS850 16 7.1.1 Test Band = GPRS850 16 7.1.2 Test Band = GPRS850 16 7.1.1 Test Band = GPRS850 16 7.1.2 Test Band = GPRS850 16 7.1.1 Test Band = GPRS1900 15 8 APPENDIX_F: SPURIOUS EMISSION AT ANTENNA TERMINAL 20 8.1 FOR GPRS 20 8.1.1 Test Band = GPRS1900 23 9 APPENDIX_G: FIELD STRENGTH OF SPURIOUS RADIATION 26 9.1.2 Test Band = GSM850 26 9.1.2 Test Band = GPRS1900 <	4	APPENDIX_B: PEAK-TO-AVERAGE RATIO	6
PART I - TEST PLOTS. 7 5.1 FOR GSM. 7 5.1.1 Test Band = GPR\$850 7 5.1.2 Test Band = GPR\$1900 6 6 APPENDIX_D: BANDWIDTH. 9 6.1 FOR GPRS. 10 6.1.1 Test Band = GPR\$850 16 6.2 TEST BAND = GPR\$1900 13 7 APPENDIX_E: BAND EDGES COMPLIANCE 16 7.1.1 Test Band = GPR\$850 16 7.1.2 Test Band = GPR\$850 16 7.1.1 Test Band = GPR\$1900 18 8 APPENDIX_F: SPURIOUS EMISSION AT ANTENNA TERMINAL 20 8.1 FOR GPRS. 20 8.1.1 Test Band = GPR\$1900 23 8.1 FOR GPRS. 20 8.1.1 Test Band = GPR\$1900 23 9 APPENDIX_G: FIELD STRENGTH OF SPURIOUS RADIATION. 26 9.1.1 Test Band = GPR\$1900 25 9 APPENDIX_G: FIELD STRENGTH OF SPURIOUS RADIATION. 26 9.1.1 Test Band = GPR\$1900 25 10 APPENDIX_H: FREQUENCY STAB	PAR	T I - TEST RESULTS	6
5.1 FOR GSM	5	APPENDIX_C: MODULATION CHARACTERISTICS	7
5.1.1 Test Band = GPRS850 7 5.1.2 Test Band = GPRS1900 8 6 APPENDIX_D: BANDWIDTH 9 6.1 FOR GPRS 10 6.1.1 Test Band = GPRS850 10 6.2 TEST BAND = GPRS1900 13 7 APPENDIX_E: BAND EDGES COMPLIANCE 16 7.1 FOR GPRS 16 7.1.1 Test Band = GPRS850 16 7.1.2 Test Band = GPRS850 16 7.1.2 Test Band = GPRS1900 18 8 APPENDIX_F: SPURIOUS EMISSION AT ANTENNA TERMINAL 20 8.1 FOR GPRS 20 8.1.1 Test Band = GPRS850 20 8.1.2 Test Band = GPRS1900 23 9 APPENDIX_G: FIELD STRENGTH OF SPURIOUS RADIATION 26 9.1 FOR GSM 26 9.1.1 Test Band = GPRS1900 29 10 APPENDIX_H: FREQUENCY STABILITY 32 10.1 FOR GSM 26 9.1.2 Test Band = GPRS1900 29 10 APPENDIX_H: FREQUENCY STABILITY	PAR	T I - TEST PLOTS	7
5.1.2 Test Band = GPRS1900 6 6 APPENDIX_D: BANDWIDTH. 9 6.1 FOR GPRS 10 6.1.1 Test Band = GPRS850 10 6.2 TEST BAND = GPRS1900 13 7 APPENDIX_E: BAND EDGES COMPLIANCE 16 7.1 FOR GPRS 16 7.1.1 Test Band = GPRS850 16 7.1.2 Test Band = GPRS850 16 7.1.2 Test Band = GPRS1900 18 8 APPENDIX_F: SPURIOUS EMISSION AT ANTENNA TERMINAL 20 8.1 FOR GPRS 20 8.1.1 Test Band = GPRS850 20 8.1.2 Test Band = GPRS850 20 8.1.1 Test Band = GPRS850 20 8.1.2 Test Band = GPRS1900 23 9 APPENDIX_G: FIELD STRENGTH OF SPURIOUS RADIATION 26 9.1 FOR GSM 26 9.1.1 Test Band = GPRS1900 29 10 APPENDIX_H: FREQUENCY STABILITY 32 10.1 FOR GSM 32 10.1.1 Frequency Error VS. Voltage:	5.		
6 APPENDIX_D: BANDWIDTH			
6.1 FOR GPRS	6		
6.1.1 Test Band = GPRS850 10 6.2 Test BAND = GPRS1900 13 7 APPENDIX_E: BAND EDGES COMPLIANCE 16 7.1 FOR GPRS 16 7.1.1 Test Band = GPRS850 16 7.1.2 Test Band = GPRS1900 18 8 APPENDIX_F: SPURIOUS EMISSION AT ANTENNA TERMINAL 20 8.1 FOR GPRS 20 8.1.1 Test Band = GPRS850 20 8.1.2 Test Band = GPRS850 20 8.1.2 Test Band = GPRS1900 23 9 APPENDIX_G: FIELD STRENGTH OF SPURIOUS RADIATION 26 9.1 FOR GSM 26 9.1.2 Test Band = GPRS1900 29 10 APPENDIX_H: FREQUENCY STABILITY 32 10.1 FOR GSM 26 9.1.2 Test Band = GPRS1900 29 10 APPENDIX_H: FREQUENCY STABILITY 32 10.1 FOR GSM 32 10.1.1 Frequency Error VS. Voltage: 32 This document is issued by the Company subject to Its General Conditions of Service printed overleaf, available on request or acc		_	
7 APPENDIX_E: BAND EDGES COMPLIANCE 16 7.1 FOR GPRS 16 7.1.1 Test Band = GPRS850 16 7.1.2 Test Band = GPRS1900 18 8 APPENDIX_F: SPURIOUS EMISSION AT ANTENNA TERMINAL 20 8.1 FOR GPRS 20 8.1.1 Test Band = GPRS850 20 8.1.2 Test Band = GPRS1900 23 9 APPENDIX_G: FIELD STRENGTH OF SPURIOUS RADIATION 26 9.1 FOR GSM 26 9.1.1 Test Band = GPRS1900 29 10 APPENDIX_H: FREQUENCY STABILITY 32 10.1 FOR GSM 32 10.1.1 FOR GSM 32 10.1.1 FOR GSM 32	0.		
7.1 FOR GPRS 16 7.1.1 Test Band = GPRS850 16 7.1.2 Test Band = GPRS1900 18 8 APPENDIX_F: SPURIOUS EMISSION AT ANTENNA TERMINAL 20 8.1 FOR GPRS 20 8.1.1 Test Band = GPRS850 20 8.1.1 Test Band = GPRS850 20 8.1.2 Test Band = GPRS1900 23 9 APPENDIX_G: FIELD STRENGTH OF SPURIOUS RADIATION 26 9.1 FOR GSM 26 9.1.1 Test Band = GSM850 26 9.1.2 Test Band = GPRS1900 29 10 APPENDIX_H: FREQUENCY STABILITY 32 10.1 FOR GSM 32 10.1 Frequency Error VS. Voltage: 32 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request	6.	2 TEST BAND = GPRS1900	13
7.1.1 Test Band = GPRS850 16 7.1.2 Test Band = GPRS1900 18 8 APPENDIX_F: SPURIOUS EMISSION AT ANTENNA TERMINAL 20 8.1 FOR GPRS 20 8.1.1 Test Band = GPRS850 20 8.1.2 Test Band = GPRS1900 23 9 APPENDIX_G: FIELD STRENGTH OF SPURIOUS RADIATION 26 9.1 FOR GSM 26 9.1.1 Test Band = GPRS1900 26 9.1.2 Test Band = GPRS1900 26 9.1.1 Test Band = GPRS1900 26 9.1.2 Test Band = GPRS1900 26 9.1.2 Test Band = GPRS1900 29 10 APPENDIX_H: FREQUENCY STABILITY 32 10.1 FOR GSM 32 10.1 FOR GSM 32 10.1.1 Frequency Error VS. Voltage: 32 10.1 For GSM 32 10.1.1 Frequency Error VS. Voltage: 32 "This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to	7	APPENDIX_E: BAND EDGES COMPLIANCE	16
7.1.2 Test Band = GPRS1900 18 8 APPENDIX_F: SPURIOUS EMISSION AT ANTENNA TERMINAL 20 8.1 FOR GPRS 20 8.1.1 Test Band = GPRS850 20 8.1.2 Test Band = GPRS1900 23 9 APPENDIX_G: FIELD STRENGTH OF SPURIOUS RADIATION 26 9.1 FOR GSM 26 9.1.1 Test Band = GSM850 26 9.1.2 Test Band = GPRS1900 29 10 APPENDIX_H: FREQUENCY STABILITY 22 10.1 FOR GSM 32 10.1 For GSM 32 10.1 Frequency Error VS. Voltage: 32 "This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at the company subject to its General Conditions of Service printed overleaf, available on request or accessible at the company subject to its General Conditions of Service printed overleaf, available on request or accessible at the company subject to its General Conditions of Service printed overleaf, available on request or accessible at the company subject to its General Conditions of Service printed overleaf, available on request or accessible at the company subject to its General Conditions of Service prin	7.		
8 APPENDIX_F: SPURIOUS EMISSION AT ANTENNA TERMINAL 20 8.1 FOR GPRS 20 8.1.1 Test Band = GPRS850 20 8.1.2 Test Band = GPRS1900 23 9 APPENDIX_G: FIELD STRENGTH OF SPURIOUS RADIATION 26 9.1 FOR GSM 26 9.1.1 Test Band = GSM850 26 9.1.2 Test Band = GSM850 26 9.1.2 Test Band = GSM850 26 9.1.2 Test Band = GPRS1900 29 10 APPENDIX_H: FREQUENCY STABILITY 32 10.1 FOR GSM 32 10.1.1 Frequency Error VS. Voltage: 32 "This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at the subject to Terms and Conditions for Electronic Documents at the subject to Terms and Conditions for Electronic Documents at the subject to Terms and Conditions for Electronic Documents at the subject to Terms and Conditions for Electronic Documents at the subject to Terms and Conditions for Electronic Documents at the subject to Terms and Conditions for Electronic Documents at the subject to Terms and Conditions for Electronic Documents at the subject to Terms and Conditions for Electronic Do			
8.1 FOR GPRS. 20 8.1.1 Test Band = GPRS850 20 8.1.2 Test Band = GPRS1900 23 9 APPENDIX_G: FIELD STRENGTH OF SPURIOUS RADIATION. 26 9.1 FOR GSM 26 9.1.1 Test Band = GSM850 26 9.1.2 Test Band = GPRS1900 29 10 APPENDIX_H: FREQUENCY STABILITY 32 10.1 FOR GSM 32 10.1 FOR GSM 32 10.1.1 Frequency Error VS. Voltage: 32 "This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at a subject to Terms and Conditions for Electronic Documents at a subject to Terms and Conditions for Electronic Documents at a subject to Terms and Conditions for Electronic Documents at a subject to Terms and Conditions for Electronic Documents at a subject to Terms and Conditions for Electronic Documents at a subject to Terms and Conditions for Electronic Documents at a subject to Terms and Conditions for Electronic Documents at a subject to Terms and Conditions for Electronic Documents at a subject to Terms and Conditions for Electronic Documents at a subject to Terms and Conditions for Electronic Documents at a subject to Terms and Conditions for Electronic Document subject to Terms and Conditions for Electron	8		
8.1.1 Test Band = GPRS850 20 8.1.2 Test Band = GPRS1900 23 9 APPENDIX_G: FIELD STRENGTH OF SPURIOUS RADIATION 26 9.1 FOR GSM 26 9.1.1 Test Band = GSM850 26 9.1.2 Test Band = GPRS1900 29 10 APPENDIX_H: FREQUENCY STABILITY 32 10.1 FOR GSM 32 10.1.1 Frequency Error VS. Voltage: 32 "This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at the company subject to its documents and conditions for Electronic Documents at the company subject to its documents and conditions for Electronic Documents at the company subject to its documents at the company subject to its documents at the company subject to its documents and conditions for Electronic Documents at the company subject to its documents and conditions for Electronic Documents at the company subject to its documents at the company subject to its documents at the company and conditions for Electronic Documents at the company subject to its documents at the company and conditions for Electronic Documents at the company subject to its documents at the company at the company subject to its documents at the company at the company subject to its documents at the company at the company subject to its documents at the company subject to its documen			
9 APPENDIX_G: FIELD STRENGTH OF SPURIOUS RADIATION	0.	8.1.1 Test Band = GPRS850	20
9.1 FOR GSM		8.1.2 Test Band = GPRS1900	23
9.1.1 Test Band = GSM850 26 9.1.2 Test Band = GPRS1900 29 10 APPENDIX_H: FREQUENCY STABILITY 32 10.1 FOR GSM 32 10.1.1 Frequency Error VS. Voltage: 32 "This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at the company subject to the service printed overleaf.	9	APPENDIX_G: FIELD STRENGTH OF SPURIOUS RADIATION	26
9.1.2 Test Band = GPRS1900 29 10 APPENDIX_H: FREQUENCY STABILITY 32 10.1 FOR GSM 32 10.1.1 Frequency Error VS. Voltage: 32 "This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at the company subject to the service printed overleaf.	9.		
10 APPENDIX_H: FREQUENCY STABILITY 32 10.1 FOR GSM 32 10.1.1 Frequency Error VS. Voltage: 32 "This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at the company subject to the c			
10.1.1 Frequency Error VS. Voltage:	10		
"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at	10	D.1 For GSM	32
holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."	"This o <u>www.s</u> <u>www.s</u> holder within a trans full, w docum	10.1.1 Frequency Error VS. Voltage:	32 ble at nts at n. Any y and ies to ept in of this



Report No.: SZEM151000664404 Page: 3 of 37

	10.1.2	Frequency Error VS. Temperature:
11	APPEND	IX I: TEST SETUP



Report No.: SZEM151000664404 Page: 4 of 37

3 Appendix_A: Effective (Isotropic) Radiated Power Output Data

Part I - Test Results

Part I – RF Conducted Power of Transmitter for GSM850

		RF Output Power(Conducted)							
TEST CONDITIONS	Channel128(L)	Channel192(M)	Channel251(H)				
	824.2MHz		836.6 MHz		848.8 MHz				
Tnom/ Vnom	Measured(dBm)	Limit	Measured(dBm)	Limit	Measured(dBm)	Limit			
	(abiii)	(dBm)	wooddiod(dDm)	(dBm)	Weddarod (dBill)	(dBm)			
GSM/TM1	33.41	38.5	33.39	38.5	33.15	38.5			
(GSM ONLY)	00.41	00.0	00.00	00.0	00.10	00.0			
GSM/TM1	33.4	38.5	33.36	38.5	33.13	38.5			
GPRS(GMSK)	55.4	00.0	00.00	00.0	55.15	00.0			

Part 2– Effective Radiated Power of Transmitter (ERP) for GSM850

Test Mode	Freq. (MHz)	Meas. Level (dBm)	Substitution Antenna Type	SGP (dBm)	Substitution Gain(dBi)	Cable Loss (dB)	Substitution Level(ERP) / dBm	Limit (dBm)	Result
GSM/TM1 (GSM ONLY)	824.2	30.26	BiConiLog Antenna	35.63	-2.75	0.6	30.13	38.5	Pass
GSM/TM1 (GSM ONLY)	836.6	29.16	BiConiLog Antenna	34.75	-2.87	0.6	29.13	38.5	Pass
GSM/TM1 (GSM ONLY)	848.8	29.75	BiConiLog Antenna	35.18	-2.85	0.6	29.58	38.5	Pass
GSM/TM1 (GPRS)	824.2	30.21	BiConiLog Antenna	35.62	-2.75	0.6	30.12	38.5	Pass
GSM/TM1 (GPRS)	836.6	29.12	BiConiLog Antenna	34.7	-2.87	0.6	29.08	38.5	Pass
GSM/TM1 (GPRS)	848.8	29.7	BiConiLog Antenna	35.22	-2.85	0.6	29.62	38.5	Pass

Note:

a: For getting the ERP (Efficient Radiated Power) in substitution method, the following formula should be taken to calculate it,

ERP [dBm] = SGP [dBm] - Cable Loss [dB] + Gain [dBi] - 2.15

b: SGP=Signal Generator Level

c: RBW > emission bandwidth, VBW > 3 x RBW. Detector: RMS



Report No.: SZEM151000664404 Page: 5 of 37

Part I – RF Conducted Power of Transmitter for GSM1900

		RF Output Power(Conducted)							
TEST CONDITIONS	Channel128(L)	Channel190(M)	Channel251(H)			
	1850.2MHz		1880.0 MHz		1909.8 MHz				
Tnom/ Vnom	Measured(dBm)	Limit	Measured(dBm)	Limit	Measured(dBm)	Limit			
	Measured(dDiff)	(dBm)	Measured(dDm)	(dBm)	Measured(dbiii)	(dBm)			
GSM/TM1	31.02	33	30.69	33	30.13	33			
(GSM ONLY)	01.02		50.05	00	50.15	55			
GSM/TM1	30.98	33	30.66	33	30.12	33			
(GPRS)	00.90		00.00	- 55	00.12	55			

Part 2– Effective Isotropic Radiated Power of Transmitter (EIRP) for GSM1900

Test Mode	Freq. (MHz)	Meas. Level (dBm)	Substitution Antenna Type	SGP (dBm)	Substitution Gain(dBi)	Cable Loss (dB)	Substitution Level(EIRP) / dBm	Limit (dBm)	Result
GSM/TM1 (GSM ONLY)	1850.2	28.61	Horn Antenna	21.73	7.82	1	28.55	33	Pass
GSM/TM1 (GSM ONLY)	1880.0	28.81	Horn Antenna	21.92	7.86	1	28.78	33	Pass
GSM/TM1 (GSM ONLY)	1909.8	28.55	Horn Antenna	21.57	7.95	1	28.52	33	Pass
GSM/TM1 (GPRS)	1850.2	28.60	Horn Antenna	21.72	7.82	1	28.54	33	Pass
GSM/TM1 (GPRS)	1880.0	28.78	Horn Antenna	21.87	7.86	1	28.73	33	Pass
GSM/TM1 (GPRS)	1909.8	28.54	Horn Antenna	21.56	7.95	1	28.51	33	Pass

Note:

a, For getting the EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

EIRP [dBm] = SGP [dBm] - Cable Loss [dB] + Gain [dBi]

- b, SGP=Signal Generator Level
- c: RBW > emission bandwidth, VBW > 3 x RBW
 - Detector: RMS

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM151000664404 Page: 6 of 37

4 Appendix_B: Peak-to-Average Ratio

Part I - Test Results

Test Band	Test Mode	Test Channel	Measured[dB]	Limit [dB]	Verdict
		LCH	0.65	13	PASS
GPRS850	GSM/TM1	MCH	0.69	13	PASS
		HCH	0.54	13	PASS
		LCH	0.53	13	PASS
GPRS1900	GSM/TM1	MCH	0.46	13	PASS
		HCH	0.25	13	PASS



Report No.: SZEM151000664404 Page: 7 of 37

5 Appendix_C: Modulation Characteristics


Part I - Test Plots

5.1 For GSM

5.1.1 Test Band = GPRS850

5.1.1.1 Test Mode = GPRS/TM1

5.1.1.1.1 Test Channel = MCH






Report No.: SZEM151000664404 Page: 8 of 37

5.1.2 Test Band = GPRS1900

5.1.2.1 Test Mode = GPRS/TM1

5.1.2.1.1 Test Channel = MCH





Report No.: SZEM151000664404 Page: 9 of 37

6 Appendix_D: Bandwidth

Part I - Test Results

Test Band	Test Mode	Test Channel	Occupied Bandwidth [kHz]	Emission Bandwidth [kHz]	Verdict
		LCH	246.65	306.2	PASS
GPRS850	GPRS/TM1	MCH	246.49	315.8	PASS
		HCH	249.82	309.5	PASS
GPRS1900		LCH	249.57	317.8	PASS
	GPRS/TM1	MCH	249.72	316.0	PASS
		HCH	246.85	320.6	PASS



Report No.: SZEM151000664404 Page: 10 of 37

Part II - Test Plots

6.1 For GPRS

6.1.1 Test Band = GPRS850

6.1.1.1 Test Mode = GPRS/TM1


6.1.1.1.1 Test Channel = LCH





Report No.: SZEM151000664404 Page: 11 of 37

6.1.1.1.2 Test Channel = MCH








Report No.: SZEM151000664404 Page: 12 of 37

6.1.1.1.3 Test Channel = HCH





Report No.: SZEM151000664404 Page: 13 of 37

6.2 Test Band = GPRS1900

6.2.1.1 Test Mode = GPRS/TM1

6.2.1.1.1 Test Channel = LCH





Report No.: SZEM151000664404 Page: 14 of 37

6.2.1.1.2 Test Channel = MCH





Report No.: SZEM151000664404 Page: 15 of 37

6.2.1.1.3 Test Channel = HCH





Report No.: SZEM151000664404 Page: 16 of 37

7 Appendix_E: Band Edges Compliance

Part I - Test Plots

7.1 For GPRS

7.1.1 Test Band = GPRS850


- 7.1.1.1 Test Mode = GPRS/TM1
- 7.1.1.1.1 Test Channel = LCH





Report No.: SZEM151000664404 Page: 17 of 37

7.1.1.1.2 Test Channel = HCH






Report No.: SZEM151000664404 Page: 18 of 37

7.1.2 Test Band = GPRS1900

7.1.2.1 Test Mode = GPRS/TM1


7.1.2.1.1 Test Channel = LCH





Report No.: SZEM151000664404 Page: 19 of 37

7.1.2.1.2 Test Channel = HCH





Report No.: SZEM151000664404 Page: 20 of 37

8 Appendix_F: Spurious Emission at Antenna Terminal


NOTE: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of < RBW/2 so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = k * (Span / RBW)" with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.

Part I - Test Plots

8.1 For GPRS

8.1.1 Test Band = GPRS850


- 8.1.1.1 Test Mode = GPRS/TM1
- 8.1.1.1.1 Test Channel = LCH





Report No.: SZEM151000664404 Page: 21 of 37

8.1.1.1.2 Test Channel = MCH








Report No.: SZEM151000664404 Page: 22 of 37

8.1.1.1.3 Test Channel = HCH






Report No.: SZEM151000664404 Page: 23 of 37

8.1.2 Test Band = GPRS1900

8.1.2.1 Test Mode = GPRS/TM1


8.1.2.1.1 Test Channel = LCH





Report No.: SZEM151000664404 Page: 24 of 37


8.1.2.1.2 Test Channel = MCH





Report No.: SZEM151000664404 Page: 25 of 37

8.1.2.1.3 Test Channel = HCH





Report No.: SZEM151000664404 Page: 26 of 37

9 Appendix_G: Field Strength of Spurious Radiation

Part I - Test Plots

9.1 For GSM

9.1.1 Test Band = GSM850

9.1.1.1 Test Mode = GSM/TM1

GSM LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
129.861	-73.03	-13.00	-60.03	Vertical
179.526	-86.64	-13.00	-73.64	Vertical
230.062	-83.09	-13.00	-70.09	Vertical
322.019	-78.94	-13.00	-65.94	Vertical
459.516	-78.74	-13.00	-65.74	Vertical
643.622	-75.74	-13.00	-62.74	Vertical
1224.775	-55.22	-13.00	-42.22	Vertical
2269.275	-48.89	-13.00	-35.89	Vertical
3515.200	-56.18	-13.00	-43.18	Vertical
5154.600	-55.10	-13.00	-42.10	Vertical
6994.200	-53.98	-13.00	-40.98	Vertical
9218.800	-53.06	-13.00	-40.06	Vertical

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
78.743	-85.88	-13.00	-72.88	Horizontal
126.952	-85.48	-13.00	-72.48	Horizontal
192.960	-83.04	-13.00	-70.04	Horizontal
282.006	-80.71	-13.00	-67.71	Horizontal
417.661	-73.50	-13.00	-60.50	Horizontal
678.688	-74.45	-13.00	-61.45	Horizontal
1648.575	-30.07	-13.00	-17.07	Horizontal
2472.525	-38.62	-13.00	-25.62	Horizontal
3296.800	-46.14	-13.00	-33.14	Horizontal
4121.400	-39.61	-13.00	-26.61	Horizontal
5734.900	-55.37	-13.00	-42.37	Horizontal
7417.350	-47.72	-13.00	-34.72	Horizontal



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM151000664404 Page: 27 of 37

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
82.186	-82.19	-13.00	-69.19	Vertical
123.605	-81.97	-13.00	-68.97	Vertical
172.299	-72.83	-13.00	-59.83	Vertical
292.240	-79.73	-13.00	-66.73	Vertical
435.606	-79.71	-13.00	-66.71	Vertical
607.829	-75.51	-13.00	-62.51	Vertical
2276.550	-49.37	-13.00	-36.37	Vertical
3290.500	-57.56	-13.00	-44.56	Vertical
4317.750	-56.93	-13.00	-43.93	Vertical
5474.850	-55.27	-13.00	-42.27	Vertical
7440.450	-54.63	-13.00	-41.63	Vertical
9313.300	-52.83	-13.00	-39.83	Vertical

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
76.948	-84.70	-13.00	-71.70	Horizontal
131.899	-86.17	-13.00	-73.17	Horizontal
191.214	-84.44	-13.00	-71.44	Horizontal
287.778	-79.24	-13.00	-66.24	Horizontal
431.629	-74.56	-13.00	-61.56	Horizontal
624.173	-74.53	-13.00	-61.53	Horizontal
1672.950	-21.72	-13.00	-8.72	Horizontal
2509.650	-37.21	-13.00	-24.21	Horizontal
3340.550	-53.29	-13.00	-40.29	Horizontal
4183.000	-45.94	-13.00	-32.94	Horizontal
5856.700	-54.13	-13.00	-41.13	Horizontal
7529.000	-49.01	-13.00	-36.01	Horizontal



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM151000664404 Page: 28 of 37

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization	
86.357	-85.69	-13.00	72.69	Vertical	
131.074	-76.89	-13.00	-63.89	Vertical	
187.674	-86.65	-13.00	-73.65	Vertical	
282.879	-80.40	-13.00	-67.40	Vertical	
424.111	-64.43	-13.00 -51.43		Vertical	
691.395	-75.77	-13.00	-62.77	Vertical	
1697.625	-29.63	-13.00	-16.63	Vertical	
2452.275	-47.54	-13.00	-34.54	Vertical	
4243.550	-51.51	-13.00	-38.51	Vertical	
5566.900	-56.22	-13.00	-43.22	Vertical	
7639.250	-52.38	-13.00	-39.38	Vertical	
9320.300	-53.15	-13.00	-40.15	Vertical	

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
68.073	-78.69	-13.00	-65.69	Horizontal
110.365	-86.41	-13.00	-73.41	Horizontal
191.602	-84.00	-13.00	-71.00	Horizontal
288.408	-80.05	-13.00	-67.05	Horizontal
432.987	-78.30	-13.00	-65.30	Horizontal
614.086	-73.52	-13.00	-60.52	Horizontal
1697.550	-22.42	-13.00	-9.42	Horizontal
2546.100	-40.90	-13.00	-27.90	Horizontal
4243.900	-45.35	-13.00	-32.35	Horizontal
5700.950	-55.91	-13.00	-42.91	Horizontal
7639.250	-48.85	-13.00	-35.85	Horizontal
9695.850	-54.41	-13.00	-41.41	Horizontal



Report No.: SZEM151000664404 Page: 29 of 37

9.1.2 Test Band = GPRS1900

9.1.2.1 Test Mode = GPRS/TM1

GPRS LCH

Frequency (MHz)	Level (dBm)	I (dBm) Limit Line (dBm) Over Limit (dB)		Polarization
61.768	-66.43	-13.00	-53.43	Vertical
96.882	-77.57	-13.00	-64.57	Vertical
152.172	-68.77	-13.00	-55.77	Vertical
269.008	-80.54	-13.00	-67.54	Vertical
423.869	-77.87	-13.00	-64.87	Vertical
619.033	-60.54	-13.00	-47.54	Vertical
1648.200	-30.08	-13.00	-17.08	Vertical
2472.450	-38.24	-13.00	-25.24	Vertical
3290.850	-51.33	-13.00	-38.33	Vertical
4487.500	-56.10	-13.00	-43.10	Vertical
5769.200	-50.99	-13.00	-37.99	Vertical
7896.150	-53.23	-13.00	-40.23	Vertical

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Line (dBm) Over Limit (dB)	
78.209	-86.13	-13.00	-73.13	Horizontal
141.502	-86.41	-13.00	-73.41	Horizontal
213.912	-83.25	-13.00	-70.25	Horizontal
326.966	-80.43	-13.00	-67.43	Horizontal
484.445	-76.38	-13.00	-63.38	Horizontal
739.119	-75.38	-13.00	-62.38	Horizontal
1648.425	-30.02	-13.00	-17.02	Horizontal
2472.450	-39.89	-13.00	-26.89	Horizontal
3290.850	-52.67	-13.00	-39.67	Horizontal
4121.050	-41.42	-13.00	-28.42	Horizontal
5769.200	-55.07	-13.00	-42.07	Horizontal
7417.350	-50.94	-13.00	-37.94	Horizontal



Report No.: SZEM151000664404 Page: 30 of 37

GPRS MCH					
Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization	
68.558	-70.42	-13.00	-57.42	Vertical	
105.951	-78.43	-13.00	-65.43	Vertical	
153.772	-68.48	-13.00	-55.48	Vertical	
250.627	-79.93	-13.00	-66.93	Vertical	
418.388	-53.76	-13.00	-40.76	Vertical	
625.677	-58.50	-13.00	-45.50	Vertical	
1673.100	-33.82	-13.00	-20.82	Vertical	
2509.875	-37.31	-13.00	-24.31	Vertical	
3525.350	-49.78	-13.00	-36.78	Vertical	
5019.500	-53.11	-13.00	-40.11	Vertical	
6268.650	-54.25	-13.00	-41.25	Vertical	
9202.700	-49.90	-13.00	-36.90	Vertical	

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Limit Line (dBm) Over Limit (dB)	
65.890	-77.27	-13.00	-64.27	Horizontal
104.836	-77.87	-13.00	-64.87	Horizontal
165.461	-83.39	-13.00	-70.39	Horizontal
275.459	-78.94	-13.00	-65.94	Horizontal
418.340	-59.24	-13.00	-46.24	Horizontal
680.046	-75.46	-13.00	-62.46	Horizontal
1673.175	-35.42	-13.00	-22.42	Horizontal
2509.800	-38.99	-13.00	-25.99	Horizontal
3810.250	-51.40	-13.00	-38.40	Horizontal
5190.300	-56.22	-13.00	-43.22	Horizontal
7469.850	-54.81	-13.00	-41.81	Horizontal
9249.950	-52.01	-13.00	-39.01	Horizontal



Report No.: SZEM151000664404 Page: 31 of 37

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization	
67.054	-75.88	-13.00	-62.88	Vertical	
99.452	-75.39	-13.00	-62.39	Vertical	
152.851	-67.82	-13.00	-54.82	Vertical	
256.738	-80.56	-13.00	-67.56	Vertical	
424.790	-63.83	-13.00	-50.83	Vertical	
619.081	-67.81	-13.00	-54.81	Vertical	
1697.325	-33.65	-13.00	-20.65	Vertical	
2546.100	-38.57	-13.00	-25.57	Vertical	
3395.150	-50.67	-13.00	-37.67	Vertical	
4243.900	4243.900 -51.76		-38.76	Vertical	
5710.050	-56.63	-13.00	-43.63	Vertical	
8887.350	-53.50	-13.00	-40.50	Vertical	

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
58.858	-68.79	-13.00	-55.79	Horizontal
93.632	-72.73	-13.00	-59.73	Horizontal
153.142	-62.25	-13.00	-49.25	Horizontal
255.574	-79.36	-13.00	-66.36	Horizontal
424.354	-64.18	-13.00	-51.18	Horizontal
619.178	-59.71	-13.00	-46.71	Horizontal
1697.625	-27.52	-13.00	-14.52	Horizontal
2546.700	-37.07	-13.00	-24.07	Horizontal
3575.400	-46.19	-13.00	-33.19	Horizontal
5092.300	-54.06	-13.00	-41.06	Horizontal
7063.500	-52.67	-13.00	-39.67	Horizontal
9337.450	-51.55	-13.00	-13.00 -38.55	

NOTE:

1) The disturbance above 16GHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.





Report No.: SZEM151000664404 Page: 32 of 37

10 Appendix_H: Frequency Stability

10.1 For GSM

10.1.1 Frequency Error VS. Voltage:

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
				VL	-3.10	-0.00376	PASS
		LCH	ΤN	VN	-8.00	-0.00971	PASS
				VH	0.52	0.00063	PASS
				VL	-7.74	-0.00925	PASS
GPRS850	GPRS/TM1	MCH	ΤN	VN	-6.52	-0.00779	PASS
				VH	-5.16	-0.00617	PASS
		НСН	TN	VL	-0.80	-0.00094	PASS
				VN	-5.52	-0.00650	PASS
				VH	-8.94	-0.01053	PASS
		LCH	TN	VL	-10.09	-0.00545	PASS
				VN	-8.54	-0.00462	PASS
				VH	-2.40	-0.00128	PASS
				VL	-1.69	-0.00090	PASS
GPRS1900	GPRS/TM1	MCH	ΤN	VN	-7.38	-0.00393	PASS
				VH	-1.05	-0.00055	PASS
				VL	-8.28	-0.00434	PASS
		HCH	ΤN	VN	-18.93	-0.00991	PASS
				VH	3.80	0.00205	PASS



Report No.: SZEM151000664404 Page: 33 of 37

10.1.2 Frequency Error VS. Temperature:

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Limit [ppm]	Verdict
				-30	-1.98	-0.00240	±2.5	PASS
				-20	-1.27	-0.00154	±2.5	PASS
				-10	-1.59	-0.00193	±2.5	PASS
				0	-3.53	-0.00428	±2.5	PASS
		LCH	VN	10	1.25	0.00152	±2.5	PASS
				20	2.48	0.00301	±2.5	PASS
				30	2.57	0.00312	±2.5	PASS
				40	1.09	0.00132	±2.5	PASS
				50	6.19	0.00751	±2.5	PASS
				-30	0.25	0.00030	±2.5	PASS
		M1 MCH		-20	2.96	0.00354	±2.5	PASS
				-10	-0.61	-0.00073	±2.5	PASS
				0	-1.96	-0.00234	±2.5	PASS
GPRS850	GPRS/TM1		VN	10	0.43	0.00051	±2.5	PASS
				20	-1.12	-0.00134	±2.5	PASS
				30	0.94	0.00112	±2.5	PASS
				40	1.52	0.00182	±2.5	PASS
				50	2.36	0.00282	±2.5	PASS
				-30	0.32	0.00038	±2.5	PASS
				-20	4.97	0.00586	±2.5	PASS
				-10	-0.65	-0.00077	±2.5	PASS
				0	-1.10	-0.00130	±2.5	PASS
		HCH	VN	10	-0.84	-0.00099	±2.5	PASS
				20	-1.10	-0.00130	±2.5	PASS
				30	-1.30	-0.00153	±2.5	PASS
				40	-2.20	-0.00259	±2.5	PASS
				50	-0.13	-0.00015	±2.5	PASS



Report No.: SZEM151000664404 Page: 34 of 37


	1					1		
				-30	-14.93	-0.00807	±2.5	PASS
				-20	-8.87	-0.00479	±2.5	PASS
				-10	-14.04	-0.00759	±2.5	PASS
				0	-2.22	-0.00120	±2.5	PASS
		LCH	VN	10	1.65	0.00089	±2.5	PASS
				20	-5.06	-0.00273	±2.5	PASS
				30	-13.84	-0.00748	±2.5	PASS
				40	-10.42	-0.00563	±2.5	PASS
				50	1.33	0.00072	±2.5	PASS
				-30	-5.77	-0.00307	±2.5	PASS
				-20	-7.39	-0.00393	±2.5	PASS
	GPRS/TM1	мсн	VN	-10	-13.13	-0.00698	±2.5	PASS
				0	-0.67	-0.00036	±2.5	PASS
GPRS1900				10	-15.33	-0.00815	±2.5	PASS
				20	-7.64	-0.00406	±2.5	PASS
				30	2.43	0.00129	±2.5	PASS
				40	-8.87	-0.00472	±2.5	PASS
				50	-11.96	-0.00636	±2.5	PASS
				-30	-14.73	-0.00771	±2.5	PASS
				-20	-5.24	-0.00274	±2.5	PASS
				-10	-6.79	-0.00356	±2.5	PASS
				0	-11.76	-0.00616	±2.5	PASS
		НСН	VN	10	1.02	0.00053	±2.5	PASS
				20	2.57	0.00135	±2.5	PASS
				30	-6.34	-0.00332	±2.5	PASS
				40	-13.64	-0.00714	±2.5	PASS
				50	-2.21	-0.00116	±2.5	PASS



Report No.: SZEM151000664404 Page: 35 of 37

11 Appendix I: Test Setup


RF Conducted Test:






Report No.: SZEM151000664404 Page: 36 of 37







Report No.: SZEM151000664404 Page: 37 of 37



The End