

CUSTOMER NAME	Shenzhen Aoni Electronic Co.,Ltd
CUSTOMER P/N	B097JL
PART NAME	Bluetooth Antenna
DWM NO.	
APPROVAL REV.	R:A

CONTRACTOR			DATE : 2023-06-05
QA CHECKED	ME CHECKED	RF CHECKED	MANAGER CHECKED

CUSTOMER		DATE :
Approved By	Checked By	Prepared By

ProductSpecification

Aoni

P/N:

Rev.:

Page:

A

Content

Content2
1. Product Application.....3
2. The test environment, equipment3
3. Technology Parameters6

Product Specification

Aoni

P/N:

Rev.:


A

Page:

1. Product Application

Terminal of the antenna products can only be used for Bluetooth antenna.

2. The test environment, equipment

Item	Description	Test Condition	Requirement
2.1	Passivetesting	The VSWR measurement devices are connected in sequence: Agilent5071B Network Analyzer →measurementCable → Customer-providing Devices.	VSWR: 2400-2500MHz ≤ 2
		Test equipment	
			

Item	Description	Test Condition
2.2	Active test	The antenna is tested within the cell mainboard provided by clients. Follow picture shows the measurement condition of the antenna been put on the measurement device, which is used for all measurement of electric performances.
2.3	Microwave Anechoic chamber (Satimo&ETS)	Test equipment

Product Specification


Aoni

P/N:

Rev.:

Page:

A



Product Specification

P/N:

Rev.:

Page:

Aoni

A


CMW500

Agilent5071B

AgilentE4405B

Agilent8960

2.4



Product Specification

Aoni

P/N:

Rev.:

Page:


A

3. Technology Parameters


Frequency Range: 2400MHz-2500MHz
Operating Humidity: 85%R.H.MAX
Temperature Rating: -40°C~+85°C

3.1 The matching test value

Element	Value
E1(0402)	N/A
E2(0402)	1.2nH
E3(0402)	2.4pF
E4(0402)	0Ω



3.2 VSWR:



Product Specification

Aoni

P/N:

Rev.:

Page:

A

3.3 Efficiency And Gain:

Fre	Effi	Effi . dB	Gain.dB
2400	55.14%	-1.58	1.95
2410	56.12%	-1.51	1.91
2420	57.49%	-1.40	1.88
2430	58.79%	-1.31	1.84
2440	59.37%	-1.26	1.75
2450	60.15%	-1.21	1.69
2460	60.50%	-1.18	1.63
2470	60.30%	-1.20	1.59
2480	59.88%	-1.23	1.55
2490	59.11%	-1.28	1.45
2500	57.72%	-1.39	1.27