

SHARPER IMAGE

Rechargeable 2.4GHz DX-1 MICRO DRONE

Congratulations on your purchase of the Sharper Image Rechargeable 2.4 GHz DX-1Micro Drone. Get ready to soar to new heights. Master the art of drone flying with remote control to the consequence of the

SPECIFICATIONS

Drone Battery: 100 mAh Li-po Remote Controller Battery: 2 x 1.5V AAA Charging Time: Approximately 30 minutes Maximum Recommended Altitude 65 ft.

TABLE OF CONTENTS

General Warnings	Page 1
Contents and Remote Battery Installation	Page 2
Charging LiPo and Drone Storage	Page 3
Remote Overview	Page 4
Operating Drone	Page 5
Modes and Installing Blade Gaurds	Page 6
Troubleshooting and FCC Warning	Page 7

SHARPER IMAGE

Rechargeable 2.4GHz DX-1 MICRO DRONE

READ ALL WARNINGS AND PRECAUTIONS BEFORE USE

A SAFETY WARNINGS:

- Not recommended for children under 12 years of age. As with all electrical products, precaution should be observed during handling and use to reduce the risk of electrical shock.
- Adult supervision is required at all times

 Before each use, an adult should review the product and battery to determine that no damage or hazards exist
 - DO NOT TOUCH SPINNING PROPELLERS
- Do not allow anything to intentionally make contact in any way with spinning propellers

 Prevent contact with spinning blades by turning off remote prior to handling drone
- Use caution and pay attention to your surroundings while operating drone
- Do not fly drone into animals, people, or inanimate objects
 Keep drone away from power lines, buildings, trees, public areas, and any other potentially
 hazardous areas.
- Do not operate in rain, heavy wind, and or any type of severe weather
- Do not land drone on wet surfaces

 Never touch or allow others to touch drone while it is flying

 Always turn drone off when it is not in use


- Always fly drone in large open areas
- Always use caution when flying drone vehicles, obey relevant laws, respect the privacy and
- property rights of others. The drone shall never be modified or used for anything except its intended purpose



SHARPER IMAGE

Rechargeable 2.4GHz DX-1 MICRO DRONE

CONTENTS











REMOTE BATTERY INFORMATION

- Slide open battery compartment
 Install 2 "AAA" batteries as shown in diagram
- own above place and close battery compartment

LITHIUM-POLYMER BATTERY WARNING

- here is a risk of fire and personal injury if Li-Po attery is punctured, damaged or misused Never expose battery to extreme temperatures or moisture Do not subject battery to strong impacts Always keep battery away from flammable

- ruways Keep battery away from flammable materials Only use manufacturer specified batter(les), charger(s), and/or adapters, if applicable, specified by the manufacturer Battery is not serviceable Let battery cool to room temperature before charging
- charging, never leave battery unattended While charging, never leave battery unattended Recycle or dispose of battery according to federal state and local laws KEEP THIS INSTRUCTION MANUAL FOR REFERENCE

BATTERY WARNING

SHARPER IMAGE

Rechargeable 2.4GHz DX-1 MICRO DRONE

CHARGING BATTERY


CHARGING BATTERT

Note: The Battery Charger will light up when it is charging the battery and turn off when the battery is fully charged. Charge time is approximately 30 minutes.

Carefully connect the Drone to USB charging cord as the connector. Connector is delicate and must be handled with care.

Connect USB connector to power source.

Please note the plug direction when plugging in the drone:









Insert the USB connector into a USB power


Carefully unplug the charging cord from the Drone:





SHARPER IMAGE

Rechargeable 2.4GHz DX-1 MICRO DRONE




SHARPER IMAGE

OPERATING DRONE

- Step 1 Pre Flight Checklist
 1. Read all warnings and instruction
 2. Install remote batteries, page 2
 3. Make sure that drone and remo
 are powered off
 4. Install Blade Guards, page 6.
 5. Charge batteries, page 3.

- Step 3 Starting Drone

 1. Making sure your remote is off, slide drone switch to ON. Drone lights will



Rechargeable 2.4GHz DX-1 MICRO DRONE

- Step 2 Choosing a location
 Drone is designed to be flown indoors

- 1. Makeng sure your ermote is orn, studied drone switch to ON. Drone lights will begin to flicker
 2. Choose a flat even surface and follow the diagram
 3. Turn remote on. Bring the Throttle all the way up then bring it all the way down. Remote will beep and drone lights will flicker rapidly then turn on permanently once paired.
 4. Drone is ready for flight.

- Step 4 Lift Off

 1. Slowly and carefully bring the throttle up.
 Propellers will begin to spin and drone will begin
 to elevate. You can compensate for some of the
 drones drifting by using the Multi Directional
 Button or by following step 5. You may need to
 practice this step several times before
 successfully getting drone into the air.

successtuly getting drone into the air. Step 5 - Drone Begins to Drift Follow this step if your drone begins to drift while take off or during flight Drone drifts backwards: Slide the Forward/Backwards Adjustment up Drone drifts forwards: Slide the Forward/Backwards Adjustment down Drone drifts left: Slide the Slide to Side Adjustment to the right. Drone drifts lift: Slide the Slide to Side Adjustment to the right. Torone spins clockwise (viewing drone from top): Slide the Spin Adjustment to the left. Drone spins counter-clockwise (viewing drone from top): Slide the Spin Adjustment to the right.

Always turn off remote prior to retrieving or picking up drone. This will help you avoid accidently activating propellers.

Step 6 - Operating Drone in Flight The drones range is approximately 100 feet • Read and be aware of all warnings for

- Head and be aware of all warmings tound on page 1.
 Maintain your desired elevation by using the Throttle
 Use the Throttle joystick in a circle motion to spin the drone
 Use the Multi Directional Joystick to move forwards, backwards, and side to side
 Review step 5 if your drone begins to drift

SHARPER IMAGE

Rechargeable 2.4GHz DX-1 MICRO DRONE

- Auto Landing

 Make sure you have achieved level, balanced flight, where the drone is neither climbing nor descending. This mode will activate when the remote loses signal or when remote is turned off or when battery gets too low.

 The ideal auto landing height is 15ft.

 This mode allows you to safely and slowly land your drone without having to control the speed. It is done for you automatically.

Auto Orientation

- Auto Orientation

 Auto Orientation default setting is off. To enter this mode press Auto Orientation "+" button. Remote will beep twice.


 After drone success paired, the 2 white LED lights toward orientation will be the original forward orientation, when drone is in auto orientation mode, whatever the drone spin, the forward orientation will be previous original forward orientation.

 Remote will beep every 6s to indicate the drone is in Auto Orientation mode.

 To exit mode, press the "-" button. Remote will sound 1 long beep indicating that it has exited Auto Orientation mode.







Coming from below, angle the Blade Gaurd to the propeller post. REPLACING PROPELLERS

- Follow diagram to the right.
 Make sure you installed the correct blade Each blade has a letter written on it



SHARPER IMAGE

Rechargeable 2.4GHz DX-1 MICRO DRONE

- drone into sand or dirt. Drone gears may become clogged ming to fly, practice lifting off and hovering
- Stay several feet from valia and buildings
 Always Press Throttle all the vary down after crashing or when something gets stuck in propellers
 Never Ify clines above or near people, sudden changes in wind or other conditions could lead to unexpected crashes.
 Always use caution when flying drone velicious, budy relevant laws, respect the princay and property sights of others.
 The drone shall never be modified or used for anything except its intended purpose.

- TROUBLESHOOTING:
 When remote switch is turned on, the remote light does not illuminate:

 1) Check that batteries in the remote are installed correctly OR
 2) Replace with new batteries When the remote is switched on, the remote LED is flashing and remote is beeping:

 1) Remote batteries are low; replace them with new batteries
- e and remote properly pair, but the drone will not lift-off:

 1) Drone Li-Po needs charging. Use charging cable to connect the drone to power source.
- imming the drone, the drone flight is very unstable and cannot fly properly:

 1) One or more blades are most likely damagod:

 2) Turn off the drone and remote.

 3) Replace with the proper number replacement blade and the fluids on

Remote Controller and Drone can not be paired:

1) Chack Point: Remote Controller must be closed to Drone, not exceed 4 meters

Note: If there are 2 sets of Drones within 4 meters for Pairing, you must pair one se This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device must accept any interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the PCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This suppression personation, uses and care motates noto frequency energy and, if not fortificate and used no scored on with the installation, may cause harmful inference to not so come—inclination. Review there is no guestate that inference to a risk or come—inclination. Review there is no guestate that inference to a risk or come—inclination. Review the is no guestate that inference to a risk or come—inclination. Review the is no guestate that inference to a risk or come—inclination or risk or residence to a risk or residence to risk or residence to a risk or

APPIR RANGE name and top or registered treatments manufactured and manketed by Marchibource, LLC under locense. All other logoes and APPIR RANGE name and topo are registered treatments manufactured and manketed by Marchibource, LLC under locense. All other logoes and manufactured to the respective covernes. The services and design of this package are protected by US copyright law and may not be coloured, dishibuted, displaced, published or used for any purpose without prior written permission. Altering, removing or reproducing any of the many or copyright rotices on this package and not permitted.

©2016 MerchSource, LLC. All rights reserved. Distributed by MerchSource, LLC, Irvine, CA 92618.