



802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUTY_2TX
 Setting 25.5
 04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.426G	59.27	74.00	-14.73	53.14	3	Vertical	37	1.28	-	33.50	5.81	33.18
PK	5.4632G	59.50	68.20	-8.70	53.20	3	Vertical	37	1.28	-	33.65	5.83	33.18
AV	5.4548G	46.83	54.00	-7.17	40.56	3	Vertical	37	1.28	-	33.62	5.83	33.18
PK	5.6996G	112.88	Inf	-Inf	106.19	3	Vertical	37	1.28	-	34.00	5.95	33.26
AV	5.6984G	100.44	Inf	-Inf	93.75	3	Vertical	37	1.28	-	34.00	5.95	33.26
PK	5.85G	64.96	68.20	-3.24	57.73	3	Vertical	37	1.28	-	34.50	6.05	33.32


802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUTY_2TX
 Setting 25.5
 04-E-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	60.91	74.00	-13.09	54.63	3	Horizontal	360	1.85	-	33.63	5.83	33.18
PK	5.4608G	60.74	68.20	-7.46	54.45	3	Horizontal	360	1.85	-	33.64	5.83	33.18
AV	5.4596G	48.34	54.00	-5.66	42.05	3	Horizontal	360	1.85	-	33.64	5.83	33.18
PK	5.6828G	114.93	Inf	-Inf	108.27	3	Horizontal	360	1.85	-	33.97	5.94	33.25
AV	5.6828G	102.31	Inf	-Inf	95.65	3	Horizontal	360	1.85	-	33.97	5.94	33.25
PK	5.8508G	67.87	68.20	-0.33	60.64	3	Horizontal	360	1.85	-	34.50	6.05	33.32


802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUTY_2TX
 Setting 25.5
 04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4028G	57.01	74.00	-16.99	43.22	3	Vertical	0	1.76	-	39.20	9.30	34.71
AV	11.3983G	42.89	54.00	-11.11	29.10	3	Vertical	0	1.76	-	39.20	9.30	34.71

802.11ax HEW80_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUTY_2TX
 Setting 25.5
 04-E-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3983G	56.44	74.00	-17.56	42.65	3	Horizontal	360	1.04	-	39.20	9.30	34.71
AV	11.3912G	42.80	54.00	-11.20	29.00	3	Horizontal	360	1.04	-	39.21	9.30	34.71




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	5.7314G	68.18	68.20	-0.02	3	Vertical	16	2.19	-

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUTY_4TX
Setting 24
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1376G	58.63	74.00	-15.37	53.36	3	Vertical	5	2.00	-	32.80	5.64	33.17
AV	5.1136G	46.47	54.00	-7.53	41.22	3	Vertical	5	2.00	-	32.80	5.61	33.16
PK	5.2672G	119.11	Inf	-Inf	113.62	3	Vertical	5	2.00	-	32.93	5.73	33.17
AV	5.2666G	109.29	Inf	-Inf	103.80	3	Vertical	5	2.00	-	32.93	5.73	33.17
PK	5.3944G	60.13	74.00	-13.87	54.15	3	Vertical	5	2.00	-	33.36	5.80	33.18
AV	5.3998G	47.21	54.00	-6.79	41.19	3	Vertical	5	2.00	-	33.40	5.80	33.18

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUTY_4TX
Setting 24
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	59.03	74.00	-14.97	53.76	3	Horizontal	330	1.80	-	32.80	5.64	33.17
AV	5.1298G	46.47	54.00	-7.53	41.21	3	Horizontal	330	1.80	-	32.80	5.63	33.17
PK	5.2534G	121.74	Inf	-Inf	116.27	3	Horizontal	330	1.80	-	32.91	5.73	33.17
AV	5.2528G	111.88	Inf	-Inf	106.41	3	Horizontal	330	1.80	-	32.91	5.73	33.17
PK	5.404G	60.12	74.00	-13.88	54.08	3	Horizontal	330	1.80	-	33.42	5.80	33.18
AV	5.404G	47.53	54.00	-6.47	41.49	3	Horizontal	330	1.80	-	33.42	5.80	33.18

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUTY_4TX
Setting 24
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5168G	58.09	68.20	-10.11	44.34	3	Vertical	358	1.86	-	39.02	8.86	34.13
PK	15.79072G	60.02	74.00	-13.98	44.73	3	Vertical	143	1.09	-	38.50	11.94	35.15
AV	15.78896G	47.10	54.00	-6.90	31.81	3	Vertical	143	1.09	-	38.50	11.94	35.15

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUTY_4TX
Setting 24
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52088G	59.28	68.20	-8.92	45.54	3	Horizontal	11	1.78	-	39.02	8.86	34.14
PK	15.76808G	59.80	74.00	-14.20	44.52	3	Horizontal	339	1.06	-	38.50	11.93	35.15
AV	15.77872G	46.94	54.00	-7.06	31.66	3	Horizontal	339	1.06	-	38.50	11.93	35.15

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUTY_4TX
Setting 22.5
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3052G	119.74	Inf	-Inf	114.16	3	Vertical	6	2.02	-	33.00	5.75	33.17
AV	5.3064G	110.17	Inf	-Inf	104.59	3	Vertical	6	2.02	-	33.00	5.75	33.17
PK	5.35G	66.10	74.00	-7.90	60.49	3	Vertical	6	2.02	-	33.00	5.78	33.17
AV	5.35G	51.65	54.00	-2.35	46.04	3	Vertical	6	2.02	-	33.00	5.78	33.17

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUTY_4TX
Setting 22.5
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2928G	122.05	Inf	-Inf	116.48	3	Horizontal	328	1.77	-	32.99	5.75	33.17
AV	5.2928G	112.36	Inf	-Inf	106.79	3	Horizontal	328	1.77	-	32.99	5.75	33.17
PK	5.352G	70.18	74.00	-3.82	64.55	3	Horizontal	328	1.77	-	33.02	5.78	33.17
AV	5.3512G	53.70	54.00	-0.30	48.08	3	Horizontal	328	1.77	-	33.01	5.78	33.17

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUTY_4TX
Setting 22.5
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60032G	54.44	74.00	-19.56	40.64	3	Vertical	360	1.87	-	39.10	8.90	34.20
AV	10.60038G	44.77	54.00	-9.23	30.97	3	Vertical	360	1.87	-	39.10	8.90	34.20
PK	15.91384G	59.91	74.00	-14.09	44.52	3	Vertical	170	1.24	-	38.50	12.04	35.15
AV	15.91432G	47.02	54.00	-6.98	31.63	3	Vertical	170	1.24	-	38.50	12.04	35.15

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUTY_4TX
Setting 22.5
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60416G	60.36	74.00	-13.64	46.56	3	Horizontal	10	1.80	-	39.10	8.90	34.20
AV	10.60024G	47.10	54.00	-6.90	33.30	3	Horizontal	10	1.80	-	39.10	8.90	34.20
PK	15.88624G	61.34	74.00	-12.66	45.98	3	Horizontal	116	1.88	-	38.50	12.01	35.15
AV	15.9084G	47.05	54.00	-6.95	31.67	3	Horizontal	116	1.88	-	38.50	12.03	35.15

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUTY_4TX
Setting 18
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3256G	116.02	Inf	-Inf	110.43	3	Vertical	7	2.10	-	33.00	5.76	33.17
AV	5.3258G	106.15	Inf	-Inf	100.56	3	Vertical	7	2.10	-	33.00	5.76	33.17
PK	5.35G	64.79	74.00	-9.21	59.18	3	Vertical	7	2.10	-	33.00	5.78	33.17
AV	5.35G	50.31	54.00	-3.69	44.70	3	Vertical	7	2.10	-	33.00	5.78	33.17

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUTY_4TX
Setting 18
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3124G	118.38	Inf	-Inf	112.79	3	Horizontal	327	1.76	-	33.00	5.76	33.17
AV	5.3128G	108.81	Inf	-Inf	103.22	3	Horizontal	327	1.76	-	33.00	5.76	33.17
PK	5.3518G	67.87	74.00	-6.13	62.25	3	Horizontal	327	1.76	-	33.01	5.78	33.17
AV	5.3512G	52.70	54.00	-1.30	47.08	3	Horizontal	327	1.76	-	33.01	5.78	33.17

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUTY_4TX
Setting 18
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63608G	56.64	74.00	-17.36	42.81	3	Vertical	360	1.79	-	39.14	8.92	34.23
AV	10.63712G	43.38	54.00	-10.62	29.55	3	Vertical	360	1.79	-	39.14	8.92	34.23
PK	15.96272G	60.40	74.00	-13.60	44.99	3	Vertical	126	1.26	-	38.50	12.07	35.16
AV	15.97248G	47.80	54.00	-6.20	32.38	3	Vertical	126	1.26	-	38.50	12.08	35.16

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUTY_4TX
Setting 18
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63272G	58.99	74.00	-15.01	45.16	3	Horizontal	10	1.68	-	39.13	8.92	34.22
AV	10.63368G	45.04	54.00	-8.96	31.21	3	Horizontal	10	1.68	-	39.13	8.92	34.22
PK	15.95976G	60.41	74.00	-13.59	45.00	3	Horizontal	300	1.79	-	38.50	12.07	35.16
AV	15.94992G	47.81	54.00	-6.19	32.41	3	Horizontal	300	1.79	-	38.50	12.06	35.16

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUTY_4TX
Setting 18.5
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4546G	59.80	74.00	-14.20	53.53	3	Vertical	8	2.94	-	33.62	5.83	33.18
AV	5.4596G	47.57	54.00	-6.43	41.28	3	Vertical	8	2.94	-	33.64	5.83	33.18
PK	5.4682G	64.63	68.20	-3.57	58.31	3	Vertical	8	2.94	-	33.67	5.83	33.18
PK	5.4938G	119.07	Inf	-Inf	112.62	3	Vertical	8	2.94	-	33.78	5.85	33.18
AV	5.4934G	109.30	Inf	-Inf	102.86	3	Vertical	8	2.94	-	33.77	5.85	33.18

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUTY_4TX
Setting 18.5
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	60.40	74.00	-13.60	54.11	3	Horizontal	334	1.70	-	33.64	5.83	33.18
AV	5.4594G	48.01	54.00	-5.99	41.72	3	Horizontal	334	1.70	-	33.64	5.83	33.18
PK	5.4662G	67.22	68.20	-0.98	60.91	3	Horizontal	334	1.70	-	33.66	5.83	33.18
PK	5.493G	119.71	Inf	-Inf	113.27	3	Horizontal	334	1.70	-	33.77	5.85	33.18
AV	5.4932G	110.20	Inf	-Inf	103.76	3	Horizontal	334	1.70	-	33.77	5.85	33.18

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUTY_4TX
Setting 18.5
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00944G	55.03	74.00	-18.97	41.24	3	Vertical	109	2.33	-	39.20	9.10	34.51
AV	11.00136G	42.44	54.00	-11.56	28.65	3	Vertical	109	2.33	-	39.20	9.10	34.51

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUTY_4TX
Setting 18.5
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.002G	56.32	74.00	-17.68	42.53	3	Horizontal	42	1.82	-	39.20	9.10	34.51
AV	11.00064G	43.05	54.00	-10.95	29.26	3	Horizontal	42	1.82	-	39.20	9.10	34.51

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUTY_4TX
Setting 24
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	59.62	74.00	-14.38	53.35	3	Vertical	5	2.88	-	33.62	5.83	33.18
AV	5.44G	47.41	54.00	-6.59	41.21	3	Vertical	5	2.88	-	33.56	5.82	33.18
PK	5.4672G	59.90	68.20	-8.30	53.58	3	Vertical	5	2.88	-	33.67	5.83	33.18
PK	5.5736G	124.16	Inf	-Inf	117.63	3	Vertical	5	2.88	-	33.85	5.89	33.21
AV	5.5736G	113.92	Inf	-Inf	107.39	3	Vertical	5	2.88	-	33.85	5.89	33.21
PK	5.7416G	60.69	68.20	-7.51	53.83	3	Vertical	5	2.88	-	34.17	5.97	33.28

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUTY_4TX
Setting 24
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.42G	60.88	74.00	-13.12	54.77	3	Horizontal	335	1.74	-	33.48	5.81	33.18
AV	5.4312G	47.66	54.00	-6.34	41.50	3	Horizontal	335	1.74	-	33.52	5.82	33.18
PK	5.464G	59.53	68.20	-8.67	53.22	3	Horizontal	335	1.74	-	33.66	5.83	33.18
PK	5.5728G	123.84	Inf	-Inf	117.31	3	Horizontal	335	1.74	-	33.85	5.89	33.21
AV	5.5728G	113.73	Inf	-Inf	107.20	3	Horizontal	335	1.74	-	33.85	5.89	33.21
PK	5.7304G	60.57	68.20	-7.63	53.75	3	Horizontal	335	1.74	-	34.12	5.97	33.27

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUTY_4TX
Setting 24
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15432G	55.10	74.00	-18.90	41.36	3	Vertical	357	1.65	-	39.15	9.18	34.59
AV	11.17808G	41.79	54.00	-12.21	28.08	3	Vertical	357	1.65	-	39.12	9.19	34.60

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUTY_4TX
Setting 24
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16808G	56.24	74.00	-17.76	42.52	3	Horizontal	22	2.24	-	39.13	9.18	34.59
AV	11.16272G	42.93	54.00	-11.07	29.20	3	Horizontal	22	2.24	-	39.14	9.18	34.59

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUTY_4TX
Setting 17.5
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7068G	117.42	Inf	-Inf	110.70	3	Vertical	14	2.08	-	34.03	5.95	33.26
AV	5.7064G	106.87	Inf	-Inf	100.15	3	Vertical	14	2.08	-	34.03	5.95	33.26
PK	5.726G	66.11	68.20	-2.09	59.32	3	Vertical	14	2.08	-	34.10	5.96	33.27

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUTY_4TX
Setting 17.5
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.693G	115.42	Inf	-Inf	108.74	3	Horizontal	349	1.67	-	33.99	5.95	33.26
AV	5.6932G	105.69	Inf	-Inf	99.01	3	Horizontal	349	1.67	-	33.99	5.95	33.26
PK	5.726G	61.26	68.20	-6.94	54.47	3	Horizontal	349	1.67	-	34.10	5.96	33.27

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUTY_4TX
Setting 17.5
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40896G	55.27	74.00	-18.73	41.48	3	Vertical	271	1.08	-	39.20	9.30	34.71
AV	11.40912G	42.93	54.00	-11.07	29.14	3	Vertical	271	1.08	-	39.20	9.30	34.71

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUTY_4TX
Setting 17.5
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40688G	55.89	74.00	-18.11	42.10	3	Horizontal	35	1.80	-	39.20	9.30	34.71
AV	11.40604G	42.95	54.00	-11.05	29.16	3	Horizontal	35	1.80	-	39.20	9.30	34.71

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUTY_4TX
Setting 24
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4224G	58.96	74.00	-15.04	52.84	3	Vertical	4	2.88	-	33.49	5.81	33.18
PK	5.4644G	58.71	68.20	-9.49	52.40	3	Vertical	4	2.88	-	33.66	5.83	33.18
AV	5.45G	46.83	54.00	-7.17	40.58	3	Vertical	4	2.88	-	33.60	5.83	33.18
PK	5.7128G	123.19	Inf	-Inf	116.45	3	Vertical	4	2.88	-	34.05	5.96	33.27
AV	5.7128G	113.57	Inf	-Inf	106.83	3	Vertical	4	2.88	-	34.05	5.96	33.27
PK	5.9108G	61.07	68.20	-7.13	53.46	3	Vertical	4	2.88	-	34.84	6.11	33.34

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUTY_4TX
Setting 24
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.438G	59.17	74.00	-14.83	52.98	3	Horizontal	348	1.68	-	33.55	5.82	33.18
AV	5.4488G	46.98	54.00	-7.02	40.74	3	Horizontal	348	1.68	-	33.60	5.82	33.18
PK	5.4656G	58.96	68.20	-9.24	52.65	3	Horizontal	348	1.68	-	33.66	5.83	33.18
PK	5.7128G	121.44	Inf	-Inf	114.70	3	Horizontal	348	1.68	-	34.05	5.96	33.27
AV	5.7128G	111.71	Inf	-Inf	104.97	3	Horizontal	348	1.68	-	34.05	5.96	33.27
PK	5.9708G	61.93	68.20	-6.27	54.05	3	Horizontal	348	1.68	-	35.08	6.17	33.37

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUTY_4TX
Setting 24
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42616G	55.92	74.00	-18.08	42.13	3	Vertical	286	1.30	-	39.20	9.31	34.72
AV	11.42624G	42.92	54.00	-11.08	29.13	3	Vertical	286	1.30	-	39.20	9.31	34.72

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUTY_4TX
Setting 24
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44128G	56.77	74.00	-17.23	42.98	3	Horizontal	3	1.78	-	39.20	9.32	34.73
AV	11.44024G	44.30	54.00	-9.70	30.51	3	Horizontal	3	1.78	-	39.20	9.32	34.73

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUTY_4TX
Setting 24
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1184G	59.84	74.00	-14.16	54.58	3	Vertical	27	2.10	-	32.80	5.62	33.16
AV	5.1352G	46.29	54.00	-7.71	41.02	3	Vertical	27	2.10	-	32.80	5.64	33.17
PK	5.269G	122.97	Inf	-Inf	117.47	3	Vertical	27	2.10	-	32.94	5.73	33.17
AV	5.2684G	110.68	Inf	-Inf	105.18	3	Vertical	27	2.10	-	32.94	5.73	33.17
PK	5.4082G	60.56	74.00	-13.44	54.51	3	Vertical	27	2.10	-	33.43	5.80	33.18
AV	5.404G	47.04	54.00	-6.96	41.00	3	Vertical	27	2.10	-	33.42	5.80	33.18

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUTY_4TX
Setting 24
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	59.25	74.00	-14.75	53.98	3	Horizontal	73	1.89	-	32.80	5.64	33.17
AV	5.1322G	46.15	54.00	-7.85	40.89	3	Horizontal	73	1.89	-	32.80	5.63	33.17
PK	5.2516G	125.18	Inf	-Inf	119.72	3	Horizontal	73	1.89	-	32.90	5.73	33.17
AV	5.2522G	112.35	Inf	-Inf	106.89	3	Horizontal	73	1.89	-	32.90	5.73	33.17
PK	5.3758G	60.21	74.00	-13.79	54.39	3	Horizontal	73	1.89	-	33.21	5.79	33.18
AV	5.4052G	47.57	54.00	-6.43	41.53	3	Horizontal	73	1.89	-	33.42	5.80	33.18

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUTY_4TX
Setting 24
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5124G	56.74	68.20	-11.46	43.00	3	Vertical	8	1.69	-	39.01	8.86	34.13
PK	15.78184G	60.55	74.00	-13.45	45.26	3	Vertical	220	2.60	-	38.50	11.94	35.15
AV	15.7824G	46.69	54.00	-7.31	31.40	3	Vertical	220	2.60	-	38.50	11.94	35.15

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUTY_4TX
Setting 24
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52584G	57.64	68.20	-10.56	43.89	3	Horizontal	12	1.75	-	39.03	8.86	34.14
PK	15.77432G	60.79	74.00	-13.21	45.51	3	Horizontal	360	1.83	-	38.50	11.93	35.15
AV	15.7724G	46.73	54.00	-7.27	31.45	3	Horizontal	360	1.83	-	38.50	11.93	35.15

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUTY_4TX
Setting 21.5
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.292G	122.56	Inf	-Inf	117.00	3	Vertical	6	2.16	-	32.98	5.75	33.17
AV	5.2912G	109.62	Inf	-Inf	104.06	3	Vertical	6	2.16	-	32.98	5.75	33.17
PK	5.3512G	71.72	74.00	-2.28	66.10	3	Vertical	6	2.16	-	33.01	5.78	33.17
AV	5.3508G	53.97	54.00	-0.03	48.35	3	Vertical	6	2.16	-	33.01	5.78	33.17

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUTY_4TX
Setting 21.5
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3032G	123.32	Inf	-Inf	117.74	3	Horizontal	327	2.16	-	33.00	5.75	33.17
AV	5.3036G	110.81	Inf	-Inf	105.23	3	Horizontal	327	2.16	-	33.00	5.75	33.17
PK	5.3508G	66.24	74.00	-7.76	60.62	3	Horizontal	327	2.16	-	33.01	5.78	33.17
AV	5.3512G	49.53	54.00	-4.47	43.91	3	Horizontal	327	2.16	-	33.01	5.78	33.17

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUTY_4TX
Setting 21.5
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6119G	57.19	74.00	-16.81	43.38	3	Vertical	6	1.82	-	39.11	8.91	34.21
AV	10.6108G	43.62	54.00	-10.38	29.81	3	Vertical	6	1.82	-	39.11	8.91	34.21
PK	15.89944G	59.55	74.00	-14.45	44.18	3	Vertical	9	2.91	-	38.50	12.02	35.15
AV	15.90032G	46.43	54.00	-7.57	31.05	3	Vertical	9	2.91	-	38.50	12.03	35.15

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUTY_4TX
Setting 21.5
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60424G	61.28	74.00	-12.72	47.48	3	Horizontal	11	1.69	-	39.10	8.90	34.20
AV	10.60352G	46.55	54.00	-7.45	32.75	3	Horizontal	11	1.69	-	39.10	8.90	34.20
PK	15.90608G	60.14	74.00	-13.86	44.76	3	Horizontal	105	2.07	-	38.50	12.03	35.15
AV	15.89508G	46.52	54.00	-7.48	31.15	3	Horizontal	105	2.07	-	38.50	12.02	35.15

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUTY_4TX
Setting 17.5
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.312G	119.34	Inf	-Inf	113.75	3	Vertical	5	2.14	-	33.00	5.76	33.17
AV	5.3114G	106.10	Inf	-Inf	100.51	3	Vertical	5	2.14	-	33.00	5.76	33.17
PK	5.3514G	69.92	74.00	-4.08	64.30	3	Vertical	5	2.14	-	33.01	5.78	33.17
AV	5.3506G	52.37	54.00	-1.63	46.76	3	Vertical	5	2.14	-	33.00	5.78	33.17

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUTY_4TX
Setting 17.5
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3134G	120.77	Inf	-Inf	115.18	3	Horizontal	67	1.78	-	33.00	5.76	33.17
AV	5.3126G	107.63	Inf	-Inf	102.04	3	Horizontal	67	1.78	-	33.00	5.76	33.17
PK	5.3528G	70.81	74.00	-3.19	65.18	3	Horizontal	67	1.78	-	33.02	5.78	33.17
AV	5.3524G	52.89	54.00	-1.11	47.26	3	Horizontal	67	1.78	-	33.02	5.78	33.17

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUTY_4TX
Setting 17.5
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64536G	55.08	74.00	-18.92	41.24	3	Vertical	262	1.38	-	39.15	8.92	34.23
AV	10.64304G	42.38	54.00	-11.62	28.55	3	Vertical	262	1.38	-	39.14	8.92	34.23
PK	15.96348G	60.62	74.00	-13.38	45.21	3	Vertical	66	2.78	-	38.50	12.07	35.16
AV	15.9582G	47.12	54.00	-6.88	31.71	3	Vertical	66	2.78	-	38.50	12.07	35.16

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUTY_4TX
Setting 17.5
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63964G	57.21	74.00	-16.79	43.38	3	Horizontal	38	1.83	-	39.14	8.92	34.23
AV	10.64044G	43.18	54.00	-10.82	29.35	3	Horizontal	38	1.83	-	39.14	8.92	34.23
PK	15.963G	60.42	74.00	-13.58	45.01	3	Horizontal	206	2.10	-	38.50	12.07	35.16
AV	15.96392G	47.01	54.00	-6.99	31.60	3	Horizontal	206	2.10	-	38.50	12.07	35.16

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUTY_4TX
Setting 17
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4534G	59.37	74.00	-14.63	53.11	3	Vertical	320	2.05	-	33.61	5.83	33.18
AV	5.4568G	46.53	54.00	-7.47	40.25	3	Vertical	320	2.05	-	33.63	5.83	33.18
PK	5.4698G	61.73	68.20	-6.47	55.40	3	Vertical	320	2.05	-	33.68	5.83	33.18
PK	5.4918G	116.84	Inf	-Inf	110.40	3	Vertical	320	2.05	-	33.77	5.85	33.18
AV	5.4914G	104.14	Inf	-Inf	97.70	3	Vertical	320	2.05	-	33.77	5.85	33.18

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUTY_4TX
Setting 17
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4518G	59.93	74.00	-14.07	53.67	3	Horizontal	335	1.78	-	33.61	5.83	33.18
PK	5.465G	65.92	68.20	-2.28	59.61	3	Horizontal	335	1.78	-	33.66	5.83	33.18
AV	5.466G	47.21	54.00	-6.79	40.92	3	Horizontal	335	1.78	-	33.64	5.83	33.18
PK	5.506G	121.33	Inf	-Inf	114.86	3	Horizontal	335	1.78	-	33.80	5.85	33.18
AV	5.5058G	107.60	Inf	-Inf	101.13	3	Horizontal	335	1.78	-	33.80	5.85	33.18

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUTY_4TX
Setting 17
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99276G	54.72	74.00	-19.28	40.92	3	Vertical	143	2.16	-	39.20	9.10	34.50
AV	10.99448G	41.77	54.00	-12.23	27.98	3	Vertical	143	2.16	-	39.20	9.10	34.51

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUTY_4TX
Setting 17
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99352G	56.85	74.00	-17.15	43.05	3	Horizontal	22	1.80	-	39.20	9.10	34.50
AV	10.99332G	42.76	54.00	-11.24	28.96	3	Horizontal	22	1.80	-	39.20	9.10	34.50

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUTY_4TX
Setting 24
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.436G	59.40	74.00	-14.60	53.22	3	Vertical	6	2.29	-	33.54	5.82	33.18
PK	5.4688G	59.33	68.20	-8.87	53.00	3	Vertical	6	2.29	-	33.68	5.83	33.18
AV	5.456G	47.07	54.00	-6.93	40.80	3	Vertical	6	2.29	-	33.62	5.83	33.18
PK	5.5888G	124.97	Inf	-Inf	118.42	3	Vertical	6	2.29	-	33.88	5.89	33.22
AV	5.5888G	112.67	Inf	-Inf	106.12	3	Vertical	6	2.29	-	33.88	5.89	33.22
PK	5.7336G	60.47	68.20	-7.73	53.64	3	Vertical	6	2.29	-	34.13	5.97	33.27

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUTY_4TX
Setting 24
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3904G	60.21	74.00	-13.79	54.27	3	Horizontal	339	1.86	-	33.32	5.80	33.18
PK	5.4632G	59.28	68.20	-8.92	52.98	3	Horizontal	339	1.86	-	33.65	5.83	33.18
AV	5.4528G	46.98	54.00	-7.02	40.72	3	Horizontal	339	1.86	-	33.61	5.83	33.18
PK	5.5864G	124.39	Inf	-Inf	117.84	3	Horizontal	339	1.86	-	33.87	5.89	33.21
AV	5.5864G	111.93	Inf	-Inf	105.38	3	Horizontal	339	1.86	-	33.87	5.89	33.21
PK	5.7424G	60.85	68.20	-7.35	53.99	3	Horizontal	339	1.86	-	34.17	5.97	33.28

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUTY_4TX
Setting 24
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16752G	54.08	74.00	-19.92	40.36	3	Vertical	108	1.90	-	39.13	9.18	34.59
AV	11.16788G	41.30	54.00	-12.70	27.58	3	Vertical	108	1.90	-	39.13	9.18	34.59

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUTY_4TX
Setting 24
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15288G	54.97	74.00	-19.03	41.23	3	Horizontal	13	1.61	-	39.15	9.18	34.59
AV	11.1644G	41.69	54.00	-12.31	27.96	3	Horizontal	13	1.61	-	39.14	9.18	34.59

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUTY_4TX
Setting 18
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.692G	119.55	Inf	-Inf	112.88	3	Vertical	16	2.19	-	33.98	5.95	33.26
AV	5.692G	106.08	Inf	-Inf	99.41	3	Vertical	16	2.19	-	33.98	5.95	33.26
PK	5.7314G	68.18	68.20	-0.02	61.35	3	Vertical	16	2.19	-	34.13	5.97	33.27

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUTY_4TX
Setting 18
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.692G	119.10	Inf	-Inf	112.43	3	Horizontal	59	2.06	-	33.98	5.95	33.26
AV	5.6914G	106.20	Inf	-Inf	99.53	3	Horizontal	59	2.06	-	33.98	5.95	33.26
PK	5.7294G	67.76	68.20	-0.44	60.95	3	Horizontal	59	2.06	-	34.12	5.96	33.27

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUTY_4TX
Setting 18
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39748G	55.49	74.00	-18.51	41.70	3	Vertical	197	1.30	-	39.20	9.30	34.71
AV	11.39272G	42.13	54.00	-11.87	28.33	3	Vertical	197	1.30	-	39.21	9.30	34.71

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TnomVnom



EUTY_4TX
Setting 18
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40288G	55.59	74.00	-18.41	41.80	3	Horizontal	141	1.08	-	39.20	9.30	34.71
AV	11.40264G	42.35	54.00	-11.65	28.56	3	Horizontal	141	1.08	-	39.20	9.30	34.71


802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUTY_4TX
 Setting 24
 04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4284G	60.31	74.00	-13.69	54.17	3	Vertical	14	2.13	-	33.51	5.81	33.18
PK	5.4644G	58.42	68.20	-9.78	52.11	3	Vertical	14	2.13	-	33.66	5.83	33.18
AV	5.456G	46.34	54.00	-7.66	40.07	3	Vertical	14	2.13	-	33.62	5.83	33.18
PK	5.714G	124.10	Inf	-Inf	117.35	3	Vertical	14	2.13	-	34.06	5.96	33.27
AV	5.7116G	111.49	Inf	-Inf	104.74	3	Vertical	14	2.13	-	34.05	5.96	33.26
PK	5.8568G	60.61	68.20	-7.59	53.33	3	Vertical	14	2.13	-	34.54	6.06	33.32


802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUTY_4TX
 Setting 24
 04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4272G	59.02	74.00	-14.98	52.88	3	Horizontal	62	2.03	-	33.51	5.81	33.18
PK	5.4668G	58.75	68.20	-9.45	52.43	3	Horizontal	62	2.03	-	33.67	5.83	33.18
AV	5.4572G	46.51	54.00	-7.49	40.23	3	Horizontal	62	2.03	-	33.63	5.83	33.18
PK	5.7116G	123.24	Inf	-Inf	116.49	3	Horizontal	62	2.03	-	34.05	5.96	33.26
AV	5.7116G	111.50	Inf	-Inf	104.75	3	Horizontal	62	2.03	-	34.05	5.96	33.26
PK	5.9468G	61.19	68.20	-7.01	53.41	3	Horizontal	62	2.03	-	34.99	6.15	33.36


802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUTY_4TX
 Setting 24
 04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44012G	54.86	74.00	-19.14	41.07	3	Vertical	105	2.69	-	39.20	9.32	34.73
AV	11.43348G	42.08	54.00	-11.92	28.29	3	Vertical	105	2.69	-	39.20	9.32	34.73

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUTY_4TX
 Setting 24
 04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43944G	56.16	74.00	-17.84	42.37	3	Horizontal	2	1.84	-	39.20	9.32	34.73
AV	11.43976G	43.30	54.00	-10.70	29.51	3	Horizontal	2	1.84	-	39.20	9.32	34.73

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUTY_4TX
Setting 21
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1374G	60.32	74.00	-13.68	55.05	3	Vertical	26	2.01	-	32.80	5.64	33.17
AV	5.1386G	46.32	54.00	-7.68	41.05	3	Vertical	26	2.01	-	32.80	5.64	33.17
PK	5.2772G	117.13	Inf	-Inf	111.61	3	Vertical	26	2.01	-	32.95	5.74	33.17
AV	5.258G	104.80	Inf	-Inf	99.32	3	Vertical	26	2.01	-	32.92	5.73	33.17
PK	5.3588G	64.47	74.00	-9.53	58.79	3	Vertical	26	2.01	-	33.07	5.78	33.17
AV	5.3576G	50.75	54.00	-3.25	45.08	3	Vertical	26	2.01	-	33.06	5.78	33.17

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUTY_4TX
Setting 21
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1224G	59.41	74.00	-14.59	54.15	3	Horizontal	327	2.12	-	32.80	5.62	33.16
AV	5.1344G	46.09	54.00	-7.91	40.83	3	Horizontal	327	2.12	-	32.80	5.63	33.17
PK	5.2736G	119.52	Inf	-Inf	114.00	3	Horizontal	327	2.12	-	32.95	5.74	33.17
AV	5.2742G	106.80	Inf	-Inf	101.28	3	Horizontal	327	2.12	-	32.95	5.74	33.17
PK	5.354G	67.96	74.00	-6.04	62.32	3	Horizontal	327	2.12	-	33.03	5.78	33.17
AV	5.3546G	53.76	54.00	-0.24	48.11	3	Horizontal	327	2.12	-	33.04	5.78	33.17

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUTY_4TX
Setting 21
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5478G	56.31	68.20	-11.89	42.55	3	Vertical	2	1.80	-	39.05	8.87	34.16
PK	15.8044G	59.38	74.00	-14.62	44.08	3	Vertical	18	2.59	-	38.50	11.95	35.15
AV	15.80232G	46.35	54.00	-7.65	31.05	3	Vertical	18	2.59	-	38.50	11.95	35.15

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUTY_4TX
Setting 21
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5428G	56.92	68.20	-11.28	43.16	3	Horizontal	11	1.64	-	39.04	8.87	34.15
PK	15.80228G	60.13	74.00	-13.87	44.83	3	Horizontal	325	1.67	-	38.50	11.95	35.15
AV	15.8052G	46.37	54.00	-7.63	31.07	3	Horizontal	325	1.67	-	38.50	11.95	35.15

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUTY_4TX
Setting 16.5
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	113.87	Inf	-Inf	108.29	3	Vertical	8	2.16	-	33.00	5.75	33.17
AV	5.302G	100.54	Inf	-Inf	94.96	3	Vertical	8	2.16	-	33.00	5.75	33.17
PK	5.3508G	67.17	74.00	-6.83	61.55	3	Vertical	8	2.16	-	33.01	5.78	33.17
AV	5.35G	51.02	54.00	-2.98	45.41	3	Vertical	8	2.16	-	33.00	5.78	33.17

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUTY_4TX
Setting 16.5
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3136G	115.82	Inf	-Inf	110.23	3	Horizontal	327	2.21	-	33.00	5.76	33.17
AV	5.314G	102.79	Inf	-Inf	97.20	3	Horizontal	327	2.21	-	33.00	5.76	33.17
PK	5.3544G	70.53	74.00	-3.47	64.88	3	Horizontal	327	2.21	-	33.04	5.78	33.17
AV	5.3536G	53.83	54.00	-0.17	48.19	3	Horizontal	327	2.21	-	33.03	5.78	33.17

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUTY_4TX
Setting 16.5
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9298G	60.03	74.00	-13.97	44.64	3	Vertical	341	2.74	-	38.50	12.05	35.16
AV	15.929G	46.81	54.00	-7.19	31.42	3	Vertical	341	2.74	-	38.50	12.05	35.16

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUTY_4TX
Setting 16.5
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93624G	60.57	74.00	-13.43	45.18	3	Horizontal	8	2.38	-	38.50	12.05	35.16
AV	15.93872G	46.89	54.00	-7.11	31.50	3	Horizontal	8	2.38	-	38.50	12.05	35.16

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUTY_4TX
Setting 16.5
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	62.08	74.00	-11.92	55.80	3	Vertical	321	2.87	-	33.63	5.83	33.18
AV	5.4584G	47.81	54.00	-6.19	41.53	3	Vertical	321	2.87	-	33.63	5.83	33.18
PK	5.4604G	60.91	68.20	-7.29	54.62	3	Vertical	321	2.87	-	33.64	5.83	33.18
PK	5.4976G	113.02	Inf	-Inf	106.56	3	Vertical	321	2.87	-	33.79	5.85	33.18
AV	5.5172G	100.18	Inf	-Inf	93.71	3	Vertical	321	2.87	-	33.80	5.86	33.19

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUTY_4TX
Setting 16.5
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	64.91	74.00	-9.09	58.63	3	Horizontal	334	1.80	-	33.63	5.83	33.18
AV	5.4564G	50.32	54.00	-3.68	44.04	3	Horizontal	334	1.80	-	33.63	5.83	33.18
PK	5.4688G	68.15	68.20	-0.05	61.82	3	Horizontal	334	1.80	-	33.68	5.83	33.18
PK	5.5156G	117.54	Inf	-Inf	111.07	3	Horizontal	334	1.80	-	33.80	5.86	33.19
AV	5.5156G	104.15	Inf	-Inf	97.68	3	Horizontal	334	1.80	-	33.80	5.86	33.19

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUTY_4TX
Setting 16.5
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02308G	54.29	74.00	-19.71	40.50	3	Vertical	221	2.70	-	39.20	9.11	34.52
AV	11.02604G	41.11	54.00	-12.89	27.32	3	Vertical	221	2.70	-	39.20	9.11	34.52

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUTY_4TX
Setting 16.5
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02716G	54.45	74.00	-19.55	40.66	3	Horizontal	313	1.51	-	39.20	9.11	34.52
AV	11.02804G	41.18	54.00	-12.82	27.39	3	Horizontal	313	1.51	-	39.20	9.11	34.52

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUTY_4TX
Setting 21
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4486G	61.07	74.00	-12.93	54.84	3	Vertical	40	1.80	-	33.59	5.82	33.18
PK	5.4654G	64.01	68.20	-4.19	57.70	3	Vertical	40	1.80	-	33.66	5.83	33.18
AV	5.46G	48.88	54.00	-5.12	42.59	3	Vertical	40	1.80	-	33.64	5.83	33.18
PK	5.5476G	116.59	Inf	-Inf	110.12	3	Vertical	40	1.80	-	33.80	5.87	33.20
AV	5.5464G	104.54	Inf	-Inf	98.07	3	Vertical	40	1.80	-	33.80	5.87	33.20

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUTY_4TX
Setting 21
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	67.18	74.00	-6.82	60.90	3	Horizontal	335	1.76	-	33.63	5.83	33.18
AV	5.4564G	53.08	54.00	-0.92	46.80	3	Horizontal	335	1.76	-	33.63	5.83	33.18
PK	5.4696G	68.01	68.20	-0.19	61.68	3	Horizontal	335	1.76	-	33.68	5.83	33.18
PK	5.5566G	121.30	Inf	-Inf	114.81	3	Horizontal	335	1.76	-	33.81	5.88	33.20
AV	5.556G	108.41	Inf	-Inf	101.92	3	Horizontal	335	1.76	-	33.81	5.88	33.20

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUTY_4TX
Setting 21
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09048G	53.85	74.00	-20.15	40.06	3	Vertical	29	2.17	-	39.20	9.15	34.56
AV	11.0906G	41.01	54.00	-12.99	27.22	3	Vertical	29	2.17	-	39.20	9.15	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUTY_4TX
Setting 21
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09708G	55.04	74.00	-18.96	41.25	3	Horizontal	69	1.76	-	39.20	9.15	34.56
AV	11.09016G	41.35	54.00	-12.65	27.56	3	Horizontal	69	1.76	-	39.20	9.15	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUTY_4TX
Setting 18.5
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6636G	116.31	Inf	-Inf	109.70	3	Vertical	15	2.06	-	33.93	5.93	33.25
AV	5.6636G	103.47	Inf	-Inf	96.86	3	Vertical	15	2.06	-	33.93	5.93	33.25
PK	5.726G	67.72	68.20	-0.48	60.93	3	Vertical	15	2.06	-	34.10	5.96	33.27

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUTY_4TX
Setting 18.5
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6616G	116.14	Inf	-Inf	109.53	3	Horizontal	61	1.93	-	33.92	5.93	33.24
AV	5.662G	103.33	Inf	-Inf	96.72	3	Horizontal	61	1.93	-	33.92	5.93	33.24
PK	5.7412G	64.64	68.20	-3.56	57.79	3	Horizontal	61	1.93	-	34.16	5.97	33.28

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUTY_4TX
Setting 18.5
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34344G	54.86	74.00	-19.14	41.01	3	Vertical	263	1.75	-	39.26	9.27	34.68
AV	11.34264G	41.58	54.00	-12.42	27.73	3	Vertical	263	1.75	-	39.26	9.27	34.68

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TnomVnom



EUTY_4TX
Setting 18.5
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34052G	55.08	74.00	-18.92	41.23	3	Horizontal	288	1.11	-	39.26	9.27	34.68
AV	11.34092G	41.62	54.00	-12.38	27.77	3	Horizontal	288	1.11	-	39.26	9.27	34.68


802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUTY_4TX
 Setting 24
 04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	59.08	74.00	-14.92	52.79	3	Vertical	32	1.80	-	33.64	5.83	33.18
AV	5.4544G	46.34	54.00	-7.66	40.07	3	Vertical	32	1.80	-	33.62	5.83	33.18
PK	5.47G	58.52	68.20	-9.68	52.19	3	Vertical	32	1.80	-	33.68	5.83	33.18
PK	5.7076G	120.52	Inf	-Inf	113.80	3	Vertical	32	1.80	-	34.03	5.95	33.26
AV	5.7088G	107.07	Inf	-Inf	100.34	3	Vertical	32	1.80	-	34.04	5.95	33.26
PK	5.8516G	60.92	68.20	-7.28	53.68	3	Vertical	32	1.80	-	34.51	6.05	33.32


802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUTY_4TX
 Setting 24
 04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4316G	59.52	74.00	-14.48	53.35	3	Horizontal	61	2.21	-	33.53	5.82	33.18
PK	5.4688G	58.67	68.20	-9.53	52.34	3	Horizontal	61	2.21	-	33.68	5.83	33.18
AV	5.46G	46.45	54.00	-7.55	40.16	3	Horizontal	61	2.21	-	33.64	5.83	33.18
PK	5.7208G	120.60	Inf	-Inf	113.83	3	Horizontal	61	2.21	-	34.08	5.96	33.27
AV	5.7208G	108.05	Inf	-Inf	101.28	3	Horizontal	61	2.21	-	34.08	5.96	33.27
PK	5.8684G	61.29	68.20	-6.91	53.94	3	Horizontal	61	2.21	-	34.61	6.07	33.33


802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUTY_4TX
 Setting 24
 04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.417G	55.79	74.00	-18.21	42.00	3	Vertical	230	1.77	-	39.20	9.31	34.72
AV	11.41256G	42.10	54.00	-11.90	28.31	3	Vertical	230	1.77	-	39.20	9.31	34.72

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUTY_4TX
 Setting 24
 04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4207G	55.41	74.00	-18.59	41.62	3	Horizontal	66	2.79	-	39.20	9.31	34.72
AV	11.4206G	42.56	54.00	-11.44	28.77	3	Horizontal	66	2.79	-	39.20	9.31	34.72

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUTV_4TX
Setting 15
04-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	57.97	74.00	-16.03	52.69	3	Vertical	7	1.61	-	32.80	5.65	33.17
AV	5.114G	45.27	54.00	-8.73	40.02	3	Vertical	7	1.61	-	32.80	5.61	33.16
PK	5.306G	107.30	Inf	-Inf	101.72	3	Vertical	7	1.61	-	33.00	5.75	33.17
AV	5.306G	94.69	Inf	-Inf	89.11	3	Vertical	7	1.61	-	33.00	5.75	33.17
PK	5.3644G	66.28	74.00	-7.72	60.55	3	Vertical	7	1.61	-	33.12	5.78	33.17
AV	5.366G	51.38	54.00	-2.62	45.64	3	Vertical	7	1.61	-	33.13	5.78	33.17
PK	5.4868G	59.41	68.20	-8.79	53.00	3	Vertical	7	1.61	-	33.75	5.84	33.18

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUTY_4TX
Setting 15
04-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	59.01	74.00	-14.99	53.74	3	Horizontal	67	1.75	-	32.80	5.64	33.17
AV	5.114G	45.62	54.00	-8.38	40.37	3	Horizontal	67	1.75	-	32.80	5.61	33.16
PK	5.2828G	109.42	Inf	-Inf	103.88	3	Horizontal	67	1.75	-	32.97	5.74	33.17
AV	5.2828G	98.11	Inf	-Inf	92.57	3	Horizontal	67	1.75	-	32.97	5.74	33.17
PK	5.3644G	65.54	74.00	-8.46	59.81	3	Horizontal	67	1.75	-	33.12	5.78	33.17
AV	5.3628G	53.92	54.00	-0.08	48.21	3	Horizontal	67	1.75	-	33.10	5.78	33.17
PK	5.4716G	59.00	68.20	-9.20	52.65	3	Horizontal	67	1.75	-	33.69	5.84	33.18

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUTY_4TX
Setting 15
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87124G	60.22	74.00	-13.78	44.87	3	Vertical	204	1.17	-	38.50	12.00	35.15
AV	15.86504G	46.36	54.00	-7.64	31.01	3	Vertical	204	1.17	-	38.50	12.00	35.15

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUTY_4TX
Setting 15
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87628G	60.11	74.00	-13.89	44.75	3	Horizontal	97	1.30	-	38.50	12.01	35.15
AV	15.8788G	46.55	54.00	-7.45	31.19	3	Horizontal	97	1.30	-	38.50	12.01	35.15

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUTY_4TX
Setting 16
04-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	58.57	68.20	-9.63	52.99	3	Vertical	319	1.78	-	33.00	5.75	33.17
AV	5.35G	45.11	54.00	-8.89	39.50	3	Vertical	319	1.78	-	33.00	5.78	33.17
PK	5.445G	61.79	74.00	-12.21	55.57	3	Vertical	319	1.78	-	33.58	5.82	33.18
AV	5.443G	48.02	54.00	-5.98	41.81	3	Vertical	319	1.78	-	33.57	5.82	33.18
PK	5.465G	64.63	68.20	-3.57	58.32	3	Vertical	319	1.78	-	33.66	5.83	33.18
PK	5.525G	109.26	Inf	-Inf	102.79	3	Vertical	319	1.78	-	33.80	5.86	33.19
AV	5.524G	97.21	Inf	-Inf	90.74	3	Vertical	319	1.78	-	33.80	5.86	33.19
PK	5.727G	59.92	68.20	-8.28	53.12	3	Vertical	319	1.78	-	34.11	5.96	33.27

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUTY_4TX
Setting 16
04-E-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.313G	58.73	68.20	-9.47	53.14	3	Horizontal	333	1.91	-	33.00	5.76	33.17
AV	5.35G	45.73	54.00	-8.27	40.12	3	Horizontal	333	1.91	-	33.00	5.78	33.17
PK	5.456G	66.56	74.00	-7.44	60.29	3	Horizontal	333	1.91	-	33.62	5.83	33.18
AV	5.456G	52.22	54.00	-1.78	45.95	3	Horizontal	333	1.91	-	33.62	5.83	33.18
PK	5.468G	67.82	68.20	-0.38	61.50	3	Horizontal	333	1.91	-	33.67	5.83	33.18
PK	5.536G	114.56	Inf	-Inf	108.08	3	Horizontal	333	1.91	-	33.80	5.87	33.19
AV	5.536G	100.85	Inf	-Inf	94.37	3	Horizontal	333	1.91	-	33.80	5.87	33.19
PK	5.754G	60.15	68.20	-8.05	53.25	3	Horizontal	333	1.91	-	34.20	5.98	33.28

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUTY_4TX
Setting 16
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05472G	55.14	74.00	-18.86	41.35	3	Vertical	331	1.89	-	39.20	9.13	34.54
AV	11.05352G	41.29	54.00	-12.71	27.50	3	Vertical	331	1.89	-	39.20	9.13	34.54

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TnomVnom



EUTY_4TX
Setting 16
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06496G	55.58	74.00	-18.42	41.79	3	Horizontal	18	1.85	-	39.20	9.13	34.54
AV	11.05156G	41.38	54.00	-12.62	27.59	3	Horizontal	18	1.85	-	39.20	9.13	34.54


802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUTY_4TX
 Setting 22.5
 04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	59.30	74.00	-14.70	53.08	3	Vertical	11	2.21	-	33.58	5.82	33.18
PK	5.4608G	60.38	68.20	-7.82	54.09	3	Vertical	11	2.21	-	33.64	5.83	33.18
AV	5.4596G	47.07	54.00	-6.93	40.78	3	Vertical	11	2.21	-	33.64	5.83	33.18
PK	5.702G	116.07	Inf	-Inf	109.37	3	Vertical	11	2.21	-	34.01	5.95	33.26
AV	5.702G	104.54	Inf	-Inf	97.84	3	Vertical	11	2.21	-	34.01	5.95	33.26
PK	5.8616G	68.04	68.20	-0.16	60.73	3	Vertical	11	2.21	-	34.57	6.06	33.32


802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUTY_4TX
 Setting 22.5
 04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	60.52	74.00	-13.48	54.23	3	Horizontal	61	2.14	-	33.64	5.83	33.18
AV	5.4596G	47.87	54.00	-6.13	41.58	3	Horizontal	61	2.14	-	33.64	5.83	33.18
PK	5.462G	60.77	68.20	-7.43	54.47	3	Horizontal	61	2.14	-	33.65	5.83	33.18
PK	5.7008G	116.66	Inf	-Inf	109.97	3	Horizontal	61	2.14	-	34.00	5.95	33.26
AV	5.7008G	104.55	Inf	-Inf	97.86	3	Horizontal	61	2.14	-	34.00	5.95	33.26
PK	5.85G	67.40	68.20	-0.80	60.17	3	Horizontal	61	2.14	-	34.50	6.05	33.32


802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUTY_4TX
 Setting 22.5
 04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3767G	54.91	74.00	-19.09	41.10	3	Vertical	84	1.93	-	39.22	9.29	34.70
AV	11.3985G	42.21	54.00	-11.79	28.42	3	Vertical	84	1.93	-	39.20	9.30	34.71

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUTY_4TX
 Setting 22.5
 04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3766G	55.41	74.00	-18.59	41.60	3	Horizontal	196	2.52	-	39.22	9.29	34.70
AV	11.3716G	42.51	54.00	-11.49	28.69	3	Horizontal	196	2.52	-	39.23	9.29	34.70

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUTY_4TX
Setting 15
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	64.77	74.00	-9.23	59.50	3	Vertical	308	2.35	-	32.80	5.64	33.17
AV	5.138G	52.02	54.00	-1.98	46.75	3	Vertical	308	2.35	-	32.80	5.64	33.17
PK	5.2196G	107.42	Inf	-Inf	101.98	3	Vertical	308	2.35	-	32.90	5.71	33.17
AV	5.218G	95.14	Inf	-Inf	89.70	3	Vertical	308	2.35	-	32.90	5.71	33.17
PK	5.3588G	64.25	74.00	-9.75	58.57	3	Vertical	308	2.35	-	33.07	5.78	33.17
AV	5.3604G	51.80	54.00	-2.20	46.11	3	Vertical	308	2.35	-	33.08	5.78	33.17
PK	5.4612G	61.12	68.20	-7.08	54.83	3	Vertical	308	2.35	-	33.64	5.83	33.18

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUTY_4TX
Setting 15
04-E-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1348G	61.86	74.00	-12.14	56.60	3	Horizontal	323	2.08	-	32.80	5.63	33.17
AV	5.1348G	49.36	54.00	-4.64	44.10	3	Horizontal	323	2.08	-	32.80	5.63	33.17
PK	5.2564G	108.22	Inf	-Inf	102.75	3	Horizontal	323	2.08	-	32.91	5.73	33.17
AV	5.2356G	95.64	Inf	-Inf	90.19	3	Horizontal	323	2.08	-	32.90	5.72	33.17
PK	5.3556G	66.69	74.00	-7.31	61.04	3	Horizontal	323	2.08	-	33.04	5.78	33.17
AV	5.3556G	53.87	54.00	-0.13	48.22	3	Horizontal	323	2.08	-	33.04	5.78	33.17
PK	5.5972G	60.45	68.20	-7.75	53.88	3	Horizontal	323	2.08	-	33.89	5.90	33.22

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUTY_4TX
Setting 15
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74684G	60.01	74.00	-13.99	44.74	3	Vertical	148	2.32	-	38.50	11.91	35.14
AV	15.74336G	46.32	54.00	-7.68	31.05	3	Vertical	148	2.32	-	38.50	11.91	35.14

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom



EUTY_4TX
Setting 15
04-E-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74844G	60.12	74.00	-13.88	44.85	3	Horizontal	117	1.21	-	38.50	11.91	35.14
AV	15.74784G	46.36	54.00	-7.64	31.09	3	Horizontal	117	1.21	-	38.50	11.91	35.14