





Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5240 MHz / Average / Port 1 / 1GHz~3GHz



Date: 6 JUL 2018 13:57:33


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5240 MHz / Peak / Port 1 / 1GHz~3GHz



Date: 6 JUL 2018 13:57:42




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5240 MHz / Average / Port 2 / 1GHz~3GHz



Date: 6 JUL 2018 13:58:28


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5240 MHz / Peak / Port 2 / 1GHz~3GHz




Date: 6 JUL 2018 13:58:15



Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5745 MHz / Average / Port 1 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5745 MHz / Peak / Port 1 / 1GHz~3GHz






Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5745 MHz / Average / Port 2 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5745 MHz / Peak / Port 2 / 1GHz~3GHz






Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5785 MHz / Average / Port 1 / 1GHz~3GHz



Date: 6 JUL 2018 09:47:31


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5785 MHz / Peak / Port 1 / 1GHz~3GHz



Date: 6 JUL 2018 09:47:08




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5785 MHz / Average / Port 2 / 1GHz~3GHz



Date: 6 JUL 2018 09:46:19


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5785 MHz / Peak / Port 2 / 1GHz~3GHz




Date: 6 JUL 2018 09:46:44



Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5825 MHz / Average / Port 1 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5825 MHz / Peak / Port 1 / 1GHz~3GHz






Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5825 MHz / Average / Port 2 / 1GHz~3GHz



Date: 5.JUL.2018 15:40:08

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5825 MHz / Peak / Port 2 / 1GHz~3GHz



Date: 5.JUL.2018 15:39:23



IEEE 802.11ac Nss1 MCS0 VHT40

Average


Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5190	2.00	-79.12	-84.30	-75.97	-41.25	34.72
5230	2.00	-82.90	-85.62	-79.04	-41.25	37.79
5755	2.00	-80.89	-82.61	-76.66	-41.25	35.41
5795	2.00	-82.66	-84.80	-78.59	-41.25	37.34

Peak

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5190	2.00	-68.48	-68.99	-63.72	-21.25	42.47
5230	2.00	-70.08	-69.16	-64.59	-21.25	43.34
5755	2.00	-70.80	-67.24	-63.65	-21.25	42.40
5798	2.00	-71.48	-68.87	-64.97	-21.25	43.72




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5190 MHz / Average / Port 1 / 1GHz~3GHz



Date: 6 JUL 2018 14:00:23


Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5190 MHz / Peak / Port 1 / 1GHz~3GHz




Date: 6 JUL 2018 14:00:08



Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5190 MHz / Average / Port 2 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5190 MHz / Peak / Port 2 / 1GHz~3GHz






Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5230 MHz / Average / Port 1 / 1GHz~3GHz



Date: 6 JUL 2018 14:01:27


Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5230 MHz / Peak / Port 1 / 1GHz~3GHz



Date: 6 JUL 2018 14:01:34




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5230 MHz / Average / Port 2 / 1GHz~3GHz



Date: 6 JUL 2018 14:02:24


Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5230 MHz / Peak / Port 2 / 1GHz~3GHz



Date: 6 JUL 2018 14:02:00




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5755 MHz / Average / Port 1 / 1GHz~3GHz



Date: 6 JUL 2018 09:55:08


Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5755 MHz / Peak / Port 1 / 1GHz~3GHz



Date: 6 JUL 2018 09:54:54




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5755 MHz / Average / Port 2 / 1GHz~3GHz



Date: 6 JUL 2018 09:54:01


Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5755 MHz / Peak / Port 2 / 1GHz~3GHz



Date: 6 JUL 2018 09:54:14




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5795 MHz / Average / Port 1 / 1GHz~3GHz



Date: 6 JUL 2018 10:00:38


Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5795 MHz / Peak / Port 1 / 1GHz~3GHz



Date: 6 JUL 2018 10:00:49




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5795 MHz / Average / Port 2 / 1GHz~3GHz



Date: 6 JUL 2018 10:01:27

Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5795 MHz / Peak / Port 2 / 1GHz~3GHz



Date: 6 JUL 2018 10:01:13



IEEE 802.11ac Nss1 MCS0 VHT80

Average


Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5210	2.00	-81.06	-81.77	-76.39	-41.25	35.14
5775	2.00	-78.50	-85.14	-75.65	-41.25	34.40

Peak

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5210	2.00	-67.11	-70.42	-63.45	-21.25	42.20
5775	2.00	-70.47	-65.70	-62.45	-21.25	41.20




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5210 MHz / Average / Port 1 / 1GHz~3GHz



Date: 6.JUL.2018 14:04:35


Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5210 MHz / Peak / Port 1 / 1GHz~3GHz



Date: 6.JUL.2018 14:04:22




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5210 MHz / Average / Port 2 / 1GHz~3GHz



Date: 6 JUL 2018 14:03:37


Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5210 MHz / Peak / Port 2 / 1GHz~3GHz



Date: 6 JUL 2018 14:03:46




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5775 MHz / Average / Port 1 / 1GHz~3GHz



Date: 6 JUL 2018 10:03:30


Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5775 MHz / Peak / Port 1 / 1GHz~3GHz



Date: 6 JUL 2018 10:03:13




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5775 MHz / Average / Port 2 / 1GHz~3GHz



Date: 6 JUL 2018 10:02:40

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5775 MHz / Peak / Port 2 / 1GHz~3GHz



Date: 6 JUL 2018 10:02:51



IEEE 802.11ac Nss1 MCS0 VHT20
Average


Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5180	2.00	-61.00	-59.03	-54.89	-41.25	13.64
5200	2.00	-62.70	-60.93	-56.72	-41.25	15.47
5240	2.00	-62.92	-60.72	-56.67	-41.25	15.42
5745	2.00	-62.24	-64.62	-58.26	-41.25	17.01
5785	2.00	-61.62	-62.87	-57.19	-41.25	15.94
5825	2.00	-61.28	-61.80	-56.52	-41.25	15.27

Peak


Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5180	2.00	-46.20	-43.70	-39.76	-21.25	18.51
5200	2.00	-51.38	-51.43	-46.39	-21.25	25.14
5240	2.00	-50.33	-50.14	-45.22	-21.25	23.97
5745	2.00	-52.11	-51.67	-46.87	-21.25	25.62
5785	2.00	-49.55	-50.62	-45.04	-21.25	23.79
5825	2.00	-48.59	-48.54	-43.55	-21.25	22.30



Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5180 MHz / Average / Port 1 / 3GHz~6GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5180 MHz / Peak / Port 1 / 3GHz~6GHz






Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5180 MHz / Average / Port 2 / 3GHz~6GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5180 MHz / Peak / Port 2 / 3GHz~6GHz






Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5200 MHz / Average / Port 1 / 3GHz~6GHz



Date: 6 JUL 2018 14:23:22


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5200 MHz / Peak / Port 1 / 3GHz~6GHz



Date: 6 JUL 2018 14:23:39




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5200 MHz / Average / Port 2 / 3GHz~6GHz



Date: 6 JUL 2018 14:24:45


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5200 MHz / Peak / Port 2 / 3GHz~6GHz



Date: 6 JUL 2018 14:24:22




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5240 MHz / Average / Port 1 / 3GHz~6GHz



Date: 6 JUL 2018 14:27:37


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5240 MHz / Peak / Port 1 / 3GHz~6GHz



Date: 6 JUL 2018 14:27:13




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5240 MHz / Average / Port 2 / 3GHz~6GHz



Date: 6 JUL 2018 14:25:49

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5240 MHz / Peak / Port 2 / 3GHz~6GHz




Date: 6 JUL 2018 14:26:40




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5745 MHz / Average / Port 1 / 3GHz~6GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5745 MHz / Peak / Port 1 / 3GHz~6GHz



Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5745 MHz / Average / Port 2 / 3GHz~6GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5745 MHz / Peak / Port 2 / 3GHz~6GHz






Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5785 MHz / Average / Port 1 / 3GHz~6GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5785 MHz / Peak / Port 1 / 3GHz~6GHz






Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5785 MHz / Average / Port 2 / 3GHz~6GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5785 MHz / Peak / Port 2 / 3GHz~6GHz






Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5825 MHz / Average / Port 1 / 3GHz~6GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5825 MHz / Peak / Port 1 / 3GHz~6GHz






Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5825 MHz / Average / Port 2 / 3GHz~6GHz



Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5825 MHz / Peak / Port 2 / 3GHz~6GHz





IEEE 802.11ac Nss1 MCS0 VHT40

Average


Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5190	2.00	-59.92	-59.52	-54.71	-41.25	13.46
5230	2.00	-57.93	-60.36	-53.97	-41.25	12.72
5755	2.00	-54.19	-57.71	-50.59	-41.25	9.34
5795	2.00	-59.06	-61.15	-54.97	-41.25	13.72

Peak

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5190	2.00	-47.82	-48.99	-43.36	-21.25	22.11
5230	2.00	-45.73	-48.46	-41.87	-21.25	20.62
5755	2.00	-43.20	-42.57	-37.86	-21.25	16.61
5798	2.00	-44.82	-46.96	-40.75	-21.25	19.50




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5190 MHz / Average / Port 1 / 3GHz~6GHz



Date: 6 JUL 2018 14:10:41

Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5190 MHz / Peak / Port 1 / 3GHz~6GHz




Date: 6 JUL 2018 14:10:14



Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5190 MHz / Average / Port 2 / 3GHz~6GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5190 MHz / Peak / Port 2 / 3GHz~6GHz






Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5230 MHz / Average / Port 1 / 3GHz~6GHz



Date: 6.JUL.2018 14:16:45


Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5230 MHz / Peak / Port 1 / 3GHz~6GHz



Date: 6.JUL.2018 14:17:07




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5230 MHz / Average / Port 2 / 3GHz~6GHz



Date: 6 JUL 2018 14:18:58


Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5230 MHz / Peak / Port 2 / 3GHz~6GHz




Date: 6 JUL 2018 14:18:36



Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5755 MHz / Average / Port 1 / 3GHz~6GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5755 MHz / Peak / Port 1 / 3GHz~6GHz






Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5755 MHz / Average / Port 2 / 3GHz~6GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5755 MHz / Peak / Port 2 / 3GHz~6GHz







Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5795 MHz / Average / Port 1 / 3GHz~6GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5795 MHz / Peak / Port 1 / 3GHz~6GHz



Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5795 MHz / Average / Port 2 / 3GHz~6GHz



Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5795 MHz / Peak / Port 2 / 3GHz~6GHz





IEEE 802.11ac Nss1 MCS0 VHT80

Average


Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5210	2.00	-52.16	-54.71	-48.24	-41.25	6.99
5775	2.00	-48.31	-46.70	-42.42	-41.25	1.17

Peak


Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5210	2.00	-38.44	-41.33	-34.64	-21.25	13.39
5775	2.00	-33.26	-31.38	-27.21	-21.25	5.96



Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5210 MHz / Average / Port 1 / 3GHz~6GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5210 MHz / Peak / Port 1 / 3GHz~6GHz






Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5210 MHz / Average / Port 2 / 3GHz~6GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5210 MHz / Peak / Port 2 / 3GHz~6GHz







Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5775 MHz / Average / Port 1 / 3GHz~6GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5775 MHz / Peak / Port 1 / 3GHz~6GHz



Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5775 MHz / Average / Port 2 / 3GHz~6GHz



Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5775 MHz / Peak / Port 2 / 3GHz~6GHz





IEEE 802.11ac Nss1 MCS0 VHT20

Average

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5180	2.00	-81.83	-82.00	-76.90	-41.25	35.65
5200	2.00	-81.39	-81.71	-76.54	-41.25	35.29
5240	2.00	-81.41	-82.43	-76.88	-41.25	35.63
5745	2.00	-70.02	-71.15	-65.54	-41.25	24.29
5785	2.00	-67.28	-68.54	-62.85	-41.25	21.60
5825	2.00	-65.59	-67.62	-61.48	-41.25	20.23

Peak

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5180	2.00	-69.38	-70.89	-65.06	-21.25	43.81
5200	2.00	-69.89	-62.19	-59.51	-21.25	38.26
5240	2.00	-69.56	-71.03	-65.22	-21.25	43.97
5745	2.00	-58.18	-59.86	-53.93	-21.25	32.68
5785	2.00	-57.41	-57.26	-52.32	-21.25	31.07
5825	2.00	-56.20	-55.79	-50.98	-21.25	29.73