





Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5690 MHz / Average / Port 1 / 18GHz~40GHz



Date: 24.MAR.2018 03:01:56


Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5690 MHz / Peak / Port 1 / 18GHz~40GHz



Date: 24.MAR.2018 03:02:22




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5690 MHz / Average / Port 2 / 18GHz~40GHz



Date: 24.MAR.2018 03:12:02

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5690 MHz / Peak / Port 2 / 18GHz~40GHz



Date: 24.MAR.2018 03:13:06



For Conducted Bandedge

For Ant. 2

IEEE 802.11ac Nss1 MCS0 VHT20 / Average


| Frequency (MHz) | Correlated Antenna Gain (dBi) | TX1 Bandedge Level (dBm) | TX2 Bandedge Level (dBm) | Total TX Bandedge Level (dBm) | Limit (dBm) | Margin (dB) |
|-----------------|-------------------------------|--------------------------|--------------------------|-------------------------------|-------------|-------------|
| 5260 | 16.00 | -59.04 | -62.22 | -41.33 | -41.25 | 0.08 |
| 5300 | 16.00 | -59.69 | -60.97 | -41.27 | -41.25 | 0.02 |
| 5320 | 16.00 | -59.80 | -61.57 | -41.59 | -41.25 | 0.34 |
| 5500 | 16.00 | -59.36 | -61.85 | -41.42 | -41.25 | 0.17 |
| 5580 | 16.00 | -59.02 | -62.75 | -41.49 | -41.25 | 0.24 |
| 5700 | 16.00 | -60.13 | -60.49 | -41.30 | -41.25 | 0.05 |
| 5720 | 16.00 | -60.57 | -61.46 | -41.98 | -41.25 | 0.73 |

IEEE 802.11ac Nss1 MCS0 VHT20 / Peak


| Frequency (MHz) | Correlated Antenna Gain (dBi) | TX1 Bandedge Level (dBm) | TX2 Bandedge Level (dBm) | Total TX Bandedge Level (dBm) | Limit (dBm) | Margin (dB) |
|-----------------|-------------------------------|--------------------------|--------------------------|-------------------------------|-------------|-------------|
| 5260 | 16.00 | -49.04 | -49.92 | -30.45 | -21.25 | 9.20 |
| 5300 | 16.00 | -47.80 | -48.34 | -29.05 | -21.25 | 7.80 |
| 5320 | 16.00 | -48.09 | -48.90 | -29.47 | -21.25 | 8.22 |
| 5500 | 16.00 | -48.84 | -49.87 | -30.31 | -21.25 | 9.06 |
| 5580 | 16.00 | -49.92 | -51.91 | -31.79 | -21.25 | 10.54 |
| 5700 | 16.00 | -48.50 | -48.18 | -29.33 | -21.25 | 8.08 |
| 5720 | 16.00 | -51.65 | -50.83 | -32.21 | -21.25 | 10.96 |



Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5260 MHz / Average / Port 1




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5260 MHz / Peak / Port 1






Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5260 MHz / Average / Port 2




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5260 MHz / Peak / Port 2






Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5300 MHz / Average / Port 1




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5300 MHz / Peak / Port 1






Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5300 MHz / Average / Port 2




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5300 MHz / Peak / Port 2






Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5320 MHz / Average / Port 1




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5320 MHz / Peak / Port 1






Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5320 MHz / Average / Port 2




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5320 MHz / Peak / Port 2






Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5500 MHz / Average / Port 1



Date: 17.MAR.2018 20:32:51


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5500 MHz / Peak / Port 1



Date: 17.MAR.2018 20:39:43




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5500 MHz / Average / Port 2




Date: 17. MAR. 2018 20:42:05

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5500 MHz / Peak / Port 2




Date: 17. MAR. 2018 20:43:18

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5580 MHz / Average / Port 1



Date: 17. MAR. 2018 20:45:42


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5580 MHz / Peak / Port 1



Date: 17. MAR. 2018 20:50:09




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5580 MHz / Average / Port 2



Date: 17. MAR 2018 20:47:21


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5580 MHz / Peak / Port 2



Date: 17. MAR 2018 20:48:39




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5700 MHz / Average / Port 1



Date: 17.MAR.2018 20:57:37


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5700 MHz / Peak / Port 1



Date: 17.MAR.2018 20:59:18




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5700 MHz / Average / Port 2



Date: 17 MAR 2018 20:54:20


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5700 MHz / Peak / Port 2



Date: 17 MAR 2018 20:55:33




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5720 MHz / Average / Port 1



Date: 17. MAR 2018 21:33:04


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5720 MHz / Peak / Port 1



Date: 17. MAR 2018 21:34:34




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5720 MHz / Average / Port 2



Date: 17. MAR 2018 21:22:50

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5720 MHz / Peak / Port 2



Date: 17. MAR 2018 21:24:55



IEEE 802.11ac Nss1 MCS0 VHT80 / Average


| Frequency (MHz) | Correlated Antenna Gain (dBi) | TX1 Bandedge Level (dBm) | TX2 Bandedge Level (dBm) | Total TX Bandedge Level (dBm) | Limit (dBm) | Margin (dB) |
|-----------------|-------------------------------|--------------------------|--------------------------|-------------------------------|-------------|-------------|
| 5290 | 16.00 | -60.61 | -59.97 | -41.27 | -41.25 | 0.02 |
| 5530 | 16.00 | -62.02 | -59.11 | -41.32 | -41.25 | 0.07 |
| 5610 | 16.00 | -59.48 | -63.84 | -42.12 | -41.25 | 0.87 |
| 5690 | 16.00 | -61.22 | -61.17 | -42.18 | -41.25 | 0.93 |

IEEE 802.11ac Nss1 MCS0 VHT80 / Peak


| Frequency (MHz) | Correlated Antenna Gain (dBi) | TX1 Bandedge Level (dBm) | TX2 Bandedge Level (dBm) | Total TX Bandedge Level (dBm) | Limit (dBm) | Margin (dB) |
|-----------------|-------------------------------|--------------------------|--------------------------|-------------------------------|-------------|-------------|
| 5290 | 16.00 | -47.93 | -47.52 | -28.71 | -21.25 | 7.46 |
| 5530 | 16.00 | -49.71 | -46.57 | -28.85 | -21.25 | 7.60 |
| 5610 | 16.00 | -47.51 | -51.52 | -30.06 | -21.25 | 8.81 |
| 5690 | 16.00 | -48.65 | -47.29 | -28.91 | -21.25 | 7.66 |



Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5290 MHz / Average / Port 1



Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5290 MHz / Peak / Port 1






Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5290 MHz / Average / Port 2




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5290 MHz / Peak / Port 2






Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5530 MHz / Average / Port 1



Date: 17. MAR. 2018 23:05:12


Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5530 MHz / Peak / Port 1



Date: 17. MAR. 2018 23:06:46




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5530 MHz / Average / Port 2




Date: 17. MAR. 2018 23:01:32

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5530 MHz / Peak / Port 2




Date: 17. MAR. 2018 23:03:29

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5610 MHz / Average / Port 1




Date: 17.MAR.2018 23:15:55

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5610 MHz / Peak / Port 1




Date: 17.MAR.2018 23:17:12

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5610 MHz / Average / Port 2



Date: 17. MAR. 2018 23:10:22

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5610 MHz / Peak / Port 2




Date: 17. MAR. 2018 23:12:34



Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5690 MHz / Average / Port 1




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5690 MHz / Peak / Port 1






Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5690 MHz / Average / Port 2



Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5690 MHz / Peak / Port 2





For Ant. 3
IEEE 802.11ac Nss1 MCS0 VHT20 / Average


| Frequency (MHz) | Correlated Antenna Gain (dBi) | TX1 Bandedge Level (dBm) | TX2 Bandedge Level (dBm) | Total TX Bandedge Level (dBm) | Limit (dBm) | Margin (dB) |
|-----------------|-------------------------------|--------------------------|--------------------------|-------------------------------|-------------|-------------|
| 5260 | 2.00 | -53.74 | -57.79 | -50.30 | -41.25 | 9.05 |
| 5300 | 2.00 | -55.36 | -51.96 | -48.33 | -41.25 | 7.08 |
| 5320 | 2.00 | -48.05 | -45.64 | -41.67 | -41.25 | 0.42 |
| 5500 | 2.00 | -46.98 | -47.09 | -42.02 | -41.25 | 0.77 |
| 5580 | 2.00 | -55.89 | -58.16 | -51.87 | -41.25 | 10.62 |
| 5700 | 2.00 | -47.87 | -47.26 | -42.54 | -41.25 | 1.29 |
| 5720 | 2.00 | -56.99 | -59.12 | -52.92 | -41.25 | 11.67 |

IEEE 802.11ac Nss1 MCS0 VHT20 / Peak

| Frequency (MHz) | Correlated Antenna Gain (dBi) | TX1 Bandedge Level (dBm) | TX2 Bandedge Level (dBm) | Total TX Bandedge Level (dBm) | Limit (dBm) | Margin (dB) |
|-----------------|-------------------------------|--------------------------|--------------------------|-------------------------------|-------------|-------------|
| 5260 | 2.00 | -43.47 | -44.90 | -39.12 | -21.25 | 17.87 |
| 5300 | 2.00 | -40.38 | -35.04 | -31.93 | -21.25 | 10.68 |
| 5320 | 2.00 | -33.77 | -31.75 | -27.63 | -21.25 | 6.38 |
| 5500 | 2.00 | -29.91 | -31.26 | -25.52 | -21.25 | 4.27 |
| 5580 | 2.00 | -45.77 | -46.64 | -41.17 | -21.25 | 19.92 |
| 5700 | 2.00 | -31.05 | -30.78 | -25.90 | -21.25 | 4.65 |
| 5720 | 2.00 | -45.20 | -46.09 | -40.61 | -21.25 | 19.36 |




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5260 MHz / Average / Port 1



Date: 26.MAR.2018 16:48:16


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5260 MHz / Peak / Port 1



Date: 26.MAR.2018 16:50:00




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5260 MHz / Average / Port 2



Date: 23.MAR.2018 00:16:37


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5260 MHz / Peak / Port 2



Date: 23.MAR.2018 00:17:40




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5300 MHz / Average / Port 1



Date: 23.MAR.2018 01:41:19


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5300 MHz / Peak / Port 1



Date: 23.MAR.2018 01:42:04




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5300 MHz / Average / Port 2



Date: 23.MAR.2018 00:19:05


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5300 MHz / Peak / Port 2



Date: 23.MAR.2018 00:20:21




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5320 MHz / Average / Port 1



Date: 23.MAR.2018 00:25:53


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5320 MHz / Peak / Port 1



Date: 23.MAR.2018 00:27:05




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5320 MHz / Average / Port 2



Date: 23.MAR.2018 00:30:04


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5320 MHz / Peak / Port 2



Date: 23.MAR.2018 00:31:05




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5500 MHz / Average / Port 1



Date: 23.MAR.2018 10:27:48


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5500 MHz / Peak / Port 1



Date: 23.MAR.2018 10:29:57




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5500 MHz / Average / Port 2



Date: 23.MAR.2018 10:37:58


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5500 MHz / Peak / Port 2



Date: 23.MAR.2018 10:39:13




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5580 MHz / Average / Port 1




Date: 23.MAR.2018 10:42:41

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5580 MHz / Peak / Port 1




Date: 23.MAR.2018 10:45:00

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5580 MHz / Average / Port 2




Date: 23.MAR.2018 10:47:07

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5580 MHz / Peak / Port 2




Date: 23.MAR.2018 10:49:16

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5700 MHz / Average / Port 1



Date: 23 MAR 2018 11:00:31


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5700 MHz / Peak / Port 1



Date: 23 MAR 2018 11:01:41




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5700 MHz / Average / Port 2



Date: 23.MAR.2018 10:56:38


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5700 MHz / Peak / Port 2



Date: 23.MAR.2018 10:57:55




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5720 MHz / Average / Port 1



Date: 23.MAR.2018 11:17:37


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5720 MHz / Peak / Port 1



Date: 23.MAR.2018 11:20:02




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5720 MHz / Average / Port 2



Date: 23.MAR.2018 11:23:30

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5720 MHz / Peak / Port 2



Date: 23.MAR.2018 11:25:28



IEEE 802.11ac Nss1 MCS0 VHT80 / Average

| Frequency (MHz) | Correlated Antenna Gain (dBi) | TX1 Bandedge Level (dBm) | TX2 Bandedge Level (dBm) | Total TX Bandedge Level (dBm) | Limit (dBm) | Margin (dB) |
|-----------------|-------------------------------|--------------------------|--------------------------|-------------------------------|-------------|-------------|
| 5290 | 2.00 | -47.57 | -46.21 | -41.83 | -41.25 | 0.58 |
| 5530 | 2.00 | -46.85 | -47.24 | -42.03 | -41.25 | 0.78 |
| 5610 | 2.00 | -44.99 | -48.31 | -41.33 | -41.25 | 0.08 |
| 5690 | 2.00 | -45.80 | -49.43 | -42.24 | -41.25 | 0.99 |

IEEE 802.11ac Nss1 MCS0 VHT80 / Peak

| Frequency (MHz) | Correlated Antenna Gain (dBi) | TX1 Bandedge Level (dBm) | TX2 Bandedge Level (dBm) | Total TX Bandedge Level (dBm) | Limit (dBm) | Margin (dB) |
|-----------------|-------------------------------|--------------------------|--------------------------|-------------------------------|-------------|-------------|
| 5290 | 2.00 | -33.84 | -32.65 | -28.19 | -21.25 | 6.94 |
| 5530 | 2.00 | -33.97 | -35.33 | -29.59 | -21.25 | 8.34 |
| 5610 | 2.00 | -30.44 | -34.13 | -26.89 | -21.25 | 5.64 |
| 5690 | 2.00 | -30.35 | -32.98 | -26.46 | -21.25 | 5.21 |




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5290 MHz / Average / Port 1




Date: 23.MAR.2018 01:36:32

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5290 MHz / Peak / Port 1




Date: 23.MAR.2018 01:37:08

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5290 MHz / Average / Port 2



Date: 23.MAR.2018 01:32:43

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5290 MHz / Peak / Port 2



Date: 23.MAR.2018 01:33:41




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5530 MHz / Average / Port 1



Date: 23.MAR.2018 14:20:48

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5530 MHz / Peak / Port 1



Date: 23.MAR.2018 14:22:11




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5530 MHz / Average / Port 2



Date: 23.MAR.2018 14:25:52

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5530 MHz / Peak / Port 2




Date: 23.MAR.2018 14:28:06

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5610 MHz / Average / Port 1



Date: 23.MAR.2018 14:44:42


Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5610 MHz / Peak / Port 1



Date: 23.MAR.2018 14:45:53




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5610 MHz / Average / Port 2



Date: 23.MAR.2018 14:39:07

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5610 MHz / Peak / Port 2



Date: 23.MAR.2018 14:40:31




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5690 MHz / Average / Port 1



Date: 23.MAR.2018 14:49:32

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5690 MHz / Peak / Port 1



Date: 23.MAR.2018 14:51:35




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5690 MHz / Average / Port 2



Date: 23.MAR.2018 14:54:26

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5690 MHz / Peak / Port 2



Date: 23.MAR.2018 14:56:35



For Cabinet

