

DFS PORTION of FCC 47 CFR PART 15 SUBPART E DFS PORTION of INDUSTRY CANADA RSS-247 ISSUE 2

CERTIFICATION TEST REPORT

FOR

INDOOR ACCESS POINT

MODEL NUMBER: cnPilot e430

FCC ID: Z8H89FT0039 IC: 109W-0039

REPORT NUMBER: 12429259-E1V2

ISSUE DATE: SEPTEMBER 19, 2018

Prepared for CAMBIUM NETWORKS 3800 GOLF ROAD ROLLING MEADOWS, IL 60008-4023, U.S.A.

> Prepared by UL VERIFICATION SERVICES INC. 47173 BENICIA STREET FREMONT, CA 94538, U.S.A. TEL: (510) 771-1000 FAX: (510) 661-0888



Revision History

| Rev. | lssue Date | Revisions | Revised By |
|------|---------------|---|------------|
| V1 | 08/10/18 | Initial Issue | Henry Lau |
| V2 | 09/19/18 | Added FCC Type 5 Parameters to Appendix A | Henry Lau |

Page 2 of 97

TABLE OF CONTENTS

| 1. | ATTESTATION OF TEST RESULTS | . 4 |
|----|---|-----|
| 2. | TEST METHODOLOGY | . 5 |
| 3. | FACILITIES AND ACCREDITATION | . 5 |
| 4. | CALIBRATION AND UNCERTAINTY | . 5 |
| 4 | 1. MEASURING INSTRUMENT CALIBRATION | . 5 |
| 4 | 2.2. MEASUREMENT UNCERTAINTY | . 5 |
| 5. | DYNAMIC FREQUENCY SELECTION | . 6 |
| 5 | 5.1. OVERVIEW | . 6 |
| | 5.1.1. LIMITS | |
| | 5.1.2. TEST AND MEASUREMENT SYSTEM | |
| | 5.1.3. TEST AND MEASUREMENT SOFTWARE5.1.4. TEST ROOM ENVIRONMENT | |
| | 5.1.4. TEST ROOM ENVIRONMENT5.1.5. SETUP OF EUT | |
| | 5.1.6. DESCRIPTION OF EUT | |
| - | | |
| 5 | 5.2. RESULTS FOR 20 MHz BANDWIDTH 5.2.1. TEST CHANNEL | |
| | 5.2.2. RADAR WAVEFORMS AND TRAFFIC | 16 |
| | 5.2.3. CHANNEL AVAILABILITY CHECK TIME | |
| | 5.2.4. OVERLAPPING CHANNEL TESTS | 25 |
| | 5.2.5. MOVE AND CLOSING TIME | |
| | 5.2.6. DETECTION BANDWIDTH | |
| | 5.2.7. IN-SERVICE MONITORING | |
| 5 | 5.3. RESULTS FOR 80 MHz BANDWIDTH | |
| | 5.3.1. TEST CHANNEL | |
| | 5.3.2. RADAR WAVEFORMS AND TRAFFIC | |
| | 5.3.3. CHANNEL AVAILABILITY CHECK TIME5.3.4. OVERLAPPING CHANNEL TESTS | |
| | 5.3.5. MOVE AND CLOSING TIME | |
| | 5.3.6. NON-OCCUPANCY PERIOD | |
| | 5.3.7. DETECTION BANDWIDTH | |
| | 5.3.8. IN-SERVICE MONITORING | 57 |
| 5 | .4. BRIDGE MODE RESULTS | 65 |
| 6. | SETUP PHOTOS | 66 |
| 7. | APPENDIX A | 68 |

Page 3 of 97

Complies

1. ATTESTATION OF TEST RESULTS

DFS Portion of INDUSTRY CANADA RSS-247 Issue 2

| DFS Portion of (| Complies | |
|------------------|--|--------------|
| s | TANDARD | TEST RESULTS |
| | APPLICABLE STANDARDS | |
| DATE TESTED: | AUGUST 06 and 07, 2018 | |
| SERIAL NUMBER: | W5TM006Q6P61 | |
| MODEL: | cnPilot e430 | |
| EUT DESCRIPTION: | INDOOR ACCESS POINT | |
| COMPANY NAME: | CAMBIUM NETWORKS 3800 GOLF ROAD ROLLING MEADOWS, IL 60008-4023 | 3, U.S.A. |

UL Verification Services Inc. tested the above equipment in accordance with the requirements set forth in the above standards. All indications of Pass/Fail in this report are opinions expressed by UL Verification Services Inc. based on interpretations and/or observations of test results. Measurement Uncertainties were not taken into account and are published for informational purposes only. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.

Note: The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein. This document may not be altered or revised in any way unless done so by UL Verification Services Inc. and all revisions are duly noted in the revisions section. Any alteration of this document not carried out by UL Verification Services Inc. will constitute fraud and shall nullify the document. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, any agency of the Federal Government, or any agency of any government.

Approved & Released For UL Verification Services Inc. By:

fenny men

HENRY LAU TEST ENGINEER UL Verification Services Inc.

Prepared By:

Douglas Combuser

DOUG ANDERSON EMC ENGINEER UL Verification Services Inc.

Page 4 of 97

2. TEST METHODOLOGY

The tests documented in this report were performed in accordance with the DFS portion of FCC CFR 47 Part 2, FCC CFR 47 Part 15, FCC 06-96, FCC KDB 789033, KDB 905462 D02 and D03 and RSS-247 Issue 2.

3. FACILITIES AND ACCREDITATION

The test sites and measurement facilities used to collect data are located at 47173 Benicia Street, Fremont, California, USA.

UL Verification Services Inc. is accredited by NVLAP, Laboratory Code 200065-0.

4. CALIBRATION AND UNCERTAINTY

4.1. MEASURING INSTRUMENT CALIBRATION

The measuring equipment utilized to perform the tests documented in this report has been calibrated in accordance with the manufacturer's recommendations, and is traceable to recognized national standards.

4.2. MEASUREMENT UNCERTAINTY

Where relevant, the following measurement uncertainty level has been estimated for tests performed on the apparatus:

| PARAMETER | UNCERTAINTY | | |
|-----------|-------------|--|--|
| Time | ± 0.02 % | | |

The Uncertainty figure is valid to a confidence level of 95%.

Page 5 of 97

5. DYNAMIC FREQUENCY SELECTION

5.1. OVERVIEW

5.1.1. LIMITS

INDUSTRY CANADA

IC RSS-247 is closely harmonized with FCC Part 15 DFS rules. The deviations are as follows:

RSS-247 Issue 2

Note: For the band 5600–5650 MHz, no operation is permitted.

Until further notice, devices subject to this annex shall not be capable of transmitting in the band 5600–5650 MHz. This restriction is for the protection of Environment Canada weather radars operating in this band.

FCC

§15.407 (h), FCC KDB 905462 D02 "COMPLIANCE MEASUREMENT PROCEDURES FOR UNLICENSED-NATIONAL INFORMATION INFRASTRUCTURE DEVICES OPERATING IN THE 5250-5350 MHz AND 5470-5725 MHz BANDS INCORPORATING DYNAMIC FREQUENCY SELECTION" and KDB 905462 D03 "U-NII CLIENT DEVICES WITHOUT RADAR DETECTION CAPABILITY".

Page 6 of 97

Table 1: Applicability of DFS requirements prior to use of a channel

| Requirement | Operational Mode | | | |
|---------------------------------|------------------|----------------------------------|-------------------------------|--|
| | Master | Client (without radar detection) | Client (with radar detection) | |
| Non-Occupancy Period | Yes | Not required | Yes | |
| DFS Detection Threshold | Yes | Not required | Yes | |
| Channel Availability Check Time | Yes | Not required | Not required | |
| U-NII Detection Bandwidth | Yes | Not required | Yes | |

Table 2: Applicability of DFS requirements during normal operation

| Requirement | Operational Mode | | | |
|-----------------------------------|------------------|-------------------------|----------------------|--|
| | Master | Client (without DFS) | Client (with DFS) | |
| DFS Detection Threshold | Yes | Not required | Yes | |
| Channel Closing Transmission Time | Yes | Yes | Yes | |
| Channel Move Time | Yes | Yes | Yes | |
| U-NII Detection Bandwidth | Yes | Not required | Yes | |

| Additional requirements for | Master Device or Client with | Client | | | | |
|---|--------------------------------|------------------------|--|--|--|--|
| devices with multiple bandwidth | Radar DFS | (without DFS) | | | | |
| modes | | | | | | |
| U-NII Detection Bandwidth and | All BW modes must be | Not required | | | | |
| Statistical Performance Check | tested | | | | | |
| Channel Move Time and Channel | Test using widest BW mode | Test using the | | | | |
| Closing Transmission Time | available | widest BW mode | | | | |
| | | available for the link | | | | |
| All other tests | Any single BW mode | Not required | | | | |
| Note: Frequencies selected for statistical performance check (Section 7.8.4) should include | | | | | | |
| several frequencies within the radar detection bandwidth and frequencies near the edge of the | | | | | | |
| radar detection bandwidth. For 802.11 devices it is suggested to select frequencies in all 20 | | | | | | |
| MHz channel blocks and a null freque | ency between the bonded 20 MHz | channel blocks. | | | | |

Page 7 of 97

Table 3: Interference Threshold values, Master or Client incorporating In-ServiceMonitoring

| Maximum Transmit Power | Value | | | |
|--|-------------|--|--|--|
| | | | | |
| | (see notes) | | | |
| E.I.R.P. ≥ 200 mill watt | -64 dBm | | | |
| E.I.R.P. < 200 mill watt and | -62 dBm | | | |
| power spectral density < 10 dBm/MHz | | | | |
| E.I.R.P. < 200 mill watt that do not meet power spectral | -64 dBm | | | |
| density requirement | | | | |
| Note 1: This is the level at the input of the receiver assuming a 0 dBi receive antenna Note 2: Throughout these test procedures an additional 1 dB has been added to the amplitude | | | | |
| of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS | | | | |
| response. | | | | |
| Note 3: E.I.R.P. is based on the highest antenna gain. For MIMO devices refer to KDB publication 662911 D01. | | | | |

Table 4: DFS Response requirement values

| Parameter | Value |
|-----------------------------------|---|
| Non-occupancy period | 30 minutes |
| Channel Availability Check Time | 60 seconds |
| Channel Move Time | 10 seconds (See Note 1) |
| Channel Closing Transmission Time | 200 milliseconds + approx. 60 milliseconds over remaining 10 second period. (See Notes 1 and 2) |
| U-NII Detection Bandwidth | Minimum 100% of the U- NII 99% transmission power bandwidth. (See Note 3) |

Note 1: *Channel Move Time* and the *Channel Closing Transmission Time* should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.

Note 2: The *Channel Closing Transmission Time* is comprised of 200 milliseconds starting at the beginning of the *Channel Move Time* plus any additional intermittent control signals required to facilitate a *Channel* move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions.

Note 3: During the *U-NII Detection Bandwidth* detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.

Table 5 – Short Pulse Radar Test Waveforms

| Radar | Pulse | PRI | Pulses | Minimum | Minimum | | | |
|-------------------------------------|---|------------------------|---|---------------|----------|--|--|--|
| Туре | Width | (usec) | | Percentage | Trials | | | |
| | (usec) | | | of Successful | | | | |
| | | | | Detection | | | | |
| 0 | 1 | 1428 | 18 | See Note 1 | See Note | | | |
| | | | | | 1 | | | |
| 1 | 1 | Test A: 15 unique | | 60% | 30 | | | |
| | | PRI values randomly | | | | | | |
| | | selected from the list | Roundup | | | | | |
| | | of 23 PRI values in | {(1/360) x (19 x 10 ⁶ PRI _{usec})} | | | | | |
| | | table 5a | | | | | | |
| | | Test B: 15 unique | | | | | | |
| | | PRI values randomly | | | | | | |
| | | selected within the | | | | | | |
| | | range of 518-3066 | | | | | | |
| usec. With a | | | | | | | | |
| minimum increment | | | | | | | | |
| | | of 1 usec, excluding | | | | | | |
| | | PRI values selected | | | | | | |
| | | in Test A | | | | | | |
| 2 | 1-5 | 150-230 | 23-29 | 60% | 30 | | | |
| 3 | 6-10 | 200-500 | 16-18 | 60% | 30 | | | |
| 4 | 11-20 | 200-500 | 12-16 | 60% | 30 | | | |
| Aggregate (Radar Types 1-4) 80% 120 | | | | | | | | |
| Note 1: | Note 1: Short Pulse Radar Type 0 should be used for the Detection Bandwidth test, Channel | | | | | | | |
| Move T | Move Time, and Channel Closing Time tests. | | | | | | | |

Table 6 – Long Pulse Radar Test Signal


| Radar | Pulse | Chirp | PRI | Pulses | Number | Minimum | Minimum |
|----------|--------|-------|--------|--------|--------|---------------|---------|
| Waveform | Width | Width | (µsec) | per | of | Percentage | Trials |
| Туре | (µsec) | (MHz) | | Burst | Bursts | of Successful | |
| | | | | | | Detection | |
| 5 | 50-100 | 5-20 | 1000- | 1-3 | 8-20 | 80% | 30 |
| | | | 2000 | | | | |

| | | - J | | | | | |
|----------|--------|------------|--------|---------|----------|---------------|---------|
| Radar | Pulse | PRI | Pulses | Hopping | Hopping | Minimum | Minimum |
| Waveform | Width | (µsec) | per | Rate | Sequence | Percentage of | Trials |
| Туре | (µsec) | | Нор | (kHz) | Length | Successful | |
| | | | | | (msec) | Detection | |
| 6 | 1 | 333 | 9 | 0.333 | 300 | 70% | 30 |

Page 9 of 97

5.1.2. TEST AND MEASUREMENT SYSTEM

RADIATED METHOD SYSTEM BLOCK DIAGRAM



Page 10 of 97

SYSTEM OVERVIEW

The short pulse and long pulse signal generating system utilizes the NTIA software. The Vector Signal Generator has been validated by the NTIA. The hopping signal generating system utilizes the CCS simulated hopping method and system, which has been validated by the DoD, FCC and NTIA. The software selects waveform parameters from within the bounds of the signal type on a random basis using uniform distribution.

The short pulse types 1, 2, 3 and 4, and the long pulse type 5 parameters are randomized at run-time.

The hopping type 6 pulse parameters are fixed while the hopping sequence is based on the August 2005 NTIA Hopping Frequency List. The initial starting point randomized at run-time and each subsequent starting point is incremented by 475. Each frequency in the 100-length segment is compared to the boundaries of the EUT Detection Bandwidth and the software creates a hopping burst pattern in accordance with Section 7.4.1.3 Method #2 Simulated Frequency Hopping Radar Waveform Generating Subsystem of KDB 905462 D02. The frequency of the signal generator is incremented in 1 MHz steps from F_L to F_H for each successive trial. This incremental sequence is repeated as required to generate a minimum of 30 total trials and to maintain a uniform frequency distribution over the entire Detection Bandwidth.

The signal monitoring equipment consists of a spectrum analyzer. The aggregate ON time is calculated by multiplying the number of bins above a threshold during a particular observation period by the dwell time per bin, with the analyzer set to peak detection and max hold.

SYSTEM CALIBRATION

A 50-ohm load is connected in place of the spectrum analyzer, and the spectrum analyzer is connected to a horn antenna via a coaxial cable, with the reference level offset set to (horn antenna gain – coaxial cable loss). The signal generator is set to CW mode. The amplitude of the signal generator is adjusted to yield a level of –64 dBm as measured on the spectrum analyzer.

Without changing any of the instrument settings, the spectrum analyzer is reconnected to the Common port of the Spectrum Analyzer Combiner/Divider. The Reference Level Offset of the spectrum analyzer is adjusted so that the displayed amplitude of the signal is –64 dBm.

The spectrum analyzer displays the level of the signal generator as received at the antenna ports of the Master Device. The interference detection threshold may be varied from the calibrated value of –64 dBm and the spectrum analyzer will still indicate the level as received by the Master Device.

Page 11 of 97

ADJUSTMENT OF DISPLAYED TRAFFIC LEVEL

A link is established between the Master and Slave and the distance between the units is adjusted as needed to provide a suitable received level at the Master and Slave devices. Traffic that meets or exceed the minimum loading requirement is streamed from the Master device to the Slave Device. The monitoring antenna is adjusted so that the WLAN traffic level, as displayed on the spectrum analyzer, is at lower amplitude than the radar detection threshold.

TEST AND MEASUREMENT EQUIPMENT

The following test and measurement equipment was utilized for the DFS tests documented in this report:

| TEST EQUIPMENT LIST | | | | | | | | | | |
|--|--------------|--------|--------|----------|--|--|--|--|--|--|
| Description | Manufacturer | Model | ID No. | Cal Due | | | | | | |
| Spectrum Analyzer, PXA, 3Hz to 44GHz | Keysight | N9030A | T1634 | 02/22/19 | | | | | | |
| Signal Generator, MXG X-Series RF Vector | Agilent | N5182B | T1134 | 04/23/19 | | | | | | |
| Arbitrary Waveform Generator | Agilent / HP | 33220A | T190 | 04/23/19 | | | | | | |

5.1.3. TEST AND MEASUREMENT SOFTWARE

The following test and measurement software was utilized for the tests documented in this report:

| TEST SOFTWARE LIST | | | | | | | |
|----------------------------------|---------|--|--|--|--|--|--|
| Name | Version | Test / Function | | | | | |
| Aggregate Time-PXA | 3.1 | Channel Loading and Aggregate Closing Time | | | | | |
| FCC 2014 Detection Bandwidth-PXA | 3.1.1 | Detection Bandwidth in 5 MHz Steps | | | | | |
| In Service Monitoring-PXA | 3.3.4 | In-Service Monitoring (Probability of Detection) | | | | | |
| PXA Read 3 | | Signal Generator Screen Capture Utility | | | | | |
| SGXProject.exe | 1.7 | Radar Waveform Generation and Download | | | | | |

5.1.4. TEST ROOM ENVIRONMENT

The test room temperature and humidity shall be maintained within normal temperature of 15~35 °C and normal humidity 20~75% (relative humidity).


ENVIRONMENT CONDITION

| Parameter | Value |
|-------------|------------------|
| Temperature | 24.8 and 24.6 °C |
| Humidity | 41 and 41 % |

Page 12 of 97

5.1.5. SETUP OF EUT

RADIATED METHOD EUT TEST SETUP



SUPPORT EQUIPMENT

The following support equipment was utilized for the DFS tests documented in this report:

| P | PERIPHERAL SUI | PPORT EQUIPMEN | IT LIST | |
|------------------------------|-----------------------|------------------|------------------|-------------|
| Description | Manufacturer | Model | Serial Number | FCC ID |
| Carrier P.O.E. Adapter (EUT) | Alfa | APoE48V-1G | No Serial Number | DoC |
| Notebook PC (EUT | Lenovo | Type 20B7-S0A200 | PF-02JN9J 14/06 | DoC |
| Controller/Console) | | | | |
| AC Adapter | Lenovo | ADLX65NCC2A | 11S45N0263Z1ZSH | DoC |
| (Console/Controller PC) | | | D41A5JY | |
| WiFi USB Adapter | Netgear | A6210 | 48415A5H0A496 | PY313400249 |
| Notebook PC (Slave Host) | Motorola | ML900 | 3433FQ0285 | DoC |
| AC Adapter (Host PC) | MSL | AD-C019M-M | None | DoC |

Page 13 of 97

5.1.6. DESCRIPTION OF EUT

For FCC the EUT operates over the 5250-5350 MHz and 5470-5725 MHz ranges.

For IC the EUT operates over the 5250-5350 MHz and 5470-5725 MHz ranges, excluding the 5600-5650 MHz range.

The EUT is a Master Device.

The manufacturer has declared that the highest power level within these bands is 30 dBm EIRP in the 5250-5350 MHz band and 30 dBm EIRP in the 5470-5725 MHz band.

The manufacturer has declared that only antenna assembly utilized with the EUT has a gain of 5 dBi.

Two identical antennas are utilized to meet the diversity and MIMO operational requirements.

The rated output power of the Master unit is > 23dBm (EIRP). Therefore the required interference threshold level is -64 dBm. After correction for procedural adjustments, the required radiated threshold at the antenna port is -64 + 1 = -63 dBm.

The calibrated radiated DFS Detection Threshold level is set to -63 dBm.

The EUT uses two transmitter/receiver chains, each connected to an antenna to perform radiated tests.

The Slave device associated with the EUT during these tests does not have radar detection capability.

WLAN traffic that meets or exceeds the minimum required loading was generated by transferring a data stream from the Master Device to the Slave Device using iPerf version 2.0.5 software package.

TPC is required since the maximum EIRP is greater than 500 mW (27 dBm).

The EUT utilizes the 802.11a/n/ac architecture. In the 5250-5350 MHz and 5470-5725 MHz ranges, two nominal channel bandwidths are implemented: 20 MHz and 80 MHz.

The software installed in the EUT is revision 3.4.4.

Page 14 of 97

UNIFORM CHANNEL SPREADING

This function is not required per KDB 905462.

OVERVIEW OF MASTER DEVICE WITH RESPECT TO §15.407 (h) REQUIREMENTS

The Master Device is a Cambium Networks Access Point, FCC ID: Z8H89FT0039. The minimum antenna gain for the Master Device is 5 dBi.

The rated output power of the Master unit is > 23dBm (EIRP). Therefore the required interference threshold level is -64 dBm. After correction for procedural adjustments, the required radiated threshold at the antenna port is -64 + 1 = -63 dBm.

The calibrated radiated DFS Detection Threshold level is set to -63 dBm.

Page 15 of 97


5.2. RESULTS FOR 20 MHz BANDWIDTH

5.2.1. TEST CHANNEL

All tests were performed at a channel center frequency of 5500 MHz.


5.2.2. RADAR WAVEFORMS AND TRAFFIC

RADAR WAVEFORMS




UL VERIFICATION SERVICES INC. 47173 BENICIA STREET, FREMONT, CA 94538, USA This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc. FORM NO: CCSUP4701J TEL: (510) 771-1000 FAX: (510) 661-0888 This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.


Page 16 of 97




Page 17 of 97




Page 18 of 97




Page 19 of 97



Page 20 of 97




Page 21 of 97




Page 22 of 97

TRAFFIC



Page 23 of 97

CHANNEL LOADING



The level of traffic loading on the channel by the EUT is 17.925%

Page 24 of 97

5.2.3. CHANNEL AVAILABILITY CHECK TIME

Note: Per table 2 of KDB 905462 D02, this test is only required to be performed at the highest supported channel bandwidth. Therefore the manufacturer has chosen not to perform this test for 20 MHz channel bandwidth.

5.2.4. OVERLAPPING CHANNEL TESTS

RESULTS

These tests are not applicable. The manufacturer's channel mapping plan prohibits overlapping channel from occurring.


5.2.5. MOVE AND CLOSING TIME

Note: Per table 2 of KDB 905462 D02, this test is only required to be performed at the highest supported channel bandwidth. Therefore the manufacturer has chosen not to perform this test for 20 MHz channel bandwidth.

Page 25 of 97

5.2.6. DETECTION BANDWIDTH

REFERENCE PLOT OF 99% POWER BANDWIDTH



RESULTS

| FL | FH | Detection | 99% Power | Ratio of | Minimum |
|-------|-------|-----------|-----------|-----------------|---------|
| | | Bandwidth | Bandwidth | Detection BW to | Limit |
| | | | | 99% Power BW | |
| (MHz) | (MHz) | (MHz) | (MHz) | (%) | (%) |
| 5490 | 5510 | 20 | 17.794 | 112.4 | 100 |

Page 26 of 97

DETECTION BANDWIDTH PROBABILITY

| DETECTION BANDWIDTH PROBABILITY RESULTS | | | | | | | | | | | |
|---|-----------|----------|-----------|------|--|--|--|--|--|--|--|
| Detection Bandwidth Test Results 29445 DFS 1 | | | | | | | | | | | |
| FCC Type 0 Waveform: 1 us Pulse Width, 1428 us PRI, 18 Pulses per Burst | | | | | | | | | | | |
| Frequency | Number | Number | Detection | Mark | | | | | | | |
| (MHz) | of Trials | Detected | (%) | | | | | | | | |
| 5490 | 10 | 10 | 100 | FL | | | | | | | |
| 5495 | 10 | 10 | 100 | | | | | | | | |
| 5500 | 10 | 10 | 100 | | | | | | | | |
| 5505 | 10 | 10 | 100 | | | | | | | | |
| 5510 | 10 | 9 | 90 | FH | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

Page 27 of 97

5.2.7. IN-SERVICE MONITORING

RESULTS

| FCC Radar Test Summ | iary | | | | | | | | | |
|------------------------|-----------|-----------|-------|-----------|--------------|------|-------|----------|----------|--------------------------|
| Signal Type | Number | Detection | Limit | Pass/Fail | Dete Band | | | Test | Employee | In-Service Monitoring |
| | of Trials | (%) | (%) | | FL | FH | OBW | Location | Number | Version |
| FCC Short Pulse Type 1 | 30 | 93.33 | 60 | Pass | 5490 | 5510 | 17.79 | DFS 1 | 29445 | Version 3.3.4 |
| FCC Short Pulse Type 2 | 30 | 86.67 | 60 | Pass | 5490 | 5510 | 17.79 | DFS 1 | 29445 | Version 3.3.4 |
| FCC Short Pulse Type 3 | 30 | 96.67 | 60 | Pass | 5490 | 5510 | 17.79 | DFS 1 | 29445 | Version 3.3.4 |
| FCC Short Pulse Type 4 | 30 | 93.33 | 60 | Pass | 5490 | 5510 | 17.79 | DFS 1 | 29445 | Version 3.3.4 |
| Aggregate | | 92.50 | 80 | Pass | | | | | | |
| FCC Long Pulse Type 5 | 30 | 100.00 | 80 | Pass | 5490 | 5510 | 17.79 | DFS 1 | 29445 | Version 3.3.4 |
| FCC Hopping Type 6 | 42 | 97.62 | 70 | Pass | 5490 | 5510 | | DFS 1 | 29445 | Version 3.3.4 |

Page 28 of 97

TYPE 1 DETECTION PROBABILITY

| Vaveform | Pulse Width | PRI | Pulses | Test | Frequency | Successful Detection |
|----------|-------------|------|-----------|-------|-----------|----------------------|
| | (us) | (us) | Per Burst | (A/B) | (MHz) | (Yes/No) |
| 1001 | 1 | 3066 | 18 | Α | 5490 | Yes |
| 1002 | 1 | 658 | 81 | Α | 5503 | Yes |
| 1003 | 1 | 598 | 89 | Α | 5501 | Yes |
| 1004 | 1 | 578 | 92 | Α | 5494 | Yes |
| 1005 | 1 | 538 | 99 | Α | 5506 | Yes |
| 1006 | 1 | 558 | 95 | Α | 5502 | Yes |
| 1007 | 1 | 798 | 67 | Α | 5502 | Yes |
| 1008 | 1 | 818 | 65 | Α | 5495 | Yes |
| 1009 | 1 | 898 | 59 | Α | 5507 | Yes |
| 1010 | 1 | 918 | 58 | Α | 5496 | Yes |
| 1011 | 1 | 878 | 61 | Α | 5505 | Yes |
| 1012 | 1 | 938 | 57 | Α | 5499 | Yes |
| 1013 | 1 | 618 | 86 | Α | 5502 | Yes |
| 1014 | 1 | 838 | 63 | Α | 5503 | Yes |
| 1015 | 1 | 738 | 72 | Α | 5509 | Yes |
| 1016 | 1 | 1135 | 47 | В | 5502 | Yes |
| 1017 | 1 | 1573 | 34 | В | 5504 | Yes |
| 1018 | 1 | 2335 | 23 | В | 5508 | Yes |
| 1019 | 1 | 1550 | 35 | В | 5510 | No |
| 1020 | 1 | 1247 | 43 | В | 5491 | No |
| 1021 | 1 | 591 | 90 | В | 5509 | Yes |
| 1022 | 1 | 2965 | 18 | В | 5495 | Yes |
| 1023 | 1 | 1244 | 43 | В | 5504 | Yes |
| 1024 | 1 | 2553 | 21 | В | 5509 | Yes |
| 1025 | 1 | 962 | 55 | В | 5495 | Yes |
| 1026 | 1 | 2400 | 22 | В | 5494 | Yes |
| 1027 | 1 | 2291 | 24 | В | 5506 | Yes |
| 1028 | 1 | 1312 | 41 | В | 5496 | Yes |
| 1029 | 1 | 1332 | 40 | В | 5503 | Yes |
| 1030 | 1 | 3030 | 18 | В | 5494 | Yes |

Page 29 of 97

TYPE 2 DETECTION PROBABILITY

| Waveform | or FCC Short Pu Pulse Width | PRI | Pulses Per Burst | Frequency | Successful Detection |
|----------|--------------------------------|------|------------------|-----------|----------------------|
| | (us) | (us) | | (MHz) | (Yes/No) |
| 2001 | 1.8 | 187 | 23 | 5493 | Yes |
| 2002 | 2.6 | 157 | 29 | 5493 | Yes |
| 2003 | 2 | 164 | 26 | 5493 | Yes |
| 2004 | 3 | 182 | 26 | 5497 | Yes |
| 2005 | 2.5 | 150 | 23 | 5497 | Yes |
| 2006 | 1.8 | 214 | 26 | 5503 | Yes |
| 2007 | 1.6 | 186 | 27 | 5505 | Yes |
| 2008 | 1.1 | 174 | 24 | 5502 | Yes |
| 2009 | 3.2 | 193 | 26 | 5494 | No |
| 2010 | 1 | 228 | 23 | 5495 | Yes |
| 2011 | 3.4 | 171 | 28 | 5498 | Yes |
| 2012 | 1.4 | 209 | 23 | 5502 | No |
| 2013 | 3.9 | 199 | 29 | 5496 | Yes |
| 2014 | 2.1 | 161 | 23 | 5508 | Yes |
| 2015 | 3 | 155 | 23 | 5502 | Yes |
| 2016 | 3.6 | 202 | 28 | 5493 | Yes |
| 2017 | 4.6 | 162 | 28 | 5491 | Yes |
| 2018 | 1.3 | 175 | 27 | 5507 | Yes |
| 2019 | 4.8 | 220 | 24 | 5497 | Yes |
| 2020 | 1.7 | 156 | 23 | 5500 | Yes |
| 2021 | 1.2 | 205 | 24 | 5510 | Yes |
| 2022 | 4.6 | 189 | 24 | 5496 | Yes |
| 2023 | 4.4 | 161 | 25 | 5492 | No |
| 2024 | 3.9 | 229 | 29 | 5490 | No |
| 2025 | 1.9 | 211 | 23 | 5492 | Yes |
| 2026 | 3.8 | 202 | 24 | 5493 | Yes |
| 2027 | 2.1 | 226 | 26 | 5502 | Yes |
| 2028 | 4.2 | 184 | 28 | 5505 | Yes |
| 2029 | 2.6 | 173 | 26 | 5506 | Yes |
| 2030 | 4.9 | 216 | 28 | 5498 | Yes |

Page 30 of 97

TYPE 3 DETECTION PROBABILITY

| Waveform | or FCC Short Pu Pulse Width | PRI | Pulses Per Burst | Frequency | Successful Detection |
|----------|--------------------------------|------|------------------|-----------|----------------------|
| | (us) | (us) | | (MHz) | (Yes/No) |
| 3001 | 8.9 | 437 | 18 | 5494 | Yes |
| 3002 | 7.3 | 332 | 17 | 5508 | Yes |
| 3003 | 8.3 | 459 | 17 | 5500 | Yes |
| 3004 | 9.1 | 499 | 17 | 5497 | No |
| 3005 | 8.5 | 388 | 18 | 5507 | Yes |
| 3006 | 9.5 | 441 | 18 | 5499 | Yes |
| 3007 | 9 | 343 | 18 | 5503 | Yes |
| 3008 | 8.3 | 291 | 18 | 5508 | Yes |
| 3009 | 6.2 | 339 | 16 | 5504 | Yes |
| 3010 | 9.8 | 418 | 17 | 5493 | Yes |
| 3011 | 9.7 | 360 | 18 | 5505 | Yes |
| 3012 | 7.5 | 334 | 18 | 5504 | Yes |
| 3013 | 9.9 | 407 | 16 | 5495 | Yes |
| 3014 | 7.9 | 276 | 17 | 5507 | Yes |
| 3015 | 6.3 | 495 | 16 | 5491 | Yes |
| 3016 | 6.7 | 377 | 17 | 5501 | Yes |
| 3017 | 7.6 | 358 | 17 | 5504 | Yes |
| 3018 | 6 | 252 | 16 | 5493 | Yes |
| 3019 | 9.2 | 379 | 16 | 5509 | Yes |
| 3020 | 7.8 | 420 | 16 | 5505 | Yes |
| 3021 | 7.2 | 308 | 17 | 5499 | Yes |
| 3022 | 8.2 | 362 | 16 | 5495 | Yes |
| 3023 | 9.9 | 263 | 17 | 5509 | Yes |
| 3024 | 7 | 463 | 16 | 5508 | Yes |
| 3025 | 9 | 259 | 18 | 5510 | Yes |
| 3026 | 8.5 | 472 | 16 | 5505 | Yes |
| 3027 | 6.5 | 281 | 17 | 5509 | Yes |
| 3028 | 6.2 | 255 | 17 | 5503 | Yes |
| 3029 | 8.6 | 461 | 18 | 5504 | Yes |
| 3030 | 6.6 | 448 | 16 | 5508 | Yes |

Page 31 of 97

TYPE 4 DETECTION PROBABILITY

| Waveform | Pulse Width | PRI | Pulses Per Burst | Frequency | Successful Detection |
|----------|-------------|------|------------------|-----------|----------------------|
| | (us) | (us) | | (MHz) | (Yes/No) |
| 4001 | 13.8 | 416 | 16 | 5510 | Yes |
| 4002 | 18.8 | 298 | 12 | 5504 | Yes |
| 4003 | 11.7 | 278 | 12 | 5498 | Yes |
| 4004 | 17.2 | 306 | 16 | 5494 | Yes |
| 4005 | 15.3 | 300 | 16 | 5500 | Yes |
| 4006 | 12.2 | 341 | 15 | 5491 | Yes |
| 4007 | 19.9 | 480 | 13 | 5508 | No |
| 4008 | 17.8 | 283 | 15 | 5496 | Yes |
| 4009 | 16.9 | 317 | 13 | 5506 | Yes |
| 4010 | 19.5 | 384 | 15 | 5504 | Yes |
| 4011 | 14.8 | 431 | 14 | 5509 | Yes |
| 4012 | 13.6 | 392 | 16 | 5500 | Yes |
| 4013 | 18.5 | 452 | 15 | 5493 | Yes |
| 4014 | 17.8 | 426 | 13 | 5495 | Yes |
| 4015 | 13.9 | 381 | 14 | 5505 | Yes |
| 4016 | 18.5 | 368 | 15 | 5508 | No |
| 4017 | 20 | 336 | 15 | 5501 | Yes |
| 4018 | 16 | 469 | 16 | 5497 | Yes |
| 4019 | 17.9 | 450 | 15 | 5501 | Yes |
| 4020 | 14.3 | 478 | 14 | 5503 | Yes |
| 4021 | 12.5 | 471 | 12 | 5499 | Yes |
| 4022 | 14.2 | 261 | 16 | 5506 | Yes |
| 4023 | 17 | 401 | 16 | 5498 | Yes |
| 4024 | 15 | 454 | 13 | 5494 | Yes |
| 4025 | 14 | 489 | 16 | 5506 | Yes |
| 4026 | 16.7 | 304 | 14 | 5494 | Yes |
| 4027 | 11.9 | 351 | 12 | 5500 | Yes |
| 4028 | 19.9 | 313 | 12 | 5509 | Yes |
| 4029 | 15.6 | 373 | 13 | 5509 | Yes |
| 4030 | 14.9 | 347 | 12 | 5494 | Yes |

Page 32 of 97

TYPE 5 DETECTION PROBABILITY

| Data Sheet for FCC Long Pulse Radar Type 5 | | | | |
|--|-----------|----------------------|--|--|
| Trial | Frequency | Successful Detection | | |
| | (MHz) | (Yes/No) | | |
| 1 | 5500 | Yes | | |
| 2 | 5500 | Yes | | |
| 3 | 5500 | Yes | | |
| 4 | 5500 | Yes | | |
| 5 | 5500 | Yes | | |
| 6 | 5500 | Yes | | |
| 7 | 5500 | Yes | | |
| 8 | 5500 | Yes | | |
| 9 | 5500 | Yes | | |
| 10 | 5500 | Yes | | |
| 11 | 5494 | Yes | | |
| 12 | 5497 | Yes | | |
| 13 | 5497 | Yes | | |
| 14 | 5494 | Yes | | |
| 15 | 5497 | Yes | | |
| 16 | 5497 | Yes | | |
| 17 | 5494 | Yes | | |
| 18 | 5494 | Yes | | |
| 19 | 5496 | Yes | | |
| 20 | 5497 | Yes | | |
| 21 | 5502 | Yes | | |
| 22 | 5504 | Yes | | |
| 23 | 5506 | Yes | | |
| 24 | 5501 | Yes | | |
| 25 | 5506 | Yes | | |
| 26 | 5504 | Yes | | |
| 27 | 5504 | Yes | | |
| 28 | 5502 | Yes | | |
| 29 | 5504 | Yes | | |
| 30 | 5506 | Yes | | |

Note: The Type 5 randomized parameters tested are shown in appendix A.

Page 33 of 97

TYPE 6 DETECTION PROBABILITY

| Data Sheet for FCC Hopping Radar Type 6 | | | | | | |
|---|-----------------|------------------|--------------|------------|--|--|
| 1 us Pulse Width, 333 us PRI, 9 Pulses per Burst, 1 Burst per Hop | | | | | | |
| NTIA August 2005 Hopping Sequence | | | | | | |
| T 1 1 | Starting Index | Signal Generator | Hops within | Successful | | |
| Trial | Within Sequence | Frequency | Detection BW | Detection | | |
| | | (MHz) | | (Yes/No) | | |
| 1 | 339 | 5490 | 2 | Yes | | |
| 2 | 814 | 5491 | 2 | Yes | | |
| 3 | 1289 | 5492 | 7 | Yes | | |
| 4 | 1764 | 5493 | 7 | Yes | | |
| 5 | 2239 | 5494 | 6 | Yes | | |
| 6 | 2714 | 5495 | 1 | Yes | | |
| 7 | 3189 | 5496 | 2 | Yes | | |
| 8 | 3664 | 5497 | 4 | Yes | | |
| 9 | 4139 | 5498 | 4 | Yes | | |
| 10 | 4614 | 5499 | 2 | Yes | | |
| 11 | 5089 | 5500 | 2 | Yes | | |
| 12 | 5564 | 5501 | - 1 | No | | |
| 13 | 6039 | 5502 | 3 | Yes | | |
| 14 | 6514 | 5503 | 6 | Yes | | |
| 15 | 6989 | 5504 | 2 | Yes | | |
| 16 | 7464 | 5505 | 3 | Yes | | |
| 17 | 7939 | 5506 | 2 | Yes | | |
| 18 | 8414 | 5507 | 3 | Yes | | |
| 19 | 8889 | 5508 | 7 | Yes | | |
| 20 | 9364 | 5509 | 4 | Yes | | |
| 21 | 9839 | 5510 | 4 | Yes | | |
| 22 | 10314 | 5490 | 4 | Yes | | |
| 23 | 10789 | 5491 | 6 | Yes | | |
| 24 | 11264 | 5492 | 5 | Yes | | |
| 25 | 11739 | 5493 | 3 | Yes | | |
| 26 | 12214 | 5494 | 4 | Yes | | |
| 27 | 12689 | 5495 | 4 | Yes | | |
| 28 | 13164 | 5496 | 3 | Yes | | |
| 29 | 13639 | 5497 | 3 | Yes | | |
| 30 | 14114 | 5498 | 6 | Yes | | |
| 31 | 14589 | 5499 | 3 | Yes | | |
| 32 | 15064 | 5500 | 5 | Yes | | |
| 33 | 15539 | 5501 | 2 | Yes | | |
| 34 | 16014 | 5502 | 5 | Yes | | |
| 35 | 16489 | 5503 | 8 | Yes | | |
| 36 | 16964 | 5504 | 4 | Yes | | |
| 37 | 17439 | 5505 | 3 | Yes | | |
| 38 | 17914 | 5506 | 2 | Yes | | |
| 39 | 18389 | 5507 | 1 | Yes | | |
| 40 | 18864 | 5508 | 6 | Yes | | |
| 41 | 19339 | 5509 | 3 | Yes | | |
| 42 | 19814 | 5510 | 5 | Yes | | |
| | | | | | | |

UL VERIFICATION SERVICES INC. 47173 BENICIA STREET, FREMONT, CA 94538, USA This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

Page 34 of 97


5.3. RESULTS FOR 80 MHz BANDWIDTH

5.3.1. TEST CHANNEL

All tests were performed at a channel center frequency of 5530 MHz.


5.3.2. RADAR WAVEFORMS AND TRAFFIC

RADAR WAVEFORMS




UL VERIFICATION SERVICES INC. 47173 BENICIA STREET, FREMONT, CA 94538, USA This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc. FORM NO: CCSUP4701J TEL: (510) 771-1000 FAX: (510) 661-0888 This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.


Page 35 of 97




Page 36 of 97




Page 37 of 97




Page 38 of 97



Page 39 of 97




Page 40 of 97



Page 41 of 97


TRAFFIC



UL VERIFICATION SERVICES INC. 47173 BENICIA STREET, FREMONT, CA 94538, USA This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

Page 42 of 97

CHANNEL LOADING



The level of traffic loading on the channel by the EUT is 20.178%

Page 43 of 97

5.3.3. CHANNEL AVAILABILITY CHECK TIME

PROCEDURE TO DETERMINE INITIAL POWER-UP CYCLE TIME

A link was established on channel then a software reboot command was issued to the EUT. The time from the cessation of traffic to the re-initialization of traffic was measured as the time required for the EUT to complete the total power-up cycle. The time to complete the initial power-up period is 60 seconds less than this total power-up time.

PROCEDURE FOR TIMING OF RADAR BURST

With a link established on channel, a software reboot command was issued to the EUT. A radar signal was triggered within 0 to 6 seconds after the initial power-up period, and transmissions on the channel were monitored on the spectrum analyzer.

The Non-Occupancy list was cleared. With a link established on channel, a software reboot command was issued to the EUT. A radar signal was triggered within 54 to 60 seconds after the initial power-up period, and transmissions on the channel were monitored on the spectrum analyzer.

Page 44 of 97

QUANTITATIVE RESULTS

No Radar Triggered

| Timing of | Timing of | Total Power-up | Initial Power-up |
|-----------|------------------|----------------|------------------|
| Reboot | Start of Traffic | Cycle Time | Cycle Time |
| (sec) | (sec) | (sec) | (sec) |
| 35.27 | 142.5 | 107.2 | 47.2 |

Radar Near Beginning of CAC

| Timing of | Timing of | Radar Relative | Radar Relative |
|-----------|-------------|----------------|-----------------|
| Reboot | Radar Burst | to Reboot | to Start of CAC |
| (sec) | (sec) | (sec) | (sec) |
| 34.61 | 84.97 | 50.4 | 3.1 |

Radar Near End of CAC


| Timing of | Timing of | Radar Relative | Radar Relative |
|-----------|-------------|----------------|-----------------|
| Reboot | Radar Burst | to Reboot | to Start of CAC |
| (sec) | (sec) | (sec) | (sec) |
| 34.7 | 140.1 | 105.4 | 58.2 |

QUALITATIVE RESULTS

| Timing of Radar Burst | Display on Control Computer | Spectrum Analyzer Display |
|--------------------------|--------------------------------|---------------------------------|
| No Radar | EUT marks Channel as active | Transmissions begin on channel |
| Triggered | | after completion of the initial |
| | | power-up cycle and the CAC |
| Within 0 to 6 | EUT indicates radar detected | No transmissions on channel |
| second window | | |
| Within 54 to 60 | EUT indicates radar detected | No transmissions on channel |
| second window | | |

Page 45 of 97


TIMING WITHOUT RADAR DURING CAC



Transmissions begin on channel after completion of the initial power-up cycle and the CAC.

Page 46 of 97


TIMING WITH RADAR NEAR BEGINNING OF CAC



No EUT transmissions were observed after the radar signal.

Page 47 of 97

TIMING WITH RADAR NEAR END OF CAC



No EUT transmissions were observed after the radar signal.

Page 48 of 97

5.3.4. OVERLAPPING CHANNEL TESTS

RESULTS

The channel spacing is not less than the channel bandwidth therefore the EUT does not have an overlapping channel plan.

5.3.5. MOVE AND CLOSING TIME

REPORTING NOTES

The reference marker is set at the end of last radar pulse.

The delta marker is set at the end of the last WLAN transmission following the radar pulse. This delta is the channel move time.

The aggregate channel closing transmission time is calculated as follows:

Aggregate Transmission Time = (Number of analyzer bins showing transmission) * (dwell time per bin)

The observation period over which the aggregate time is calculated begins at (Reference Marker + 200 msec) and ends no earlier than (Reference Marker + 10 sec).

RESULTS

| Channel Move Time | Limit |
|-------------------|-------|
| (sec) | (sec) |
| 0.504 | 10 |

| Aggregate Channel Closing Transmission Time | Limit |
|---|--------|
| (msec) | (msec) |
| 2.4 | 60 |


Page 49 of 97

MOVE TIME

| enter Freg 5.5 | 1509 40 | | SENSE:001 | Avg Type: Log-Pwr | 10:07:33 AM Aug 07, 2018 TRACE 1 2 4 5 5 | Frequency |
|--|--------------|---|----------------|--------------------|---|--------------------------------|
| enter Freq 5.5 | PN | 12 10: Fast Trig: Fi ain:High #Atten: | ee Run 0 dB | Avg type. cogran | TYPE WARNAME | 0.04 |
| | set -23.3 dB | antingu (1997) | | Δ | Mkr1 504.0 ms | Auto Tune |
| og | 5.00 0.511 | | 1 | | | A.R. 7.C. 7 |
| 56.0 16.0 16.0 | 142 | | | | - 65-60 ABM | Center Fred 5.530000000 GH: |
| 15:0 Ms () K05 | | | - | | d | Start Fred 5.530000000 GH: |
| 115 125 135 | | | | | | Stop Free 5.530000000 GH: |
| enter 5.530000 es BW 3.0 MHz | | #VBW 3.0 MH | iz | Sweep | Span 0 Hz (6.00 s (40001 pts) | CF Step 3.000000 MH |
| KE MODE TRC SCL | * | 1.0 ms (Δ) -15.7 | | ION FUNCTION WIDTH | FUNCTION VALUE | <u>Auto</u> Mar |
| 2 F t 3 4 5 6 7 8 9 00 | 1 1 | .571 s -63.22 | dBm | | | Freq Offse 0 H: |
| 7 8 9 | | | | | | |

Page 50 of 97

CHANNEL CLOSING TIME



Page 51 of 97

AGGREGATE CHANNEL CLOSING TRANSMISSION TIME


Only intermittent transmissions are observed during the aggregate monitoring period.



Page 52 of 97

LONG PULSE CHANNEL MOVE TIME

The traffic ceases prior to 10 seconds after the end of the radar waveform.



Page 53 of 97

5.3.6. NON-OCCUPANCY PERIOD

RESULTS

No EUT transmissions were observed on the test channel during the 30-minute observation time.

| nter Freq 5.53000000 | | sense:mi | Avg Type: Log-Pwr | 11:50:33 AM AU(07, 2018 TRACE 1 2 4 5 5 TYPE W | Frequency |
|----------------------|---|-----------|-------------------|--|------------------------------------|
| | | ten: 0 dB | ۵ | MkT1 1.800 ks | Auto Tune |
| Bidiy Ref -45.00 dBm | | | | -20.11 dB | |
| | - | _ | | | Center Fred 5.530000000 GH: |
| 1 | | | | | Start Fred 5.530000000 GHa |
| | | | | 201 | Stop Free 5.53000000 GH: |
| | | | | | CF Step 3.000000 MH Auto Mar |
| | | | | _ | Freq Offse 0 H |
| nter 5.530000000 GHz | | | | Span 0 Hz | |

Page 54 of 97

5.3.7. DETECTION BANDWIDTH

REFERENCE PLOT OF 99% POWER BANDWIDTH



RESULTS

| FL | FH | Detection | 99% Power | Ratio of | Minimum |
|-------|-------|-----------|-----------|-----------------|---------|
| | | Bandwidth | Bandwidth | Detection BW to | Limit |
| | | | | 99% Power BW | |
| (MHz) | (MHz) | (MHz) | (MHz) | (%) | (%) |
| 5492 | 5570 | 78 | 76.196 | 102.4 | 100 |

Page 55 of 97

DETECTION BANDWIDTH PROBABILITY

| DETECTION E | BANDWIDTH P | ROBABILITY | RESULTS | |
|----------------|-----------------|-----------------|------------------|-----------------|
| Detection Band | | | 29445 | DFS 1 |
| FCC Type 0 Wa | aveform: 1 us P | ulse Width, 142 | 28 us PRI, 18 Pi | ulses per Burst |
| Frequency | Number | Number | Detection | Mark |
| (MHz) | of Trials | Detected | (%) | |
| 5492 | 10 | 10 | 100 | FL |
| 5493 | 20 | 18 | 90 | |
| 5494 | 10 | 9 | 90 | |
| 5495 | 10 | 10 | 100 | |
| 5500 | 10 | 10 | 100 | |
| 5505 | 10 | 10 | 100 | |
| 5510 | 10 | 10 | 100 | |
| 5515 | 10 | 9 | 90 | |
| 5520 | 10 | 10 | 100 | |
| 5525 | 10 | 10 | 100 | |
| 5530 | 10 | 10 | 100 | |
| 5535 | 10 | 10 | 100 | |
| 5540 | 10 | 10 | 100 | |
| 5545 | 10 | 10 | 100 | |
| 5550 | 10 | 10 | 100 | |
| 5555 | 10 | 10 | 100 | |
| 5560 | 10 | 10 | 100 | |
| 5565 | 10 | 10 | 100 | |
| 5570 | 10 | 10 | 100 | FH |
| | | | | |

Page 56 of 97

5.3.8. IN-SERVICE MONITORING

RESULTS

| CC Radar Test Summ | ary | | | | _ | | | | | |
|------------------------|-----------|-----------|-------|-------------|------|-------|------|----------|----------|---------------|
| Signal Type | Number | Detection | Limit | Pass/Fail | Dete | | | | | In-Service |
| Signar Type | Humber | Detection | Luur | 1 433/1 411 | Band | width | | Test | Employee | Monitoring |
| | of Trials | (%) | (%) | | FL | FH | OBW | Location | Number | Version |
| FCC Short Pulse Type 1 | 30 | 86.67 | 60 | Pass | 5492 | 5570 | 76.2 | DFS 1 | 29445 | Version 3.3.4 |
| FCC Short Pulse Type 2 | 30 | 76.67 | 60 | Pass | 5492 | 5570 | 76.2 | DFS 1 | 29445 | Version 3.3.4 |
| FCC Short Pulse Type 3 | 30 | 100.00 | 60 | Pass | 5492 | 5570 | 76.2 | DFS 1 | 29445 | Version 3.3.4 |
| FCC Short Pulse Type 4 | 30 | 66.67 | 60 | Pass | 5492 | 5570 | 76.2 | DFS 1 | 29445 | Version 3.3.4 |
| Aggregate | | 82.50 | 80 | Pass | | | | | | |
| FCC Long Pulse Type 5 | 30 | 100.00 | 80 | Pass | 5492 | 5570 | 76.2 | DFS 1 | 29445 | Version 3.3.4 |
| FCC Hopping Type 6 | 79 | 88.61 | 70 | Pass | 5492 | 5570 | | DFS 1 | 29445 | Version 3.3.4 |

Page 57 of 97

TYPE 1 DETECTION PROBABILITY

| Vaveform | Pulse Width | PRI | Pulses | Test | Frequency | Successful Detection |
|----------|-------------|------|-----------|-------|-----------|----------------------|
| | (us) | (us) | Per Burst | (A/B) | (MHz) | (Yes/No) |
| 1001 | 1 | 3066 | 18 | Α | 5561 | Yes |
| 1002 | 1 | 658 | 81 | Α | 5493 | No |
| 1003 | 1 | 598 | 89 | Α | 5559 | Yes |
| 1004 | 1 | 578 | 92 | Α | 5539 | Yes |
| 1005 | 1 | 538 | 99 | Α | 5496 | Yes |
| 1006 | 1 | 558 | 95 | Α | 5518 | Yes |
| 1007 | 1 | 798 | 67 | Α | 5515 | No |
| 1008 | 1 | 818 | 65 | Α | 5533 | Yes |
| 1009 | 1 | 898 | 59 | Α | 5555 | Yes |
| 1010 | 1 | 918 | 58 | Α | 5561 | Yes |
| 1011 | 1 | 878 | 61 | Α | 5511 | Yes |
| 1012 | 1 | 938 | 57 | Α | 5512 | Yes |
| 1013 | 1 | 618 | 86 | Α | 5549 | Yes |
| 1014 | 1 | 838 | 63 | Α | 5545 | Yes |
| 1015 | 1 | 738 | 72 | Α | 5561 | Yes |
| 1016 | 1 | 1135 | 47 | В | 5497 | Yes |
| 1017 | 1 | 1573 | 34 | В | 5526 | Yes |
| 1018 | 1 | 2335 | 23 | В | 5501 | Yes |
| 1019 | 1 | 1550 | 35 | В | 5550 | Yes |
| 1020 | 1 | 1247 | 43 | В | 5546 | Yes |
| 1021 | 1 | 591 | 90 | В | 5548 | Yes |
| 1022 | 1 | 2965 | 18 | В | 5503 | No |
| 1023 | 1 | 1244 | 43 | В | 5507 | Yes |
| 1024 | 1 | 2553 | 21 | В | 5509 | No |
| 1025 | 1 | 962 | 55 | В | 5501 | Yes |
| 1026 | 1 | 2400 | 22 | В | 5570 | Yes |
| 1027 | 1 | 2291 | 24 | В | 5540 | Yes |
| 1028 | 1 | 1312 | 41 | В | 5557 | Yes |
| 1029 | 1 | 1332 | 40 | В | 5537 | Yes |
| 1030 | 1 | 3030 | 18 | В | 5546 | Yes |

Page 58 of 97

TYPE 2 DETECTION PROBABILITY

| Data Sheet f | or FCC Short Pu | ılse Radar T | | | |
|--------------|-----------------|--------------|------------------|-----------|----------------------|
| Waveform | Pulse Width | PRI | Pulses Per Burst | Frequency | Successful Detection |
| | (us) | (us) | | (MHz) | (Yes/No) |
| 2001 | 1.8 | 187 | 23 | 5525 | Yes |
| 2002 | 2.6 | 157 | 29 | 5496 | Yes |
| 2003 | 2 | 164 | 26 | 5495 | Yes |
| 2004 | 3 | 182 | 26 | 5569 | No |
| 2005 | 2.5 | 150 | 23 | 5507 | Yes |
| 2006 | 1.8 | 214 | 26 | 5493 | No |
| 2007 | 1.6 | 186 | 27 | 5565 | Yes |
| 2008 | 1.1 | 174 | 24 | 5529 | Yes |
| 2009 | 3.2 | 193 | 26 | 5510 | Yes |
| 2010 | 1 | 228 | 23 | 5500 | Yes |
| 2011 | 3.4 | 171 | 28 | 5498 | No |
| 2012 | 1.4 | 209 | 23 | 5544 | Yes |
| 2013 | 3.9 | 199 | 29 | 5524 | Yes |
| 2014 | 2.1 | 161 | 23 | 5496 | Yes |
| 2015 | 3 | 155 | 23 | 5566 | Yes |
| 2016 | 3.6 | 202 | 28 | 5492 | No |
| 2017 | 4.6 | 162 | 28 | 5511 | Yes |
| 2018 | 1.3 | 175 | 27 | 5510 | No |
| 2019 | 4.8 | 220 | 24 | 5514 | Yes |
| 2020 | 1.7 | 156 | 23 | 5561 | Yes |
| 2021 | 1.2 | 205 | 24 | 5569 | No |
| 2022 | 4.6 | 189 | 24 | 5538 | Yes |
| 2023 | 4.4 | 161 | 25 | 5541 | Yes |
| 2024 | 3.9 | 229 | 29 | 5507 | Yes |
| 2025 | 1.9 | 211 | 23 | 5531 | Yes |
| 2026 | 3.8 | 202 | 24 | 5548 | Yes |
| 2027 | 2.1 | 226 | 26 | 5498 | No |
| 2028 | 4.2 | 184 | 28 | 5553 | Yes |
| 2029 | 2.6 | 173 | 26 | 5498 | Yes |
| 2030 | 4.9 | 216 | 28 | 5525 | Yes |

Page 59 of 97

TYPE 3 DETECTION PROBABILITY

| Waveform | or FCC Short Pu Pulse Width | PRI | Pulses Per Burst | Frequency | Successful Detection |
|----------|--------------------------------|------|------------------|-----------|----------------------|
| | (us) | (us) | | (MHz) | (Yes/No) |
| 3001 | 8.9 | 437 | 18 | 5534 | Yes |
| 3002 | 7.3 | 332 | 17 | 5524 | Yes |
| 3003 | 8.3 | 459 | 17 | 5494 | Yes |
| 3004 | 9.1 | 499 | 17 | 5539 | Yes |
| 3005 | 8.5 | 388 | 18 | 5562 | Yes |
| 3006 | 9.5 | 441 | 18 | 5538 | Yes |
| 3007 | 9 | 343 | 18 | 5547 | Yes |
| 3008 | 8.3 | 291 | 18 | 5564 | Yes |
| 3009 | 6.2 | 339 | 16 | 5505 | Yes |
| 3010 | 9.8 | 418 | 17 | 5493 | Yes |
| 3011 | 9.7 | 360 | 18 | 5517 | Yes |
| 3012 | 7.5 | 334 | 18 | 5557 | Yes |
| 3013 | 9.9 | 407 | 16 | 5502 | Yes |
| 3014 | 7.9 | 276 | 17 | 5502 | Yes |
| 3015 | 6.3 | 495 | 16 | 5493 | Yes |
| 3016 | 6.7 | 377 | 17 | 5558 | Yes |
| 3017 | 7.6 | 358 | 17 | 5534 | Yes |
| 3018 | 6 | 252 | 16 | 5535 | Yes |
| 3019 | 9.2 | 379 | 16 | 5551 | Yes |
| 3020 | 7.8 | 420 | 16 | 5549 | Yes |
| 3021 | 7.2 | 308 | 17 | 5520 | Yes |
| 3022 | 8.2 | 362 | 16 | 5493 | Yes |
| 3023 | 9.9 | 263 | 17 | 5501 | Yes |
| 3024 | 7 | 463 | 16 | 5538 | Yes |
| 3025 | 9 | 259 | 18 | 5542 | Yes |
| 3026 | 8.5 | 472 | 16 | 5529 | Yes |
| 3027 | 6.5 | 281 | 17 | 5499 | Yes |
| 3028 | 6.2 | 255 | 17 | 5544 | Yes |
| 3029 | 8.6 | 461 | 18 | 5530 | Yes |
| 3030 | 6.6 | 448 | 16 | 5497 | Yes |

Page 60 of 97

TYPE 4 DETECTION PROBABILITY

| Waveform | Pulse Width | PRI | Pulses Per Burst | Frequency | Successful Detection |
|----------|-------------|------|------------------|-----------|----------------------|
| | (us) | (us) | | (MHz) | (Yes/No) |
| 4001 | 13.8 | 416 | 16 | 5514 | Yes |
| 4002 | 18.8 | 298 | 12 | 5527 | No |
| 4003 | 11.7 | 278 | 12 | 5536 | No |
| 4004 | 17.2 | 306 | 16 | 5519 | Yes |
| 4005 | 15.3 | 300 | 16 | 5518 | Yes |
| 4006 | 12.2 | 341 | 15 | 5550 | Yes |
| 4007 | 19.9 | 480 | 13 | 5494 | Yes |
| 4008 | 17.8 | 283 | 15 | 5539 | No |
| 4009 | 16.9 | 317 | 13 | 5533 | Yes |
| 4010 | 19.5 | 384 | 15 | 5560 | Yes |
| 4011 | 14.8 | 431 | 14 | 5565 | Yes |
| 4012 | 13.6 | 392 | 16 | 5537 | No |
| 4013 | 18.5 | 452 | 15 | 5533 | No |
| 4014 | 17.8 | 426 | 13 | 5499 | Yes |
| 4015 | 13.9 | 381 | 14 | 5497 | Yes |
| 4016 | 18.5 | 368 | 15 | 5524 | Yes |
| 4017 | 20 | 336 | 15 | 5550 | Yes |
| 4018 | 16 | 469 | 16 | 5500 | Yes |
| 4019 | 17.9 | 450 | 15 | 5561 | No |
| 4020 | 14.3 | 478 | 14 | 5508 | Yes |
| 4021 | 12.5 | 471 | 12 | 5531 | No |
| 4022 | 14.2 | 261 | 16 | 5548 | Yes |
| 4023 | 17 | 401 | 16 | 5540 | Yes |
| 4024 | 15 | 454 | 13 | 5506 | Yes |
| 4025 | 14 | 489 | 16 | 5554 | No |
| 4026 | 16.7 | 304 | 14 | 5543 | Yes |
| 4027 | 11.9 | 351 | 12 | 5532 | No |
| 4028 | 19.9 | 313 | 12 | 5499 | Yes |
| 4029 | 15.6 | 373 | 13 | 5551 | Yes |
| 4030 | 14.9 | 347 | 12 | 5509 | No |

Page 61 of 97

TYPE 5 DETECTION PROBABILITY

| Data Sheet for FCC | | |
|--------------------|-----------|----------------------|
| Trial | Frequency | Successful Detection |
| | (MHz) | (Yes/No) |
| 1 | 5530 | Yes |
| 2 | 5530 | Yes |
| 3 | 5530 | Yes |
| 4 | 5530 | Yes |
| 5 | 5530 | Yes |
| 6 | 5530 | Yes |
| 7 | 5530 | Yes |
| 8 | 5530 | Yes |
| 9 | 5530 | Yes |
| 10 | 5530 | Yes |
| 11 | 5495 | Yes |
| 12 | 5497 | Yes |
| 13 | 5498 | Yes |
| 14 | 5495 | Yes |
| 15 | 5497 | Yes |
| 16 | 5498 | Yes |
| 17 | 5495 | Yes |
| 18 | 5495 | Yes |
| 19 | 5497 | Yes |
| 20 | 5497 | Yes |
| 21 | 5561 | Yes |
| 22 | 5563 | Yes |
| 23 | 5566 | Yes |
| 24 | 5560 | Yes |
| 25 | 5565 | Yes |
| 26 | 5563 | Yes |
| 27 | 5563 | Yes |
| 28 | 5561 | Yes |
| 29 | 5563 | Yes |
| 30 | 5566 | Yes |

Note: The Type 5 randomized parameters tested are shown in appendix A.

Page 62 of 97

TYPE 6 DETECTION PROBABILITY

| Data Sheet | t for FCC Hopping Rada | г Туре 6 | | |
|------------|------------------------|------------------|-----------------|------------|
| | Width, 333 us PRI, | | 1 Burst per Hop |) |
| NTIA Aug | ust 2005 Hopping Se | quence | | |
| Trial | Starting Index | Signal Generator | Hops within | Successful |
| mai | Within Sequence | Frequency | Detection BW | Detection |
| | | (MHz) | | (Yes/No) |
| 1 | 300 | 5492 | 14 | Yes |
| 2 | 775 | 5493 | 16 | Yes |
| 3 | 1250 | 5494 | 20 | Yes |
| 4 | 1725 | 5495 | 20 | Yes |
| 5 | 2200 | 5496 | 12 | Yes |
| 6 | 2675 | 5497 | 14 | Yes |
| 7 | 3150 | 5498 | 12 | Yes |
| 8 | 3625 | 5499 | 13 | No |
| 9 | 4100 | 5500 | 15 | Yes |
| 10 | 4575 | 5501 | 9 | No |
| 11 | 5050 | 5502 | 11 | Yes |
| 12 13 | 5525 6000 | 5503 5504 | 18 16 | No No |
| 13 | 6475 | 5505 | 10 | Yes |
| 14 | 6950 | 5506 | 19 | Yes |
| 16 | 7425 | 5507 | 16 | Yes |
| 17 | 7900 | 5508 | 23 | Yes |
| 18 | 8375 | 5509 | 15 | Yes |
| 19 | 8850 | 5510 | 19 | Yes |
| 20 | 9325 | 5511 | 14 | Yes |
| 21 | 9800 | 5512 | 19 | Yes |
| 22 | 10275 | 5513 | 15 | Yes |
| 23 | 10750 | 5514 | 17 | Yes |
| 24 | 11225 | 5515 | 21 | Yes |
| 25 | 11700 | 5516 | 14 | Yes |
| 26 | 12175 | 5517 | 13 | Yes |
| 27 | 12650 | 5518 | 17 | Yes |
| 28 | 13125 | 5519 | 16 | Yes |
| 29 | 13600 | 5520 | 15 | Yes |
| 30 | 14075 | 5521 | 20 | Yes |
| 31 | 14550 | 5522 | 14 | Yes |
| 32 | 15025 | 5523 | 16 | Yes |
| 33 | 15500 | 5524 | 15 | Yes |
| 34 | 15975 | 5525 | 16 | Yes |
| 35 36 | 16450 16925 | 5526 5527 | 19 11 | Yes Yes |
| 30 | 17400 | 5528 | 9 | No |
| 38 | 17400 | 5528 | 9 17 | No |
| 39 | 18350 | 5530 | 15 | No |
| 33 | 10000 | 5550 | 15 | |

UL VERIFICATION SERVICES INC. 47173 BENICIA STREET, FREMONT, CA 94538, USA This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

Page 63 of 97

TYPE 6 DETECTION PROBABILITY (CONTINUED)

| 40 | 18825 | 5531 | 17 | No |
|----|-------|------|----|-----|
| 41 | 19300 | 5532 | 20 | No |
| 42 | 19775 | 5533 | 21 | Yes |
| 43 | 20250 | 5534 | 20 | Yes |
| 44 | 20725 | 5535 | 17 | Yes |
| 45 | 21200 | 5536 | 23 | Yes |
| 46 | 21675 | 5537 | 18 | Yes |
| 47 | 22150 | 5538 | 18 | Yes |
| 48 | 22625 | 5539 | 20 | Yes |
| 49 | 23100 | 5540 | 14 | Yes |
| 50 | 23575 | 5541 | 15 | Yes |
| 51 | 24050 | 5542 | 10 | Yes |
| 52 | 24525 | 5543 | 8 | Yes |
| 53 | 25000 | 5544 | 11 | Yes |
| 54 | 25475 | 5545 | 16 | Yes |
| 55 | 25950 | 5546 | 12 | Yes |
| 56 | 26425 | 5547 | 14 | Yes |
| 57 | 26900 | 5548 | 17 | Yes |
| 58 | 27375 | 5549 | 26 | Yes |
| 59 | 27850 | 5550 | 16 | Yes |
| 60 | 28325 | 5551 | 22 | Yes |
| 61 | 28800 | 5552 | 19 | Yes |
| 62 | 29275 | 5553 | 17 | Yes |
| 63 | 29750 | 5554 | 12 | Yes |
| 64 | 30225 | 5555 | 18 | Yes |
| 65 | 30700 | 5556 | 16 | Yes |
| 66 | 31175 | 5557 | 16 | Yes |
| 67 | 31650 | 5558 | 14 | Yes |
| 68 | 32125 | 5559 | 20 | Yes |
| 69 | 32600 | 5560 | 14 | Yes |
| 70 | 33075 | 5561 | 17 | Yes |
| 71 | 33550 | 5562 | 25 | Yes |
| 72 | 34025 | 5563 | 16 | Yes |
| 73 | 34500 | 5564 | 13 | Yes |
| 74 | 34975 | 5565 | 24 | Yes |
| 75 | 35450 | 5566 | 16 | Yes |
| 76 | 35925 | 5567 | 23 | Yes |
| 77 | 36400 | 5568 | 17 | Yes |
| 78 | 36875 | 5569 | 19 | Yes |
| 79 | 37350 | 5570 | 11 | Yes |
| | | | | |

Page 64 of 97

5.4. BRIDGE MODE RESULTS

Per KDB 905462, Section 5.1 (footnote 1):

Networks Access Points with Bridge and/or MESH modes of operation are permitted to operate in the DFS bands but must employ a DFS function. The functionality of the Bridge mode as specified in §15.403(a) must be validated in the DFS test report. Devices operating as relays must also employ DFS function. The method used to validate the functionality must be documented and validation data must be documented. Bridge mode can be validated by performing a test statistical performance check (Section 7.8.4) on any one of the radar types. This is an abbreviated test to verify DFS functionality. MESH mode operational methodology must be submitted in the application for certification for evaluation by the FCC.

This device does not support Bridge Mode therefore this test was not performed.

Page 65 of 97

7. APPENDIX A

FCC Type 5 Parameters

| Num of | rm Num = 1 Bursts = 13 Interval (us | | 77 | | | | | | | |
|------------|---|-------------|----------------|------------|------|--------------------|--------------------|----------|-----------------------------|----------|
| Burst # | Off Time (us) | # Pulses | Chirp (MHz) | PW (us) | | Pulse 2 Pri(us) | Pulse 3 Pri(us) | | Start Burst Interval(us) | |
| | 82681 | | | | | | | | | |
| 1 | 1637303 | 3 | 15 | 95 | 1167 | 1150 | 1056 | 82681 | 0 | 923076 |
| 2 | 432675 | 1 | 15 | 85 | 1202 | 0 | 0 | 1723357 | 923077 | 1846153 |
| 3 | | 2 | 15 | 55 | 1347 | 1647 | 0 | 2157234 | 1846154 | 2769230 |
| 4 | 809821 | 1 | 15 | 100 | 1894 | 0 | 0 | 2970049 | 2769231 | 3692307 |
| 5 | 952478 | 3 | 15 | 55 | 1672 | 1629 | 1244 | 3924421 | 3692308 | 4615384 |
| 6 | 1043516 | 3 | 15 | 75 | 1758 | 1398 | 1697 | 4972482 | 4615385 | 5538461 |
| - | 1298409 | - | 15 | 75 | | 0 | 0 | | | |
| 7 | 463048 | 1 | | | 1475 | - | - | 6275744 | 5538462 | 6461538 |
| 8 | 1327769 | 3 | 15 | 85 | 1723 | 1680 | 1295 | 6740267 | 6461539 | 7384615 |
| 9 | 996943 | 2 | 15 | 55 | 1808 | 1449 | 0 | 8072734 | 7384616 | 8307692 |
| 10 | | 3 | 15 | 65 | 1595 | 1526 | 1851 | 9072934 | 8307693 | 9230769 |
| 11 | 659646 | 3 | 15 | 65 | 1262 | 1346 | 1886 | 9737552 | 9230770 | 10153846 |
| 12 | 716076 | 1 | 15 | 70 | 1031 | 0 | 0 | 10458122 | 10153847 | 11076923 |
| 13 | 1149892 | 1 | 15 | 95 | 1176 | 0 | 0 | 11609045 | 11076924 | 12000000 |

Page 68 of 97

| urst 1 | Interval (u | s) = 92307 | 77 | | | | | | | |
|------------|------------------|-------------|----------------|-----|--------------------|------|------|----------|-----------------------------|---------------------------|
| Burst # | Off Time (us) | # Pulses | Chirp (MHz) | | Pulse 1 Pri(us) | | | | Start Burst Interval(us) | End Burst Interval(us) |
| | 122723 | 3 | 11 | 65 | 1313 | 1929 | 1627 | 122723 | 0 | 923076 |
| | 1146271 | 3 | 11 | 60 | 1919 | 1929 | 1237 | 122120 | U | 923076 |
| 2 | 1016146 | 1 | 11 | 70 | 1081 | 0 | 0 | 1274173 | 923077 | 1846153 |
| 3 | | 2 | 11 | 100 | 1227 | 1159 | 0 | 2291400 | 1846154 | 2769230 |
| 1 | 1376427 | 2 | 11 | 70 | 1406 | 1363 | 0 | 3670213 | 2769231 | 3692307 |
| | 141292 | - | | | | | - | | | |
| 5 | 991119 | 2 | 11 | 60 | 1775 | 1492 | 0 | 3814274 | 3692308 | 4615384 |
| 5 | 1597063 | 2 | 11 | 85 | 1004 | 1278 | 0 | 4808660 | 4615385 | 5538461 |
| 7 | | 2 | 11 | 50 | 1424 | 1989 | 0 | 6408005 | 5538462 | 6461538 |
| 3 | 117926 | 2 | 11 | 80 | 1235 | 1826 | 0 | 6529344 | 6461539 | 7384615 |
| - | 1091606 | _ | | | | | - | | | |
| Э | 714490 | 3 | 11 | 50 | 1706 | 1586 | 1860 | 7624011 | 7384616 | 8307692 |
| 10 | 1000373 | 1 | 11 | 55 | 1005 | 0 | 0 | 8343653 | 8307693 | 9230769 |
| 11 | | 3 | 11 | 80 | 1620 | 1818 | 1877 | 9345031 | 9230770 | 10153846 |
| 12 | 1577304 | 3 | 11 | 50 | 1287 | 1637 | 1911 | 10927650 | 10153847 | 11076923 |
| | 227328 | - | | | | | | | | |

Page 69 of 97

| Num of | rm Num = 3 Bursts = 8 Interval (us | | 000 | | | | | | | |
|------------|--|--------------------|----------------|------------|------|--------------------|------|----------|-----------------------------|---------------------------|
| Burst # | Off Time (us) | # Pulses | Chirp (MHz) | PW (us) | | Pulse 2 Pri(us) | | | Start Burst Interval(us) | End Burst Interval(us) |
| 1 | 262694 | 1 | 15 | 95 | 1458 | 0 | 0 | 262694 | 0 | 1499999 |
| 2 | 2675939 | 2 | 15 | 85 | 1338 | 1219 | 0 | 2940091 | 1500000 | 2999999 |
| | 998164 | - | | | | | | | | |
| 3 | 1317200 | 3 | 15 | 60 | 1732 | 1107 | 1672 | 3940812 | 3000000 | 4499999 |
| 4 | 1548740 | 1 | 15 | 60 | 1919 | 0 | 0 | 5262523 | 4500000 | 5999999 |
| 5 | 1764003 | 3 | 15 | 70 | 1697 | 1389 | 1270 | 6813182 | 600000 | 7499999 |
| 6 | 1623990 | 2 | 15 | 90 | 1783 | 1689 | 0 | 8581541 | 7500000 | 8999999 |
| 7 | 1023550 | 3 | 15 | 65 | 1303 | 1501 | 1091 | 10209003 | 9000000 | 10499999 |
| 8 | 11/6595 | 2 | 15 | 90 | 1971 | 1321 | 0 | 11389793 | 10500000 | 11999999 |

UL VERIFICATION SERVICES INC. 47173 BENICIA STREET, FREMONT, CA 94538, USA This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

Page 70 of 97

| Jurst : | Interval (u | s) = 8571 | 43 | | | | | | | |
|------------|------------------|-------------|----|-----|------|--------------------|------|----------|-----------------------------|----------|
| Burst # | Off Time (us) | # Pulses | | | | Pulse 2 Pri(us) | | | Start Burst Interval(us) | |
| 1 | 755536 | 3 | 18 | 90 | 1304 | 1262 | 1346 | 755536 | 0 | 857142 |
| | 379753 | 3 | 10 | 50 | 1204 | 12.02 | 1346 | /55556 | 0 | 03/142 |
| 2 | 1066728 | 2 | 18 | 55 | 1390 | 1031 | 0 | 1139201 | 857143 | 1714285 |
| 3 | 628948 | 1 | 18 | 95 | 1176 | 0 | 0 | 2208350 | 1714286 | 2571428 |
| 4 | 620340 | 2 | 18 | 70 | 1791 | 1355 | 0 | 2838474 | 2571429 | 3428571 |
| 5 | | 3 | 18 | 100 | 1133 | 1192 | 1441 | 3498378 | 3428572 | 4285714 |
| 6 | 919436 | 2 | 18 | 80 | 1954 | 1227 | 0 | 4421580 | 4285715 | 5142857 |
| 7 | 1028658 | 2 | 18 | 75 | 1373 | 1406 | 0 | 5453419 | 5142858 | 6000000 |
| в | 656870 | 3 | 18 | 75 | 1184 | 1775 | 1492 | 6113068 | 6000001 | 6857143 |
| | 919060 | - | | | | | | | | |
| 9 | 1482628 | 2 | 18 | 85 | 1004 | 1278 | 0 | 7036579 | 6857144 | 7714286 |
| 10 | | 2 | 18 | 50 | 1424 | 1989 | 0 | 8521489 | 7714287 | 8571429 |
| 11 | 109473 | 2 | 18 | 80 | 1235 | 1826 | 0 | 8634375 | 8571430 | 9428572 |
| 12 | 1013336 | 3 | 18 | 50 | 1706 | 1586 | 1860 | 9650772 | 9428573 | 10285715 |
| 13 | 663181 | 1 | 18 | 55 | 1005 | 0 | 0 | 10319105 | 10285716 | 11142858 |
| | 928801 | - | 10 | | 1000 | · | 5 | 10313103 | 10203/10 | 11142030 |

Page 71 of 97

| Burst 1 | Bursts = 17 Interval (us | | 32 | | | | | | | |
|------------|-----------------------------|-------------|----------------|------------|--------------------|--------------------|------|----------|-----------------------------|---------------------------|
| Burst ‡ | Off Time (us) | # Pulses | Chirp (MHz) | PW (us) | Pulse 1 Pri(us) | Pulse 2 Pri(us) | | | Start Burst Interval(us) | End Burst Interval(us) |
| 1 | 593237 | 1 | 6 | 85 | 1911 | 0 | 0 | 593237 | 0 | 705881 |
| 2 | 174097 | 1 | 6 | 55 | 1056 | 0 | 0 | 769245 | 705882 | 1411763 |
| 3 | 1253196 | 1 | 6 | 85 | 1202 | 0 | 0 | 2023497 | 1411764 | 2117645 |
| 4 | 330593 | 2 | 6 | 55 | 1347 | 1647 | 0 | 2355292 | 2117646 | 2823527 |
| 5 | 618711 | 1 | 6 | 100 | 1894 | 0 | 0 | 2976997 | 2823528 | 3529409 |
| 6 | 727747 | 3 | 6 | 55 | 1672 | 1629 | 1244 | 3706638 | 3529410 | 4235291 |
| 7 | 796739 | 3 | 6 | 75 | 1758 | 1398 | 1697 | 4507922 | 4235292 | 4941173 |
| 8 | 991925 | 1 | 6 | 75 | 1475 | 0 | 0 | 5504700 | 4941174 | 5647055 |
| 9 | 353690 | 3 | 6 | 85 | 1723 | 1680 | 1295 | 5859865 | 5647056 | 6352937 |
| 10 | 1014009 | 2 | 6 | 55 | 1808 | 1449 | 0 | 6878572 | 6352938 | 7058819 |
| 11 | 761200 | 3 | 6 | 65 | 1595 | 1526 | 1851 | 7643029 | 7058820 | 7764701 |
| 12 | 503657 | 3 | 6 | 65 | 1262 | 1326 | 1886 | 8151658 | 7764702 | 8470583 |
| 13 | 547033 | 1 | 6 | 70 | 1031 | 0 | 0 | 8703185 | 8470584 | 9176465 |
| 14 | 879006 | 1 | 6 | 95 | 1176 | 0 | 0 | 9583222 | 9176466 | 9882347 |
| 15 | 517695 | 2 | 6 | 70 | 1791 | 1355 | 0 | 10102093 | 9882348 | 10588229 |
| 16 | 540424 | 2 | 6 | 100 | 1133 | 1192 | 1441 | 10645663 | 10588230 | 11294111 |
| 17 | 756482 | 3 | 6 | 80 | 1133 | 1192 | 0 | 11405911 | 11294112 | 11294111 |

Page 72 of 97

| | Bursts = 1 Interval (u | | 43 | | | | | | | |
|------------|---------------------------|-------------|----------------|-----|------|--------------------|------|----------|-----------------------------|----------|
| Burst ‡ | Off Time (us) | ‡ Pulses | Chirp (MHz) | | | Pulse 2 Pri(us) | | | Start Burst Interval(us) | |
| L | 442525 | 2 | 12 | 70 | 1363 | 1979 | 0 | 442525 | 0 | 857142 |
| z | 524735 | 1 | 12 | 90 | 1492 | 0 | 0 | 970602 | 857143 | 1714285 |
| | 921627 | _ | | | | - | - | | | |
| 3 | 1482628 | 2 | 12 | 85 | 1004 | 1278 | 0 | 1893721 | 1714286 | 2571428 |
| 4 | | 2 | 12 | 50 | 1424 | 1989 | 0 | 3378631 | 2571429 | 3428571 |
| 5 | 109473 | 2 | 12 | 80 | 1235 | 1826 | 0 | 3491517 | 3428572 | 4285714 |
| 6 | 1013336 | 3 | 12 | 50 | 1706 | 1586 | 1860 | 4507914 | 4285715 | 5142857 |
| - | 663181 | - | | | | | | | | |
| 7 | 928801 | 1 | 12 | 55 | 1005 | 0 | 0 | 5176247 | 5142858 | 600000 |
| в | 1464016 | 3 | 12 | 80 | 1620 | 1818 | 1877 | 6106053 | 6000001 | 6857143 |
| 9 | | 3 | 12 | 50 | 1287 | 1637 | 1911 | 7575384 | 6857144 | 7714286 |
| 10 | 211030 | 1 | 12 | 55 | 1056 | 0 | 0 | 7791249 | 7714287 | 8571429 |
| 11 | 1522168 | 1 | 12 | 85 | 1202 | 0 | 0 | 9314473 | 8571430 | 9428572 |
| | 401686 | | | | | - | - | | | |
| 12 | 751805 | 2 | 12 | 55 | 1347 | 1647 | 0 | 9717361 | 9428573 | 10285715 |
| 13 | 884256 | 1 | 12 | 100 | 1894 | 0 | 0 | 10472160 | 10285716 | 11142858 |
| 14 | 004200 | 3 | 12 | 55 | 1672 | 1629 | 1244 | 11358310 | 11142859 | 12000001 |

Page 73 of 97

| Num of 1 | m Num = 7 Bursts = 19 interval (us | | 79 | | | | | | | |
|------------|--|-------------|----|------------|------|--------------------|------|----------|-----------------------------|----------|
| Burst # | Off Time (us) | ‡ Pulses | | PW (us) | | Pulse 2 Pri(us) | | | Start Burst Interval(us) | |
| 1 | 341021 | 3 | 13 | 70 | 1697 | 1389 | 1270 | 341021 | 0 | 631578 |
| | 740135 | - | | | | | | | - | |
| 2 | 681406 | 2 | 13 | 90 | 1783 | | 0 | 1085512 | | 1263157 |
| 3 | 493969 | 3 | 13 | 65 | 1303 | 1501 | 1091 | 1770390 | 1263158 | 1894736 |
| 4 | 446060 | 2 | 13 | 90 | 1971 | 1321 | 0 | 2268254 | 1894737 | 2526315 |
| 5 | 784117 | 2 | 13 | 95 | 1834 | 1740 | 0 | 2717606 | 2526316 | 3157894 |
| 6 | | 1 | 13 | 65 | 1886 | 0 | 0 | 3505297 | 3157895 | 3789473 |
| 7 | 490372 | 1 | 13 | 70 | 1031 | 0 | 0 | 3997555 | 3789474 | 4421052 |
| 8 | 786336 | 1 | 13 | 95 | 1176 | 0 | 0 | 4784922 | 4421053 | 5052631 |
| 9 | 463045 | 2 | 13 | 70 | 1791 | 1355 | 0 | 5249143 | 5052632 | 5684210 |
| 10 | 483277 | 3 | 13 | 100 | 1133 | 1192 | - | 5735566 | | 6315789 |
| | 676436 | - | | | | | | | | |
| 11 | 756989 | 2 | 13 | 80 | 1954 | 1227 | 0 | 6415768 | | 6947368 |
| 12 | 483388 | 2 | 13 | 75 | 1373 | 1406 | 0 | 7175938 | 6947369 | 7578947 |
| 13 | 676060 | 3 | 13 | 75 | 1184 | 1775 | 1492 | 7662105 | 7578948 | 8210526 |
| 14 | | 2 | 13 | 85 | 1004 | 1278 | 0 | 8342616 | 8210527 | 8842105 |
| 15 | 1091139 | 2 | 13 | 50 | 1424 | 1989 | 0 | 9436037 | 8842106 | 9473684 |
| 16 | 80556 | 2 | 13 | 80 | 1235 | 1826 | 0 | 9520006 | 9473685 | 10105263 |
| 17 | 745569 | 3 | 13 | 50 | 1706 | 1586 | 1860 | 10268636 | 10105264 | 10736842 |
| 18 | 487647 | 1 | 13 | 55 | 1005 | 0 | 0 | | 10736843 | 11368421 |
| 10 | 683951 | 3 | 13 | 80 | 1620 | 1818 | - | | 11368422 | 12000000 |

Page 74 of 97

| | Bursts = 17 Interval (us | | 82 | | | | | | | |
|------------|-----------------------------|-------------|----|------------|------|--------------------|------|----------|-----------------------------|--------------------------|
| Burst # | Off Time (us) | ‡ Pulses | | PW (us) | | Pulse 2 Pri(us) | | | Start Burst Interval(us) | End Burst Interval(us |
| L | 593237 | 1 | 6 | 85 | 1911 | 0 | 0 | 593237 | 0 | 705881 |
| 2 | 174097 | 1 | 6 | | 1056 | 0 | 0 | 769245 | 705882 | 1411763 |
| | 1253196 | | | | | - | - | | | |
| 8 | 330593 | 1 | 6 | 85 | 1202 | 0 | 0 | | 1411764 | 2117645 |
| 1 | 618711 | 2 | 6 | 55 | 1347 | 1647 | 0 | | 2117646 | 2823527 |
| 5 | 727747 | 1 | 6 | 100 | 1894 | 0 | 0 | 2976997 | 2823528 | 3529409 |
| 5 | 796739 | 3 | 6 | 55 | 1672 | 1629 | 1244 | 3706638 | 3529410 | 4235291 |
| 7 | 991925 | 3 | 6 | 75 | 1758 | 1398 | 1697 | 4507922 | 4235292 | 4941173 |
| 3 | | 1 | 6 | 75 | 1475 | 0 | 0 | 5504700 | 4941174 | 5647055 |
| • | 353690 | 3 | 6 | 85 | 1723 | 1680 | 1295 | 5859865 | 5647056 | 6352937 |
| .0 | 1014009 | 2 | 6 | 55 | 1808 | 1449 | 0 | 6878572 | 6352938 | 7058819 |
| 1 | 761200 | 3 | 6 | 65 | 1595 | 1526 | 1851 | 7643029 | 7058820 | 7764701 |
| 2 | 503657 | 3 | 6 | 65 | 1262 | 1346 | 1886 | 8151658 | 7764702 | 8470583 |
| .3 | 547033 | 1 | 6 | 70 | 1031 | 0 | 0 | 8703185 | 8470584 | 9176465 |
| 4 | 879006 | 1 | 6 | 95 | 1176 | 0 | 0 | 9583222 | 9176466 | 9882347 |
| .5 | 517695 | 2 | 6 | 70 | 1791 | 1355 | 0 | 10102093 | | 10588229 |
| | 540424 | 3 | 6 | 100 | 1133 | 1192 | - | | | 11294111 |
| - | 756482 | - | - | | | | | | | |
| 17 | number of pu | 2 | 6 | 80 | 1954 | 1227 | 0 | 11405911 | 11294112 | 11999993 |

Page 75 of 97

| | EBursts = 1 Interval (u | | 43 | | | | | | | |
|------------|----------------------------|--------------------|----|-----|------|--------------------|------|----------|-----------------------------|----------|
| Burst # | Off Time (us) | # Pulses | | | | Pulse 2 Pri(us) | | | Start Burst Interval(us) | |
| 1 | 442525 | 2 | 12 | 70 | 1363 | 1979 | 0 | 442525 | 0 | 857142 |
| | 524735 | - | | | | | - | | - | |
| 2 | 921627 | 1 | 12 | 90 | 1492 | 0 | 0 | 970602 | 857143 | 1714285 |
| 3 | | 2 | 12 | 85 | 1004 | 1278 | 0 | 1893721 | 1714286 | 2571428 |
| 4 | 1482628 | 2 | 12 | 50 | 1424 | 1989 | 0 | 3378631 | 2571429 | 3428571 |
| 5 | 109473 | 2 | 12 | 80 | 1235 | 1826 | 0 | 3491517 | 3428572 | 4285714 |
| 6 | 1013336 | 3 | 12 | 50 | 1706 | 1586 | 1960 | 4507914 | 4285715 | 5142857 |
| | 663181 | | | | | | | | | |
| 7 | 928801 | 1 | 12 | 55 | 1005 | 0 | 0 | 5176247 | 5142858 | 6000000 |
| 8 | | 3 | 12 | 80 | 1620 | 1818 | 1877 | 6106053 | 6000001 | 6857143 |
| 9 | 1464016 | 3 | 12 | 50 | 1287 | 1637 | 1911 | 7575384 | 6857144 | 7714286 |
| 10 | 211030 | 1 | 12 | 55 | 1056 | 0 | 0 | 7791249 | 7714287 | 8571429 |
| 11 | 1522168 | 1 | 12 | 85 | 1202 | 0 | 0 | 9314473 | 8571430 | 9428572 |
| | 401686 | _ | | | | - | - | | | |
| 12 | 751805 | 2 | 12 | 55 | 1347 | 1647 | 0 | 9717361 | 9428573 | 10285715 |
| 13 | | 1 | 12 | 100 | 1894 | 0 | 0 | 10472160 | 10285716 | 11142858 |
| 14 | 884256 | 3 | 12 | 55 | 1672 | 1629 | 1244 | 11358310 | 11142859 | 12000001 |

Page 76 of 97

| Num of | rm Num = 10 Bursts = 19 Interval (us | .9 | 79 | | | | | | | |
|------------|--|-----------------|----------------|------------|------|--------------------|------|----------|-----------------------------|----------|
| Burst # | Off Time (us) | # Pulses | Chirp (MHz) | PW (us) | | Pulse 2 Pri(us) | | | Start Burst Interval(us) | |
| 1 | 341021 | 3 | 13 | 70 | 1697 | 1389 | 1270 | 341021 | 0 | 631578 |
| 2 | 740135 | 2 | 13 | 90 | 1783 | 1689 | 0 | 1085512 | 631579 | 1263157 |
| | 681406 | - | | | | | - | | | |
| 3 | 493969 | 3 | 13 | 65 | 1303 | 1501 | 1091 | 1770390 | 1263158 | 1894736 |
| 1 | 446060 | 2 | 13 | 90 | 1971 | 1321 | 0 | 2268254 | 1894737 | 2526315 |
| 5 | 784117 | 2 | 13 | 95 | 1834 | 1740 | 0 | 2717606 | 2526316 | 3157894 |
| 6 | | 1 | 13 | 65 | 1886 | 0 | 0 | 3505297 | 3157895 | 3789473 |
| 7 | 490372 | 1 | 13 | 70 | 1031 | 0 | 0 | 3997555 | 3789474 | 4421052 |
| 8 | 786336 | 1 | 13 | 95 | 1176 | 0 | 0 | 4784922 | 4421053 | 5052631 |
| 9 | 463045 | 2 | 13 | 70 | 1791 | 1355 | 0 | 5249143 | 5052632 | 5684210 |
| - | 483277 | 3 | 13 | 100 | 1133 | 1192 | 1441 | 5735566 | 5684211 | 6315789 |
| | 676436 | - | | | | | | | | |
| 11 | 756989 | 2 | 13 | 80 | 1954 | 1227 | 0 | 6415768 | 6315790 | 6947368 |
| 12 | 483388 | 2 | 13 | 75 | 1373 | 1406 | 0 | 7175938 | 6947369 | 7578947 |
| 13 | 676060 | 3 | 13 | 75 | 1184 | 1775 | 1492 | 7662105 | 7578948 | 8210526 |
| 14 | 1091139 | 2 | 13 | 85 | 1004 | 1278 | 0 | 8342616 | 8210527 | 8842105 |
| 15 | | 2 | 13 | 50 | 1424 | 1989 | 0 | 9436037 | 8842106 | 9473684 |
| 16 | 80556 | 2 | 13 | 80 | 1235 | 1826 | 0 | 9520006 | 9473685 | 10105263 |
| 17 | 745569 | 3 | 13 | 50 | 1706 | 1586 | 1860 | 10268636 | 10105264 | 10736842 |
| 18 | 487647 | 1 | 13 | 55 | 1005 | 0 | 0 | 10761435 | | 11368421 |
| | 683951 | - | | | | - | - | | | |
| 19 | | 3 ulses in 1 | 13 | 80 | 1620 | 1818 | 1877 | 11446391 | 11368422 | 12000000 |

Page 77 of 97

| urst 1 | Interval (u | s) = 70588 | 82 | | | | | | | |
|--------|------------------|------------|----------------|------------|--------------------|--------------------|---------------------|-------------------|-----------------------------|---------------------------|
| urst | Off Time (us) | | Chirp (MHz) | PW (us) | Pulse 1 Pri(us) | Pulse 2 Pri(us) | Pulse 3 Pri (us) | Start Loc (us) | Start Burst Interval(us) | End Burst Interval(us) |
| | 593237 | 1 | 6 | 85 | 1911 | 0 | 0 | 593237 | ^ | 705881 |
| | 174097 | - | - | | | | | | | |
| | 1253196 | 1 | 6 | 55 | 1056 | | 0 | 769245 | 705882 | 1411763 |
| 1 | 330593 | 1 | 6 | 85 | 1202 | 0 | 0 | 2023497 | 1411764 | 2117645 |
| ł | 618711 | 2 | 6 | 55 | 1347 | 1647 | 0 | 2355292 | 2117646 | 2823527 |
| ; | | 1 | 6 | 100 | 1894 | 0 | 0 | 2976997 | 2823528 | 3529409 |
| 5 | 727747 | 3 | 6 | 55 | 1672 | 1629 | 1244 | 3706638 | 3529410 | 4235291 |
| , | 796739 | 3 | 6 | 75 | 1758 | 1398 | 1697 | 4507922 | 4235292 | 4941173 |
| 3 | 991925 | 1 | 6 | | 1475 | | | | 4941174 | |
| | 353690 | - | - | | | | | | | |
|) | 1014009 | 3 | 6 | 85 | | | | | 5647056 | |
| .0 | 761200 | 2 | 6 | 55 | 1808 | 1449 | 0 | 6878572 | 6352938 | 7058819 |
| .1 | 503657 | 3 | 6 | 65 | 1595 | 1526 | 1851 | 7643029 | 7058820 | 7764701 |
| .2 | 547033 | 3 | 6 | 65 | 1262 | 1346 | 1886 | 8151658 | 7764702 | 8470583 |
| .3 | | 1 | 6 | 70 | 1031 | 0 | 0 | 8703185 | 8470584 | 9176465 |
| .4 | 879006 | 1 | 6 | 95 | 1176 | 0 | 0 | 9583222 | 9176466 | 9882347 |
| 5 | 517695 | 2 | 6 | 70 | 1791 | 1355 | 0 | 10102093 | 9882348 | 10588229 |
| .6 | 540424 | 3 | 6 | 100 | | | | | 10588230 | |
| | 756482 | 3 | 0 | 100 | 1133 | 1192 | 1441 | 10042002 | 10380230 | 11294111 |

Page 78 of 97

| | Bursts = 1 Interval (u | | 43 | | | | | | | |
|------|---------------------------|-------------|----|-----|------|------|---------------------|----------|-----------------------------|----------|
| urst | Off Time (us) | # Pulses | | | | | Pulse 3 Pri (us) | | Start Burst Interval(us) | |
| | 442525 | 2 | 12 | 70 | 1363 | 1979 | 0 | 442525 | 0 | 857142 |
| | 524735 | 1 | 12 | 90 | 1492 | 0 | 0 | 970602 | 857143 | 121/205 |
| 2 | 921627 | | | | | | | | | 1714285 |
| 3 | 1482628 | 2 | 12 | 85 | 1004 | 1278 | 0 | 1893721 | 1714286 | 2571428 |
| 1 | | 2 | 12 | 50 | 1424 | 1989 | 0 | 3378631 | 2571429 | 3428571 |
| ; | 109473 | 2 | 12 | 80 | 1235 | 1826 | 0 | 3491517 | 3428572 | 4285714 |
| 5 | 1013336 | 3 | 12 | 50 | 1706 | 1586 | 1860 | 4507914 | 4285715 | 5142857 |
| _ | 663181 | - | | | | | | | | |
| 7 | 928801 | 1 | 12 | 55 | 1005 | 0 | 0 | 5176247 | 5142858 | 600000 |
| в | | 3 | 12 | 80 | 1620 | 1818 | 1877 | 6106053 | 6000001 | 6857143 |
| Э | 1464016 | 3 | 12 | 50 | 1287 | 1637 | 1911 | 7575384 | 6857144 | 7714286 |
| 10 | 211030 | 1 | 12 | 55 | 1056 | 0 | 0 | 7791249 | 7714287 | 8571429 |
| | 1522168 | | | | | | | | | |
| 11 | 401686 | 1 | 12 | 85 | 1202 | 0 | 0 | 9314473 | 8571430 | 9428572 |
| 12 | | 2 | 12 | 55 | 1347 | 1647 | 0 | 9717361 | 9428573 | 10285715 |
| .3 | 751805 | 1 | 12 | 100 | 1894 | 0 | 0 | 10472160 | 10285716 | 11142858 |
| 4 | 884256 | 3 | 12 | 55 | 1672 | 1629 | 1244 | 11358310 | 11142859 | 12000001 |

Page 79 of 97

| | Bursts = 19 Interval (us | | 79 | | | | | | | |
|------------|-----------------------------|-------------|----|------------|------|--------------------|------|----------|-----------------------------|----------|
| Burst ≢ | Off Time (us) | ‡ Pulses | | PW (us) | | Pulse 2 Pri(us) | | | Start Burst Interval(us) | |
| L | 341021 | 3 | 13 | 70 | 1697 | 1389 | 1270 | 341021 | 0 | 631578 |
| 2 | 740135 | 2 | 13 | 90 | 1783 | 1689 | 0 | 1085512 | - | 1263157 |
| - | 681406 | 3 | 13 | 65 | 1303 | 1501 | - | 1770390 | | 1894736 |
| | 493969 | - | | | | | | | | |
| 1 | 446060 | 2 | 13 | 90 | 1971 | 1321 | 0 | 2268254 | | 2526315 |
| 5 | 784117 | 2 | 13 | 95 | 1834 | 1740 | 0 | 2717606 | 2526316 | 3157894 |
| 5 | 490372 | 1 | 13 | 65 | 1886 | 0 | 0 | 3505297 | 3157895 | 3789473 |
| 7 | | 1 | 13 | 70 | 1031 | 0 | 0 | 3997555 | 3789474 | 4421052 |
| в | 786336 | 1 | 13 | 95 | 1176 | 0 | 0 | 4784922 | 4421053 | 5052631 |
| Э | 463045 | 2 | 13 | 70 | 1791 | 1355 | 0 | 5249143 | 5052632 | 5684210 |
| LO | 483277 | 3 | 13 | 100 | 1133 | 1192 | 1441 | 5735566 | 5684211 | 6315789 |
| 11 | 676436 | 2 | 13 | 80 | 1954 | 1227 | 0 | 6415768 | | 6947368 |
| | 756989 | - | | | | | - | | | |
| 12 | 483388 | 2 | 13 | 75 | 1373 | 1406 | 0 | 7175938 | | 7578947 |
| 13 | 676060 | 3 | 13 | 75 | 1184 | 1775 | 1492 | 7662105 | 7578948 | 8210526 |
| 14 | 1091139 | 2 | 13 | 85 | 1004 | 1278 | 0 | 8342616 | 8210527 | 8842105 |
| 15 | | 2 | 13 | 50 | 1424 | 1989 | 0 | 9436037 | 8842106 | 9473684 |
| 16 | 80556 | 2 | 13 | 80 | 1235 | 1826 | 0 | 9520006 | 9473685 | 10105263 |
| 17 | 745569 | 3 | 13 | 50 | 1706 | 1586 | 1860 | 10268636 | 10105264 | 10736842 |
| 18 | 487647 | 1 | 13 | 55 | 1005 | 0 | 0 | 10761435 | 10736843 | 11368421 |
| 19 | 683951 | 3 | 13 | 80 | 1620 | 1818 | - | | 11368422 | 12000000 |

Page 80 of 97

| | Bursts = 1 Interval (u | | 82 | | | | | | | |
|------|---------------------------|-------------|----------------|------------|---------------------|------|------|----------|-----------------------------|---------------------------|
| urst | Off Time (us) | # Pulses | Chirp (MHz) | PW (us) | Pulse 1 Pri (us) | | | | Start Burst Interval(us) | End Burst Interval(us) |
| | 593237 | - | | | | | | 500007 | | 205000 |
| | 174097 | 1 | 6 | 85 | 1911 | 0 | 0 | 593237 | 0 | 705881 |
| | 1253196 | 1 | 6 | 55 | 1056 | 0 | 0 | 769245 | 705882 | 1411763 |
| | 330593 | 1 | 6 | 85 | 1202 | 0 | 0 | 2023497 | 1411764 | 2117645 |
| | 618711 | 2 | 6 | 55 | 1347 | 1647 | 0 | 2355292 | 2117646 | 2823527 |
| , | 727747 | 1 | 6 | 100 | 1894 | 0 | 0 | 2976997 | 2823528 | 3529409 |
| | | 3 | 6 | 55 | 1672 | 1629 | 1244 | 3706638 | 3529410 | 4235291 |
| | 796739 | 3 | 6 | 75 | 1758 | 1398 | 1697 | 4507922 | 4235292 | 4941173 |
| | 991925 | 1 | 6 | 75 | 1475 | 0 | 0 | 5504700 | 4941174 | 5647055 |
| | 353690 | 3 | 6 | 85 | 1723 | 1680 | 1295 | 5859865 | 5647056 | 6352937 |
| .0 | 1014009 | 2 | 6 | 55 | 1808 | 1449 | 0 | 6878572 | 6352938 | 7058819 |
| - | 761200 | _ | - | | | | - | | | |
| .1 | 503657 | 3 | 6 | 65 | 1595 | 1526 | 1851 | 7643029 | 7058820 | 7764701 |
| .2 | 547033 | 3 | 6 | 65 | 1262 | 1346 | 1886 | 8151658 | 7764702 | 8470583 |
| .3 | 879006 | 1 | 6 | 70 | 1031 | 0 | 0 | 8703185 | 8470584 | 9176465 |
| .4 | 517695 | 1 | 6 | 95 | 1176 | 0 | 0 | 9583222 | 9176466 | 9882347 |
| .5 | 540424 | 2 | 6 | 70 | 1791 | 1355 | 0 | 10102093 | 9882348 | 10588229 |
| .6 | | 3 | 6 | 100 | 1133 | 1192 | 1441 | 10645663 | 10588230 | 11294111 |
| 7 | 756482 | 2 | 6 | 80 | 1954 | 1227 | 0 | 11405911 | 11294112 | 11999993 |

Page 81 of 97

| Num of | rm Num = 15 Bursts = 14 Interval (us | 4 | 43 | | | | | | | |
|------------|--|--------------------|----------------|------------|--------------------|--------------------|------|-------------------|-----------------------------|---------------------------|
| Burst # | Off Time (us) | # Pulses | Chirp (MHz) | PW (us) | Pulse 1 Pri(us) | Pulse 2 Pri(us) | | Start Loc (us) | Start Burst Interval(us) | End Burst Interval(us) |
| 1 | 442525 | 2 | 12 | 70 | 1363 | 1979 | 0 | 442525 | 0 | 857142 |
| | 524735 | | | | | | - | | - | |
| 2 | 921627 | 1 | 12 | 90 | 1492 | 0 | 0 | 970602 | 857143 | 1714285 |
| 3 | 1482628 | 2 | 12 | 85 | 1004 | 1278 | 0 | 1893721 | 1714286 | 2571428 |
| 4 | | 2 | 12 | 50 | 1424 | 1989 | 0 | 3378631 | 2571429 | 3428571 |
| 5 | 109473 | 2 | 12 | 80 | 1235 | 1826 | 0 | 3491517 | 3428572 | 4285714 |
| 6 | 1013336 | 3 | 12 | 50 | 1706 | 1586 | 1860 | 4507914 | 4285715 | 5142857 |
| | 663181 | | | | | | | | | |
| 7 | 928801 | 1 | 12 | 55 | 1005 | 0 | 0 | 5176247 | 5142858 | 600000 |
| 8 | 1464016 | 3 | 12 | 80 | 1620 | 1818 | 1877 | 6106053 | 6000001 | 6857143 |
| 9 | 211030 | 3 | 12 | 50 | 1287 | 1637 | 1911 | 7575384 | 6857144 | 7714286 |
| 10 | | 1 | 12 | 55 | 1056 | 0 | 0 | 7791249 | 7714287 | 8571429 |
| 11 | 1522168 | 1 | 12 | 85 | 1202 | 0 | 0 | 9314473 | 8571430 | 9428572 |
| 12 | 401686 | 2 | 12 | 55 | 1347 | 1647 | 0 | 9717361 | 9428573 | 10285715 |
| | 751805 | | | | | | | | | |
| 13 | 884256 | 1 | 12 | 100 | 1894 | 0 | 0 | 10472160 | 10285716 | 11142858 |
| 14 | number of pu | 3 | 12 | 55 | 1672 | 1629 | 1244 | 11358310 | 11142859 | 12000001 |

Page 82 of 97

| | 13 13 13 13 13 13 | | Pri (us) 1697 1783 | Pri (us) 1389 1689 1501 1321 1740 0 0 | Rri (us) 1270 0 1091 | (us) 341021 1085512 1770390 | 1263158 1894737 2526316 3157895 | |
|--|----------------------------------|---|--|---|---|---|--|---|
| 3 3)135 2 406 3 3969 2 5060 2 5060 2 5072 1 5336 1 | 13 13 13 13 13 13 | 90 65 90 95 65 70 | 1783 1303 1971 1834 1886 1031 | 1689 1501 1321 1740 0 0 | 0 1091 0 0 | 1085512 1770390 2268254 2717606 3505297 | 631579 1263158 1894737 2526316 3157895 | 1263157 1894736 2526315 3157894 3789473 |
| 0135 2 406 3 9969 2 5060 2 4117 1 9372 1 5336 1 | 13 13 13 13 13 13 | 90 65 90 95 65 70 | 1783 1303 1971 1834 1886 1031 | 1689 1501 1321 1740 0 0 | 0 1091 0 0 | 1085512 1770390 2268254 2717606 3505297 | 631579 1263158 1894737 2526316 3157895 | 1263157 1894736 2526315 3157894 3789473 |
| 406 3 8969 2 5060 2 4117 1 9372 1 5336 1 | 13 13 13 13 13 | 65 90 95 65 70 | 1303 1971 1834 1886 1031 | 1501 1321 1740 0 0 | 1091 0 0 0 | 1770390 2268254 2717606 3505297 | 1263158 1894737 2526316 3157895 | 1894736 2526315 3157894 3789473 |
| 8969 2 5060 2 1117 1 0372 1 5336 1 | 13 13 13 13 | 90 95 65 70 | 1971 1834 1886 1031 | 1321 1740 0 0 | 0 0 0 | 2268254 2717606 3505297 | 1894737 2526316 3157895 | 2526315 3157894 3789473 |
| 5060 2 1117 1 0372 1 5336 1 | 13 13 13 | 95 65 70 | 1834 1886 1031 | 1740 0 0 | 0 0 | 2717606 3505297 | 2526316 3157895 | 3157894 3789473 |
| 2 1117 1 0372 1 5336 1 | 13 | 65 70 | 1886 1031 | 0 | 0 | 3505297 | 3157895 | 3789473 |
| 1 372 1 336 1 | 13 | 70 | 1031 | 0 | - | | | |
| 1 336 1 | | | | - | 0 | 3997555 | 3789474 | 4421052 |
| 1 | 13 | 95 | 1176 | | | | | |
| 045 | | | 1110 | 0 | 0 | 4784922 | 4421053 | 5052631 |
| 2 | 13 | 70 | 1791 | 1355 | 0 | 5249143 | 5052632 | 5684210 |
| 3277 3 | 13 | 100 | 1133 | 1192 | 1441 | 5735566 | 5684211 | 6315789 |
| 5436 2 | 13 | 80 | | 1227 | | | 6315790 | 6947368 |
| 5989 | | | | | | | | |
| 2 | 13 | 75 | 1373 | 1406 | 0 | 7175938 | | 7578947 |
| 3 5060 | 13 | 75 | 1184 | 1775 | 1492 | 7662105 | 7578948 | 8210526 |
| 2 1139 | 13 | 85 | 1004 | 1278 | 0 | 8342616 | 8210527 | 8842105 |
| 2 | 13 | 50 | 1424 | 1989 | 0 | 9436037 | 8842106 | 9473684 |
| 2 | 13 | 80 | 1235 | 1826 | 0 | 9520006 | 9473685 | 10105263 |
| 3569 3 | 13 | 50 | 1706 | 1586 | 1860 | 10268636 | 10105264 | 10736842 |
| 647 | 13 | 55 | 1005 | 0 | 0 | 10761435 | 10736843 | 11368421 |
| 1 | | 80 | 1620 | 1818 | 1877 | | 11368422 | 12000000 |
| 56 56 | 139 2 6 2 69 3 | 139 2 13 6 2 13 69 3 13 47 1 13 51 3 13 | 139 2 13 50 6 2 13 80 69 3 13 50 47 1 13 55 51 3 13 80 | 139 2 13 50 1424 6 2 13 80 1235 69 3 13 50 1706 47 1 13 55 1005 51 3 13 80 1620 | 139 2 13 50 1424 1989 6 2 13 80 1235 1826 69 3 13 50 1706 1586 47 1 13 55 1005 0 51 3 13 80 1620 1818 | 139 2 13 50 1424 1989 0 6 2 13 80 1235 1826 0 69 3 13 50 1706 1586 1860 47 1 13 55 1005 0 0 51 3 13 80 1620 1818 1877 | 139 2 13 50 1424 1989 0 9436037 6 2 13 80 1235 1826 0 9520006 69 3 13 50 1706 1586 1860 10268636 47 1 13 55 1005 0 0 10761435 51 3 13 80 1620 1818 1877 11446391 | 139 2 13 50 1424 1989 0 9436037 8842106 6 2 13 80 1235 1826 0 9520006 9473685 69 3 13 50 1706 1586 1860 10268636 10105264 47 1 13 55 1005 0 0 10761435 10736843 |

Page 83 of 97

| urst : | Interval (u | .s) = 70588 | 82 | | | | | | | |
|--------|------------------|-------------|----------------|------------|------|------|------|----------|-----------------------------|----------|
| urst | Off Time (us) | # Pulses | Chirp (MHz) | PW (us) | | | | | Start Burst Interval(us) | |
| | 593237 | 1 | 6 | 85 | 1911 | 0 | 0 | 593237 | 0 | 705881 |
| | 174097 | - | - | | | - | - | | | |
| | 1253196 | 1 | 6 | 55 | 1056 | 0 | 0 | 769245 | 705882 | 1411763 |
| 1 | 330593 | 1 | 6 | 85 | 1202 | 0 | 0 | 2023497 | 1411764 | 2117645 |
| ł | | 2 | 6 | 55 | 1347 | 1647 | 0 | 2355292 | 2117646 | 2823527 |
| ; | 618711 | 1 | 6 | 100 | 1894 | 0 | 0 | 2976997 | 2823528 | 3529409 |
| 5 | 727747 | 3 | 6 | 55 | 1672 | 1629 | 1244 | 3706638 | 3529410 | 4235291 |
| , | 796739 | 3 | 6 | 75 | 1758 | 1398 | | 4507922 | | 4941173 |
| | 991925 | - | - | | | | | | | |
| 8 | 353690 | 1 | 6 | 75 | 1475 | 0 | 0 | 5504700 | 4941174 | 5647055 |
| 9 | 1014009 | 3 | 6 | 85 | 1723 | 1680 | 1295 | 5859865 | 5647056 | 6352937 |
| .0 | 761200 | 2 | 6 | 55 | 1808 | 1449 | 0 | 6878572 | 6352938 | 7058819 |
| 11 | | 3 | 6 | 65 | 1595 | 1526 | 1851 | 7643029 | 7058820 | 7764701 |
| 12 | 503657 | 3 | 6 | 65 | 1262 | 1346 | 1886 | 8151658 | 7764702 | 8470583 |
| L3 | 547033 | 1 | 6 | 70 | 1031 | 0 | 0 | 8703185 | 8470584 | 9176465 |
| 14 | 565976 | 3 | 6 | 80 | 1895 | 1295 | - | | 9176466 | 9882347 |
| | 1067993 | - | - | | | | | | | |
| 15 | 468875 | 2 | 6 | 50 | 1030 | 1646 | 0 | 10342526 | 9882348 | 10588229 |
| 16 | 539754 | 3 | 6 | 100 | 1159 | 1800 | 1099 | 10814077 | 10588230 | 11294111 |
| 17 | 000701 | 3 | 6 | 100 | 1878 | 1201 | 1184 | 11357889 | 11294112 | 11999993 |

Page 84 of 97

| | Bursts = 9 Interval (u | | 333 | | | | | | | |
|------------|---------------------------|-------------|----------------|------------|------|--------------------|------|----------|-----------------------------|----------|
| Burst ‡ | Off Time (us) | # Pulses | Chirp (MHz) | PW (us) | | Pulse 2 Pri(us) | | | Start Burst Interval(us) | |
| 1 | 1130348 | 3 | 6 | 60 | 1903 | 1402 | 1210 | 1130348 | 0 | 1333332 |
| L | 1524929 | 3 | 0 | 60 | 1903 | 1495 | 1210 | 1130340 | U | 1333332 |
| 2 | 00.000 | 1 | 6 | 70 | 1723 | 0 | 0 | 2659883 | 1333333 | 266665 |
| 3 | 886797 | 3 | 6 | 60 | 1767 | 1141 | 1707 | 3548403 | 2666666 | 3999998 |
| 4 | 1170586 | 1 | 6 | 65 | 1954 | 0 | 0 | 4723604 | 3999999 | 5333331 |
| - | 1376129 | 1 | | | | - | - | | | |
| 5 | 1509267 | 3 | 6 | 70 | 1732 | 1423 | 1304 | 6101687 | 5333332 | 6666664 |
| 6 | | 3 | 6 | 95 | 1818 | 1724 | 1757 | 7615413 | 6666665 | 7999997 |
| 7 | 1170774 | 1 | 6 | 65 | 1535 | 0 | 0 | 8791486 | 7999998 | 9333330 |
| | 1376371 | - | | | | | - | | | |
| 8 | 1567519 | 3 | 6 | 75 | 1783 | 1005 | 1355 | 10169392 | 9333331 | 10666663 |
| 9 | 100,015 | 2 | 6 | 95 | 1868 | 1775 | 0 | 11741054 | 10666664 | 11999996 |

Page 85 of 97

| Burst 1 | Interval (u | .7 (s) = 70588 | 82 | | | | | | | |
|------------|------------------|-------------------|----|-----|------|--------------------|------|----------|-----------------------------|----------|
| Burst # | Off Time (us) | # Pulses | | | | Pulse 2 Pri(us) | | | Start Burst Interval(us) | |
| L | 255787 | 3 | 11 | 80 | 1176 | 1894 | 1065 | 255787 | 0 | 705881 |
| - | 876720 | - | | | | | | | | |
| 2 | 948602 | 1 | 11 | 100 | 1680 | 0 | 0 | 1136642 | | 1411763 |
| 3 | 317796 | 3 | 11 | 70 | 1826 | 1390 | 1347 | 2086924 | 1411764 | 2117645 |
| 4 | 546841 | 3 | 11 | 85 | 1227 | 1475 | 1116 | 2409283 | 2117646 | 2823527 |
| 5 | | 1 | 11 | 100 | 1262 | 0 | 0 | 2959942 | 2823528 | 3529409 |
| 6 | 848013 | 2 | 11 | 75 | 1407 | 1441 | 0 | 3809217 | 3529410 | 4235291 |
| 7 | 993370 | 1 | 11 | 50 | 1219 | 0 | 0 | 4805435 | 4235292 | 4941173 |
| в | 161856 | 2 | 11 | 55 | 1466 | 1689 | 0 | 4968510 | 4941174 | 5647055 |
| 9 | 1063890 | 1 | 11 | 60 | 1569 | 0 | 0 | | 5647056 | 6352937 |
| - | 740047 | - | | | | - | - | | | |
| 10 | 806551 | 2 | 11 | 50 | 1980 | 1064 | - | 6777171 | | 7058819 |
| 11 | 806860 | 1 | 11 | 95 | 1108 | 0 | 0 | 7586766 | 7058820 | 7764701 |
| 12 | 432876 | 1 | 11 | 90 | 1621 | 0 | 0 | 8394734 | 7764702 | 8470583 |
| 13 | 806954 | 1 | 11 | 55 | 1133 | 0 | 0 | 8829231 | 8470584 | 9176465 |
| 14 | | 1 | 11 | 50 | 1646 | 0 | 0 | 9637318 | 9176466 | 9882347 |
| 15 | 469231 | 3 | 11 | 100 | 1159 | 1800 | 1099 | 10108195 | 9882348 | 10588229 |
| 16 | 539754 | 3 | 11 | 100 | 1878 | 1201 | 1184 | 10652007 | 10588230 | 11294111 |
| 17 | 804311 | 1 | 11 | 50 | 1697 | 0 | 0 | | 11294112 | |

Page 86 of 97

| Num of | orm Num = 20 Bursts = 19 Interval (us | 9 | 79 | | | | | | | |
|------------|---|-------------|----|------------|--------------------|------|----------------------------|----------|-----------------------------|---------------------------|
| Burst # | Off Time (us) | # Pulses | | PW (us) | Pulse 1 Pri(us) | | Pulse 3 <u>Pri</u> (us) | | Start Burst Interval(us) | End Burst Interval(us) |
| 1 | 234898 | 1 | 12 | 95 | 1149 | 0 | 0 | 234898 | 0 | 631578 |
| - | 484325 | - | | | | - | - | | | |
| 2 | 878645 | 3 | 12 | 100 | 1929 | 1252 | 1767 | 720372 | | 1263157 |
| 3 | 648853 | 3 | 12 | 85 | 1279 | 1287 | 1954 | 1603965 | 1263158 | 1894736 |
| 4 | 711934 | 3 | 12 | 70 | 1732 | 1423 | 1304 | 2257338 | 1894737 | 2526315 |
| 5 | 553300 | 3 | 12 | 95 | 1818 | 1724 | 1757 | 2973731 | 2526316 | 3157894 |
| 6 | | 1 | 12 | 65 | 1535 | 0 | 0 | 3532330 | 3157895 | 3789473 |
| 7 | 650266 | 3 | 12 | 75 | 1783 | 1005 | 1355 | 4184131 | 3789474 | 4421052 |
| в | 740152 | 2 | 12 | 95 | 1868 | 1775 | 0 | 4928426 | 4421053 | 5052631 |
| 9 | 680633 | 3 | 12 | 70 | 1920 | 1586 | 1176 | | 5052632 | 5684210 |
| 10 | 657817 | 1 | 12 | 70 | | 1356 | 0 | | | |
| | 283753 | - | | | 1056 | - | - | 6275201 | | 6315789 |
| 11 | 524758 | 3 | 12 | 80 | 1937 | 1450 | 1826 | 6560010 | 6315790 | 6947368 |
| 12 | 1106931 | 2 | 12 | 100 | 1971 | 1637 | 0 | 7089981 | 6947369 | 7578947 |
| 13 | 323020 | 2 | 12 | 55 | 1415 | 1107 | 0 | 8200520 | 7578948 | 8210526 |
| 14 | | 1 | 12 | 60 | 1518 | 0 | 0 | 8526062 | 8210527 | 8842105 |
| 15 | 328116 | 2 | 12 | 70 | 1398 | 1013 | 0 | 8855696 | 8842106 | 9473684 |
| 16 | 720860 | 1 | 12 | 90 | 1526 | 0 | 0 | 9578967 | 9473685 | 10105263 |
| 17 | 678617 | 2 | 12 | 85 | 1038 | 1312 | 0 | | 10105264 | 10736842 |
| | 1091901 | - | | | | | - | | | |
| 18 | 554584 | 2 | 12 | 80 | 1458 | 1022 | 0 | 11353361 | 10736843 | 11368421 |

Page 87 of 97

| Num of | rm Num = 21 Bursts = 9 Interval (us | | 333 | | | | | | | |
|------------|---|-------------|----------------|------------|--------------------|--------------|--------------|--------------------|-----------------------------|---------------------------|
| Burst # | Off Time (us) | # Pulses | Chirp (MHz) | PW (us) | Pulse 1 Pri(us) | | | Start Loc (us) | Start Burst Interval(us) | End Burst Interval(us) |
| 1 | 1191350 | 1 | 16 | 90 | 1621 | 0 | 0 | 1191350 | 0 | 1333332 |
| 2 | 818319 1525699 | 1 | 16 | 55 | 1133 | 0 | 0 | 2011290 | 1333333 | 2666665 |
| 3 | 887992 | 1 | 16 | 50 | 1646 | 0 | 0 | 3538122 | 2666666 | 3999998 |
| 4 | 1022326 | 3 | 16 | 100 | 1159 | 1800 | 1099 | 4427760 | 3999999 | 5333331 |
| 5 | 1523056 | 3 | 16 | 100 | 1878 | 1201 | 1184 | 5454144 | 5333332 | 6666664 |
| 6 | 1512069 | 1 | 16 | 50 | 1697 | 0 | 0 | 6981463 | 6666665 | 7999997 |
| 7 | 1022124 | 3 | 16 16 | 75 100 | 1210 1929 | 1851 1252 | 1149 1767 | 8495229 9521563 | 7999998 9333331 | 9333330 10666663 |
| 9 | 1862363 | 3 | 16 | 85 | 1279 | 1287 | 1954 | 11388874 | 10666664 | 11999996 |

Page 88 of 97

| | Bursts = 18 Interval (us | | 67 | | | | | | | |
|------------|-----------------------------|--------------------|----|------------|------|--------------------|------|----------|-----------------------------|---------------------------|
| Burst # | Off Time (us) | # Pulses | | PW (us) | | Pulse 2 Pri(us) | | | Start Burst Interval(us) | End Burst Interval(us) |
| 1 | 552277 | 3 | 11 | 70 | 1304 | 1578 | 1979 | 552277 | 0 | 666666 |
| | 333239 | 3 | 11 | 85 | 1757 | 1715 | 1330 | | 666667 | |
| 2 | 957286 | - | | | | | | 890377 | | 1333333 |
| 3 | 517163 | 2 | 11 | 80 | 1843 | 1483 | 0 | 1852465 | 1333334 | 2000000 |
| 4 | 543849 | 1 | 11 | 65 | 1629 | 0 | 0 | 2372954 | 2000001 | 2666667 |
| 5 | 651048 | 3 | 11 | 95 | 1775 | 1808 | 1765 | 2918432 | 266668 | 3333334 |
| 6 | | 3 | 11 | 80 | 1176 | 1894 | 1065 | 3574828 | 333335 | 4000001 |
| 7 | 827812 | 1 | 11 | 100 | 1680 | 0 | 0 | 4406775 | 4000002 | 466668 |
| 8 | 895622 | 3 | 11 | 70 | 1826 | 1390 | 1347 | 5304077 | 4666669 | 5333335 |
| 9 | 300043 | 3 | 11 | 85 | 1227 | 1475 | 1116 | 5608683 | 5333336 | 6000002 |
| 10 | 516324 | 1 | 11 | 100 | 1262 | 0 | 0 | 6128825 | 6000003 | 6666669 |
| 11 | 800783 | 2 | 11 | 75 | 1407 | 1441 | 0 | 6930870 | 6666670 | 7333336 |
| | 938033 | - | | | | | - | | | |
| 12 | 152844 | 1 | 11 | 50 | 1219 | 0 | 0 | 7871751 | 7333337 | 8000003 |
| 13 | 1004570 | 2 | 11 | 55 | 1466 | 1689 | 0 | 8025814 | 8000004 | 8666670 |
| 14 | 698793 | 1 | 11 | 60 | 1569 | 0 | 0 | 9033539 | 8666671 | 9333337 |
| 15 | 761630 | 2 | 11 | 50 | 1980 | 1064 | 0 | 9733901 | 9333338 | 10000004 |
| 16 | | 1 | 11 | 95 | 1108 | 0 | 0 | 10498575 | 10000005 | 10666671 |
| 17 | 761940 | 1 | 11 | 90 | 1621 | 0 | 0 | 11261623 | 10666672 | 11333338 |
| 18 | 408785 | 1 | 11 | 55 | 1133 | 0 | 0 | 11672029 | 11333339 | 12000005 |

Page 89 of 97

| Num of | m Num = 23 Bursts = 8 nterval (us | | 000 | | | | | | | |
|------------|---|-------------|----------------|------------|--------------------|------|------|-------------------|----------|---------------------------|
| Burst ‡ | Off Time (us) | ‡ Pulses | Chirp (MHz) | PW (us) | Pulse 1 Pri(us) | | | Start Loc (us) | | End Burst Interval(us) |
| | 237901 | | | | | | | | | |
| 1 | 2569803 | 2 | 5 | 85 | 1852 | 1911 | 0 | 237901 | 0 | 1499999 |
| 2 | | 3 | 5 | 55 | 1322 | 1672 | 1946 | 2811467 | 1500000 | 2999999 |
| 3 | 370057 | 1 | 5 | 60 | 1090 | 0 | 0 | 3186464 | 3000000 | 4499999 |
| 0 | 2665231 | 1 | - | | | ° . | 0 | | 3000000 | 1100000 |
| 4 | 703761 | 1 | 5 | 85 | 1236 | 0 | 0 | 5852785 | 4500000 | 5999999 |
| 5 | 103/61 | 2 | 5 | 60 | 1851 | 1149 | 0 | 6557782 | 6000000 | 7499999 |
| - | 1151067 | | - | | | | | | | |
| 6 | 2095996 | 3 | 5 | 100 | 1929 | 1252 | 1767 | 7711849 | 7500000 | 8999999 |
| 7 | | 3 | 5 | 85 | 1279 | 1287 | 1954 | 9812793 | 9000000 | 10499999 |
| 8 | 1547409 | 3 | 5 | 70 | 1732 | 1423 | 1304 | 11364722 | 10500000 | 11999999 |

Page 90 of 97

| Num of | rm Num = 24 Bursts = 20 Interval (us | :0 | 00 | | | | | | | |
|------------|--|-------------|----------------|------------|--------------------|--------------------|---------------------|-------------------|-----------------------------|---------------------------|
| Burst # | Off Time (us) | ‡ Pulses | Chirp (MHz) | PW (us) | Pulse 1 Pri(us) | Pulse 2 Pri(us) | Pulse 3 Pri (us) | Start Loc (us) | Start Burst Interval(us) | End Burst Interval(us) |
| 1 | 201177 | 3 | 18 | 85 | 1757 | 1715 | 1330 | 201177 | 0 | 599999 |
| 2 | 860978 | 2 | 18 | 80 | 1843 | 1483 | 0 | 1066957 | 600000 | 1199999 |
| 3 | 465284 | 1 | 18 | 65 | 1629 | 1403 | 0 | 1535567 | 1200000 | 1799999 |
| - | 489188 | - | | | | - | - | | | |
| 4 | 585461 | 3 | 18 | 95 | 1775 | 1808 | 1765 | 2026384 | 1800000 | 2399999 |
| 5 | 744664 | 3 | 18 | 80 | 1176 | 1894 | 1065 | 2617193 | 2400000 | 2999999 |
| 6 | 805556 | 1 | 18 | 100 | 1680 | 0 | 0 | 3365992 | 3000000 | 3599999 |
| 7 | 269863 | 3 | 18 | 70 | 1826 | 1390 | 1347 | 4173228 | 3600000 | 4199999 |
| 8 | 464443 | 3 | 18 | 85 | 1227 | 1475 | 1116 | 4447654 | 4200000 | 4799999 |
| 9 | 720489 | 1 | 18 | 100 | 1262 | 0 | 0 | 4915915 | 4800000 | 5399999 |
| 10 | | 2 | 18 | 75 | 1407 | 1441 | 0 | 5637666 | 5400000 | 5999999 |
| 11 | 843960 | 1 | 18 | 50 | 1219 | 0 | 0 | 6484474 | 6000000 | 6599999 |
| 12 | 137524 | 2 | 18 | 55 | 1466 | 1689 | 0 | 6623217 | 6600000 | 7199999 |
| 13 | 903723 | 1 | 18 | 60 | 1569 | 0 | 0 | 7530095 | 7200000 | 7799999 |
| 14 | 628659 | 2 | 18 | 50 | 1980 | 1064 | 0 | 8160323 | 7800000 | 8399999 |
| 15 | 685263 | 1 | 18 | 95 | 1108 | 0 | 0 | 8848630 | 8400000 | 8999999 |
| 16 | 685572 | 1 | 18 | 90 | 1621 | 0 | 0 | 9535310 | 9000000 | 9599999 |
| 10 | 367832 | 1 | 18 | 55 | 1133 | 0 | 0 | 9904763 | 9600000 | 10199999 |
| 17 | 685667 | _ | 18 | 50 | | - | - | | | |
| | 398565 | 1 | | | 1646 | 0 | 0 | 10591563 | 10200000 | 10799999 |
| 19 | 458320 | 3 | 18 | 100 | 1159 | 1800 | 1099 | 10991774 | 10800000 | 11399999 |
| 20 | number of p | 3 | 18 | 100 | 1878 | 1201 | 1184 | 11454152 | 11400000 | 11999999 |

Page 91 of 97

| | Bursts = 9 Interval (us | | 333 | | | | | | | |
|--------------|----------------------------|-------------|---------------|------------|--------------|------|----------------------------|----------|-----------------------------|--------------------|
| Burst ‡ | Off Time (us) | # Pulses | | | | | Pulse 3 <u>Pri</u> (us) | | Start Burst Interval(us) | |
| 1 | 1130348 | 3 | 6 | 60 | 1903 | 1493 | 1210 | 1130348 | 0 | 1333332 |
| 2 | 1524929 886797 | 1 | 6 | 70 | 1723 | 0 | 0 | 2659883 | 1333333 | 266665 |
| 3 | 1170586 | 3 | 6 | 60 | 1767 | 1141 | 1707 | 3548403 | 2666666 | 3999998 |
| 4 | 1376129 | 1 | 6 | 65 | 1954 | 0 | 0 | | 3999999 | 5333331 |
| 5 | 1509267 | 3 | 6 | 70 95 | 1732 1818 | | 1304 | | 5333332 666665 | 6666664 7999997 |
| 7 | 1170774 | 1 | 6 | | 1535 | 0 | 0 | | 7999998 | |
| 8 | 1376371 | 3 | 6 | 75 | 1783 | 1005 | 1355 | 10169392 | 9333331 | 10666663 |
| 9 Total r | 1567519 number of pu | 2 | 6 waveform | 95 = 20 | 1868 | 1775 | 0 | 11741054 | 10666664 | 11999996 |

UL VERIFICATION SERVICES INC. 47173 BENICIA STREET, FREMONT, CA 94538, USA This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

Page 92 of 97

| | Bursts = 1' Interval (us | | 82 | | | | | | | |
|------------|-----------------------------|--------------------|----|------------|--------------------|--------------------|--------------------|-------------------|-----------------------------|---------------------------|
| Burst # | Off Time (us) | # Pulses | | PW (us) | Pulse 1 Pri(us) | Pulse 2 Pri(us) | Pulse 3 Pri(us) | Start Loc (us) | Start Burst Interval(us) | End Burst Interval(us) |
| L | 255787 | 3 | 11 | 80 | 1176 | 1894 | 1065 | 255787 | 0 | 705881 |
| | 876720 | - | | | 1680 | 0 | 0 | 1136642 | | |
| | 948602 | 1 | 11 | | | - | - | | | 1411763 |
| 3 | 317796 | 3 | 11 | 70 | 1826 | 1390 | 1347 | 2086924 | 1411764 | 2117645 |
| 1 | 546841 | 3 | 11 | 85 | 1227 | 1475 | 1116 | 2409283 | 2117646 | 2823527 |
| 5 | | 1 | 11 | 100 | 1262 | 0 | 0 | 2959942 | 2823528 | 3529409 |
| 5 | 848013 | 2 | 11 | 75 | 1407 | 1441 | 0 | 3809217 | 3529410 | 4235291 |
| , | 993370 | 1 | 11 | 50 | 1219 | 0 | 0 | 4805435 | 4235292 | 4941173 |
| 3 | 161856 | 2 | 11 | 55 | 1466 | 1689 | 0 | | 4941174 | 5647055 |
| | 1063890 | - | | | | | - | | | |
| 9 | 740047 | 1 | 11 | 60 | 1569 | 0 | 0 | 6035555 | 5647056 | 6352937 |
| LO | 806551 | 2 | 11 | 50 | 1980 | 1064 | 0 | 6777171 | 6352938 | 7058819 |
| 11 | | 1 | 11 | 95 | 1108 | 0 | 0 | 7586766 | 7058820 | 7764701 |
| 12 | 806860 | 1 | 11 | 90 | 1621 | 0 | 0 | 8394734 | 7764702 | 8470583 |
| 13 | 432876 | 1 | 11 | 55 | 1133 | 0 | 0 | 8829231 | 8470584 | 9176465 |
| 14 | 806954 | 1 | 11 | 50 | 1646 | 0 | 0 | 9637318 | | |
| | 469231 | - | | | | - | - | | | 9882347 |
| 15 | 539754 | 3 | 11 | 100 | 1159 | 1800 | 1099 | 10108195 | 9882348 | 10588229 |
| 16 | 804311 | 3 | 11 | 100 | 1878 | 1201 | 1184 | 10652007 | 10588230 | 11294111 |
| 17 | 804311 | 1 | 11 | 50 | 1697 | 0 | 0 | 11460581 | 11294112 | 11999993 |

Page 93 of 97

| Num of | orm Num = 27 Bursts = 19 Interval (us | .9 | 79 | | | | | | | |
|------------|---|--------------------|----------------|-----|------|------|------|-------------------|-----------------------------|---------------------------|
| Burst # | Off Time (us) | # Pulses | | | | | | Start Loc (us) | Start Burst Interval(us) | End Burst Interval(us) |
| 1 | 234898 | 1 | 12 | 95 | 1149 | 0 | 0 | 234898 | 0 | 631578 |
| | 484325 | - | | | | - | - | | - | |
| 2 | 878645 | 3 | 12 | | 1929 | 1252 | | | 631579 | 1263157 |
| 3 | 648853 | 3 | 12 | 85 | 1279 | 1287 | 1954 | 1603965 | 1263158 | 1894736 |
| 4 | 711934 | 3 | 12 | 70 | 1732 | 1423 | 1304 | 2257338 | 1894737 | 2526315 |
| 5 | 553300 | 3 | 12 | 95 | 1818 | 1724 | 1757 | 2973731 | 2526316 | 3157894 |
| 6 | | 1 | 12 | 65 | 1535 | 0 | 0 | 3532330 | 3157895 | 3789473 |
| 7 | 650266 | 3 | 12 | 75 | 1783 | 1005 | 1355 | 4184131 | 3789474 | 4421052 |
| 8 | 740152 | 2 | 12 | 95 | 1868 | 1775 | 0 | 4928426 | 4421053 | 5052631 |
| 9 | 680633 | 3 | 12 | 70 | | 1586 | | 5612702 | | 5684210 |
| 10 | 657817 | 1 | 12 | 70 | | 0 | | | 5684211 | 6315789 |
| | 283753 | - | | | | - | - | | | |
| 11 | 524758 | 3 | 12 | 80 | 1937 | 1450 | 1826 | 6560010 | 6315790 | 6947368 |
| 12 | 1106931 | 2 | 12 | 100 | 1971 | 1637 | 0 | 7089981 | 6947369 | 7578947 |
| 13 | 323020 | 2 | 12 | 55 | 1415 | 1107 | 0 | 8200520 | 7578948 | 8210526 |
| 14 | | 1 | 12 | 60 | 1518 | 0 | 0 | 8526062 | 8210527 | 8842105 |
| 15 | 328116 | 2 | 12 | 70 | 1398 | 1013 | 0 | 8855696 | 8842106 | 9473684 |
| 16 | 720860 | 1 | 12 | 90 | 1526 | 0 | 0 | 9578967 | 9473685 | 10105263 |
| 17 | 678617 | 2 | 12 | | 1038 | 1312 | - | | 10105264 | 10736842 |
| | 1091901 | - | | | | | - | | | |
| 18 | 554584 | 2 | 12 | | 1458 | 1022 | - | | 10736843 | 11368421 |
| 19 | | 1 | 12 waveform | 80 | 1270 | 0 | 0 | 11910425 | 11368422 | 12000000 |

Page 94 of 97

| | Bursts = 9 Interval (u | | 333 | | | | | | | |
|--------------|---------------------------|-----------------|----------------|-----|--------------------|------|------|----------|-----------------------------|----------|
| Burst # | Off Time (us) | ‡ Pulses | | | Pulse 1 Pri(us) | | | | Start Burst Interval(us) | |
| 1 | 1191350 | 1 | 16 | 90 | 1621 | 0 | 0 | 1191350 | 0 | 1333332 |
| 1 | 818319 | 1 | 10 | 90 | 1621 | U | U | 1191350 | 0 | 1333332 |
| 2 | 1525699 | 1 | 16 | 55 | 1133 | 0 | 0 | 2011290 | 1333333 | 2666665 |
| 3 | | 1 | 16 | 50 | 1646 | 0 | 0 | 3538122 | 2666666 | 3999998 |
| 4 | 887992 | 3 | 16 | 100 | 1159 | 1800 | 1099 | 4427760 | 3999999 | 5333331 |
| - | 1022326 | 3 | | | | | | | | |
| 5 | 1523056 | 3 | 16 | 100 | 1878 | 1201 | 1184 | 5454144 | 5333332 | 6666664 |
| 6 | 1512069 | 1 | 16 | 50 | 1697 | 0 | 0 | 6981463 | 666665 | 7999997 |
| 7 | | 3 | 16 | 75 | 1210 | 1851 | 1149 | 8495229 | 7999998 | 9333330 |
| 8 | 1022124 | 3 | 16 | 100 | 1929 | 1252 | 1767 | 9521563 | 9333331 | 10666663 |
| | 1862363 | - | | | | | | | | |
| 9 Total r | number of p | 3 ulses in 1 | 16 waveform | 85 | 1279 | 1287 | 1954 | 11388874 | 10666664 | 11999996 |

Page 95 of 97

| | Bursts = 1 Interval (u | | 67 | | | | | | | |
|------------|---------------------------|-------------|----------------|------------|--------------------|--------------------|------|----------|-----------------------------|---------------------------|
| Burst # | Off Time (us) | # Pulses | Chirp (MHz) | PW (us) | Pulse 1 Pri(us) | Pulse 2 Pri(us) | | | Start Burst Interval(us) | End Burst Interval(us) |
| L | 552277 | 3 | 11 | 70 | 1304 | 1578 | 1979 | 552277 | 0 | 666666 |
| 2 | 333239 | 3 | 11 | 85 | 1757 | 1715 | 1330 | 890377 | 666667 | 1333333 |
| 3 | 957286 | 2 | 11 | 80 | 1843 | 1483 | 0 | | | |
| | 517163 | - | | | | | - | 1852465 | 1333334 | 2000000 |
| 1 | 543849 | 1 | 11 | 65 | 1629 | 0 | 0 | 2372954 | 2000001 | 2666667 |
| 5 | 651048 | 3 | 11 | 95 | 1775 | 1808 | 1765 | 2918432 | 266668 | 3333334 |
| 5 | | 3 | 11 | 80 | 1176 | 1894 | 1065 | 3574828 | 333335 | 4000001 |
| 7 | 827812 | 1 | 11 | 100 | 1680 | 0 | 0 | 4406775 | 4000002 | 466668 |
| 3 | 895622 | 3 | 11 | 70 | 1826 | 1390 | 1347 | 5304077 | 4666669 | 5333335 |
| Э | 300043 | 3 | 11 | 85 | 1227 | 1475 | 1116 | 5608683 | 5333336 | 6000002 |
| LO | 516324 | 1 | 11 | 100 | 1262 | 0 | 0 | 6128825 | 6000003 | 6666669 |
| | 800783 | 2 | | 75 | 1407 | - | 0 | | | |
| 11 | 938033 | - | 11 | | | 1441 | - | 6930870 | | 7333336 |
| 12 | 152844 | 1 | 11 | 50 | 1219 | 0 | 0 | 7871751 | 7333337 | 8000003 |
| 13 | 1004570 | 2 | 11 | 55 | 1466 | 1689 | 0 | 8025814 | 8000004 | 8666670 |
| 14 | 698793 | 1 | 11 | 60 | 1569 | 0 | 0 | 9033539 | 8666671 | 9333337 |
| 15 | | 2 | 11 | 50 | 1980 | 1064 | 0 | 9733901 | 9333338 | 10000004 |
| 16 | 761630 | 1 | 11 | 95 | 1108 | 0 | 0 | 10498575 | 1000005 | 10666671 |
| 17 | 761940 | 1 | 11 | 90 | 1621 | 0 | 0 | 11261623 | 10666672 | 11333338 |
| 18 | 408785 | 1 | 11 | 55 | 1133 | 0 | 0 | 11672029 | 11333339 | 12000005 |

Page 96 of 97

| urst | Off Time (us) | # Pulses | | | | | | | Start Burst Interval(us) | |
|------|------------------|-------------|---|-----|------|------|------|----------|-----------------------------|----------|
| | 237901 | | | | | | | | | |
| | 2569803 | 2 | 5 | 85 | 1852 | 1911 | 0 | 237901 | 0 | 1499999 |
| | | 3 | 5 | 55 | 1322 | 1672 | 1946 | 2811467 | 1500000 | 2999999 |
| | 370057 | 1 | 5 | 60 | 1090 | 0 | 0 | 3186464 | 3000000 | 4499999 |
| | 2665231 | | _ | | | | | | | |
| | 703761 | 1 | 5 | 85 | 1236 | 0 | 0 | 5852785 | 4500000 | 5999999 |
| | | 2 | 5 | 60 | 1851 | 1149 | 0 | 6557782 | 6000000 | 7499999 |
| | 1151067 | 3 | 5 | 100 | 1929 | 1252 | 1767 | 7711849 | 7500000 | 8999999 |
| | 2095996 | | - | | | | | | | |
| | 1547409 | 3 | 5 | 85 | 1279 | 1287 | 1954 | 9812793 | 9000000 | 10499999 |
| | umber of p | 3 | 5 | | 1732 | 1423 | 1304 | 11364722 | 10500000 | 11999999 |

END OF REPORT

UL VERIFICATION SERVICES INC. 47173 BENICIA STREET, FREMONT, CA 94538, USA This report shall not be reproduced except in full, without the written approval of UL Verification Services Inc.

Page 97 of 97