


802.11a_Nss1,(6Mbps)_8TX

5240MHz_TX

15/10/2019




EUT_Z_8TX
Setting 23
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.147G	64.79	74.00	-9.21	5.11	3	Vertical	43	2.19	-	59.68
AV	5.15G	49.04	54.00	-4.96	5.09	3	Vertical	43	2.19	-	43.95
PK	5.2436G	127.17	Inf	-Inf	4.67	3	Vertical	43	2.19	-	122.50
AV	5.2442G	116.33	Inf	-Inf	4.66	3	Vertical	43	2.19	-	111.67
PK	5.3582G	59.57	74.00	-14.43	4.69	3	Vertical	43	2.19	-	54.88
AV	5.36G	45.99	54.00	-8.01	4.70	3	Vertical	43	2.19	-	41.29

802.11a_Nss1,(6Mbps)_8TX

5240MHz_TX

15/10/2019




EUT_Z_8TX
Setting 23
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1434G	60.89	74.00	-13.11	5.11	3	Horizontal	278	2.59	-	55.78
AV	5.1422G	46.56	54.00	-7.44	5.12	3	Horizontal	278	2.59	-	41.44
PK	5.2334G	119.91	Inf	-Inf	4.71	3	Horizontal	278	2.59	-	115.20
AV	5.2328G	109.47	Inf	-Inf	4.71	3	Horizontal	278	2.59	-	104.76
PK	5.351G	57.27	74.00	-16.73	4.66	3	Horizontal	278	2.59	-	52.61
AV	5.3534G	44.86	54.00	-9.14	4.67	3	Horizontal	278	2.59	-	40.19

802.11a_Nss1,(6Mbps)_8TX

5240MHz_TX

15/10/2019




EUT_Z_8TX
Setting 23
06-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.48G	59.82	68.20	-8.38	13.50	3	Vertical	28	1.14	-	46.32
PK	15.72352G	61.65	74.00	-12.35	13.86	3	Vertical	36	2.55	-	47.79
AV	15.72306G	48.41	54.00	-5.59	13.86	3	Vertical	36	2.55	-	34.55

802.11a_Nss1,(6Mbps)_8TX

5240MHz_TX

15/10/2019




EUT_Z_8TX
Setting 23
06-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.48G	58.03	68.20	-10.17	13.50	3	Horizontal	311	2.02	-	44.53
PK	15.72496G	61.20	74.00	-12.80	13.85	3	Horizontal	217	1.99	-	47.35
AV	15.725G	47.79	54.00	-6.21	13.85	3	Horizontal	217	1.99	-	33.94

802.11a_Nss1,(6Mbps)_8TX

5745MHz_TX

15/10/2019




EUT_Z_8TX
Setting 23
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.641G	61.88	68.20	-6.32	4.96	3	Vertical	109	2.22	-	56.92
PK	5.746G	123.57	Inf	-Inf	5.25	3	Vertical	109	2.22	-	118.32
AV	5.746G	113.45	Inf	-Inf	5.25	3	Vertical	109	2.22	-	108.20
PK	5.944G	59.79	68.20	-8.41	5.79	3	Vertical	109	2.22	-	54.00

802.11a_Nss1,(6Mbps)_8TX

5745MHz_TX

15/10/2019




EUT_Z_8TX
Setting 23
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	59.55	68.20	-8.65	4.98	3	Horizontal	112	2.33	-	54.57
PK	5.742G	122.19	Inf	-Inf	5.23	3	Horizontal	112	2.33	-	116.96
AV	5.742G	111.99	Inf	-Inf	5.23	3	Horizontal	112	2.33	-	106.76
PK	5.965G	58.32	68.20	-9.88	5.79	3	Horizontal	112	2.33	-	52.53

802.11a_Nss1,(6Mbps)_8TX

5745MHz_TX

16/10/2019




EUT_Z_8TX
Setting 23
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48998G	58.14	74.00	-15.86	13.31	3	Vertical	27	1.02	-	44.83
AV	11.49002G	50.37	54.00	-3.63	13.30	3	Vertical	27	1.02	-	37.07

802.11a_Nss1,(6Mbps)_8TX

5745MHz_TX

16/10/2019


EUT_Z_8TX
Setting 23
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49014G	56.30	74.00	-17.70	13.30	3	Horizontal	227	2.30	-	43.00
AV	11.49G	45.73	54.00	-8.27	13.31	3	Horizontal	227	2.30	-	32.42

802.11a_Nss1,(6Mbps)_8TX

5785MHz_TX

16/10/2019


EUT_Z_8TX
Setting 23
06-P-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56962G	56.07	74.00	-17.93	13.16	3	Horizontal	15	2.18	-	42.91
AV	11.56994G	44.88	54.00	-9.12	13.16	3	Horizontal	15	2.18	-	31.72

802.11a_Nss1,(6Mbps)_8TX

5785MHz_TX

15/10/2019


EUT_Z_8TX
Setting 23
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.595G	58.66	68.20	-9.54	4.92	3	Vertical	120	2.53	-	53.74
PK	5.786G	126.83	Inf	-Inf	5.42	3	Vertical	120	2.53	-	121.41
AV	5.786G	116.56	Inf	-Inf	5.42	3	Vertical	120	2.53	-	111.14
PK	5.978G	59.35	68.20	-8.85	5.79	3	Vertical	120	2.53	-	53.56

802.11a_Nss1,(6Mbps)_8TX

5825MHz_TX

15/10/2019


EUT_Z_8TX
Setting 23
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.635G	58.33	68.20	-9.87	4.97	3	Vertical	260	2.19	-	53.36
PK	5.832G	125.55	Inf	-Inf	5.59	3	Vertical	260	2.19	-	119.96
AV	5.832G	114.41	Inf	-Inf	5.59	3	Vertical	260	2.19	-	108.82
PK	5.922G	65.57	70.42	-4.85	5.79	3	Vertical	260	2.19	-	59.78

802.11a_Nss1,(6Mbps)_8TX

5785MHz_TX

15/10/2019


EUT_Z_8TX
Setting 23
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.587G	58.06	68.20	-10.14	4.94	3	Horizontal	292	2.39	-	53.12
PK	5.782G	119.95	Inf	-Inf	5.41	3	Horizontal	292	2.39	-	114.54
AV	5.782G	109.82	Inf	-Inf	5.41	3	Horizontal	292	2.39	-	104.41
PK	5.988G	58.48	68.20	-9.72	5.79	3	Horizontal	292	2.39	-	52.69

802.11a_Nss1,(6Mbps)_8TX

5825MHz_TX

15/10/2019


EUT_Z_8TX
Setting 23
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	56.66	68.20	-11.54	4.98	3	Horizontal	153	2.99	-	51.68
PK	5.822G	119.48	Inf	-Inf	5.55	3	Horizontal	153	2.99	-	113.93
AV	5.822G	109.51	Inf	-Inf	5.55	3	Horizontal	153	2.99	-	103.96
PK	5.923G	63.08	69.68	-6.60	5.79	3	Horizontal	153	2.99	-	57.29

802.11a_Nss1,(6Mbps)_8TX

5785MHz_TX

16/10/2019


EUT_Z_8TX
Setting 23
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57012G	58.76	74.00	-15.24	13.15	3	Vertical	172	2.96	-	45.61
AV	11.57G	51.55	54.00	-2.45	13.16	3	Vertical	172	2.96	-	38.39

802.11a_Nss1,(6Mbps)_8TX

5825MHz_TX

15/10/2019


EUT_Z_8TX
Setting 23
06-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65002G	59.42	74.00	-14.58	13.02	3	Vertical	14	2.99	-	46.40
AV	11.64998G	53.35	54.00	-0.65	13.03	3	Vertical	14	2.99	-	40.32

802.11a_Nss1,(6Mbps)_8TX

5825MHz_TX

15/10/2019


EUT_Z_8TX
Setting 23
06-5-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64988G	57.43	74.00	-16.57	13.03	3	Horizontal	12	2.26	-	44.40
AV	11.64996G	47.39	54.00	-6.61	13.03	3	Horizontal	12	2.26	-	34.36

802.11ax HEW20_Nss1,(MCS0)_8TX

5180MHz_TX

15/10/2019


EUT_Z_8TX
Setting 16.5
06-5-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	70.22	74.00	-3.78	5.09	3	Vertical	173	2.58	-	65.13
AV	5.1484G	53.64	54.00	-0.36	5.10	3	Vertical	173	2.58	-	48.54
PK	5.1748G	121.32	Inf	-Inf	4.97	3	Vertical	173	2.58	-	116.35
AV	5.1748G	108.65	Inf	-Inf	4.97	3	Vertical	173	2.58	-	103.68

802.11ax HEW20_Nss1,(MCS0)_8TX

5180MHz_TX

15/10/2019


EUT_Z_8TX
Setting 16.5
06-5-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	65.58	74.00	-8.42	5.09	3	Horizontal	71	2.95	-	60.49
AV	5.15G	51.43	54.00	-2.57	5.09	3	Horizontal	71	2.95	-	46.34
PK	5.1792G	115.62	Inf	-Inf	4.94	3	Horizontal	71	2.95	-	110.68
AV	5.1788G	102.36	Inf	-Inf	4.95	3	Horizontal	71	2.95	-	97.41

802.11ax HEW20_Nss1,(MCS0)_8TX

5180MHz_TX

15/10/2019


EUT_Z_8TX
Setting 16.5
06-5-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.53588G	58.66	74.00	-15.34	14.48	3	Vertical	89	1.70	-	44.18
AV	15.54524G	44.21	54.00	-9.79	14.45	3	Vertical	89	1.70	-	29.76

802.11ax HEW20_Nss1,(MCS0)_8TX

5180MHz_TX

15/10/2019


EUT_Z_8TX
Setting 16.5
06-5-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54452G	58.38	74.00	-15.62	14.45	3	Horizontal	300	2.04	-	43.93
AV	15.54608G	44.22	54.00	-9.78	14.45	3	Horizontal	300	2.04	-	29.77

802.11ax HEW20_Nss1,(MCS0)_8TX

5200MHz_TX

15/10/2019


EUT_Z_8TX
Setting 21
06-5-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1396G	69.73	74.00	-4.27	5.13	3	Vertical	275	2.37	-	64.60
AV	5.1392G	53.79	54.00	-0.21	5.13	3	Vertical	275	2.37	-	48.66
PK	5.2072G	125.14	Inf	-Inf	4.82	3	Vertical	275	2.37	-	120.32
AV	5.2068G	113.32	Inf	-Inf	4.82	3	Vertical	275	2.37	-	108.50

802.11ax HEW20_Nss1,(MCS0)_8TX

5200MHz_TX

15/10/2019


EUT_Z_8TX
Setting 21
06-5-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1424G	60.67	74.00	-13.33	5.12	3	Horizontal	295	1.06	-	55.55
AV	5.1436G	48.03	54.00	-5.97	5.11	3	Horizontal	295	1.06	-	42.92
PK	5.202G	117.84	Inf	-Inf	4.84	3	Horizontal	295	1.06	-	113.00
AV	5.2024G	106.43	Inf	-Inf	4.84	3	Horizontal	295	1.06	-	101.59

802.11ax HEW20_Nss1,(MCS0)_8TX

5200MHz_TX

15/10/2019


EUT_Z_8TX
Setting 21
06-5-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.60868G	58.10	74.00	-15.90	14.24	3	Vertical	360	1.33	-	43.86
AV	15.59716G	45.39	54.00	-8.61	14.28	3	Vertical	360	1.33	-	31.11

802.11ax HEW20_Nss1,(MCS0)_8TX

5200MHz_TX

15/10/2019


EUT_Z_8TX
Setting 21
06-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.60368G	58.11	74.00	-15.89	14.26	3	Horizontal	298	1.25	-	43.85
AV	15.59752G	45.12	54.00	-8.88	14.28	3	Horizontal	298	1.25	-	30.84

802.11ax HEW20_Nss1,(MCS0)_8TX

5240MHz_TX

15/10/2019


EUT_Z_8TX
Setting 23
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1452G	60.96	74.00	-13.04	5.11	3	Vertical	176	2.78	-	55.85
AV	5.144G	46.77	54.00	-7.23	5.12	3	Vertical	176	2.78	-	41.65
PK	5.2406G	125.58	Inf	-Inf	4.68	3	Vertical	176	2.78	-	120.90
AV	5.2412G	113.18	Inf	-Inf	4.68	3	Vertical	176	2.78	-	108.50
PK	5.3504G	58.30	74.00	-15.70	4.65	3	Vertical	176	2.78	-	53.65
AV	5.3606G	45.30	54.00	-8.70	4.70	3	Vertical	176	2.78	-	40.60

802.11ax HEW20_Nss1,(MCS0)_8TX

5240MHz_TX

15/10/2019


EUT_Z_8TX
Setting 23
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0936G	57.83	74.00	-16.17	5.28	3	Horizontal	204	1.00	-	52.55
AV	5.1422G	44.79	54.00	-9.21	5.12	3	Horizontal	204	1.00	-	39.67
PK	5.2394G	118.25	Inf	-Inf	4.68	3	Horizontal	204	1.00	-	113.57
AV	5.2388G	105.98	Inf	-Inf	4.68	3	Horizontal	204	1.00	-	101.30
PK	5.3798G	57.19	74.00	-16.81	4.80	3	Horizontal	204	1.00	-	52.39
AV	5.35G	44.25	54.00	-9.75	4.65	3	Horizontal	204	1.00	-	39.60

802.11ax HEW20_Nss1,(MCS0)_8TX

5240MHz_TX

15/10/2019


EUT_Z_8TX
Setting 23
06-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.71976G	56.69	74.00	-17.31	13.87	3	Vertical	89	1.39	-	42.82
AV	15.71756G	42.88	54.00	-11.12	13.88	3	Vertical	89	1.39	-	29.00

802.11ax HEW20_Nss1,(MCS0)_8TX

5240MHz_TX

15/10/2019


EUT_Z_8TX
Setting 23
06-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.71712G	56.83	74.00	-17.17	13.88	3	Horizontal	174	1.39	-	42.95
AV	15.71712G	42.78	54.00	-11.22	13.88	3	Horizontal	174	1.39	-	28.90

802.11ax HEW20_Nss1,(MCS0)_8TX

5745MHz_TX

15/10/2019


EUT_Z_8TX
Setting 23
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	61.46	68.20	-6.74	4.98	3	Vertical	261	2.35	-	56.48
PK	5.751G	126.41	Inf	-Inf	5.26	3	Vertical	261	2.35	-	121.15
AV	5.751G	113.42	Inf	-Inf	5.26	3	Vertical	261	2.35	-	108.16
PK	5.932G	58.41	68.20	-9.79	5.79	3	Vertical	261	2.35	-	52.62

802.11ax HEW20_Nss1,(MCS0)_8TX

5745MHz_TX

15/10/2019


EUT_Z_8TX
Setting 23
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.553G	57.25	68.20	-10.95	5.00	3	Horizontal	344	2.66	-	52.25
PK	5.75G	119.52	Inf	-Inf	5.27	3	Horizontal	344	2.66	-	114.25
AV	5.75G	107.35	Inf	-Inf	5.27	3	Horizontal	344	2.66	-	102.08
PK	5.931G	57.57	68.20	-10.63	5.79	3	Horizontal	344	2.66	-	51.78

802.11ax HEW20_Nss1,(MCS0)_8TX

5745MHz_TX

16/10/2019




EUT_Z_8TX
Setting 23
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48994G	58.65	74.00	-15.35	13.31	3	Vertical	27	1.01	-	45.34
AV	11.48996G	50.49	54.00	-3.51	13.31	3	Vertical	27	1.01	-	37.18

802.11ax HEW20_Nss1,(MCS0)_8TX

5745MHz_TX

16/10/2019




EUT_Z_8TX
Setting 23
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49002G	56.83	74.00	-17.17	13.30	3	Horizontal	179	2.55	-	43.53
AV	11.4899G	45.57	54.00	-8.43	13.31	3	Horizontal	179	2.55	-	32.26

802.11ax HEW20_Nss1,(MCS0)_8TX

5785MHz_TX

15/10/2019




EUT_Z_8TX
Setting 23
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.588G	58.97	68.20	-9.23	4.92	3	Vertical	96	2.36	-	54.05
PK	5.78G	126.12	Inf	-Inf	5.39	3	Vertical	96	2.36	-	120.73
AV	5.78G	113.55	Inf	-Inf	5.39	3	Vertical	96	2.36	-	108.16
PK	5.956G	58.83	68.20	-9.37	5.79	3	Vertical	96	2.36	-	53.04

802.11ax HEW20_Nss1,(MCS0)_8TX

5785MHz_TX

15/10/2019




EUT_Z_8TX
Setting 23
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.544G	57.49	68.20	-10.71	5.01	3	Horizontal	115	2.33	-	52.48
PK	5.787G	117.72	Inf	-Inf	5.43	3	Horizontal	115	2.33	-	112.29
AV	5.786G	105.85	Inf	-Inf	5.42	3	Horizontal	115	2.33	-	100.43
PK	5.97G	57.33	68.20	-10.87	5.79	3	Horizontal	115	2.33	-	51.54

802.11ax HEW20_Nss1,(MCS0)_8TX

5785MHz_TX

16/10/2019




EUT_Z_8TX
Setting 23
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5701G	57.70	74.00	-16.30	13.15	3	Vertical	170	2.96	-	44.55
AV	11.56992G	50.07	54.00	-3.93	13.16	3	Vertical	170	2.96	-	36.91

802.11ax HEW20_Nss1,(MCS0)_8TX

5785MHz_TX

16/10/2019




EUT_Z_8TX
Setting 23
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56992G	55.60	74.00	-18.40	13.16	3	Horizontal	12	2.26	-	42.44
AV	11.56994G	43.77	54.00	-10.23	13.16	3	Horizontal	12	2.26	-	30.61

802.11ax HEW20_Nss1,(MCS0)_8TX

5825MHz_TX

15/10/2019




EUT_Z_8TX
Setting 23
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.633G	58.78	68.20	-9.42	4.96	3	Vertical	248	2.39	-	53.82
PK	5.826G	124.96	Inf	-Inf	5.56	3	Vertical	248	2.39	-	119.40
AV	5.824G	112.71	Inf	-Inf	5.55	3	Vertical	248	2.39	-	107.16
PK	5.932G	61.40	68.20	-6.80	5.79	3	Vertical	248	2.39	-	55.61

802.11ax HEW20_Nss1,(MCS0)_8TX

5825MHz_TX

15/10/2019




EUT_Z_8TX
Setting 23
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.614G	56.88	68.20	-11.32	4.92	3	Horizontal	261	2.27	-	51.96
PK	5.817G	118.69	Inf	-Inf	5.53	3	Horizontal	261	2.27	-	113.16
AV	5.817G	106.19	Inf	-Inf	5.53	3	Horizontal	261	2.27	-	100.66
PK	5.925G	58.15	68.20	-10.05	5.79	3	Horizontal	261	2.27	-	52.36

802.11ax HEW20_Nss1,(MCS0)_8TX

5825MHz_TX

16/10/2019




EUT_Z_8TX
Setting 23
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65G	57.37	74.00	-16.63	13.02	3	Vertical	15	2.97	-	44.35
AV	11.64994G	49.18	54.00	-4.82	13.03	3	Vertical	15	2.97	-	36.15

802.11ax HEW20_Nss1,(MCS0)_8TX

5825MHz_TX

16/10/2019




EUT_Z_8TX
Setting 23
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64906G	56.13	74.00	-17.87	13.03	3	Horizontal	12	2.23	-	43.10
AV	11.64996G	44.37	54.00	-9.63	13.03	3	Horizontal	12	2.23	-	31.34

802.11ax HEW40_Nss1,(MCS0)_8TX

5190MHz_TX

16/10/2019




EUT_Z_8TX
Setting 14.5
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1498G	67.38	74.00	-6.62	5.09	3	Vertical	275	2.31	-	62.29
AV	5.1498G	53.77	54.00	-0.23	5.09	3	Vertical	275	2.31	-	48.68
PK	5.1918G	116.50	Inf	-Inf	4.88	3	Vertical	275	2.31	-	111.62
AV	5.1912G	104.35	Inf	-Inf	4.88	3	Vertical	275	2.31	-	99.47

802.11ax HEW40_Nss1,(MCS0)_8TX

5190MHz_TX

16/10/2019




EUT_Z_8TX
Setting 14.5
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1426G	61.25	74.00	-12.75	5.12	3	Horizontal	125	2.46	-	56.13
AV	5.142G	46.15	54.00	-7.85	5.12	3	Horizontal	125	2.46	-	41.03
PK	5.1954G	112.32	Inf	-Inf	4.87	3	Horizontal	125	2.46	-	107.45
AV	5.1954G	99.26	Inf	-Inf	4.87	3	Horizontal	125	2.46	-	94.39

802.11ax HEW40_Nss1,(MCS0)_8TX

5190MHz_TX

16/10/2019




EUT_Z_8TX
Setting 14.5
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.38006G	62.55	68.20	-5.65	13.37	3	Vertical	28	1.01	-	49.18
PK	15.57364G	57.07	74.00	-16.93	14.36	3	Vertical	42	1.50	-	42.71
AV	15.57154G	43.49	54.00	-10.51	14.37	3	Vertical	42	1.50	-	29.12

802.11ax HEW40_Nss1,(MCS0)_8TX

5190MHz_TX

16/10/2019




EUT_Z_8TX
Setting 14.5
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.38004G	59.31	68.20	-8.89	13.37	3	Horizontal	265	1.01	-	45.94
PK	15.56846G	57.66	74.00	-16.34	14.38	3	Horizontal	359	1.50	-	43.28
AV	15.57128G	44.01	54.00	-9.99	14.37	3	Horizontal	359	1.50	-	29.64

802.11ax HEW40_Nss1,(MCS0)_8TX

5230MHz_TX

16/10/2019




EUT_Z_8TX
Setting 18.5
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	69.54	74.00	-4.46	5.09	3	Vertical	258	2.47	-	64.45
AV	5.15G	53.93	54.00	-0.07	5.09	3	Vertical	258	2.47	-	48.84
PK	5.2288G	119.99	Inf	-Inf	4.73	3	Vertical	258	2.47	-	115.26
AV	5.2306G	107.57	Inf	-Inf	4.72	3	Vertical	258	2.47	-	102.85
PK	5.3524G	57.93	74.00	-16.07	4.66	3	Vertical	258	2.47	-	53.27
AV	5.35G	45.13	54.00	-8.87	4.65	3	Vertical	258	2.47	-	40.48

802.11ax HEW40_Nss1,(MCS0)_8TX

5230MHz_TX

16/10/2019




EUT_Z_8TX
Setting 18.5
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	63.23	74.00	-10.77	5.09	3	Horizontal	202	2.69	-	58.14
AV	5.1496G	48.84	54.00	-5.16	5.09	3	Horizontal	202	2.69	-	43.75
PK	5.2294G	116.82	Inf	-Inf	4.73	3	Horizontal	202	2.69	-	112.09
AV	5.2282G	104.21	Inf	-Inf	4.74	3	Horizontal	202	2.69	-	99.47
PK	5.3506G	57.43	74.00	-16.57	4.65	3	Horizontal	202	2.69	-	52.78
AV	5.35G	44.18	54.00	-9.82	4.65	3	Horizontal	202	2.69	-	39.53

802.11ax HEW40_Nss1,(MCS0)_8TX

5230MHz_TX

16/10/2019




EUT_Z_8TX
Setting 18.5
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.45988G	59.37	68.20	-8.83	13.48	3	Vertical	24	2.02	-	45.89
PK	15.68926G	55.73	74.00	-18.27	13.98	3	Vertical	0	1.50	-	41.75
AV	15.68744G	42.07	54.00	-11.93	13.98	3	Vertical	0	1.50	-	28.09

802.11ax HEW40_Nss1,(MCS0)_8TX

5230MHz_TX

16/10/2019




EUT_Z_8TX
Setting 18.5
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.46004G	57.77	68.20	-10.43	13.48	3	Horizontal	262	2.05	-	44.29
PK	15.69298G	55.69	74.00	-18.31	13.96	3	Horizontal	359	1.50	-	41.73
AV	15.6874G	41.85	54.00	-12.15	13.98	3	Horizontal	359	1.50	-	27.87

802.11ax HEW40_Nss1,(MCS0)_8TX

5755MHz_TX

16/10/2019




EUT_Z_8TX
Setting 19
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.641G	66.55	68.20	-1.65	4.96	3	Vertical	82	2.37	-	61.59
PK	5.748G	119.61	Inf	-Inf	5.26	3	Vertical	82	2.37	-	114.35
AV	5.747G	107.13	Inf	-Inf	5.26	3	Vertical	82	2.37	-	101.87
PK	5.931G	59.45	68.20	-8.75	5.79	3	Vertical	82	2.37	-	53.66

802.11ax HEW40_Nss1,(MCS0)_8TX

5755MHz_TX

16/10/2019




EUT_Z_8TX
Setting 19
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	61.07	68.20	-7.13	4.98	3	Horizontal	83	2.39	-	56.09
PK	5.748G	115.01	Inf	-Inf	5.26	3	Horizontal	83	2.39	-	109.75
AV	5.748G	102.68	Inf	-Inf	5.26	3	Horizontal	83	2.39	-	97.42
PK	5.939G	57.66	68.20	-10.54	5.79	3	Horizontal	83	2.39	-	51.87

802.11ax HEW40_Nss1,(MCS0)_8TX

5755MHz_TX

16/10/2019




EUT_Z_8TX
Setting 19
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.51012G	58.90	74.00	-15.10	13.26	3	Vertical	26	1.08	-	45.64
AV	11.51008G	51.88	54.00	-2.12	13.26	3	Vertical	26	1.08	-	38.62

802.11ax HEW40_Nss1,(MCS0)_8TX

5755MHz_TX

16/10/2019




EUT_Z_8TX
Setting 19
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.51046G	57.43	74.00	-16.57	13.26	3	Horizontal	329	2.16	-	44.17
AV	11.51004G	44.91	54.00	-9.09	13.26	3	Horizontal	329	2.16	-	31.65

802.11ax HEW40_Nss1,(MCS0)_8TX

5795MHz_TX

16/10/2019




EUT_Z_8TX
Setting 19.5
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.648G	65.37	68.20	-2.83	4.98	3	Vertical	84	2.54	-	60.39
PK	5.79G	123.68	Inf	-Inf	5.43	3	Vertical	84	2.54	-	118.25
AV	5.791G	111.83	Inf	-Inf	5.43	3	Vertical	84	2.54	-	106.40
PK	5.93G	67.81	68.20	-0.39	5.79	3	Vertical	84	2.54	-	62.02

802.11ax HEW40_Nss1,(MCS0)_8TX

5795MHz_TX

16/10/2019




EUT_Z_8TX
Setting 19.5
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.646G	58.67	68.20	-9.53	4.98	3	Horizontal	105	2.71	-	53.69
PK	5.796G	116.32	Inf	-Inf	5.46	3	Horizontal	105	2.71	-	110.86
AV	5.797G	104.58	Inf	-Inf	5.47	3	Horizontal	105	2.71	-	99.11
PK	5.933G	63.00	68.20	-5.20	5.79	3	Horizontal	105	2.71	-	57.21

802.11ax HEW40_Nss1,(MCS0)_8TX

5795MHz_TX

16/10/2019




EUT_Z_8TX
Setting 19.5
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59002G	57.80	74.00	-16.20	13.12	3	Vertical	12	2.86	-	44.68
AV	11.59014G	51.08	54.00	-2.92	13.12	3	Vertical	12	2.86	-	37.96

802.11ax HEW40_Nss1,(MCS0)_8TX

5795MHz_TX

16/10/2019




EUT_Z_8TX
Setting 19.5
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.58988G	55.99	74.00	-18.01	13.13	3	Horizontal	13	2.27	-	42.86
AV	11.59014G	44.88	54.00	-9.12	13.12	3	Horizontal	13	2.27	-	31.76

802.11ax HEW80_Nss1,(MCS0)_8TX

5210MHz_TX

16/10/2019




EUT_Z_8TX
Setting 14.5
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.133G	69.05	74.00	-4.95	5.17	3	Vertical	39	2.41	-	63.88
AV	5.133G	53.68	54.00	-0.32	5.17	3	Vertical	39	2.41	-	48.51
PK	5.213G	115.74	Inf	-Inf	4.79	3	Vertical	39	2.41	-	110.95
AV	5.213G	102.68	Inf	-Inf	4.79	3	Vertical	39	2.41	-	97.89
PK	5.354G	59.20	74.00	-14.80	4.67	3	Vertical	39	2.41	-	54.53
AV	5.353G	46.01	54.00	-7.99	4.67	3	Vertical	39	2.41	-	41.34

802.11ax HEW80_Nss1,(MCS0)_8TX

5210MHz_TX

16/10/2019




EUT_Z_8TX
Setting 14.5
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.148G	63.53	74.00	-10.47	5.10	3	Horizontal	28	2.99	-	58.43
AV	5.15G	48.09	54.00	-5.91	5.09	3	Horizontal	28	2.99	-	43.00
PK	5.206G	107.01	Inf	-Inf	4.83	3	Horizontal	28	2.99	-	102.18
AV	5.206G	95.54	Inf	-Inf	4.83	3	Horizontal	28	2.99	-	90.71
PK	5.431G	57.39	74.00	-16.61	4.95	3	Horizontal	28	2.99	-	52.44
AV	5.354G	44.34	54.00	-9.66	4.67	3	Horizontal	28	2.99	-	39.67

802.11ax HEW80_Nss1,(MCS0)_8TX

5210MHz_TX

16/10/2019




EUT_Z_8TX
Setting 14.5
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.42002G	60.67	68.20	-7.53	13.43	3	Vertical	25	2.12	-	47.24

802.11ax HEW80_Nss1,(MCS0)_8TX

5210MHz_TX

16/10/2019




EUT_Z_8TX
Setting 14.5
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.41992G	56.87	68.20	-11.33	13.43	3	Horizontal	236	1.92	-	43.44

802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz_TX


16/10/2019



802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz_TX


16/10/2019



802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz_TX


16/10/2019



802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz_TX

16/10/2019






<SBS mode>
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	5.634G	68.05	68.20	-0.15	4.96	3	Horizontal	295	1.36	-

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX

29/10/2019




EUT_Y_4TX
Setting 21
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	69.97	74.00	-4.03	5.09	3	Vertical	31	1.83	-	64.88
AV	5.15G	53.62	54.00	-0.38	5.09	3	Vertical	31	1.83	-	48.53
PK	5.1764G	115.60	Inf	-Inf	4.96	3	Vertical	31	1.83	-	110.64
AV	5.1768G	106.07	Inf	-Inf	4.96	3	Vertical	31	1.83	-	101.11

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX

29/10/2019




EUT_Y_4TX
Setting 21
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	67.19	74.00	-6.81	5.09	3	Horizontal	317	1.01	-	62.10
AV	5.15G	52.28	54.00	-1.72	5.09	3	Horizontal	317	1.01	-	47.19
PK	5.1764G	117.80	Inf	-Inf	4.96	3	Horizontal	317	1.01	-	112.84
AV	5.1768G	107.84	Inf	-Inf	4.96	3	Horizontal	317	1.01	-	102.88

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX

29/10/2019




EUT_Y_4TX
Setting 21
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.3597G	55.99	68.20	-12.21	13.34	3	Vertical	315	1.19	-	42.65
PK	15.54014G	58.56	74.00	-15.44	14.47	3	Vertical	5	1.50	-	44.09
AV	15.53746G	45.23	54.00	-8.77	14.48	3	Vertical	5	1.50	-	30.75

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX

29/10/2019




EUT_Y_4TX
Setting 21
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.35999G	57.55	68.20	-10.65	13.34	3	Horizontal	308	2.37	-	44.21
PK	15.53908G	58.63	74.00	-15.37	14.47	3	Horizontal	283	1.51	-	44.16
AV	15.5344G	45.08	54.00	-8.92	14.49	3	Horizontal	283	1.51	-	30.59

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX

29/10/2019




EUT_Y_4TX
Setting 21
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1472G	68.06	74.00	-5.94	5.10	3	Vertical	18	2.15	-	62.96
AV	5.146G	50.99	54.00	-3.01	5.11	3	Vertical	18	2.15	-	45.88
PK	5.206G	118.03	Inf	-Inf	4.83	3	Vertical	18	2.15	-	113.20
AV	5.2054G	108.22	Inf	-Inf	4.83	3	Vertical	18	2.15	-	103.39

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX

29/10/2019




EUT_Y_4TX
Setting 21
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1478G	68.58	74.00	-5.42	5.10	3	Horizontal	323	1.99	-	63.48
AV	5.15G	51.24	54.00	-2.76	5.09	3	Horizontal	323	1.99	-	46.15
PK	5.203G	120.09	Inf	-Inf	4.84	3	Horizontal	323	1.99	-	115.25
AV	5.203G	110.35	Inf	-Inf	4.84	3	Horizontal	323	1.99	-	105.51

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX

29/10/2019




EUT_Y_4TX
Setting 21
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.39976G	57.07	68.20	-11.13	13.40	3	Vertical	357	2.31	-	43.67
PK	15.601G	58.98	74.00	-15.02	14.27	3	Vertical	348	2.99	-	44.71
AV	15.6026G	45.43	54.00	-8.57	14.26	3	Vertical	348	2.99	-	31.17

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX

29/10/2019




EUT_Y_4TX
Setting 21
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.39999G	57.96	68.20	-10.24	13.40	3	Horizontal	359	1.59	-	44.56
PK	15.5928G	59.91	74.00	-14.09	14.30	3	Horizontal	111	1.70	-	45.61
AV	15.6002G	47.48	54.00	-6.52	14.27	3	Horizontal	111	1.70	-	33.21

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX

29/10/2019




EUT_Y_4TX
Setting 23
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1458G	59.23	74.00	-14.77	5.11	3	Vertical	22	2.59	-	54.12
AV	5.147G	45.54	54.00	-8.46	5.11	3	Vertical	22	2.59	-	40.43
PK	5.246G	119.67	Inf	-Inf	4.66	3	Vertical	22	2.59	-	115.01
AV	5.246G	108.61	Inf	-Inf	4.65	3	Vertical	22	2.59	-	103.96
PK	5.354G	56.64	74.00	-17.36	4.67	3	Vertical	22	2.59	-	51.97
AV	5.3552G	44.68	54.00	-9.32	4.68	3	Vertical	22	2.59	-	40.00

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX

29/10/2019




EUT_Y_4TX
Setting 23
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1422G	60.43	74.00	-13.57	5.12	3	Horizontal	323	2.00	-	55.31
AV	5.141G	46.88	54.00	-7.12	5.13	3	Horizontal	323	2.00	-	41.75
PK	5.2442G	122.55	Inf	-Inf	4.66	3	Horizontal	323	2.00	-	117.89
AV	5.243G	112.50	Inf	-Inf	4.67	3	Horizontal	323	2.00	-	107.83
PK	5.3594G	57.64	74.00	-16.36	4.70	3	Horizontal	323	2.00	-	52.94
AV	5.35G	44.92	54.00	-9.08	4.65	3	Horizontal	323	2.00	-	40.27

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX

29/10/2019




EUT_Y_4TX
Setting 23
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.47994G	58.37	68.20	-9.83	13.50	3	Vertical	345	1.97	-	44.87
PK	15.7244G	59.92	74.00	-14.08	13.85	3	Vertical	51	1.96	-	46.07
AV	15.724G	47.72	54.00	-6.28	13.86	3	Vertical	51	1.96	-	33.86

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX

29/10/2019




EUT_Y_4TX
Setting 23
06-P-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.4799G	57.04	68.20	-11.16	13.50	3	Horizontal	331	1.41	-	43.54
PK	15.7244G	65.49	74.00	-8.51	13.85	3	Horizontal	99	2.25	-	51.64
AV	15.724G	52.43	54.00	-1.57	13.86	3	Horizontal	99	2.25	-	38.57

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX

20/10/2019




EUT_Y_4TX
Setting 23
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	59.41	68.20	-8.79	4.98	3	Vertical	259	1.64	-	54.43
PK	5.748G	121.04	Inf	-Inf	5.26	3	Vertical	259	1.64	-	115.78
AV	5.748G	111.25	Inf	-Inf	5.26	3	Vertical	259	1.64	-	105.99
PK	5.933G	58.20	68.20	-10.00	5.79	3	Vertical	259	1.64	-	52.41

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX

20/10/2019




EUT_Y_4TX
Setting 23
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.639G	60.50	68.20	-7.70	4.96	3	Horizontal	237	1.88	-	55.54
PK	5.748G	122.78	Inf	-Inf	5.26	3	Horizontal	237	1.88	-	117.52
AV	5.748G	112.53	Inf	-Inf	5.26	3	Horizontal	237	1.88	-	107.27
PK	5.984G	58.06	68.20	-10.14	5.79	3	Horizontal	237	1.88	-	52.27

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX

20/10/2019




EUT_Y_4TX
Setting 23
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48964G	56.69	74.00	-17.31	13.31	3	Vertical	303	2.10	-	43.38
AV	11.48992G	45.56	54.00	-8.44	13.31	3	Vertical	303	2.10	-	32.25

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX

20/10/2019




EUT_Y_4TX
Setting 23
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49009G	56.88	74.00	-17.12	13.30	3	Horizontal	200	2.49	-	43.58
AV	11.48992G	44.96	54.00	-9.04	13.31	3	Horizontal	200	2.49	-	31.65

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX

20/10/2019




EUT_Y_4TX
Setting 23
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.599G	57.68	68.20	-10.52	4.91	3	Vertical	226	1.89	-	52.77
PK	5.782G	120.78	Inf	-Inf	5.41	3	Vertical	226	1.89	-	115.37
AV	5.782G	110.64	Inf	-Inf	5.41	3	Vertical	226	1.89	-	105.23
PK	5.927G	58.06	68.20	-10.14	5.79	3	Vertical	226	1.89	-	52.27

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX

20/10/2019




EUT_Y_4TX
Setting 23
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6G	59.90	68.20	-8.30	4.91	3	Horizontal	208	2.29	-	54.99
PK	5.792G	121.96	Inf	-Inf	5.44	3	Horizontal	208	2.29	-	116.52
AV	5.792G	111.01	Inf	-Inf	5.44	3	Horizontal	208	2.29	-	105.57
PK	5.925G	57.73	68.20	-10.47	5.79	3	Horizontal	208	2.29	-	51.94

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX

20/10/2019




EUT_Y_4TX
Setting 23
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57444G	57.31	74.00	-16.69	13.15	3	Vertical	353	2.46	-	44.16
AV	11.56988G	45.99	54.00	-8.01	13.16	3	Vertical	353	2.46	-	32.83

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX

20/10/2019




EUT_Y_4TX
Setting 23
06-P-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57024G	57.37	74.00	-16.63	13.15	3	Horizontal	0	1.50	-	44.22
AV	11.56996G	46.10	54.00	-7.90	13.16	3	Horizontal	0	1.50	-	32.94

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX

20/10/2019




EUT_Y_4TX
Setting 23
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.634G	58.56	68.20	-9.64	4.96	3	Vertical	198	2.14	-	53.60
PK	5.829G	121.36	Inf	-Inf	5.57	3	Vertical	198	2.14	-	115.79
AV	5.828G	110.93	Inf	-Inf	5.56	3	Vertical	198	2.14	-	105.37
PK	5.925G	60.56	68.20	-7.64	5.79	3	Vertical	198	2.14	-	54.77

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX

20/10/2019




EUT_Y_4TX
Setting 23
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.63G	59.40	68.20	-8.80	4.95	3	Horizontal	287	2.45	-	54.45
PK	5.823G	121.54	Inf	-Inf	5.55	3	Horizontal	287	2.45	-	115.99
AV	5.822G	111.20	Inf	-Inf	5.55	3	Horizontal	287	2.45	-	105.65
PK	5.926G	59.51	68.20	-8.69	5.79	3	Horizontal	287	2.45	-	53.72

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX

20/10/2019




EUT_Y_4TX
Setting 23
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64534G	56.44	74.00	-17.56	13.03	3	Vertical	287	1.86	-	43.41
AV	11.6499G	43.98	54.00	-10.02	13.03	3	Vertical	287	1.86	-	30.95

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX

20/10/2019


EUT_Y_4TX
Setting 23
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65408G	56.44	74.00	-17.56	13.02	3	Horizontal	4	1.50	-	43.42
AV	11.64996G	43.52	54.00	-10.48	13.03	3	Horizontal	4	1.50	-	30.49

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TX

19/10/2019


EUT_Y_4TX
Setting 17
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	66.45	74.00	-7.55	5.09	3	Vertical	299	2.50	-	61.36
AV	5.15G	51.15	54.00	-2.85	5.09	3	Vertical	299	2.50	-	46.06
PK	5.1816G	117.29	Inf	-Inf	4.94	3	Vertical	299	2.50	-	112.35
AV	5.1816G	104.22	Inf	-Inf	4.94	3	Vertical	299	2.50	-	99.28

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TX

19/10/2019


EUT_Y_4TX
Setting 17
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	68.74	74.00	-5.11	5.09	3	Horizontal	305	2.32	-	63.80
AV	5.15G	53.39	54.00	-0.61	5.09	3	Horizontal	305	2.32	-	48.30
PK	5.1808G	120.82	Inf	-Inf	4.94	3	Horizontal	305	2.32	-	115.88
AV	5.1816G	107.19	Inf	-Inf	4.94	3	Horizontal	305	2.32	-	102.25

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TX

29/10/2019


EUT_Y_4TX
Setting 17
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.36G	57.56	68.20	-10.64	13.34	3	Vertical	358	2.27	-	44.22
PK	15.5322G	58.42	74.00	-15.58	14.50	3	Vertical	220	1.50	-	43.92
AV	15.53332G	44.64	54.00	-9.36	14.49	3	Vertical	220	1.50	-	30.15

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TX

29/10/2019


EUT_Y_4TX
Setting 17
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.35988G	58.20	68.20	-10.00	13.34	3	Horizontal	307	2.37	-	44.86
PK	15.55G	58.83	74.00	-15.17	14.45	3	Horizontal	120	1.50	-	44.38
AV	15.5532G	44.74	54.00	-9.26	14.43	3	Horizontal	120	1.50	-	30.31

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TX

29/10/2019


EUT_Y_4TX
Setting 20
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1478G	65.27	74.00	-8.73	5.10	3	Vertical	26	1.65	-	60.17
AV	5.1466G	49.38	54.00	-4.62	5.11	3	Vertical	26	1.65	-	44.27
PK	5.1982G	120.67	Inf	-Inf	4.86	3	Vertical	26	1.65	-	115.81
AV	5.1988G	108.35	Inf	-Inf	4.86	3	Vertical	26	1.65	-	103.49

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TX

29/10/2019


EUT_Y_4TX
Setting 20
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	68.74	74.00	-5.26	5.09	3	Horizontal	325	2.00	-	63.65
AV	5.1496G	52.96	54.00	-1.04	5.09	3	Horizontal	325	2.00	-	47.87
PK	5.209G	122.09	Inf	-Inf	4.81	3	Horizontal	325	2.00	-	117.28
AV	5.209G	109.06	Inf	-Inf	4.81	3	Horizontal	325	2.00	-	104.25

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TX

29/10/2019


EUT_Y_4TX
Setting 20
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.40002G	57.90	68.20	-10.30	13.40	3	Vertical	6	2.26	-	44.50
PK	15.60276G	58.41	74.00	-15.59	14.26	3	Vertical	0	2.01	-	44.15
AV	15.6102G	44.68	54.00	-9.32	14.24	3	Vertical	0	2.01	-	30.44

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TX

29/10/2019


EUT_Y_4TX
Setting 20
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.39998G	57.93	68.20	-10.27	13.40	3	Horizontal	359	1.71	-	44.53
PK	15.60354G	58.81	74.00	-15.19	14.26	3	Horizontal	68	1.40	-	44.55
AV	15.60126G	45.15	54.00	-8.85	14.27	3	Horizontal	68	1.40	-	30.88

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TX

29/10/2019


EUT_Y_4TX
Setting 23
06-P-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.47994G	57.00	68.20	-11.20	13.50	3	Vertical	14	2.06	-	43.50
PK	15.7115G	59.77	74.00	-14.23	13.90	3	Vertical	29	1.50	-	45.87
AV	15.7116G	46.90	54.00	-7.10	13.90	3	Vertical	29	1.50	-	33.00

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TX

29/10/2019


EUT_Y_4TX
Setting 23
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	65.32	74.00	-8.68	5.09	3	Vertical	28	1.82	-	60.23
AV	5.1494G	48.69	54.00	-5.31	5.09	3	Vertical	28	1.82	-	43.60
PK	5.2442G	122.27	Inf	-Inf	4.66	3	Vertical	28	1.82	-	117.61
AV	5.243G	110.54	Inf	-Inf	4.67	3	Vertical	28	1.82	-	105.87
PK	5.372G	57.50	74.00	-16.50	4.75	3	Vertical	28	1.82	-	52.75
AV	5.35G	44.75	54.00	-9.25	4.65	3	Vertical	28	1.82	-	40.10

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TX

29/10/2019


EUT_Y_4TX
Setting 23
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.47981G	59.03	68.20	-9.17	13.50	3	Horizontal	304	2.56	-	45.53
PK	15.7144G	63.35	74.00	-10.65	13.89	3	Horizontal	99	2.21	-	49.46
AV	15.715G	50.02	54.00	-3.98	13.89	3	Horizontal	99	2.21	-	36.13

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TX

29/10/2019


EUT_Y_4TX
Setting 23
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1398G	61.54	74.00	-12.46	5.13	3	Horizontal	320	2.19	-	56.41
AV	5.1416G	47.36	54.00	-6.64	5.12	3	Horizontal	320	2.19	-	42.24
PK	5.2436G	124.55	Inf	-Inf	4.67	3	Horizontal	320	2.19	-	119.88
AV	5.2424G	112.10	Inf	-Inf	4.67	3	Horizontal	320	2.19	-	107.43
PK	5.35G	57.78	74.00	-16.22	4.65	3	Horizontal	320	2.19	-	53.13
AV	5.363G	44.82	54.00	-9.18	4.72	3	Horizontal	320	2.19	-	40.10

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX

20/10/2019


EUT_Y_4TX
Setting 23
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	61.36	68.20	-6.84	4.98	3	Vertical	329	1.43	-	56.38
PK	5.748G	121.85	Inf	-Inf	5.26	3	Vertical	329	1.43	-	116.59
AV	5.748G	109.31	Inf	-Inf	5.26	3	Vertical	329	1.43	-	104.05
PK	5.929G	58.20	68.20	-10.00	5.79	3	Vertical	329	1.43	-	52.41

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX

20/10/2019


EUT_Y_4TX
Setting 23
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.645G	61.57	68.20	-6.63	4.97	3	Horizontal	313	1.50	-	56.60
PK	5.744G	121.27	Inf	-Inf	5.25	3	Horizontal	313	1.50	-	116.02
AV	5.744G	109.74	Inf	-Inf	5.25	3	Horizontal	313	1.50	-	104.49
PK	5.976G	58.16	68.20	-10.04	5.79	3	Horizontal	313	1.50	-	52.37

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX

20/10/2019




EUT_Y_4TX
Setting 23
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48985G	57.72	74.00	-16.28	13.31	3	Vertical	345	1.60	-	44.41
AV	11.48994G	46.25	54.00	-7.75	13.31	3	Vertical	345	1.60	-	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX

20/10/2019




EUT_Y_4TX
Setting 23
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48982G	56.79	74.00	-17.21	13.31	3	Horizontal	0	2.83	-	43.48
AV	11.48992G	45.79	54.00	-8.21	13.31	3	Horizontal	0	2.83	-	32.48

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX

20/10/2019




EUT_Y_4TX
Setting 23
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.587G	58.71	68.20	-9.49	4.94	3	Vertical	327	2.12	-	53.77
PK	5.783G	121.49	Inf	-Inf	5.41	3	Vertical	327	2.12	-	116.08
AV	5.782G	109.58	Inf	-Inf	5.41	3	Vertical	327	2.12	-	104.17
PK	5.938G	57.88	68.20	-10.32	5.79	3	Vertical	327	2.12	-	52.09

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX

20/10/2019




EUT_Y_4TX
Setting 23
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.597G	59.64	68.20	-8.56	4.92	3	Horizontal	299	1.43	-	54.72
PK	5.79G	122.80	Inf	-Inf	5.43	3	Horizontal	299	1.43	-	117.37
AV	5.791G	110.95	Inf	-Inf	5.43	3	Horizontal	299	1.43	-	105.52
PK	5.99G	58.95	68.20	-9.25	5.79	3	Horizontal	299	1.43	-	53.16

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX

20/10/2019




EUT_Y_4TX
Setting 23
06-P-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56978G	58.48	74.00	-15.52	13.16	3	Vertical	349	1.00	-	45.32
AV	11.56988G	47.27	54.00	-6.73	13.16	3	Vertical	349	1.00	-	34.11

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX

20/10/2019




EUT_Y_4TX
Setting 23
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56998G	57.86	74.00	-16.14	13.16	3	Horizontal	1	1.50	-	44.70
AV	11.56997G	45.75	54.00	-8.25	13.16	3	Horizontal	1	1.50	-	32.59

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX

20/10/2019




EUT_Y_4TX
Setting 23
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.635G	57.77	68.20	-10.43	4.97	3	Vertical	327	1.90	-	52.80
PK	5.824G	121.54	Inf	-Inf	5.56	3	Vertical	327	1.90	-	115.98
AV	5.827G	109.05	Inf	-Inf	5.56	3	Vertical	327	1.90	-	103.49
PK	5.924G	61.56	68.94	-7.38	5.79	3	Vertical	327	1.90	-	55.77

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX

20/10/2019




EUT_Y_4TX
Setting 23
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.633G	59.51	68.20	-8.69	4.96	3	Horizontal	309	1.38	-	54.55
PK	5.824G	122.38	Inf	-Inf	5.55	3	Horizontal	309	1.38	-	116.83
AV	5.824G	110.12	Inf	-Inf	5.55	3	Horizontal	309	1.38	-	104.57
PK	5.929G	61.94	68.20	-6.26	5.79	3	Horizontal	309	1.38	-	56.15

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX

20/10/2019




EUT_Y_4TX
Setting 23
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64996G	57.50	74.00	-16.50	13.03	3	Vertical	341	1.50	-	44.47
AV	11.64992G	45.39	54.00	-8.61	13.03	3	Vertical	341	1.50	-	32.36

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX

20/10/2019




EUT_Y_4TX
Setting 23
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64986G	56.70	74.00	-17.30	13.03	3	Horizontal	1	1.50	-	43.67
AV	11.64992G	45.35	54.00	-8.65	13.03	3	Horizontal	1	1.50	-	32.32

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TX

19/10/2019




EUT_Y_4TX
Setting 14.5
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.139G	63.95	74.00	-10.05	5.13	3	Vertical	29	1.72	-	58.82
AV	5.1456G	48.63	54.00	-5.37	5.11	3	Vertical	29	1.72	-	43.52
PK	5.193G	113.78	Inf	-Inf	4.88	3	Vertical	29	1.72	-	108.90
AV	5.193G	100.03	Inf	-Inf	4.88	3	Vertical	29	1.72	-	95.15

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TX

19/10/2019




EUT_Y_4TX
Setting 14.5
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1498G	69.26	74.00	-4.74	5.09	3	Horizontal	318	2.16	-	64.17
AV	5.1498G	53.27	54.00	-0.73	5.09	3	Horizontal	318	2.16	-	48.18
PK	5.1942G	114.98	Inf	-Inf	4.88	3	Horizontal	318	2.16	-	110.10
AV	5.1918G	102.92	Inf	-Inf	4.88	3	Horizontal	318	2.16	-	98.04

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TX

19/10/2019




EUT_Y_4TX
Setting 14.5
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5566G	59.16	74.00	-14.84	14.42	3	Vertical	41	1.48	-	44.74
AV	15.5713G	46.00	54.00	-8.00	14.37	3	Vertical	41	1.48	-	31.63

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TX

19/10/2019




EUT_Y_4TX
Setting 14.5
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5718G	62.48	74.00	-11.52	14.37	3	Horizontal	62	1.68	-	48.11
AV	15.5729G	48.51	54.00	-5.49	14.36	3	Horizontal	62	1.68	-	34.15

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TX

19/10/2019




EUT_Y_4TX
Setting 18
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	68.41	74.00	-5.59	5.09	3	Vertical	29	1.63	-	63.32
AV	5.15G	53.11	54.00	-0.89	5.09	3	Vertical	29	1.63	-	48.02
PK	5.2294G	116.33	Inf	-Inf	4.73	3	Vertical	29	1.63	-	111.60
AV	5.2294G	104.52	Inf	-Inf	4.73	3	Vertical	29	1.63	-	99.79
PK	5.3608G	57.80	74.00	-16.20	4.70	3	Vertical	29	1.63	-	53.10
AV	5.3554G	44.63	54.00	-9.37	4.68	3	Vertical	29	1.63	-	39.95

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TX

19/10/2019


EUT_Y_4TX
Setting 18
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1472G	65.50	74.00	-8.50	5.10	3	Horizontal	324	2.13	-	60.40
AV	5.1484G	51.36	54.00	-2.64	5.10	3	Horizontal	324	2.13	-	46.26
PK	5.2384G	119.26	Inf	-Inf	4.69	3	Horizontal	324	2.13	-	114.57
AV	5.2378G	106.57	Inf	-Inf	4.69	3	Horizontal	324	2.13	-	101.88
PK	5.3578G	57.50	74.00	-16.50	4.69	3	Horizontal	324	2.13	-	52.81
AV	5.3512G	45.03	54.00	-8.97	4.66	3	Horizontal	324	2.13	-	40.37

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TX

20/10/2019


EUT_Y_4TX
Setting 18
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.69064G	59.65	74.00	-14.35	13.97	3	Vertical	181	2.36	-	45.68
AV	15.69356G	45.04	54.00	-8.96	13.96	3	Vertical	181	2.36	-	31.08

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TX

19/10/2019


EUT_Y_4TX
Setting 18
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6889G	58.57	74.00	-15.43	13.98	3	Horizontal	343	1.12	-	44.59
AV	15.69412G	44.93	54.00	-9.07	13.96	3	Horizontal	343	1.12	-	30.97

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX

20/10/2019


EUT_Y_4TX
Setting 20
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.652G	67.61	69.68	-2.07	4.98	3	Vertical	350	2.21	-	62.63
PK	5.751G	118.52	Inf	-Inf	5.26	3	Vertical	350	2.21	-	113.26
AV	5.751G	105.82	Inf	-Inf	5.26	3	Vertical	350	2.21	-	100.56
PK	5.938G	58.71	68.20	-9.49	5.79	3	Vertical	350	2.21	-	52.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX

20/10/2019


EUT_Y_4TX
Setting 20
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.642G	66.04	68.20	-2.16	4.96	3	Horizontal	293	1.52	-	61.08
PK	5.743G	118.68	Inf	-Inf	5.23	3	Horizontal	293	1.52	-	113.45
AV	5.762G	106.33	Inf	-Inf	5.32	3	Horizontal	293	1.52	-	101.01
PK	5.964G	59.40	68.20	-8.80	5.79	3	Horizontal	293	1.52	-	53.61

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX

20/10/2019


EUT_Y_4TX
Setting 20
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50978G	57.31	74.00	-16.69	13.27	3	Vertical	344	1.58	-	44.04
AV	11.50992G	45.50	54.00	-8.50	13.27	3	Vertical	344	1.58	-	32.23

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX

20/10/2019


EUT_Y_4TX
Setting 20
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50985G	57.32	74.00	-16.68	13.27	3	Horizontal	1	2.82	-	44.05
AV	11.50993G	44.58	54.00	-9.42	13.27	3	Horizontal	1	2.82	-	31.31

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX

20/10/2019


EUT_Y_4TX
Setting 21
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	67.62	68.20	-0.58	4.98	3	Vertical	330	2.03	-	62.64
PK	5.791G	119.60	Inf	-Inf	5.43	3	Vertical	330	2.03	-	114.17
AV	5.792G	106.99	Inf	-Inf	5.44	3	Vertical	330	2.03	-	101.55
PK	5.933G	66.18	68.20	-2.02	5.79	3	Vertical	330	2.03	-	60.39

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX

20/10/2019


EUT_Y_4TX
Setting 21
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.642G	67.08	68.20	-1.12	4.96	3	Horizontal	299	1.27	-	62.12
PK	5.8G	120.54	Inf	-Inf	5.48	3	Horizontal	299	1.27	-	115.06
AV	5.801G	108.39	Inf	-Inf	5.48	3	Horizontal	299	1.27	-	102.91
PK	5.928G	65.59	68.20	-2.61	5.79	3	Horizontal	299	1.27	-	59.80

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX

20/10/2019


EUT_Y_4TX
Setting 21
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5897G	58.02	74.00	-15.98	13.13	3	Vertical	346	1.48	-	44.89
AV	11.58987G	45.29	54.00	-8.71	13.13	3	Vertical	346	1.48	-	32.16

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX

20/10/2019


EUT_Y_4TX
Setting 21
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.58994G	58.58	74.00	-15.42	13.13	3	Horizontal	3	1.50	-	45.45
AV	11.58983G	45.98	54.00	-8.02	13.13	3	Horizontal	3	1.50	-	32.85

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX

19/10/2019


EUT_Y_4TX
Setting 14
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	67.52	74.00	-6.48	5.09	3	Vertical	25	1.66	-	62.43
AV	5.149G	51.44	54.00	-2.56	5.09	3	Vertical	25	1.66	-	46.35
PK	5.209G	110.71	Inf	-Inf	4.81	3	Vertical	25	1.66	-	105.90
AV	5.209G	98.04	Inf	-Inf	4.81	3	Vertical	25	1.66	-	93.23
PK	5.39G	57.84	74.00	-16.16	4.84	3	Vertical	25	1.66	-	53.00
AV	5.35G	45.23	54.00	-8.77	4.65	3	Vertical	25	1.66	-	40.58

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX

19/10/2019


EUT_Y_4TX
Setting 14
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.138G	66.94	74.00	-7.06	5.14	3	Horizontal	326	2.04	-	61.80
AV	5.136G	52.24	54.00	-1.76	5.15	3	Horizontal	326	2.04	-	47.09
PK	5.217G	112.07	Inf	-Inf	4.77	3	Horizontal	326	2.04	-	107.30
AV	5.219G	99.49	Inf	-Inf	4.76	3	Horizontal	326	2.04	-	94.73
PK	5.358G	57.93	74.00	-16.07	4.69	3	Horizontal	326	2.04	-	53.24
AV	5.358G	45.24	54.00	-8.76	4.69	3	Horizontal	326	2.04	-	40.55

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX

19/10/2019


EUT_Y_4TX
Setting 14
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62566G	60.23	74.00	-13.77	14.19	3	Vertical	116	1.32	-	46.04
AV	15.62962G	45.30	54.00	-8.70	14.18	3	Vertical	116	1.32	-	31.12

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX

19/10/2019


EUT_Y_4TX
Setting 14
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62874G	59.22	74.00	-14.78	14.18	3	Horizontal	62	1.72	-	45.04
AV	15.62548G	46.02	54.00	-7.98	14.19	3	Horizontal	62	1.72	-	31.83

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX

20/10/2019

EUT_Y_4TX
Setting 17.5
06-P-2-10
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.653G	65.65	70.42	-4.77	4.98	3	Vertical	345	1.43	-	60.67
PK	5.772G	112.53	Inf	-Inf	5.36	3	Vertical	345	1.43	-	107.17
AV	5.773G	100.01	Inf	-Inf	5.36	3	Vertical	345	1.43	-	94.65
PK	5.935G	60.95	68.20	-7.25	5.79	3	Vertical	345	1.43	-	55.16



802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX


20/10/2019



802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX


20/10/2019



802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX

20/10/2019






<Scan Radio>
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1,(MCS0)_1TX	Pass	AV	5.1499G	53.86	54.00	-0.14	5.09	3	Horizontal	15	1.76	-

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX

18/10/2019


EUT_Y_1TX
Setting 26
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	63.45	74.00	-10.55	5.09	3	Vertical	347	1.98	-	58.36
AV	5.15G	50.24	54.00	-3.76	5.09	3	Vertical	347	1.98	-	45.15
PK	5.186G	107.91	Inf	-Inf	4.92	3	Vertical	347	1.98	-	102.99
AV	5.186G	97.79	Inf	-Inf	4.92	3	Vertical	347	1.98	-	92.87

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX

18/10/2019


EUT_Y_1TX
Setting 26
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	66.65	74.00	-7.35	5.09	3	Horizontal	337	1.75	-	61.56
AV	5.15G	52.64	54.00	-1.36	5.09	3	Horizontal	337	1.75	-	47.55
PK	5.186G	109.99	Inf	-Inf	4.92	3	Horizontal	337	1.75	-	105.07
AV	5.186G	100.13	Inf	-Inf	4.92	3	Horizontal	337	1.75	-	95.21

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX

18/10/2019


EUT_Y_1TX
Setting 26
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.35394G	58.21	68.20	-9.99	13.34	3	Vertical	2	2.99	-	44.87
PK	15.54474G	59.37	74.00	-14.63	14.45	3	Vertical	10	1.82	-	44.92
AV	15.53376G	45.75	54.00	-8.25	14.49	3	Vertical	10	1.82	-	31.26

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX

18/10/2019


EUT_Y_1TX
Setting 26
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.35874G	58.20	68.20	-10.00	13.34	3	Horizontal	8	1.87	-	44.86
PK	15.5283G	60.49	74.00	-13.51	14.51	3	Horizontal	325	1.67	-	45.98
AV	15.53808G	46.30	54.00	-7.70	14.48	3	Horizontal	325	1.67	-	31.82

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	60.70	74.00	-13.30	5.11	3	Vertical	344	2.16	-	55.59
AV	5.15G	47.81	54.00	-6.19	5.09	3	Vertical	344	2.16	-	42.72
PK	5.2072G	112.03	Inf	-Inf	4.82	3	Vertical	344	2.16	-	107.21
AV	5.2066G	101.24	Inf	-Inf	4.82	3	Vertical	344	2.16	-	96.42

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	66.14	74.00	-7.86	5.10	3	Horizontal	339	1.71	-	61.04
AV	5.1496G	50.77	54.00	-3.23	5.09	3	Horizontal	339	1.71	-	45.68
PK	5.1982G	113.79	Inf	-Inf	4.86	3	Horizontal	339	1.71	-	108.93
AV	5.1976G	103.17	Inf	-Inf	4.86	3	Horizontal	339	1.71	-	98.31

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.40138G	57.51	68.20	-10.69	13.40	3	Vertical	314	1.48	-	44.11
PK	15.60642G	60.38	74.00	-13.62	14.25	3	Vertical	8	1.96	-	46.13
AV	15.59982G	47.22	54.00	-6.78	14.27	3	Vertical	8	1.96	-	32.95

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.39844G	60.23	68.20	-7.97	13.40	3	Horizontal	8	1.46	-	46.83
PK	15.59676G	63.78	74.00	-10.22	14.28	3	Horizontal	326	1.69	-	49.50
AV	15.59994G	50.26	54.00	-3.74	14.27	3	Horizontal	326	1.69	-	35.99

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX

18/10/2019




EUT_Y_1TX
Setting 32
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1194G	57.60	74.00	-16.40	5.23	3	Vertical	326	1.50	-	52.37
AV	5.099G	44.93	54.00	-9.07	5.32	3	Vertical	326	1.50	-	39.61
PK	5.2448G	110.09	Inf	-Inf	4.66	3	Vertical	326	1.50	-	105.43
AV	5.2448G	99.01	Inf	-Inf	4.66	3	Vertical	326	1.50	-	94.35
PK	5.3702G	57.03	74.00	-16.97	4.74	3	Vertical	326	1.50	-	52.29
AV	5.357G	44.65	54.00	-9.35	4.69	3	Vertical	326	1.50	-	39.96

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX

18/10/2019




EUT_Y_1TX
Setting 32
06-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1092G	57.81	74.00	-16.19	5.28	3	Horizontal	12	1.80	-	52.53
AV	5.1026G	45.25	54.00	-8.75	5.31	3	Horizontal	12	1.80	-	39.94
PK	5.2406G	114.23	Inf	-Inf	4.68	3	Horizontal	12	1.80	-	109.55
AV	5.2448G	103.73	Inf	-Inf	4.66	3	Horizontal	12	1.80	-	99.07
PK	5.3522G	57.39	74.00	-16.61	4.66	3	Horizontal	12	1.80	-	52.73
AV	5.357G	44.63	54.00	-9.37	4.69	3	Horizontal	12	1.80	-	39.94

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX

18/10/2019




EUT_Y_1TX
Setting 32
06-P-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.48192G	57.14	68.20	-11.06	13.51	3	Vertical	323	1.50	-	43.63
PK	15.71736G	61.00	74.00	-13.00	13.88	3	Vertical	42	2.01	-	47.12
AV	15.72534G	46.99	54.00	-7.01	13.85	3	Vertical	42	2.01	-	33.14

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX

18/10/2019




EUT_Y_1TX
Setting 32
06-P-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.48012G	59.39	68.20	-8.81	13.50	3	Horizontal	359	1.75	-	45.89
PK	15.72648G	64.19	74.00	-9.81	13.85	3	Horizontal	326	1.71	-	50.34
AV	15.72114G	50.27	54.00	-3.73	13.87	3	Horizontal	326	1.71	-	36.40

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX

18/10/2019




EUT_Y_1TX
Setting 32
06-J-1-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.522G	58.06	68.20	-10.14	5.06	3	Vertical	358	1.69	-	53.00
PK	5.751G	109.73	Inf	-Inf	5.26	3	Vertical	358	1.69	-	104.47
AV	5.751G	99.45	Inf	-Inf	5.26	3	Vertical	358	1.69	-	94.19
PK	5.959G	58.28	68.20	-9.92	5.79	3	Vertical	358	1.69	-	52.49

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX

18/10/2019




EUT_Y_1TX
Setting 32
06-J-1-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.541G	58.32	68.20	-9.88	5.02	3	Horizontal	348	1.78	-	53.30
PK	5.743G	111.06	Inf	-Inf	5.23	3	Horizontal	348	1.78	-	105.83
AV	5.741G	100.85	Inf	-Inf	5.22	3	Horizontal	348	1.78	-	95.63
PK	5.952G	58.02	68.20	-10.18	5.79	3	Horizontal	348	1.78	-	52.23

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX

18/10/2019




EUT_Y_1TX
Setting 32
06-J-1
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4884G	60.07	74.00	-13.93	13.31	3	Vertical	346	1.31	-	46.76
AV	11.4893G	47.40	54.00	-6.60	13.31	3	Vertical	346	1.31	-	34.09
PK	17.2558G	63.42	68.20	-4.78	19.10	3	Vertical	327	1.50	-	44.32

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX

18/10/2019




EUT_Y_1TX
Setting 32
06-J-1
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4902G	64.70	74.00	-9.30	13.30	3	Horizontal	26	1.37	-	51.40
AV	11.4891G	50.50	54.00	-3.50	13.31	3	Horizontal	26	1.37	-	37.19
PK	17.2506G	66.32	68.20	-1.88	19.05	3	Horizontal	47	1.73	-	47.27

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX

18/10/2019




EUT_Y_1TX
Setting 32
06-J-1-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.551G	57.64	68.20	-10.56	5.01	3	Vertical	359	1.63	-	52.63
PK	5.787G	110.40	Inf	-Inf	5.43	3	Vertical	359	1.63	-	104.97
AV	5.79G	99.96	Inf	-Inf	5.43	3	Vertical	359	1.63	-	94.53
PK	5.937G	57.51	68.20	-10.69	5.79	3	Vertical	359	1.63	-	51.72

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX

18/10/2019




EUT_Y_1TX
Setting 32
06-J-1-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.554G	57.24	68.20	-10.96	5.00	3	Horizontal	348	1.66	-	52.24
PK	5.784G	112.29	Inf	-Inf	5.42	3	Horizontal	348	1.66	-	106.87
AV	5.792G	101.45	Inf	-Inf	5.44	3	Horizontal	348	1.66	-	96.01
PK	5.947G	57.99	68.20	-10.21	5.79	3	Horizontal	348	1.66	-	52.20

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX

18/10/2019




EUT_Y_1TX
Setting 32
06-J-1
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57008G	59.28	74.00	-14.72	13.15	3	Vertical	3	1.50	-	46.13
AV	11.5702G	45.64	54.00	-8.36	13.15	3	Vertical	3	1.50	-	32.49
PK	17.34616G	65.25	68.20	-2.95	20.06	3	Vertical	17	1.50	-	45.19

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX

18/10/2019




EUT_Y_1TX
Setting 32
06-J-1
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5703G	63.73	74.00	-10.27	13.15	3	Horizontal	25	1.35	-	50.58
AV	11.569G	50.50	54.00	-3.50	13.16	3	Horizontal	25	1.35	-	37.34
PK	17.3687G	65.02	68.20	-3.18	20.30	3	Horizontal	50	1.50	-	44.72

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX

18/10/2019




EUT_Y_1TX
Setting 32
06-J-1-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.585G	57.48	68.20	-10.72	4.94	3	Vertical	359	1.67	-	52.54
PK	5.819G	111.58	Inf	-Inf	5.54	3	Vertical	359	1.67	-	106.04
AV	5.82G	101.22	Inf	-Inf	5.54	3	Vertical	359	1.67	-	95.68
PK	5.99G	58.08	68.20	-10.12	5.79	3	Vertical	359	1.67	-	52.29

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX

18/10/2019




EUT_Y_1TX
Setting 32
06-J-1-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.614G	58.42	68.20	-9.78	4.92	3	Horizontal	350	1.74	-	53.50
PK	5.818G	113.40	Inf	-Inf	5.53	3	Horizontal	350	1.74	-	107.87
AV	5.819G	102.81	Inf	-Inf	5.54	3	Horizontal	350	1.74	-	97.27
PK	5.948G	57.60	68.20	-10.60	5.79	3	Horizontal	350	1.74	-	51.81

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX

18/10/2019




EUT_Y_1TX
Setting 32
06-J-1
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.647G	57.04	74.00	-16.96	13.03	3	Vertical	344	1.50	-	44.01
AV	11.6487G	44.18	54.00	-9.82	13.03	3	Vertical	344	1.50	-	31.15
PK	17.47236G	66.59	68.20	-1.61	21.39	3	Vertical	217	1.50	-	45.20

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX

18/10/2019




EUT_Y_1TX
Setting 32
06-J-1
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6504G	62.97	74.00	-11.03	13.02	3	Horizontal	25	1.36	-	49.95
AV	11.64952G	49.31	54.00	-4.69	13.03	3	Horizontal	25	1.36	-	36.28
PK	17.46228G	67.43	68.20	-0.77	21.29	3	Horizontal	48	1.28	-	46.14

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TX

18/10/2019




EUT_Y_1TX
Setting 26
06-J-1-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	62.92	74.00	-11.08	5.10	3	Vertical	324	1.38	-	57.82
AV	5.15G	49.78	54.00	-4.22	5.09	3	Vertical	324	1.38	-	44.69
PK	5.1856G	105.23	Inf	-Inf	4.92	3	Vertical	324	1.38	-	100.31
AV	5.1862G	95.28	Inf	-Inf	4.92	3	Vertical	324	1.38	-	90.36

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TX

18/10/2019




EUT_Y_1TX
Setting 26
06-J-1-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	68.13	74.00	-5.87	5.10	3	Horizontal	335	1.76	-	63.03
AV	5.1498G	53.60	54.00	-0.40	5.09	3	Horizontal	335	1.76	-	48.51
PK	5.1852G	109.76	Inf	-Inf	4.92	3	Horizontal	335	1.76	-	104.84
AV	5.187G	99.66	Inf	-Inf	4.92	3	Horizontal	335	1.76	-	94.74

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TX

18/10/2019




EUT_Y_1TX
Setting 26
06-J-1
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.35968G	56.99	68.20	-11.21	13.34	3	Vertical	23	1.45	-	43.65
PK	15.54476G	58.96	74.00	-15.04	14.45	3	Vertical	7	1.50	-	44.51
AV	15.53412G	45.62	54.00	-8.38	14.49	3	Vertical	7	1.50	-	31.13

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TX

18/10/2019




EUT_Y_1TX
Setting 26
06-J-1
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.36456G	58.34	68.20	-9.86	13.34	3	Horizontal	9	1.28	-	45.00
PK	15.53108G	60.34	74.00	-13.66	14.50	3	Horizontal	326	1.41	-	45.84
AV	15.542G	46.24	54.00	-7.76	14.46	3	Horizontal	326	1.41	-	31.78

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TX

18/10/2019




EUT_Y_1TX
Setting 32
06-J-1-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1464G	61.87	74.00	-12.13	5.11	3	Vertical	325	1.50	-	56.76
AV	5.1496G	48.37	54.00	-5.63	5.09	3	Vertical	325	1.50	-	43.28
PK	5.2064G	108.99	Inf	-Inf	4.82	3	Vertical	325	1.50	-	104.17
AV	5.2052G	98.35	Inf	-Inf	4.83	3	Vertical	325	1.50	-	93.52

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TX

18/10/2019




EUT_Y_1TX
Setting 32
06-J-1-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	68.27	74.00	-5.73	5.09	3	Horizontal	336	1.68	-	63.18
AV	5.15G	52.18	54.00	-1.82	5.09	3	Horizontal	336	1.68	-	47.09
PK	5.196G	113.52	Inf	-Inf	4.87	3	Horizontal	336	1.68	-	108.65
AV	5.1956G	102.55	Inf	-Inf	4.87	3	Horizontal	336	1.68	-	97.68

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TX

18/10/2019




EUT_Y_1TX
Setting 32
06-J-1
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.38974G	57.97	68.20	-10.23	13.39	3	Vertical	317	2.99	-	44.58
PK	15.5902G	58.84	74.00	-15.16	14.30	3	Vertical	207	2.34	-	44.54
AV	15.59272G	45.28	54.00	-8.72	14.30	3	Vertical	207	2.34	-	30.98

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TX

18/10/2019




EUT Y_1TX
Setting 32
06-J-1
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.40056G	59.72	68.20	-8.48	13.40	3	Horizontal	7	1.70	-	46.32
PK	15.60048G	60.21	74.00	-13.79	14.27	3	Horizontal	318	1.44	-	45.94
AV	15.60424G	47.06	54.00	-6.94	14.26	3	Horizontal	318	1.44	-	32.80

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TX

18/10/2019




EUT Y_1TX
Setting 32
06-J-1-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1062G	57.74	74.00	-16.26	5.29	3	Vertical	324	1.58	-	52.45
AV	5.0906G	45.10	54.00	-8.90	5.26	3	Vertical	324	1.58	-	39.84
PK	5.2448G	109.34	Inf	-Inf	4.66	3	Vertical	324	1.58	-	104.68
AV	5.2454G	98.79	Inf	-Inf	4.66	3	Vertical	324	1.58	-	94.13
PK	5.3558G	57.38	74.00	-16.62	4.68	3	Vertical	324	1.58	-	52.70
AV	5.366G	44.60	54.00	-9.40	4.73	3	Vertical	324	1.58	-	39.87

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TX

18/10/2019




EUT Y_1TX
Setting 32
06-J-1-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1098G	58.02	74.00	-15.98	5.28	3	Horizontal	16	1.64	-	52.74
AV	5.0966G	45.28	54.00	-8.72	5.30	3	Horizontal	16	1.64	-	39.98
PK	5.2454G	113.43	Inf	-Inf	4.66	3	Horizontal	16	1.64	-	108.77
AV	5.2448G	103.29	Inf	-Inf	4.66	3	Horizontal	16	1.64	-	98.63
PK	5.3726G	57.22	74.00	-16.78	4.75	3	Horizontal	16	1.64	-	52.47
AV	5.3606G	44.70	54.00	-9.30	4.70	3	Horizontal	16	1.64	-	40.00

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TX

18/10/2019




EUT Y_1TX
Setting 32
06-J-1
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.48056G	56.88	68.20	-11.32	13.51	3	Vertical	320	1.48	-	43.37
PK	15.716G	58.82	74.00	-15.18	13.88	3	Vertical	308	1.50	-	44.94
AV	15.717G	45.31	54.00	-8.69	13.88	3	Vertical	308	1.50	-	31.43

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TX

18/10/2019




EUT Y_1TX
Setting 32
06-J-1-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.48056G	58.40	68.20	-9.80	13.50	3	Horizontal	0	1.50	-	44.90
PK	15.71932G	61.75	74.00	-12.25	13.87	3	Horizontal	327	1.95	-	47.88
AV	15.71976G	48.15	54.00	-5.85	13.87	3	Horizontal	327	1.95	-	34.28

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TX

18/10/2019




EUT Y_1TX
Setting 32
06-J-1-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.553G	57.19	68.20	-11.01	5.00	3	Vertical	360	1.77	-	52.19
PK	5.749G	108.22	Inf	-Inf	5.27	3	Vertical	360	1.77	-	102.95
AV	5.75G	97.71	Inf	-Inf	5.27	3	Vertical	360	1.77	-	92.44
PK	5.96G	58.26	68.20	-9.94	5.79	3	Vertical	360	1.77	-	52.47

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TX

18/10/2019




EUT Y_1TX
Setting 32
06-J-1-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.54G	57.81	68.20	-10.39	5.02	3	Horizontal	348	1.63	-	52.79
PK	5.749G	110.18	Inf	-Inf	5.27	3	Horizontal	348	1.63	-	104.91
AV	5.739G	99.37	Inf	-Inf	5.22	3	Horizontal	348	1.63	-	94.15
PK	5.988G	57.47	68.20	-10.73	5.79	3	Horizontal	348	1.63	-	51.68

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-J-1
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4848G	59.76	74.00	-14.24	13.31	3	Vertical	347	1.37	-	46.45
AV	11.4893G	46.43	54.00	-7.57	13.31	3	Vertical	347	1.37	-	33.12
PK	17.23824G	63.52	68.20	-4.68	18.91	3	Vertical	78	1.50	-	44.61

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-J-1
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56574G	58.68	74.00	-15.32	13.17	3	Vertical	347	1.29	-	45.51
AV	11.56934G	45.72	54.00	-8.28	13.16	3	Vertical	347	1.29	-	32.56
PK	17.3568G	65.16	68.20	-3.04	20.17	3	Vertical	130	1.50	-	44.99

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-J-1
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4889G	60.59	74.00	-13.41	13.31	3	Horizontal	23	1.50	-	47.28
AV	11.4912G	47.74	54.00	-6.26	13.30	3	Horizontal	23	1.50	-	34.44
PK	17.228G	64.35	68.20	-3.85	18.81	3	Horizontal	47	1.69	-	45.54

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-J-1
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56958G	62.98	74.00	-11.02	13.16	3	Horizontal	24	1.36	-	49.82
AV	11.56982G	49.48	54.00	-4.52	13.16	3	Horizontal	24	1.36	-	36.32
PK	17.35932G	65.56	68.20	-2.64	20.19	3	Horizontal	48	1.50	-	45.37

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-J-1-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.547G	58.36	68.20	-9.84	5.01	3	Vertical	357	1.74	-	53.35
PK	5.791G	109.55	Inf	-Inf	5.43	3	Vertical	357	1.74	-	104.12
AV	5.79G	99.30	Inf	-Inf	5.43	3	Vertical	357	1.74	-	93.87
PK	5.971G	57.98	68.20	-10.22	5.79	3	Vertical	357	1.74	-	52.19

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.604G	57.04	68.20	-11.16	4.91	3	Vertical	359	1.68	-	52.13
PK	5.82G	111.47	Inf	-Inf	5.54	3	Vertical	359	1.68	-	105.93
AV	5.82G	100.85	Inf	-Inf	5.54	3	Vertical	359	1.68	-	95.31
PK	5.927G	57.77	68.20	-10.43	5.79	3	Vertical	359	1.68	-	51.98

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-J-1-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.554G	57.93	68.20	-10.27	5.00	3	Horizontal	349	1.67	-	52.93
PK	5.789G	111.86	Inf	-Inf	5.44	3	Horizontal	349	1.67	-	106.42
AV	5.792G	101.30	Inf	-Inf	5.44	3	Horizontal	349	1.67	-	95.86
PK	5.957G	57.55	68.20	-10.65	5.79	3	Horizontal	349	1.67	-	51.76

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.592G	57.52	68.20	-10.68	4.93	3	Horizontal	349	1.71	-	52.59
PK	5.82G	113.05	Inf	-Inf	5.54	3	Horizontal	349	1.71	-	107.51
AV	5.82G	102.40	Inf	-Inf	5.54	3	Horizontal	349	1.71	-	96.86
PK	5.971G	57.80	68.20	-10.40	5.79	3	Horizontal	349	1.71	-	52.01

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64404G	59.70	74.00	-14.30	13.03	3	Vertical	1	1.68	-	46.67
AV	11.65244G	46.44	54.00	-7.56	13.02	3	Vertical	1	1.68	-	33.42
PK	17.46708G	65.53	68.20	-2.67	21.34	3	Vertical	44	1.50	-	44.19

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64804G	64.79	74.00	-9.21	13.03	3	Horizontal	350	1.83	-	51.76
AV	11.651G	50.95	54.00	-3.05	13.02	3	Horizontal	350	1.83	-	37.93
PK	17.479G	66.43	68.20	-1.77	21.46	3	Horizontal	237	2.95	-	44.97

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TX

18/10/2019


EUT_Y_1TX
Setting 21
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1464G	61.60	74.00	-12.40	5.11	3	Vertical	322	1.42	-	56.49
AV	5.15G	49.48	54.00	-4.52	5.09	3	Vertical	322	1.42	-	44.39
PK	5.1988G	97.71	Inf	-Inf	4.86	3	Vertical	322	1.42	-	92.85
AV	5.2024G	88.01	Inf	-Inf	4.84	3	Vertical	322	1.42	-	83.17

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TX

18/10/2019


EUT_Y_1TX
Setting 21
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	66.39	74.00	-7.61	5.09	3	Horizontal	337	1.66	-	61.30
AV	5.15G	53.33	54.00	-0.67	5.09	3	Horizontal	337	1.66	-	48.24
PK	5.2G	102.49	Inf	-Inf	4.85	3	Horizontal	337	1.66	-	97.64
AV	5.2G	92.71	Inf	-Inf	4.85	3	Horizontal	337	1.66	-	87.86

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TX

18/10/2019


EUT_Y_1TX
Setting 21
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.56308G	58.69	74.00	-15.31	14.40	3	Vertical	263	1.66	-	44.29
AV	15.56448G	46.30	54.00	-7.70	14.39	3	Vertical	263	1.66	-	31.91

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TX

18/10/2019


EUT_Y_1TX
Setting 21
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.57128G	59.86	74.00	-14.14	14.37	3	Horizontal	21	2.96	-	45.49
AV	15.56044G	46.41	54.00	-7.59	14.41	3	Horizontal	21	2.96	-	32.00

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	61.40	74.00	-12.60	5.09	3	Vertical	325	1.56	-	56.31
AV	5.15G	49.45	54.00	-4.55	5.09	3	Vertical	325	1.56	-	44.36
PK	5.2432G	106.28	Inf	-Inf	4.67	3	Vertical	325	1.56	-	101.61
AV	5.239G	96.31	Inf	-Inf	4.68	3	Vertical	325	1.56	-	91.63
PK	5.3554G	57.52	74.00	-16.48	4.68	3	Vertical	325	1.56	-	52.84
AV	5.3584G	45.97	54.00	-8.03	4.69	3	Vertical	325	1.56	-	41.28

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	65.32	74.00	-8.68	5.10	3	Horizontal	16	1.74	-	60.22
AV	5.1496G	52.27	54.00	-1.73	5.09	3	Horizontal	16	1.74	-	47.18
PK	5.2432G	110.70	Inf	-Inf	4.67	3	Horizontal	16	1.74	-	106.03
AV	5.242G	100.46	Inf	-Inf	4.67	3	Horizontal	16	1.74	-	95.79
PK	5.3656G	58.54	74.00	-15.46	4.73	3	Horizontal	16	1.74	-	53.81
AV	5.35G	46.29	54.00	-7.71	4.65	3	Horizontal	16	1.74	-	41.64

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.698G	58.94	74.00	-15.06	13.94	3	Vertical	6	1.21	-	45.00
AV	15.69772G	45.82	54.00	-8.18	13.94	3	Vertical	6	1.21	-	31.88

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.68516G	58.26	74.00	-15.74	13.99	3	Horizontal	320	1.01	-	44.27
AV	15.69676G	46.10	54.00	-7.90	13.94	3	Horizontal	320	1.01	-	32.16

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.642G	58.37	68.20	-9.83	4.96	3	Vertical	357	1.58	-	53.41
PK	5.763G	105.87	Inf	-Inf	5.32	3	Vertical	357	1.58	-	100.55
AV	5.765G	96.12	Inf	-Inf	5.33	3	Vertical	357	1.58	-	90.79
PK	5.957G	57.54	68.20	-10.66	5.79	3	Vertical	357	1.58	-	51.75

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.637G	58.02	68.20	-10.18	4.97	3	Horizontal	346	1.50	-	53.05
PK	5.766G	106.64	Inf	-Inf	5.33	3	Horizontal	346	1.50	-	101.31
AV	5.765G	96.52	Inf	-Inf	5.33	3	Horizontal	346	1.50	-	91.19
PK	5.943G	57.25	68.20	-10.95	5.79	3	Horizontal	346	1.50	-	51.46

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50892G	56.84	74.00	-17.16	13.27	3	Vertical	338	2.97	-	43.57
AV	11.50896G	44.19	54.00	-9.81	13.27	3	Vertical	338	2.97	-	30.92

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.51132G	56.58	74.00	-17.42	13.26	3	Horizontal	324	2.60	-	43.32
AV	11.50536G	44.00	54.00	-10.00	13.27	3	Horizontal	324	2.60	-	30.73

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.592G	57.12	68.20	-11.08	4.93	3	Vertical	359	1.71	-	52.19
PK	5.802G	107.34	Inf	-Inf	5.49	3	Vertical	359	1.71	-	101.85
AV	5.799G	97.56	Inf	-Inf	5.48	3	Vertical	359	1.71	-	92.08
PK	5.938G	57.55	68.20	-10.65	5.79	3	Vertical	359	1.71	-	51.76

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.548G	57.67	68.20	-10.53	5.00	3	Horizontal	349	1.80	-	52.67
PK	5.809G	108.74	Inf	-Inf	5.51	3	Horizontal	349	1.80	-	103.23
AV	5.804G	98.83	Inf	-Inf	5.49	3	Horizontal	349	1.80	-	93.34
PK	5.938G	58.37	68.20	-9.83	5.79	3	Horizontal	349	1.80	-	52.58

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.58792G	56.45	74.00	-17.55	13.13	3	Vertical	271	1.63	-	43.32
AV	11.58028G	43.84	54.00	-10.16	13.14	3	Vertical	271	1.63	-	30.70

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.58156G	56.95	74.00	-17.05	13.14	3	Horizontal	344	2.74	-	43.81
AV	11.58328G	43.75	54.00	-10.25	13.14	3	Horizontal	344	2.74	-	30.61

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TX

18/10/2019


EUT_Y_1TX
Setting 20.5
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	60.39	74.00	-13.61	5.09	3	Vertical	322	1.73	-	55.30
AV	5.148G	48.63	54.00	-5.37	5.10	3	Vertical	322	1.73	-	43.53
PK	5.24G	93.90	Inf	-Inf	4.68	3	Vertical	322	1.73	-	89.22
AV	5.241G	84.37	Inf	-Inf	4.68	3	Vertical	322	1.73	-	79.69
PK	5.435G	57.26	74.00	-16.74	4.96	3	Vertical	322	1.73	-	52.30
AV	5.446G	45.53	54.00	-8.47	4.99	3	Vertical	322	1.73	-	40.54

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TX

18/10/2019


EUT_Y_1TX
Setting 20.5
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	64.68	74.00	-9.32	5.09	3	Horizontal	15	1.76	-	59.59
AV	5.1499G	53.86	54.00	-0.14	5.09	3	Horizontal	15	1.76	-	48.77
PK	5.199G	99.20	Inf	-Inf	4.85	3	Horizontal	15	1.76	-	94.35
AV	5.245G	88.79	Inf	-Inf	4.66	3	Horizontal	15	1.76	-	84.13
PK	5.358G	57.25	74.00	-16.75	4.69	3	Horizontal	15	1.76	-	52.56
AV	5.429G	45.46	54.00	-8.54	4.96	3	Horizontal	15	1.76	-	40.50

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TX

18/10/2019


EUT_Y_1TX
Setting 20.5
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63548G	58.20	74.00	-15.80	14.16	3	Vertical	81	2.57	-	44.04
AV	15.62284G	45.62	54.00	-8.38	14.20	3	Vertical	81	2.57	-	31.42

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TX

18/10/2019


EUT_Y_1TX
Setting 20.5
06-S-5
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62328G	57.94	74.00	-16.06	14.20	3	Horizontal	74	2.12	-	43.74
AV	15.62092G	45.82	54.00	-8.18	14.21	3	Horizontal	74	2.12	-	31.61

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX

18/10/2019


EUT_Y_1TX
Setting 32
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.651G	65.08	68.94	-3.86	4.98	3	Vertical	358	1.65	-	60.10
PK	5.764G	104.47	Inf	-Inf	5.33	3	Vertical	358	1.65	-	99.14
AV	5.799G	93.41	Inf	-Inf	5.48	3	Vertical	358	1.65	-	87.93
PK	5.925G	60.85	68.20	-7.35	5.79	3	Vertical	358	1.65	-	55.06

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX


18/10/2019



802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX


18/10/2019



802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX

18/10/2019





For beamforming mode:

<DBS mode>


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_8TX	Pass	AV	15.7279G	53.69	54.00	-0.31	15.48	3	Vertical	274	2.89	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5180MHz_TX

06/01/2020


EUT_Z_8TX
Setting 24
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1488G	66.58	74.00	-7.42	9.14	3	Vertical	89	2.00	-
AV	5.1496G	52.16	54.00	-1.84	9.14	3	Vertical	89	2.00	-
PK	5.1808G	121.79	Inf	-Inf	9.18	3	Vertical	89	2.00	-
AV	5.1812G	109.31	Inf	-Inf	9.18	3	Vertical	89	2.00	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5200MHz_TX

06/01/2020


EUT_Z_8TX
Setting 27
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1454G	67.26	74.00	-6.74	9.14	3	Vertical	80	2.08	-
AV	5.1454G	52.50	54.00	-1.50	9.14	3	Vertical	80	2.08	-
PK	5.2048G	126.14	Inf	-Inf	9.21	3	Vertical	80	2.08	-
AV	5.2054G	113.11	Inf	-Inf	9.21	3	Vertical	80	2.08	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5180MHz_TX

06/01/2020


EUT_Z_8TX
Setting 24
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1448G	65.40	74.00	-8.60	9.13	3	Horizontal	292	2.90	-
AV	5.1452G	50.68	54.00	-3.32	9.14	3	Horizontal	292	2.90	-
PK	5.1848G	118.09	Inf	-Inf	9.17	3	Horizontal	292	2.90	-
AV	5.1848G	105.82	Inf	-Inf	9.17	3	Horizontal	292	2.90	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5200MHz_TX

06/01/2020


EUT_Z_8TX
Setting 27
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.146G	62.89	74.00	-11.11	9.14	3	Horizontal	193	2.87	-
AV	5.146G	49.35	54.00	-4.65	9.14	3	Horizontal	193	2.87	-
PK	5.206G	124.00	Inf	-Inf	9.21	3	Horizontal	193	2.87	-
AV	5.2066G	111.84	Inf	-Inf	9.21	3	Horizontal	193	2.87	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5180MHz_TX

06/01/2020


EUT_Z_8TX
Setting 24
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.36G	59.70	68.20	-8.50	15.87	3	Vertical	229	2.95	-
PK	15.5344G	59.52	74.00	-14.48	16.02	3	Vertical	107	2.17	-
AV	15.5337G	46.23	54.00	-7.77	16.02	3	Vertical	107	2.17	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5200MHz_TX

06/01/2020


EUT_Z_8TX
Setting 27
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.39998G	59.73	68.20	-8.47	15.85	3	Vertical	260	2.26	-
PK	15.6038G	67.46	74.00	-6.54	15.83	3	Vertical	188	2.57	-
AV	15.6035G	53.41	54.00	-0.59	15.83	3	Vertical	188	2.57	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5180MHz_TX

06/01/2020


EUT_Z_8TX
Setting 24
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.36016G	55.99	68.20	-12.21	15.87	3	Horizontal	146	1.90	-
PK	15.54246G	59.08	74.00	-14.92	16.00	3	Horizontal	242	2.87	-
AV	15.53718G	45.83	54.00	-8.17	16.01	3	Horizontal	242	2.87	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5200MHz_TX

06/01/2020


EUT_Z_8TX
Setting 27
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.39996G	56.54	68.20	-11.66	15.85	3	Horizontal	146	2.25	-
PK	15.6049G	61.10	74.00	-12.90	15.83	3	Horizontal	154	2.35	-
AV	15.6043G	47.33	54.00	-6.67	15.83	3	Horizontal	154	2.35	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5240MHz_TX

06/01/2020




EUT_Z_8TX
Setting 27
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1452G	60.97	74.00	-13.03	9.14	3	Vertical	93	2.73	-
AV	5.1068G	48.16	54.00	-5.84	9.09	3	Vertical	93	2.73	-
PK	5.2424G	124.41	Inf	-Inf	9.28	3	Vertical	93	2.73	-
AV	5.2358G	112.34	Inf	-Inf	9.28	3	Vertical	93	2.73	-
PK	5.375G	61.43	74.00	-12.57	9.50	3	Vertical	93	2.73	-
AV	5.3876G	48.63	54.00	-5.37	9.51	3	Vertical	93	2.73	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5240MHz_TX

06/01/2020




EUT_Z_8TX
Setting 27
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1032G	60.45	74.00	-13.55	9.08	3	Horizontal	32	2.59	-
AV	5.1062G	47.54	54.00	-6.46	9.09	3	Horizontal	32	2.59	-
PK	5.2454G	121.27	Inf	-Inf	9.29	3	Horizontal	32	2.59	-
AV	5.246G	108.58	Inf	-Inf	9.29	3	Horizontal	32	2.59	-
PK	5.3726G	61.47	74.00	-12.53	9.50	3	Horizontal	32	2.59	-
AV	5.3528G	48.04	54.00	-5.96	9.47	3	Horizontal	32	2.59	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5240MHz_TX

06/01/2020




EUT_Z_8TX
Setting 27
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.48007G	57.26	68.20	-10.94	15.82	3	Vertical	171	1.50	-
PK	15.7275G	70.10	74.00	-3.90	15.48	3	Vertical	274	2.89	-
AV	15.7279G	53.69	54.00	-0.31	15.48	3	Vertical	274	2.89	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5240MHz_TX

06/01/2020




EUT_Z_8TX
Setting 27
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.47989G	56.98	68.20	-11.22	15.82	3	Horizontal	131	1.94	-
PK	15.7207G	57.93	74.00	-16.07	15.50	3	Horizontal	98	1.50	-
AV	15.71738G	44.56	54.00	-9.44	15.51	3	Horizontal	98	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5745MHz_TX

06/01/2020




EUT_Z_8TX
Setting 30
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.645G	64.84	68.20	-3.36	9.69	3	Vertical	207	2.44	-
PK	5.742G	128.93	Inf	-Inf	9.60	3	Vertical	207	2.44	-
AV	5.741G	117.27	Inf	-Inf	9.60	3	Vertical	207	2.44	-
PK	5.974G	61.56	68.20	-6.64	9.84	3	Vertical	207	2.44	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5745MHz_TX

06/01/2020




EUT_Z_8TX
Setting 30
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.566G	61.73	68.20	-6.47	9.72	3	Horizontal	12	2.47	-
PK	5.742G	123.46	Inf	-Inf	9.60	3	Horizontal	12	2.47	-
AV	5.743G	111.72	Inf	-Inf	9.60	3	Horizontal	12	2.47	-
PK	5.938G	61.10	68.20	-7.10	9.79	3	Horizontal	12	2.47	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5745MHz_TX

06/01/2020




EUT_Z_8TX
Setting 30
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.4817G	56.76	74.00	-17.24	16.04	3	Vertical	273	1.90	-
AV	11.4901G	44.24	54.00	-9.76	16.04	3	Vertical	273	1.90	-
PK	17.2353G	65.34	68.20	-2.86	20.79	3	Vertical	253	2.43	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5745MHz_TX

06/01/2020




EUT_Z_8TX Setting 30 02-A-P-2										
Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment

PK	11.49006G	56.42	74.00	-17.58	16.04	3	Horizontal	271	1.87	-
AV	11.49014G	43.88	54.00	-10.12	16.04	3	Horizontal	271	1.87	-
PK	17.2387G	64.50	68.20	-3.70	20.81	3	Horizontal	233	2.83	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5785MHz_TX

06/01/2020




EUT_Z_8TX Setting 30 02-A-C-5-10										
Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment

PK	5.587G	63.35	68.20	-4.85	9.75	3	Vertical	30	2.36	-
PK	5.777G	129.29	Inf	-Inf	9.61	3	Vertical	30	2.36	-
AV	5.777G	117.36	Inf	-Inf	9.61	3	Vertical	30	2.36	-
PK	5.945G	62.59	68.20	-5.61	9.80	3	Vertical	30	2.36	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5785MHz_TX

06/01/2020




EUT_Z_8TX Setting 30 02-A-C-5-10										
Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment

PK	5.595G	61.84	68.20	-6.36	9.76	3	Horizontal	351	2.96	-
PK	5.787G	120.93	Inf	-Inf	9.61	3	Horizontal	351	2.96	-
AV	5.787G	109.44	Inf	-Inf	9.61	3	Horizontal	351	2.96	-
PK	5.965G	61.47	68.20	-6.73	9.83	3	Horizontal	351	2.96	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5785MHz_TX

06/01/2020




EUT_Z_8TX Setting 30 02-A-C-5										
Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment

PK	11.5699G	56.83	74.00	-17.17	16.11	3	Vertical	283	2.77	-
AV	11.57G	46.39	54.00	-7.61	16.11	3	Vertical	283	2.77	-
PK	17.3651G	65.42	68.20	-2.78	21.53	3	Vertical	193	2.05	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5785MHz_TX

06/01/2020




EUT_Z_8TX Setting 30 02-A-C-5										
Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment

PK	11.57025G	56.29	74.00	-17.71	16.11	3	Horizontal	25	1.94	-
AV	11.56993G	43.11	54.00	-10.89	16.11	3	Horizontal	25	1.94	-
PK	17.3732G	65.44	68.20	-2.76	21.57	3	Horizontal	173	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5825MHz_TX

06/01/2020




EUT_Z_8TX Setting 30 02-A-C-5-10										
Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment

PK	5.637G	63.12	68.20	-5.08	9.71	3	Vertical	14	2.25	-
PK	5.823G	129.65	Inf	-Inf	9.65	3	Vertical	14	2.25	-
AV	5.823G	117.60	Inf	-Inf	9.65	3	Vertical	14	2.25	-
PK	5.929G	66.30	68.20	-1.90	9.78	3	Vertical	14	2.25	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5825MHz_TX

06/01/2020




EUT_Z_8TX Setting 30 02-A-C-5-10										
Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment

PK	5.628G	61.74	68.20	-6.46	9.71	3	Horizontal	205	2.42	-
PK	5.834G	124.37	Inf	-Inf	9.66	3	Horizontal	205	2.42	-
AV	5.833G	111.66	Inf	-Inf	9.66	3	Horizontal	205	2.42	-
PK	5.933G	62.28	68.20	-5.92	9.78	3	Horizontal	205	2.42	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5825MHz_TX

06/01/2020




EUT_Z_8TX Setting 30 02-A-C-5										
Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment

PK	11.65016G	57.39	74.00	-16.61	16.17	3	Vertical	271	2.91	-
AV	11.64998G	46.88	54.00	-7.12	16.17	3	Vertical	271	2.91	-
PK	17.4713G	66.12	68.20	-2.08	22.12	3	Vertical	313	2.94	-

802.11ax HEW20-BF_Nss1,(MCS0)_8TX

5825MHz_TX

06/01/2020




EUT_Z_8TX
Setting 30
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.65019G	56.60	74.00	-17.40	16.17	3	Horizontal	100	2.73	-
AV	11.64995G	43.79	54.00	-10.21	16.17	3	Horizontal	100	2.73	-
PK	17.4997G	65.70	68.20	-2.50	22.27	3	Horizontal	329	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5190MHz_TX

07/01/2020




EUT_Z_8TX
Setting 22
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1492G	67.58	74.00	-6.42	9.14	3	Vertical	328	2.63	-
AV	5.1488G	51.00	54.00	-3.00	9.14	3	Vertical	328	2.63	-
PK	5.1992G	116.47	Inf	-Inf	9.20	3	Vertical	328	2.63	-
AV	5.2032G	106.06	Inf	-Inf	9.21	3	Vertical	328	2.63	-

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5190MHz_TX

07/01/2020




EUT_Z_8TX
Setting 22
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.142G	64.47	74.00	-9.53	9.13	3	Horizontal	18	2.95	-
AV	5.142G	49.15	54.00	-4.85	9.13	3	Horizontal	18	2.95	-
PK	5.186G	109.38	Inf	-Inf	9.18	3	Horizontal	18	2.95	-
AV	5.1932G	97.28	Inf	-Inf	9.19	3	Horizontal	18	2.95	-

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5190MHz_TX

07/01/2020




EUT_Z_8TX
Setting 22
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.3801G	59.83	68.20	-8.37	15.86	3	Vertical	260	2.05	-
PK	15.5842G	59.97	74.00	-14.03	15.88	3	Vertical	251	2.23	-
AV	15.5474G	46.61	54.00	-7.39	15.98	3	Vertical	251	2.23	-

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5190MHz_TX

07/01/2020




EUT_Z_8TX
Setting 22
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.37966G	56.43	68.20	-11.77	15.86	3	Horizontal	148	1.86	-
PK	15.5662G	59.90	74.00	-14.10	15.94	3	Horizontal	102	1.50	-
AV	15.5452G	46.64	54.00	-7.36	15.99	3	Horizontal	102	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5230MHz_TX

07/01/2020




EUT_Z_8TX
Setting 26
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1424G	68.62	74.00	-5.38	9.13	3	Vertical	39	2.87	-
AV	5.1418G	53.17	54.00	-0.83	9.13	3	Vertical	39	2.87	-
PK	5.2234G	121.19	Inf	-Inf	9.25	3	Vertical	39	2.87	-
AV	5.2246G	109.82	Inf	-Inf	9.25	3	Vertical	39	2.87	-
PK	5.3518G	61.88	74.00	-12.12	9.47	3	Vertical	39	2.87	-
AV	5.3506G	49.17	54.00	-4.83	9.47	3	Vertical	39	2.87	-

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5230MHz_TX

07/01/2020




EUT_Z_8TX
Setting 26
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	68.38	74.00	-5.62	9.14	3	Horizontal	259	2.72	-
AV	5.15G	52.90	54.00	-1.10	9.14	3	Horizontal	259	2.72	-
PK	5.2222G	116.70	Inf	-Inf	9.24	3	Horizontal	259	2.72	-
AV	5.2192G	105.26	Inf	-Inf	9.24	3	Horizontal	259	2.72	-
PK	5.3668G	61.09	74.00	-12.91	9.49	3	Horizontal	259	2.72	-
AV	5.3668G	48.89	54.00	-5.11	9.49	3	Horizontal	259	2.72	-

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5230MHz_TX

07/01/2020




EUT_Z_8TX
Setting 26
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.46012G	57.81	68.20	-10.39	15.83	3	Vertical	276	1.01	-
PK	15.68844G	65.00	74.00	-9.00	15.59	3	Vertical	293	2.69	-
AV	15.68916G	51.28	54.00	-2.72	15.59	3	Vertical	293	2.69	-

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5230MHz_TX

07/01/2020




EUT_Z_8TX
Setting 26
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.46G	56.59	68.20	-11.61	15.83	3	Horizontal	218	1.91	-
PK	15.6958G	61.12	74.00	-12.88	15.57	3	Horizontal	122	2.21	-
AV	15.6991G	47.24	54.00	-6.76	15.64	3	Horizontal	122	2.21	-

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5755MHz_TX

07/01/2020




EUT_Z_8TX
Setting 19
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.651G	66.33	68.94	-2.61	9.68	3	Vertical	88	2.82	-
PK	5.748G	119.69	Inf	-Inf	9.60	3	Vertical	88	2.82	-
AV	5.749G	107.37	Inf	-Inf	9.60	3	Vertical	88	2.82	-
PK	5.973G	62.07	68.20	-6.13	9.84	3	Vertical	88	2.82	-

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5755MHz_TX

07/01/2020




EUT_Z_8TX
Setting 19
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.623G	62.60	68.20	-5.60	9.72	3	Horizontal	264	2.50	-
PK	5.754G	113.58	Inf	-Inf	9.61	3	Horizontal	264	2.50	-
AV	5.753G	102.02	Inf	-Inf	9.61	3	Horizontal	264	2.50	-
PK	5.959G	61.58	68.20	-6.62	9.82	3	Horizontal	264	2.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5755MHz_TX

07/01/2020




EUT_Z_8TX
Setting 19
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.51008G	56.42	74.00	-17.58	16.06	3	Vertical	251	1.50	-
AV	11.50996G	44.93	54.00	-9.07	16.06	3	Vertical	251	1.50	-
PK	17.26048G	64.91	68.20	-3.29	20.93	3	Vertical	52	1.59	-

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5755MHz_TX

07/01/2020




EUT_Z_8TX
Setting 19
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.50985G	57.53	74.00	-16.47	16.06	3	Horizontal	272	1.94	-
AV	11.50998G	44.42	54.00	-9.58	16.06	3	Horizontal	272	1.94	-
PK	17.26544G	65.26	68.20	-2.94	20.97	3	Horizontal	169	2.34	-

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5795MHz_TX

07/01/2020




EUT_Z_8TX
Setting 26
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.642G	63.45	68.20	-4.75	9.70	3	Vertical	19	2.33	-
PK	5.803G	124.34	Inf	-Inf	9.63	3	Vertical	19	2.33	-
AV	5.803G	112.31	Inf	-Inf	9.63	3	Vertical	19	2.33	-
PK	5.927G	64.35	68.20	-3.85	9.77	3	Vertical	19	2.33	-

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5795MHz_TX

07/01/2020




EUT_Z_8TX
Setting 26
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.579G	62.18	68.20	-6.02	9.73	3	Horizontal	276	2.93	-
PK	5.794G	115.69	Inf	-Inf	9.62	3	Horizontal	276	2.93	-
AV	5.783G	108.99	Inf	-Inf	9.61	3	Horizontal	276	2.93	-
PK	5.928G	62.14	68.20	-6.06	9.78	3	Horizontal	276	2.93	-

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5795MHz_TX

07/01/2020


EUT_Z_8TX
Setting 26
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.59032G	56.52	74.00	-17.48	16.12	3	Vertical	151	2.51	-
AV	11.59012G	45.99	54.00	-8.01	16.12	3	Vertical	151	2.51	-
PK	17.385G	64.98	68.20	-3.22	21.63	3	Vertical	288	1.82	-

802.11ax HEW40-BF_Nss1,(MCS0)_8TX

5795MHz_TX

07/01/2020


EUT_Z_8TX
Setting 26
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.59432G	56.06	74.00	-17.94	16.13	3	Horizontal	340	1.50	-
AV	11.59288G	42.81	54.00	-11.19	16.12	3	Horizontal	340	1.50	-
PK	17.38306G	65.79	68.20	-2.41	21.62	3	Horizontal	291	1.85	-

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5210MHz_TX

07/01/2020


EUT_Z_8TX
Setting 21
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1188G	65.80	74.00	-8.20	9.10	3	Vertical	311	2.41	-
AV	5.1196G	53.09	54.00	-0.91	9.10	3	Vertical	311	2.41	-
PK	5.198G	115.32	Inf	-Inf	9.20	3	Vertical	311	2.41	-
AV	5.1836G	103.97	Inf	-Inf	9.17	3	Vertical	311	2.41	-
PK	5.3972G	61.38	74.00	-12.62	9.53	3	Vertical	311	2.41	-
AV	5.4012G	48.92	54.00	-5.08	9.53	3	Vertical	311	2.41	-

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5210MHz_TX

07/01/2020


EUT_Z_8TX
Setting 21
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1196G	63.22	74.00	-10.78	9.10	3	Horizontal	219	2.95	-
AV	5.138G	50.05	54.00	-3.95	9.13	3	Horizontal	219	2.95	-
PK	5.1988G	110.38	Inf	-Inf	9.20	3	Horizontal	219	2.95	-
AV	5.1996G	98.07	Inf	-Inf	9.20	3	Horizontal	219	2.95	-
PK	5.3996G	62.00	74.00	-12.00	9.53	3	Horizontal	219	2.95	-
AV	5.4084G	48.66	54.00	-5.34	9.54	3	Horizontal	219	2.95	-

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5210MHz_TX

07/01/2020


EUT_Z_8TX
Setting 21
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.42012G	58.77	68.20	-9.43	15.85	3	Vertical	261	2.36	-
PK	15.62164G	60.06	74.00	-13.94	15.78	3	Vertical	69	1.50	-
AV	15.62484G	46.02	54.00	-7.98	15.77	3	Vertical	69	1.50	-

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5210MHz_TX

07/01/2020


EUT_Z_8TX
Setting 21
02-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.41989G	57.24	68.20	-10.96	15.85	3	Horizontal	145	2.20	-
PK	15.62974G	59.41	74.00	-14.59	15.75	3	Horizontal	105	1.81	-
AV	15.6277G	46.22	54.00	-7.78	15.76	3	Horizontal	105	1.81	-

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

5775MHz_TX

07/01/2020


EUT_Z_8TX
Setting 21
02-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.645G	62.10	68.20	-6.10	9.69	3	Vertical	313	2.21	-
PK	5.763G	115.40	Inf	-Inf	9.61	3	Vertical	313	2.21	-
AV	5.763G	103.18	Inf	-Inf	9.61	3	Vertical	313	2.21	-
PK	5.963G	61.94	68.20	-6.26	9.83	3	Vertical	313	2.21	-

802.11ax HEW80-BF_Nss1,(MCS0)_8TX

07/01/2020


5775MHz_TX



802.11ax HEW80-BF_Nss1,(MCS0)_8TX

07/01/2020


5775MHz_TX



802.11ax HEW80-BF_Nss1,(MCS0)_8TX

07/01/2020

5775MHz_TX






<SBS mode>
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.146G	53.97	54.00	-0.03	9.14	3	Horizontal	312	2.10	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TX

16/01/2020


EUT Y_4TX
Setting 20
02-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	66.13	74.00	-7.87	9.14	3	Vertical	30	2.07	-
AV	5.1494G	50.72	54.00	-3.28	9.14	3	Vertical	30	2.07	-
PK	5.1846G	119.17	Inf	-Inf	9.17	3	Vertical	30	2.07	-
AV	5.1846G	106.59	Inf	-Inf	9.17	3	Vertical	30	2.07	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TX

16/01/2020


EUT Y_4TX
Setting 25
02-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1472G	66.69	74.00	-7.31	9.14	3	Vertical	28	2.86	-
AV	5.1468G	51.43	54.00	-2.57	9.14	3	Vertical	28	2.86	-
PK	5.1992G	122.67	Inf	-Inf	9.20	3	Vertical	28	2.86	-
AV	5.1992G	110.66	Inf	-Inf	9.20	3	Vertical	28	2.86	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TX

16/01/2020


EUT Y_4TX
Setting 20
02-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1492G	68.22	74.00	-5.78	9.14	3	Horizontal	314	2.25	-
AV	5.1474G	52.53	54.00	-1.47	9.14	3	Horizontal	314	2.25	-
PK	5.1858G	120.79	Inf	-Inf	9.18	3	Horizontal	314	2.25	-
AV	5.1858G	108.04	Inf	-Inf	9.18	3	Horizontal	314	2.25	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TX

16/01/2020


EUT Y_4TX
Setting 25
02-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1456G	69.21	74.00	-4.79	9.14	3	Horizontal	312	2.10	-
AV	5.146G	53.97	54.00	-0.03	9.14	3	Horizontal	312	2.10	-
PK	5.2068G	123.29	Inf	-Inf	9.21	3	Horizontal	312	2.10	-
AV	5.206G	111.21	Inf	-Inf	9.21	3	Horizontal	312	2.10	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TX

16/01/2020


EUT Y_4TX
Setting 20
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.35992G	55.15	68.20	-13.05	15.87	3	Vertical	13	2.57	-
PK	15.5459G	59.60	74.00	-14.40	15.99	3	Vertical	0	1.88	-
AV	15.5417G	46.52	54.00	-7.48	16.00	3	Vertical	0	1.88	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TX

16/01/2020


EUT Y_4TX
Setting 25
02-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.39766G	57.73	68.20	-10.47	15.85	3	Vertical	344	2.65	-
PK	15.60492G	58.87	74.00	-15.13	15.83	3	Vertical	345	2.13	-
AV	15.60308G	45.75	54.00	-8.25	15.83	3	Vertical	345	2.13	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TX

16/01/2020


EUT Y_4TX
Setting 20
02-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.36034G	57.90	68.20	-10.30	15.87	3	Horizontal	282	1.60	-
PK	15.54278G	59.29	74.00	-14.71	16.00	3	Horizontal	151	1.50	-
AV	15.53922G	45.89	54.00	-8.11	16.01	3	Horizontal	151	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TX

16/01/2020


EUT Y_4TX
Setting 25
02-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.40438G	59.84	68.20	-8.36	15.86	3	Horizontal	286	1.63	-
PK	15.60222G	62.69	74.00	-11.31	15.83	3	Horizontal	25	1.46	-
AV	15.60222G	47.86	54.00	-6.14	15.83	3	Horizontal	25	1.46	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TX

16/01/2020




EUT_Y_4TX
Setting 27
02-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.141G	61.99	74.00	-12.01	9.13	3	Vertical	28	1.86	-
AV	5.141G	48.64	54.00	-5.36	9.13	3	Vertical	28	1.86	-
PK	5.2412G	123.92	Inf	-Inf	9.28	3	Vertical	28	1.86	-
AV	5.2406G	111.52	Inf	-Inf	9.28	3	Vertical	28	1.86	-
PK	5.3552G	60.23	74.00	-13.77	9.48	3	Vertical	28	1.86	-
AV	5.3546G	48.08	54.00	-5.92	9.47	3	Vertical	28	1.86	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TX

16/01/2020




EUT_Y_4TX
Setting 27
02-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.15G	63.59	74.00	-10.41	9.14	3	Horizontal	310	2.14	-
AV	5.1482G	49.67	54.00	-4.33	9.14	3	Horizontal	310	2.14	-
PK	5.2478G	125.92	Inf	-Inf	9.30	3	Horizontal	310	2.14	-
AV	5.2484G	113.01	Inf	-Inf	9.30	3	Horizontal	310	2.14	-
PK	5.354G	61.13	74.00	-12.87	9.47	3	Horizontal	310	2.14	-
AV	5.351G	48.25	54.00	-5.75	9.47	3	Horizontal	310	2.14	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TX

16/01/2020




EUT_Y_4TX
Setting 27
02-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.48216G	58.12	68.20	-10.08	15.82	3	Vertical	3	2.99	-
PK	15.71664G	60.93	74.00	-13.07	15.51	3	Vertical	36	1.50	-
AV	15.71598G	48.06	54.00	-5.94	15.51	3	Vertical	36	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TX

16/01/2020




EUT_Y_4TX
Setting 27
02-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	10.48168G	60.32	68.20	-7.88	15.82	3	Horizontal	305	1.46	-
PK	15.72374G	64.94	74.00	-9.06	15.49	3	Horizontal	23	1.42	-
AV	15.72382G	51.26	54.00	-2.74	15.49	3	Horizontal	23	1.42	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TX

16/01/2020




EUT_Y_4TX
Setting 27
02-A-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.65G	62.81	68.20	-5.39	9.67	3	Vertical	351	1.45	-
PK	5.747G	122.23	Inf	-Inf	9.60	3	Vertical	351	1.45	-
AV	5.748G	110.84	Inf	-Inf	9.60	3	Vertical	351	1.45	-
PK	5.971G	61.47	68.20	-6.73	9.83	3	Vertical	351	1.45	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TX

16/01/2020




EUT_Y_4TX
Setting 27
02-A-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.643G	64.95	68.20	-3.25	9.69	3	Horizontal	20	1.36	-
PK	5.744G	124.29	Inf	-Inf	9.60	3	Horizontal	20	1.36	-
AV	5.743G	112.01	Inf	-Inf	9.60	3	Horizontal	20	1.36	-
PK	5.928G	60.64	68.20	-7.56	9.78	3	Horizontal	20	1.36	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TX

16/01/2020



EUT_Y_4TX
Setting 27
02-A-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.48372G	55.99	74.00	-18.01	16.04	3	Vertical	360	1.65	-
AV	11.48856G	42.53	54.00	-11.47	16.04	3	Vertical	360	1.65	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TX


16/01/2020



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TX


16/01/2020



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TX


16/01/2020



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TX


16/01/2020



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TX


16/01/2020



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TX


16/01/2020



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TX


16/01/2020



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TX


16/01/2020



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TX

16/01/2020




EUT Y_4TX
Setting 27
02-A-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.65376G	58.46	74.00	-15.54	16.17	3	Horizontal	72	1.75	-
AV	11.65668G	44.24	54.00	-9.76	16.18	3	Horizontal	72	1.75	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TX

16/01/2020




EUT Y_4TX
Setting 18
02-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.5553G	59.72	74.00	-14.28	15.96	3	Horizontal	15	1.61	-
AV	15.56412G	45.77	54.00	-8.23	15.94	3	Horizontal	15	1.61	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TX

16/01/2020




EUT Y_4TX
Setting 18
02-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1436G	65.70	74.00	-8.30	9.13	3	Vertical	26	2.17	-
AV	5.15G	49.57	54.00	-4.43	9.14	3	Vertical	26	2.17	-
PK	5.198G	112.79	Inf	-Inf	9.20	3	Vertical	26	2.17	-
AV	5.1792G	101.68	Inf	-Inf	9.18	3	Vertical	26	2.17	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TX

16/01/2020




EUT Y_4TX
Setting 23
02-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1424G	66.43	74.00	-7.57	9.13	3	Vertical	30	2.25	-
AV	5.1484G	52.09	54.00	-1.91	9.14	3	Vertical	30	2.25	-
PK	5.2348G	119.23	Inf	-Inf	9.28	3	Vertical	30	2.25	-
AV	5.2252G	106.76	Inf	-Inf	9.25	3	Vertical	30	2.25	-
PK	5.3632G	60.64	74.00	-13.36	9.48	3	Vertical	30	2.25	-
AV	5.359G	48.04	54.00	-5.96	9.48	3	Vertical	30	2.25	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TX

16/01/2020




EUT Y_4TX
Setting 18
02-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1412G	68.93	74.00	-5.07	9.13	3	Horizontal	44	2.43	-
AV	5.1492G	53.89	54.00	-0.11	9.14	3	Horizontal	44	2.43	-
PK	5.1892G	112.62	Inf	-Inf	9.18	3	Horizontal	44	2.43	-
AV	5.1892G	100.38	Inf	-Inf	9.18	3	Horizontal	44	2.43	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TX

16/01/2020




EUT Y_4TX
Setting 23
02-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.1478G	66.04	74.00	-7.96	9.14	3	Horizontal	313	2.74	-
AV	5.1484G	52.36	54.00	-1.64	9.14	3	Horizontal	313	2.74	-
PK	5.227G	118.32	Inf	-Inf	9.25	3	Horizontal	313	2.74	-
AV	5.227G	106.19	Inf	-Inf	9.25	3	Horizontal	313	2.74	-
PK	5.3716G	60.71	74.00	-13.29	9.50	3	Horizontal	313	2.74	-
AV	5.3554G	48.12	54.00	-5.88	9.48	3	Horizontal	313	2.74	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TX

16/01/2020




EUT Y_4TX
Setting 18
02-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.57258G	59.13	74.00	-14.87	15.91	3	Vertical	2	2.91	-
AV	15.57798G	45.74	54.00	-8.26	15.89	3	Vertical	2	2.91	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TX

16/01/2020




EUT Y_4TX
Setting 23
02-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.68124G	58.48	74.00	-15.52	15.60	3	Vertical	59	1.69	-
AV	15.675G	45.03	54.00	-8.97	15.62	3	Vertical	59	1.69	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TX

16/01/2020




EUT_Y_4TX
Setting 23
02-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	15.67536G	58.49	74.00	-15.51	15.62	3	Horizontal	70	1.50	-
AV	15.67596G	45.61	54.00	-8.39	15.62	3	Horizontal	70	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TX

16/01/2020




EUT_Y_4TX
Setting 24
02-A-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.641G	63.82	68.20	-4.38	9.70	3	Vertical	360	2.99	-
PK	5.761G	117.29	Inf	-Inf	9.61	3	Vertical	360	2.99	-
AV	5.761G	105.62	Inf	-Inf	9.61	3	Vertical	360	2.99	-
PK	5.935G	60.60	68.20	-7.60	9.78	3	Vertical	360	2.99	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TX

16/01/2020




EUT_Y_4TX
Setting 24
02-A-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.632G	63.65	68.20	-4.55	9.72	3	Horizontal	302	2.56	-
PK	5.753G	116.11	Inf	-Inf	9.61	3	Horizontal	302	2.56	-
AV	5.743G	106.59	Inf	-Inf	9.60	3	Horizontal	302	2.56	-
PK	5.925G	60.89	68.20	-7.31	9.78	3	Horizontal	302	2.56	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TX

16/01/2020




EUT_Y_4TX
Setting 24
02-A-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.50328G	56.05	74.00	-17.95	16.05	3	Vertical	344	1.50	-
AV	11.51012G	42.60	54.00	-11.40	16.06	3	Vertical	344	1.50	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TX

16/01/2020




EUT_Y_4TX
Setting 24
02-A-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.51284G	56.50	74.00	-17.50	16.06	3	Horizontal	75	1.64	-
AV	11.51072G	42.90	54.00	-11.10	16.06	3	Horizontal	75	1.64	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TX

16/01/2020




EUT_Y_4TX
Setting 25
02-A-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.604G	63.33	68.20	-4.87	9.76	3	Vertical	346	2.99	-
PK	5.806G	117.23	Inf	-Inf	9.63	3	Vertical	346	2.99	-
AV	5.806G	105.60	Inf	-Inf	9.63	3	Vertical	346	2.99	-
PK	5.925G	66.38	68.20	-1.82	9.78	3	Vertical	346	2.99	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TX

16/01/2020




EUT_Y_4TX
Setting 25
02-A-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	5.649G	67.99	68.20	-0.21	9.68	3	Horizontal	292	1.25	-
PK	5.782G	120.30	Inf	-Inf	9.61	3	Horizontal	292	1.25	-
AV	5.802G	107.95	Inf	-Inf	9.62	3	Horizontal	292	1.25	-
PK	5.93G	65.86	68.20	-2.34	9.77	3	Horizontal	292	1.25	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TX

16/01/2020



EUT_Y_4TX
Setting 25
02-A-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
PK	11.58076G	55.57	74.00	-18.43	16.11	3	Vertical	341	1.96	-
AV	11.58996G	42.74	54.00	-11.26	16.12	3	Vertical	341	1.96	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TX


16/01/2020



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TX


16/01/2020



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TX


16/01/2020



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TX


16/01/2020



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TX


16/01/2020



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TX


16/01/2020



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TX


16/01/2020



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

16/01/2020

5775MHz_TX



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

16/01/2020

5775MHz_TX

