


802.11a_Nss1,(6Mbps)_8TX

CSE-PK

5200MHz

23/10/2020



Legend for CSE-PK:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Blue line)
- Port 7 (Light Blue line)
- Port 8 (Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	10.4015G	-42.49	-27.00	-15.49	18.00	0.00	-60.49	-69.26	-68.13	-69.90	-71.55	-70.81	-68.69	-69.10	-69.68
8G	12G	1M	PK	10.5985G	-40.67	-27.00	-13.67	18.00	0.00	-58.67	-69.21	-68.79	-67.23	-67.30	-67.80	-66.81	-66.80	-68.35
12G	30G	1M	PK	26.643G	-36.99	-27.00	-9.99	18.00	0.00	-54.99	-62.97	-65.13	-64.43	-65.85	-63.10	-64.12	-64.23	-63.14

802.11a_Nss1,(6Mbps)_8TX

CSE-AV

5200MHz

23/10/2020



Legend for CSE-AV:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Blue line)
- Port 7 (Light Blue line)
- Port 8 (Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	10.6175G	-49.74	-41.20	-8.54	18.00	0.00	-67.74	-77.08	-76.27	-76.89	-77.10	-76.91	-76.74	-76.56	-76.70
12G	30G	1M	AV	15.6G	-41.73	-41.20	-0.53	18.00	0.00	-59.73	-71.96	-66.93	-71.39	-69.19	-67.65	-66.27	-69.96	-70.22

802.11a_Nss1,(6Mbps)_8TX

CSE-PK

5240MHz

23/10/2020



Legend for CSE-PK plot:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	10.488G	-42.34	-27.00	-15.34	18.00	0.00	-60.34	-68.72	-70.19	-67.41	-70.82	-71.26	-68.75	-70.08	-69.06
8G	12G	1M	PK	10.5955G	-40.84	-27.00	-13.84	18.00	0.00	-58.84	-68.41	-66.95	-67.92	-66.36	-69.04	-69.55	-68.88	-66.91
12G	30G	1M	PK	26.69925G	-37.16	-27.00	-10.16	18.00	0.00	-55.16	-65.46	-64.55	-64.75	-65.23	-64.56	-66.75	-61.35	-63.13

802.11a_Nss1,(6Mbps)_8TX

CSE-AV

5240MHz

23/10/2020



Legend for CSE-AV plot:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	10.6245G	-49.64	-41.20	-8.44	18.00	0.00	-67.64	-75.99	-77.08	-77.12	-76.78	-75.98	-76.41	-77.50	-76.74
12G	30G	1M	AV	15.717G	-41.49	-41.20	-0.29	18.00	0.00	-59.49	-74.40	-65.51	-68.49	-70.23	-67.33	-68.99	-72.29	-67.00

802.11a_Nss1,(6Mbps)_8TX

CSE-PK

5745MHz

23/10/2020



Legend for CSE-PK plot:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	10.293G	-40.70	-27.00	-13.70	18.00	0.00	-58.70	-68.19	-67.91	-67.30	-67.81	-68.01	-68.39	-67.96	-66.59
8G	12G	1M	PK	11.493G	-38.82	-21.20	-17.62	18.00	0.00	-56.82	-65.52	-61.69	-65.82	-68.40	-69.64	-68.63	-65.42	-67.36
12G	30G	1M	PK	17.2335G	-27.83	-27.00	-0.83	18.00	0.00	-45.83	-54.73	-57.25	-51.37	-59.70	-54.37	-54.74	-57.17	-54.46

802.11a_Nss1,(6Mbps)_8TX

CSE-AV

5745MHz

23/10/2020



Legend for CSE-AV plot:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.49G	-48.02	-41.20	-6.82	18.00	0.00	-66.02	-75.93	-72.51	-72.85	-77.58	-78.77	-76.47	-73.72	-76.81
12G	30G	1M	AV	18.93225G	-46.02	-41.20	-4.82	18.00	0.00	-64.02	-73.58	-72.35	-73.09	-73.55	-72.74	-73.14	-73.27	-72.85

802.11a_Nss1,(6Mbps)_8TX

CSE-PK

5785MHz

23/10/2020



Legend for CSE-PK plot:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	10.581G	-40.92	-27.00	-13.92	18.00	0.00	-58.92	-68.39	-68.70	-67.77	-68.29	-66.45	-69.14	-69.57	-66.42
8G	12G	1M	PK	11.5725G	-38.70	-21.20	-17.50	18.00	0.00	-56.70	-68.30	-61.61	-66.52	-70.16	-70.72	-65.12	-64.27	-66.67
12G	30G	1M	PK	17.3505G	-27.48	-27.00	-0.48	18.00	0.00	-45.48	-63.23	-56.72	-56.53	-49.94	-57.52	-50.87	-58.90	-56.82

802.11a_Nss1,(6Mbps)_8TX

CSE-AV

5785MHz

23/10/2020



Legend for CSE-AV plot:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.5725G	-47.31	-41.20	-6.11	18.00	0.00	-65.31	-75.41	-70.95	-76.33	-76.04	-78.22	-74.13	-73.21	-74.44
12G	30G	1M	AV	18.939G	-46.04	-41.20	-4.84	18.00	0.00	-64.04	-73.00	-73.41	-73.24	-72.81	-73.00	-72.94	-72.97	-73.23

802.11a_Nss1,(6Mbps)_8TX

CSE-PK

5825MHz

23/10/2020



Legend for CSE-PK plot:

- Limit-PK (Red line)
- EIRP-PK (Green line)
- Sum-PK (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	10.5765G	-40.92	-27.00	-13.92	18.00	0.00	-58.92	-68.52	-66.26	-67.54	-70.32	-66.68	-69.24	-68.57	-67.85
8G	12G	1M	PK	11.6505G	-36.30	-21.20	-15.10	18.00	0.00	-54.30	-65.20	-63.68	-65.62	-61.75	-66.49	-63.81	-59.98	-64.02
12G	30G	1M	PK	17.46975G	-27.32	-27.00	-0.32	18.00	0.00	-45.32	-63.48	-51.62	-53.80	-50.74	-57.19	-54.89	-54.94	-59.80

802.11a_Nss1,(6Mbps)_8TX

CSE-AV

5825MHz

23/10/2020



Legend for CSE-AV plot:

- Limit-AV (Red line)
- EIRP-AV (Green line)
- Sum-AV (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.6505G	-45.42	-41.20	-4.22	18.00	0.00	-63.42	-72.66	-70.96	-74.20	-71.32	-75.77	-72.16	-71.76	-72.64
12G	30G	1M	AV	18.939G	-46.13	-41.20	-4.93	18.00	0.00	-64.13	-73.63	-72.53	-72.95	-72.78	-73.63	-73.37	-73.36	-73.17

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE-PK

5180MHz

23/10/2020



Legend for CSE-PK plot:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	10.366G	-42.34	-27.00	-15.34	18.00	0.00	-60.34	-69.70	-68.39	-70.08	-69.53	-70.63	-69.78	-69.30	-68.14
8G	12G	1M	PK	10.588G	-40.71	-27.00	-13.71	18.00	0.00	-58.71	-69.79	-64.20	-67.97	-68.10	-69.53	-68.90	-68.52	-67.81
12G	30G	1M	PK	26.61825G	-37.33	-27.00	-10.33	18.00	0.00	-55.33	-64.77	-63.04	-64.71	-63.22	-63.97	-65.31	-65.37	-65.22

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE-AV

5180MHz

23/10/2020



Legend for CSE-AV plot:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	10.6095G	-49.86	-41.20	-8.66	18.00	0.00	-67.86	-76.05	-77.25	-77.24	-77.00	-76.32	-77.03	-77.81	-76.65
12G	30G	1M	AV	15.5415G	-41.46	-41.20	-0.26	18.00	0.00	-59.46	-67.70	-68.25	-68.25	-72.73	-68.33	-67.15	-67.33	-70.72

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE-PK

5200MHz

23/10/2020



Legend for CSE-PK plot:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	10.392G	-42.39	-27.00	-15.39	18.00	0.00	-60.39	-70.42	-68.84	-68.72	-70.98	-70.09	-71.13	-68.69	-67.71
8G	12G	1M	PK	10.5955G	-40.77	-27.00	-13.77	18.00	0.00	-58.77	-67.96	-70.09	-65.55	-67.04	-68.65	-68.31	-67.15	-69.37
12G	30G	1M	PK	26.7195G	-37.21	-27.00	-10.21	18.00	0.00	-55.21	-62.95	-64.90	-64.49	-65.11	-66.85	-62.04	-66.17	-63.52

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE-AV

5200MHz

23/10/2020



Legend for CSE-AV plot:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	10.601G	-49.63	-41.20	-8.43	18.00	0.00	-67.63	-76.42	-77.26	-76.74	-76.96	-76.64	-76.49	-77.24	-75.74
12G	30G	1M	AV	15.59775G	-41.51	-41.20	-0.31	18.00	0.00	-59.51	-72.13	-66.25	-71.19	-67.76	-67.83	-66.64	-70.90	-69.41

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE-PK

5240MHz

23/10/2020



Legend for CSE-PK plot:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	10.4745G	-42.25	-27.00	-15.25	18.00	0.00	-60.25	-70.05	-68.70	-70.37	-69.98	-69.73	-70.89	-66.93	-68.96
8G	12G	1M	PK	10.5975G	-40.87	-27.00	-13.87	18.00	0.00	-58.87	-68.04	-67.97	-67.80	-68.80	-68.65	-67.66	-66.03	-69.02
12G	30G	1M	PK	26.7195G	-37.00	-27.00	-10.00	18.00	0.00	-55.00	-64.34	-64.61	-63.54	-63.74	-63.33	-65.23	-63.61	-64.13

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE-AV

5240MHz

23/10/2020



Legend for CSE-AV plot:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	10.612G	-49.70	-41.20	-8.50	18.00	0.00	-67.70	-76.57	-76.64	-76.80	-77.38	-76.78	-76.11	-77.28	-76.43
12G	30G	1M	AV	15.71925G	-41.51	-41.20	-0.31	18.00	0.00	-59.51	-73.97	-65.46	-69.18	-70.42	-66.78	-68.47	-72.24	-67.64

802.11ax HEW20_Nss1,(MCS0)_8TX

5745MHz

CSE-PK

23/10/2020



Legend for CSE-PK plot:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	10.5945G	-40.65	-27.00	-13.65	18.00	0.00	-58.65	-68.66	-68.55	-66.85	-66.87	-67.00	-67.91	-68.17	-67.84
8G	12G	1M	PK	11.4945G	-39.57	-21.20	-18.37	18.00	0.00	-57.57	-67.99	-63.26	-68.38	-68.12	-68.47	-65.77	-66.19	-67.65
12G	30G	1M	PK	17.23125G	-27.49	-27.00	-0.49	18.00	0.00	-45.49	-58.07	-59.04	-54.27	-57.53	-57.41	-52.50	-56.21	-49.96

802.11ax HEW20_Nss1,(MCS0)_8TX

5745MHz

CSE-AV

23/10/2020



Legend for CSE-AV plot:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.4945G	-48.63	-41.20	-7.43	18.00	0.00	-66.63	-76.30	-72.74	-78.24	-77.05	-77.23	-74.96	-76.51	-74.88
12G	30G	1M	AV	18.93675G	-46.18	-41.20	-4.98	18.00	0.00	-64.18	-73.01	-73.85	-73.23	-73.61	-72.66	-73.02	-73.05	-73.38

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE-PK

5785MHz

23/10/2020



Legend for CSE-PK plot:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	10.2655G	-40.96	-27.00	-13.96	18.00	0.00	-58.96	-66.82	-67.24	-69.11	-68.22	-68.50	-68.01	-69.73	-67.10
8G	12G	1M	PK	11.567G	-39.54	-21.20	-18.34	18.00	0.00	-57.54	-67.76	-62.77	-65.64	-67.13	-69.92	-67.92	-68.01	-67.47
12G	30G	1M	PK	17.346G	-27.09	-27.00	-0.09	18.00	0.00	-45.09	-63.69	-58.03	-57.58	-53.32	-52.73	-48.48	-56.89	-60.07

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE-AV

5785MHz

23/10/2020



Legend for CSE-AV plot:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.5675G	-48.47	-41.20	-7.27	18.00	0.00	-66.47	-75.11	-73.20	-72.73	-76.97	-78.31	-78.21	-77.42	-75.96
12G	30G	1M	AV	18.948G	-46.09	-41.20	-4.89	18.00	0.00	-64.09	-73.11	-73.38	-73.19	-72.96	-73.44	-73.18	-73.26	-72.55

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE-PK

5825MHz

23/10/2020



Legend for CSE-PK plot:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	10.5945G	-40.72	-27.00	-13.72	18.00	0.00	-58.72	-67.84	-67.20	-67.99	-66.67	-69.91	-66.86	-67.37	-69.18
8G	12G	1M	PK	11.647G	-36.94	-21.20	-15.74	18.00	0.00	-54.94	-64.85	-63.02	-60.40	-63.33	-66.69	-68.39	-66.03	-64.01
12G	30G	1M	PK	17.4765G	-27.08	-27.00	-0.08	18.00	0.00	-45.08	-63.87	-50.19	-51.19	-53.44	-59.07	-52.97	-58.90	-58.64

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE-AV

5825MHz

23/10/2020



Legend for CSE-AV plot:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.6485G	-46.08	-41.20	-4.88	18.00	0.00	-64.08	-73.23	-72.12	-71.33	-72.84	-76.58	-75.98	-72.55	-72.75
12G	30G	1M	AV	18.94575G	-46.17	-41.20	-4.97	18.00	0.00	-64.17	-73.39	-73.27	-73.03	-72.43	-73.23	-73.51	-73.52	-73.37

802.11ax HEW40_Nss1,(MCS0)_8TX

CSE-PK

5190MHz

23/10/2020



Legend for CSE-PK plot:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	10.3645G	-41.99	-27.00	-14.99	18.00	0.00	-59.99	-67.32	-69.77	-69.02	-70.70	-68.34	-69.07	-70.52	-68.47
8G	12G	1M	PK	10.591G	-40.68	-27.00	-13.68	18.00	0.00	-58.68	-69.11	-66.55	-67.45	-67.87	-68.86	-68.79	-66.71	-67.16
12G	30G	1M	PK	26.99625G	-36.95	-27.00	-9.95	18.00	0.00	-54.95	-66.72	-62.28	-65.78	-63.32	-63.30	-65.71	-61.92	-65.42

802.11ax HEW40_Nss1,(MCS0)_8TX

CSE-AV

5190MHz

23/10/2020



Legend for CSE-AV plot:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	10.6095G	-49.54	-41.20	-8.34	18.00	0.00	-67.54	-77.03	-76.77	-76.44	-77.12	-75.75	-77.17	-75.75	-76.83
12G	30G	1M	AV	15.5685G	-44.90	-41.20	-3.70	18.00	0.00	-62.90	-70.48	-74.20	-70.64	-69.83	-74.79	-72.08	-73.06	-72.99

802.11ax HEW40_Nss1,(MCS0)_8TX

CSE-PK

5230MHz

23/10/2020



Legend for CSE-PK plot:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	10.474G	-42.32	-27.00	-15.32	18.00	0.00	-60.32	-70.05	-69.55	-70.13	-66.97	-70.23	-70.68	-68.95	-69.48
8G	12G	1M	PK	10.558G	-41.02	-27.00	-14.02	18.00	0.00	-59.02	-67.90	-67.59	-68.38	-68.61	-68.76	-68.28	-67.73	-67.37
12G	30G	1M	PK	26.68575G	-37.39	-27.00	-10.39	18.00	0.00	-55.39	-63.30	-65.28	-65.12	-64.06	-63.24	-64.96	-67.20	-63.55

802.11ax HEW40_Nss1,(MCS0)_8TX

CSE-AV

5230MHz

23/10/2020



Legend for CSE-AV plot:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	10.6165G	-49.83	-41.20	-8.63	18.00	0.00	-67.83	-77.28	-77.15	-76.74	-77.45	-77.23	-76.53	-76.60	-76.10
12G	30G	1M	AV	15.69225G	-41.33	-41.20	-0.13	18.00	0.00	-59.33	-68.34	-70.91	-65.20	-68.60	-68.61	-69.63	-74.18	-66.68

802.11ax HEW40_Nss1,(MCS0)_8TX

CSE-PK

5755MHz

23/10/2020



Legend for CSE-PK plot:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	10.5985G	-40.94	-27.00	-13.94	18.00	0.00	-58.94	-69.48	-68.92	-67.43	-68.43	-69.17	-68.42	-65.15	-68.55
8G	12G	1M	PK	11.507G	-37.67	-21.20	-16.47	18.00	0.00	-55.67	-62.37	-67.06	-62.58	-66.60	-65.61	-67.72	-65.02	-63.94
12G	30G	1M	PK	17.27175G	-27.20	-27.00	-0.20	18.00	0.00	-45.20	-56.76	-56.99	-58.69	-57.60	-49.19	-51.72	-55.58	-58.28

802.11ax HEW40_Nss1,(MCS0)_8TX

CSE-AV

5755MHz

23/10/2020



Legend for CSE-AV plot:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.5065G	-46.07	-41.20	-4.87	18.00	0.00	-64.07	-72.73	-75.08	-69.57	-72.56	-74.63	-75.49	-77.81	-72.03
12G	30G	1M	AV	18.94125G	-46.06	-41.20	-4.86	18.00	0.00	-64.06	-72.62	-73.37	-73.72	-72.74	-73.39	-73.07	-73.62	-72.41

802.11ax HEW40_Nss1,(MCS0)_8TX

CSE-PK

5795MHz

23/10/2020



Legend for CSE-PK:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	10.588G	-40.87	-27.00	-13.87	18.00	0.00	-58.87	-68.53	-66.21	-68.59	-69.09	-67.20	-67.57	-67.52	-69.51
8G	12G	1M	PK	11.5865G	-37.46	-21.20	-16.26	18.00	0.00	-55.46	-65.69	-65.39	-61.29	-62.77	-68.14	-67.70	-67.78	-62.80
12G	30G	1M	PK	17.391G	-27.35	-27.00	-0.35	18.00	0.00	-45.35	-56.97	-52.50	-52.93	-58.91	-50.40	-54.31	-57.87	-61.35

802.11ax HEW40_Nss1,(MCS0)_8TX

CSE-AV

5795MHz

23/10/2020



Legend for CSE-AV:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.5875G	-45.52	-41.20	-4.32	18.00	0.00	-63.52	-74.06	-71.76	-68.92	-70.38	-75.63	-77.13	-77.33	-72.70
12G	30G	1M	AV	18.939G	-46.27	-41.20	-5.07	18.00	0.00	-64.27	-72.45	-73.52	-73.06	-72.67	-73.97	-73.47	-73.89	-73.61

802.11ax HEW80_Nss1,(MCS0)_8TX

CSE-PK

5210MHz

23/10/2020



Legend for CSE-PK plot:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	10.27G	-40.29	-27.00	-13.29	18.00	0.00	-58.29	-68.39	-66.32	-64.43	-67.71	-67.38	-68.55	-69.25	-68.71
8G	12G	1M	PK	10.421G	-42.01	-27.00	-15.01	18.00	0.00	-60.01	-70.29	-69.82	-69.66	-70.95	-67.67	-70.47	-68.32	-66.93
12G	30G	1M	PK	25.86G	-37.13	-27.00	-10.13	18.00	0.00	-55.13	-63.89	-62.68	-64.71	-66.22	-64.88	-67.05	-64.70	-61.65

802.11ax HEW80_Nss1,(MCS0)_8TX

CSE-AV

5210MHz

23/10/2020



Legend for CSE-AV plot:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	10.6085G	-49.46	-41.20	-8.26	18.00	0.00	-67.46	-76.96	-76.31	-76.98	-76.34	-76.65	-76.65	-76.03	-76.13
12G	30G	1M	AV	18.9525G	-45.78	-41.20	-4.58	18.00	0.00	-63.78	-73.42	-73.59	-73.43	-72.30	-72.72	-72.36	-72.81	-72.15

802.11ax HEW80_Nss1,(MCS0)_8TX

CSE-PK

5775MHz

23/10/2020



Legend for CSE-PK plot:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	10.2765G	-40.70	-27.00	-13.70	18.00	0.00	-58.70	-67.95	-68.75	-67.68	-67.23	-68.14	-68.12	-66.49	-67.90
8G	12G	1M	PK	11.554G	-40.85	-21.20	-19.65	18.00	0.00	-58.85	-67.95	-68.53	-68.15	-65.67	-69.18	-69.80	-67.74	-67.32
12G	30G	1M	PK	17.3415G	-33.75	-27.00	-6.75	18.00	0.00	-51.75	-64.21	-69.65	-59.54	-61.16	-57.63	-57.67	-63.49	-63.61

802.11ax HEW80_Nss1,(MCS0)_8TX

CSE-AV

5775MHz

23/10/2020



Legend for CSE-AV plot:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	10.6125G	-49.58	-41.20	-8.38	18.00	0.00	-67.58	-76.18	-76.57	-77.50	-76.14	-75.79	-76.87	-76.78	-77.30
8G	12G	1M	AV	11.55G	-49.62	-41.20	-8.42	18.00	0.00	-67.62	-76.25	-76.27	-75.80	-76.01	-77.16	-77.51	-77.76	-76.88
12G	30G	1M	AV	18.94575G	-45.73	-41.20	-4.53	18.00	0.00	-63.73	-73.07	-72.97	-72.94	-72.05	-73.28	-73.09	-72.35	-72.47



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	P5 (dBm)	P6 (dBm)	P7 (dBm)	P8 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	Pass	30G	40G	AV	39.3275G	9.03	-71.16	-71.39	-71.02	-71.10	-70.40	-72.23	-71.31	-71.61	-62.22	-53.19	-41.20	-11.99
802.11ax HEW20_Nss1,(MCS0)_8TX	Pass	30G	40G	AV	39.33G	9.03	-71.48	-71.51	-70.99	-71.07	-72.07	-70.99	-71.62	-71.36	-62.34	-53.31	-41.20	-12.11
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	30G	40G	AV	39.33875G	9.03	-71.06	-71.19	-71.88	-71.60	-70.84	-71.10	-71.89	-71.24	-62.30	-53.27	-41.20	-12.07
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	30G	40G	AV	39.3425G	9.03	-71.26	-72.06	-71.60	-71.45	-70.28	-71.97	-70.67	-71.33	-62.26	-53.23	-41.20	-12.03
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	Pass	30G	40G	AV	39.3475G	9.03	-70.48	-71.18	-71.06	-71.92	-71.01	-71.48	-70.97	-70.93	-62.08	-53.05	-41.20	-11.85
802.11ax HEW20_Nss1,(MCS0)_8TX	Pass	30G	40G	AV	39.3475G	9.03	-71.66	-71.61	-71.59	-71.38	-72.00	-71.36	-70.82	-70.23	-62.27	-53.24	-41.20	-12.04
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	30G	40G	AV	39.3525G	9.03	-71.39	-70.51	-71.30	-71.48	-70.72	-71.64	-70.65	-71.88	-62.14	-53.11	-41.20	-11.91
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	30G	40G	AV	39.35375G	9.03	-71.67	-70.90	-71.38	-71.22	-71.50	-71.10	-71.17	-71.09	-62.22	-53.19	-41.20	-11.99

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE TX above 1GHz (Harmonic 30GHz ~ 40GHz) Result_Conducted Test_Radio 1 + Antenna Set 1 Appendix E.7

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	P5 (dBm)	P6 (dBm)	P7 (dBm)	P8 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1 (6Mbps)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	30G	40G	AV	39.3275G	9.03	-71.16	-71.39	-71.02	-71.10	-70.40	-72.23	-71.31	-71.61	-62.22	-53.19	-41.20	-11.99
5180MHz	Pass	30G	40G	PK	38.1775G	9.03	-63.08	-61.18	-66.25	-64.94	-65.09	-64.23	-62.31	-65.31	-54.71	-45.68	-27.00	-18.68
5200MHz	Pass	30G	40G	AV	39.31375G	9.03	-70.81	-71.51	-72.05	-70.71	-71.46	-70.73	-71.80	-71.78	-62.30	-53.27	-41.20	-12.07
5200MHz	Pass	30G	40G	PK	38.54375G	9.03	-62.77	-63.23	-63.61	-64.55	-63.80	-61.96	-63.35	-65.09	-54.42	-45.39	-27.00	-18.39
5240MHz	Pass	30G	40G	AV	39.3475G	9.03	-71.94	-71.31	-71.45	-71.48	-71.21	-71.72	-70.60	-71.54	-62.36	-53.33	-41.20	-12.13
5240MHz	Pass	30G	40G	PK	38.165G	9.03	-64.08	-59.57	-64.22	-64.73	-64.31	-63.32	-64.46	-65.01	-54.29	-45.26	-27.00	-18.26
5745MHz	Pass	30G	40G	AV	39.3475G	9.03	-70.48	-71.18	-71.06	-71.92	-71.01	-71.48	-70.97	-70.93	-62.08	-53.05	-41.20	-11.85
5745MHz	Pass	30G	40G	PK	38.5425G	9.03	-66.11	-62.59	-63.39	-64.34	-61.67	-63.51	-64.27	-63.63	-54.49	-45.46	-27.00	-18.46
5785MHz	Pass	30G	40G	AV	39.35G	9.03	-69.60	-71.00	-71.41	-72.52	-70.92	-71.67	-71.80	-71.85	-62.24	-53.21	-41.20	-12.01
5785MHz	Pass	30G	40G	PK	38.5325G	9.03	-61.95	-66.17	-62.10	-65.06	-63.23	-63.45	-65.07	-63.49	-54.57	-45.54	-27.00	-18.54
5825MHz	Pass	30G	40G	AV	39.33375G	9.03	-71.52	-71.80	-70.05	-71.39	-72.13	-70.98	-71.50	-71.88	-62.33	-53.30	-41.20	-12.10
5825MHz	Pass	30G	40G	PK	38.595G	9.03	-63.37	-60.87	-64.98	-64.32	-62.12	-64.93	-64.24	-65.47	-54.48	-45.45	-27.00	-18.45
802.11ax HEW20_Nss1 (MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	30G	40G	AV	39.33G	9.03	-71.48	-71.51	-70.99	-71.07	-72.07	-70.99	-71.62	-71.36	-62.34	-53.31	-41.20	-12.11
5180MHz	Pass	30G	40G	PK	38.17375G	9.03	-65.15	-62.59	-61.62	-63.50	-65.15	-63.65	-65.46	-63.29	-54.58	-45.55	-27.00	-18.55
5200MHz	Pass	30G	40G	AV	39.32375G	9.03	-70.65	-71.31	-72.62	-71.26	-70.64	-71.49	-72.06	-71.36	-62.35	-53.32	-41.20	-12.12
5200MHz	Pass	30G	40G	PK	38.18G	9.03	-63.60	-65.39	-60.45	-64.18	-64.48	-63.99	-64.78	-62.55	-54.37	-45.34	-27.00	-18.34
5240MHz	Pass	30G	40G	AV	39.3525G	9.03	-72.06	-71.42	-71.28	-71.42	-70.70	-71.00	-71.75	-71.69	-62.37	-53.34	-41.20	-12.14
5240MHz	Pass	30G	40G	PK	37.875G	9.03	-63.49	-65.38	-63.24	-63.53	-62.01	-65.07	-63.92	-63.55	-54.63	-45.60	-27.00	-18.60
5745MHz	Pass	30G	40G	AV	39.3475G	9.03	-71.66	-71.61	-71.59	-71.38	-72.00	-71.36	-70.82	-70.23	-62.27	-53.24	-41.20	-12.04
5745MHz	Pass	30G	40G	PK	38.1425G	9.03	-63.35	-64.85	-63.93	-63.08	-63.78	-63.48	-62.60	-64.16	-54.58	-45.55	-27.00	-18.55
5785MHz	Pass	30G	40G	AV	39.3325G	9.03	-71.02	-70.62	-72.20	-72.21	-71.42	-70.57	-71.46	-71.22	-62.27	-53.24	-41.20	-12.04
5785MHz	Pass	30G	40G	PK	37.86G	9.03	-66.16	-62.04	-63.93	-63.82	-64.06	-63.44	-62.15	-63.80	-54.49	-45.46	-27.00	-18.46
5825MHz	Pass	30G	40G	AV	39.34875G	9.03	-71.79	-72.01	-71.07	-71.53	-70.94	-70.66	-71.60	-71.93	-62.39	-53.36	-41.20	-12.16
5825MHz	Pass	30G	40G	PK	38.55G	9.03	-63.00	-65.39	-63.28	-62.59	-63.19	-64.99	-63.08	-62.91	-54.42	-45.39	-27.00	-18.39
802.11ax HEW40_Nss1 (MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	30G	40G	AV	39.33875G	9.03	-71.06	-71.19	-71.88	-71.60	-70.84	-71.10	-71.89	-71.24	-62.30	-53.27	-41.20	-12.07
5190MHz	Pass	30G	40G	PK	38.17625G	9.03	-62.05	-63.41	-65.65	-62.39	-63.84	-65.60	-63.60	-64.51	-54.68	-45.65	-27.00	-18.65
5230MHz	Pass	30G	40G	AV	39.35125G	9.03	-71.51	-71.43	-72.00	-71.37	-71.51	-71.27	-70.49	-71.47	-62.33	-53.30	-41.20	-12.10
5230MHz	Pass	30G	40G	PK	38.55125G	9.03	-63.84	-64.26	-64.40	-64.22	-62.70	-63.16	-63.34	-63.51	-54.61	-45.58	-27.00	-18.58
5755MHz	Pass	30G	40G	AV	39.3525G	9.03	-71.39	-70.51	-71.30	-71.48	-70.72	-71.64	-70.65	-71.88	-62.14	-53.11	-41.20	-11.91
5755MHz	Pass	30G	40G	PK	38.5575G	9.03	-64.65	-62.83	-64.43	-64.16	-63.63	-61.73	-64.58	-62.70	-54.44	-45.41	-27.00	-18.41
5795MHz	Pass	30G	40G	AV	39.3375G	9.03	-70.92	-71.58	-71.65	-71.51	-71.48	-71.90	-71.24	-71.29	-62.41	-53.38	-41.20	-12.18
5795MHz	Pass	30G	40G	PK	38.1725G	9.03	-64.67	-63.15	-62.89	-63.14	-65.21	-64.16	-62.48	-64.68	-54.67	-45.64	-27.00	-18.64
802.11ax HEW80_Nss1 (MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	30G	40G	AV	39.3425G	9.03	-71.26	-72.06	-71.60	-71.45	-70.28	-71.97	-70.67	-71.33	-62.26	-53.23	-41.20	-12.03
5210MHz	Pass	30G	40G	PK	37.2775G	9.03	-64.55	-65.61	-62.02	-63.93	-63.50	-65.07	-62.61	-63.84	-54.71	-45.68	-27.00	-18.68
5775MHz	Pass	30G	40G	AV	39.35375G	9.03	-71.67	-70.90	-71.38	-71.22	-71.50	-71.10	-71.17	-71.09	-62.22	-53.19	-41.20	-11.99
5775MHz	Pass	30G	40G	PK	38.1375G	9.03	-62.36	-64.90	-64.91	-65.33	-61.84	-63.71	-65.57	-62.21	-54.59	-45.56	-27.00	-18.56


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

802.11a_Nss1,(6Mbps)_8TX

5180MHz

CSE-PK

14/10/2020



Legend for CSE-PK plot:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Blue line)
- Port 7 (Light Blue line)
- Port 8 (Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	PK	38.1775G	-36.71	-27.00	-9.71	18.00	0.00	-54.71	-63.08	-61.18	-66.25	-64.94	-65.09	-64.23	-62.31	-65.31

802.11a_Nss1,(6Mbps)_8TX

5180MHz

CSE-AV

14/10/2020



Legend for CSE-AV plot:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Blue line)
- Port 7 (Light Blue line)
- Port 8 (Yellow line)

PX=Port X
Psum=P1+...PX



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	AV	39.3275G	-44.22	-41.20	-3.02	18.00	0.00	-62.22	-71.16	-71.39	-71.02	-71.10	-70.40	-72.23	-71.31	-71.61

802.11a_Nss1,(6Mbps)_8TX

5200MHz

CSE-PK

14/10/2020





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	PK	38.54375G	-36.42	-27.00	-9.42	18.00	0.00	-54.42	-62.77	-63.23	-63.61	-64.55	-63.80	-61.96	-63.35	-65.09

802.11a_Nss1,(6Mbps)_8TX

5200MHz

CSE-AV

14/10/2020





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	AV	39.31375G	-44.30	-41.20	-3.10	18.00	0.00	-62.30	-70.81	-71.51	-72.05	-70.71	-71.46	-70.73	-71.80	-71.78

802.11a_Nss1,(6Mbps)_8TX

5240MHz

CSE-PK

14/10/2020





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	PK	38.165G	-36.29	-27.00	-9.29	18.00	0.00	-54.29	-64.08	-59.57	-64.22	-64.73	-64.31	-63.32	-64.46	-65.01

802.11a_Nss1,(6Mbps)_8TX

5240MHz

CSE-AV

14/10/2020





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	AV	39.3475G	-44.36	-41.20	-3.16	18.00	0.00	-62.36	-71.94	-71.31	-71.45	-71.48	-71.21	-71.72	-70.60	-71.54

802.11a_Nss1,(6Mbps)_8TX

5745MHz

CSE-PK

14/10/2020





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	PK	38.5425G	-36.49	-27.00	-9.49	18.00	0.00	-54.49	-66.11	-62.59	-63.39	-64.34	-61.67	-63.51	-64.27	-63.63

802.11a_Nss1,(6Mbps)_8TX

5745MHz

CSE-AV

14/10/2020





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	AV	39.3475G	-44.08	-41.20	-2.88	18.00	0.00	-62.08	-70.48	-71.18	-71.06	-71.92	-71.01	-71.48	-70.97	-70.93

802.11a_Nss1,(6Mbps)_8TX

5785MHz

CSE-PK

14/10/2020





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	PK	38.5325G	-36.57	-27.00	-9.57	18.00	0.00	-54.57	-61.95	-66.17	-62.10	-65.06	-63.23	-63.45	-65.07	-63.49

802.11a_Nss1,(6Mbps)_8TX

5785MHz

CSE-AV

14/10/2020





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	AV	39.35G	-44.24	-41.20	-3.04	18.00	0.00	-62.24	-69.60	-71.00	-71.41	-72.52	-70.92	-71.67	-71.80	-71.85

802.11a_Nss1,(6Mbps)_8TX

5825MHz

CSE-PK

14/10/2020





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	PK	38.595G	-36.48	-27.00	-9.48	18.00	0.00	-54.48	-63.37	-60.87	-64.98	-64.32	-62.12	-64.93	-64.24	-65.47

802.11a_Nss1,(6Mbps)_8TX

5825MHz

CSE-AV

14/10/2020





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	AV	39.33375G	-44.33	-41.20	-3.13	18.00	0.00	-62.33	-71.52	-71.80	-70.05	-71.39	-72.13	-70.98	-71.50	-71.88

802.11ax HEW20_Nss1,(MCS0)_8TX

5180MHz

CSE-PK

14/10/2020





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	PK	38.17375G	-36.58	-27.00	-9.58	18.00	0.00	-54.58	-65.15	-62.59	-61.62	-63.50	-65.15	-63.65	-65.46	-63.29

802.11ax HEW20_Nss1,(MCS0)_8TX

5180MHz

CSE-AV

14/10/2020





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	AV	39.33G	-44.34	-41.20	-3.14	18.00	0.00	-62.34	-71.48	-71.51	-70.99	-71.07	-72.07	-70.99	-71.62	-71.36

802.11ax HEW20_Nss1,(MCS0)_8TX

5200MHz

CSE-PK

14/10/2020





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	PK	38.18G	-36.37	-27.00	-9.37	18.00	0.00	-54.37	-63.60	-65.39	-60.45	-64.18	-64.48	-63.99	-64.78	-62.55

802.11ax HEW20_Nss1,(MCS0)_8TX

5200MHz

CSE-AV

14/10/2020





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	AV	39.32375G	-44.35	-41.20	-3.15	18.00	0.00	-62.35	-70.65	-71.31	-72.62	-71.26	-70.64	-71.49	-72.06	-71.36

802.11ax HEW20_Nss1,(MCS0)_8TX

5240MHz

CSE-PK

14/10/2020





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	PK	37.875G	-36.63	-27.00	-9.63	18.00	0.00	-54.63	-63.49	-65.38	-63.24	-63.53	-62.01	-65.07	-63.92	-63.55

802.11ax HEW20_Nss1,(MCS0)_8TX

5240MHz

CSE-AV

14/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	AV	39.3525G	-44.37	-41.20	-3.17	18.00	0.00	-62.37	-72.06	-71.42	-71.28	-71.42	-70.70	-71.00	-71.75	-71.69

802.11ax HEW20_Nss1,(MCS0)_8TX

5745MHz

CSE-PK

14/10/2020



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4
- Port 5
- Port 6
- Port 7
- Port 8

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	PK	38.1425G	-36.58	-27.00	-9.58	18.00	0.00	-54.58	-63.35	-64.85	-63.93	-63.08	-63.78	-63.48	-62.60	-64.16

802.11ax HEW20_Nss1,(MCS0)_8TX

5745MHz

CSE-AV

14/10/2020



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4
- Port 5
- Port 6
- Port 7
- Port 8

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	AV	39.3475G	-44.27	-41.20	-3.07	18.00	0.00	-62.27	-71.66	-71.61	-71.59	-71.38	-72.00	-71.36	-70.82	-70.23

802.11ax HEW20_Nss1,(MCS0)_8TX

5785MHz

CSE-PK

14/10/2020



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4
- Port 5
- Port 6
- Port 7
- Port 8

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	PK	37.86G	-36.49	-27.00	-9.49	18.00	0.00	-54.49	-66.16	-62.04	-63.93	-63.82	-64.06	-63.44	-62.15	-63.80

802.11ax HEW20_Nss1,(MCS0)_8TX

5785MHz

CSE-AV

14/10/2020



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4
- Port 5
- Port 6
- Port 7
- Port 8

PX=Port X
Psum=P1+...PX



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	AV	39.3325G	-44.27	-41.20	-3.07	18.00	0.00	-62.27	-71.02	-70.62	-72.20	-72.21	-71.42	-70.57	-71.46	-71.22

802.11ax HEW20_Nss1,(MCS0)_8TX

5825MHz

CSE-PK

14/10/2020





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	PK	38.55G	-36.42	-27.00	-9.42	18.00	0.00	-54.42	-63.00	-65.39	-63.28	-62.59	-63.19	-64.99	-63.08	-62.91

802.11ax HEW20_Nss1,(MCS0)_8TX

5825MHz

CSE-AV

14/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	AV	39.34875G	-44.39	-41.20	-3.19	18.00	0.00	-62.39	-71.79	-72.01	-71.07	-71.53	-70.94	-70.66	-71.60	-71.93

802.11ax HEW40_Nss1,(MCS0)_8TX

5190MHz

CSE-PK

14/10/2020



- Limit.PK
- EIRP.PK
- Sum.PK
- Port 1
- Port 2
- Port 3
- Port 4
- Port 5
- Port 6
- Port 7
- Port 8

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	PK	38.17625G	-36.68	-27.00	-9.68	18.00	0.00	-54.68	-62.05	-63.41	-65.65	-62.39	-63.84	-65.60	-63.60	-64.51

802.11ax HEW40_Nss1,(MCS0)_8TX

5190MHz

CSE-AV

14/10/2020



- Limit.AV
- EIRP.AV
- Sum.AV
- Port 1
- Port 2
- Port 3
- Port 4
- Port 5
- Port 6
- Port 7
- Port 8

PX=Port X
Psum=P1+...PX



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	AV	39.33875G	-44.30	-41.20	-3.10	18.00	0.00	-62.30	-71.06	-71.19	-71.88	-71.60	-70.84	-71.10	-71.89	-71.24

802.11ax HEW40_Nss1,(MCS0)_8TX

5230MHz

CSE-PK

14/10/2020





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	PK	38.55125G	-36.61	-27.00	-9.61	18.00	0.00	-54.61	-63.84	-64.26	-64.40	-64.22	-62.70	-63.16	-63.34	-63.51

802.11ax HEW40_Nss1,(MCS0)_8TX

5230MHz

CSE-AV

14/10/2020





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	AV	39.35125G	-44.33	-41.20	-3.13	18.00	0.00	-62.33	-71.51	-71.43	-72.00	-71.37	-71.51	-71.27	-70.49	-71.47

802.11ax HEW40_Nss1,(MCS0)_8TX

5755MHz

CSE-PK

14/10/2020





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	PK	38.5575G	-36.44	-27.00	-9.44	18.00	0.00	-54.44	-64.65	-62.83	-64.43	-64.16	-63.63	-61.73	-64.58	-62.70

802.11ax HEW40_Nss1,(MCS0)_8TX

5755MHz

CSE-AV

14/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	AV	39.3525G	-44.14	-41.20	-2.94	18.00	0.00	-62.14	-71.39	-70.51	-71.30	-71.48	-70.72	-71.64	-70.65	-71.88

802.11ax HEW40_Nss1,(MCS0)_8TX

CSE-PK

5795MHz

14/10/2020



Legend for CSE-PK plot:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Brown line)
- Port 6 (Yellow line)
- Port 7 (Light Blue line)
- Port 8 (Light Green line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	PK	38.1725G	-36.67	-27.00	-9.67	18.00	0.00	-54.67	-64.67	-63.15	-62.89	-63.14	-65.21	-64.16	-62.48	-64.68

802.11ax HEW40_Nss1,(MCS0)_8TX

CSE-AV

5795MHz

14/10/2020



Legend for CSE-AV plot:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Brown line)
- Port 6 (Yellow line)
- Port 7 (Light Blue line)
- Port 8 (Light Green line)

PX=Port X
Psum=P1+...PX



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	AV	39.3375G	-44.41	-41.20	-3.21	18.00	0.00	-62.41	-70.92	-71.58	-71.65	-71.51	-71.48	-71.90	-71.24	-71.29

802.11ax HEW80_Nss1,(MCS0)_8TX

5210MHz

CSE-PK

14/10/2020





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	PK	37.2775G	-36.71	-27.00	-9.71	18.00	0.00	-54.71	-64.55	-65.61	-62.02	-63.93	-63.50	-65.07	-62.61	-63.84

802.11ax HEW80_Nss1,(MCS0)_8TX

5210MHz

CSE-AV

14/10/2020





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	AV	39.3425G	-44.26	-41.20	-3.06	18.00	0.00	-62.26	-71.26	-72.06	-71.60	-71.45	-70.28	-71.97	-70.67	-71.33

802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz

CSE-PK

14/10/2020





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	PK	38.1375G	-36.59	-27.00	-9.59	18.00	0.00	-54.59	-62.36	-64.90	-64.91	-65.33	-61.84	-63.71	-65.57	-62.21

802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz

CSE-AV

14/10/2020



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
30G	40G	1M	AV	39.35375G	-44.22	-41.20	-3.02	18.00	0.00	-62.22	-71.67	-70.90	-71.38	-71.22	-71.50	-71.10	-71.17	-71.09



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	P5 (dBm)	P6 (dBm)	P7 (dBm)	P8 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	Pass	12G	40G	AV	39.482G	2.00	-76.88	-77.42	-76.53	-77.33	-76.23	-77.29	-77.59	-76.36	-67.89	-65.89	-41.20	-24.69
802.11ax HEW20_Nss1,(MCS0)_8TX	Pass	12G	40G	AV	39.503G	2.00	-77.78	-77.44	-77.69	-77.51	-77.37	-77.71	-77.39	-77.49	-68.51	-66.51	-41.20	-25.31
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	12G	40G	AV	39.4995G	2.00	-78.01	-77.49	-77.51	-77.93	-76.83	-77.42	-77.74	-77.32	-68.49	-66.49	-41.20	-25.29
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	12G	40G	AV	39.5135G	2.00	-77.58	-77.84	-77.26	-77.43	-77.76	-77.99	-78.00	-77.81	-68.67	-66.67	-41.20	-25.47
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	Pass	8G	12G	AV	11.643G	2.00	-71.58	-65.24	-63.41	-72.88	-66.60	-67.24	-71.99	-67.16	-58.13	-56.13	-41.20	-14.93
802.11ax HEW20_Nss1,(MCS0)_8TX	Pass	8G	12G	AV	11.6435G	2.00	-72.15	-63.46	-61.59	-71.90	-66.92	-70.22	-75.24	-67.32	-57.49	-55.49	-41.20	-14.29
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	8G	12G	AV	11.5825G	2.00	-79.75	-67.12	-66.08	-77.72	-69.24	-70.78	-75.75	-72.62	-61.24	-59.24	-41.20	-18.04
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	8G	12G	AV	11.5595G	2.00	-82.64	-75.58	-69.27	-82.28	-73.83	-72.67	-76.63	-79.47	-65.44	-63.44	-41.20	-22.24

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE TX above 1GHz (Harmonic 8GHz ~ 40GHz) Result_Conducted Test_Radio 1 + Antenna Set 2

Appendix E.8

Result


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	P5 (dBm)	P6 (dBm)	P7 (dBm)	P8 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11a_Nss1,(6Mbps)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	8G	12G	AV	11.7515G	2.00	-83.91	-83.95	-83.79	-83.72	-83.92	-84.12	-82.51	-83.50	-74.62	-72.62	-41.20	-31.42
5180MHz	Pass	12G	40G	AV	39.503G	2.00	-78.24	-78.25	-77.62	-78.31	-78.06	-78.38	-78.57	-77.71	-69.10	-67.10	-41.20	-25.90
5180MHz	Pass	8G	12G	PK	8.014G	2.00	-73.68	-75.85	-76.94	-76.14	-74.95	-77.25	-75.39	-74.24	-66.37	-64.37	-27.00	-37.37
5180MHz	Pass	8G	12G	PK	10.367G	2.00	-77.86	-76.57	-74.38	-76.96	-76.37	-72.55	-76.05	-78.55	-66.73	-64.73	-27.00	-37.73
5180MHz	Pass	12G	40G	PK	38.4495G	2.00	-71.40	-73.25	-71.67	-70.65	-69.90	-72.51	-74.03	-73.10	-62.83	-60.83	-27.00	-33.83
5200MHz	Pass	8G	12G	AV	11.701G	2.00	-82.71	-83.47	-83.18	-83.51	-83.85	-82.41	-82.11	-83.16	-73.98	-71.98	-41.20	-30.78
5200MHz	Pass	12G	40G	AV	39.482G	2.00	-76.88	-77.42	-76.53	-77.33	-76.23	-77.29	-77.59	-76.36	-67.89	-65.89	-41.20	-24.69
5200MHz	Pass	8G	12G	PK	10.398G	2.00	-76.39	-75.97	-75.23	-70.38	-75.66	-74.39	-77.04	-76.34	-65.58	-63.58	-27.00	-36.58
5200MHz	Pass	12G	40G	PK	38.411G	2.00	-70.41	-69.06	-73.25	-70.82	-70.76	-70.59	-70.90	-72.44	-61.84	-59.84	-27.00	-32.84
5240MHz	Pass	8G	12G	AV	11.705G	2.00	-83.03	-82.96	-82.45	-83.25	-83.60	-82.47	-82.41	-84.21	-73.98	-71.98	-41.20	-30.78
5240MHz	Pass	12G	40G	AV	39.5065G	2.00	-77.95	-76.55	-78.05	-76.79	-76.36	-77.10	-76.72	-76.93	-67.99	-65.99	-41.20	-24.79
5240MHz	Pass	8G	12G	PK	10.48G	2.00	-74.88	-77.25	-76.11	-71.84	-74.25	-75.60	-75.25	-75.06	-65.73	-63.73	-27.00	-36.73
5240MHz	Pass	8G	12G	PK	10.4895G	2.00	-76.86	-76.52	-76.41	-69.48	-77.06	-77.16	-76.51	-73.69	-65.49	-63.49	-27.00	-36.49
5240MHz	Pass	12G	40G	PK	38.467G	2.00	-71.28	-70.74	-72.18	-68.26	-72.54	-72.93	-70.08	-73.89	-62.12	-60.12	-27.00	-33.12
5745MHz	Pass	8G	12G	AV	11.4915G	2.00	-69.96	-71.32	-76.19	-75.73	-77.61	-76.46	-65.70	-70.38	-62.03	-60.03	-41.20	-18.83
5745MHz	Pass	12G	40G	AV	39.5065G	2.00	-77.38	-77.10	-77.83	-77.79	-77.61	-77.66	-77.85	-77.87	-68.60	-66.60	-41.20	-25.40
5745MHz	Pass	8G	12G	PK	11.491G	2.00	-61.73	-61.88	-67.91	-65.96	-69.85	-68.41	-55.93	-60.26	-52.61	-50.61	-21.20	-29.41
5745MHz	Pass	12G	40G	PK	38.4285G	2.00	-69.38	-71.42	-72.36	-72.65	-71.21	-70.10	-69.10	-72.65	-61.87	-59.87	-27.00	-32.87
5785MHz	Pass	8G	12G	AV	11.5725G	2.00	-72.77	-75.75	-76.49	-73.76	-68.25	-79.96	-65.65	-69.25	-61.58	-59.58	-41.20	-18.38
5785MHz	Pass	12G	40G	AV	39.51G	2.00	-77.99	-77.41	-77.51	-77.46	-77.79	-77.48	-77.69	-77.65	-68.47	-66.47	-41.20	-25.27
5785MHz	Pass	8G	12G	PK	11.572G	2.00	-63.39	-66.53	-67.72	-62.28	-57.50	-69.77	-55.02	-59.11	-51.14	-49.14	-21.20	-27.94
5785MHz	Pass	12G	40G	PK	38.32G	2.00	-73.69	-73.58	-71.09	-70.74	-69.62	-71.35	-71.57	-72.56	-62.55	-60.55	-27.00	-33.55
5825MHz	Pass	8G	12G	AV	11.643G	2.00	-71.58	-65.24	-63.41	-72.88	-66.60	-67.24	-71.99	-67.16	-58.13	-56.13	-41.20	-14.93
5825MHz	Pass	12G	40G	AV	39.503G	2.00	-77.25	-78.00	-77.81	-77.44	-77.47	-77.22	-77.48	-77.41	-68.47	-66.47	-41.20	-25.27
5825MHz	Pass	8G	12G	PK	11.651G	2.00	-57.64	-61.85	-58.27	-59.13	-53.63	-67.07	-56.73	-54.61	-48.18	-46.18	-21.20	-24.98
5825MHz	Pass	12G	40G	PK	38.453G	2.00	-70.89	-72.27	-70.50	-71.76	-69.24	-71.46	-70.48	-73.46	-62.06	-60.06	-27.00	-33.06
802.11ax HEW20_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	8G	12G	AV	11.7025G	2.00	-83.89	-83.26	-83.93	-81.98	-83.34	-83.96	-82.99	-83.25	-74.25	-72.25	-41.20	-31.05
5180MHz	Pass	12G	40G	AV	39.51G	2.00	-77.91	-77.49	-77.62	-77.06	-77.51	-78.31	-77.40	-77.28	-68.53	-66.53	-41.20	-25.33
5180MHz	Pass	8G	12G	PK	8.014G	2.00	-72.82	-77.38	-75.66	-76.13	-75.53	-75.11	-74.92	-76.78	-66.31	-64.31	-27.00	-37.31
5180MHz	Pass	8G	12G	PK	10.365G	2.00	-77.50	-75.36	-76.14	-77.32	-76.19	-75.00	-74.91	-76.39	-66.98	-64.98	-27.00	-37.98
5180MHz	Pass	12G	40G	PK	38.3305G	2.00	-72.06	-73.17	-71.27	-75.62	-71.19	-71.32	-71.57	-71.70	-63.01	-61.01	-27.00	-34.01
5200MHz	Pass	8G	12G	AV	11.7175G	2.00	-83.88	-82.95	-83.21	-83.63	-83.38	-83.33	-81.61	-82.25	-73.94	-71.94	-41.20	-30.74
5200MHz	Pass	12G	40G	AV	39.503G	2.00	-77.78	-77.44	-77.69	-77.51	-77.37	-77.71	-77.39	-77.49	-68.51	-66.51	-41.20	-25.31
5200MHz	Pass	8G	12G	PK	8.002G	2.00	-75.94	-74.69	-74.35	-73.58	-75.98	-74.14	-75.39	-73.67	-65.60	-63.60	-27.00	-36.60
5200MHz	Pass	8G	12G	PK	10.4055G	2.00	-76.80	-74.21	-75.29	-73.51	-75.73	-74.90	-75.89	-75.74	-66.12	-64.12	-27.00	-37.12
5200MHz	Pass	12G	40G	PK	38.383G	2.00	-74.72	-71.03	-71.81	-71.80	-72.71	-72.80	-69.82	-70.29	-62.61	-60.61	-27.00	-33.61
5240MHz	Pass	8G	12G	AV	11.7015G	2.00	-82.49	-83.03	-83.29	-83.15	-83.90	-82.70	-82.62	-83.78	-74.06	-72.06	-41.20	-30.86
5240MHz	Pass	12G	40G	AV	39.489G	2.00	-77.88	-76.82	-77.99	-77.65	-78.03	-76.90	-77.93	-77.40	-68.52	-66.52	-41.20	-25.32
5240MHz	Pass	8G	12G	PK	8.012G	2.00	-75.06	-73.81	-75.80	-74.52	-75.88	-73.96	-75.15	-73.01	-65.51	-63.51	-27.00	-36.51
5240MHz	Pass	8G	12G	PK	10.4805G	2.00	-74.28	-75.89	-75.03	-73.48	-75.27	-75.29	-74.94	-75.60	-65.88	-63.88	-27.00	-36.88
5240MHz	Pass	12G	40G	PK	38.5895G	2.00	-71.00	-72.13	-71.40	-72.89	-70.55	-71.64	-69.64	-70.58	-62.09	-60.09	-27.00	-33.09
5745MHz	Pass	8G	12G	AV	11.4825G	2.00	-80.55	-71.37	-69.88	-80.42	-69.39	-66.89	-81.17	-73.18	-62.45	-60.45	-41.20	-19.25
5745MHz	Pass	12G	40G	AV	39.51G	2.00	-77.62	-77.39	-76.97	-77.93	-77.60	-77.27	-77.88	-77.72	-68.51	-66.51	-41.20	-25.31
5745MHz	Pass	8G	12G	PK	11.493G	2.00	-68.53	-65.15	-63.13	-68.56	-61.71	-56.05	-54.09	-64.80	-50.73	-48.73	-21.20	-27.53
5745MHz	Pass	12G	40G	PK	38.439G	2.00	-70.62	-72.52	-73.12	-71.63	-72.25	-69.32	-70.84	-72.16	-62.37	-60.37	-27.00	-33.37
5785MHz	Pass	8G	12G	AV	11.5775G	2.00	-74.18	-70.63	-64.43	-76.03	-69.06	-70.20	-69.15	-71.32	-60.34	-58.34	-41.20	-17.14
5785MHz	Pass	12G	40G	AV	39.489G	2.00	-78.02	-77.17	-77.26	-77.83	-77.10	-77.86	-77.39	-77.98	-68.53	-66.53	-41.20	-25.33
5785MHz	Pass	8G	12G	PK	11.5775G	2.00	-64.35	-62.28	-51.89	-64.11	-58.34	-60.77	-57.64	-62.84	-49.08	-47.08	-21.20	-25.88
5785MHz	Pass	12G	40G	PK	38.3305G	2.00	-71.75	-70.51	-71.93	-73.37	-71.41	-70.90	-70.17	-70.69	-62.21	-60.21	-27.00	-33.21
5825MHz	Pass	8G	12G	AV	11.6435G	2.00	-72.15	-63.46	-61.59	-71.90	-66.92	-70.22	-75.24	-67.32	-57.49	-55.49	-41.20	-14.29
5825MHz	Pass	12G	40G	AV	39.496G	2.00	-77.30	-77.97	-77.46	-77.49	-77.03	-77.93	-77.80	-77.24	-68.48	-66.48	-41.20	-25.28
5825MHz	Pass	8G	12G	PK	11.6445G	2.00	-62.90	-53.47	-49.38	-62.61	-56.90	-59.93	-65.69	-56.97	-46.49	-44.49	-21.20	-23.29
5825MHz	Pass	12G	40G	PK	38.5755G	2.00	-71.63	-70.43	-71.15	-72.12	-70.27	-73.69	-71.16	-69.82	-62.11	-60.11	-27.00	-33.11
802.11ax HEW40_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	8G	12G	AV	11.698G	2.00	-83.51	-82.93	-82.96	-83.76	-82.11	-82.41	-83.43	-82.98	-73.95	-71.95	-41.20	-30.75
5190MHz	Pass	12G	40G	AV	39.5065G	2.00	-77.79	-77.64	-77.55	-77.13	-77.85	-77.25	-78.06	-77.57	-68.56	-66.56	-41.20	-25.36
5190MHz	Pass	8G	12G	PK	8.024G	2.00	-75.01	-75.55	-74.01	-73.73	-75.84	-74.12	-73.62	-74.76	-65.48	-63.48	-27.00	-36.48
5190MHz	Pass	8G	12G	PK	10.3875G	2.00	-75.27	-75.										

802.11a_Nss1,(6Mbps)_8TX

CSE [PK]

5180MHz

25/09/2021



Legend for CSE [PK]:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Magenta line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	8.014G	-64.37	-27.00	-37.37	2.00	0.00	-66.37	-73.68	-75.85	-76.94	-76.14	-74.95	-77.25	-75.39	-74.24
8G	12G	1M	PK	10.367G	-64.73	-27.00	-37.73	2.00	0.00	-66.73	-77.86	-76.57	-74.38	-76.96	-76.37	-72.55	-76.05	-78.55
12G	40G	1M	PK	38.4495G	-60.83	-27.00	-33.83	2.00	0.00	-62.83	-71.40	-73.25	-71.67	-70.65	-69.90	-72.51	-74.03	-73.10

802.11a_Nss1,(6Mbps)_8TX

CSE [AV]

5180MHz

25/09/2021



Legend for CSE [AV]:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Magenta line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.7515G	-72.62	-41.20	-31.42	2.00	0.00	-74.62	-83.91	-83.95	-83.79	-83.72	-83.92	-84.12	-82.51	-83.50
12G	40G	1M	AV	39.503G	-67.10	-41.20	-25.90	2.00	0.00	-69.10	-78.24	-78.25	-77.62	-78.31	-78.06	-78.38	-78.57	-77.71

802.11a_Nss1,(6Mbps)_8TX

5200MHz

CSE [PK]

28/09/2021



Legend for CSE [PK]:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Blue line)
- Port 1 (Light Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Green line)
- Port 7 (Light Blue line)
- Port 8 (Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	10.398G	-63.58	-27.00	-36.58	2.00	0.00	-65.58	-76.39	-75.97	-75.23	-70.38	-75.66	-74.39	-77.04	-76.34
12G	40G	1M	PK	38.411G	-59.84	-27.00	-32.84	2.00	0.00	-61.84	-70.41	-69.06	-73.25	-70.82	-70.76	-70.59	-70.90	-72.44

802.11a_Nss1,(6Mbps)_8TX

5200MHz

CSE [AV]

28/09/2021



Legend for CSE [AV]:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Blue line)
- Port 1 (Light Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Green line)
- Port 7 (Light Blue line)
- Port 8 (Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.701G	-71.98	-41.20	-30.78	2.00	0.00	-73.98	-82.71	-83.47	-83.18	-83.51	-83.85	-82.41	-82.11	-83.16
12G	40G	1M	AV	39.482G	-65.89	-41.20	-24.69	2.00	0.00	-67.89	-76.88	-77.42	-76.53	-77.33	-76.23	-77.29	-77.59	-76.36

802.11a_Nss1,(6Mbps)_8TX

CSE [PK]

5240MHz

28/09/2021



Legend for CSE [PK]:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	10.48G	-63.73	-27.00	-36.73	2.00	0.00	-65.73	-74.88	-77.25	-76.11	-71.84	-74.25	-75.60	-75.25	-75.06
8G	12G	1M	PK	10.4895G	-63.49	-27.00	-36.49	2.00	0.00	-65.49	-76.86	-76.52	-76.41	-69.48	-77.06	-77.16	-76.51	-73.69
12G	40G	1M	PK	38.467G	-60.12	-27.00	-33.12	2.00	0.00	-62.12	-71.28	-70.74	-72.18	-68.26	-72.54	-72.93	-70.08	-73.89

802.11a_Nss1,(6Mbps)_8TX

CSE [AV]

5240MHz

28/09/2021



Legend for CSE [AV]:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.705G	-71.98	-41.20	-30.78	2.00	0.00	-73.98	-83.03	-82.96	-82.45	-83.25	-83.60	-82.47	-82.41	-84.21
12G	40G	1M	AV	39.5065G	-65.99	-41.20	-24.79	2.00	0.00	-67.99	-77.95	-76.55	-78.05	-76.79	-76.36	-77.10	-76.72	-76.93

802.11a_Nss1,(6Mbps)_8TX

5745MHz

CSE [PK]

28/09/2021





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	11.491G	-50.61	-21.20	-29.41	2.00	0.00	-52.61	-61.73	-61.88	-67.91	-65.96	-69.85	-68.41	-55.93	-60.26
12G	40G	1M	PK	38.4285G	-59.87	-27.00	-32.87	2.00	0.00	-61.87	-69.38	-71.42	-72.36	-72.65	-71.21	-70.10	-69.10	-72.65

802.11a_Nss1,(6Mbps)_8TX

5745MHz

CSE [AV]

28/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.4915G	-60.03	-41.20	-18.83	2.00	0.00	-62.03	-69.96	-71.32	-76.19	-75.73	-77.61	-76.46	-65.70	-70.38
12G	40G	1M	AV	39.5065G	-66.60	-41.20	-25.40	2.00	0.00	-68.60	-77.38	-77.10	-77.83	-77.79	-77.61	-77.66	-77.85	-77.87

802.11a_Nss1,(6Mbps)_8TX

5785MHz

CSE [PK]

28/09/2021



Legend for CSE [PK]:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Blue line)
- Port 1 (Light Blue line)
- Port 2 (Pink line)
- Port 3 (Light Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Blue line)
- Port 8 (Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	11.572G	-49.14	-21.20	-27.94	2.00	0.00	-51.14	-63.39	-66.53	-67.72	-62.28	-57.50	-69.77	-55.02	-59.11
12G	40G	1M	PK	38.32G	-60.55	-27.00	-33.55	2.00	0.00	-62.55	-73.69	-73.58	-71.09	-70.74	-69.62	-71.35	-71.57	-72.56

802.11a_Nss1,(6Mbps)_8TX

5785MHz

CSE [AV]

28/09/2021



Legend for CSE [AV]:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Blue line)
- Port 1 (Light Blue line)
- Port 2 (Pink line)
- Port 3 (Light Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Blue line)
- Port 8 (Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.5725G	-59.58	-41.20	-18.38	2.00	0.00	-61.58	-72.77	-75.75	-76.49	-73.76	-68.25	-79.96	-65.65	-69.25
12G	40G	1M	AV	39.51G	-66.47	-41.20	-25.27	2.00	0.00	-68.47	-77.99	-77.41	-77.51	-77.46	-77.79	-77.48	-76.79	-77.65

802.11a_Nss1,(6Mbps)_8TX

5825MHz

CSE [PK]

28/09/2021



Legend for CSE [PK]:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Blue line)
- Port 1 (Light Blue line)
- Port 2 (Pink line)
- Port 3 (Light Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Blue line)
- Port 8 (Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	11.651G	-46.18	-21.20	-24.98	2.00	0.00	-48.18	-57.64	-61.85	-58.27	-59.13	-53.63	-67.07	-56.73	-54.61
12G	40G	1M	PK	38.453G	-60.06	-27.00	-33.06	2.00	0.00	-62.06	-70.89	-72.27	-70.50	-71.76	-69.24	-71.46	-70.48	-73.46

802.11a_Nss1,(6Mbps)_8TX

5825MHz

CSE [AV]

28/09/2021



Legend for CSE [AV]:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Blue line)
- Port 1 (Light Blue line)
- Port 2 (Pink line)
- Port 3 (Light Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Blue line)
- Port 8 (Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.643G	-56.13	-41.20	-14.93	2.00	0.00	-58.13	-71.58	-65.24	-63.41	-72.88	-66.60	-67.24	-71.99	-67.16
12G	40G	1M	AV	39.503G	-66.47	-41.20	-25.27	2.00	0.00	-68.47	-77.25	-78.00	-77.81	-77.44	-77.47	-77.22	-77.48	-77.41

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE [PK]

5180MHz

28/09/2021



Legend for CSE [PK]:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	8.014G	-64.31	-27.00	-37.31	2.00	0.00	-66.31	-72.82	-77.38	-75.66	-76.13	-75.53	-75.11	-74.92	-76.78
8G	12G	1M	PK	10.365G	-64.98	-27.00	-37.98	2.00	0.00	-66.98	-77.50	-75.36	-76.14	-77.32	-76.19	-75.00	-74.91	-76.39
12G	40G	1M	PK	38.3305G	-61.01	-27.00	-34.01	2.00	0.00	-63.01	-72.06	-73.17	-71.27	-75.62	-71.19	-71.32	-71.57	-71.70

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE [AV]

5180MHz

28/09/2021



Legend for CSE [AV]:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.7025G	-72.25	-41.20	-31.05	2.00	0.00	-74.25	-83.89	-83.26	-83.93	-81.98	-83.34	-83.96	-82.99	-83.25
12G	40G	1M	AV	39.51G	-66.53	-41.20	-25.33	2.00	0.00	-68.53	-77.91	-77.49	-77.62	-77.06	-77.51	-78.31	-77.40	-77.28

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE [PK]

5200MHz

28/09/2021



Legend for CSE [PK]:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	8.002G	-63.60	-27.00	-36.60	2.00	0.00	-65.60	-75.94	-74.69	-74.35	-73.58	-75.98	-74.14	-75.39	-73.67
8G	12G	1M	PK	10.4055G	-64.12	-27.00	-37.12	2.00	0.00	-66.12	-76.80	-74.21	-75.29	-73.51	-75.73	-74.90	-75.89	-75.74
12G	40G	1M	PK	38.383G	-60.61	-27.00	-33.61	2.00	0.00	-62.61	-74.72	-71.03	-71.81	-71.80	-72.71	-72.80	-69.82	-70.29

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE [AV]

5200MHz

28/09/2021



Legend for CSE [AV]:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.7175G	-71.94	-41.20	-30.74	2.00	0.00	-73.94	-83.88	-82.95	-83.21	-83.63	-83.38	-83.33	-81.61	-82.25
12G	40G	1M	AV	39.503G	-66.51	-41.20	-25.31	2.00	0.00	-68.51	-77.78	-77.44	-77.69	-77.51	-77.37	-77.71	-77.39	-77.49

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE [PK]

5240MHz

28/09/2021



Legend for CSE [PK]:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	8.012G	-63.51	-27.00	-36.51	2.00	0.00	-65.51	-75.06	-73.81	-75.80	-74.52	-75.88	-73.96	-75.15	-73.01
8G	12G	1M	PK	10.4805G	-63.88	-27.00	-36.88	2.00	0.00	-65.88	-74.28	-75.89	-75.03	-73.48	-75.27	-75.29	-74.94	-75.60
12G	40G	1M	PK	38.5895G	-60.09	-27.00	-33.09	2.00	0.00	-62.09	-71.00	-72.13	-71.40	-72.89	-70.55	-71.64	-69.64	-70.58

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE [AV]

5240MHz

28/09/2021



Legend for CSE [AV]:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.7015G	-72.06	-41.20	-30.86	2.00	0.00	-74.06	-82.49	-83.03	-83.29	-83.15	-83.90	-82.70	-82.62	-83.78
12G	40G	1M	AV	39.489G	-66.52	-41.20	-25.32	2.00	0.00	-68.52	-77.88	-76.82	-77.99	-77.65	-78.03	-76.90	-77.93	-77.40

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE [PK]

5745MHz

28/09/2021



Legend for CSE [PK]:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Magenta line)
- Port 3 (Green line)
- Port 4 (Yellow line)
- Port 5 (Orange line)
- Port 6 (Light Blue line)
- Port 7 (Dark Blue line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	11.493G	-48.73	-21.20	-27.53	2.00	0.00	-50.73	-68.53	-65.15	-63.13	-68.56	-61.71	-56.05	-54.09	-64.80
12G	40G	1M	PK	38.439G	-60.37	-27.00	-33.37	2.00	0.00	-62.37	-70.62	-72.52	-73.12	-71.63	-72.25	-69.32	-70.84	-72.16

802.11ax HEW20_Nss1,(MCS0)_8TX

CSE [AV]

5745MHz

28/09/2021



Legend for CSE [AV]:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Magenta line)
- Port 3 (Green line)
- Port 4 (Yellow line)
- Port 5 (Orange line)
- Port 6 (Light Blue line)
- Port 7 (Dark Blue line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.4825G	-60.45	-41.20	-19.25	2.00	0.00	-62.45	-80.55	-71.37	-69.88	-80.42	-69.39	-66.89	-81.17	-73.18
12G	40G	1M	AV	39.51G	-66.51	-41.20	-25.31	2.00	0.00	-68.51	-77.62	-77.39	-76.97	-77.93	-77.60	-77.27	-77.88	-77.72

802.11ax HEW20_Nss1,(MCS0)_8TX

5785MHz

CSE [PK]

28/09/2021



Legend for CSE [PK]:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Blue line)
- Port 1 (Light Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Yellow line)
- Port 5 (Orange line)
- Port 6 (Light Green line)
- Port 7 (Light Blue line)
- Port 8 (Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	11.5775G	-47.08	-21.20	-25.88	2.00	0.00	-49.08	-64.35	-62.28	-51.89	-64.11	-58.34	-60.77	-57.64	-62.84
12G	40G	1M	PK	38.3305G	-60.21	-27.00	-33.21	2.00	0.00	-62.21	-71.75	-70.51	-71.93	-73.37	-71.41	-70.90	-70.17	-70.69

802.11ax HEW20_Nss1,(MCS0)_8TX

5785MHz

CSE [AV]

28/09/2021



Legend for CSE [AV]:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Blue line)
- Port 1 (Light Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Yellow line)
- Port 5 (Orange line)
- Port 6 (Light Green line)
- Port 7 (Light Blue line)
- Port 8 (Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.5775G	-58.34	-41.20	-17.14	2.00	0.00	-60.34	-74.18	-70.63	-64.43	-76.03	-69.06	-70.20	-69.15	-71.32
12G	40G	1M	AV	39.489G	-66.53	-41.20	-25.33	2.00	0.00	-68.53	-78.02	-77.17	-77.26	-77.83	-77.10	-77.86	-77.39	-77.98

802.11ax HEW20_Nss1,(MCS0)_8TX

5825MHz

CSE [PK]

28/09/2021



Legend for CSE [PK]:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Blue line)
- Port 1 (Light Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Green line)
- Port 7 (Light Blue line)
- Port 8 (Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	11.6445G	-44.49	-21.20	-23.29	2.00	0.00	-46.49	-62.90	-53.47	-49.38	-62.61	-56.90	-59.93	-65.69	-56.97
12G	40G	1M	PK	38.5755G	-60.11	-27.00	-33.11	2.00	0.00	-62.11	-71.63	-70.43	-71.15	-72.12	-70.27	-73.69	-71.16	-69.82

802.11ax HEW20_Nss1,(MCS0)_8TX

5825MHz

CSE [AV]

28/09/2021



Legend for CSE [AV]:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Blue line)
- Port 1 (Light Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Green line)
- Port 7 (Light Blue line)
- Port 8 (Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.6435G	-55.49	-41.20	-14.29	2.00	0.00	-57.49	-72.15	-63.46	-61.59	-71.90	-66.92	-70.22	-75.24	-67.32
12G	40G	1M	AV	39.496G	-66.48	-41.20	-25.28	2.00	0.00	-68.48	-77.30	-77.97	-77.46	-77.49	-77.03	-77.93	-77.80	-77.24

802.11ax HEW40_Nss1,(MCS0)_8TX

CSE [PK]

5190MHz

28/09/2021



Legend for CSE [PK]:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	8.024G	-63.48	-27.00	-36.48	2.00	0.00	-65.48	-75.01	-75.55	-74.01	-73.73	-75.84	-74.12	-73.62	-74.76
8G	12G	1M	PK	10.3875G	-64.43	-27.00	-37.43	2.00	0.00	-66.43	-75.27	-75.58	-76.05	-75.16	-74.18	-76.51	-75.94	-75.44
12G	40G	1M	PK	38.4845G	-60.42	-27.00	-33.42	2.00	0.00	-62.42	-69.95	-71.10	-73.35	-72.20	-68.40	-72.94	-72.82	-74.01

802.11ax HEW40_Nss1,(MCS0)_8TX

CSE [AV]

5190MHz

28/09/2021



Legend for CSE [AV]:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.698G	-71.95	-41.20	-30.75	2.00	0.00	-73.95	-83.51	-82.93	-82.96	-83.76	-82.11	-82.41	-83.43	-82.98
12G	40G	1M	AV	39.5065G	-66.56	-41.20	-25.36	2.00	0.00	-68.56	-77.79	-77.64	-77.55	-77.13	-77.85	-77.25	-78.06	-77.57

802.11ax HEW40_Nss1,(MCS0)_8TX

CSE [PK]

5230MHz

28/09/2021



Legend for CSE [PK]:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	8.0245G	-63.50	-27.00	-36.50	2.00	0.00	-65.50	-74.15	-75.89	-74.93	-74.49	-73.82	-75.69	-73.74	-74.09
8G	12G	1M	PK	10.4445G	-64.04	-27.00	-37.04	2.00	0.00	-66.04	-75.38	-75.45	-74.62	-74.85	-76.91	-73.92	-74.93	-75.10
12G	40G	1M	PK	38.334G	-60.30	-27.00	-33.30	2.00	0.00	-62.30	-69.26	-70.27	-71.44	-72.94	-72.04	-72.27	-72.63	-71.11

802.11ax HEW40_Nss1,(MCS0)_8TX

CSE [AV]

5230MHz

28/09/2021



Legend for CSE [AV]:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.6975G	-71.94	-41.20	-30.74	2.00	0.00	-73.94	-83.06	-83.32	-82.66	-82.20	-83.17	-83.70	-82.58	-83.26
12G	40G	1M	AV	39.4995G	-66.49	-41.20	-25.29	2.00	0.00	-68.49	-78.01	-77.49	-77.51	-77.93	-76.83	-77.42	-77.74	-77.32

802.11ax HEW40_Nss1,(MCS0)_8TX

CSE [PK]

5755MHz

28/09/2021



Legend for CSE [PK]:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Blue line)
- Port 1 (Purple line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Dark Blue line)
- Port 8 (Light Green line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	11.502G	-52.21	-21.20	-31.01	2.00	0.00	-54.21	-72.30	-60.87	-60.09	-72.20	-64.60	-59.05	-75.22	-65.87
12G	40G	1M	PK	38.509G	-59.96	-27.00	-32.96	2.00	0.00	-61.96	-70.92	-70.80	-69.84	-73.24	-73.20	-69.12	-73.12	-69.90

802.11ax HEW40_Nss1,(MCS0)_8TX

CSE [AV]

5755MHz

28/09/2021



Legend for CSE [AV]:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Blue line)
- Port 1 (Purple line)
- Port 2 (Pink line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Dark Blue line)
- Port 8 (Light Green line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.503G	-61.02	-41.20	-19.82	2.00	0.00	-63.02	-80.63	-69.66	-71.65	-79.79	-71.54	-67.53	-82.18	-72.95
12G	40G	1M	AV	39.5205G	-66.50	-41.20	-25.30	2.00	0.00	-68.50	-77.37	-77.06	-77.42	-78.08	-77.36	-77.35	-78.15	-77.60

802.11ax HEW40_Nss1,(MCS0)_8TX

5795MHz

CSE [PK]

28/09/2021



Legend for CSE [PK]:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Magenta line)
- Port 3 (Green line)
- Port 4 (Yellow line)
- Port 5 (Orange line)
- Port 6 (Light Blue line)
- Port 7 (Dark Blue line)
- Port 8 (Light Green line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	11.5815G	-49.77	-21.20	-28.57	2.00	0.00	-51.77	-68.70	-59.97	-55.14	-69.45	-61.38	-60.05	-64.88	-65.26
12G	40G	1M	PK	38.411G	-60.28	-27.00	-33.28	2.00	0.00	-62.28	-72.63	-68.68	-72.49	-70.11	-71.74	-70.86	-72.14	-74.26

802.11ax HEW40_Nss1,(MCS0)_8TX

5795MHz

CSE [AV]

28/09/2021



Legend for CSE [AV]:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Magenta line)
- Port 3 (Green line)
- Port 4 (Yellow line)
- Port 5 (Orange line)
- Port 6 (Light Blue line)
- Port 7 (Dark Blue line)
- Port 8 (Light Green line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.5825G	-59.24	-41.20	-18.04	2.00	0.00	-61.24	-79.75	-67.12	-66.08	-77.72	-69.24	-70.78	-75.75	-72.62
12G	40G	1M	AV	39.51G	-66.44	-41.20	-25.24	2.00	0.00	-68.44	-78.16	-77.78	-77.53	-77.50	-77.67	-76.96	-77.45	-76.86

802.11ax HEW80_Nss1,(MCS0)_8TX

CSE [PK]

5210MHz

28/09/2021



Legend for CSE [PK]:

- Limit.PK (Red line)
- EIRP.PK (Green line)
- Sum.PK (Black line)
- Port 1 (Blue line)
- Port 2 (Magenta line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	8.0135G	-63.58	-27.00	-36.58	2.00	0.00	-65.58	-72.82	-73.94	-75.55	-73.90	-75.53	-74.80	-75.39	-75.89
8G	12G	1M	PK	10.434G	-64.35	-27.00	-37.35	2.00	0.00	-66.35	-74.88	-75.88	-74.39	-75.56	-74.43	-76.20	-76.41	-75.77
12G	40G	1M	PK	38.5055G	-60.03	-27.00	-33.03	2.00	0.00	-62.03	-71.31	-71.41	-70.52	-71.24	-71.14	-70.00	-70.59	-72.83

802.11ax HEW80_Nss1,(MCS0)_8TX

CSE [AV]

5210MHz

28/09/2021



Legend for CSE [AV]:

- Limit.AV (Red line)
- EIRP.AV (Green line)
- Sum.AV (Black line)
- Port 1 (Blue line)
- Port 2 (Magenta line)
- Port 3 (Green line)
- Port 4 (Orange line)
- Port 5 (Yellow line)
- Port 6 (Light Blue line)
- Port 7 (Light Green line)
- Port 8 (Light Yellow line)

PX=Port X
Psum=P1+...PX



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.698G	-71.87	-41.20	-30.67	2.00	0.00	-73.87	-82.71	-82.56	-82.52	-83.15	-82.72	-83.44	-82.90	-83.30
12G	40G	1M	AV	39.5135G	-66.67	-41.20	-25.47	2.00	0.00	-68.67	-77.58	-77.84	-77.26	-77.43	-77.76	-77.99	-78.00	-77.81

802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz

CSE [PK]

28/09/2021





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	PK	11.5595G	-54.04	-21.20	-32.84	2.00	0.00	-56.04	-73.71	-67.44	-59.60	-73.64	-64.06	-63.99	-66.23	-70.18
12G	40G	1M	PK	38.404G	-59.91	-27.00	-32.91	2.00	0.00	-61.91	-72.03	-71.68	-68.39	-70.27	-69.64	-72.78	-71.78	-73.30

802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz

CSE [AV]

28/09/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
8G	12G	1M	AV	11.5595G	-63.44	-41.20	-22.24	2.00	0.00	-65.44	-82.64	-75.58	-69.27	-82.28	-73.83	-72.67	-76.63	-79.47
12G	40G	1M	AV	39.51G	-66.50	-41.20	-25.30	2.00	0.00	-68.50	-77.10	-77.75	-77.22	-77.49	-78.12	-77.55	-77.24	-77.89



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	P5 (dBm)	P6 (dBm)	P7 (dBm)	P8 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	Pass	5.11G	5.15G	AV	5.14936G	9.03	-69.51	-70.37	-69.67	-69.50	-69.68	-69.30	-69.76	-69.30	-60.59	-51.56	-41.20	-10.36
802.11ax HEW20_Nss1,(MCS0)_8TX	Pass	5.11G	5.15G	AV	5.14952G	9.03	-69.42	-70.21	-69.95	-69.65	-69.17	-69.22	-70.12	-69.76	-60.64	-51.61	-41.20	-10.41
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	5.07G	5.15G	AV	5.134G	9.03	-66.69	-70.19	-67.34	-69.74	-66.61	-67.91	-69.72	-69.60	-59.22	-50.19	-41.20	-8.99
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	4.99G	5.15G	AV	5.14872G	9.03	-70.76	-67.81	-68.43	-69.80	-68.47	-68.02	-68.54	-70.78	-59.91	-50.88	-41.20	-9.68
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	Pass	4.9G	5.685G	AV	5.4599G	9.03	-74.88	-73.64	-74.57	-73.71	-72.23	-73.10	-75.05	-74.20	-64.80	-55.77	-41.20	-14.57
802.11ax HEW20_Nss1,(MCS0)_8TX	Pass	4.9G	5.685G	AV	5.45961G	9.03	-75.09	-73.52	-73.60	-73.18	-74.06	-73.91	-74.30	-74.96	-65.00	-55.97	-41.20	-14.77
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	5.93G	6.5G	PK	6.34988G	9.03	-66.51	-59.20	-59.70	-46.85	-57.15	-54.30	-66.64	-62.59	-45.29	-36.26	-27.00	-9.26
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	5.565G	5.725G	PK	5.65396G	9.03	-49.42	-56.38	-56.47	-56.96	-45.17	-54.07	-56.95	-57.12	-42.50	-33.47	-24.07	-9.40

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE TX above 1GHz (Bandedge BE) Result_Conducted Test_Radio 1 + Antenna Set 1

Appendix E.9

Result

Table with 20 columns: Mode, Result, F-Start (Hz), F-Stop (Hz), Type, Freq (Hz), DG (dB), P1 (dBm), P2 (dBm), P3 (dBm), P4 (dBm), P5 (dBm), P6 (dBm), P7 (dBm), P8 (dBm), Psum (dBm), EIRP (dBm), Limit (dBm), Margin (dB). Rows include test results for 802.11a_Nss1, 802.11ax HEW20_Nss1, and 802.11ax HEW40_Nss1.



CSE TX above 1GHz (Bandedge BE) Result_Conducted Test_Radio 1 + Antenna Set 1

Appendix E.9


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	P5 (dBm)	P6 (dBm)	P7 (dBm)	P8 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5795MHz	Pass	5.93G	6.5G	PK	6.34988G	9.03	-66.51	-59.20	-59.70	-46.85	-57.15	-54.30	-66.64	-62.59	-45.29	-36.26	-27.00	-9.26
802.11ax HEW80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.9G	4.99G	AV	4.98432G	9.03	-78.14	-75.89	-74.83	-75.00	-75.98	-77.42	-75.71	-74.10	-66.68	-57.65	-41.20	-16.45
5210MHz	Pass	4.99G	5.15G	AV	5.14872G	9.03	-70.76	-67.81	-68.43	-69.80	-68.47	-68.02	-68.54	-70.78	-59.91	-50.88	-41.20	-9.68
5210MHz	Pass	5.35G	5.51G	AV	5.37592G	9.03	-72.18	-70.88	-72.86	-72.22	-71.81	-73.98	-72.88	-69.72	-62.86	-53.83	-41.20	-12.63
5210MHz	Pass	4.9G	4.99G	PK	4.97666G	9.03	-65.98	-65.68	-64.38	-64.62	-68.54	-65.99	-66.86	-64.81	-56.65	-47.62	-21.20	-26.42
5210MHz	Pass	4.99G	5.15G	PK	5.0892G	9.03	-54.16	-62.35	-64.09	-63.64	-49.84	-57.84	-64.13	-63.16	-47.42	-38.39	-21.20	-17.19
5210MHz	Pass	5.35G	5.51G	PK	5.5004G	9.03	-63.11	-64.17	-64.42	-64.83	-64.81	-64.28	-63.50	-64.88	-55.18	-46.15	-27.00	-19.15
5210MHz	Pass	5.51G	6.5G	PK	5.51965G	9.03	-64.53	-65.00	-66.11	-65.07	-64.09	-64.03	-65.14	-66.23	-55.93	-46.90	-27.00	-19.90
5775MHz	Pass	4.9G	5.565G	AV	4.99975G	9.03	-69.53	-68.47	-69.69	-68.34	-69.36	-69.32	-68.77	-69.29	-60.04	-51.01	-41.20	-9.81
5775MHz	Pass	4.9G	5.565G	PK	5.56201G	9.03	-59.13	-60.55	-59.62	-57.37	-61.17	-61.01	-59.18	-58.23	-50.32	-41.29	-27.00	-14.29
5775MHz	Pass	5.565G	5.725G	PK	5.65396G	9.03	-49.42	-56.38	-56.47	-56.96	-45.17	-54.07	-56.95	-57.12	-42.50	-33.47	-24.07	-9.40
5775MHz	Pass	5.85G	6.01G	PK	5.92744G	9.03	-56.83	-58.71	-57.04	-58.98	-58.87	-57.40	-57.89	-57.57	-48.81	-39.78	-27.00	-12.78
5775MHz	Pass	6.01G	6.5G	PK	6.25727G	9.03	-61.07	-58.19	-59.89	-58.13	-58.19	-55.53	-60.16	-60.50	-49.57	-40.54	-27.00	-13.54

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

802.11a_Nss1,(6Mbps)_8TX

CSE-PK

5180MHz




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.11G	1M	PK	5.06034G	-33.31	-21.20	-12.11	18.00	0.00	-51.31	-64.90	-63.79	-64.49	-63.55	-53.70	-64.14	-62.21	-62.19
5.11G	5.15G	1M	PK	5.14056G	-32.41	-21.20	-11.21	18.00	0.00	-50.41	-59.29	-59.87	-60.29	-59.01	-59.49	-59.29	-59.83	-58.69
5.35G	5.39G	1M	PK	5.376G	-33.45	-21.20	-12.25	18.00	0.00	-51.45	-61.72	-59.16	-61.32	-59.90	-60.26	-62.31	-60.83	-59.39
5.39G	6.5G	1M	PK	5.49809G	-37.20	-27.00	-10.20	18.00	0.00	-55.20	-64.67	-62.98	-63.39	-64.76	-64.78	-62.81	-65.96	-65.59

802.11a_Nss1,(6Mbps)_8TX

CSE-AV

5180MHz





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.11G	1M	AV	5.08782G	-44.18	-41.20	-2.98	18.00	0.00	-62.18	-72.75	-71.15	-72.14	-71.19	-72.49	-71.58	-69.94	-69.56
5.11G	5.15G	1M	AV	5.14936G	-42.59	-41.20	-1.39	18.00	0.00	-60.59	-69.51	-70.37	-69.67	-69.50	-69.68	-69.30	-69.76	-69.30
5.35G	5.39G	1M	AV	5.37608G	-42.85	-41.20	-1.65	18.00	0.00	-60.85	-71.24	-68.56	-71.74	-70.01	-69.47	-71.68	-70.27	-67.79
5.39G	6.5G	1M	AV	5.39111G	-45.67	-41.20	-4.47	18.00	0.00	-63.67	-73.71	-72.35	-74.01	-72.72	-72.62	-72.02	-73.34	-71.45

802.11a_Nss1,(6Mbps)_8TX

5200MHz

CSE-PK

23/10/2020





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.11G	1M	PK	5.07987G	-33.15	-21.20	-11.95	18.00	0.00	-51.15	-65.78	-63.79	-63.51	-64.04	-53.18	-62.15	-63.17	-66.12
5.11G	5.15G	1M	PK	5.14968G	-33.67	-21.20	-12.47	18.00	0.00	-51.67	-62.07	-60.18	-59.65	-60.39	-59.24	-62.09	-60.65	-62.53
5.35G	5.39G	1M	PK	5.376G	-34.76	-21.20	-13.56	18.00	0.00	-52.76	-63.38	-60.97	-61.85	-61.37	-60.32	-64.90	-61.23	-61.86
5.39G	6.5G	1M	PK	5.51696G	-37.03	-27.00	-10.03	18.00	0.00	-55.03	-63.70	-64.84	-64.15	-64.41	-64.99	-63.42	-64.79	-62.71

802.11a_Nss1,(6Mbps)_8TX

5200MHz

CSE-AV

23/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.11G	1M	AV	5.10877G	-45.34	-41.20	-4.14	18.00	0.00	-63.34	-74.01	-70.98	-72.52	-71.17	-73.28	-73.99	-71.16	-73.22
5.11G	5.15G	1M	AV	5.14768G	-43.73	-41.20	-2.53	18.00	0.00	-61.73	-73.19	-69.78	-69.28	-70.39	-70.41	-72.90	-70.03	-71.70
5.35G	5.39G	1M	AV	5.37592G	-43.85	-41.20	-2.65	18.00	0.00	-61.85	-72.19	-70.43	-71.81	-71.11	-69.50	-74.16	-70.41	-69.30
5.39G	6.5G	1M	AV	5.39G	-46.19	-41.20	-4.99	18.00	0.00	-64.19	-75.11	-71.75	-73.66	-72.94	-73.02	-73.82	-73.18	-73.04

802.11a_Nss1,(6Mbps)_8TX

5240MHz

CSE-PK

23/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.11G	1M	PK	5.0502G	-35.21	-21.20	-14.01	18.00	0.00	-53.21	-62.53	-61.20	-62.63	-63.02	-64.13	-64.48	-63.48	-59.12
5.11G	5.15G	1M	PK	5.12032G	-30.42	-21.20	-9.22	18.00	0.00	-48.42	-54.38	-62.20	-61.61	-60.49	-51.84	-62.10	-61.30	-61.83
5.35G	5.39G	1M	PK	5.36016G	-30.56	-21.20	-9.36	18.00	0.00	-48.56	-55.57	-61.00	-61.50	-62.00	-51.65	-61.82	-61.25	-61.16
5.39G	6.5G	1M	PK	5.52903G	-36.43	-27.00	-9.43	18.00	0.00	-54.43	-62.67	-62.99	-61.89	-62.78	-64.40	-64.76	-64.11	-65.24

802.11a_Nss1,(6Mbps)_8TX

5240MHz

CSE-AV

23/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.11G	1M	AV	5.04855G	-44.84	-41.20	-3.64	18.00	0.00	-62.84	-71.79	-71.39	-71.89	-70.62	-73.79	-73.01	-71.77	-71.47
5.11G	5.15G	1M	AV	5.14864G	-43.04	-41.20	-1.84	18.00	0.00	-61.04	-70.35	-69.31	-70.14	-70.25	-70.84	-69.15	-70.18	-70.60
5.35G	5.39G	1M	AV	5.37592G	-43.43	-41.20	-2.23	18.00	0.00	-61.43	-70.76	-70.62	-71.24	-71.24	-70.73	-72.18	-70.88	-67.64
5.39G	6.5G	1M	AV	5.39125G	-46.04	-41.20	-4.84	18.00	0.00	-64.04	-74.19	-73.45	-73.06	-72.11	-71.92	-73.74	-73.47	-73.12

802.11a_Nss1,(6Mbps)_8TX
5745MHz

CSE-PK

23/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.685G	1M	PK	5.64948G	-33.61	-27.00	-6.61	18.00	0.00	-51.61	-62.20	-61.31	-58.57	-59.96	-60.43	-59.97	-61.20	-63.15
5.685G	5.725G	1M	PK	5.68508G	-26.82	-1.04	-25.78	18.00	0.00	-44.82	-55.58	-52.57	-52.06	-55.47	-53.89	-53.29	-56.39	-53.43
5.85G	5.89G	1M	PK	5.88944G	-29.92	-0.69	-29.23	18.00	0.00	-47.92	-57.63	-59.12	-56.63	-60.46	-54.09	-57.97	-59.03	-54.71
5.89G	6.5G	1M	PK	5.92683G	-35.75	-27.00	-8.75	18.00	0.00	-53.75	-65.41	-64.22	-61.98	-64.72	-64.60	-62.29	-61.81	-60.06

802.11a_Nss1,(6Mbps)_8TX
5745MHz

CSE-AV

23/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.685G	1M	AV	5.43194G	-46.83	-41.20	-5.63	18.00	0.00	-64.83	-73.63	-73.82	-73.85	-73.93	-73.71	-73.24	-74.78	-74.06

802.11a_Nss1,(6Mbps)_8TX
5785MHz

CSE-PK

23/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.685G	1M	PK	5.64909G	-35.39	-27.00	-8.39	18.00	0.00	-53.39	-61.68	-61.81	-63.54	-64.19	-62.82	-60.59	-63.78	-62.16
5.685G	5.725G	1M	PK	5.685G	-25.17	-1.10	-24.07	18.00	0.00	-43.17	-56.93	-51.84	-52.30	-52.88	-51.53	-52.17	-51.41	-50.82
5.85G	5.89G	1M	PK	5.888G	-27.44	0.38	-27.82	18.00	0.00	-45.44	-55.34	-54.19	-55.05	-56.10	-52.94	-56.64	-56.44	-51.70
5.89G	6.5G	1M	PK	5.92515G	-36.13	-27.00	-9.13	18.00	0.00	-54.13	-65.76	-63.08	-64.42	-63.69	-61.17	-60.19	-65.23	-65.23

802.11a_Nss1,(6Mbps)_8TX
5785MHz

CSE-AV

23/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.685G	1M	AV	5.4599G	-46.80	-41.20	-5.60	18.00	0.00	-64.80	-74.88	-73.64	-74.57	-73.71	-72.23	-73.10	-75.05	-74.20

802.11a_Nss1,(6Mbps)_8TX
5825MHz

CSE-PK

23/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.685G	1M	PK	5.64909G	-33.86	-27.00	-6.86	18.00	0.00	-51.86	-62.86	-62.93	-60.85	-59.11	-60.23	-59.33	-61.19	-62.44
5.685G	5.725G	1M	PK	5.68548G	-24.62	-0.74	-23.88	18.00	0.00	-42.62	-52.94	-51.41	-53.46	-50.57	-51.84	-50.97	-50.95	-51.82
5.85G	5.89G	1M	PK	5.88976G	-27.37	-0.92	-26.45	18.00	0.00	-45.37	-56.45	-55.90	-56.20	-55.06	-52.28	-54.89	-53.74	-52.74
5.89G	6.5G	1M	PK	6.47888G	-33.16	-27.00	-6.16	18.00	0.00	-51.16	-69.99	-59.19	-64.23	-62.37	-58.20	-57.91	-57.07	-65.22

802.11a_Nss1,(6Mbps)_8TX
5825MHz

CSE-AV

23/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref1(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.685G	1M	AV	5.41565G	-47.12	-41.20	-5.92	18.00	0.00	-65.12	-75.18	-74.11	-74.43	-75.13	-72.92	-73.12	-73.86	-75.08

802.11ax HEW20_Nss1,(MCS0)_8TX

5180MHz

CSE-PK

23/10/2020



- Limit.PK
 - EIRP.PK
 - Sum.PK
 - Port 1
 - Port 2
 - Port 3
 - Port 4
 - Port 5
 - Port 6
 - Port 7
 - Port 8
- PX=Port X
Psum=P1+...PX


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.11G	1M	PK	5.06023G	-34.73	-21.20	-13.53	18.00	0.00	-52.73	-65.92	-66.88	-64.50	-63.30	-55.43	-64.56	-64.30	-63.25
5.11G	5.15G	1M	PK	5.1492G	-32.70	-21.20	-11.50	18.00	0.00	-50.70	-60.90	-60.64	-59.99	-59.68	-60.39	-58.43	-60.41	-58.23
5.35G	5.39G	1M	PK	5.37584G	-33.94	-21.20	-12.74	18.00	0.00	-51.94	-62.43	-60.56	-61.92	-61.31	-60.61	-61.63	-60.41	-59.61
5.39G	6.5G	1M	PK	5.4874G	-37.31	-27.00	-10.31	18.00	0.00	-55.31	-66.14	-61.84	-65.34	-64.33	-63.57	-66.31	-65.52	-63.64

802.11ax HEW20_Nss1,(MCS0)_8TX

5180MHz

CSE-AV

23/10/2020




- Limit.AV
 - EIRP.AV
 - Sum.AV
 - Port 1
 - Port 2
 - Port 3
 - Port 4
 - Port 5
 - Port 6
 - Port 7
 - Port 8
- PX=Port X
Psum=P1+...PX

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.11G	1M	AV	5.10879G	-44.69	-41.20	-3.49	18.00	0.00	-62.69	-71.87	-72.16	-72.47	-71.92	-72.31	-71.37	-71.19	-70.74
5.11G	5.15G	1M	AV	5.14952G	-42.64	-41.20	-1.44	18.00	0.00	-60.64	-69.42	-70.21	-69.95	-69.65	-69.17	-69.22	-70.12	-69.76
5.35G	5.39G	1M	AV	5.37592G	-43.28	-41.20	-2.08	18.00	0.00	-61.28	-71.82	-70.08	-71.42	-70.24	-70.02	-72.25	-70.39	-67.85
5.39G	6.5G	1M	AV	5.3918G	-46.36	-41.20	-5.16	18.00	0.00	-64.36	-75.04	-73.20	-74.81	-72.93	-73.17	-73.32	-73.20	-72.18

802.11ax HEW20_Nss1,(MCS0)_8TX
5200MHz

CSE-PK

23/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.11G	1M	PK	5.08118G	-34.17	-21.20	-12.97	18.00	0.00	-52.17	-65.14	-63.81	-65.03	-64.22	-54.58	-63.78	-64.65	-63.97
5.11G	5.15G	1M	PK	5.14328G	-33.25	-21.20	-12.05	18.00	0.00	-51.25	-61.58	-61.98	-60.73	-61.12	-59.52	-57.13	-61.55	-61.01
5.35G	5.39G	1M	PK	5.35048G	-34.41	-21.20	-13.21	18.00	0.00	-52.41	-60.61	-61.87	-63.47	-59.58	-62.50	-62.62	-61.83	-60.45
5.39G	6.5G	1M	PK	5.51307G	-37.42	-27.00	-10.42	18.00	0.00	-55.42	-66.90	-62.55	-63.74	-65.08	-64.99	-64.59	-63.77	-65.31

802.11ax HEW20_Nss1,(MCS0)_8TX
5200MHz

CSE-AV

23/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.11G	1M	AV	5.10218G	-45.13	-41.20	-3.93	18.00	0.00	-63.13	-72.38	-72.11	-71.20	-71.85	-72.69	-72.79	-72.87	-71.67
5.11G	5.15G	1M	AV	5.14912G	-43.08	-41.20	-1.88	18.00	0.00	-61.08	-70.99	-70.43	-69.84	-70.47	-70.21	-69.82	-70.07	-69.30
5.35G	5.39G	1M	AV	5.376G	-43.71	-41.20	-2.51	18.00	0.00	-61.71	-71.77	-70.56	-71.80	-71.58	-70.27	-72.57	-70.94	-68.11
5.39G	6.5G	1M	AV	5.39097G	-45.77	-41.20	-4.57	18.00	0.00	-63.77	-73.95	-72.60	-73.90	-73.66	-71.78	-72.98	-72.56	-71.63

802.11ax HEW20_Nss1,(MCS0)_8TX

5240MHz

CSE-PK

23/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.11G	1M	PK	5.05296G	-34.97	-21.20	-13.77	18.00	0.00	-52.97	-60.41	-60.73	-62.92	-64.26	-61.92	-62.35	-63.68	-61.23
5.11G	5.15G	1M	PK	5.12064G	-31.47	-21.20	-10.27	18.00	0.00	-49.47	-58.22	-60.25	-62.29	-61.87	-52.92	-61.46	-60.43	-60.54
5.35G	5.39G	1M	PK	5.36016G	-31.24	-21.20	-10.04	18.00	0.00	-49.24	-62.62	-61.09	-61.99	-62.86	-51.24	-62.18	-62.55	-61.23
5.39G	6.5G	1M	PK	5.54818G	-36.67	-27.00	-9.67	18.00	0.00	-54.67	-64.50	-63.69	-63.88	-63.29	-63.86	-64.13	-62.75	-63.74

802.11ax HEW20_Nss1,(MCS0)_8TX

5240MHz

CSE-AV

23/10/2020






F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.11G	1M	AV	5.04254G	-45.00	-41.20	-3.80	18.00	0.00	-63.00	-71.94	-71.70	-71.04	-72.91	-74.06	-71.30	-73.21	-71.07
5.11G	5.15G	1M	AV	5.14784G	-43.21	-41.20	-2.01	18.00	0.00	-61.21	-70.47	-69.69	-70.63	-69.81	-70.86	-69.81	-70.49	-70.32
5.35G	5.39G	1M	AV	5.376G	-43.63	-41.20	-2.43	18.00	0.00	-61.63	-71.06	-70.52	-72.02	-70.94	-70.88	-71.52	-71.41	-68.19
5.39G	6.5G	1M	AV	5.39291G	-46.03	-41.20	-4.83	18.00	0.00	-64.03	-74.41	-73.43	-74.14	-72.21	-72.04	-74.01	-73.21	-71.88

802.11ax HEW20_Nss1,(MCS0)_8TX
5745MHz

CSE-PK

23/10/2020






F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.685G	1M	PK	5.65007G	-33.33	-26.95	-6.38	18.00	0.00	-51.33	-62.37	-60.92	-60.08	-60.55	-60.72	-56.87	-61.32	-63.30
5.685G	5.725G	1M	PK	5.6854G	-25.96	-0.80	-25.16	18.00	0.00	-43.96	-55.77	-53.24	-51.68	-50.64	-52.48	-51.63	-56.45	-55.94
5.85G	5.89G	1M	PK	5.8896G	-29.88	-0.80	-29.08	18.00	0.00	-47.88	-58.70	-58.32	-56.65	-56.79	-54.73	-54.91	-58.78	-58.86
5.89G	6.5G	1M	PK	5.93118G	-36.07	-27.00	-9.07	18.00	0.00	-54.07	-65.88	-64.70	-64.34	-61.77	-59.74	-64.75	-62.39	-65.03

802.11ax HEW20_Nss1,(MCS0)_8TX
5745MHz

CSE-AV

23/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.685G	1M	AV	5.45961G	-47.00	-41.20	-5.80	18.00	0.00	-65.00	-75.09	-73.52	-73.60	-73.18	-74.06	-73.91	-74.30	-74.96

802.11ax HEW20_Nss1,(MCS0)_8TX
5785MHz

CSE-PK

23/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.685G	1M	PK	5.64683G	-35.70	-27.00	-8.70	18.00	0.00	-53.70	-62.92	-64.04	-62.65	-62.78	-62.87	-60.85	-63.73	-62.77
5.685G	5.725G	1M	PK	5.68516G	-24.50	-0.98	-23.52	18.00	0.00	-42.50	-56.59	-52.57	-50.90	-52.32	-52.67	-50.63	-51.80	-48.60
5.85G	5.89G	1M	PK	5.88928G	-27.83	-0.57	-27.26	18.00	0.00	-45.83	-55.84	-55.50	-54.95	-56.31	-52.09	-55.61	-55.91	-54.33
5.89G	6.5G	1M	PK	5.92637G	-36.17	-27.00	-9.17	18.00	0.00	-54.17	-65.66	-62.38	-65.19	-62.36	-63.11	-61.87	-63.05	-63.39

802.11ax HEW20_Nss1,(MCS0)_8TX
5785MHz

CSE-AV

23/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.685G	1M	AV	5.45784G	-47.01	-41.20	-5.81	18.00	0.00	-65.01	-74.76	-73.09	-73.50	-73.81	-74.56	-73.89	-74.80	-74.23

802.11ax HEW20_Nss1,(MCS0)_8TX
5825MHz

CSE-PK

23/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.685G	1M	PK	5.64958G	-33.88	-27.00	-6.88	18.00	0.00	-51.88	-62.80	-59.26	-62.25	-61.74	-62.27	-59.45	-60.44	-60.57
5.685G	5.725G	1M	PK	5.685G	-24.82	-1.10	-23.72	18.00	0.00	-42.82	-55.54	-51.81	-52.45	-50.15	-52.14	-51.19	-51.28	-51.95
5.85G	5.89G	1M	PK	5.88968G	-27.04	-0.86	-26.18	18.00	0.00	-45.04	-55.76	-56.54	-56.63	-54.04	-51.82	-53.81	-54.45	-52.19
5.89G	6.5G	1M	PK	6.48109G	-33.13	-27.00	-6.13	18.00	0.00	-51.13	-70.32	-65.54	-59.69	-66.86	-53.25	-63.72	-63.71	-63.20

802.11ax HEW20_Nss1,(MCS0)_8TX
5825MHz

CSE-AV

23/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.685G	1M	AV	5.45706G	-47.19	-41.20	-5.99	18.00	0.00	-65.19	-75.28	-73.93	-74.44	-74.25	-73.61	-73.89	-73.98	-74.58

802.11ax HEW40_Nss1,(MCS0)_8TX

5190MHz

CSE-PK

23/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.07G	1M	PK	5.06892G	-35.29	-21.20	-14.09	18.00	0.00	-53.29	-55.19	-65.95	-67.32	-67.10	-65.80	-65.14	-66.57	-66.31
5.07G	5.15G	1M	PK	5.14936G	-29.50	-21.20	-8.30	18.00	0.00	-47.50	-60.05	-56.74	-57.72	-60.27	-51.33	-58.07	-56.31	-61.03
5.35G	5.43G	1M	PK	5.37624G	-36.14	-21.20	-14.94	18.00	0.00	-54.14	-63.47	-62.66	-64.05	-63.07	-62.91	-64.35	-64.24	-61.41
5.43G	6.5G	1M	PK	5.49942G	-37.99	-27.00	-10.99	18.00	0.00	-55.99	-67.04	-65.00	-65.14	-64.66	-64.60	-64.91	-65.35	-64.07

802.11ax HEW40_Nss1,(MCS0)_8TX

5190MHz

CSE-AV

23/10/2020



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.07G	1M	AV	5.05011G	-47.34	-41.20	-6.14	18.00	0.00	-65.34	-73.37	-74.58	-73.08	-74.08	-75.09	-75.48	-74.86	-75.05
5.07G	5.15G	1M	AV	5.14968G	-41.78	-41.20	-0.58	18.00	0.00	-59.78	-70.08	-66.90	-68.23	-69.89	-69.19	-68.65	-68.37	-70.22
5.35G	5.43G	1M	AV	5.37592G	-44.86	-41.20	-3.66	18.00	0.00	-62.86	-73.08	-71.19	-73.09	-72.94	-71.69	-73.47	-72.71	-68.98
5.43G	6.5G	1M	AV	5.45581G	-48.69	-41.20	-7.49	18.00	0.00	-66.69	-76.86	-75.52	-75.08	-74.40	-75.71	-76.09	-75.73	-76.98

802.11ax HEW40_Nss1,(MCS0)_8TX
5230MHz

CSE-PK

23/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.07G	1M	PK	5.0339G	-34.45	-21.20	-13.25	18.00	0.00	-52.45	-62.24	-60.70	-59.88	-61.50	-65.35	-63.62	-60.86	-60.21
5.07G	5.15G	1M	PK	5.11064G	-25.60	-21.20	-4.40	18.00	0.00	-43.60	-44.50	-61.38	-57.30	-60.26	-61.19	-57.73	-60.34	-59.12
5.35G	5.43G	1M	PK	5.35016G	-24.95	-21.20	-3.75	18.00	0.00	-42.95	-58.30	-60.80	-57.97	-60.31	-43.71	-58.51	-61.17	-59.43
5.43G	6.5G	1M	PK	5.53071G	-36.28	-27.00	-9.28	18.00	0.00	-54.28	-63.27	-65.32	-62.58	-62.91	-62.11	-65.11	-63.74	-62.53

802.11ax HEW40_Nss1,(MCS0)_8TX
5230MHz

CSE-AV

23/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.07G	1M	AV	5.06972G	-43.83	-41.20	-2.63	18.00	0.00	-61.83	-70.10	-72.78	-68.14	-71.17	-71.95	-71.92	-71.02	-71.61
5.07G	5.15G	1M	AV	5.134G	-41.22	-41.20	-0.02	18.00	0.00	-59.22	-66.69	-70.19	-67.34	-69.74	-66.61	-67.91	-69.72	-69.60
5.35G	5.43G	1M	AV	5.3792G	-41.95	-41.20	-0.75	18.00	0.00	-59.95	-68.22	-69.33	-67.94	-70.38	-68.78	-71.10	-70.36	-67.20
5.43G	6.5G	1M	AV	5.43214G	-47.70	-41.20	-6.50	18.00	0.00	-65.70	-74.46	-74.63	-75.78	-74.29	-75.02	-75.13	-74.51	-74.26

802.11ax HEW40_Nss1,(MCS0)_8TX
5755MHz

CSE-PK

23/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.645G	1M	PK	5.64128G	-32.86	-27.00	-5.86	18.00	0.00	-50.86	-60.09	-63.40	-57.68	-61.32	-58.13	-59.69	-61.81	-59.82
5.645G	5.725G	1M	PK	5.64772G	-30.07	-27.00	-3.07	18.00	0.00	-48.07	-57.03	-57.61	-57.28	-58.98	-57.92	-54.70	-57.66	-56.93
5.85G	5.93G	1M	PK	5.92488G	-33.33	-26.91	-6.42	18.00	0.00	-51.33	-62.42	-61.63	-60.47	-60.91	-59.31	-60.25	-58.05	-61.48
5.93G	6.5G	1M	PK	6.20674G	-29.25	-27.00	-2.25	18.00	0.00	-47.25	-67.66	-59.46	-57.81	-60.81	-55.88	-50.25	-63.04	-55.95

802.11ax HEW40_Nss1,(MCS0)_8TX
5755MHz

CSE-AV

23/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.645G	1M	AV	5.45679G	-46.23	-41.20	-5.03	18.00	0.00	-64.23	-75.22	-72.60	-72.46	-73.55	-72.17	-73.25	-74.20	-73.39

802.11ax HEW40_Nss1,(MCS0)_8TX
5795MHz

CSE-PK

23/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.645G	1M	PK	5.64453G	-33.60	-27.00	-6.60	18.00	0.00	-51.60	-63.06	-61.90	-60.09	-60.74	-59.30	-60.40	-60.20	-60.42
5.645G	5.725G	1M	PK	5.65044G	-30.63	-26.67	-3.96	18.00	0.00	-48.63	-58.81	-58.15	-55.68	-57.96	-57.86	-56.48	-58.87	-58.62
5.85G	5.93G	1M	PK	5.91496G	-24.75	-19.57	-5.18	18.00	0.00	-42.75	-62.25	-60.05	-59.24	-57.57	-43.44	-59.21	-60.26	-59.57
5.93G	6.5G	1M	PK	6.34988G	-27.29	-27.00	-0.29	18.00	0.00	-45.29	-66.51	-59.20	-59.70	-46.85	-57.15	-54.30	-66.64	-62.59

802.11ax HEW40_Nss1,(MCS0)_8TX
5795MHz

CSE-AV

23/10/2020






F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.645G	1M	AV	5.45512G	-46.39	-41.20	-5.19	18.00	0.00	-64.39	-74.68	-72.34	-74.15	-72.04	-73.56	-73.89	-73.45	-73.97

802.11ax HEW80_Nss1,(MCS0)_8TX

5210MHz

CSE-PK

23/10/2020






F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	4.99G	1M	PK	4.97666G	-38.65	-21.20	-17.45	18.00	0.00	-56.65	-65.98	-65.68	-64.38	-64.62	-68.54	-65.99	-66.86	-64.81
4.99G	5.15G	1M	PK	5.0892G	-29.42	-21.20	-8.22	18.00	0.00	-47.42	-54.16	-62.35	-64.09	-63.64	-49.84	-57.84	-64.13	-63.16
5.35G	5.51G	1M	PK	5.5004G	-37.18	-27.00	-10.18	18.00	0.00	-55.18	-63.11	-64.17	-64.42	-64.83	-64.81	-64.28	-63.50	-64.88
5.51G	6.5G	1M	PK	5.51965G	-37.93	-27.00	-10.93	18.00	0.00	-55.93	-64.53	-65.00	-66.11	-65.07	-64.09	-64.03	-65.14	-66.23

802.11ax HEW80_Nss1,(MCS0)_8TX

5210MHz

CSE-AV

23/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	4.99G	1M	AV	4.98432G	-48.68	-41.20	-7.48	18.00	0.00	-66.68	-78.14	-75.89	-74.83	-75.00	-75.98	-77.42	-75.71	-74.10
4.99G	5.15G	1M	AV	5.14872G	-41.91	-41.20	-0.71	18.00	0.00	-59.91	-70.76	-67.81	-68.43	-69.80	-68.47	-68.02	-68.54	-70.78
5.35G	5.51G	1M	AV	5.37592G	-44.86	-41.20	-3.66	18.00	0.00	-62.86	-72.18	-70.88	-72.86	-72.22	-71.81	-73.98	-72.88	-69.72

802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz

CSE-PK

23/10/2020




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.565G	1M	PK	5.56201G	-32.32	-27.00	-5.32	18.00	0.00	-50.32	-59.13	-60.55	-59.62	-57.37	-61.17	-61.01	-59.18	-58.23
5.565G	5.725G	1M	PK	5.65396G	-24.50	-24.07	-0.43	18.00	0.00	-42.50	-49.42	-56.38	-56.47	-56.96	-45.17	-54.07	-56.95	-57.12
5.85G	6.01G	1M	PK	5.92744G	-30.81	-27.00	-3.81	18.00	0.00	-48.81	-56.83	-58.71	-57.04	-58.98	-58.87	-57.40	-57.89	-57.57
6.01G	6.5G	1M	PK	6.25727G	-31.57	-27.00	-4.57	18.00	0.00	-49.57	-61.07	-58.19	-59.89	-58.13	-58.19	-55.53	-60.16	-60.50

802.11ax HEW80_Nss1,(MCS0)_8TX

5775MHz

CSE-AV

23/10/2020



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.565G	1M	AV	4.99975G	-42.04	-41.20	-0.84	18.00	0.00	-60.04	-69.53	-68.47	-69.69	-68.34	-69.36	-69.32	-68.77	-69.29



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	P5 (dBm)	P6 (dBm)	P7 (dBm)	P8 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	Pass	5.15G	5.35G	AV	5.15G	2.00	-55.70	-57.53	-56.01	-55.75	-55.45	-57.13	-56.69	-56.85	-47.30	-45.30	-41.20	-4.10
802.11ax HEW20_Nss1,(MCS0)_8TX	Pass	5.11G	5.15G	AV	5.14992G	2.00	-56.21	-54.96	-54.95	-54.66	-55.69	-55.69	-54.04	-57.75	-46.34	-44.34	-41.20	-3.14
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	5.07G	5.15G	AV	5.15G	2.00	-51.92	-52.61	-53.82	-51.54	-53.57	-51.42	-52.28	-51.47	-43.21	-41.21	-41.20	-0.01
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	4.99G	5.15G	AV	5.14744G	2.00	-51.41	-52.38	-53.83	-54.12	-51.94	-52.34	-52.07	-51.41	-43.31	-41.31	-41.20	-0.11
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_8TX	Pass	4.9G	5.685G	AV	5.44793G	2.00	-66.40	-67.45	-68.10	-66.59	-67.74	-66.98	-68.26	-67.58	-58.31	-56.31	-41.20	-15.11
802.11ax HEW20_Nss1,(MCS0)_8TX	Pass	4.9G	5.685G	AV	5.45431G	2.00	-67.93	-66.99	-67.23	-68.39	-67.32	-65.42	-68.35	-67.98	-58.32	-56.32	-41.20	-15.12
802.11ax HEW40_Nss1,(MCS0)_8TX	Pass	4.9G	5.645G	AV	5.454G	2.00	-68.00	-67.53	-67.49	-67.01	-68.41	-67.57	-67.49	-67.31	-58.55	-56.55	-41.20	-15.35
802.11ax HEW80_Nss1,(MCS0)_8TX	Pass	5.565G	5.725G	PK	5.65524G	2.00	-45.92	-51.39	-49.96	-51.47	-39.84	-49.76	-54.38	-48.89	-37.42	-35.42	-23.12	-12.30

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



CSE TX above 1GHz (Bandedge BE) Result_Conducted Test_Radio 1 + Antenna Set 2

Appendix E.10

Result

Table with columns: Mode, Result, F-Start (Hz), F-Stop (Hz), Type, Freq (Hz), DG (dBi), P1 (dBm), P2 (dBm), P3 (dBm), P4 (dBm), P5 (dBm), P6 (dBm), P7 (dBm), P8 (dBm), Psum (dBm), EIRP (dBm), Limit (dBm), Margin (dB). Rows include test results for 802.11a and 802.11ax HEW20_Nss1(MCS0)_8TX.



CSE TX above 1GHz (Bandedge BE) Result_Conducted Test_Radio 1 + Antenna Set 2

Appendix E.10



Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	P5 (dBm)	P6 (dBm)	P7 (dBm)	P8 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5190MHz	Pass	5.15G	5.35G	PK	5.15G	2.00	-41.60	-44.15	-43.65	-41.51	-41.68	-40.40	-41.96	-41.57	-32.89	-30.89	-21.20	-9.69
5190MHz	Pass	5.35G	5.43G	PK	5.35192G	2.00	-54.91	-56.10	-55.18	-54.81	-54.68	-57.00	-57.05	-56.45	-46.64	-44.64	-21.20	-23.44
5190MHz	Pass	5.43G	6.5G	PK	5.8041G	2.00	-57.12	-56.69	-56.76	-55.10	-56.75	-58.06	-56.10	-55.84	-47.44	-45.44	-27.00	-18.44
5230MHz	Pass	4.9G	5.07G	AV	5.05385G	2.00	-64.91	-64.94	-65.86	-67.49	-66.05	-65.67	-67.45	-64.53	-56.71	-54.71	-41.20	-13.51
5230MHz	Pass	5.07G	5.15G	AV	5.14872G	2.00	-60.03	-61.24	-60.82	-62.67	-60.52	-60.81	-61.39	-60.59	-51.92	-49.92	-41.20	-8.72
5230MHz	Pass	5.15G	5.35G	AV	5.15G	2.00	-60.30	-61.09	-61.23	-63.76	-61.09	-61.21	-61.29	-60.52	-52.18	-50.18	-41.20	-8.98
5230MHz	Pass	5.35G	5.43G	AV	5.35336G	2.00	-64.03	-64.37	-63.64	-65.50	-64.43	-64.25	-64.88	-63.85	-55.30	-53.30	-41.20	-12.10
5230MHz	Pass	5.43G	6.5G	AV	5.43334G	2.00	-66.41	-67.37	-67.46	-68.82	-66.75	-67.20	-67.50	-67.34	-58.28	-56.28	-41.20	-15.08
5230MHz	Pass	4.9G	5.07G	PK	5.06953G	2.00	-56.14	-57.79	-58.78	-57.19	-55.24	-54.53	-56.43	-55.80	-47.27	-45.27	-21.20	-24.07
5230MHz	Pass	5.07G	5.15G	PK	5.11032G	2.00	-40.91	-54.43	-55.67	-54.67	-36.56	-54.97	-54.04	-54.45	-34.92	-32.92	-21.20	-11.72
5230MHz	Pass	5.15G	5.35G	PK	5.15G	2.00	-50.47	-52.29	-52.59	-54.21	-51.21	-51.37	-51.46	-49.38	-42.39	-40.39	-21.20	-19.19
5230MHz	Pass	5.35G	5.43G	PK	5.3508G	2.00	-42.62	-56.04	-56.38	-56.32	-37.82	-54.38	-55.02	-55.14	-36.25	-34.25	-21.20	-13.05
5230MHz	Pass	5.43G	6.5G	PK	5.83607G	2.00	-56.25	-54.35	-55.84	-57.58	-56.39	-57.67	-58.01	-55.32	-47.23	-45.23	-27.00	-18.23
5755MHz	Pass	4.9G	5.645G	AV	5.454G	2.00	-68.00	-67.53	-67.49	-67.01	-68.41	-67.57	-67.49	-67.31	-58.55	-56.55	-41.20	-15.35
5755MHz	Pass	4.9G	5.645G	PK	5.63392G	2.00	-58.21	-58.82	-60.40	-58.75	-53.53	-57.59	-58.50	-58.43	-48.51	-46.51	-27.00	-19.51
5755MHz	Pass	5.645G	5.725G	PK	5.64964G	2.00	-56.10	-56.03	-55.02	-56.14	-55.08	-54.53	-55.58	-54.10	-46.23	-44.23	-27.00	-17.23
5755MHz	Pass	5.725G	5.85G	PK	5.85G	2.00	-52.96	-52.89	-53.17	-52.41	-51.68	-53.26	-52.38	-51.71	-43.49	-41.49	27.00	-68.49
5755MHz	Pass	5.85G	5.93G	PK	5.92552G	2.00	-55.60	-54.93	-55.58	-55.36	-56.05	-55.97	-56.43	-56.38	-46.73	-44.73	-27.00	-17.73
5755MHz	Pass	5.93G	6.5G	PK	6.08939G	2.00	-56.33	-56.72	-57.28	-57.54	-56.63	-56.89	-56.42	-55.22	-47.55	-45.55	-27.00	-18.55
5795MHz	Pass	4.9G	5.645G	AV	5.43789G	2.00	-68.43	-66.86	-67.40	-68.13	-68.07	-68.41	-66.91	-68.35	-58.74	-56.74	-41.20	-15.54
5795MHz	Pass	4.9G	5.645G	PK	5.50187G	2.00	-58.34	-55.61	-58.69	-59.20	-59.41	-58.31	-57.44	-58.16	-48.96	-46.96	-27.00	-19.96
5795MHz	Pass	5.645G	5.725G	PK	5.65012G	2.00	-55.78	-55.90	-56.27	-56.42	-56.54	-55.71	-56.67	-56.15	-47.14	-45.14	-26.91	-18.23
5795MHz	Pass	5.725G	5.85G	PK	5.85G	2.00	-45.75	-45.81	-39.78	-47.44	-44.97	-44.37	-49.85	-48.20	-35.69	-33.69	27.00	-60.69
5795MHz	Pass	5.85G	5.93G	PK	5.92616G	2.00	-55.67	-54.43	-54.98	-56.50	-56.51	-56.37	-54.82	-56.42	-46.61	-44.61	-27.00	-17.61
5795MHz	Pass	5.93G	6.5G	PK	5.99185G	2.00	-57.34	-57.12	-56.52	-54.55	-56.92	-56.75	-57.38	-58.63	-47.73	-45.73	-27.00	-18.73
802.11ax HEW80_Nss1,(MCS0)_8TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.9G	4.99G	AV	4.98701G	2.00	-67.61	-67.50	-67.12	-67.26	-67.13	-67.39	-66.60	-68.18	-58.30	-56.30	-41.20	-15.10
5210MHz	Pass	4.99G	5.15G	AV	5.14744G	2.00	-51.41	-52.38	-53.83	-54.12	-51.94	-52.34	-52.07	-51.41	-43.31	-41.31	-41.20	-0.11
5210MHz	Pass	5.15G	5.35G	AV	5.15G	2.00	-52.48	-53.18	-54.47	-55.16	-52.97	-52.49	-52.61	-51.97	-44.02	-42.02	-41.20	-0.82
5210MHz	Pass	5.35G	5.51G	AV	5.35384G	2.00	-65.47	-64.33	-65.10	-65.04	-65.19	-64.70	-65.36	-65.20	-56.00	-54.00	-41.20	-12.80
5210MHz	Pass	4.9G	4.99G	PK	4.9888G	2.00	-56.59	-59.92	-58.84	-56.42	-58.77	-57.00	-57.88	-57.16	-48.64	-46.64	-21.20	-25.44
5210MHz	Pass	4.99G	5.15G	PK	5.15G	2.00	-41.53	-42.54	-43.26	-44.88	-43.33	-42.61	-42.05	-40.80	-33.44	-31.44	-21.20	-10.24
5210MHz	Pass	5.15G	5.35G	PK	5.15G	2.00	-42.37	-42.90	-45.09	-45.63	-43.90	-42.25	-42.93	-41.95	-34.17	-32.17	-21.20	-10.97
5210MHz	Pass	5.35G	5.51G	PK	5.46392G	2.00	-56.20	-55.24	-55.82	-56.62	-56.92	-56.74	-57.48	-57.08	-47.43	-45.43	-27.00	-18.43
5210MHz	Pass	5.51G	6.5G	PK	5.77705G	2.00	-54.44	-57.81	-56.23	-56.62	-57.93	-56.28	-55.58	-56.54	-47.27	-45.27	-27.00	-18.27
5775MHz	Pass	4.9G	5.565G	AV	5.45054G	2.00	-67.96	-67.21	-68.08	-67.57	-66.99	-67.81	-68.13	-67.05	-58.55	-56.55	-41.20	-15.35
5775MHz	Pass	4.9G	5.565G	PK	5.52286G	2.00	-59.79	-59.41	-55.59	-59.21	-55.69	-59.81	-58.12	-57.61	-48.80	-46.80	-27.00	-19.80
5775MHz	Pass	5.565G	5.725G	PK	5.65524G	2.00	-45.92	-51.39	-49.96	-51.47	-39.84	-49.76	-54.38	-48.89	-37.42	-35.42	-23.12	-12.30
5775MHz	Pass	5.725G	5.85G	PK	5.85G	2.00	-40.01	-36.98	-37.23	-44.60	-36.86	-37.88	-42.81	-40.54	-29.86	-27.86	27.00	-54.86
5775MHz	Pass	5.85G	6.01G	PK	5.92552G	2.00	-53.63	-55.03	-52.26	-53.78	-52.97	-53.75	-56.12	-53.98	-44.77	-42.77	-27.00	-15.77
5775MHz	Pass	6.01G	6.5G	PK	6.06972G	2.00	-57.16	-56.39	-57.40	-57.42	-57.02	-57.55	-55.07	-57.87	-47.87	-45.87	-27.00	-18.87

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

802.11a_Nss1,(6Mbps)_8TX

5180MHz

CSE [PK]





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.11G	1M	PK	5.06123G	-43.16	-21.20	-21.96	2.00	0.00	-45.16	-56.78	-57.03	-56.72	-58.14	-47.44	-57.95	-58.16	-58.07
5.11G	5.15G	1M	PK	5.14984G	-33.91	-21.20	-12.71	2.00	0.00	-35.91	-44.04	-45.41	-44.74	-44.95	-45.17	-46.82	-44.59	-44.32
5.15G	5.35G	1M	PK	5.15G	-33.83	-21.20	-12.63	2.00	0.00	-35.83	-44.22	-45.32	-45.12	-45.11	-43.88	-47.48	-43.38	-45.57
5.35G	5.39G	1M	PK	5.36736G	-43.84	-21.20	-22.64	2.00	0.00	-45.84	-55.36	-53.08	-55.70	-55.22	-53.81	-55.56	-55.55	-55.55
5.39G	6.5G	1M	PK	5.84024G	-45.07	-27.00	-18.07	2.00	0.00	-47.07	-55.51	-57.99	-55.60	-56.34	-57.75	-55.97	-57.46	-53.81

802.11a_Nss1,(6Mbps)_8TX

5180MHz

CSE [AV]




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.11G	1M	AV	5.10362G	-53.81	-41.20	-12.61	2.00	0.00	-55.81	-64.40	-64.78	-64.14	-65.10	-64.27	-65.64	-65.08	-65.58
5.11G	5.15G	1M	AV	5.15G	-45.56	-41.20	-4.36	2.00	0.00	-47.56	-55.81	-56.38	-56.36	-56.40	-56.31	-57.98	-56.46	-57.38
5.15G	5.35G	1M	AV	5.15G	-45.30	-41.20	-4.10	2.00	0.00	-47.30	-55.70	-57.53	-56.01	-55.75	-55.45	-57.13	-56.69	-56.85
5.35G	5.39G	1M	AV	5.36968G	-53.66	-41.20	-12.46	2.00	0.00	-55.66	-64.34	-64.78	-64.80	-65.01	-65.15	-63.96	-64.76	-64.84
5.39G	6.5G	1M	AV	5.39236G	-55.51	-41.20	-14.31	2.00	0.00	-57.51	-66.88	-66.98	-64.84	-65.86	-66.57	-66.14	-68.15	-67.85

802.11a_Nss1,(6Mbps)_8TX

5200MHz

CSE [PK]

25/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.11G	1M	PK	5.08081G	-43.31	-21.20	-22.11	2.00	0.00	-45.31	-57.87	-57.44	-56.91	-58.93	-47.36	-57.97	-59.73	-57.78
5.11G	5.15G	1M	PK	5.14976G	-40.98	-21.20	-19.78	2.00	0.00	-42.98	-52.44	-53.64	-51.16	-49.70	-52.21	-52.32	-52.76	-53.21
5.15G	5.35G	1M	PK	5.15G	-42.03	-21.20	-20.83	2.00	0.00	-44.03	-53.08	-54.62	-53.63	-52.20	-52.54	-53.97	-52.03	-53.04
5.35G	5.39G	1M	PK	5.3864G	-43.98	-21.20	-22.78	2.00	0.00	-45.98	-53.48	-55.30	-56.20	-54.32	-54.91	-55.89	-54.68	-56.07
5.39G	6.5G	1M	PK	5.80015G	-45.00	-27.00	-18.00	2.00	0.00	-47.00	-56.49	-54.94	-57.55	-57.85	-53.70	-58.23	-57.40	-54.52

802.11a_Nss1,(6Mbps)_8TX

5200MHz

CSE [AV]

25/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.11G	1M	AV	5.10795G	-53.93	-41.20	-12.73	2.00	0.00	-55.93	-64.94	-64.81	-63.42	-65.01	-66.27	-65.19	-64.60	-66.13
5.11G	5.15G	1M	AV	5.14992G	-51.41	-41.20	-10.21	2.00	0.00	-53.41	-62.13	-62.40	-62.21	-62.72	-62.80	-62.50	-62.48	-62.30
5.15G	5.35G	1M	AV	5.15G	-51.66	-41.20	-10.46	2.00	0.00	-53.66	-61.85	-63.53	-62.40	-62.98	-63.17	-63.00	-62.25	-62.57
5.35G	5.39G	1M	AV	5.35072G	-53.90	-41.20	-12.70	2.00	0.00	-55.90	-64.48	-65.18	-63.86	-65.12	-65.18	-64.89	-65.27	-65.78
5.39G	6.5G	1M	AV	5.39014G	-54.94	-41.20	-13.74	2.00	0.00	-56.94	-65.37	-66.30	-65.75	-66.04	-65.48	-66.20	-66.28	-66.46

802.11a_Nss1,(6Mbps)_8TX

5240MHz

CSE [PK]

25/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.11G	1M	PK	5.05446G	-45.43	-21.20	-24.23	2.00	0.00	-47.43	-55.63	-56.42	-57.10	-57.18	-58.81	-55.12	-58.13	-54.87
5.11G	5.15G	1M	PK	5.12016G	-39.63	-21.20	-18.43	2.00	0.00	-41.63	-47.72	-55.44	-55.07	-54.49	-44.80	-54.66	-55.58	-55.18
5.15G	5.35G	1M	PK	5.15G	-43.28	-21.20	-22.08	2.00	0.00	-45.28	-54.13	-53.48	-53.71	-55.76	-54.87	-54.35	-54.40	-54.18
5.35G	5.39G	1M	PK	5.35856G	-41.08	-21.20	-19.88	2.00	0.00	-43.08	-49.03	-55.09	-55.72	-54.10	-47.14	-55.40	-56.82	-55.65
5.39G	6.5G	1M	PK	5.85717G	-45.18	-27.00	-18.18	2.00	0.00	-47.18	-56.64	-55.88	-56.79	-55.35	-55.79	-57.81	-56.08	-55.79

802.11a_Nss1,(6Mbps)_8TX

5240MHz

CSE [AV]

25/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.11G	1M	AV	5.05065G	-54.67	-41.20	-13.47	2.00	0.00	-56.67	-64.95	-64.28	-64.11	-67.07	-65.67	-67.33	-66.91	-66.62
5.11G	5.15G	1M	AV	5.14888G	-52.49	-41.20	-11.29	2.00	0.00	-54.49	-63.52	-64.15	-62.31	-64.05	-63.03	-63.55	-63.85	-64.05
5.15G	5.35G	1M	AV	5.15G	-52.74	-41.20	-11.54	2.00	0.00	-54.74	-63.99	-62.90	-63.42	-64.12	-64.14	-63.78	-63.77	-64.17
5.35G	5.39G	1M	AV	5.35352G	-53.83	-41.20	-12.63	2.00	0.00	-55.83	-64.25	-64.72	-65.03	-65.16	-65.08	-64.46	-65.12	-65.19
5.39G	6.5G	1M	AV	5.39028G	-55.33	-41.20	-14.13	2.00	0.00	-57.33	-64.43	-66.74	-66.91	-66.46	-66.94	-65.30	-67.37	-67.73

802.11a_Nss1,(6Mbps)_8TX

5745MHz

CSE [PK]

25/09/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.685G	1M	PK	5.49886G	-46.76	-27.00	-19.76	2.00	0.00	-48.76	-56.99	-59.61	-57.83	-58.66	-60.45	-56.71	-56.62	-57.00
5.685G	5.725G	1M	PK	5.68548G	-42.52	-0.74	-41.78	2.00	0.00	-44.52	-53.76	-53.67	-52.12	-53.62	-54.22	-54.37	-53.48	-53.53
5.725G	5.85G	1M	PK	5.85G	-43.10	27.00	-70.10	2.00	0.00	-45.10	-53.91	-54.02	-54.16	-53.89	-54.26	-53.76	-55.12	-54.10
5.85G	5.89G	1M	PK	5.88968G	-43.34	-0.86	-42.48	2.00	0.00	-45.34	-53.85	-53.99	-54.11	-55.25	-52.76	-55.19	-55.85	-54.77
5.89G	6.5G	1M	PK	6.0104G	-45.61	-27.00	-18.61	2.00	0.00	-47.61	-55.82	-57.30	-57.76	-55.56	-54.55	-57.50	-57.51	-58.77

802.11a_Nss1,(6Mbps)_8TX

5745MHz

CSE [AV]

25/09/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)	P5(dBm)	P6(dBm)	P7(dBm)	P8(dBm)
4.9G	5.685G	1M	AV	5.44518G	-56.36	-41.20	-15.16	2.00	0.00	-58.36	-67.86	-66.24	-67.24	-67.52	-68.14	-68.36	-66.40	-67.83