



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	5.3598G	71.56	74.00	-2.44	3	Horizontal	54	1.72	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.35G	50.10	54.00	-3.90	3	Vertical	208	1.98	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.375G	73.91	74.00	-0.09	3	Horizontal	28	1.50	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	5.4686G	66.93	68.20	-1.27	3	Horizontal	26	2.03	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.47G	67.66	68.20	-0.54	3	Horizontal	298	1.80	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.739G	67.87	68.20	-0.33	3	Vertical	189	1.87	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1478G	46.58	54.00	-7.42	3	Vertical	214	1.70	-
5260MHz	Pass	AV	5.2516G	109.08	Inf	-Inf	3	Vertical	214	1.70	-
5260MHz	Pass	AV	5.3758G	48.98	54.00	-5.02	3	Vertical	214	1.70	-
5260MHz	Pass	PK	5.1172G	59.49	74.00	-14.51	3	Vertical	214	1.70	-
5260MHz	Pass	PK	5.2522G	120.67	Inf	-Inf	3	Vertical	214	1.70	-
5260MHz	Pass	PK	5.3656G	60.62	74.00	-13.38	3	Vertical	214	1.70	-
5260MHz	Pass	AV	5.1388G	46.36	54.00	-7.64	3	Horizontal	26	1.80	-
5260MHz	Pass	AV	5.2672G	105.96	Inf	-Inf	3	Horizontal	26	1.80	-
5260MHz	Pass	AV	5.3614G	46.78	54.00	-7.22	3	Horizontal	26	1.80	-
5260MHz	Pass	PK	5.1274G	59.95	74.00	-14.05	3	Horizontal	26	1.80	-
5260MHz	Pass	PK	5.2654G	118.43	Inf	-Inf	3	Horizontal	26	1.80	-
5260MHz	Pass	PK	5.353G	62.48	74.00	-11.52	3	Horizontal	26	1.80	-
5260MHz	Pass	PK	10.51832G	54.42	68.20	-13.78	3	Vertical	0	1.36	-
5260MHz	Pass	PK	10.52028G	54.62	68.20	-13.58	3	Horizontal	64	1.38	-
5300MHz	Pass	AV	5.2944G	108.78	Inf	-Inf	3	Vertical	213	1.44	-
5300MHz	Pass	AV	5.376G	49.09	54.00	-4.91	3	Vertical	213	1.44	-
5300MHz	Pass	PK	5.292G	120.39	Inf	-Inf	3	Vertical	213	1.44	-
5300MHz	Pass	PK	5.3624G	69.36	74.00	-4.64	3	Vertical	213	1.44	-
5300MHz	Pass	AV	5.298G	106.93	Inf	-Inf	3	Horizontal	55	1.60	-
5300MHz	Pass	AV	5.376G	49.68	54.00	-4.32	3	Horizontal	55	1.60	-
5300MHz	Pass	PK	5.296G	118.81	Inf	-Inf	3	Horizontal	55	1.60	-
5300MHz	Pass	PK	5.3512G	60.34	74.00	-13.66	3	Horizontal	55	1.60	-
5300MHz	Pass	PK	10.59808G	54.18	68.20	-14.02	3	Vertical	31	1.76	-
5300MHz	Pass	PK	10.59905G	54.77	68.20	-13.43	3	Horizontal	65	1.66	-
5320MHz	Pass	AV	5.3276G	106.91	Inf	-Inf	3	Vertical	208	1.79	-
5320MHz	Pass	AV	5.3504G	47.95	54.00	-6.05	3	Vertical	208	1.79	-
5320MHz	Pass	PK	5.322G	119.69	Inf	-Inf	3	Vertical	208	1.79	-
5320MHz	Pass	PK	5.3514G	68.52	74.00	-5.48	3	Vertical	208	1.79	-
5320MHz	Pass	AV	5.3286G	105.47	Inf	-Inf	3	Horizontal	54	1.72	-
5320MHz	Pass	AV	5.3502G	46.95	54.00	-7.05	3	Horizontal	54	1.72	-
5320MHz	Pass	PK	5.3288G	118.24	Inf	-Inf	3	Horizontal	54	1.72	-
5320MHz	Pass	PK	5.3598G	71.56	74.00	-2.44	3	Horizontal	54	1.72	-
5320MHz	Pass	AV	10.64012G	41.57	54.00	-12.43	3	Vertical	35	1.76	-
5320MHz	Pass	PK	10.64036G	54.35	74.00	-19.65	3	Vertical	35	1.76	-
5320MHz	Pass	AV	10.63997G	41.74	54.00	-12.26	3	Horizontal	65	1.68	-
5320MHz	Pass	PK	10.64022G	54.22	74.00	-19.78	3	Horizontal	65	1.68	-
5500MHz	Pass	AV	5.4586G	46.66	54.00	-7.34	3	Vertical	168	1.79	-
5500MHz	Pass	AV	5.5086G	109.25	Inf	-Inf	3	Vertical	168	1.79	-
5500MHz	Pass	PK	5.4696G	63.25	68.20	-4.95	3	Vertical	168	1.79	-
5500MHz	Pass	PK	5.5078G	121.36	Inf	-Inf	3	Vertical	168	1.79	-
5500MHz	Pass	AV	5.459G	46.08	54.00	-7.92	3	Horizontal	26	2.03	-
5500MHz	Pass	AV	5.5084G	106.50	Inf	-Inf	3	Horizontal	26	2.03	-
5500MHz	Pass	PK	5.4686G	66.93	68.20	-1.27	3	Horizontal	26	2.03	-
5500MHz	Pass	PK	5.5038G	118.49	Inf	-Inf	3	Horizontal	26	2.03	-
5500MHz	Pass	AV	11.00071G	42.58	54.00	-11.42	3	Vertical	188	2.03	-
5500MHz	Pass	PK	10.99954G	55.56	74.00	-18.44	3	Vertical	188	2.03	-
5500MHz	Pass	AV	11.00083G	42.56	54.00	-11.44	3	Horizontal	159	1.50	-
5500MHz	Pass	PK	10.99937G	55.20	74.00	-18.80	3	Horizontal	159	1.50	-
5580MHz	Pass	AV	5.451G	46.28	54.00	-7.72	3	Vertical	164	1.77	-
5580MHz	Pass	AV	5.5812G	108.57	Inf	-Inf	3	Vertical	164	1.77	-
5580MHz	Pass	PK	5.4678G	59.45	68.20	-8.75	3	Vertical	164	1.77	-
5580MHz	Pass	PK	5.5824G	121.59	Inf	-Inf	3	Vertical	164	1.77	-
5580MHz	Pass	PK	5.7276G	60.01	68.20	-8.19	3	Vertical	164	1.77	-
5580MHz	Pass	AV	5.4378G	46.19	54.00	-7.81	3	Horizontal	26	1.83	-
5580MHz	Pass	AV	5.5716G	107.78	Inf	-Inf	3	Horizontal	26	1.83	-
5580MHz	Pass	PK	5.4684G	58.01	68.20	-10.19	3	Horizontal	26	1.83	-
5580MHz	Pass	PK	5.571G	118.94	Inf	-Inf	3	Horizontal	26	1.83	-
5580MHz	Pass	PK	5.7288G	57.33	68.20	-10.87	3	Horizontal	26	1.83	-
5580MHz	Pass	AV	11.15933G	42.91	54.00	-11.09	3	Vertical	354	1.26	-
5580MHz	Pass	PK	11.15974G	55.62	74.00	-18.38	3	Vertical	354	1.26	-



RSE TX above 1GHz_ Beamforming

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	AV	11.15793G	42.84	54.00	-11.16	3	Horizontal	18	1.55	-
5580MHz	Pass	PK	11.15885G	55.84	74.00	-18.16	3	Horizontal	18	1.55	-
5700MHz	Pass	AV	5.6912G	107.67	Inf	-Inf	3	Vertical	190	1.57	-
5700MHz	Pass	PK	5.6912G	120.06	Inf	-Inf	3	Vertical	190	1.57	-
5700MHz	Pass	PK	5.7252G	64.30	68.20	-3.90	3	Vertical	190	1.57	-
5700MHz	Pass	AV	5.6948G	105.38	Inf	-Inf	3	Horizontal	175	1.71	-
5700MHz	Pass	PK	5.692G	117.25	Inf	-Inf	3	Horizontal	175	1.71	-
5700MHz	Pass	PK	5.7252G	62.04	68.20	-6.16	3	Horizontal	175	1.71	-
5700MHz	Pass	AV	11.40197G	43.66	54.00	-10.34	3	Vertical	350	1.50	-
5700MHz	Pass	PK	11.39826G	56.89	74.00	-17.11	3	Vertical	350	1.50	-
5700MHz	Pass	AV	11.40008G	43.88	54.00	-10.12	3	Horizontal	4	1.39	-
5700MHz	Pass	PK	11.40025G	56.53	74.00	-17.47	3	Horizontal	4	1.39	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.438G	46.42	54.00	-7.58	3	Vertical	192	1.63	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7272G	107.74	Inf	-Inf	3	Vertical	192	1.63	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	59.36	68.20	-8.84	3	Vertical	192	1.63	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	120.29	Inf	-Inf	3	Vertical	192	1.63	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.948G	60.89	68.20	-7.31	3	Vertical	192	1.63	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4248G	46.32	54.00	-7.68	3	Horizontal	168	1.67	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	105.28	Inf	-Inf	3	Horizontal	168	1.67	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	57.31	68.20	-10.89	3	Horizontal	168	1.67	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	116.40	Inf	-Inf	3	Horizontal	168	1.67	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8844G	58.85	68.20	-9.35	3	Horizontal	168	1.67	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44546G	43.95	54.00	-10.05	3	Vertical	266	2.10	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44876G	56.49	74.00	-17.51	3	Vertical	266	2.10	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4385G	44.05	54.00	-9.95	3	Horizontal	360	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4415G	57.71	74.00	-16.29	3	Horizontal	360	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.1416G	46.83	54.00	-7.17	3	Vertical	155	1.50	-
5270MHz	Pass	AV	5.258G	106.32	Inf	-Inf	3	Vertical	155	1.50	-
5270MHz	Pass	AV	5.3762G	47.76	54.00	-6.24	3	Vertical	155	1.50	-
5270MHz	Pass	PK	5.1494G	60.80	74.00	-13.20	3	Vertical	155	1.50	-
5270MHz	Pass	PK	5.258G	117.06	Inf	-Inf	3	Vertical	155	1.50	-
5270MHz	Pass	PK	5.3624G	66.64	74.00	-7.36	3	Vertical	155	1.50	-
5270MHz	Pass	AV	5.132G	46.73	54.00	-7.27	3	Horizontal	20	1.50	-
5270MHz	Pass	AV	5.2628G	106.10	Inf	-Inf	3	Horizontal	20	1.50	-
5270MHz	Pass	AV	5.35G	47.35	54.00	-6.65	3	Horizontal	20	1.50	-
5270MHz	Pass	PK	5.147G	63.45	74.00	-10.55	3	Horizontal	20	1.50	-
5270MHz	Pass	PK	5.2592G	117.54	Inf	-Inf	3	Horizontal	20	1.50	-
5270MHz	Pass	PK	5.3588G	68.23	74.00	-5.77	3	Horizontal	20	1.50	-
5270MHz	Pass	PK	10.53762G	54.10	68.20	-14.10	3	Vertical	11	1.50	-
5270MHz	Pass	PK	10.54023G	55.14	68.20	-13.06	3	Horizontal	61	1.43	-
5310MHz	Pass	AV	5.2972G	103.63	Inf	-Inf	3	Vertical	208	1.98	-
5310MHz	Pass	AV	5.35G	50.10	54.00	-3.90	3	Vertical	208	1.98	-
5310MHz	Pass	PK	5.2968G	115.94	Inf	-Inf	3	Vertical	208	1.98	-
5310MHz	Pass	PK	5.3552G	68.99	74.00	-5.01	3	Vertical	208	1.98	-
5310MHz	Pass	AV	5.2996G	102.13	Inf	-Inf	3	Horizontal	31	1.50	-
5310MHz	Pass	AV	5.3508G	48.52	54.00	-5.48	3	Horizontal	31	1.50	-
5310MHz	Pass	PK	5.2996G	113.68	Inf	-Inf	3	Horizontal	31	1.50	-
5310MHz	Pass	PK	5.3516G	69.00	74.00	-5.00	3	Horizontal	31	1.50	-
5310MHz	Pass	AV	10.61994G	41.97	54.00	-12.03	3	Vertical	42	1.78	-
5310MHz	Pass	PK	10.61994G	54.38	74.00	-19.62	3	Vertical	42	1.78	-
5310MHz	Pass	AV	10.61989G	42.25	54.00	-11.75	3	Horizontal	62	1.69	-
5310MHz	Pass	PK	10.6199G	54.34	74.00	-19.66	3	Horizontal	62	1.69	-
5510MHz	Pass	AV	5.4224G	45.59	54.00	-8.41	3	Vertical	311	1.70	-
5510MHz	Pass	AV	5.4944G	99.00	Inf	-Inf	3	Vertical	311	1.70	-
5510MHz	Pass	PK	5.47G	66.95	68.20	-1.25	3	Vertical	311	1.70	-
5510MHz	Pass	PK	5.5056G	111.75	Inf	-Inf	3	Vertical	311	1.70	-
5510MHz	Pass	AV	5.46G	45.77	54.00	-8.23	3	Horizontal	298	1.80	-
5510MHz	Pass	AV	5.496G	101.95	Inf	-Inf	3	Horizontal	298	1.80	-
5510MHz	Pass	PK	5.47G	67.66	68.20	-0.54	3	Horizontal	298	1.80	-
5510MHz	Pass	PK	5.4984G	112.40	Inf	-Inf	3	Horizontal	298	1.80	-
5510MHz	Pass	AV	11.02035G	42.50	54.00	-11.50	3	Vertical	169	1.35	-



RSE TX above 1GHz_ Beamforming

Appendix D.2


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5510MHz	Pass	PK	11.01968G	56.03	74.00	-17.97	3	Vertical	169	1.35	-
5510MHz	Pass	AV	11.01954G	42.44	54.00	-11.56	3	Horizontal	8	2.71	-
5510MHz	Pass	PK	11.02031G	55.81	74.00	-18.19	3	Horizontal	8	2.71	-
5550MHz	Pass	AV	5.4544G	47.29	54.00	-6.71	3	Vertical	204	1.94	-
5550MHz	Pass	AV	5.5332G	104.94	Inf	-Inf	3	Vertical	204	1.94	-
5550MHz	Pass	PK	5.4696G	67.50	68.20	-0.70	3	Vertical	204	1.94	-
5550MHz	Pass	PK	5.5388G	117.26	Inf	-Inf	3	Vertical	204	1.94	-
5550MHz	Pass	AV	5.4552G	46.54	54.00	-7.46	3	Horizontal	304	1.50	-
5550MHz	Pass	AV	5.538G	104.30	Inf	-Inf	3	Horizontal	304	1.50	-
5550MHz	Pass	PK	5.4608G	67.56	68.20	-0.64	3	Horizontal	304	1.50	-
5550MHz	Pass	PK	5.5392G	115.39	Inf	-Inf	3	Horizontal	304	1.50	-
5550MHz	Pass	AV	11.09926G	42.98	54.00	-11.02	3	Vertical	3	1.50	-
5550MHz	Pass	PK	11.09905G	55.75	74.00	-18.25	3	Vertical	3	1.50	-
5550MHz	Pass	AV	11.10021G	42.84	54.00	-11.16	3	Horizontal	4	1.15	-
5550MHz	Pass	PK	11.09916G	55.56	74.00	-18.44	3	Horizontal	4	1.15	-
5670MHz	Pass	AV	5.664G	103.68	Inf	-Inf	3	Vertical	191	1.83	-
5670MHz	Pass	PK	5.6766G	115.55	Inf	-Inf	3	Vertical	191	1.83	-
5670MHz	Pass	PK	5.748G	62.09	68.20	-6.11	3	Vertical	191	1.83	-
5670MHz	Pass	AV	5.6802G	100.43	Inf	-Inf	3	Horizontal	310	1.93	-
5670MHz	Pass	PK	5.682G	112.24	Inf	-Inf	3	Horizontal	310	1.93	-
5670MHz	Pass	PK	5.7396G	59.92	68.20	-8.28	3	Horizontal	310	1.93	-
5670MHz	Pass	AV	11.34041G	43.14	54.00	-10.86	3	Vertical	115	1.08	-
5670MHz	Pass	PK	11.33954G	55.92	74.00	-18.08	3	Vertical	115	1.08	-
5670MHz	Pass	AV	11.33994G	43.43	54.00	-10.57	3	Horizontal	2	1.46	-
5670MHz	Pass	PK	11.34054G	56.09	74.00	-17.91	3	Horizontal	2	1.46	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.44G	46.19	54.00	-7.81	3	Vertical	163	1.93	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7244G	105.12	Inf	-Inf	3	Vertical	163	1.93	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	58.01	68.20	-10.19	3	Vertical	163	1.93	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.704G	117.52	Inf	-Inf	3	Vertical	163	1.93	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8852G	59.58	68.20	-8.62	3	Vertical	163	1.93	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4268G	45.43	54.00	-8.57	3	Horizontal	314	1.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6932G	101.37	Inf	-Inf	3	Horizontal	314	1.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	58.51	68.20	-9.69	3	Horizontal	314	1.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6944G	115.09	Inf	-Inf	3	Horizontal	314	1.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8948G	59.82	68.20	-8.38	3	Horizontal	314	1.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42091G	43.73	54.00	-10.27	3	Vertical	5	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4204G	56.35	74.00	-17.65	3	Vertical	5	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42004G	44.08	54.00	-9.92	3	Horizontal	1	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42034G	56.46	74.00	-17.54	3	Horizontal	1	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.088G	49.03	54.00	-4.97	3	Vertical	205	1.50	-
5290MHz	Pass	AV	5.263G	103.36	Inf	-Inf	3	Vertical	205	1.50	-
5290MHz	Pass	AV	5.35G	50.66	54.00	-3.34	3	Vertical	205	1.50	-
5290MHz	Pass	PK	5.148G	62.08	74.00	-11.92	3	Vertical	205	1.50	-
5290MHz	Pass	PK	5.259G	115.22	Inf	-Inf	3	Vertical	205	1.50	-
5290MHz	Pass	PK	5.357G	69.84	74.00	-4.16	3	Vertical	205	1.50	-
5290MHz	Pass	AV	5.127G	47.97	54.00	-6.03	3	Horizontal	28	1.50	-
5290MHz	Pass	AV	5.262G	105.92	Inf	-Inf	3	Horizontal	28	1.50	-
5290MHz	Pass	AV	5.35G	52.55	54.00	-1.45	3	Horizontal	28	1.50	-
5290MHz	Pass	PK	5.15G	64.01	74.00	-9.99	3	Horizontal	28	1.50	-
5290MHz	Pass	PK	5.267G	113.57	Inf	-Inf	3	Horizontal	28	1.50	-
5290MHz	Pass	PK	5.375G	73.91	74.00	-0.09	3	Horizontal	28	1.50	-
5290MHz	Pass	PK	10.58069G	54.23	68.20	-13.97	3	Vertical	13	1.50	-
5290MHz	Pass	PK	10.57994G	54.36	68.20	-13.84	3	Horizontal	63	1.55	-
5530MHz	Pass	AV	5.454G	48.28	54.00	-5.72	3	Vertical	190	1.82	-
5530MHz	Pass	AV	5.495G	104.78	Inf	-Inf	3	Vertical	190	1.82	-
5530MHz	Pass	PK	5.47G	66.82	68.20	-1.38	3	Vertical	190	1.82	-
5530MHz	Pass	PK	5.54G	111.41	Inf	-Inf	3	Vertical	190	1.82	-
5530MHz	Pass	PK	5.76G	58.96	68.20	-9.24	3	Vertical	190	1.82	-
5530MHz	Pass	AV	5.417G	47.15	54.00	-6.85	3	Horizontal	48	1.38	-
5530MHz	Pass	AV	5.498G	101.94	Inf	-Inf	3	Horizontal	48	1.38	-
5530MHz	Pass	PK	5.469G	64.16	68.20	-4.04	3	Horizontal	48	1.38	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5530MHz	Pass	PK	5.499G	111.76	Inf	-Inf	3	Horizontal	48	1.38	-
5530MHz	Pass	PK	5.78G	57.93	68.20	-10.27	3	Horizontal	48	1.38	-
5530MHz	Pass	AV	11.0592G	43.62	54.00	-10.38	3	Vertical	318	2.19	-
5530MHz	Pass	PK	11.06074G	55.90	74.00	-18.10	3	Vertical	318	2.19	-
5530MHz	Pass	AV	11.05995G	43.47	54.00	-10.53	3	Horizontal	0	1.89	-
5530MHz	Pass	PK	11.06012G	56.01	74.00	-17.99	3	Horizontal	0	1.89	-
5610MHz	Pass	AV	5.376G	48.44	54.00	-5.56	3	Vertical	189	1.87	-
5610MHz	Pass	AV	5.582G	102.61	Inf	-Inf	3	Vertical	189	1.87	-
5610MHz	Pass	PK	5.466G	62.86	68.20	-5.34	3	Vertical	189	1.87	-
5610MHz	Pass	PK	5.576G	116.13	Inf	-Inf	3	Vertical	189	1.87	-
5610MHz	Pass	PK	5.739G	67.87	68.20	-0.33	3	Vertical	189	1.87	-
5610MHz	Pass	AV	5.376G	47.88	54.00	-6.12	3	Horizontal	311	1.50	-
5610MHz	Pass	AV	5.629G	98.67	Inf	-Inf	3	Horizontal	311	1.50	-
5610MHz	Pass	PK	5.465G	58.22	68.20	-9.98	3	Horizontal	311	1.50	-
5610MHz	Pass	PK	5.575G	114.03	Inf	-Inf	3	Horizontal	311	1.50	-
5610MHz	Pass	PK	5.73G	65.39	68.20	-2.81	3	Horizontal	311	1.50	-
5610MHz	Pass	AV	11.21978G	43.72	54.00	-10.28	3	Vertical	184	1.50	-
5610MHz	Pass	PK	11.2192G	56.07	74.00	-17.93	3	Vertical	184	1.50	-
5610MHz	Pass	AV	11.2202G	43.96	54.00	-10.04	3	Horizontal	158	1.50	-
5610MHz	Pass	PK	11.21964G	56.17	74.00	-17.83	3	Horizontal	158	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4284G	47.33	54.00	-6.67	3	Vertical	190	1.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6744G	105.10	Inf	-Inf	3	Vertical	190	1.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	59.03	68.20	-9.17	3	Vertical	190	1.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6816G	117.44	Inf	-Inf	3	Vertical	190	1.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8568G	60.98	68.20	-7.22	3	Vertical	190	1.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4332G	47.71	54.00	-6.29	3	Horizontal	174	1.86	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6816G	107.89	Inf	-Inf	3	Horizontal	174	1.86	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	59.14	68.20	-9.06	3	Horizontal	174	1.86	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6792G	117.52	Inf	-Inf	3	Horizontal	174	1.86	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9096G	60.59	68.20	-7.61	3	Horizontal	174	1.86	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37912G	44.19	54.00	-9.81	3	Vertical	2	1.03	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37986G	56.10	74.00	-17.90	3	Vertical	2	1.03	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38028G	44.23	54.00	-9.77	3	Horizontal	258	1.20	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37962G	56.80	74.00	-17.20	3	Horizontal	258	1.20	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1478G	46.58	54.00	-7.42	5.14	3	Vertical	214	1.70	-	41.44	34.59	5.47	34.92
AV	5.2516G	109.08	Inf	-Inf	5.25	3	Vertical	214	1.70	-	103.83	34.60	5.55	34.90
AV	5.3758G	48.98	54.00	-5.02	5.40	3	Vertical	214	1.70	-	43.58	34.60	5.68	34.88
PK	5.1172G	59.49	74.00	-14.51	5.01	3	Vertical	214	1.70	-	54.48	34.47	5.46	34.92
PK	5.2522G	120.67	Inf	-Inf	5.25	3	Vertical	214	1.70	-	115.42	34.60	5.55	34.90
PK	5.3656G	60.62	74.00	-13.38	5.39	3	Vertical	214	1.70	-	55.23	34.60	5.67	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1388G	46.36	54.00	-7.64	5.11	3	Horizontal	26	1.80	-	41.25	34.56	5.47	34.92
AV	5.2672G	105.96	Inf	-Inf	5.30	3	Horizontal	26	1.80	-	100.66	34.63	5.57	34.90
AV	5.3614G	46.78	54.00	-7.22	5.38	3	Horizontal	26	1.80	-	41.40	34.60	5.66	34.88
PK	5.1274G	59.95	74.00	-14.05	5.05	3	Horizontal	26	1.80	-	54.90	34.51	5.46	34.92
PK	5.2654G	118.43	Inf	-Inf	5.30	3	Horizontal	26	1.80	-	113.13	34.63	5.57	34.90
PK	5.353G	62.48	74.00	-11.52	5.37	3	Horizontal	26	1.80	-	57.11	34.60	5.65	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51832G	54.42	68.20	-13.78	12.35	3	Vertical	0	1.36	-	42.07	39.44	7.98	35.07

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52028G	54.62	68.20	-13.58	12.35	3	Horizontal	64	1.38	-	42.27	39.44	7.98	35.07

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2944G	108.78	Inf	-Inf	5.39	3	Vertical	213	1.44	-	103.39	34.69	5.59	34.89
AV	5.376G	49.09	54.00	-4.91	5.40	3	Vertical	213	1.44	-	43.69	34.60	5.68	34.88
PK	5.292G	120.39	Inf	-Inf	5.38	3	Vertical	213	1.44	-	115.01	34.68	5.59	34.89
PK	5.3624G	69.36	74.00	-4.64	5.38	3	Vertical	213	1.44	-	63.98	34.60	5.66	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.298G	106.93	Inf	-Inf	5.41	3	Horizontal	55	1.60	-	101.52	34.70	5.60	34.89
AV	5.376G	49.68	54.00	-4.32	5.40	3	Horizontal	55	1.60	-	44.28	34.60	5.68	34.88
PK	5.296G	118.81	Inf	-Inf	5.40	3	Horizontal	55	1.60	-	113.41	34.69	5.60	34.89
PK	5.3512G	60.34	74.00	-13.66	5.37	3	Horizontal	55	1.60	-	54.97	34.60	5.65	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.59808G	54.18	68.20	-14.02	12.55	3	Vertical	31	1.76	-	41.63	39.60	8.01	35.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.59905G	54.77	68.20	-13.43	12.55	3	Horizontal	65	1.66	-	42.22	39.60	8.01	35.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3276G	106.91	Inf	-Inf	5.38	3	Vertical	208	1.79	-	101.53	34.64	5.63	34.89
AV	5.3504G	47.95	54.00	-6.05	5.37	3	Vertical	208	1.79	-	42.58	34.60	5.65	34.88
PK	5.322G	119.69	Inf	-Inf	5.39	3	Vertical	208	1.79	-	114.30	34.66	5.62	34.89
PK	5.3514G	68.52	74.00	-5.48	5.37	3	Vertical	208	1.79	-	63.15	34.60	5.65	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3286G	105.47	Inf	-Inf	5.38	3	Horizontal	54	1.72	-	100.09	34.64	5.63	34.89
AV	5.3502G	46.95	54.00	-7.05	5.37	3	Horizontal	54	1.72	-	41.58	34.60	5.65	34.88
PK	5.3288G	118.24	Inf	-Inf	5.38	3	Horizontal	54	1.72	-	112.86	34.64	5.63	34.89
PK	5.3598G	71.56	74.00	-2.44	5.38	3	Horizontal	54	1.72	-	66.18	34.60	5.66	34.88

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64012G	41.57	54.00	-12.43	12.69	3	Vertical	35	1.76	-	28.88	39.72	8.02	35.05
PK	10.64036G	54.35	74.00	-19.65	12.69	3	Vertical	35	1.76	-	41.66	39.72	8.02	35.05

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63997G	41.74	54.00	-12.26	12.69	3	Horizontal	65	1.68	-	29.05	39.72	8.02	35.05
PK	10.64022G	54.22	74.00	-19.78	12.69	3	Horizontal	65	1.68	-	41.53	39.72	8.02	35.05

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	46.66	54.00	-7.34	5.23	3	Vertical	168	1.79	-	41.43	34.37	5.73	34.87
AV	5.5086G	109.25	Inf	-Inf	5.11	3	Vertical	168	1.79	-	104.14	34.22	5.75	34.86
PK	5.4696G	63.25	68.20	-4.95	5.19	3	Vertical	168	1.79	-	58.06	34.32	5.73	34.86
PK	5.5078G	121.36	Inf	-Inf	5.11	3	Vertical	168	1.79	-	116.25	34.22	5.75	34.86

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	46.08	54.00	-7.92	5.22	3	Horizontal	26	2.03	-	40.86	34.36	5.73	34.87
AV	5.5084G	106.50	Inf	-Inf	5.11	3	Horizontal	26	2.03	-	101.39	34.22	5.75	34.86
PK	5.4686G	66.93	68.20	-1.27	5.19	3	Horizontal	26	2.03	-	61.74	34.33	5.73	34.87
PK	5.5038G	113.39	Inf	-Inf	5.10	3	Horizontal	26	2.03	-	113.39	34.21	5.75	34.86

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00071G	42.58	54.00	-11.42	13.75	3	Vertical	188	2.03	-	28.83	40.60	8.15	35.00
PK	10.99954G	55.56	74.00	-18.44	13.75	3	Vertical	188	2.03	-	41.81	40.60	8.15	35.00



802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.000833G	42.56	54.00	-11.44	13.75	3	Horizontal	159	1.50	-	28.81	40.60	8.15	35.00
PK	10.99937G	55.20	74.00	-18.80	13.75	3	Horizontal	159	1.50	-	41.45	40.60	8.15	35.00

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.451G	46.28	54.00	-7.72	5.26	3	Vertical	164	1.77	-	41.02	34.40	5.73	34.87
AV	5.5812G	108.57	Inf	-Inf	5.09	3	Vertical	164	1.77	-	103.48	34.18	5.79	34.88
PK	5.4678G	59.45	68.20	-8.75	5.19	3	Vertical	164	1.77	-	54.26	34.33	5.73	34.87
PK	5.5824G	121.59	Inf	-Inf	5.08	3	Vertical	164	1.77	-	116.51	34.17	5.79	34.88
PK	5.7276G	60.01	68.20	-8.19	4.87	3	Vertical	164	1.77	-	55.14	34.00	5.80	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4378G	46.19	54.00	-7.81	5.30	3	Horizontal	26	1.83	-	40.89	34.45	5.72	34.87
AV	5.5716G	107.78	Inf	-Inf	5.12	3	Horizontal	26	1.83	-	102.66	34.21	5.79	34.88
PK	5.4684G	58.01	68.20	-10.19	5.19	3	Horizontal	26	1.83	-	52.82	34.33	5.73	34.87
PK	5.571G	118.94	Inf	-Inf	5.13	3	Horizontal	26	1.83	-	113.81	34.22	5.79	34.88
PK	5.7288G	57.33	68.20	-10.87	4.87	3	Horizontal	26	1.83	-	52.46	34.00	5.80	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15933G	42.91	54.00	-11.09	14.33	3	Vertical	354	1.26	-	28.58	41.04	8.21	34.92
PK	11.15974G	55.62	74.00	-18.38	14.33	3	Vertical	354	1.26	-	41.29	41.04	8.21	34.92

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.15793G	42.84	54.00	-11.16	14.32	3	Horizontal	18	1.55	-	28.52	41.03	8.21	34.92
PK	11.15885G	55.84	74.00	-18.16	14.33	3	Horizontal	18	1.55	-	41.51	41.04	8.21	34.92

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6912G	107.67	Inf	-Inf	4.90	3	Vertical	190	1.57	-	102.77	34.02	5.80	34.92
PK	5.6912G	120.06	Inf	-Inf	4.90	3	Vertical	190	1.57	-	115.16	34.02	5.80	34.92
PK	5.7252G	64.30	68.20	-3.90	4.87	3	Vertical	190	1.57	-	59.43	34.00	5.80	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6948G	105.38	Inf	-Inf	4.89	3	Horizontal	175	1.71	-	100.49	34.01	5.80	34.92
PK	5.692G	117.25	Inf	-Inf	4.90	3	Horizontal	175	1.71	-	112.35	34.02	5.80	34.92
PK	5.7252G	62.04	68.20	-6.16	4.87	3	Horizontal	175	1.71	-	57.17	34.00	5.80	34.93



802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40197G	43.66	54.00	-10.34	15.40	3	Vertical	350	1.50	-	28.26	41.90	8.29	34.79
PK	11.39826G	56.89	74.00	-17.11	15.39	3	Vertical	350	1.50	-	41.50	41.89	8.29	34.79

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40008G	43.88	54.00	-10.12	15.40	3	Horizontal	4	1.39	-	28.48	41.90	8.29	34.79
PK	11.40025G	56.53	74.00	-17.47	15.40	3	Horizontal	4	1.39	-	41.13	41.90	8.29	34.79

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.438G	46.42	54.00	-7.58	5.30	3	Vertical	192	1.63	-	41.12	34.45	5.72	34.87
AV	5.7272G	107.74	Inf	-Inf	4.87	3	Vertical	192	1.63	-	102.87	34.00	5.80	34.93
PK	5.4692G	59.36	68.20	-8.84	5.19	3	Vertical	192	1.63	-	54.17	34.32	5.73	34.86
PK	5.714G	120.29	Inf	-Inf	4.88	3	Vertical	192	1.63	-	115.41	34.00	5.80	34.92
PK	5.948G	60.89	68.20	-7.31	5.28	3	Vertical	192	1.63	-	55.61	34.40	5.87	34.99

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4248G	46.32	54.00	-7.68	5.34	3	Horizontal	168	1.67	-	40.98	34.50	5.71	34.87
AV	5.714G	105.28	Inf	-Inf	4.88	3	Horizontal	168	1.67	-	100.40	34.00	5.80	34.92
PK	5.4632G	57.31	68.20	-10.89	5.21	3	Horizontal	168	1.67	-	52.10	34.35	5.73	34.87
PK	5.7128G	116.40	Inf	-Inf	4.88	3	Horizontal	168	1.67	-	111.52	34.00	5.80	34.92
PK	5.8844G	58.85	68.20	-9.35	5.23	3	Horizontal	168	1.67	-	53.62	34.37	5.84	34.98

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44546G	43.95	54.00	-10.05	15.49	3	Vertical	266	2.10	-	28.46	41.95	8.31	34.77
PK	11.44876G	56.49	74.00	-17.51	15.49	3	Vertical	266	2.10	-	41.00	41.95	8.31	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4385G	44.05	54.00	-9.95	15.47	3	Horizontal	360	1.50	-	28.58	41.94	8.30	34.77
PK	11.4415G	57.71	74.00	-16.29	15.47	3	Horizontal	360	1.50	-	42.24	41.94	8.30	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1416G	46.83	54.00	-7.17	5.12	3	Vertical	155	1.50	-	41.71	34.57	5.47	34.92
AV	5.258G	106.32	Inf	-Inf	5.28	3	Vertical	155	1.50	-	101.04	34.62	5.56	34.90
AV	5.3762G	47.76	54.00	-6.24	5.40	3	Vertical	155	1.50	-	42.36	34.60	5.68	34.88
PK	5.1494G	60.80	74.00	-13.20	5.15	3	Vertical	155	1.50	-	55.65	34.60	5.47	34.92
PK	5.258G	117.06	Inf	-Inf	5.28	3	Vertical	155	1.50	-	111.78	34.62	5.56	34.90
PK	5.3624G	66.64	74.00	-7.36	5.38	3	Vertical	155	1.50	-	61.26	34.60	5.66	34.88

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.132G	46.73	54.00	-7.27	5.08	3	Horizontal	20	1.50	-	41.65	34.53	5.47	34.92
AV	5.2628G	106.10	Inf	-Inf	5.29	3	Horizontal	20	1.50	-	100.81	34.63	5.56	34.90
AV	5.35G	47.35	54.00	-6.65	5.37	3	Horizontal	20	1.50	-	41.98	34.60	5.65	34.88
PK	5.147G	63.45	74.00	-10.55	5.14	3	Horizontal	20	1.50	-	58.31	34.59	5.47	34.92
PK	5.2592G	117.54	Inf	-Inf	5.28	3	Horizontal	20	1.50	-	112.26	34.62	5.56	34.90
PK	5.3588G	68.23	74.00	-5.77	5.38	3	Horizontal	20	1.50	-	62.85	34.60	5.66	34.88

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.53762G	54.10	68.20	-14.10	12.41	3	Vertical	11	1.50	-	41.69	39.48	7.99	35.06

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.54023G	55.14	68.20	-13.06	12.41	3	Horizontal	61	1.43	-	42.73	39.48	7.99	35.06

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2972G	103.63	Inf	-Inf	5.40	3	Vertical	208	1.98	-	98.23	34.69	5.60	34.89
AV	5.35G	50.10	54.00	-3.90	5.37	3	Vertical	208	1.98	-	44.73	34.60	5.65	34.88
PK	5.2968G	115.94	Inf	-Inf	5.40	3	Vertical	208	1.98	-	110.54	34.69	5.60	34.89
PK	5.3552G	68.99	74.00	-5.01	5.38	3	Vertical	208	1.98	-	63.61	34.60	5.66	34.88

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2996G	102.13	Inf	-Inf	5.41	3	Horizontal	31	1.50	-	96.72	34.70	5.60	34.89
AV	5.3508G	48.52	54.00	-5.48	5.37	3	Horizontal	31	1.50	-	43.15	34.60	5.65	34.88
PK	5.2996G	113.68	Inf	-Inf	5.41	3	Horizontal	31	1.50	-	108.27	34.70	5.60	34.89
PK	5.3516G	69.00	74.00	-5.00	5.37	3	Horizontal	31	1.50	-	63.63	34.60	5.65	34.88

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61994G	41.97	54.00	-12.03	12.63	3	Vertical	42	1.78	-	29.34	39.66	8.02	35.05
PK	10.61994G	54.38	74.00	-19.62	12.63	3	Vertical	42	1.78	-	41.75	39.66	8.02	35.05

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61989G	42.25	54.00	-11.75	12.63	3	Horizontal	62	1.69	-	29.62	39.66	8.02	35.05
PK	10.6199G	54.34	74.00	-19.66	12.63	3	Horizontal	62	1.69	-	41.71	39.66	8.02	35.05

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4224G	45.59	54.00	-8.41	5.35	3	Vertical	311	1.70	-	40.24	34.51	5.71	34.87
AV	5.4944G	99.00	Inf	-Inf	5.11	3	Vertical	311	1.70	-	93.89	34.22	5.75	34.86
PK	5.47G	66.95	68.20	-1.25	5.20	3	Vertical	311	1.70	-	61.75	34.32	5.74	34.86
PK	5.5056G	111.75	Inf	-Inf	5.10	3	Vertical	311	1.70	-	106.65	34.21	5.75	34.86

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.77	54.00	-8.23	5.22	3	Horizontal	298	1.80	-	40.55	34.36	5.73	34.87
AV	5.496G	101.95	Inf	-Inf	5.11	3	Horizontal	298	1.80	-	96.84	34.22	5.75	34.86
PK	5.47G	67.66	68.20	-0.54	5.20	3	Horizontal	298	1.80	-	62.46	34.32	5.74	34.86
PK	5.4984G	112.40	Inf	-Inf	5.10	3	Horizontal	298	1.80	-	107.30	34.21	5.75	34.86

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02035G	42.50	54.00	-11.50	13.81	3	Vertical	169	1.35	-	28.69	40.64	8.16	34.99
PK	11.01968G	56.03	74.00	-17.97	13.81	3	Vertical	169	1.35	-	42.22	40.64	8.16	34.99

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01954G	42.44	54.00	-11.56	13.81	3	Horizontal	8	2.71	-	28.63	40.64	8.16	34.99
PK	11.02031G	55.81	74.00	-18.19	13.81	3	Horizontal	8	2.71	-	42.00	40.64	8.16	34.99

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	47.29	54.00	-6.71	5.24	3	Vertical	204	1.94	-	42.05	34.38	5.73	34.87
AV	5.5332G	104.94	Inf	-Inf	5.17	3	Vertical	204	1.94	-	99.77	34.27	5.77	34.87
PK	5.4696G	67.50	68.20	-0.70	5.19	3	Vertical	204	1.94	-	62.31	34.32	5.73	34.86
PK	5.5388G	117.26	Inf	-Inf	5.18	3	Vertical	204	1.94	-	112.08	34.28	5.77	34.87

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	46.54	54.00	-7.46	5.24	3	Horizontal	304	1.50	-	41.30	34.38	5.73	34.87
AV	5.538G	104.30	Inf	-Inf	5.18	3	Horizontal	304	1.50	-	99.12	34.28	5.77	34.87
PK	5.4608G	67.56	68.20	-0.64	5.22	3	Horizontal	304	1.50	-	62.34	34.36	5.73	34.87
PK	5.5392G	115.39	Inf	-Inf	5.18	3	Horizontal	304	1.50	-	110.21	34.28	5.77	34.87

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09926G	42.98	54.00	-11.02	14.03	3	Vertical	3	1.50	-	28.95	40.80	8.18	34.95
PK	11.09905G	55.75	74.00	-18.25	14.03	3	Vertical	3	1.50	-	41.72	40.80	8.18	34.95

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10021G	42.84	54.00	-11.16	14.04	3	Horizontal	4	1.15	-	28.80	40.80	8.19	34.95
PK	11.09916G	55.56	74.00	-18.44	14.03	3	Horizontal	4	1.15	-	41.53	40.80	8.18	34.95

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.664G	103.68	Inf	-Inf	4.96	3	Vertical	191	1.83	-	98.72	34.07	5.80	34.91
PK	5.6766G	115.55	Inf	-Inf	4.94	3	Vertical	191	1.83	-	110.61	34.05	5.80	34.91
PK	5.748G	62.09	68.20	-6.11	4.87	3	Vertical	191	1.83	-	57.22	34.00	5.80	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6802G	100.43	Inf	-Inf	4.93	3	Horizontal	310	1.93	-	95.50	34.04	5.80	34.91
PK	5.682G	112.24	Inf	-Inf	4.93	3	Horizontal	310	1.93	-	107.31	34.04	5.80	34.91
PK	5.7396G	59.92	68.20	-8.28	4.87	3	Horizontal	310	1.93	-	55.05	34.00	5.80	34.93

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34041G	43.14	54.00	-10.86	15.11	3	Vertical	115	1.08	-	28.03	41.66	8.27	34.82
PK	11.33954G	55.92	74.00	-18.08	15.11	3	Vertical	115	1.08	-	40.81	41.66	8.27	34.82

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33994G	43.43	54.00	-10.57	15.11	3	Horizontal	2	1.46	-	28.32	41.66	8.27	34.82
PK	11.34054G	56.09	74.00	-17.91	15.11	3	Horizontal	2	1.46	-	40.98	41.66	8.27	34.82

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.44G	46.19	54.00	-7.81	5.29	3	Vertical	163	1.93	-	40.90	34.44	5.72	34.87
AV	5.7244G	105.12	Inf	-Inf	4.87	3	Vertical	163	1.93	-	100.25	34.00	5.80	34.93
PK	5.4652G	58.01	68.20	-10.19	5.20	3	Vertical	163	1.93	-	52.81	34.34	5.73	34.87
PK	5.704G	117.52	Inf	-Inf	4.88	3	Vertical	163	1.93	-	112.64	34.00	5.80	34.92
PK	5.8852G	59.58	68.20	-8.62	5.23	3	Vertical	163	1.93	-	54.35	34.37	5.84	34.98

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4268G	45.43	54.00	-8.57	5.33	3	Horizontal	314	1.76	-	40.10	34.49	5.71	34.87
AV	5.6932G	101.37	Inf	-Inf	4.89	3	Horizontal	314	1.76	-	96.48	34.01	5.80	34.92
PK	5.4616G	58.51	68.20	-9.69	5.21	3	Horizontal	314	1.76	-	53.30	34.35	5.73	34.87
PK	5.6944G	115.09	Inf	-Inf	4.89	3	Horizontal	314	1.76	-	110.20	34.01	5.80	34.92
PK	5.8948G	59.82	68.20	-8.38	5.26	3	Horizontal	314	1.76	-	54.56	34.39	5.85	34.98

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42091G	43.73	54.00	-10.27	15.44	3	Vertical	5	1.50	-	28.29	41.92	8.30	34.78
PK	11.4204G	56.35	74.00	-17.65	15.44	3	Vertical	5	1.50	-	40.91	41.92	8.30	34.78

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42004G	44.08	54.00	-9.92	15.44	3	Horizontal	1	1.50	-	28.64	41.92	8.30	34.78
PK	11.42034G	56.46	74.00	-17.54	15.44	3	Horizontal	1	1.50	-	41.02	41.92	8.30	34.78

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.088G	49.03	54.00	-4.97	4.84	3	Vertical	205	1.50	-	44.19	34.33	5.44	34.93
AV	5.263G	103.36	Inf	-Inf	5.29	3	Vertical	205	1.50	-	98.07	34.63	5.56	34.90
AV	5.35G	50.66	54.00	-3.34	5.37	3	Vertical	205	1.50	-	45.29	34.60	5.65	34.88
PK	5.148G	62.08	74.00	-11.92	5.14	3	Vertical	205	1.50	-	56.94	34.59	5.47	34.92
PK	5.259G	115.22	Inf	-Inf	5.28	3	Vertical	205	1.50	-	109.94	34.62	5.56	34.90
PK	5.357G	69.84	74.00	-4.16	5.38	3	Vertical	205	1.50	-	64.46	34.60	5.66	34.88

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.127G	47.97	54.00	-6.03	5.05	3	Horizontal	28	1.50	-	42.92	34.51	5.46	34.92
AV	5.262G	105.92	Inf	-Inf	5.28	3	Horizontal	28	1.50	-	100.64	34.62	5.56	34.90
AV	5.35G	52.55	54.00	-1.45	5.37	3	Horizontal	28	1.50	-	47.18	34.60	5.65	34.88
PK	5.15G	64.01	74.00	-9.99	5.15	3	Horizontal	28	1.50	-	58.86	34.60	5.47	34.92
PK	5.267G	113.57	Inf	-Inf	5.30	3	Horizontal	28	1.50	-	108.27	34.63	5.57	34.90
PK	5.375G	73.91	74.00	-0.09	5.39	3	Horizontal	28	1.50	-	68.52	34.60	5.67	34.88

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58069G	54.23	68.20	-13.97	12.50	3	Vertical	13	1.50	-	41.73	39.56	8.00	35.06

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.57994G	54.36	68.20	-13.84	12.50	3	Horizontal	63	1.55	-	41.86	39.56	8.00	35.06

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	48.28	54.00	-5.72	5.24	3	Vertical	190	1.82	-	43.04	34.38	5.73	34.87
AV	5.495G	104.78	Inf	-Inf	5.11	3	Vertical	190	1.82	-	99.67	34.22	5.75	34.86
PK	5.47G	66.82	68.20	-1.38	5.20	3	Vertical	190	1.82	-	61.62	34.32	5.74	34.86
PK	5.54G	111.41	Inf	-Inf	5.18	3	Vertical	190	1.82	-	106.23	34.28	5.77	34.87
PK	5.76G	58.96	68.20	-9.24	4.88	3	Vertical	190	1.82	-	54.08	34.02	5.80	34.94

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.417G	47.15	54.00	-6.85	5.37	3	Horizontal	48	1.38	-	41.78	34.53	5.71	34.87
AV	5.498G	101.94	Inf	-Inf	5.10	3	Horizontal	48	1.38	-	96.84	34.21	5.75	34.86
PK	5.469G	64.16	68.20	-4.04	5.19	3	Horizontal	48	1.38	-	58.97	34.32	5.73	34.86
PK	5.499G	111.76	Inf	-Inf	5.09	3	Horizontal	48	1.38	-	106.67	34.20	5.75	34.86
PK	5.78G	57.93	68.20	-10.27	4.92	3	Horizontal	48	1.38	-	53.01	34.06	5.80	34.94



802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0592G	43.62	54.00	-10.38	13.92	3	Vertical	318	2.19	-	29.70	40.72	8.17	34.97
PK	11.06074G	55.90	74.00	-18.10	13.92	3	Vertical	318	2.19	-	41.98	40.72	8.17	34.97

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05995G	43.47	54.00	-10.53	13.92	3	Horizontal	0	1.89	-	29.55	40.72	8.17	34.97
PK	11.06012G	56.01	74.00	-17.99	13.92	3	Horizontal	0	1.89	-	42.09	40.72	8.17	34.97

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.376G	48.44	54.00	-5.56	5.40	3	Vertical	189	1.87	-	43.04	34.60	5.68	34.88
AV	5.582G	102.61	Inf	-Inf	5.08	3	Vertical	189	1.87	-	97.53	34.17	5.79	34.88
PK	5.466G	62.86	68.20	-5.34	5.20	3	Vertical	189	1.87	-	57.66	34.34	5.73	34.87
PK	5.576G	116.13	Inf	-Inf	5.11	3	Vertical	189	1.87	-	111.02	34.20	5.79	34.88
PK	5.739G	67.87	68.20	-0.33	4.87	3	Vertical	189	1.87	-	63.00	34.00	5.80	34.93

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.376G	47.88	54.00	-6.12	5.40	3	Horizontal	311	1.50	-	42.48	34.60	5.68	34.88
AV	5.629G	98.67	Inf	-Inf	5.00	3	Horizontal	311	1.50	-	93.67	34.10	5.80	34.90
PK	5.465G	58.22	68.20	-9.98	5.20	3	Horizontal	311	1.50	-	53.02	34.34	5.73	34.87
PK	5.575G	114.03	Inf	-Inf	5.11	3	Horizontal	311	1.50	-	108.92	34.20	5.79	34.88
PK	5.73G	65.39	68.20	-2.81	4.87	3	Horizontal	311	1.50	-	60.52	34.00	5.80	34.93

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21978G	43.72	54.00	-10.28	14.60	3	Vertical	184	1.50	-	29.12	41.26	8.23	34.89
PK	11.2192G	56.07	74.00	-17.93	14.60	3	Vertical	184	1.50	-	41.47	41.26	8.23	34.89

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2202G	43.96	54.00	-10.04	14.60	3	Horizontal	158	1.50	-	29.36	41.26	8.23	34.89
PK	11.21964G	56.17	74.00	-17.83	14.60	3	Horizontal	158	1.50	-	41.57	41.26	8.23	34.89

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4284G	47.33	54.00	-6.67	5.33	3	Vertical	190	1.78	-	42.00	34.49	5.71	34.87
AV	5.6744G	105.10	Inf	-Inf	4.94	3	Vertical	190	1.78	-	100.16	34.05	5.80	34.91
PK	5.4644G	59.03	68.20	-9.17	5.20	3	Vertical	190	1.78	-	53.83	34.34	5.73	34.87
PK	5.6816G	117.44	Inf	-Inf	4.93	3	Vertical	190	1.78	-	112.51	34.04	5.80	34.91
PK	5.8568G	60.98	68.20	-7.22	5.17	3	Vertical	190	1.78	-	55.81	34.31	5.83	34.97

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4332G	47.71	54.00	-6.29	5.32	3	Horizontal	174	1.86	-	42.39	34.47	5.72	34.87
AV	5.6816G	107.89	Inf	-Inf	4.93	3	Horizontal	174	1.86	-	102.96	34.04	5.80	34.91
PK	5.4644G	59.14	68.20	-9.06	5.20	3	Horizontal	174	1.86	-	53.94	34.34	5.73	34.87
PK	5.6792G	117.52	Inf	-Inf	4.93	3	Horizontal	174	1.86	-	112.59	34.04	5.80	34.91
PK	5.9096G	60.59	68.20	-7.61	5.27	3	Horizontal	174	1.86	-	55.32	34.40	5.85	34.98

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37912G	44.19	54.00	-9.81	15.30	3	Vertical	2	1.03	-	28.89	41.82	8.28	34.80
PK	11.37986G	56.10	74.00	-17.90	15.30	3	Vertical	2	1.03	-	40.80	41.82	8.28	34.80

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38028G	44.23	54.00	-9.77	15.30	3	Horizontal	258	1.20	-	28.93	41.82	8.28	34.80
PK	11.37962G	56.80	74.00	-17.20	15.30	3	Horizontal	258	1.20	-	41.50	41.82	8.28	34.80