


802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.99932G	61.28	88.20	-26.92	42.91	3	Vertical	350	3.00	-	40.80	8.90	31.33	
RMS	13.99536G	48.40	68.20	-19.80	30.03	3	Vertical	350	3.00	-	40.80	8.90	31.33	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.993G	61.52	88.20	-26.68	43.14	3	Horizontal	245	2.31	-	40.81	8.90	31.33
RMS	13.99892G	48.34	68.20	-19.86	29.97	3	Horizontal	245	2.31	-	40.80	8.90	31.33

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9866G	53.24	83.54	-30.30	50.59	1	Vertical	161	1.58	-	37.62	14.74	49.71
AV	20.9842G	39.23	63.54	-24.31	36.57	1	Vertical	161	1.58	-	37.63	14.74	49.71

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98136G	53.36	83.54	-30.18	50.70	1	Horizontal	65	1.56	-	37.63	14.74	49.71
AV	20.98392G	39.20	63.54	-24.34	36.54	1	Horizontal	65	1.56	-	37.63	14.74	49.71

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1022G	103.21	Inf	-Inf	93.60	3	Vertical	310	1.80	-	36.61	6.15	33.15	
RMS	7.1038G	90.91	Inf	-Inf	81.29	3	Vertical	310	1.80	-	36.62	6.15	33.15	
PK	7.1294G	62.68	88.20	-25.52	52.94	3	Vertical	310	1.80	-	36.72	6.16	33.14	
RMS	7.1718G	49.93	68.20	-18.27	39.98	3	Vertical	310	1.80	-	36.89	6.19	33.13	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0906G	102.37	Inf	-Inf	92.82	3	Horizontal	326	2.10	-	36.56	6.15	33.16	
RMS	7.0866G	90.64	Inf	-Inf	81.11	3	Horizontal	326	2.10	-	36.55	6.14	33.16	
PK	7.1874G	62.85	88.20	-25.35	52.83	3	Horizontal	326	2.10	-	36.95	6.19	33.12	
RMS	7.1798G	50.11	68.20	-18.09	40.13	3	Horizontal	326	2.10	-	36.92	6.19	33.13	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.18932G	61.12	88.20	-27.08	42.81	3	Vertical	270	2.04	-	40.89	8.94	31.52	
RMS	14.18072G	47.68	68.20	-20.52	29.37	3	Vertical	270	2.04	-	40.88	8.94	31.51	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.19668G	60.98	88.20	-27.22	42.66	3	Horizontal	204	2.61	-	40.90	8.94	31.52	
RMS	14.18452G	47.67	68.20	-20.53	29.36	3	Horizontal	204	2.61	-	40.88	8.94	31.51	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28954G	53.35	83.54	-30.19	50.37	1	Vertical	88	1.56	-	37.65	14.97	49.64
AV	21.2871G	40.40	63.54	-23.14	37.43	1	Vertical	88	1.56	-	37.64	14.97	49.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2896G	53.82	83.54	-29.72	50.84	1	Horizontal	79	1.56	-	37.65	14.97	49.64
AV	21.28754G	40.19	63.54	-23.35	37.21	1	Horizontal	79	1.56	-	37.65	14.97	49.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT Y_4TX
Setting 8
04-H-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1112G	91.33	Inf	-Inf	81.15	3	Vertical	357	1.72	-	36.84	6.76	33.42	
RMS	7.1234G	80.03	Inf	-Inf	69.82	3	Vertical	357	1.72	-	36.89	6.76	33.44	
PK	7.1255G	79.77	88.20	-8.43	69.55	3	Vertical	357	1.72	-	36.90	6.76	33.44	
RMS	7.1255G	63.46	68.20	-4.74	53.24	3	Vertical	357	1.72	-	36.90	6.76	33.44	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT Y_4TX
Setting 8
04-H-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1066G	89.55	Inf	-Inf	79.39	3	Horizontal	332	1.74	-	36.83	6.75	33.42	
RMS	7.1058G	81.33	Inf	-Inf	71.18	3	Horizontal	332	1.74	-	36.82	6.75	33.42	
PK	7.1255G	73.94	88.20	-14.26	63.72	3	Horizontal	332	1.74	-	36.90	6.76	33.44	
RMS	7.1255G	61.24	68.20	-6.96	51.02	3	Horizontal	332	1.74	-	36.90	6.76	33.44	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.23624G	61.11	88.20	-27.09	42.89	3	Vertical	93	1.80	-	40.83	8.95	31.56	
RMS	14.23792G	47.88	68.20	-20.32	29.67	3	Vertical	93	1.80	-	40.82	8.95	31.56	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.2322G	61.66	88.20	-26.54	43.43	3	Horizontal	269	2.16	-	40.84	8.95	31.56	
RMS	14.2384G	47.88	68.20	-20.32	29.67	3	Horizontal	269	2.16	-	40.82	8.95	31.56	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34146G	53.88	83.54	-29.66	50.79	1	Vertical	301	1.50	-	37.71	15.01	49.63
AV	21.34192G	40.21	63.54	-23.33	37.12	1	Vertical	301	1.50	-	37.71	15.01	49.63

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT Y_4TX
Setting 8
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34418G	54.14	83.54	-29.40	51.05	1	Horizontal	305	1.50	-	37.71	15.01	49.63
AV	21.34486G	40.27	63.54	-23.27	37.18	1	Horizontal	305	1.50	-	37.71	15.01	49.63

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.915G	60.16	88.20	-28.04	52.74	3	Vertical	338	1.62	-	34.86	5.50	32.94	
RMS	5.893G	47.44	68.20	-20.76	40.12	3	Vertical	338	1.62	-	34.76	5.50	32.94	
PK	5.9678G	103.46	Inf	-Inf	95.84	3	Vertical	338	1.62	-	35.07	5.50	32.95	
RMS	5.9702G	91.33	Inf	-Inf	83.70	3	Vertical	338	1.62	-	35.08	5.50	32.95	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9094G	60.42	88.20	-27.78	53.02	3	Horizontal	39	2.09	-	34.84	5.50	32.94	
RMS	5.923G	47.72	68.20	-20.48	40.27	3	Horizontal	39	2.09	-	34.89	5.50	32.94	
PK	5.949G	104.89	Inf	-Inf	97.33	3	Horizontal	39	2.09	-	35.00	5.50	32.94	
RMS	5.9506G	92.83	Inf	-Inf	85.28	3	Horizontal	39	2.09	-	35.00	5.50	32.95	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.926G	56.25	74.00	-17.75	42.68	3	Vertical	175	2.78	-	38.47	7.97	32.87
AV	11.93768G	42.57	54.00	-11.43	29.00	3	Vertical	175	2.78	-	38.46	7.98	32.87
PK	17.88632G	65.11	74.00	-8.89	44.37	3	Vertical	329	1.80	-	42.47	9.96	31.69
AV	17.89404G	51.67	54.00	-2.33	30.91	3	Vertical	329	1.80	-	42.49	9.96	31.69

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.93544G	56.09	74.00	-17.91	42.52	3	Horizontal	114	1.80	-	38.46	7.98	32.87	
AV	11.92308G	42.52	54.00	-11.48	28.94	3	Horizontal	114	1.80	-	38.48	7.97	32.87	
PK	17.89588G	65.81	74.00	-8.19	45.05	3	Horizontal	178	1.23	-	42.49	9.96	31.69	
AV	17.90248G	51.68	54.00	-2.32	30.89	3	Horizontal	178	1.23	-	42.50	9.97	31.68	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9166G	60.82	88.20	-27.38	53.39	3	Vertical	339	3.00	-	34.87	5.50	32.94	
RMS	5.8914G	47.35	68.20	-20.85	40.04	3	Vertical	339	3.00	-	34.75	5.50	32.94	
PK	6.1602G	102.52	Inf	-Inf	94.43	3	Vertical	339	3.00	-	35.22	5.82	32.95	
RMS	6.1638G	91.77	Inf	-Inf	83.66	3	Vertical	339	3.00	-	35.23	5.83	32.95	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	59.70	88.20	-28.50	52.24	3	Horizontal	314	1.03	-	34.90	5.50	32.94	
RMS	5.9154G	47.43	68.20	-20.77	40.01	3	Horizontal	314	1.03	-	34.86	5.50	32.94	
PK	6.1674G	103.25	Inf	-Inf	95.14	3	Horizontal	314	1.03	-	35.23	5.83	32.95	
RMS	6.1662G	91.67	Inf	-Inf	83.56	3	Horizontal	314	1.03	-	35.23	5.83	32.95	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.3378G	55.88	74.00	-18.12	41.75	3	Vertical	19	2.61	-	38.44	8.15	32.46	
AV	12.339G	42.37	54.00	-11.63	28.24	3	Vertical	19	2.61	-	38.44	8.15	32.46	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.33988G	55.75	74.00	-18.25	41.62	3	Horizontal	181	2.04	-	38.44	8.15	32.46
AV	12.32172G	42.31	54.00	-11.69	28.23	3	Horizontal	181	2.04	-	38.42	8.14	32.48

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49652G	57.23	83.54	-26.31	55.61	1	Vertical	227	1.50	-	37.80	13.92	50.10
AV	18.49392G	43.69	63.54	-19.85	42.08	1	Vertical	227	1.50	-	37.79	13.92	50.10

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49974G	57.81	83.54	-25.73	56.19	1	Horizontal	166	1.50	-	37.80	13.92	50.10
AV	18.49378G	43.93	63.54	-19.61	42.32	1	Horizontal	166	1.50	-	37.79	13.92	50.10

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.899G	59.75	88.20	-28.45	52.40	3	Vertical	55	1.61	-	34.79	5.50	32.94	
RMS	5.925G	47.41	68.20	-20.79	39.95	3	Vertical	55	1.61	-	34.90	5.50	32.94	
PK	6.3918G	103.54	Inf	-Inf	95.10	3	Vertical	55	1.61	-	35.30	6.09	32.95	
RMS	6.4006G	91.11	Inf	-Inf	82.66	3	Vertical	55	1.61	-	35.30	6.10	32.95	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.888G	59.29	88.20	-28.91	52.00	3	Horizontal	52	1.79	-	34.73	5.50	32.94	
RMS	5.9034G	47.53	68.20	-20.67	40.16	3	Horizontal	52	1.79	-	34.81	5.50	32.94	
PK	6.416G	100.70	Inf	-Inf	92.27	3	Horizontal	52	1.79	-	35.30	6.08	32.95	
RMS	6.4028G	89.25	Inf	-Inf	80.80	3	Horizontal	52	1.79	-	35.30	6.10	32.95	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.81216G	56.65	88.20	-31.55	40.93	3	Vertical	265	1.89	-	39.21	8.37	31.86	
RMS	12.81848G	43.51	68.20	-24.69	27.77	3	Vertical	265	1.89	-	39.22	8.37	31.85	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.80652G	56.56	88.20	-31.64	40.86	3	Horizontal	158	1.37	-	39.21	8.36	31.87	
RMS	12.81564G	43.62	68.20	-24.58	27.89	3	Horizontal	158	1.37	-	39.22	8.37	31.86	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.2121G	53.67	83.54	-29.87	51.60	1	Vertical	275	1.51	-	37.75	13.96	49.64
AV	19.21824G	40.58	63.54	-22.96	38.52	1	Vertical	275	1.51	-	37.74	13.96	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.2198G	54.07	83.54	-29.47	52.01	1	Horizontal	47	1.52	-	37.74	13.96	49.64	
AV	19.21482G	40.49	63.54	-23.05	38.43	1	Horizontal	47	1.52	-	37.74	13.96	49.64	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8978G	59.34	88.20	-28.86	51.99	3	Vertical	318	1.54	-	34.79	5.50	32.94	
RMS	5.9122G	47.30	68.20	-20.90	39.89	3	Vertical	318	1.54	-	34.85	5.50	32.94	
PK	6.433G	102.83	Inf	-Inf	94.41	3	Vertical	318	1.54	-	35.30	6.07	32.95	
RMS	6.4426G	91.57	Inf	-Inf	83.16	3	Vertical	318	1.54	-	35.30	6.06	32.95	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8954G	59.78	88.20	-28.42	52.45	3	Horizontal	328	1.68	-	34.77	5.50	32.94	
RMS	5.917G	47.46	68.20	-20.74	40.03	3	Horizontal	328	1.68	-	34.87	5.50	32.94	
PK	6.4474G	103.20	Inf	-Inf	94.80	3	Horizontal	328	1.68	-	35.30	6.05	32.95	
RMS	6.4474G	91.98	Inf	-Inf	83.58	3	Horizontal	328	1.68	-	35.30	6.05	32.95	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.88056G	56.91	88.20	-31.29	41.00	3	Vertical	72	1.75	-	39.28	8.40	31.77	
RMS	12.89592G	43.52	68.20	-24.68	27.57	3	Vertical	72	1.75	-	39.30	8.40	31.75	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.89396G	57.58	88.20	-30.62	41.65	3	Horizontal	80	1.80	-	39.29	8.40	31.76	
RMS	12.88468G	43.81	68.20	-24.39	27.90	3	Horizontal	80	1.80	-	39.28	8.40	31.77	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33958G	54.99	83.54	-28.55	52.92	1	Vertical	154	1.50	-	37.77	13.97	49.67
AV	19.33996G	41.43	63.54	-22.11	39.36	1	Vertical	154	1.50	-	37.77	13.97	49.67

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3398G	54.48	83.54	-29.06	52.41	1	Horizontal	44	1.55	-	37.77	13.97	49.67
AV	19.33604G	41.45	63.54	-22.09	39.38	1	Horizontal	44	1.55	-	37.77	13.97	49.67

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_Y_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.799G	59.27	88.20	-28.93	52.40	3	Vertical	360	2.79	-	34.30	5.50	32.93
RMS	5.9026G	47.34	68.20	-20.86	39.97	3	Vertical	360	2.79	-	34.81	5.50	32.94
PK	6.4822G	102.01	Inf	-Inf	93.51	3	Vertical	360	2.79	-	35.43	6.02	32.95
RMS	6.4822G	92.09	Inf	-Inf	83.59	3	Vertical	360	2.79	-	35.43	6.02	32.95
PK	7.143G	62.12	88.20	-26.08	52.32	3	Vertical	360	2.79	-	36.77	6.17	33.14
RMS	7.1822G	49.64	68.20	-18.56	39.64	3	Vertical	360	2.79	-	36.93	6.19	33.12

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_V_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8942G	59.96	88.20	-28.24	52.63	3	Horizontal	47	1.62	-	34.77	5.50	32.94
RMS	5.8998G	47.43	68.20	-20.77	40.07	3	Horizontal	47	1.62	-	34.80	5.50	32.94
PK	6.4794G	100.70	Inf	-Inf	92.21	3	Horizontal	47	1.62	-	35.42	6.02	32.95
RMS	6.4822G	89.64	Inf	-Inf	81.14	3	Horizontal	47	1.62	-	35.43	6.02	32.95
PK	7.185G	61.90	88.20	-26.30	51.89	3	Horizontal	47	1.62	-	36.94	6.19	33.12
RMS	7.1738G	49.70	68.20	-18.50	39.74	3	Horizontal	47	1.62	-	36.90	6.19	33.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97564G	57.00	88.20	-31.20	40.76	3	Vertical	101	2.16	-	39.45	8.44	31.65
RMS	12.97944G	43.88	68.20	-24.32	27.63	3	Vertical	101	2.16	-	39.46	8.44	31.65

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.97892G	56.83	88.20	-31.37	40.58	3	Horizontal	318	2.07	-	39.46	8.44	31.65	
RMS	12.96728G	43.85	68.20	-24.35	27.64	3	Horizontal	318	2.07	-	39.43	8.44	31.66	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45122G	54.24	83.54	-29.30	52.10	1	Vertical	350	1.50	-	37.86	13.97	49.69
AV	19.45768G	41.19	63.54	-22.35	39.04	1	Vertical	350	1.50	-	37.87	13.97	49.69

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45486G	54.43	83.54	-29.11	52.29	1	Horizontal	144	1.54	-	37.86	13.97	49.69
AV	19.4578G	41.18	63.54	-22.36	39.03	1	Horizontal	144	1.54	-	37.87	13.97	49.69

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Y_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8782G	59.84	88.20	-28.36	52.61	3	Vertical	340	2.53	-	34.67	5.50	32.94
RMS	5.9202G	47.47	68.20	-20.73	40.03	3	Vertical	340	2.53	-	34.88	5.50	32.94
PK	6.5306G	102.03	Inf	-Inf	93.40	3	Vertical	340	2.53	-	35.62	5.97	32.96
RMS	6.5306G	91.48	Inf	-Inf	82.85	3	Vertical	340	2.53	-	35.62	5.97	32.96
PK	7.1858G	61.68	88.20	-26.52	51.67	3	Vertical	340	2.53	-	36.94	6.19	33.12
RMS	7.2222G	49.91	68.20	-18.29	39.80	3	Vertical	340	2.53	-	37.00	6.22	33.11

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8698G	59.89	88.20	-28.31	52.71	3	Horizontal	334	2.06	-	34.62	5.50	32.94
RMS	5.9062G	47.43	68.20	-20.77	40.05	3	Horizontal	334	2.06	-	34.82	5.50	32.94
PK	6.5306G	100.75	Inf	-Inf	92.12	3	Horizontal	334	2.06	-	35.62	5.97	32.96
RMS	6.5222G	90.66	Inf	-Inf	82.05	3	Horizontal	334	2.06	-	35.59	5.98	32.96
PK	7.155G	62.33	88.20	-25.87	52.46	3	Horizontal	334	2.06	-	36.82	6.18	33.13
RMS	7.1998G	50.17	68.20	-18.03	40.09	3	Horizontal	334	2.06	-	37.00	6.20	33.12

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.04156G	56.91	88.20	-31.29	40.43	3	Vertical	157	2.96	-	39.58	8.47	31.57	
RMS	13.04768G	44.02	68.20	-24.18	27.51	3	Vertical	157	2.96	-	39.60	8.47	31.56	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04724G	56.85	88.20	-31.35	40.35	3	Horizontal	234	1.29	-	39.59	8.47	31.56
RMS	13.05536G	44.05	68.20	-24.15	27.52	3	Horizontal	234	1.29	-	39.61	8.47	31.55

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57472G	55.64	83.54	-27.90	53.49	1	Vertical	87	1.50	-	37.87	13.98	49.70
AV	19.57456G	41.73	63.54	-21.81	39.58	1	Vertical	87	1.50	-	37.87	13.98	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57392G	54.69	83.54	-28.85	52.54	1	Horizontal	105	1.56	-	37.87	13.98	49.70
AV	19.57762G	41.65	63.54	-21.89	39.50	1	Horizontal	105	1.56	-	37.87	13.98	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_V_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.915G	58.77	88.20	-29.43	51.35	3	Vertical	324	1.80	-	34.86	5.50	32.94	
RMS	5.9228G	47.42	68.20	-20.78	39.97	3	Vertical	324	1.80	-	34.89	5.50	32.94	
PK	6.5598G	102.29	Inf	-Inf	93.61	3	Vertical	324	1.80	-	35.72	5.94	32.98	
RMS	6.5624G	91.70	Inf	-Inf	83.02	3	Vertical	324	1.80	-	35.72	5.94	32.98	
PK	7.1708G	61.92	88.20	-26.28	51.98	3	Vertical	324	1.80	-	36.88	6.19	33.13	
RMS	7.215G	49.84	68.20	-18.36	39.73	3	Vertical	324	1.80	-	37.00	6.22	33.11	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_V_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9228G	58.82	88.20	-29.38	51.37	3	Horizontal	330	1.62	-	34.89	5.50	32.94	
RMS	5.9202G	47.71	68.20	-20.49	40.27	3	Horizontal	330	1.62	-	34.88	5.50	32.94	
PK	6.5546G	102.18	Inf	-Inf	93.50	3	Horizontal	330	1.62	-	35.71	5.95	32.98	
RMS	6.5572G	91.08	Inf	-Inf	82.41	3	Horizontal	330	1.62	-	35.71	5.94	32.98	
PK	7.1968G	61.85	88.20	-26.35	51.78	3	Horizontal	330	1.62	-	36.99	6.20	33.12	
RMS	7.1344G	49.88	68.20	-18.32	40.11	3	Horizontal	330	1.62	-	36.74	6.17	33.14	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.13924G	57.38	88.20	-30.82	40.53	3	Vertical	18	1.40	-	39.78	8.51	31.44	
RMS	13.13392G	44.47	68.20	-23.73	27.64	3	Vertical	18	1.40	-	39.77	8.51	31.45	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.13952G	57.64	88.20	-30.56	40.79	3	Horizontal	8	2.70	-	39.78	8.51	31.44	
RMS	13.13828G	44.53	68.20	-23.67	27.69	3	Horizontal	8	2.70	-	39.78	8.51	31.45	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69952G	53.77	83.54	-29.77	51.67	1	Vertical	227	1.54	-	37.82	13.98	49.70
AV	19.6969G	40.52	63.54	-23.02	38.42	1	Vertical	227	1.54	-	37.82	13.98	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.698G	53.86	83.54	-29.68	51.76	1	Horizontal	104	1.58	-	37.82	13.98	49.70	
AV	19.69478G	40.50	63.54	-23.04	38.40	1	Horizontal	104	1.58	-	37.82	13.98	49.70	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6828G	102.08	Inf	-Inf	93.21	3	Vertical	322	1.80	-	35.97	5.94	33.04	
RMS	6.6916G	90.93	Inf	-Inf	82.04	3	Vertical	322	1.80	-	35.98	5.95	33.04	
PK	7.1866G	61.81	88.20	-26.39	51.79	3	Vertical	322	1.80	-	36.95	6.19	33.12	
RMS	7.2152G	49.88	68.20	-18.32	39.77	3	Vertical	322	1.80	-	37.00	6.22	33.11	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.696G	103.79	Inf	-Inf	94.89	3	Horizontal	326	1.76	-	35.99	5.95	33.04	
RMS	6.6828G	92.44	Inf	-Inf	83.57	3	Horizontal	326	1.76	-	35.97	5.94	33.04	
PK	7.2042G	62.79	88.20	-25.41	52.71	3	Horizontal	326	1.76	-	37.00	6.20	33.12	
RMS	7.1976G	49.78	68.20	-18.42	39.71	3	Horizontal	326	1.76	-	36.99	6.20	33.12	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.37704G	58.46	74.00	-15.54	40.83	3	Vertical	237	2.65	-	40.15	8.62	31.14	
AV	13.37448G	45.38	54.00	-8.62	27.76	3	Vertical	237	2.65	-	40.15	8.62	31.15	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36444G	58.65	74.00	-15.35	41.07	3	Horizontal	40	1.78	-	40.13	8.61	31.16
AV	13.37644G	45.19	54.00	-8.81	27.57	3	Horizontal	40	1.78	-	40.15	8.62	31.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05616G	52.34	83.54	-31.20	50.58	1	Vertical	125	1.54	-	37.44	14.04	49.72
AV	20.05304G	39.27	63.54	-24.27	37.51	1	Vertical	125	1.54	-	37.44	14.04	49.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05234G	52.80	83.54	-30.74	51.04	1	Horizontal	343	1.57	-	37.44	14.04	49.72
AV	20.05904G	39.55	63.54	-23.99	37.78	1	Horizontal	343	1.57	-	37.45	14.04	49.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.829G	102.93	Inf	-Inf	93.73	3	Vertical	42	2.04	-	36.30	6.01	33.11	
RMS	6.829G	91.52	Inf	-Inf	82.32	3	Vertical	42	2.04	-	36.30	6.01	33.11	
PK	7.237G	62.82	88.20	-25.38	52.68	3	Vertical	42	2.04	-	37.00	6.24	33.10	
RMS	7.237G	50.05	68.20	-18.15	39.91	3	Vertical	42	2.04	-	37.00	6.24	33.10	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_Y_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8418G	103.35	Inf	-Inf	94.14	3	Horizontal	321	1.53	-	36.30	6.02	33.11	
RMS	6.837G	92.03	Inf	-Inf	82.82	3	Horizontal	321	1.53	-	36.30	6.02	33.11	
PK	7.245G	62.45	88.20	-25.75	52.30	3	Horizontal	321	1.53	-	37.00	6.25	33.10	
RMS	7.2354G	50.13	68.20	-18.07	40.00	3	Horizontal	321	1.53	-	37.00	6.24	33.11	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.6896G	61.22	88.20	-26.98	43.10	3	Vertical	22	2.84	-	40.48	8.76	31.12	
RMS	13.6994G	48.16	68.20	-20.04	30.03	3	Vertical	22	2.84	-	40.50	8.76	31.13	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.69724G	61.44	88.20	-26.76	43.31	3	Horizontal	183	2.71	-	40.49	8.76	31.12	
RMS	13.69404G	47.98	68.20	-20.22	29.85	3	Horizontal	183	2.71	-	40.49	8.76	31.12	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53084G	57.38	83.54	-26.16	55.13	1	Vertical	90	1.57	-	37.74	14.40	49.89
AV	20.53998G	42.43	63.54	-21.11	40.16	1	Vertical	90	1.57	-	37.75	14.40	49.88

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53382G	55.67	83.54	-27.87	53.42	1	Horizontal	270	1.58	-	37.74	14.40	49.89
AV	20.53728G	42.40	63.54	-21.14	40.15	1	Horizontal	270	1.58	-	37.74	14.40	49.89

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8948G	100.93	Inf	-Inf	91.81	3	Vertical	43	1.05	-	36.21	6.05	33.14	
RMS	6.899G	89.52	Inf	-Inf	80.41	3	Vertical	43	1.05	-	36.20	6.05	33.14	
PK	7.1272G	62.59	88.20	-25.61	52.86	3	Vertical	43	1.05	-	36.71	6.16	33.14	
RMS	7.2238G	49.97	68.20	-18.23	39.86	3	Vertical	43	1.05	-	37.00	6.22	33.11	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8836G	105.24	Inf	-Inf	96.10	3	Horizontal	324	1.80	-	36.23	6.04	33.13	
RMS	6.8836G	94.24	Inf	-Inf	85.10	3	Horizontal	324	1.80	-	36.23	6.04	33.13	
PK	7.1958G	62.24	88.20	-25.96	52.18	3	Horizontal	324	1.80	-	36.98	6.20	33.12	
RMS	7.2252G	50.19	68.20	-18.01	40.07	3	Horizontal	324	1.80	-	37.00	6.23	33.11	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.76652G	62.35	88.20	-25.85	44.16	3	Vertical	92	1.00	-	40.57	8.79	31.17	
RMS	13.77728G	48.82	68.20	-19.38	30.62	3	Vertical	92	1.00	-	40.58	8.80	31.18	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77948G	61.99	88.20	-26.21	43.79	3	Horizontal	219	1.66	-	40.58	8.80	31.18
RMS	13.77G	48.78	68.20	-19.42	30.58	3	Horizontal	219	1.66	-	40.57	8.80	31.17

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65268G	54.80	83.54	-28.74	52.27	1	Vertical	29	1.50	-	37.88	14.49	49.84
AV	20.65278G	41.55	63.54	-21.99	39.02	1	Vertical	29	1.50	-	37.88	14.49	49.84

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65894G	54.50	83.54	-29.04	51.96	1	Horizontal	170	1.52	-	37.89	14.49	49.84
AV	20.65254G	41.50	63.54	-22.04	38.97	1	Horizontal	170	1.52	-	37.88	14.49	49.84

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Y_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.919G	100.30	Inf	-Inf	91.11	3	Vertical	35	1.80	-	36.28	6.06	33.15	
RMS	6.9262G	89.31	Inf	-Inf	80.10	3	Vertical	35	1.80	-	36.30	6.06	33.15	
PK	7.1614G	62.25	88.20	-25.95	52.35	3	Vertical	35	1.80	-	36.85	6.18	33.13	
RMS	7.2034G	50.09	68.20	-18.11	40.01	3	Vertical	35	1.80	-	37.00	6.20	33.12	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9334G	104.18	Inf	-Inf	94.94	3	Horizontal	323	1.67	-	36.33	6.07	33.16	
RMS	6.9298G	93.16	Inf	-Inf	83.94	3	Horizontal	323	1.67	-	36.32	6.06	33.16	
PK	7.2106G	62.38	88.20	-25.82	52.28	3	Horizontal	323	1.67	-	37.00	6.21	33.11	
RMS	7.1998G	49.96	68.20	-18.24	39.88	3	Horizontal	323	1.67	-	37.00	6.20	33.12	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.8548G	62.66	88.20	-25.54	44.30	3	Vertical	203	1.16	-	40.76	8.83	31.23	
RMS	13.85468G	49.44	68.20	-18.76	31.08	3	Vertical	203	1.16	-	40.76	8.83	31.23	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.84696G	62.62	88.20	-25.58	44.28	3	Horizontal	36	2.91	-	40.74	8.83	31.23	
RMS	13.84644G	49.40	68.20	-18.80	31.06	3	Horizontal	36	2.91	-	40.74	8.83	31.23	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77586G	54.28	83.54	-29.26	51.53	1	Vertical	148	1.54	-	37.96	14.58	49.79
AV	20.77284G	41.05	63.54	-22.49	38.30	1	Vertical	148	1.54	-	37.96	14.58	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77238G	54.19	83.54	-29.35	51.44	1	Horizontal	229	1.56	-	37.96	14.58	49.79
AV	20.77346G	40.96	63.54	-22.58	38.21	1	Horizontal	229	1.56	-	37.96	14.58	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0098G	103.11	Inf	-Inf	93.80	3	Vertical	32	1.80	-	36.40	6.10	33.19	
RMS	7.0058G	90.81	Inf	-Inf	81.50	3	Vertical	32	1.80	-	36.40	6.10	33.19	
PK	7.1698G	62.21	88.20	-25.99	52.28	3	Vertical	32	1.80	-	36.88	6.18	33.13	
RMS	7.205G	49.78	68.20	-18.42	39.69	3	Vertical	32	1.80	-	37.00	6.21	33.12	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9962G	102.82	Inf	-Inf	93.51	3	Horizontal	326	1.74	-	36.40	6.10	33.19	
RMS	6.9906G	90.93	Inf	-Inf	81.62	3	Horizontal	326	1.74	-	36.40	6.10	33.19	
PK	7.1554G	62.52	88.20	-25.68	52.65	3	Horizontal	326	1.74	-	36.82	6.18	33.13	
RMS	7.1994G	49.96	68.20	-18.24	39.88	3	Horizontal	326	1.74	-	37.00	6.20	33.12	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.0074G	61.98	88.20	-26.22	43.62	3	Vertical	271	1.74	-	40.80	8.90	31.34	
RMS	14.00112G	48.97	68.20	-19.23	30.60	3	Vertical	271	1.74	-	40.80	8.90	31.33	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01696G	61.43	88.20	-26.77	43.08	3	Horizontal	165	2.38	-	40.80	8.90	31.35
RMS	14.00148G	48.80	68.20	-19.40	30.43	3	Horizontal	165	2.38	-	40.80	8.90	31.33

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01234G	52.59	83.54	-30.95	49.93	1	Vertical	180	1.53	-	37.60	14.76	49.70
AV	21.01814G	39.15	63.54	-24.39	36.49	1	Vertical	180	1.53	-	37.60	14.76	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0148G	52.37	83.54	-31.17	49.71	1	Horizontal	350	1.52	-	37.60	14.76	49.70
AV	21.01268G	39.18	63.54	-24.36	36.52	1	Horizontal	350	1.52	-	37.60	14.76	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0878G	103.40	Inf	-Inf	93.87	3	Vertical	353	1.80	-	36.55	6.14	33.16
RMS	7.0894G	91.10	Inf	-Inf	81.56	3	Vertical	353	1.80	-	36.56	6.14	33.16
PK	7.1802G	62.92	88.20	-25.28	52.94	3	Vertical	353	1.80	-	36.92	6.19	33.13
RMS	7.1286G	49.84	68.20	-18.36	40.11	3	Vertical	353	1.80	-	36.71	6.16	33.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0742G	104.66	Inf	-Inf	95.18	3	Horizontal	324	1.93	-	36.50	6.14	33.16
RMS	7.073G	92.39	Inf	-Inf	82.92	3	Horizontal	324	1.93	-	36.49	6.14	33.16
PK	7.1586G	62.58	88.20	-25.62	52.70	3	Horizontal	324	1.93	-	36.83	6.18	33.13
RMS	7.1458G	49.93	68.20	-18.27	40.12	3	Horizontal	324	1.93	-	36.78	6.17	33.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.16288G	61.74	88.20	-26.46	43.44	3	Vertical	224	1.94	-	40.86	8.93	31.49	
RMS	14.16416G	48.38	68.20	-19.82	30.08	3	Vertical	224	1.94	-	40.86	8.93	31.49	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16772G	61.87	88.20	-26.33	43.56	3	Horizontal	76	1.80	-	40.87	8.93	31.49
RMS	14.16204G	48.24	68.20	-19.96	29.94	3	Horizontal	76	1.80	-	40.86	8.93	31.49

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25818G	53.56	83.54	-29.98	50.66	1	Vertical	359	1.50	-	37.61	14.94	49.65
AV	21.2583G	39.97	63.54	-23.57	37.07	1	Vertical	359	1.50	-	37.61	14.94	49.65

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 11
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.255G	52.98	83.54	-30.56	50.08	1	Horizontal	152	1.50	-	37.61	14.94	49.65
AV	21.25544G	39.76	63.54	-23.78	36.86	1	Horizontal	152	1.50	-	37.61	14.94	49.65

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	60.11	88.20	-28.09	52.65	3	Vertical	4	1.69	-	34.90	5.50	32.94	
RMS	5.9226G	48.06	68.20	-20.14	40.61	3	Vertical	4	1.69	-	34.89	5.50	32.94	
PK	6.0018G	104.58	Inf	-Inf	96.83	3	Vertical	4	1.69	-	35.20	5.50	32.95	
RMS	5.9946G	92.76	Inf	-Inf	85.03	3	Vertical	4	1.69	-	35.18	5.50	32.95	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.861G	60.36	88.20	-27.84	53.23	3	Horizontal	39	2.20	-	34.57	5.50	32.94	
RMS	5.9178G	47.68	68.20	-20.52	40.25	3	Horizontal	39	2.20	-	34.87	5.50	32.94	
PK	6.0058G	106.45	Inf	-Inf	98.69	3	Horizontal	39	2.20	-	35.20	5.51	32.95	
RMS	6.0042G	94.53	Inf	-Inf	86.77	3	Horizontal	39	2.20	-	35.20	5.51	32.95	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.97656G	55.82	74.00	-18.18	42.29	3	Vertical	356	1.72	-	38.42	7.99	32.88	
AV	11.96268G	43.13	54.00	-10.87	29.57	3	Vertical	356	1.72	-	38.44	7.99	32.87	
PK	17.95688G	65.28	74.00	-8.72	44.35	3	Vertical	344	1.80	-	42.61	9.98	31.66	
AV	17.94532G	51.70	54.00	-2.30	30.80	3	Vertical	344	1.80	-	42.59	9.98	31.67	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.96468G	56.70	74.00	-17.30	43.15	3	Horizontal	5	2.62	-	38.44	7.99	32.88	
AV	11.96056G	42.87	54.00	-11.13	29.31	3	Horizontal	5	2.62	-	38.44	7.99	32.87	
PK	17.95224G	65.58	74.00	-8.42	44.66	3	Horizontal	0	2.64	-	42.60	9.98	31.66	
AV	17.9574G	51.49	54.00	-2.51	30.55	3	Horizontal	0	2.64	-	42.61	9.99	31.66	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8218G	59.66	88.20	-28.54	52.70	3	Vertical	333	1.62	-	34.39	5.50	32.93	
RMS	5.921G	47.46	68.20	-20.74	40.02	3	Vertical	333	1.62	-	34.88	5.50	32.94	
PK	6.1322G	103.84	Inf	-Inf	95.79	3	Vertical	333	1.62	-	35.24	5.76	32.95	
RMS	6.1354G	92.54	Inf	-Inf	84.49	3	Vertical	333	1.62	-	35.23	5.77	32.95	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.833G	60.08	88.20	-28.12	53.08	3	Horizontal	58	1.80	-	34.43	5.50	32.93	
RMS	5.7642G	47.97	68.20	-20.23	41.26	3	Horizontal	58	1.80	-	34.16	5.48	32.93	
PK	6.1322G	101.65	Inf	-Inf	93.60	3	Horizontal	58	1.80	-	35.24	5.76	32.95	
RMS	6.1338G	90.37	Inf	-Inf	82.32	3	Horizontal	58	1.80	-	35.23	5.77	32.95	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.2936G	55.86	74.00	-18.14	41.84	3	Vertical	308	1.95	-	38.41	8.13	32.52	
AV	12.28G	42.65	54.00	-11.35	28.63	3	Vertical	308	1.95	-	38.42	8.13	32.53	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.28912G	55.56	74.00	-18.44	41.54	3	Horizontal	192	2.59	-	38.41	8.13	32.52	
AV	12.28056G	42.35	54.00	-11.65	28.33	3	Horizontal	192	2.59	-	38.42	8.13	32.53	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43422G	56.67	83.54	-26.87	55.16	1	Vertical	142	1.58	-	37.72	13.92	50.13
AV	18.43784G	43.57	63.54	-19.97	42.04	1	Vertical	142	1.58	-	37.73	13.92	50.12

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4381G	56.70	83.54	-26.84	55.17	1	Horizontal	134	1.57	-	37.73	13.92	50.12
AV	18.4344G	43.69	63.54	-19.85	42.18	1	Horizontal	134	1.57	-	37.72	13.92	50.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.895G	58.78	88.20	-29.42	51.45	3	Vertical	320	1.62	-	34.77	5.50	32.94	
RMS	5.897G	47.30	68.20	-20.90	39.96	3	Vertical	320	1.62	-	34.78	5.50	32.94	
PK	6.399G	103.42	Inf	-Inf	94.97	3	Vertical	320	1.62	-	35.30	6.10	32.95	
RMS	6.389G	92.28	Inf	-Inf	83.84	3	Vertical	320	1.62	-	35.30	6.09	32.95	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.889G	59.75	88.20	-28.45	52.46	3	Horizontal	309	1.65	-	34.73	5.50	32.94	
RMS	5.921G	47.43	68.20	-20.77	39.99	3	Horizontal	309	1.65	-	34.88	5.50	32.94	
PK	6.379G	104.05	Inf	-Inf	95.62	3	Horizontal	309	1.65	-	35.30	6.08	32.95	
RMS	6.373G	92.54	Inf	-Inf	84.12	3	Horizontal	309	1.65	-	35.30	6.07	32.95	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.7686G	57.24	88.20	-30.96	41.70	3	Vertical	93	2.98	-	39.11	8.35	31.92	
RMS	12.76676G	43.71	68.20	-24.49	28.18	3	Vertical	93	2.98	-	39.10	8.35	31.92	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.77692G	56.93	88.20	-31.27	41.36	3	Horizontal	289	1.56	-	39.13	8.35	31.91	
RMS	12.77228G	43.55	68.20	-24.65	27.99	3	Horizontal	289	1.56	-	39.12	8.35	31.91	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1593G	52.79	83.54	-30.75	50.65	1	Vertical	327	1.50	-	37.81	13.96	49.63
AV	19.1546G	39.95	63.54	-23.59	37.81	1	Vertical	327	1.50	-	37.81	13.96	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15472G	53.25	83.54	-30.29	51.11	1	Horizontal	233	1.54	-	37.81	13.96	49.63
AV	19.15442G	39.83	63.54	-23.71	37.69	1	Horizontal	233	1.54	-	37.81	13.96	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Y_4TX
Setting 14
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9178G	59.46	88.20	-28.74	52.03	3	Vertical	333	1.85	-	34.87	5.50	32.94	
RMS	5.8962G	47.37	68.20	-20.83	40.03	3	Vertical	333	1.85	-	34.78	5.50	32.94	
PK	6.4314G	100.31	Inf	-Inf	91.89	3	Vertical	333	1.85	-	35.30	6.07	32.95	
RMS	6.4602G	90.25	Inf	-Inf	81.82	3	Vertical	333	1.85	-	35.34	6.04	32.95	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9058G	60.04	88.20	-28.16	52.66	3	Horizontal	329	1.86	-	34.82	5.50	32.94	
RMS	5.925G	47.36	68.20	-20.84	39.90	3	Horizontal	329	1.86	-	34.90	5.50	32.94	
PK	6.4506G	103.00	Inf	-Inf	94.60	3	Horizontal	329	1.86	-	35.30	6.05	32.95	
RMS	6.453G	91.99	Inf	-Inf	83.58	3	Horizontal	329	1.86	-	35.31	6.05	32.95	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92068G	57.17	88.20	-31.03	41.14	3	Vertical	227	1.36	-	39.34	8.41	31.72
RMS	12.9354G	43.88	68.20	-24.32	27.79	3	Vertical	227	1.36	-	39.37	8.42	31.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93088G	57.21	88.20	-30.99	41.14	3	Horizontal	255	1.46	-	39.36	8.42	31.71
RMS	12.93812G	43.88	68.20	-24.32	27.78	3	Horizontal	255	1.46	-	39.38	8.42	31.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.39976G	54.54	83.54	-29.00	52.43	1	Vertical	187	1.57	-	37.82	13.97	49.68	
AV	19.3944G	40.57	63.54	-22.97	38.46	1	Vertical	187	1.57	-	37.82	13.97	49.68	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39414G	53.72	83.54	-29.82	51.61	1	Horizontal	17	1.55	-	37.82	13.97	49.68
AV	19.39698G	40.71	63.54	-22.83	38.60	1	Horizontal	17	1.55	-	37.82	13.97	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_4TX
Setting 14
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9158G	59.19	88.20	-29.01	51.77	3	Vertical	327	1.81	-	34.86	5.50	32.94	
RMS	5.9236G	47.59	68.20	-20.61	40.14	3	Vertical	327	1.81	-	34.89	5.50	32.94	
PK	6.5606G	102.46	Inf	-Inf	93.78	3	Vertical	327	1.81	-	35.72	5.94	32.98	
RMS	6.5606G	90.75	Inf	-Inf	82.07	3	Vertical	327	1.81	-	35.72	5.94	32.98	
PK	7.1508G	63.07	88.20	-25.13	53.23	3	Vertical	327	1.81	-	36.80	6.18	33.14	
RMS	7.1378G	49.72	68.20	-18.48	39.94	3	Vertical	327	1.81	-	36.75	6.17	33.14	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_4TX
Setting 14
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	59.11	88.20	-29.09	51.67	3	Horizontal	334	2.10	-	34.88	5.50	32.94
RMS	5.921G	47.72	68.20	-20.48	40.28	3	Horizontal	334	2.10	-	34.88	5.50	32.94
PK	6.5632G	103.43	Inf	-Inf	94.74	3	Horizontal	334	2.10	-	35.73	5.94	32.98
RMS	6.5632G	92.38	Inf	-Inf	83.69	3	Horizontal	334	2.10	-	35.73	5.94	32.98
PK	7.1638G	61.73	88.20	-26.47	51.82	3	Horizontal	334	2.10	-	36.86	6.18	33.13
RMS	7.1274G	49.53	68.20	-18.67	39.80	3	Horizontal	334	2.10	-	36.71	6.16	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.08888G	56.97	88.20	-31.23	40.31	3	Vertical	183	2.83	-	39.68	8.49	31.51	
RMS	13.09556G	44.49	68.20	-23.71	27.81	3	Vertical	183	2.83	-	39.69	8.49	31.50	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.08156G	57.97	88.20	-30.23	41.34	3	Horizontal	242	2.51	-	39.66	8.49	31.52	
RMS	13.08108G	44.51	68.20	-23.69	27.88	3	Horizontal	242	2.51	-	39.66	8.49	31.52	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63106G	54.83	83.54	-28.71	52.70	1	Vertical	189	1.51	-	37.85	13.98	49.70
AV	19.63442G	41.32	63.54	-22.22	39.19	1	Vertical	189	1.51	-	37.85	13.98	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6342G	54.32	83.54	-29.22	52.19	1	Horizontal	341	1.56	-	37.85	13.98	49.70
AV	19.63726G	41.09	63.54	-22.45	38.96	1	Horizontal	341	1.56	-	37.85	13.98	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6298G	103.12	Inf	-Inf	94.36	3	Vertical	54	2.04	-	35.86	5.91	33.01	
RMS	6.6274G	92.25	Inf	-Inf	83.50	3	Vertical	54	2.04	-	35.85	5.91	33.01	
PK	7.213G	61.76	88.20	-26.44	51.66	3	Vertical	54	2.04	-	37.00	6.21	33.11	
RMS	7.2178G	49.72	68.20	-18.48	39.61	3	Vertical	54	2.04	-	37.00	6.22	33.11	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6418G	106.19	Inf	-Inf	97.41	3	Horizontal	326	1.65	-	35.88	5.92	33.02	
RMS	6.6418G	94.36	Inf	-Inf	85.58	3	Horizontal	326	1.65	-	35.88	5.92	33.02	
PK	7.1962G	62.04	88.20	-26.16	51.98	3	Horizontal	326	1.65	-	36.98	6.20	33.12	
RMS	7.2154G	49.95	68.20	-18.25	39.84	3	Horizontal	326	1.65	-	37.00	6.22	33.11	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25312G	58.30	74.00	-15.70	41.09	3	Vertical	257	1.23	-	39.95	8.56	31.30
AV	13.25422G	45.34	54.00	-8.66	28.13	3	Vertical	257	1.23	-	39.95	8.56	31.30

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2536G	58.60	74.00	-15.40	41.39	3	Horizontal	0	1.80	-	39.95	8.56	31.30
AV	13.25078G	45.42	54.00	-8.58	28.21	3	Horizontal	0	1.80	-	39.95	8.56	31.30

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87914G	54.78	83.54	-28.76	52.90	1	Vertical	331	1.57	-	37.59	13.99	49.70
AV	19.87602G	41.56	63.54	-21.98	39.67	1	Vertical	331	1.57	-	37.60	13.99	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87032G	54.60	83.54	-28.94	52.70	1	Horizontal	149	1.53	-	37.61	13.99	49.70
AV	19.8795G	41.58	63.54	-21.96	39.70	1	Horizontal	149	1.53	-	37.59	13.99	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.709G	104.32	Inf	-Inf	95.40	3	Vertical	326	1.67	-	36.02	5.95	33.05	
RMS	6.707G	92.61	Inf	-Inf	83.70	3	Vertical	326	1.67	-	36.01	5.95	33.05	
PK	7.177G	62.08	88.20	-26.12	52.11	3	Vertical	326	1.67	-	36.91	6.19	33.13	
RMS	7.205G	50.13	68.20	-18.07	40.04	3	Vertical	326	1.67	-	37.00	6.21	33.12	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.707G	103.71	Inf	-Inf	94.80	3	Horizontal	332	2.00	-	36.01	5.95	33.05	
RMS	6.707G	92.54	Inf	-Inf	83.63	3	Horizontal	332	2.00	-	36.01	5.95	33.05	
PK	7.159G	62.09	88.20	-26.11	52.20	3	Horizontal	332	2.00	-	36.84	6.18	33.13	
RMS	7.181G	49.88	68.20	-18.32	39.89	3	Horizontal	332	2.00	-	36.92	6.19	33.12	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.41498G	59.56	88.20	-28.64	41.82	3	Vertical	1	2.77	-	40.20	8.64	31.10	
RMS	13.40654G	45.48	68.20	-22.72	27.76	3	Vertical	1	2.77	-	40.20	8.63	31.11	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.40826G	59.20	88.20	-29.00	41.48	3	Horizontal	277	2.53	-	40.20	8.63	31.11	
RMS	13.41448G	45.59	68.20	-22.61	27.85	3	Horizontal	277	2.53	-	40.20	8.64	31.10	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11592G	54.34	83.54	-29.20	52.51	1	Vertical	182	1.50	-	37.49	14.09	49.75
AV	20.11946G	41.66	63.54	-21.88	39.82	1	Vertical	182	1.50	-	37.50	14.09	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1137G	54.61	83.54	-28.93	52.78	1	Horizontal	73	1.50	-	37.49	14.09	49.75
AV	20.11416G	41.41	63.54	-22.13	39.58	1	Horizontal	73	1.50	-	37.49	14.09	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.793G	103.71	Inf	-Inf	94.53	3	Vertical	42	1.82	-	36.27	6.00	33.09
RMS	6.793G	91.77	Inf	-Inf	82.59	3	Vertical	42	1.82	-	36.27	6.00	33.09
PK	7.1514G	62.31	88.20	-25.89	52.46	3	Vertical	42	1.82	-	36.81	6.18	33.14
RMS	7.1642G	49.85	68.20	-18.35	39.94	3	Vertical	42	1.82	-	36.86	6.18	33.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7866G	104.09	Inf	-Inf	94.94	3	Horizontal	322	1.53	-	36.25	5.99	33.09	
RMS	6.7866G	92.97	Inf	-Inf	83.82	3	Horizontal	322	1.53	-	36.25	5.99	33.09	
PK	7.1274G	62.15	88.20	-26.05	52.42	3	Horizontal	322	1.53	-	36.71	6.16	33.14	
RMS	7.169G	49.72	68.20	-18.48	39.79	3	Horizontal	322	1.53	-	36.88	6.18	33.13	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.56802G	58.81	88.20	-29.39	40.87	3	Vertical	167	1.82	-	40.27	8.71	31.04	
RMS	13.5678G	45.61	68.20	-22.59	27.67	3	Vertical	167	1.82	-	40.27	8.71	31.04	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.56552G	58.52	88.20	-29.68	40.58	3	Horizontal	176	1.11	-	40.27	8.70	31.03	
RMS	13.5656G	45.50	68.20	-22.70	27.56	3	Horizontal	176	1.11	-	40.27	8.70	31.03	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.35974G	54.88	83.54	-28.66	52.81	1	Vertical	52	1.55	-	37.64	14.27	49.84	
AV	20.35198G	41.74	63.54	-21.80	39.68	1	Vertical	52	1.55	-	37.64	14.26	49.84	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.35284G	54.82	83.54	-28.72	52.76	1	Horizontal	193	1.55	-	37.64	14.26	49.84	
AV	20.3546G	41.61	63.54	-21.93	39.54	1	Horizontal	193	1.55	-	37.64	14.27	49.84	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Y_4TX
Setting 14
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8594G	104.50	Inf	-Inf	95.31	3	Vertical	62	1.57	-	36.28	6.03	33.12
RMS	6.8496G	92.03	Inf	-Inf	82.83	3	Vertical	62	1.57	-	36.30	6.02	33.12
PK	7.2094G	62.84	88.20	-25.36	52.74	3	Vertical	62	1.57	-	37.00	6.21	33.11
RMS	7.1982G	49.88	68.20	-18.32	39.81	3	Vertical	62	1.57	-	36.99	6.20	33.12

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8818G	104.94	Inf	-Inf	95.79	3	Horizontal	325	1.80	-	36.24	6.04	33.13	
RMS	6.8818G	93.16	Inf	-Inf	84.01	3	Horizontal	325	1.80	-	36.24	6.04	33.13	
PK	7.1758G	62.03	88.20	-26.17	52.07	3	Horizontal	325	1.80	-	36.90	6.19	33.13	
RMS	7.2038G	49.82	68.20	-18.38	39.74	3	Horizontal	325	1.80	-	37.00	6.20	33.12	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.72804G	62.08	88.20	-26.12	43.92	3	Vertical	319	2.05	-	40.53	8.78	31.15	
RMS	13.72672G	48.54	68.20	-19.66	30.37	3	Vertical	319	2.05	-	40.53	8.78	31.14	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72638G	61.93	88.20	-26.27	43.76	3	Horizontal	320	2.99	-	40.53	8.78	31.14
RMS	13.73444G	48.65	68.20	-19.55	30.49	3	Horizontal	320	2.99	-	40.53	8.78	31.15

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5917G	53.58	83.54	-29.96	51.19	1	Vertical	18	1.52	-	37.81	14.44	49.86
AV	20.59216G	40.79	63.54	-22.75	38.40	1	Vertical	18	1.52	-	37.81	14.44	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5916G	54.34	83.54	-29.20	51.95	1	Horizontal	87	1.55	-	37.81	14.44	49.86
AV	20.59214G	40.91	63.54	-22.63	38.52	1	Horizontal	87	1.55	-	37.81	14.44	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_Y_4TX
Setting 14
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.933G	103.38	Inf	-Inf	94.14	3	Vertical	343	2.94	-	36.33	6.07	33.16	
RMS	6.9306G	91.49	Inf	-Inf	82.26	3	Vertical	343	2.94	-	36.32	6.07	33.16	
PK	7.2114G	62.73	88.20	-25.47	52.63	3	Vertical	343	2.94	-	37.00	6.21	33.11	
RMS	7.1718G	49.96	68.20	-18.24	40.01	3	Vertical	343	2.94	-	36.89	6.19	33.13	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_Y_4TX
Setting 14
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9342G	104.59	Inf	-Inf	95.34	3	Horizontal	324	1.54	-	36.34	6.07	33.16
RMS	6.9258G	93.21	Inf	-Inf	84.00	3	Horizontal	324	1.54	-	36.30	6.06	33.15
PK	7.1658G	62.65	88.20	-25.55	52.74	3	Horizontal	324	1.54	-	36.86	6.18	33.13
RMS	7.2366G	49.91	68.20	-18.29	39.77	3	Horizontal	324	1.54	-	37.00	6.24	33.10

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.88752G	62.56	88.20	-25.64	44.10	3	Vertical	197	2.08	-	40.86	8.85	31.25	
RMS	13.88754G	49.49	68.20	-18.71	31.03	3	Vertical	197	2.08	-	40.86	8.85	31.25	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.89228G	63.22	88.20	-24.98	44.75	3	Horizontal	266	2.47	-	40.88	8.85	31.26	
RMS	13.89206G	49.61	68.20	-18.59	31.14	3	Horizontal	266	2.47	-	40.88	8.85	31.26	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.83232G	53.94	83.54	-29.60	51.22	1	Vertical	330	1.55	-	37.87	14.62	49.77	
AV	20.83794G	40.61	63.54	-22.93	37.88	1	Vertical	330	1.55	-	37.86	14.63	49.76	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83538G	54.01	83.54	-29.53	51.29	1	Horizontal	285	1.54	-	37.86	14.63	49.77
AV	20.83256G	40.78	63.54	-22.76	38.06	1	Horizontal	285	1.54	-	37.87	14.62	49.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.033G	104.75	Inf	-Inf	95.41	3	Vertical	2	2.97	-	36.40	6.12	33.18	
RMS	7.021G	92.81	Inf	-Inf	83.48	3	Vertical	2	2.97	-	36.40	6.11	33.18	
PK	7.1498G	63.18	88.20	-25.02	53.35	3	Vertical	2	2.97	-	36.80	6.17	33.14	
RMS	7.2218G	49.96	68.20	-18.24	39.85	3	Vertical	2	2.97	-	37.00	6.22	33.11	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0234G	104.98	Inf	-Inf	95.65	3	Horizontal	327	1.87	-	36.40	6.11	33.18
RMS	7.021G	92.19	Inf	-Inf	82.86	3	Horizontal	327	1.87	-	36.40	6.11	33.18
PK	7.1946G	62.72	88.20	-25.48	52.66	3	Horizontal	327	1.87	-	36.98	6.20	33.12
RMS	7.213G	50.00	68.20	-18.20	39.90	3	Horizontal	327	1.87	-	37.00	6.21	33.11

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.05166G	62.12	88.20	-26.08	43.79	3	Vertical	286	2.01	-	40.80	8.91	31.38	
RMS	14.04568G	48.57	68.20	-19.63	30.23	3	Vertical	286	2.01	-	40.80	8.91	31.37	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.04868G	63.19	88.20	-25.01	44.86	3	Horizontal	107	2.29	-	40.80	8.91	31.38	
RMS	14.0518G	48.59	68.20	-19.61	30.26	3	Horizontal	107	2.29	-	40.80	8.91	31.38	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0731G	52.30	83.54	-31.24	49.59	1	Vertical	342	1.50	-	37.60	14.80	49.69
AV	21.07572G	39.19	63.54	-24.35	36.46	1	Vertical	342	1.50	-	37.60	14.81	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.07286G	53.68	83.54	-29.86	50.97	1	Horizontal	360	1.50	-	37.60	14.80	49.69
AV	21.07562G	39.52	63.54	-24.02	36.79	1	Horizontal	360	1.50	-	37.60	14.81	49.68

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8378G	62.53	88.20	-25.67	55.51	3	Vertical	16	1.92	-	34.45	5.50	32.93	
RMS	5.9226G	48.12	68.20	-20.08	40.67	3	Vertical	16	1.92	-	34.89	5.50	32.94	
PK	6.0186G	104.62	Inf	-Inf	96.83	3	Vertical	16	1.92	-	35.20	5.54	32.95	
RMS	6.017G	93.59	Inf	-Inf	85.81	3	Vertical	16	1.92	-	35.20	5.53	32.95	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8906G	66.95	88.20	-21.25	59.65	3	Horizontal	42	2.03	-	34.74	5.50	32.94	
RMS	5.9114G	50.41	68.20	-17.79	43.00	3	Horizontal	42	2.03	-	34.85	5.50	32.94	
PK	5.9994G	108.40	Inf	-Inf	100.65	3	Horizontal	42	2.03	-	35.20	5.50	32.95	
RMS	6.0042G	95.97	Inf	-Inf	88.21	3	Horizontal	42	2.03	-	35.20	5.51	32.95	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.04928G	56.02	74.00	-17.98	42.47	3	Vertical	239	1.39	-	38.35	8.02	32.82	
AV	12.04718G	42.36	54.00	-11.64	28.81	3	Vertical	239	1.39	-	38.35	8.02	32.82	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05082G	55.24	74.00	-18.76	41.69	3	Horizontal	123	2.08	-	38.35	8.02	32.82
AV	12.04612G	42.33	54.00	-11.67	28.78	3	Horizontal	123	2.08	-	38.35	8.02	32.82

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.07824G	56.85	83.54	-26.69	55.58	1	Vertical	167	1.50	-	37.64	13.90	50.27	
AV	18.07004G	43.41	63.54	-20.13	42.14	1	Vertical	167	1.50	-	37.64	13.90	50.27	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.07102G	56.89	83.54	-26.65	55.62	1	Horizontal	330	1.50	-	37.64	13.90	50.27	
AV	18.07058G	43.29	63.54	-20.25	42.02	1	Horizontal	330	1.50	-	37.64	13.90	50.27	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.897G	59.92	88.20	-28.28	52.58	3	Vertical	323	1.35	-	34.78	5.50	32.94	
RMS	5.763G	49.10	68.20	-19.10	42.40	3	Vertical	323	1.35	-	34.15	5.48	32.93	
PK	6.217G	103.47	Inf	-Inf	95.27	3	Vertical	323	1.35	-	35.23	5.92	32.95	
RMS	6.171G	92.18	Inf	-Inf	84.05	3	Vertical	323	1.35	-	35.24	5.84	32.95	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.913G	59.93	88.20	-28.27	52.52	3	Horizontal	61	1.80	-	34.85	5.50	32.94	
RMS	5.763G	48.88	68.20	-19.32	42.18	3	Horizontal	61	1.80	-	34.15	5.48	32.93	
PK	6.167G	102.86	Inf	-Inf	94.75	3	Horizontal	61	1.80	-	35.23	5.83	32.95	
RMS	6.167G	90.79	Inf	-Inf	82.68	3	Horizontal	61	1.80	-	35.23	5.83	32.95	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.36578G	55.80	74.00	-18.20	41.60	3	Vertical	207	2.41	-	38.47	8.16	32.43	
AV	12.37306G	42.58	54.00	-11.42	28.36	3	Vertical	207	2.41	-	38.47	8.17	32.42	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.36852G	56.09	74.00	-17.91	41.87	3	Horizontal	214	1.20	-	38.47	8.17	32.42	
AV	12.37058G	42.51	54.00	-11.49	28.29	3	Horizontal	214	1.20	-	38.47	8.17	32.42	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5537G	57.71	83.54	-25.83	56.05	1	Vertical	298	1.52	-	37.78	13.93	50.05
AV	18.55876G	44.35	63.54	-19.19	42.68	1	Vertical	298	1.52	-	37.78	13.93	50.04

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55314G	57.65	83.54	-25.89	55.99	1	Horizontal	165	1.52	-	37.78	13.93	50.05
AV	18.55706G	44.37	63.54	-19.17	42.70	1	Horizontal	165	1.52	-	37.78	13.93	50.04

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8242G	59.45	88.20	-28.75	52.48	3	Vertical	12	2.65	-	34.40	5.50	32.93	
RMS	5.8986G	47.28	68.20	-20.92	39.93	3	Vertical	12	2.65	-	34.79	5.50	32.94	
PK	6.3714G	106.44	Inf	-Inf	98.02	3	Vertical	12	2.65	-	35.30	6.07	32.95	
RMS	6.3666G	91.60	Inf	-Inf	83.18	3	Vertical	12	2.65	-	35.30	6.07	32.95	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8962G	59.83	88.20	-28.37	52.49	3	Horizontal	307	1.66	-	34.78	5.50	32.94	
RMS	5.7642G	48.59	68.20	-19.61	41.88	3	Horizontal	307	1.66	-	34.16	5.48	32.93	
PK	6.3714G	105.51	Inf	-Inf	97.09	3	Horizontal	307	1.66	-	35.30	6.07	32.95	
RMS	6.3738G	92.92	Inf	-Inf	84.50	3	Horizontal	307	1.66	-	35.30	6.07	32.95	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.68774G	56.99	74.00	-17.01	41.81	3	Vertical	251	1.25	-	38.89	8.31	32.02	
AV	12.6918G	43.73	54.00	-10.27	28.54	3	Vertical	251	1.25	-	38.89	8.31	32.01	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.69438G	56.82	74.00	-17.18	41.63	3	Horizontal	268	2.73	-	38.89	8.31	32.01	
AV	12.68626G	43.52	54.00	-10.48	28.34	3	Horizontal	268	2.73	-	38.89	8.31	32.02	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03936G	55.15	83.54	-28.39	52.86	1	Vertical	154	1.53	-	37.95	13.95	49.61
AV	19.03704G	41.73	63.54	-21.81	39.43	1	Vertical	154	1.53	-	37.96	13.95	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.03418G	54.75	83.54	-28.79	52.45	1	Horizontal	204	1.56	-	37.96	13.95	49.61
AV	19.03406G	41.90	63.54	-21.64	39.60	1	Horizontal	204	1.56	-	37.96	13.95	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_4TX
Setting 17
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8576G	60.21	88.20	-27.99	53.10	3	Vertical	334	1.85	-	34.55	5.50	32.94
RMS	5.92G	47.50	68.20	-20.70	40.06	3	Vertical	334	1.85	-	34.88	5.50	32.94
PK	6.4608G	102.50	Inf	-Inf	94.07	3	Vertical	334	1.85	-	35.34	6.04	32.95
RMS	6.4634G	91.39	Inf	-Inf	82.95	3	Vertical	334	1.85	-	35.35	6.04	32.95
PK	7.1394G	62.13	88.20	-26.07	52.34	3	Vertical	334	1.85	-	36.76	6.17	33.14
RMS	7.142G	49.53	68.20	-18.67	39.73	3	Vertical	334	1.85	-	36.77	6.17	33.14

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_4TX
Setting 17
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9096G	60.39	88.20	-27.81	52.99	3	Horizontal	332	2.10	-	34.84	5.50	32.94
RMS	5.925G	47.37	68.20	-20.83	39.91	3	Horizontal	332	2.10	-	34.90	5.50	32.94
PK	6.557G	103.72	Inf	-Inf	95.05	3	Horizontal	332	2.10	-	35.71	5.94	32.98
RMS	6.5596G	91.78	Inf	-Inf	83.10	3	Horizontal	332	2.10	-	35.72	5.94	32.98
PK	7.1446G	61.70	88.20	-26.50	51.89	3	Horizontal	332	2.10	-	36.78	6.17	33.14
RMS	7.142G	49.67	68.20	-18.53	39.87	3	Horizontal	332	2.10	-	36.77	6.17	33.14

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.01002G	58.17	88.20	-30.03	41.81	3	Vertical	190	1.37	-	39.52	8.45	31.61	
RMS	13.00776G	44.53	68.20	-23.67	28.17	3	Vertical	190	1.37	-	39.52	8.45	31.61	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.00748G	58.46	88.20	-29.74	42.11	3	Horizontal	11	3.00	-	39.51	8.45	31.61	
RMS	13.00622G	44.49	68.20	-23.71	28.14	3	Horizontal	11	3.00	-	39.51	8.45	31.61	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.515G	56.08	83.54	-27.46	53.91	1	Vertical	54	1.50	-	37.89	13.98	49.70
AV	19.51248G	42.94	63.54	-20.60	40.76	1	Vertical	54	1.50	-	37.90	13.98	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5122G	56.18	83.54	-27.36	54.00	1	Horizontal	40	1.52	-	37.90	13.98	49.70
AV	19.51768G	42.73	63.54	-20.81	40.56	1	Horizontal	40	1.52	-	37.89	13.98	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6276G	102.88	Inf	-Inf	94.12	3	Vertical	55	1.95	-	35.86	5.91	33.01
AV	6.6276G	93.65	Inf	-Inf	84.89	3	Vertical	55	1.95	-	35.86	5.91	33.01
PK	7.204G	62.52	88.20	-25.68	52.44	3	Vertical	55	1.95	-	37.00	6.20	33.12
AV	7.2084G	51.71	68.20	-16.49	41.61	3	Vertical	55	1.95	-	37.00	6.21	33.11

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6386G	107.60	Inf	-Inf	98.82	3	Horizontal	325	1.62	-	35.88	5.92	33.02
RMS	6.643G	96.11	Inf	-Inf	87.32	3	Horizontal	325	1.62	-	35.89	5.92	33.02
PK	7.1996G	63.02	88.20	-25.18	52.94	3	Horizontal	325	1.62	-	37.00	6.20	33.12
RMS	7.2106G	51.77	68.20	-16.43	41.67	3	Horizontal	325	1.62	-	37.00	6.21	33.11

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.32516G	59.18	74.00	-14.82	41.74	3	Vertical	200	1.31	-	40.05	8.60	31.21	
AV	13.33044G	45.76	54.00	-8.24	28.30	3	Vertical	200	1.31	-	40.06	8.60	31.20	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.33458G	59.35	74.00	-14.65	41.88	3	Horizontal	66	1.87	-	40.07	8.60	31.20	
AV	13.33148G	45.74	54.00	-8.26	28.28	3	Horizontal	66	1.87	-	40.06	8.60	31.20	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.99758G	55.51	83.54	-28.03	53.81	1	Vertical	123	1.50	-	37.40	14.00	49.70	
AV	19.9918G	41.90	63.54	-21.64	40.19	1	Vertical	123	1.50	-	37.41	14.00	49.70	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99158G	55.11	83.54	-28.43	53.40	1	Horizontal	30	1.54	-	37.41	14.00	49.70
AV	19.99188G	41.99	63.54	-21.55	40.28	1	Horizontal	30	1.54	-	37.41	14.00	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.809G	102.53	Inf	-Inf	93.33	3	Vertical	26	1.80	-	36.30	6.00	33.10	
RMS	6.801G	90.93	Inf	-Inf	81.72	3	Vertical	26	1.80	-	36.30	6.00	33.09	
PK	7.1802G	61.95	88.20	-26.25	51.97	3	Vertical	26	1.80	-	36.92	6.19	33.13	
RMS	7.2218G	51.65	68.20	-16.55	41.54	3	Vertical	26	1.80	-	37.00	6.22	33.11	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7866G	105.91	Inf	-Inf	96.76	3	Horizontal	325	1.51	-	36.25	5.99	33.09
RMS	6.7882G	94.16	Inf	-Inf	85.01	3	Horizontal	325	1.51	-	36.25	5.99	33.09
PK	7.2186G	62.76	88.20	-25.44	52.65	3	Horizontal	325	1.51	-	37.00	6.22	33.11
RMS	7.2106G	51.66	68.20	-16.54	41.56	3	Horizontal	325	1.51	-	37.00	6.21	33.11

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.651G	61.57	88.20	-26.63	43.52	3	Vertical	21	2.63	-	40.40	8.74	31.09
RMS	13.6461G	47.84	68.20	-20.36	29.80	3	Vertical	21	2.63	-	40.39	8.74	31.09

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.64858G	61.24	88.20	-26.96	43.19	3	Horizontal	294	2.68	-	40.40	8.74	31.09	
RMS	13.64818G	47.89	68.20	-20.31	29.84	3	Horizontal	294	2.68	-	40.40	8.74	31.09	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47382G	58.03	83.54	-25.51	55.87	1	Vertical	304	1.50	-	37.69	14.36	49.89
AV	20.47002G	44.60	63.54	-18.94	42.45	1	Vertical	304	1.50	-	37.69	14.35	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47102G	58.52	83.54	-25.02	56.37	1	Horizontal	41	1.54	-	37.69	14.35	49.89
AV	20.4764G	44.46	63.54	-19.08	42.30	1	Horizontal	41	1.54	-	37.69	14.36	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7G	103.73	Inf	-Inf	94.42	3	Vertical	24	1.80	-	36.40	6.10	33.19	
RMS	7.001G	93.63	Inf	-Inf	84.32	3	Vertical	24	1.80	-	36.40	6.10	33.19	
PK	7.148G	62.60	88.20	-25.60	52.78	3	Vertical	24	1.80	-	36.79	6.17	33.14	
RMS	7.231G	51.63	68.20	-16.57	41.51	3	Vertical	24	1.80	-	37.00	6.23	33.11	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.982G	104.98	Inf	-Inf	95.67	3	Horizontal	326	1.88	-	36.40	6.09	33.18	
RMS	6.982G	94.80	Inf	-Inf	85.49	3	Horizontal	326	1.88	-	36.40	6.09	33.18	
PK	7.164G	62.61	88.20	-25.59	52.70	3	Horizontal	326	1.88	-	36.86	6.18	33.13	
RMS	7.232G	51.62	68.20	-16.58	41.50	3	Horizontal	326	1.88	-	37.00	6.23	33.11	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.96572G	62.64	88.20	-25.56	44.24	3	Vertical	338	1.86	-	40.83	8.88	31.31	
RMS	13.97166G	49.05	68.20	-19.15	30.64	3	Vertical	338	1.86	-	40.83	8.89	31.31	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.9682G	62.50	88.20	-25.70	44.09	3	Horizontal	300	1.24	-	40.83	8.89	31.31	
RMS	13.97452G	49.04	68.20	-19.16	30.63	3	Horizontal	300	1.24	-	40.83	8.89	31.31	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95024G	56.09	83.54	-27.45	53.42	1	Vertical	22	1.50	-	37.68	14.71	49.72
AV	20.95168G	42.66	63.54	-20.88	39.99	1	Vertical	22	1.50	-	37.68	14.71	49.72

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom



EUT Y_4TX
Setting 17
01-A-K-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95328G	57.07	83.54	-26.47	54.41	1	Horizontal	3	1.50	-	37.67	14.71	49.72
AV	20.95064G	42.45	63.54	-21.09	39.78	1	Horizontal	3	1.50	-	37.68	14.71	49.72

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

5955MHz_TnomVnom

30/10/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6175MHz_TnomVnom

30/10/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6415MHz_TnomVnom

30/10/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6435MHz_TnomVnom

30/10/2021



802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6475MHz_TnomVnom

30/10/2021

CF Freq
6.475GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48229G	-4.29	6.5209G	-56.15	-44.29	-11.86	1
6.48219G	-4.26	6.434G	-55.75	-44.26	-11.49	2
6.48249G	-3.68	6.5244G	-55.68	-43.68	-12.00	3
6.46611G	-4.00	6.4294G	-55.54	-44.00	-11.54	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6515MHz_TnomVnom

30/10/2021

CF Freq
6.515GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52229G	-5.06	6.551G	-55.84	-45.06	-10.78	1
6.52229G	-4.62	6.5623G	-55.46	-44.62	-10.84	2
6.52389G	-4.36	6.5592G	-55.40	-44.36	-11.04	3
6.52369G	-4.92	6.562G	-55.27	-44.92	-10.35	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6535MHz_TnomVnom

30/10/2021

CF Freq
6.535GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.54379G	-3.81	6.5709G	-55.69	-43.81	-11.88	1
6.54269G	-3.86	6.573G	-55.69	-43.86	-11.83	2
6.54379G	-3.27	6.5713G	-55.56	-43.27	-12.29	3
6.54369G	-4.44	6.5796G	-55.29	-44.44	-10.85	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6695MHz_TnomVnom

30/10/2021

CF Freq
6.695GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.70389G	-4.22	6.7436G	-55.90	-44.22	-11.68	1
6.70389G	-5.12	6.7405G	-55.74	-45.12	-10.62	2
6.70369G	-5.28	6.7375G	-55.64	-45.28	-10.36	3
6.70389G	-5.08	6.7401G	-55.46	-45.08	-10.38	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6855MHz_TnomVnom

30/10/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

30/10/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6895MHz_TnomVnom

30/10/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6995MHz_TnomVnom

30/10/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

7095MHz_TnomVnom

30/10/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

7115MHz_TnomVnom

30/10/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

5965MHz_TnomVnom

30/10/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6165MHz_TnomVnom

30/10/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6405MHz_TnomVnom

30/10/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6445MHz_TnomVnom

30/10/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6485MHz_TnomVnom

30/10/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

30/10/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6565MHz_TnomVnom

30/10/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6685MHz_TnomVnom

30/10/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6845MHz_TnomVnom

30/10/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

30/10/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6925MHz_TnomVnom

30/10/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

7005MHz_TnomVnom

30/10/2021




802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

7085MHz_TnomVnom

30/10/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

5985MHz_TnomVnom

30/10/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6145MHz_TnomVnom

30/10/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6385MHz_TnomVnom

30/10/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6465MHz_TnomVnom

30/10/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

30/10/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6625MHz_TnomVnom

30/10/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6705MHz_TnomVnom

30/10/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6785MHz_TnomVnom

30/10/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

30/10/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6945MHz_TnomVnom

30/10/2021




802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

7025MHz_TnomVnom

30/10/2021




802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6025MHz_TnomVnom

30/10/2021




802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6185MHz_TnomVnom

30/10/2021




802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6345MHz_TnomVnom

30/10/2021




802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

30/10/2021




802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6665MHz_TnomVnom

30/10/2021




802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

30/10/2021




802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6985MHz_TnomVnom

30/10/2021




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93865G	-5.01	6.6906G	-54.04	-45.01	-9.03	1
6.95463G	-4.00	6.6794G	-54.22	-44.00	-10.22	2
6.94904G	-3.99	6.733G	-53.68	-43.99	-9.69	3
6.94584G	-5.11	6.6914G	-53.85	-45.11	-8.74	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TnomVnom

30/10/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6175MHz_TnomVnom

30/10/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TnomVnom

30/10/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TnomVnom

30/10/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TnomVnom

30/10/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TnomVnom

30/10/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TnomVnom

30/10/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TnomVnom

30/10/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TnomVnom

30/10/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

30/10/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TnomVnom

30/10/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TnomVnom

30/10/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TnomVnom

30/10/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

7115MHz_TnomVnom

30/10/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TnomVnom

30/10/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6165MHz_TnomVnom

30/10/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TnomVnom

30/10/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TnomVnom

30/10/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TnomVnom

30/10/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

30/10/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TnomVnom

30/10/2021




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5698G	-9.14	6.6626G	-59.60	-49.14	-10.46	1
6.57019G	-8.68	6.659G	-59.70	-48.68	-11.02	2
6.57139G	-9.27	6.6588G	-59.63	-49.27	-10.36	3
6.57259G	-8.34	6.624G	-55.94	-47.41	-8.53	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TnomVnom

30/10/2021




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6888G	-9.17	6.758G	-59.20	-49.17	-10.03	1
6.6882G	-9.45	6.7778G	-59.20	-49.45	-9.75	2
6.69119G	-9.56	6.7652G	-59.05	-49.56	-9.49	3
6.69239G	-8.90	6.624G	-55.64	-48.90	-6.74	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TnomVnom

30/10/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

30/10/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TnomVnom

30/10/2021




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9262G	-9.44	6.8412G	-58.83	-49.44	-9.39	1
6.93539G	-8.71	6.9916G	-58.95	-48.71	-10.24	2
6.9274G	-8.71	6.8524G	-59.11	-48.71	-10.40	3
6.91801G	-8.19	7.0082G	-58.58	-48.19	-10.39	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TnomVnom

30/10/2021




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.004G	-9.25	6.9258G	-59.23	-49.25	-9.98	1
7.01479G	-8.36	6.9416G	-59.16	-48.36	-10.80	2
7.0066G	-8.87	6.9054G	-59.44	-48.87	-10.57	3
7.0004G	-8.17	6.912G	-58.50	-48.17	-10.33	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TnomVnom

30/10/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TnomVnom

30/10/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6145MHz_TnomVnom

30/10/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TnomVnom

30/10/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TnomVnom

30/10/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

30/10/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TnomVnom

30/10/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TnomVnom

30/10/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TnomVnom

30/10/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

30/10/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TnomVnom

30/10/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TnomVnom

30/10/2021




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TnomVnom

30/10/2021




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TnomVnom

30/10/2021




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TnomVnom

30/10/2021




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

30/10/2021




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TnomVnom

30/10/2021




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

30/10/2021




802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TnomVnom

30/10/2021



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.94664G	-10.44	6.725G	-58.21	-50.44	-7.77	1
6.99619G	-9.31	6.7394G	-57.93	-49.31	-8.62	2
6.93225G	-9.23	6.7386G	-58.27	-49.20	-9.07	3
6.95783G	-9.01	6.6234G	-57.14	-49.01	-8.13	4

Contention Based protocol 802.11ax HEW20										
UNII Band	Test Channel	Bandwidth (MHz)	Freq. (MHz)	Interference Frequency (MHz)		Threshold level of AWGN interference (dBm)	Number of AWGN Detected (out of 10 times)	AWGN Detection Probability (%)	Limit Probability (%)	Test Result
5	45	20	6175	Center	6175	-56.16	10	100	90	PASS
6	105	20	6475	Center	6475	-56.16	10	100	90	PASS
7	149	20	6695	Center	6695	-56.16	10	100	90	PASS
8	209	20	6995	Center	6995	-56.16	10	100	90	PASS


Contention Based protocol 802.11ax HEW160										
UNII Band	Test Channel	Bandwidth (MHz)	Freq. (MHz)	Interference Frequency (MHz)		Threshold level of AWGN interference (dBm)	Number of AWGN Detected (out of 10 times)	AWGN Detection Probability (%)	Limit Probability (%)	Test Result
5	47	160	6185	Low edge	6110	-56.16	10	100	90	PASS
				Center	6185	-56.16	9	90	90	PASS
				High edge	6260	-56.16	9	90	90	PASS
6	111	160	6505	Low edge	6430	-56.16	10	100	90	PASS
				Center	6505	-56.16	9	90	90	PASS
				High edge	6580	-56.16	9	90	90	PASS
7	143	160	6665	Low edge	6590	-56.16	9	90	90	PASS
				Center	6665	-56.16	9	90	90	PASS
				High edge	6740	-56.16	10	100	90	PASS
8	207	160	6985	Low edge	6910	-56.16	10	100	90	PASS
				Center	6985	-56.16	9	90	90	PASS
				High edge	7060	-56.16	9	90	90	PASS

Note: AWGN Level = -62 dBm + Min. Gain(5.84dBi) = -56.16 dBm

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6175 MHz




Date: 30.OCT.2021 01:37:03

Frequency (MHz): 6475 MHz




Date: 30.OCT.2021 01:37:32

Frequency (MHz): 6695 MHz



Date: 30.OCT.2021 01:38:07


Frequency (MHz): 6995 MHz




Date: 30.OCT.2021 01:40:40

Bandwidth: 160MHz


Frequency (MHz): 6110 MHz




Frequency (MHz): 6185 MHz




Frequency (MHz): 6260 MHz



Frequency (MHz): 6430 MHz




Frequency (MHz): 6505 MHz




Date: 30.OCT.2021 01:46:33

Frequency (MHz): 6580 MHz




Date: 30.OCT.2021 01:46:50

Frequency (MHz): 6590 MHz



Date: 30.OCT.2021 01:47:11

Frequency (MHz): 6665 MHz



Date: 30.OCT.2021 01:47:36