


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 15
05-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.68984G	48.83	83.54	-34.71	42.90	1	Horizontal	182	2.30	-	37.86	19.66	51.59			
AV	19.6824G	38.74	63.54	-24.80	32.75	1	Horizontal	182	2.30	-	37.91	19.66	51.58			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 15
02-E-R-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36996G	53.42	74.00	-20.58	46.33	3	Vertical	185	1.39	-	40.44	9.38	42.73			
AV	13.37006G	44.61	54.00	-9.39	37.52	3	Vertical	185	1.39	-	40.44	9.38	42.73			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 15
02-E-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36436G	53.05	74.00	-20.95	45.98	3	Horizontal	185	1.40	-	40.43	9.37	42.73			
AV	13.37306G	39.09	54.00	-14.91	31.99	3	Horizontal	185	1.40	-	40.45	9.38	42.73			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 15
05-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.06956G	50.12	83.54	-33.42	44.38	1	Vertical	44	2.21	-	37.78	19.87	51.91			
AV	20.06896G	36.16	63.54	-27.38	30.42	1	Vertical	44	2.21	-	37.78	19.87	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 15
05-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.06096G	49.69	83.54	-33.85	43.99	1	Horizontal	234	2.22	-	37.74	19.87	51.91			
AV	20.068G	37.82	63.54	-25.72	32.09	1	Horizontal	234	2.22	-	37.77	19.87	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT V_2TX
Setting 15
02-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69018G	54.67	88.20	-33.53	46.93	3	Vertical	185	1.40	-	40.86	9.53	42.65			
RMS	13.6901G	44.24	68.20	-23.96	36.50	3	Vertical	185	1.40	-	40.86	9.53	42.65			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 15
02-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6898G	56.07	88.20	-32.13	48.33	3	Horizontal	181	1.40	-	40.86	9.53	42.65			
RMS	13.69988G	41.98	68.20	-26.22	34.19	3	Horizontal	181	1.40	-	40.90	9.53	42.64			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 15
05-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.54728G	51.19	83.54	-32.35	45.49	1	Vertical	196	1.78	-	37.88	19.83	52.01			
AV	20.54872G	39.58	63.54	-23.96	33.87	1	Vertical	196	1.78	-	37.89	19.83	52.01			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_V_2TX
Setting 15
05-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.52548G	50.18	83.54	-33.36	44.61	1	Horizontal	279	1.19	-	37.75	19.83	52.01			
AV	20.54828G	38.49	63.54	-25.05	32.78	1	Horizontal	279	1.19	-	37.89	19.83	52.01			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT V_2TX
Setting 14.5
02-E-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	70.12	88.20	-18.08	61.26	3	Vertical	-0	1.80	-	34.25	5.77	31.16			
RMS	5.9246G	61.10	68.20	-7.10	52.24	3	Vertical	-0	1.80	-	34.25	5.77	31.16			
PK	5.963G	121.88	Inf	-Inf	112.94	3	Vertical	-0	1.80	-	34.30	5.81	31.17			
RMS	5.9734G	112.46	Inf	-Inf	103.52	3	Vertical	-0	1.80	-	34.30	5.82	31.18			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_V_2TX
Setting 14.5
02-E-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	70.68	88.20	-17.52	61.83	3	Horizontal	360	1.70	-	34.24	5.76	31.15			
RMS	5.9242G	60.01	68.20	-8.19	51.15	3	Horizontal	360	1.70	-	34.25	5.77	31.16			
PK	5.9566G	119.99	Inf	-Inf	111.06	3	Horizontal	360	1.70	-	34.30	5.80	31.17			
RMS	5.9758G	110.66	Inf	-Inf	101.72	3	Horizontal	360	1.70	-	34.30	5.82	31.18			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 14.5
02-E-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96998G	51.85	74.00	-22.15	47.04	3	Vertical	182	1.40	-	39.30	8.73	43.22			
AV	11.97004G	41.24	54.00	-12.76	36.43	3	Vertical	182	1.40	-	39.30	8.73	43.22			
PK	17.96032G	64.52	74.00	-9.48	47.53	3	Vertical	178	1.50	-	46.60	11.64	41.25			
AV	17.9568G	50.55	54.00	-3.45	33.57	3	Vertical	178	1.50	-	46.60	11.64	41.26			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 14.5
02-E-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96456G	51.69	74.00	-22.31	46.89	3	Horizontal	185	1.40	-	39.30	8.73	43.23			
AV	11.96998G	41.03	54.00	-12.97	36.22	3	Horizontal	185	1.40	-	39.30	8.73	43.22			
PK	17.95362G	64.32	74.00	-9.68	47.34	3	Horizontal	12	1.98	-	46.60	11.64	41.26			
AV	17.95528G	50.81	54.00	-3.19	33.83	3	Horizontal	12	1.98	-	46.60	11.64	41.26			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
Setting 14.5
02-E-R-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4498G	52.86	74.00	-21.14	48.47	3	Vertical	179	1.40	-	38.60	8.95	43.16			
AV	12.44996G	42.66	54.00	-11.34	38.27	3	Vertical	179	1.40	-	38.60	8.95	43.16			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
Setting 14.5
02-E-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.44238G	51.83	74.00	-22.17	47.44	3	Horizontal	185	1.45	-	38.60	8.95	43.16			
AV	12.45002G	40.47	54.00	-13.53	36.08	3	Horizontal	185	1.45	-	38.60	8.95	43.16			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
Setting 14.5
05-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67872G	54.20	83.54	-29.34	48.03	1	Vertical	207	1.81	-	37.69	18.96	50.48			
AV	18.66556G	39.65	63.54	-23.89	33.43	1	Vertical	207	1.81	-	37.74	18.95	50.47			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
Setting 14.5
05-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6866G	57.12	83.54	-26.42	50.99	1	Horizontal	177	1.81	-	37.65	18.97	50.49			
AV	18.67548G	43.22	63.54	-20.32	37.04	1	Horizontal	177	1.81	-	37.70	18.96	50.48			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT V_2TX
Setting 14.5
02-E-R-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77464G	54.56	88.20	-33.64	49.54	3	Vertical	185	1.40	-	38.80	9.10	42.88			
RMS	12.77458G	41.39	68.20	-26.81	36.37	3	Vertical	185	1.40	-	38.80	9.10	42.88			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 14.5
02-E-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.77464G	54.00	88.20	-34.20	48.98	3	Horizontal	181	1.42	-	38.80	9.10	42.88			
RMS	12.76322G	39.98	68.20	-28.22	35.03	3	Horizontal	181	1.42	-	38.75	9.09	42.89			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 14.5
05-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.16288G	52.66	83.54	-30.88	46.58	1	Vertical	81	1.93	-	37.78	19.30	51.00			
AV	19.135G	41.03	63.54	-22.51	34.95	1	Vertical	81	1.93	-	37.76	19.28	50.96			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 14.5
05-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.14024G	53.57	83.54	-29.97	47.52	1	Horizontal	188	2.46	-	37.74	19.28	50.97			
AV	19.13524G	42.07	63.54	-21.47	35.99	1	Horizontal	188	2.46	-	37.76	19.28	50.96			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT V_2TX
Setting 15
02-E-R-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25006G	51.97	74.00	-22.03	45.06	3	Vertical	196	1.35	-	40.30	9.32	42.71			
AV	13.25002G	41.64	54.00	-12.36	34.73	3	Vertical	196	1.35	-	40.30	9.32	42.71			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 15
02-E-R-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25906G	51.32	74.00	-22.68	44.38	3	Horizontal	178	1.41	-	40.32	9.33	42.71			
AV	13.25004G	39.13	54.00	-14.87	32.22	3	Horizontal	178	1.41	-	40.30	9.32	42.71			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT V_2TX
Setting 15
05-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.88964G	51.21	83.54	-32.33	45.36	1	Vertical	103	1.85	-	37.84	19.80	51.79			
AV	19.8948G	40.32	63.54	-23.22	34.43	1	Vertical	103	1.85	-	37.87	19.81	51.79			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 15
05-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.88384G	52.01	83.54	-31.53	46.19	1	Horizontal	275	1.37	-	37.80	19.80	51.78			
AV	19.8946G	41.98	63.54	-21.56	36.09	1	Horizontal	275	1.37	-	37.87	19.81	51.79			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 15
02-E-R-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4101G	55.99	88.20	-32.21	48.83	3	Vertical	186	1.46	-	40.50	9.40	42.74			
RMS	13.40998G	47.74	68.20	-20.46	40.58	3	Vertical	186	1.46	-	40.50	9.40	42.74			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 15
02-E-R-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41064G	54.60	88.20	-33.60	47.44	3	Horizontal	184	1.34	-	40.50	9.40	42.74			
RMS	13.40996G	41.64	68.20	-26.56	34.48	3	Horizontal	184	1.34	-	40.50	9.40	42.74			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 15
05-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.10136G	50.93	83.54	-32.61	45.09	1	Vertical	300	1.28	-	37.89	19.87	51.92			
AV	20.10176G	41.13	63.54	-22.41	35.29	1	Vertical	300	1.28	-	37.89	19.87	51.92			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
Setting 15
05-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.10332G	50.40	83.54	-33.14	44.57	1	Horizontal	232	1.16	-	37.88	19.87	51.92			
AV	20.1012G	39.02	63.54	-24.52	33.18	1	Horizontal	232	1.16	-	37.89	19.87	51.92			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT V_2TX
Setting 15
02-E-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57012G	56.59	88.20	-31.61	49.14	3	Vertical	182	1.45	-	40.70	9.47	42.72			
RMS	13.56996G	47.11	68.20	-21.09	39.66	3	Vertical	182	1.45	-	40.70	9.47	42.72			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT V_2TX
Setting 15
02-E-R-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56172G	54.36	88.20	-33.84	46.91	3	Horizontal	176	1.43	-	40.70	9.47	42.72			
RMS	13.5701G	41.82	68.20	-26.38	34.37	3	Horizontal	176	1.43	-	40.70	9.47	42.72			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT V_2TX
Setting 15
05-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.34416G	53.15	83.54	-30.39	47.16	1	Vertical	204	2.55	-	38.11	19.85	51.97			
AV	20.33516G	41.32	63.54	-22.22	35.31	1	Vertical	204	2.55	-	38.13	19.85	51.97			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
Setting 15
05-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35988G	50.96	83.54	-32.58	45.00	1	Horizontal	306	2.05	-	38.08	19.85	51.97			
AV	20.34436G	39.85	63.54	-23.69	33.86	1	Horizontal	306	2.05	-	38.11	19.85	51.97			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 14.5
02-E-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9146G	72.02	88.20	-16.18	63.18	3	Vertical	360	1.54	-	34.23	5.76	31.15			
RMS	5.9226G	62.43	68.20	-5.77	53.57	3	Vertical	360	1.54	-	34.25	5.76	31.15			
PK	6.0146G	118.36	Inf	-Inf	109.34	3	Vertical	360	1.54	-	34.36	5.85	31.19			
RMS	6.053G	109.27	Inf	-Inf	100.12	3	Vertical	360	1.54	-	34.50	5.86	31.21			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 14.5
02-E-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8642G	71.38	88.20	-16.82	62.75	3	Horizontal	360	1.64	-	34.06	5.70	31.13			
RMS	5.9162G	61.49	68.20	-6.71	52.65	3	Horizontal	360	1.64	-	34.23	5.76	31.15			
PK	6.005G	116.99	Inf	-Inf	108.01	3	Horizontal	360	1.64	-	34.32	5.85	31.19			
RMS	6.0066G	108.43	Inf	-Inf	99.44	3	Horizontal	360	1.64	-	34.33	5.85	31.19			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 14.5
05-B-M-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04958G	54.65	74.00	-19.35	NaN	3	Vertical	188	1.03	-	NaN	NaN	43.21			
AV	12.05G	41.86	54.00	-12.14	NaN	3	Vertical	188	1.03	-	NaN	NaN	43.21			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 14.5
05-B-M-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05016G	54.09	74.00	-19.91	NaN	3	Horizontal	247	1.21	-	NaN	NaN	43.21			
AV	12.04998G	42.04	54.00	-11.96	NaN	3	Horizontal	247	1.21	-	NaN	NaN	43.21			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 14.5
05-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.06356G	50.90	83.54	-32.64	44.61	1	Vertical	58	1.62	-	37.45	18.53	49.69			
AV	18.0588G	37.56	63.54	-25.98	31.27	1	Vertical	58	1.62	-	37.44	18.53	49.68			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 14.5
05-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08248G	50.49	83.54	-33.05	44.13	1	Horizontal	86	1.40	-	37.53	18.55	49.72			
AV	18.06284G	38.56	63.54	-24.98	32.27	1	Horizontal	86	1.40	-	37.45	18.53	49.69			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 14.5
05-B-M-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36918G	54.41	74.00	-19.59	47.48	3	Vertical	192	1.00	-	38.90	11.20	43.17			
AV	12.36998G	42.98	54.00	-11.02	36.05	3	Vertical	192	1.00	-	38.90	11.20	43.17			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 14.5
05-B-M-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37043G	54.16	74.00	-19.84	47.23	3	Horizontal	187	1.00	-	38.90	11.20	43.17			
AV	12.37G	41.96	54.00	-12.04	35.03	3	Horizontal	187	1.00	-	38.90	11.20	43.17			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 14.5
05-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.54992G	52.09	83.54	-31.45	45.87	1	Vertical	262	2.09	-	37.70	18.87	50.35			
AV	18.56648G	38.62	63.54	-24.92	32.41	1	Vertical	262	2.09	-	37.70	18.88	50.37			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 14.5
05-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.53948G	50.28	83.54	-33.26	44.02	1	Horizontal	297	1.93	-	37.74	18.86	50.34			
AV	18.53612G	37.65	63.54	-25.89	31.37	1	Horizontal	297	1.93	-	37.76	18.86	50.34			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 14.5
05-B-M-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68995G	54.28	74.00	-19.72	46.55	3	Vertical	187	1.03	-	39.38	11.31	42.96			
AV	12.69G	44.77	54.00	-9.23	37.04	3	Vertical	187	1.03	-	39.38	11.31	42.96			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 14.5
05-B-M-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69553G	54.13	74.00	-19.87	46.38	3	Horizontal	161	1.80	-	39.39	11.31	42.95			
AV	12.68348G	41.06	54.00	-12.94	33.35	3	Horizontal	161	1.80	-	39.37	11.31	42.97			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 14.5
05-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.04912G	51.23	83.54	-32.31	44.97	1	Vertical	36	1.91	-	37.90	19.22	50.86			
AV	19.01704G	40.57	63.54	-22.97	34.29	1	Vertical	36	1.91	-	37.90	19.20	50.82			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 14.5
05-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.01844G	54.19	83.54	-29.35	47.91	1	Horizontal	280	2.30	-	37.90	19.20	50.82			
AV	19.01992G	43.35	63.54	-20.19	37.07	1	Horizontal	280	2.30	-	37.90	19.20	50.82			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_V_2TX
Setting 15.5
05-B-M-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32978G	53.18	74.00	-20.82	44.35	3	Vertical	181	2.27	-	40.02	11.53	42.72			
AV	13.33003G	42.37	54.00	-11.63	33.54	3	Vertical	181	2.27	-	40.02	11.53	42.72			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_V_2TX
Setting 15.5
05-B-M-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33133G	52.31	74.00	-21.69	43.47	3	Horizontal	3	1.80	-	40.03	11.53	42.72			
AV	13.33175G	39.88	54.00	-14.12	31.04	3	Horizontal	3	1.80	-	40.03	11.53	42.72			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_V_2TX
Setting 15.5
05-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.00015G	53.60	83.54	-29.94	47.82	1	Vertical	190	1.62	-	37.80	19.88	51.90			
AV	20.00005G	43.89	63.54	-19.65	38.11	1	Vertical	190	1.62	-	37.80	19.88	51.90			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX



EUT_V_2TX
Setting 15.5
05-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.00045G	53.02	83.54	-30.52	47.24	1	Horizontal	169	1.54	-	37.80	19.88	51.90			
AV	20.00005G	44.30	63.54	-19.24	38.52	1	Horizontal	169	1.54	-	37.80	19.88	51.90			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	RMS	5.9074G	67.45	68.20	-0.75	3	Vertical	16	1.77	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_V_2TX
Setting 19.5
02-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	68.09	88.20	-20.11	59.22	3	Vertical	12	1.58	-	34.25	5.77	31.15			
RMS	5.9242G	59.15	68.20	-9.05	50.29	3	Vertical	12	1.58	-	34.25	5.77	31.16			
PK	5.9544G	124.80	Inf	-Inf	115.87	3	Vertical	12	1.58	-	34.30	5.80	31.17			
RMS	5.9638G	116.15	Inf	-Inf	107.21	3	Vertical	12	1.58	-	34.30	5.81	31.17			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_V_2TX
Setting 19.5
02-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.922G	68.49	88.20	-19.71	59.64	3	Horizontal	360	1.57	-	34.24	5.76	31.15			
RMS	5.9248G	58.36	68.20	-9.84	49.50	3	Horizontal	360	1.57	-	34.25	5.77	31.16			
PK	5.9638G	125.56	Inf	-Inf	116.62	3	Horizontal	360	1.57	-	34.30	5.81	31.17			
RMS	5.9638G	115.62	Inf	-Inf	106.68	3	Horizontal	360	1.57	-	34.30	5.81	31.17			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_V_2TX
Setting 19.5
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91663G	55.91	74.00	-18.09	73.05	3	Vertical	189	1.04	-	39.30	8.71	65.15			
AV	11.91009G	44.12	54.00	-9.88	61.26	3	Vertical	189	1.04	-	39.30	8.71	65.15			
PK	17.85288G	64.14	74.00	-9.86	69.09	3	Vertical	75	2.45	-	46.31	11.57	62.83			
AV	17.856G	50.36	54.00	-3.64	55.30	3	Vertical	75	2.45	-	46.32	11.57	62.83			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_V_2TX
Setting 19.5
02-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.90736G	56.09	74.00	-17.91	73.23	3	Horizontal	161	1.06	-	39.30	8.71	65.15			
AV	11.91003G	44.05	54.00	-9.95	61.19	3	Horizontal	161	1.06	-	39.30	8.71	65.15			
PK	17.87211G	64.94	74.00	-9.06	69.82	3	Horizontal	3	1.30	-	46.39	11.58	62.85			
AV	17.85267G	50.44	54.00	-3.56	55.38	3	Horizontal	3	1.30	-	46.31	11.57	62.82			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT V_2TX
Setting 19.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81255G	54.32	83.54	-29.22	41.77	1	Vertical	150	1.95	-	39.02	20.81	47.28			
AV	23.82015G	49.78	63.54	-13.76	37.26	1	Vertical	150	1.95	-	38.98	20.82	47.28			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT V_2TX
Setting 19.5
02-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.8201G	56.57	83.54	-26.97	44.05	1	Horizontal	205	1.55	-	38.98	20.82	47.28			
AV	23.8199G	48.97	63.54	-14.57	36.45	1	Horizontal	205	1.55	-	38.98	20.82	47.28			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT V_2TX
Setting 18.5
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39912G	56.26	74.00	-17.74	40.03	3	Vertical	0	1.35	-	38.60	8.93	31.30			
AV	12.40059G	42.14	54.00	-11.86	25.91	3	Vertical	0	1.35	-	38.60	8.93	31.30			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT V_2TX
Setting 18.5
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38787G	56.65	74.00	-17.35	40.41	3	Horizontal	38	1.18	-	38.62	8.92	31.30			
AV	12.3786G	42.49	54.00	-11.51	26.23	3	Horizontal	38	1.18	-	38.64	8.92	31.30			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 18.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.56325G	50.43	83.54	-33.11	43.59	1	Vertical	339	1.52	-	37.70	18.88	49.74			
AV	18.5812G	37.38	63.54	-26.16	30.51	1	Vertical	339	1.52	-	37.70	18.89	49.72			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 18.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5909G	51.26	83.54	-32.28	44.38	1	Horizontal	13	1.43	-	37.70	18.90	49.72			
AV	18.60895G	37.37	63.54	-26.17	30.44	1	Horizontal	13	1.43	-	37.72	18.91	49.70			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 18.5
02-E-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82133G	55.31	88.20	-32.89	38.82	3	Vertical	157	2.66	-	38.94	9.12	31.57			
RMS	12.83015G	42.74	68.20	-25.46	26.23	3	Vertical	157	2.66	-	38.96	9.13	31.58			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT V_2TX
Setting 18.5
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83534G	54.84	88.20	-33.36	38.32	3	Horizontal	146	1.80	-	38.97	9.13	31.58			
RMS	12.84143G	41.31	68.20	-26.89	24.79	3	Horizontal	146	1.80	-	38.98	9.13	31.59			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 18.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25135G	50.03	83.54	-33.51	42.36	1	Vertical	328	1.92	-	37.90	19.36	49.59			
AV	19.24915G	37.11	63.54	-26.43	29.43	1	Vertical	328	1.92	-	37.90	19.36	49.58			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 18.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2403G	49.76	83.54	-33.78	42.07	1	Horizontal	227	1.78	-	37.92	19.35	49.58			
AV	19.2244G	37.09	63.54	-26.45	29.37	1	Horizontal	227	1.78	-	37.95	19.34	49.57			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 21.5
02-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	78.15	88.20	-10.05	69.30	3	Vertical	6	1.58	-	34.24	5.76	31.15			
RMS	5.925G	67.04	68.20	-1.16	58.18	3	Vertical	6	1.58	-	34.25	5.77	31.16			
PK	5.9555G	124.15	Inf	-Inf	115.22	3	Vertical	6	1.58	-	34.30	5.80	31.17			
RMS	5.9735G	114.56	Inf	-Inf	105.62	3	Vertical	6	1.58	-	34.30	5.82	31.18			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_V_2TX
Setting 21.5
02-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	77.51	88.20	-10.69	68.64	3	Horizontal	0	1.56	-	34.25	5.77	31.15			
RMS	5.9235G	67.08	68.20	-1.12	58.21	3	Horizontal	0	1.56	-	34.25	5.77	31.15			
PK	5.9705G	123.28	Inf	-Inf	114.34	3	Horizontal	0	1.56	-	34.30	5.82	31.18			
RMS	5.954G	114.09	Inf	-Inf	105.16	3	Horizontal	0	1.56	-	34.30	5.80	31.17			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 21.5
02-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92928G	55.90	74.00	-18.10	73.04	3	Vertical	168	1.80	-	39.30	8.72	65.16			
AV	11.93G	43.31	54.00	-10.69	60.45	3	Vertical	168	1.80	-	39.30	8.72	65.16			
PK	17.90943G	63.67	74.00	-10.33	68.43	3	Vertical	203	1.37	-	46.52	11.61	62.89			
AV	17.90871G	50.45	54.00	-3.55	55.21	3	Vertical	203	1.37	-	46.52	11.61	62.89			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT V_2TX
Setting 21.5
02-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.92994G	55.99	74.00	-18.01	73.13	3	Horizontal	183	1.08	-	39.30	8.72	65.16				
AV	11.92997G	43.34	54.00	-10.66	60.48	3	Horizontal	183	1.08	-	39.30	8.72	65.16				
PK	17.90919G	62.74	74.00	-11.26	67.50	3	Horizontal	43	1.37	-	46.52	11.61	62.89				
AV	17.90952G	50.51	54.00	-3.49	55.27	3	Horizontal	43	1.37	-	46.52	11.61	62.89				

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT V_2TX
Setting 21.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86015G	53.42	83.54	-30.12	41.04	1	Vertical	152	1.89	-	38.80	20.84	47.26			
AV	23.86015G	47.40	63.54	-16.14	35.02	1	Vertical	152	1.89	-	38.80	20.84	47.26			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_V_2TX
Setting 21.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8602G	51.82	83.54	-31.72	39.44	1	Horizontal	204	1.54	-	38.80	20.84	47.26			
AV	23.86005G	45.70	63.54	-17.84	33.32	1	Horizontal	204	1.54	-	38.80	20.84	47.26			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT V_2TX
Setting 21.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.42248G	55.00	74.00	-19.00	38.76	3	Vertical	275	1.68	-	38.60	8.94	31.30			
AV	12.40961G	42.07	54.00	-11.93	25.84	3	Vertical	275	1.68	-	38.60	8.93	31.30			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT V_2TX
Setting 21.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41504G	55.07	74.00	-18.93	38.84	3	Horizontal	222	1.70	-	38.60	8.93	31.30			
AV	12.40526G	42.11	54.00	-11.89	25.88	3	Horizontal	222	1.70	-	38.60	8.93	31.30			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_V_2TX
Setting 21.5
02-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.60305G	52.95	83.54	-30.59	46.04	1	Vertical	155	1.78	-	37.71	18.91	49.71			
AV	18.6148G	40.03	63.54	-23.51	33.08	1	Vertical	155	1.78	-	37.73	18.92	49.70			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_V_2TX
Setting 21.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61345G	51.56	83.54	-31.98	44.61	1	Horizontal	178	1.80	-	37.73	18.92	49.70			
AV	18.60435G	38.92	63.54	-24.62	32.01	1	Horizontal	178	1.80	-	37.71	18.91	49.71			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 21.5
02-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.79947G	54.22	88.20	-33.98	37.76	3	Vertical	79	1.71	-	38.90	9.11	31.55			
RMS	12.79812G	41.70	68.20	-26.50	25.25	3	Vertical	79	1.71	-	38.89	9.11	31.55			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT V_2TX
Setting 21.5
02-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81906G	55.49	88.20	-32.71	39.00	3	Horizontal	56	1.62	-	38.94	9.12	31.57			
RMS	12.79593G	41.76	68.20	-26.44	25.32	3	Horizontal	56	1.62	-	38.88	9.11	31.55			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 21.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.22965G	50.15	83.54	-33.39	42.44	1	Vertical	42	1.44	-	37.94	19.34	49.57			
AV	19.193G	37.29	63.54	-26.25	29.56	1	Vertical	42	1.44	-	37.96	19.32	49.55			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 21.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.20115G	49.60	83.54	-33.94	41.83	1	Horizontal	48	2.00	-	38.00	19.32	49.55			
AV	19.19685G	37.39	63.54	-26.15	29.64	1	Horizontal	48	2.00	-	37.98	19.32	49.55			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_V_2TX
Setting 21
02-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	78.72	88.20	-9.48	69.86	3	Vertical	2	1.71	-	34.25	5.77	31.16			
RMS	5.9238G	67.13	68.20	-1.07	58.26	3	Vertical	2	1.71	-	34.25	5.77	31.15			
PK	5.9866G	121.47	Inf	-Inf	112.51	3	Vertical	2	1.71	-	34.30	5.84	31.18			
RMS	5.9942G	111.75	Inf	-Inf	102.80	3	Vertical	2	1.71	-	34.30	5.84	31.19			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_V_2TX
Setting 21
02-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9238G	80.68	88.20	-7.52	71.81	3	Horizontal	360	1.71	-	34.25	5.77	31.15			
RMS	5.9242G	66.27	68.20	-1.93	57.41	3	Horizontal	360	1.71	-	34.25	5.77	31.16			
PK	5.9914G	121.16	Inf	-Inf	112.21	3	Horizontal	360	1.71	-	34.30	5.84	31.19			
RMS	5.9938G	110.83	Inf	-Inf	101.88	3	Horizontal	360	1.71	-	34.30	5.84	31.19			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT V_2TX
Setting 21
02-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97171G	55.87	74.00	-18.13	73.02	3	Vertical	85	1.96	-	39.30	8.73	65.18			
AV	11.97312G	42.51	54.00	-11.49	59.66	3	Vertical	85	1.96	-	39.30	8.73	65.18			
PK	17.94783G	64.57	74.00	-9.43	69.27	3	Vertical	157	1.62	-	46.60	11.63	62.93			
AV	17.96766G	50.49	54.00	-3.51	55.19	3	Vertical	157	1.62	-	46.60	11.65	62.95			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 21
02-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97252G	55.60	74.00	-18.40	72.75	3	Horizontal	296	2.02	-	39.30	8.73	65.18			
AV	11.965G	42.50	54.00	-11.50	59.64	3	Horizontal	296	2.02	-	39.30	8.73	65.17			
PK	17.96814G	63.47	74.00	-10.53	68.17	3	Horizontal	303	1.83	-	46.60	11.65	62.95			
AV	17.96697G	50.39	54.00	-3.61	55.09	3	Horizontal	303	1.83	-	46.60	11.65	62.95			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT V_2TX
Setting 21
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94035G	55.07	83.54	-28.47	42.52	1	Vertical	162	2.35	-	38.88	20.89	47.22			
AV	23.94025G	48.95	63.54	-14.59	36.40	1	Vertical	162	2.35	-	38.88	20.89	47.22			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_V_2TX
Setting 21
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94G	56.49	83.54	-27.05	43.94	1	Horizontal	147	2.05	-	38.88	20.89	47.22			
AV	23.93985G	47.59	63.54	-15.95	35.04	1	Horizontal	147	2.05	-	38.88	20.89	47.22			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT V_2TX
Setting 20
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45134G	55.00	74.00	-19.00	38.75	3	Vertical	135	2.67	-	38.60	8.95	31.30			
AV	12.44681G	41.62	54.00	-12.38	25.37	3	Vertical	135	2.67	-	38.60	8.95	31.30			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT V_2TX
Setting 20
02-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.44681G	55.11	74.00	-18.89	38.86	3	Horizontal	269	2.44	-	38.60	8.95	31.30			
AV	12.44604G	41.62	54.00	-12.38	25.37	3	Horizontal	269	2.44	-	38.60	8.95	31.30			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
Setting 20
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6755G	50.14	83.54	-33.40	43.14	1	Vertical	336	1.90	-	37.70	18.96	49.66			
AV	18.6577G	37.29	63.54	-26.25	30.24	1	Vertical	336	1.90	-	37.77	18.95	49.67			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
Setting 20
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67725G	50.09	83.54	-33.45	43.10	1	Horizontal	137	1.85	-	37.69	18.96	49.66			
AV	18.65615G	37.31	63.54	-26.23	30.25	1	Horizontal	137	1.85	-	37.78	18.95	49.67			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 20.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77037G	55.23	88.20	-32.97	38.88	3	Vertical	189	1.15	-	38.78	9.10	31.53			
RMS	12.77029G	41.67	68.20	-26.53	25.32	3	Vertical	189	1.15	-	38.78	9.10	31.53			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT V_2TX
Setting 20.5
02-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.76746G	55.83	88.20	-32.37	39.48	3	Horizontal	27	2.81	-	38.77	9.10	31.52			
RMS	12.77006G	41.69	68.20	-26.51	25.34	3	Horizontal	27	2.81	-	38.78	9.10	31.53			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 20.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.16765G	50.87	83.54	-32.67	43.29	1	Vertical	210	1.51	-	37.81	19.30	49.53			
AV	19.1307G	37.32	63.54	-26.22	29.77	1	Vertical	210	1.51	-	37.78	19.28	49.51			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 20.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1522G	50.29	83.54	-33.25	42.81	1	Horizontal	249	1.59	-	37.71	19.29	49.52			
AV	19.1328G	37.37	63.54	-26.17	29.83	1	Horizontal	249	1.59	-	37.77	19.28	49.51			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 20.5
02-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	80.31	88.20	-7.89	71.46	3	Vertical	16	1.77	-	34.24	5.76	31.15			
RMS	5.9074G	67.45	68.20	-0.75	58.64	3	Vertical	16	1.77	-	34.21	5.75	31.15			
PK	6.0466G	118.77	Inf	-Inf	109.63	3	Vertical	16	1.77	-	34.49	5.86	31.21			
RMS	6.037G	108.06	Inf	-Inf	98.95	3	Vertical	16	1.77	-	34.45	5.86	31.20			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 20.5
02-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	77.37	88.20	-10.83	68.51	3	Horizontal	343	1.79	-	34.25	5.76	31.15			
RMS	5.9114G	63.86	68.20	-4.34	55.04	3	Horizontal	343	1.79	-	34.22	5.75	31.15			
PK	6.0394G	119.55	Inf	-Inf	110.43	3	Horizontal	343	1.79	-	34.46	5.86	31.20			
RMS	6.061G	109.06	Inf	-Inf	99.90	3	Horizontal	343	1.79	-	34.50	5.87	31.21			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT V_2TX
Setting 20.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04572G	55.44	74.00	-18.56	38.84	3	Vertical	313	2.75	-	39.12	8.76	31.28			
AV	12.04915G	42.07	54.00	-11.93	25.49	3	Vertical	313	2.75	-	39.10	8.76	31.28			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT V_2TX
Setting 20.5
02-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05039G	55.02	74.00	-18.98	38.44	3	Horizontal	353	1.91	-	39.10	8.76	31.28			
AV	12.05008G	42.03	54.00	-11.97	25.45	3	Horizontal	353	1.91	-	39.10	8.76	31.28			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 20.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0997G	50.08	83.54	-33.46	43.57	1	Vertical	293	1.81	-	37.60	18.56	49.65			
AV	18.0625G	37.08	63.54	-26.46	30.74	1	Vertical	293	1.81	-	37.45	18.53	49.64			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 20.5
02-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.09895G	50.67	83.54	-32.87	44.16	1	Horizontal	134	1.36	-	37.60	18.56	49.65			
AV	18.0625G	37.20	63.54	-26.34	30.86	1	Horizontal	134	1.36	-	37.45	18.53	49.64			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT V_2TX
Setting 20
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37406G	55.18	74.00	-18.82	38.91	3	Vertical	162	2.79	-	38.65	8.91	31.29			
AV	12.37461G	41.64	54.00	-12.36	25.37	3	Vertical	162	2.79	-	38.65	8.91	31.29			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT V_2TX
Setting 20
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36537G	55.60	74.00	-18.40	39.31	3	Horizontal	228	1.15	-	38.67	8.91	31.29			
AV	12.36539G	41.62	54.00	-12.38	25.33	3	Horizontal	228	1.15	-	38.67	8.91	31.29			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 20
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.54835G	50.45	83.54	-33.09	43.62	1	Vertical	98	1.70	-	37.71	18.87	49.75			
AV	18.53G	37.56	63.54	-25.98	30.68	1	Vertical	98	1.70	-	37.78	18.86	49.76			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 20
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5657G	50.31	83.54	-33.23	43.46	1	Horizontal	325	1.75	-	37.70	18.88	49.73			
AV	18.5309G	37.50	63.54	-26.04	30.62	1	Horizontal	325	1.75	-	37.78	18.86	49.76			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 21
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68931G	55.14	74.00	-18.86	38.94	3	Vertical	319	1.49	-	38.60	9.06	31.46			
AV	12.68532G	41.48	54.00	-12.52	25.28	3	Vertical	319	1.49	-	38.60	9.06	31.46			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 21
02-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68961G	55.02	74.00	-18.98	38.82	3	Horizontal	242	1.12	-	38.60	9.06	31.46			
AV	12.68795G	41.45	54.00	-12.55	25.25	3	Horizontal	242	1.12	-	38.60	9.06	31.46			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 21
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.051G	50.98	83.54	-32.56	43.32	1	Vertical	299	1.72	-	37.90	19.22	49.46			
AV	19.0593G	37.92	63.54	-25.62	30.26	1	Vertical	299	1.72	-	37.90	19.23	49.47			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX



EUT_V_2TX
Setting 21
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.01965G	50.81	83.54	-32.73	43.15	1	Horizontal	227	1.53	-	37.90	19.20	49.44			
AV	19.01395G	37.96	63.54	-25.58	30.31	1	Horizontal	227	1.53	-	37.90	19.19	49.44			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	AV	13.39138G	47.97	54.00	-6.03	3	Vertical	180	1.24	-

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT V_2TX
Setting 18
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.06991G	57.88	88.20	-30.32	40.81	3	Vertical	187	1.59	-	39.62	9.24	31.79			
RMS	13.07003G	44.35	68.20	-23.85	27.28	3	Vertical	187	1.59	-	39.62	9.24	31.79			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT V_2TX
Setting 18
02-E-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.06739G	56.24	88.20	-31.96	39.19	3	Horizontal	203	1.12	-	39.60	9.24	31.79			
RMS	13.06985G	42.67	68.20	-25.53	25.60	3	Horizontal	203	1.12	-	39.62	9.24	31.79			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT V_2TX
Setting 18
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5946G	51.93	83.54	-31.61	44.17	1	Vertical	154	1.40	-	37.83	19.60	49.67			
AV	19.5875G	38.85	63.54	-24.69	31.06	1	Vertical	154	1.40	-	37.87	19.59	49.67			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT V_2TX
Setting 18
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.59425G	51.95	83.54	-31.59	44.19	1	Horizontal	286	1.71	-	37.83	19.60	49.67			
AV	19.5914G	38.87	63.54	-24.67	31.09	1	Horizontal	286	1.71	-	37.85	19.60	49.67			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT V_2TX
Setting 18.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38322G	60.63	74.00	-13.37	42.91	3	Vertical	180	1.24	-	40.47	9.38	32.13			
AV	13.39138G	47.97	54.00	-6.03	30.23	3	Vertical	180	1.24	-	40.48	9.39	32.13			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT V_2TX
Setting 18.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39078G	57.17	74.00	-16.83	39.43	3	Horizontal	231	1.77	-	40.48	9.39	32.13			
AV	13.39045G	44.59	54.00	-9.41	26.85	3	Horizontal	231	1.77	-	40.48	9.39	32.13			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT V_2TX
Setting 18.5
02-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08325G	51.58	83.54	-31.96	43.24	1	Vertical	242	1.87	-	37.83	19.87	49.36			
AV	20.09045G	39.42	63.54	-24.12	31.05	1	Vertical	242	1.87	-	37.86	19.87	49.36			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 18.5
02-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0631G	53.17	83.54	-30.37	44.91	1	Horizontal	209	1.34	-	37.75	19.87	49.36			
AV	20.07325G	39.42	63.54	-24.12	31.12	1	Horizontal	209	1.34	-	37.79	19.87	49.36			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT V_2TX
Setting 18.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71477G	61.72	88.20	-26.48	43.53	3	Vertical	314	1.45	-	40.93	9.54	32.28			
RMS	13.72209G	48.04	68.20	-20.16	29.85	3	Vertical	314	1.45	-	40.94	9.54	32.29			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_V_2TX
Setting 18.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72425G	61.43	88.20	-26.77	43.23	3	Horizontal	162	1.94	-	40.95	9.54	32.29			
RMS	13.71852G	48.08	68.20	-20.12	29.88	3	Horizontal	162	1.94	-	40.94	9.54	32.28			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT V_2TX
Setting 18.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5818G	52.53	83.54	-31.01	44.05	1	Vertical	41	1.66	-	37.96	19.83	49.31			
AV	20.5755G	39.54	63.54	-24.00	31.08	1	Vertical	41	1.66	-	37.95	19.83	49.32			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT V_2TX
Setting 18.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5615G	52.35	83.54	-31.19	43.92	1	Horizontal	184	1.72	-	37.92	19.83	49.32			
AV	20.5834G	39.52	63.54	-24.02	31.03	1	Horizontal	184	1.72	-	37.97	19.83	49.31			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT V_2TX
Setting 21.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12118G	56.26	88.20	-31.94	39.01	3	Vertical	185	1.47	-	39.84	9.26	31.85			
RMS	13.13G	44.00	68.20	-24.20	26.73	3	Vertical	185	1.47	-	39.86	9.27	31.86			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 21.5
02-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13405G	55.94	88.20	-32.26	38.66	3	Horizontal	197	1.40	-	39.87	9.27	31.86			
RMS	13.13027G	42.62	68.20	-25.58	25.35	3	Horizontal	197	1.40	-	39.86	9.27	31.86			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT V_2TX
Setting 21.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.71975G	50.93	83.54	-32.61	42.97	1	Vertical	209	1.72	-	37.84	19.69	49.57			
AV	19.6707G	38.28	63.54	-25.26	30.26	1	Vertical	209	1.72	-	37.98	19.65	49.61			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT Y_2TX
Setting 21.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6865G	52.28	83.54	-31.26	44.34	1	Horizontal	268	1.31	-	37.88	19.66	49.60			
AV	19.67035G	38.38	63.54	-25.16	30.36	1	Horizontal	268	1.31	-	37.98	19.65	49.61			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT V_2TX
Setting 21.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36058G	59.85	74.00	-14.15	42.16	3	Vertical	180	1.22	-	40.42	9.37	32.10			
AV	13.37177G	47.20	54.00	-6.80	29.49	3	Vertical	180	1.22	-	40.44	9.38	32.11			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 21.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38299G	56.99	74.00	-17.01	39.27	3	Horizontal	197	1.80	-	40.47	9.38	32.13			
AV	13.37378G	43.80	54.00	-10.20	26.09	3	Horizontal	197	1.80	-	40.45	9.38	32.12			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 21.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0452G	54.40	83.54	-29.14	46.17	1	Vertical	173	1.81	-	37.71	19.88	49.36			
AV	20.05505G	41.68	63.54	-21.86	33.44	1	Vertical	173	1.81	-	37.72	19.88	49.36			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 21.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.07605G	54.90	83.54	-28.64	46.59	1	Horizontal	338	1.61	-	37.80	19.87	49.36			
AV	20.05515G	41.53	63.54	-22.01	33.29	1	Horizontal	338	1.61	-	37.72	19.88	49.36			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT V_2TX
Setting 21
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69125G	60.96	88.20	-27.24	42.85	3	Vertical	241	2.60	-	40.86	9.53	32.28			
RMS	13.69312G	47.57	68.20	-20.63	29.45	3	Vertical	241	2.60	-	40.87	9.53	32.28			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT V_2TX
Setting 21
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69317G	61.41	88.20	-26.79	43.29	3	Horizontal	178	1.37	-	40.87	9.53	32.28			
RMS	13.69433G	47.54	68.20	-20.66	29.41	3	Horizontal	178	1.37	-	40.88	9.53	32.28			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_V_2TX
Setting 21
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.54905G	53.20	83.54	-30.34	44.81	1	Vertical	37	1.74	-	37.89	19.83	49.33			
AV	20.55195G	39.49	63.54	-24.05	31.09	1	Vertical	37	1.74	-	37.90	19.83	49.33			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_V_2TX
Setting 21
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.54035G	52.72	83.54	-30.82	44.38	1	Horizontal	207	1.31	-	37.84	19.83	49.33			
AV	20.55525G	39.42	63.54	-24.12	31.00	1	Horizontal	207	1.31	-	37.91	19.83	49.32			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT V_2TX
Setting 19
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25047G	56.80	74.00	-17.20	39.17	3	Vertical	153	2.13	-	40.30	9.32	31.99			
AV	13.25065G	42.76	54.00	-11.24	25.13	3	Vertical	153	2.13	-	40.30	9.32	31.99			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT V_2TX
Setting 19
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25269G	56.19	74.00	-17.81	38.55	3	Horizontal	190	1.37	-	40.31	9.32	31.99			
AV	13.25305G	42.81	54.00	-11.19	25.17	3	Horizontal	190	1.37	-	40.31	9.32	31.99			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT V_2TX
Setting 19
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8582G	50.81	83.54	-32.73	42.85	1	Vertical	17	1.70	-	37.65	19.78	49.47			
AV	19.89595G	37.75	63.54	-25.79	29.50	1	Vertical	17	1.70	-	37.88	19.81	49.44			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 19
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8997G	50.58	83.54	-32.96	42.31	1	Horizontal	287	1.54	-	37.90	19.81	49.44			
AV	19.89905G	37.68	63.54	-25.86	29.42	1	Horizontal	287	1.54	-	37.89	19.81	49.44			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT V_2TX
Setting 19.5
02-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40244G	58.24	88.20	-29.96	40.50	3	Vertical	182	1.20	-	40.50	9.39	32.15			
RMS	13.41021G	45.04	68.20	-23.16	27.29	3	Vertical	182	1.20	-	40.50	9.40	32.15			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT V_2TX
Setting 19.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41525G	56.69	88.20	-31.51	38.95	3	Horizontal	220	1.37	-	40.50	9.40	32.16			
RMS	13.40826G	43.19	68.20	-25.01	25.45	3	Horizontal	220	1.37	-	40.50	9.39	32.15			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
Setting 19.5
02-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.10345G	52.10	83.54	-31.44	43.71	1	Vertical	306	1.50	-	37.88	19.87	49.36			
AV	20.10775G	39.18	63.54	-24.36	30.82	1	Vertical	306	1.50	-	37.85	19.87	49.36			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT V_2TX
Setting 19.5
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.09745G	52.06	83.54	-31.48	43.66	1	Horizontal	66	1.90	-	37.89	19.87	49.36			
AV	20.09325G	39.25	63.54	-24.29	30.87	1	Horizontal	66	1.90	-	37.87	19.87	49.36			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT V_2TX
Setting 19
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57249G	56.92	88.20	-31.28	39.01	3	Vertical	283	1.80	-	40.70	9.47	32.26			
RMS	13.55575G	43.74	68.20	-24.46	25.84	3	Vertical	283	1.80	-	40.70	9.46	32.26			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT V_2TX
Setting 19
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5685G	56.86	88.20	-31.34	38.95	3	Horizontal	359	2.47	-	40.70	9.47	32.26			
RMS	13.5628G	43.71	68.20	-24.49	25.80	3	Horizontal	359	2.47	-	40.70	9.47	32.26			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT V_2TX
Setting 19
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.36165G	51.96	83.54	-31.58	43.38	1	Vertical	299	2.00	-	38.08	19.85	49.35			
AV	20.33625G	38.00	63.54	-25.54	29.37	1	Vertical	299	2.00	-	38.13	19.85	49.35			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT V_2TX
Setting 19
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.37165G	50.97	83.54	-32.57	42.41	1	Horizontal	154	1.33	-	38.06	19.85	49.35			
AV	20.33025G	38.07	63.54	-25.47	29.43	1	Horizontal	154	1.33	-	38.14	19.85	49.35			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT V_2TX
Setting 19
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32814G	57.00	74.00	-17.00	39.31	3	Vertical	182	2.57	-	40.40	9.36	32.07			
AV	13.33015G	44.04	54.00	-9.96	26.35	3	Vertical	182	2.57	-	40.40	9.36	32.07			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT V_2TX
Setting 19
02-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.31845G	56.32	74.00	-17.68	38.63	3	Horizontal	178	1.74	-	40.40	9.35	32.06			
AV	13.33009G	44.07	54.00	-9.93	26.38	3	Horizontal	178	1.74	-	40.40	9.36	32.07			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT V_2TX
Setting 19
02-E-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.00195G	51.94	83.54	-31.60	43.62	1	Vertical	249	2.00	-	37.80	19.88	49.36			
AV	19.99985G	39.36	63.54	-24.18	31.04	1	Vertical	249	2.00	-	37.80	19.88	49.36			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX



EUT_V_2TX
Setting 19
02-E-J-8


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.01925G	51.89	83.54	-31.65	43.61	1	Horizontal	59	1.47	-	37.76	19.88	49.36			
AV	19.99995G	39.46	63.54	-24.08	31.14	1	Horizontal	59	1.47	-	37.80	19.88	49.36			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

17/10/2023




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

17/10/2023




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

17/10/2023




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

17/10/2023




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

17/10/2023




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

17/10/2023




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

17/10/2023




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

17/10/2023




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

17/10/2023




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

17/10/2023




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

17/10/2023




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

17/10/2023




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

17/10/2023




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

17/10/2023




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

17/10/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3871G	-1.65	6.4269G	-38.64	-21.25	-17.39	1
6.378G	-2.28	6.3428G	-39.02	-22.40	-16.62	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

17/10/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6193G	-1.25	6.6667G	-36.95	-21.29	-15.66	1
6.6235G	-1.71	6.5834G	-35.85	-21.71	-14.14	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

17/10/2023




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

17/10/2023




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

17/10/2023




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

17/10/2023



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

17/10/2023

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.32361G	-1.71	6.4282G	-38.44	-21.72	-16.72	1
6.3576G	-2.70	6.427G	-35.84	-22.70	-13.14	2

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

17/10/2023

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64001G	-1.07	6.5824G	-35.80	-21.09	-14.71	1
6.6846G	-1.22	6.5822G	-34.80	-21.26	-13.54	2