


802.11ac VHT20_Nss1,(MCS0)_2TX

5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6984G	106.57	Inf	-Inf	9.57	3	Horizontal	63	1.90	-	97.00	31.89	6.95	29.27
AV	5.7252G	52.28	Inf	-Inf	9.63	3	Horizontal	63	1.90	-	42.65	31.95	6.96	29.28
PK	5.7016G	116.19	Inf	-Inf	9.58	3	Horizontal	63	1.90	-	106.61	31.90	6.95	29.27
PK	5.7396G	67.39	68.20	-0.81	9.67	3	Horizontal	63	1.90	-	57.72	31.98	6.97	29.28

802.11ac VHT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39968G	44.39	54.00	-9.61	18.94	3	Vertical	217	2.22	-	25.45	39.90	9.43	30.39
PK	11.38288G	56.88	74.00	-17.12	18.90	3	Vertical	217	2.22	-	37.98	39.88	9.42	30.40
PK	17.08368G	61.82	68.20	-6.38	21.62	3	Vertical	20	2.35	-	40.20	40.30	12.10	30.78

802.11ac VHT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39944G	44.39	54.00	-9.61	18.94	3	Horizontal	6	2.32	-	25.45	39.90	9.43	30.39
PK	11.39376G	56.95	74.00	-17.05	18.93	3	Horizontal	6	2.32	-	38.02	39.89	9.43	30.39
PK	17.0868G	62.21	68.20	-5.99	21.62	3	Horizontal	207	2.10	-	40.59	40.30	12.10	30.78

802.11ac VHT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2784G	107.26	Inf	-Inf	8.95	3	Vertical	34	1.08	-	98.31	31.34	6.80	29.19
AV	5.3544G	51.57	54.00	-2.43	8.75	3	Vertical	34	1.08	-	42.82	31.14	6.80	29.19
PK	5.2808G	115.73	Inf	-Inf	8.95	3	Vertical	34	1.08	-	106.78	31.34	6.80	29.19
PK	5.3516G	66.24	74.00	-7.76	8.72	3	Vertical	34	1.08	-	57.52	31.11	6.80	29.19

802.11ac VHT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2732G	107.57	Inf	-Inf	8.96	3	Horizontal	23	2.05	-	98.61	31.35	6.80	29.19
AV	5.3512G	51.47	54.00	-2.53	8.72	3	Horizontal	23	2.05	-	42.75	31.11	6.80	29.19
PK	5.2736G	115.92	Inf	-Inf	8.96	3	Horizontal	23	2.05	-	106.96	31.35	6.80	29.19
PK	5.3504G	67.50	74.00	-6.50	8.71	3	Horizontal	23	2.05	-	58.79	31.10	6.80	29.19

802.11ac VHT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8068G	45.31	54.00	-8.69	17.83	3	Vertical	286	1.52	-	27.48	37.48	11.41	31.06
PK	10.553G	56.11	68.20	-12.09	18.40	3	Vertical	6	1.71	-	37.71	39.75	9.05	30.40
PK	15.8179G	57.36	74.00	-16.64	17.81	3	Vertical	286	1.52	-	39.55	37.45	11.42	31.06

802.11ac VHT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8114G	46.14	54.00	-7.86	17.83	3	Horizontal	360	2.94	-	28.31	37.47	11.42	31.06
PK	10.5281G	56.60	68.20	-11.60	18.38	3	Horizontal	85	2.45	-	38.22	39.73	9.04	30.39
PK	15.8169G	58.68	74.00	-15.32	17.81	3	Horizontal	360	2.94	-	40.87	37.45	11.42	31.06

802.11ac VHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3184G	102.16	Inf	-Inf	8.84	3	Vertical	37	1.14	-	93.32	31.23	6.80	29.19
AV	5.35G	51.40	54.00	-2.60	8.71	3	Vertical	37	1.14	-	42.69	31.10	6.80	29.19
PK	5.3172G	110.03	Inf	-Inf	8.84	3	Vertical	37	1.14	-	101.19	31.23	6.80	29.19
PK	5.3552G	68.49	74.00	-5.51	8.75	3	Vertical	37	1.14	-	59.74	31.14	6.80	29.19

802.11ac VHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3144G	103.18	Inf	-Inf	8.85	3	Horizontal	12	2.15	-	94.33	31.24	6.80	29.19
AV	5.3508G	53.25	54.00	-0.75	8.72	3	Horizontal	12	2.15	-	44.53	31.11	6.80	29.19
PK	5.314G	111.79	Inf	-Inf	8.85	3	Horizontal	12	2.15	-	102.94	31.24	6.80	29.19
PK	5.3528G	68.13	74.00	-5.87	8.73	3	Horizontal	12	2.15	-	59.40	31.12	6.80	29.19

802.11ac VHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.9458G	45.30	54.00	-8.70	17.52	3	Vertical	26	2.32	-	27.78	37.11	11.48	31.07
PK	10.6011G	56.49	74.00	-17.51	18.47	3	Vertical	260	1.80	-	38.02	39.80	9.07	30.40
PK	15.9227G	57.11	74.00	-16.89	17.55	3	Vertical	26	2.32	-	39.56	37.15	11.47	31.07

802.11ac VHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.9454G	45.15	54.00	-8.85	17.52	3	Horizontal	314	2.18	-	27.63	37.11	11.48	31.07
PK	10.6073G	56.38	74.00	-17.62	18.46	3	Horizontal	139	1.33	-	37.92	39.79	9.07	30.40
PK	15.9355G	57.43	74.00	-16.57	17.53	3	Horizontal	314	2.18	-	39.90	37.13	11.47	31.07

802.11ac VHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.00	54.00	-5.00	9.27	3	Vertical	344	1.09	-	39.73	31.64	6.83	29.20
AV	5.5208G	101.41	Inf	-Inf	9.45	3	Vertical	344	1.09	-	91.96	31.80	6.86	29.21
PK	5.4652G	64.12	68.20	-4.08	9.29	3	Vertical	344	1.09	-	54.83	31.66	6.83	29.20
PK	5.5224G	110.26	Inf	-Inf	9.45	3	Vertical	344	1.09	-	100.81	31.80	6.86	29.21

802.11ac VHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4516G	48.18	54.00	-5.82	9.24	3	Horizontal	0	2.36	-	38.94	31.61	6.83	29.20
AV	5.5144G	103.29	Inf	-Inf	9.46	3	Horizontal	0	2.36	-	93.83	31.80	6.86	29.20
PK	5.4696G	66.19	68.20	-2.01	9.31	3	Horizontal	0	2.36	-	56.88	31.68	6.83	29.20
PK	5.5128G	113.19	Inf	-Inf	9.46	3	Horizontal	0	2.36	-	103.73	31.80	6.86	29.20

802.11ac VHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0197G	44.96	54.00	-9.04	18.95	3	Vertical	144	1.73	-	26.01	40.14	9.26	30.45
PK	11.0337G	57.22	74.00	-16.78	18.92	3	Vertical	144	1.73	-	38.30	40.10	9.27	30.45
PK	16.5493G	59.88	68.20	-8.32	19.66	3	Vertical	46	2.18	-	40.22	38.90	11.80	31.04

802.11ac VHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0237G	44.99	54.00	-9.01	18.94	3	Horizontal	12	1.02	-	26.05	40.13	9.26	30.45
PK	10.9973G	57.13	74.00	-16.87	18.99	3	Horizontal	12	1.02	-	38.14	40.19	9.25	30.45
PK	16.5286G	60.93	68.20	-7.27	19.67	3	Horizontal	249	2.01	-	41.26	38.94	11.79	31.06

802.11ac VHT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.51	54.00	-6.49	9.27	3	Vertical	336	1.41	-	38.24	31.64	6.83	29.20
AV	5.5656G	106.81	Inf	-Inf	9.49	3	Vertical	336	1.41	-	97.32	31.83	6.88	29.22
PK	5.466G	65.29	68.20	-2.91	9.29	3	Vertical	336	1.41	-	56.00	31.66	6.83	29.20
PK	5.5648G	115.20	Inf	-Inf	9.49	3	Vertical	336	1.41	-	105.71	31.83	6.88	29.22

802.11ac VHT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.05	54.00	-3.95	9.27	3	Horizontal	66	1.01	-	40.78	31.64	6.83	29.20
AV	5.5608G	108.68	Inf	-Inf	9.48	3	Horizontal	66	1.01	-	99.20	31.82	6.88	29.22
PK	5.464G	66.71	68.20	-1.49	9.29	3	Horizontal	66	1.01	-	57.42	31.66	6.83	29.20
PK	5.5608G	117.10	Inf	-Inf	9.48	3	Horizontal	66	1.01	-	107.62	31.82	6.88	29.22

802.11ac VHT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0998G	45.51	54.00	-8.49	18.75	3	Vertical	201	1.72	-	26.76	39.90	9.29	30.44
PK	11.0917G	57.96	74.00	-16.04	18.77	3	Vertical	201	1.72	-	39.19	39.92	9.29	30.44
PK	16.6319G	59.92	68.20	-8.28	19.84	3	Vertical	305	1.20	-	40.08	38.99	11.85	31.00

802.11ac VHT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0998G	46.01	54.00	-7.99	18.75	3	Horizontal	295	1.61	-	27.26	39.90	9.29	30.44
PK	11.1119G	57.30	74.00	-16.70	18.76	3	Horizontal	295	1.61	-	38.54	39.89	9.30	30.43
PK	16.6496G	61.28	68.20	-6.92	19.97	3	Horizontal	30	2.73	-	41.31	39.10	11.86	30.99

802.11ac VHT40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6682G	102.90	Inf	-Inf	9.44	3	Vertical	326	1.58	-	93.46	31.77	6.93	29.26
PK	5.6676G	111.20	Inf	-Inf	9.44	3	Vertical	326	1.58	-	101.76	31.77	6.93	29.26
PK	5.7282G	63.78	68.20	-4.42	9.64	3	Vertical	326	1.58	-	54.14	31.96	6.96	29.28

802.11ac VHT40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6682G	104.36	Inf	-Inf	9.44	3	Horizontal	59	1.81	-	94.92	31.77	6.93	29.26
PK	5.667G	112.78	Inf	-Inf	9.44	3	Horizontal	59	1.81	-	103.34	31.77	6.93	29.26
PK	5.7294G	67.98	68.20	-0.22	9.64	3	Horizontal	59	1.81	-	58.34	31.96	6.96	29.28

802.11ac VHT40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3232G	44.85	54.00	-9.15	18.82	3	Vertical	230	1.98	-	26.03	39.82	9.40	30.40
PK	11.3494G	56.21	74.00	-17.79	18.86	3	Vertical	230	1.98	-	37.35	39.85	9.41	30.40
PK	16.9915G	61.06	68.20	-7.14	21.54	3	Vertical	320	2.69	-	39.52	40.30	12.05	30.81

802.11ac VHT40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3227G	44.71	54.00	-9.29	18.82	3	Horizontal	118	2.09	-	25.89	39.82	9.40	30.40
PK	11.3395G	56.81	74.00	-17.19	18.84	3	Horizontal	118	2.09	-	37.97	39.84	9.40	30.40
PK	17.0173G	60.86	68.20	-7.34	21.56	3	Horizontal	204	2.78	-	39.30	40.30	12.06	30.80

802.11ac VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	47.73	54.00	-6.27	9.56	3	Vertical	35	1.11	-	38.17	31.97	6.77	29.18
AV	5.259G	98.78	Inf	-Inf	8.99	3	Vertical	35	1.11	-	89.79	31.38	6.80	29.19
AV	5.358G	52.39	54.00	-1.61	8.77	3	Vertical	35	1.11	-	43.62	31.16	6.80	29.19
PK	5.136G	59.68	74.00	-14.32	9.56	3	Vertical	35	1.11	-	50.12	31.97	6.77	29.18
PK	5.26G	107.64	Inf	-Inf	8.99	3	Vertical	35	1.11	-	98.65	31.38	6.80	29.19
PK	5.357G	67.00	74.00	-7.00	8.77	3	Vertical	35	1.11	-	58.23	31.16	6.80	29.19

802.11ac VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.32	54.00	-5.68	9.60	3	Horizontal	19	2.06	-	38.72	32.00	6.78	29.18
AV	5.272G	98.93	Inf	-Inf	8.97	3	Horizontal	19	2.06	-	89.96	31.36	6.80	29.19
AV	5.353G	53.74	54.00	-0.26	8.73	3	Horizontal	19	2.06	-	45.01	31.12	6.80	29.19
PK	5.119G	60.98	74.00	-13.02	9.52	3	Horizontal	19	2.06	-	51.46	31.94	6.76	29.18
PK	5.273G	108.40	Inf	-Inf	8.96	3	Horizontal	19	2.06	-	99.44	31.35	6.80	29.19
PK	5.352G	66.02	74.00	-7.98	8.73	3	Horizontal	19	2.06	-	57.29	31.12	6.80	29.19

802.11ac VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.858G	45.17	54.00	-8.83	17.70	3	Vertical	53	1.09	-	27.47	37.33	11.44	31.07
PK	10.5364G	56.77	68.20	-11.43	18.39	3	Vertical	273	1.50	-	38.38	39.74	9.04	30.39
PK	15.912G	57.57	74.00	-16.43	17.57	3	Vertical	53	1.09	-	40.00	37.18	11.46	31.07

802.11ac VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8384G	45.13	54.00	-8.87	17.75	3	Horizontal	248	1.50	-	27.38	37.38	11.43	31.06
PK	10.5544G	56.96	68.20	-11.24	18.40	3	Horizontal	193	1.26	-	38.56	39.75	9.05	30.40
PK	15.859G	56.98	74.00	-17.02	17.69	3	Horizontal	248	1.50	-	39.29	37.32	11.44	31.07

802.11ac VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	53.81	54.00	-0.19	9.27	3	Vertical	342	1.39	-	44.54	31.64	6.83	29.20
AV	5.565G	98.77	Inf	-Inf	9.49	3	Vertical	342	1.39	-	89.28	31.83	6.88	29.22
PK	5.465G	66.56	68.20	-1.64	9.29	3	Vertical	342	1.39	-	57.27	31.66	6.83	29.20
PK	5.565G	107.61	Inf	-Inf	9.49	3	Vertical	342	1.39	-	98.12	31.83	6.88	29.22
PK	5.779G	57.44	68.20	-10.76	9.70	3	Vertical	342	1.39	-	47.74	32.00	6.99	29.29

802.11ac VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	53.54	54.00	-0.46	9.25	3	Horizontal	3	2.54	-	44.29	31.62	6.83	29.20
AV	5.553G	99.90	Inf	-Inf	9.47	3	Horizontal	3	2.54	-	90.43	31.81	6.88	29.22
PK	5.47G	65.95	68.20	-2.25	9.31	3	Horizontal	3	2.54	-	56.64	31.68	6.83	29.20
PK	5.554G	109.08	Inf	-Inf	9.47	3	Horizontal	3	2.54	-	99.61	31.81	6.88	29.22
PK	5.763G	58.01	68.20	-10.19	9.69	3	Horizontal	3	2.54	-	48.32	32.00	6.98	29.29

802.11ac VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04G	44.97	54.00	-9.03	18.91	3	Vertical	125	1.89	-	26.06	40.08	9.27	30.44
PK	11.0144G	56.94	74.00	-17.06	18.97	3	Vertical	125	1.89	-	37.97	40.16	9.26	30.45
PK	16.6316G	59.53	68.20	-8.67	19.84	3	Vertical	277	2.04	-	39.69	38.99	11.85	31.00

802.11ac VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0722G	45.05	54.00	-8.95	18.82	3	Horizontal	137	1.82	-	26.23	39.98	9.28	30.44
PK	11.0294G	57.59	74.00	-16.41	18.92	3	Horizontal	137	1.82	-	38.67	40.11	9.26	30.45
PK	16.613G	59.48	68.20	-8.72	19.71	3	Horizontal	0	2.17	-	39.77	38.88	11.84	31.01

802.11ac VHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.71	54.00	-7.29	9.27	3	Vertical	338	1.70	-	37.44	31.64	6.83	29.20
AV	5.627G	100.77	Inf	-Inf	9.46	3	Vertical	338	1.70	-	91.31	31.79	6.91	29.24
PK	5.468G	60.95	68.20	-7.25	9.30	3	Vertical	338	1.70	-	51.65	31.67	6.83	29.20
PK	5.628G	109.49	Inf	-Inf	9.46	3	Vertical	338	1.70	-	100.03	31.79	6.91	29.24
PK	5.727G	64.28	68.20	-3.92	9.63	3	Vertical	338	1.70	-	54.65	31.95	6.96	29.28

802.11ac VHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.449G	46.73	54.00	-7.27	9.22	3	Horizontal	66	1.91	-	37.51	31.60	6.82	29.20
AV	5.628G	102.13	Inf	-Inf	9.46	3	Horizontal	66	1.91	-	92.67	31.79	6.91	29.24
PK	5.468G	61.50	68.20	-6.70	9.30	3	Horizontal	66	1.91	-	52.20	31.67	6.83	29.20
PK	5.626G	111.09	Inf	-Inf	9.47	3	Horizontal	66	1.91	-	101.62	31.80	6.91	29.24
PK	5.727G	67.84	68.20	-0.36	9.63	3	Horizontal	66	1.91	-	58.21	31.95	6.96	29.28

802.11ac VHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2174G	45.14	54.00	-8.86	18.73	3	Vertical	72	1.44	-	26.41	39.80	9.35	30.42
PK	11.2192G	56.79	74.00	-17.21	18.73	3	Vertical	72	1.44	-	38.06	39.80	9.35	30.42
PK	16.8068G	60.89	68.20	-7.31	21.33	3	Vertical	177	2.08	-	39.56	40.30	11.94	30.91

802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1914G	45.00	54.00	-9.00	18.73	3	Horizontal	270	1.85	-	26.27	39.81	9.34	30.42
PK	11.173G	57.84	74.00	-16.16	18.73	3	Horizontal	270	1.85	-	39.11	39.83	9.33	30.43
PK	16.8278G	61.36	68.20	-6.84	21.36	3	Horizontal	87	2.06	-	40.00	40.30	11.96	30.90



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.35G	51.45	54.00	-2.55	3	Vertical	335	2.52	-
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.3522G	52.84	54.00	-1.16	3	Vertical	297	2.05	-
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.356G	73.71	74.00	-0.29	3	Vertical	321	2.15	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	Pass	PK	5.7316G	67.35	68.20	-0.85	3	Horizontal	295	1.77	-
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.47G	66.97	68.20	-1.23	3	Vertical	12	2.48	-
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.469G	67.59	68.20	-0.61	3	Horizontal	307	1.50	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT20-BF_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1358G	48.35	54.00	-5.65	3	Vertical	240	1.00	-
5260MHz	Pass	AV	5.2588G	110.63	Inf	-Inf	3	Vertical	240	1.00	-
5260MHz	Pass	AV	5.3938G	46.12	54.00	-7.88	3	Vertical	240	1.00	-
5260MHz	Pass	PK	5.1292G	67.28	74.00	-6.72	3	Vertical	240	1.00	-
5260MHz	Pass	PK	5.2636G	119.28	Inf	-Inf	3	Vertical	240	1.00	-
5260MHz	Pass	PK	5.3656G	60.46	74.00	-13.54	3	Vertical	240	1.00	-
5260MHz	Pass	AV	5.1358G	46.24	54.00	-7.76	3	Horizontal	86	1.00	-
5260MHz	Pass	AV	5.2654G	107.73	Inf	-Inf	3	Horizontal	86	1.00	-
5260MHz	Pass	AV	5.3878G	45.77	54.00	-8.23	3	Horizontal	86	1.00	-
5260MHz	Pass	PK	5.1478G	63.94	74.00	-10.06	3	Horizontal	86	1.00	-
5260MHz	Pass	PK	5.2558G	116.61	Inf	-Inf	3	Horizontal	86	1.00	-
5260MHz	Pass	PK	5.3512G	62.89	74.00	-11.11	3	Horizontal	86	1.00	-
5260MHz	Pass	AV	15.77076G	45.49	54.00	-8.51	3	Vertical	350	1.50	-
5260MHz	Pass	PK	10.52156G	57.09	68.20	-11.11	3	Vertical	260	1.00	-
5260MHz	Pass	PK	15.77724G	57.43	74.00	-16.57	3	Vertical	350	1.50	-
5260MHz	Pass	AV	15.7752G	45.63	54.00	-8.37	3	Horizontal	303	1.50	-
5260MHz	Pass	PK	10.5197G	56.81	68.20	-11.39	3	Horizontal	97	1.00	-
5260MHz	Pass	PK	15.774G	57.56	74.00	-16.44	3	Horizontal	303	1.50	-
5300MHz	Pass	AV	5.2948G	109.41	Inf	-Inf	3	Vertical	235	1.00	-
5300MHz	Pass	AV	5.3536G	48.92	54.00	-5.08	3	Vertical	235	1.00	-
5300MHz	Pass	PK	5.2988G	119.85	Inf	-Inf	3	Vertical	235	1.00	-
5300MHz	Pass	PK	5.3612G	65.87	74.00	-8.13	3	Vertical	235	1.00	-
5300MHz	Pass	AV	5.3008G	107.51	Inf	-Inf	3	Horizontal	86	1.09	-
5300MHz	Pass	AV	5.35G	46.63	54.00	-7.37	3	Horizontal	86	1.09	-
5300MHz	Pass	PK	5.2952G	115.95	Inf	-Inf	3	Horizontal	86	1.09	-
5300MHz	Pass	PK	5.3576G	65.57	74.00	-8.43	3	Horizontal	86	1.09	-
5300MHz	Pass	AV	15.87804G	45.09	54.00	-8.91	3	Vertical	324	1.50	-
5300MHz	Pass	PK	10.59808G	57.10	68.20	-11.10	3	Vertical	357	1.30	-
5300MHz	Pass	PK	15.91344G	57.26	74.00	-16.74	3	Vertical	324	1.50	-
5300MHz	Pass	AV	15.87612G	45.23	54.00	-8.77	3	Horizontal	297	1.50	-
5300MHz	Pass	PK	10.59256G	57.45	68.20	-10.75	3	Horizontal	14	1.50	-
5300MHz	Pass	PK	15.91416G	57.11	74.00	-16.89	3	Horizontal	297	1.50	-
5320MHz	Pass	AV	5.3232G	106.81	Inf	-Inf	3	Vertical	335	2.52	-
5320MHz	Pass	AV	5.35G	51.45	54.00	-2.55	3	Vertical	335	2.52	-
5320MHz	Pass	PK	5.3238G	117.57	Inf	-Inf	3	Vertical	335	2.52	-
5320MHz	Pass	PK	5.3502G	68.82	74.00	-5.18	3	Vertical	335	2.52	-
5320MHz	Pass	AV	5.3166G	102.26	Inf	-Inf	3	Horizontal	351	1.17	-
5320MHz	Pass	AV	5.3502G	49.92	54.00	-4.08	3	Horizontal	351	1.17	-
5320MHz	Pass	PK	5.3186G	112.49	Inf	-Inf	3	Horizontal	351	1.17	-
5320MHz	Pass	PK	5.3526G	67.40	74.00	-6.60	3	Horizontal	351	1.17	-
5320MHz	Pass	AV	10.63788G	45.55	54.00	-8.45	3	Vertical	242	1.01	-
5320MHz	Pass	AV	15.96936G	44.87	54.00	-9.13	3	Vertical	350	1.00	-
5320MHz	Pass	PK	10.637G	56.05	74.00	-17.95	3	Vertical	242	1.01	-
5320MHz	Pass	PK	15.9615G	56.59	74.00	-17.41	3	Vertical	350	1.00	-
5320MHz	Pass	AV	10.6384G	46.85	54.00	-7.15	3	Horizontal	242	1.01	-
5320MHz	Pass	AV	15.94974G	44.81	54.00	-9.19	3	Horizontal	93	1.43	-
5320MHz	Pass	PK	10.63812G	56.00	74.00	-18.00	3	Horizontal	242	1.01	-
5320MHz	Pass	PK	15.9723G	57.20	74.00	-16.80	3	Horizontal	93	1.43	-
5500MHz	Pass	AV	5.4572G	46.79	54.00	-7.21	3	Vertical	34	1.63	-
5500MHz	Pass	AV	5.4944G	104.83	Inf	-Inf	3	Vertical	34	1.63	-
5500MHz	Pass	PK	5.4582G	62.73	74.00	-11.27	3	Vertical	34	1.63	-
5500MHz	Pass	PK	5.4696G	66.32	68.20	-1.88	3	Vertical	34	1.63	-
5500MHz	Pass	PK	5.4938G	115.85	Inf	-Inf	3	Vertical	34	1.63	-
5500MHz	Pass	AV	5.4596G	46.92	54.00	-7.08	3	Horizontal	0	1.02	-
5500MHz	Pass	AV	5.5014G	105.57	Inf	-Inf	3	Horizontal	0	1.02	-
5500MHz	Pass	PK	5.4538G	62.32	74.00	-11.68	3	Horizontal	0	1.02	-
5500MHz	Pass	PK	5.4684G	67.27	68.20	-0.93	3	Horizontal	0	1.02	-
5500MHz	Pass	PK	5.5012G	116.24	Inf	-Inf	3	Horizontal	0	1.02	-
5500MHz	Pass	PK	11.00054G	56.76	74.00	-17.24	3	Vertical	300	1.83	-
5500MHz	Pass	AV	11.006G	44.58	54.00	-9.42	3	Vertical	300	1.83	-



RSE TX above 1GHz_Beamforming

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	PK	16.49992G	59.88	68.20	-8.32	3	Vertical	242	1.01	-
5500MHz	Pass	PK	10.985G	56.95	74.00	-17.05	3	Horizontal	138	1.54	-
5500MHz	Pass	AV	10.99976G	45.08	54.00	-8.92	3	Horizontal	138	1.54	-
5500MHz	Pass	PK	16.4998G	59.81	68.20	-8.39	3	Horizontal	242	1.01	-
5580MHz	Pass	AV	5.448G	45.86	54.00	-8.14	3	Vertical	241	1.00	-
5580MHz	Pass	AV	5.583G	110.26	Inf	-Inf	3	Vertical	241	1.00	-
5580MHz	Pass	AV	5.7276G	46.85	Inf	-Inf	3	Vertical	241	1.00	-
5580MHz	Pass	PK	5.4684G	63.06	68.20	-5.14	3	Vertical	241	1.00	-
5580MHz	Pass	PK	5.5836G	118.40	Inf	-Inf	3	Vertical	241	1.00	-
5580MHz	Pass	PK	5.7258G	58.46	68.20	-9.74	3	Vertical	241	1.00	-
5580MHz	Pass	AV	5.4552G	45.42	54.00	-8.58	3	Horizontal	194	1.04	-
5580MHz	Pass	AV	5.586G	105.93	Inf	-Inf	3	Horizontal	194	1.04	-
5580MHz	Pass	PK	5.4696G	58.37	68.20	-9.83	3	Horizontal	194	1.04	-
5580MHz	Pass	PK	5.586G	114.54	Inf	-Inf	3	Horizontal	194	1.04	-
5580MHz	Pass	PK	5.7276G	57.21	68.20	-10.99	3	Horizontal	194	1.04	-
5580MHz	Pass	AV	11.16192G	45.17	54.00	-8.83	3	Vertical	145	1.98	-
5580MHz	Pass	PK	11.16108G	57.39	74.00	-16.61	3	Vertical	145	1.98	-
5580MHz	Pass	PK	16.7664G	60.06	68.20	-8.14	3	Vertical	350	2.01	-
5580MHz	Pass	AV	11.15988G	45.87	54.00	-8.13	3	Horizontal	312	1.61	-
5580MHz	Pass	PK	11.18844G	56.89	74.00	-17.11	3	Horizontal	312	1.61	-
5580MHz	Pass	PK	16.74036G	62.00	68.20	-6.20	3	Horizontal	355	1.09	-
5700MHz	Pass	AV	5.6944G	103.68	Inf	-Inf	3	Vertical	42	1.62	-
5700MHz	Pass	PK	5.694G	114.75	Inf	-Inf	3	Vertical	42	1.62	-
5700MHz	Pass	PK	5.732G	66.65	68.20	-1.55	3	Vertical	42	1.62	-
5700MHz	Pass	AV	5.6928G	105.52	Inf	-Inf	3	Horizontal	295	1.77	-
5700MHz	Pass	PK	5.6924G	115.77	Inf	-Inf	3	Horizontal	295	1.77	-
5700MHz	Pass	PK	5.7316G	67.35	68.20	-0.85	3	Horizontal	295	1.77	-
5700MHz	Pass	AV	11.394G	45.49	54.00	-8.51	3	Vertical	214	1.39	-
5700MHz	Pass	PK	11.39634G	57.58	74.00	-16.42	3	Vertical	214	1.39	-
5700MHz	Pass	PK	17.11984G	61.00	68.20	-7.20	3	Vertical	15	1.50	-
5700MHz	Pass	AV	11.39994G	45.40	54.00	-8.60	3	Horizontal	259	1.30	-
5700MHz	Pass	PK	11.39964G	57.47	74.00	-16.53	3	Horizontal	259	1.30	-
5700MHz	Pass	PK	17.10704G	60.79	68.20	-7.41	3	Horizontal	19	1.44	-
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.1356G	48.35	54.00	-5.65	3	Vertical	297	2.05	-
5270MHz	Pass	AV	5.267G	110.06	Inf	-Inf	3	Vertical	297	2.05	-
5270MHz	Pass	AV	5.3522G	52.84	54.00	-1.16	3	Vertical	297	2.05	-
5270MHz	Pass	PK	5.1494G	66.00	74.00	-8.00	3	Vertical	297	2.05	-
5270MHz	Pass	PK	5.2622G	118.57	Inf	-Inf	3	Vertical	297	2.05	-
5270MHz	Pass	PK	5.3516G	70.11	74.00	-3.89	3	Vertical	297	2.05	-
5270MHz	Pass	AV	5.1356G	47.41	54.00	-6.59	3	Horizontal	270	1.95	-
5270MHz	Pass	AV	5.2586G	109.57	Inf	-Inf	3	Horizontal	270	1.95	-
5270MHz	Pass	AV	5.3552G	50.38	54.00	-3.62	3	Horizontal	270	1.95	-
5270MHz	Pass	PK	5.132G	64.62	74.00	-9.38	3	Horizontal	270	1.95	-
5270MHz	Pass	PK	5.2586G	118.70	Inf	-Inf	3	Horizontal	270	1.95	-
5270MHz	Pass	PK	5.3558G	68.08	74.00	-5.92	3	Horizontal	270	1.95	-
5270MHz	Pass	AV	15.78276G	45.35	54.00	-8.65	3	Vertical	198	1.50	-
5270MHz	Pass	PK	10.53628G	56.45	68.20	-11.75	3	Vertical	146	2.38	-
5270MHz	Pass	PK	15.80616G	57.40	74.00	-16.60	3	Vertical	198	1.50	-
5270MHz	Pass	AV	15.78348G	45.35	54.00	-8.65	3	Horizontal	215	1.50	-
5270MHz	Pass	PK	10.54G	56.53	68.20	-11.67	3	Horizontal	287	2.10	-
5270MHz	Pass	PK	15.82272G	57.56	74.00	-16.44	3	Horizontal	215	1.50	-
5310MHz	Pass	AV	5.2964G	104.87	Inf	-Inf	3	Vertical	312	2.21	-
5310MHz	Pass	AV	5.35G	50.21	54.00	-3.79	3	Vertical	312	2.21	-
5310MHz	Pass	PK	5.3064G	113.63	Inf	-Inf	3	Vertical	312	2.21	-
5310MHz	Pass	PK	5.3516G	68.27	74.00	-5.73	3	Vertical	312	2.21	-
5310MHz	Pass	AV	5.2972G	102.40	Inf	-Inf	3	Horizontal	329	1.50	-
5310MHz	Pass	AV	5.35G	49.48	54.00	-4.52	3	Horizontal	329	1.50	-
5310MHz	Pass	PK	5.3036G	110.52	Inf	-Inf	3	Horizontal	329	1.50	-
5310MHz	Pass	PK	5.3592G	64.54	74.00	-9.46	3	Horizontal	329	1.50	-
5310MHz	Pass	AV	10.6G	44.60	54.00	-9.40	3	Vertical	108	1.44	-
5310MHz	Pass	AV	15.94712G	44.88	54.00	-9.12	3	Vertical	195	2.22	-



RSE TX above 1GHz_Beamforming

Appendix D.2


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5310MHz	Pass	PK	10.60072G	56.94	74.00	-17.06	3	Vertical	108	1.44	-
5310MHz	Pass	PK	15.93992G	56.25	74.00	-17.75	3	Vertical	195	2.22	-
5310MHz	Pass	AV	10.60296G	44.57	54.00	-9.43	3	Horizontal	177	1.34	-
5310MHz	Pass	AV	15.95448G	44.80	54.00	-9.20	3	Horizontal	0	1.17	-
5310MHz	Pass	PK	10.63864G	57.09	74.00	-16.91	3	Horizontal	177	1.34	-
5310MHz	Pass	PK	15.90632G	56.79	74.00	-17.21	3	Horizontal	0	1.17	-
5510MHz	Pass	AV	5.4596G	47.87	54.00	-6.13	3	Vertical	12	2.48	-
5510MHz	Pass	AV	5.5044G	103.81	Inf	-Inf	3	Vertical	12	2.48	-
5510MHz	Pass	PK	5.47G	66.97	68.20	-1.23	3	Vertical	12	2.48	-
5510MHz	Pass	PK	5.5064G	113.50	Inf	-Inf	3	Vertical	12	2.48	-
5510MHz	Pass	AV	5.452G	46.40	54.00	-7.60	3	Horizontal	0	1.50	-
5510MHz	Pass	AV	5.4968G	102.55	Inf	-Inf	3	Horizontal	0	1.50	-
5510MHz	Pass	PK	5.466G	60.53	68.20	-7.67	3	Horizontal	0	1.50	-
5510MHz	Pass	PK	5.5056G	111.77	Inf	-Inf	3	Horizontal	0	1.50	-
5510MHz	Pass	AV	11.03936G	45.14	54.00	-8.86	3	Vertical	14	2.48	-
5510MHz	Pass	PK	11.0044G	57.37	74.00	-16.63	3	Vertical	14	2.48	-
5510MHz	Pass	PK	16.55176G	59.31	68.20	-8.89	3	Vertical	36	1.50	-
5510MHz	Pass	AV	11.03384G	45.23	54.00	-8.77	3	Horizontal	27	1.65	-
5510MHz	Pass	PK	11.01448G	57.18	74.00	-16.82	3	Horizontal	27	1.65	-
5510MHz	Pass	PK	16.55032G	58.92	68.20	-9.28	3	Horizontal	52	1.50	-
5550MHz	Pass	AV	5.4498G	45.50	54.00	-8.50	3	Vertical	341	1.49	-
5550MHz	Pass	AV	5.5368G	102.28	Inf	-Inf	3	Vertical	341	1.49	-
5550MHz	Pass	PK	5.4624G	60.14	68.20	-8.06	3	Vertical	341	1.49	-
5550MHz	Pass	PK	5.5428G	112.22	Inf	-Inf	3	Vertical	341	1.49	-
5550MHz	Pass	AV	5.4552G	46.02	54.00	-7.98	3	Horizontal	84	1.01	-
5550MHz	Pass	AV	5.5404G	106.14	Inf	-Inf	3	Horizontal	84	1.01	-
5550MHz	Pass	PK	5.4654G	65.84	68.20	-2.36	3	Horizontal	84	1.01	-
5550MHz	Pass	PK	5.5356G	114.52	Inf	-Inf	3	Horizontal	84	1.01	-
5550MHz	Pass	AV	11.12556G	44.95	54.00	-9.05	3	Vertical	212	1.11	-
5550MHz	Pass	PK	11.11536G	57.29	74.00	-16.71	3	Vertical	212	1.11	-
5550MHz	Pass	PK	16.67064G	59.57	68.20	-8.63	3	Vertical	85	1.31	-
5550MHz	Pass	AV	11.12556G	44.95	54.00	-9.05	3	Horizontal	12	2.17	-
5550MHz	Pass	PK	11.09232G	57.26	74.00	-16.74	3	Horizontal	12	2.17	-
5550MHz	Pass	PK	16.65756G	59.89	68.20	-8.31	3	Horizontal	162	1.87	-
5670MHz	Pass	AV	5.6676G	104.37	Inf	-Inf	3	Vertical	23	2.01	-
5670MHz	Pass	PK	5.667G	112.40	Inf	-Inf	3	Vertical	23	2.01	-
5670MHz	Pass	PK	5.7276G	66.80	68.20	-1.40	3	Vertical	23	2.01	-
5670MHz	Pass	AV	5.6676G	105.72	Inf	-Inf	3	Horizontal	294	1.97	-
5670MHz	Pass	PK	5.6814G	114.06	Inf	-Inf	3	Horizontal	294	1.97	-
5670MHz	Pass	PK	5.7276G	66.95	68.20	-1.25	3	Horizontal	294	1.97	-
5670MHz	Pass	AV	11.33992G	45.88	54.00	-8.12	3	Vertical	8	1.50	-
5670MHz	Pass	PK	11.33272G	56.94	74.00	-17.06	3	Vertical	8	1.50	-
5670MHz	Pass	PK	17.01096G	60.56	68.20	-7.64	3	Vertical	228	1.50	-
5670MHz	Pass	AV	11.34G	46.23	54.00	-7.77	3	Horizontal	0	1.31	-
5670MHz	Pass	PK	11.33584G	57.11	74.00	-16.89	3	Horizontal	0	1.31	-
5670MHz	Pass	PK	17.00264G	61.30	68.20	-6.90	3	Horizontal	235	1.50	-
802.11ac VHT80-BF_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.136G	48.97	54.00	-5.03	3	Vertical	321	2.15	-
5290MHz	Pass	AV	5.257G	105.79	Inf	-Inf	3	Vertical	321	2.15	-
5290MHz	Pass	AV	5.359G	52.74	54.00	-1.26	3	Vertical	321	2.15	-
5290MHz	Pass	PK	5.141G	58.61	74.00	-15.39	3	Vertical	321	2.15	-
5290MHz	Pass	PK	5.257G	113.42	Inf	-Inf	3	Vertical	321	2.15	-
5290MHz	Pass	PK	5.356G	73.71	74.00	-0.29	3	Vertical	321	2.15	-
5290MHz	Pass	AV	5.136G	47.59	54.00	-6.41	3	Horizontal	309	2.07	-
5290MHz	Pass	AV	5.259G	104.25	Inf	-Inf	3	Horizontal	309	2.07	-
5290MHz	Pass	AV	5.35G	51.70	54.00	-2.30	3	Horizontal	309	2.07	-
5290MHz	Pass	PK	5.122G	60.79	74.00	-13.21	3	Horizontal	309	2.07	-
5290MHz	Pass	PK	5.259G	112.01	Inf	-Inf	3	Horizontal	309	2.07	-
5290MHz	Pass	PK	5.36G	71.22	74.00	-2.78	3	Horizontal	309	2.07	-
5290MHz	Pass	AV	15.83416G	45.00	54.00	-9.00	3	Vertical	265	1.98	-
5290MHz	Pass	PK	10.5816G	56.63	68.20	-11.57	3	Vertical	0	1.50	-
5290MHz	Pass	PK	15.8332G	56.88	74.00	-17.12	3	Vertical	265	1.98	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	AV	15.84088G	45.02	54.00	-8.98	3	Horizontal	121	2.58	-
5290MHz	Pass	PK	10.58992G	56.98	68.20	-11.22	3	Horizontal	328	1.50	-
5290MHz	Pass	PK	15.86664G	57.60	74.00	-16.40	3	Horizontal	121	2.58	-
5530MHz	Pass	AV	5.46G	52.03	54.00	-1.97	3	Vertical	21	1.50	-
5530MHz	Pass	AV	5.494G	102.61	Inf	-Inf	3	Vertical	21	1.50	-
5530MHz	Pass	PK	5.469G	67.41	68.20	-0.79	3	Vertical	21	1.50	-
5530MHz	Pass	PK	5.493G	110.94	Inf	-Inf	3	Vertical	21	1.50	-
5530MHz	Pass	PK	5.766G	58.49	68.20	-9.71	3	Vertical	21	1.50	-
5530MHz	Pass	AV	5.452G	49.74	54.00	-4.26	3	Horizontal	307	1.50	-
5530MHz	Pass	AV	5.495G	102.43	Inf	-Inf	3	Horizontal	307	1.50	-
5530MHz	Pass	PK	5.469G	67.59	68.20	-0.61	3	Horizontal	307	1.50	-
5530MHz	Pass	PK	5.504G	110.83	Inf	-Inf	3	Horizontal	307	1.50	-
5530MHz	Pass	PK	5.759G	58.36	68.20	-9.84	3	Horizontal	307	1.50	-
5530MHz	Pass	AV	11.0928G	45.10	54.00	-8.90	3	Vertical	227	1.50	-
5530MHz	Pass	PK	11.06304G	56.83	74.00	-17.17	3	Vertical	227	1.50	-
5530MHz	Pass	PK	16.57176G	59.82	68.20	-8.38	3	Vertical	308	1.50	-
5530MHz	Pass	AV	11.07216G	44.95	54.00	-9.05	3	Horizontal	341	2.45	-
5530MHz	Pass	PK	11.09152G	56.82	74.00	-17.18	3	Horizontal	341	2.45	-
5530MHz	Pass	PK	16.56472G	59.99	68.20	-8.21	3	Horizontal	33	2.38	-
5610MHz	Pass	PK	5.726G	65.40	68.20	-2.80	3	Vertical	167	1.11	-
5610MHz	Pass	PK	5.465G	63.08	68.20	-5.12	3	Vertical	167	1.11	-
5610MHz	Pass	AV	5.455G	46.80	54.00	-7.20	3	Vertical	167	1.11	-
5610MHz	Pass	PK	5.615G	110.02	Inf	-Inf	3	Vertical	167	1.11	-
5610MHz	Pass	AV	5.606G	105.60	Inf	-Inf	3	Vertical	167	1.11	-
5610MHz	Pass	AV	5.456G	46.48	54.00	-7.52	3	Horizontal	181	1.01	-
5610MHz	Pass	AV	5.601G	103.97	Inf	-Inf	3	Horizontal	181	1.01	-
5610MHz	Pass	PK	5.461G	61.59	68.20	-6.61	3	Horizontal	181	1.01	-
5610MHz	Pass	PK	5.607G	112.62	Inf	-Inf	3	Horizontal	181	1.01	-
5610MHz	Pass	PK	5.727G	65.13	68.20	-3.07	3	Horizontal	181	1.01	-
5610MHz	Pass	AV	11.19192G	45.08	54.00	-8.92	3	Vertical	190	1.65	-
5610MHz	Pass	PK	11.20704G	56.81	74.00	-17.19	3	Vertical	190	1.65	-
5610MHz	Pass	PK	16.84032G	61.37	68.20	-6.83	3	Vertical	150	1.89	-
5610MHz	Pass	AV	11.19564G	45.25	54.00	-8.75	3	Horizontal	73	1.45	-
5610MHz	Pass	PK	11.2008G	57.39	74.00	-16.61	3	Horizontal	73	1.45	-
5610MHz	Pass	PK	16.80228G	61.06	68.20	-7.14	3	Horizontal	336	1.34	-

802.11ac VHT20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.1358G	48.35	54.00	-5.65	38.79	3	Vertical	240	1.00	-	31.97	6.77	29.18
AV	5.2588G	110.63	Inf	-Inf	101.64	3	Vertical	240	1.00	-	31.38	6.80	29.19
AV	5.3938G	46.12	54.00	-7.88	37.06	3	Vertical	240	1.00	-	31.45	6.80	29.19
PK	5.1292G	67.28	74.00	-6.72	57.74	3	Vertical	240	1.00	-	31.96	6.76	29.18
PK	5.2636G	119.28	Inf	-Inf	110.30	3	Vertical	240	1.00	-	31.37	6.80	29.19
PK	5.3656G	60.46	74.00	-13.54	51.63	3	Vertical	240	1.00	-	31.22	6.80	29.19

802.11ac VHT20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.1358G	46.24	54.00	-7.76	36.68	3	Horizontal	86	1.00	-	31.97	6.77	29.18
AV	5.2654G	107.73	Inf	-Inf	98.75	3	Horizontal	86	1.00	-	31.37	6.80	29.19
AV	5.3878G	45.77	54.00	-8.23	36.76	3	Horizontal	86	1.00	-	31.40	6.80	29.19
PK	5.1478G	63.94	74.00	-10.06	54.35	3	Horizontal	86	1.00	-	32.00	6.77	29.18
PK	5.2558G	116.61	Inf	-Inf	107.61	3	Horizontal	86	1.00	-	31.39	6.80	29.19
PK	5.3512G	62.89	74.00	-11.11	54.17	3	Horizontal	86	1.00	-	31.11	6.80	29.19

802.11ac VHT20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	15.77076G	45.49	54.00	-8.51	27.59	3	Vertical	350	1.50	-	37.56	11.40	31.06
PK	10.52156G	57.09	68.20	-11.11	38.73	3	Vertical	260	1.00	-	39.72	9.03	30.39
PK	15.77724G	57.43	74.00	-16.57	39.54	3	Vertical	350	1.50	-	37.55	11.40	31.06

802.11ac VHT20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	15.7752G	45.63	54.00	-8.37	27.74	3	Horizontal	303	1.50	-	37.55	11.40	31.06
PK	10.5197G	56.81	68.20	-11.39	38.45	3	Horizontal	97	1.00	-	39.72	9.03	30.39
PK	15.774G	57.56	74.00	-16.44	39.67	3	Horizontal	303	1.50	-	37.55	11.40	31.06

802.11ac VHT20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.2948G	109.41	Inf	-Inf	100.49	3	Vertical	235	1.00	-	31.31	6.80	29.19
AV	5.3536G	48.92	54.00	-5.08	40.18	3	Vertical	235	1.00	-	31.13	6.80	29.19
PK	5.2988G	119.85	Inf	-Inf	110.94	3	Vertical	235	1.00	-	31.30	6.80	29.19
PK	5.3612G	65.87	74.00	-8.13	57.07	3	Vertical	235	1.00	-	31.19	6.80	29.19

802.11ac VHT20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.3008G	107.51	Inf	-Inf	98.60	3	Horizontal	86	1.09	-	31.30	6.80	29.19
AV	5.35G	46.63	54.00	-7.37	37.92	3	Horizontal	86	1.09	-	31.10	6.80	29.19
PK	5.2952G	115.95	Inf	-Inf	107.03	3	Horizontal	86	1.09	-	31.31	6.80	29.19
PK	5.3576G	65.57	74.00	-8.43	56.80	3	Horizontal	86	1.09	-	31.16	6.80	29.19

802.11ac VHT20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	15.87804G	45.09	54.00	-8.91	27.44	3	Vertical	324	1.50	-	37.27	11.45	31.07
PK	10.59808G	57.10	68.20	-11.10	38.63	3	Vertical	357	1.30	-	39.80	9.07	30.40
PK	15.91344G	57.26	74.00	-16.74	39.70	3	Vertical	324	1.50	-	37.17	11.46	31.07

802.11ac VHT20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	15.87612G	45.23	54.00	-8.77	27.59	3	Horizontal	297	1.50	-	37.27	11.44	31.07
PK	10.59256G	57.45	68.20	-10.75	38.99	3	Horizontal	14	1.50	-	39.79	9.07	30.40
PK	15.91416G	57.11	74.00	-16.89	39.55	3	Horizontal	297	1.50	-	37.17	11.46	31.07

802.11ac VHT20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.3232G	106.81	Inf	-Inf	97.99	3	Vertical	335	2.52	-	31.21	6.80	29.19
AV	5.35G	51.45	54.00	-2.55	42.74	3	Vertical	335	2.52	-	31.10	6.80	29.19
PK	5.3238G	117.57	Inf	-Inf	108.76	3	Vertical	335	2.52	-	31.20	6.80	29.19
PK	5.3502G	68.82	74.00	-5.18	60.11	3	Vertical	335	2.52	-	31.10	6.80	29.19

802.11ac VHT20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.3166G	102.26	Inf	-Inf	93.42	3	Horizontal	351	1.17	-	31.23	6.80	29.19
AV	5.3502G	49.92	54.00	-4.08	41.21	3	Horizontal	351	1.17	-	31.10	6.80	29.19
PK	5.3186G	112.49	Inf	-Inf	103.65	3	Horizontal	351	1.17	-	31.23	6.80	29.19
PK	5.3526G	67.40	74.00	-6.60	58.67	3	Horizontal	351	1.17	-	31.12	6.80	29.19

802.11ac VHT20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	10.63788G	45.55	54.00	-8.45	27.11	3	Vertical	242	1.01	-	39.76	9.09	30.41
AV	15.96936G	44.87	54.00	-9.13	27.40	3	Vertical	350	1.00	-	37.06	11.49	31.08
PK	10.637G	56.05	74.00	-17.95	37.61	3	Vertical	242	1.01	-	39.76	9.09	30.41
PK	15.9615G	56.59	74.00	-17.41	39.11	3	Vertical	350	1.00	-	37.08	11.48	31.08

802.11ac VHT20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	10.6384G	46.85	54.00	-7.15	28.41	3	Horizontal	242	1.01	-	39.76	9.09	30.41
AV	15.94974G	44.81	54.00	-9.19	27.30	3	Horizontal	93	1.43	-	37.10	11.48	31.07
PK	10.63812G	56.00	74.00	-18.00	37.56	3	Horizontal	242	1.01	-	39.76	9.09	30.41
PK	15.9723G	57.20	74.00	-16.80	39.73	3	Horizontal	93	1.43	-	37.06	11.49	31.08

802.11ac VHT20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	46.79	54.00	-7.21	37.53	3	Vertical	34	1.63	-	31.63	6.83	29.20
AV	5.4944G	104.83	Inf	-Inf	95.40	3	Vertical	34	1.63	-	31.78	6.85	29.20
PK	5.4582G	62.73	74.00	-11.27	53.47	3	Vertical	34	1.63	-	31.63	6.83	29.20
PK	5.4696G	66.32	68.20	-1.88	57.01	3	Vertical	34	1.63	-	31.68	6.83	29.20
PK	5.4938G	115.85	Inf	-Inf	106.42	3	Vertical	34	1.63	-	31.78	6.85	29.20

802.11ac VHT20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.92	54.00	-7.08	37.65	3	Horizontal	0	1.02	-	31.64	6.83	29.20
AV	5.5014G	105.57	Inf	-Inf	96.12	3	Horizontal	0	1.02	-	31.80	6.85	29.20
PK	5.4538G	62.32	74.00	-11.68	53.07	3	Horizontal	0	1.02	-	31.62	6.83	29.20
PK	5.4684G	67.27	68.20	-0.93	57.97	3	Horizontal	0	1.02	-	31.67	6.83	29.20
PK	5.5012G	116.24	Inf	-Inf	106.79	3	Horizontal	0	1.02	-	31.80	6.85	29.20

802.11ac VHT20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00054G	56.76	74.00	-17.24	37.76	3	Vertical	300	1.83	-	40.20	9.25	30.45
AV	11.006G	44.58	54.00	-9.42	25.60	3	Vertical	300	1.83	-	40.18	9.25	30.45
PK	16.49992G	59.88	68.20	-8.32	40.18	3	Vertical	242	1.01	-	39.00	11.77	31.07

802.11ac VHT20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.985G	56.95	74.00	-17.05	37.99	3	Horizontal	138	1.54	-	40.17	9.24	30.45
AV	10.99976G	45.08	54.00	-8.92	26.08	3	Horizontal	138	1.54	-	40.20	9.25	30.45
PK	16.4998G	59.81	68.20	-8.39	40.11	3	Horizontal	242	1.01	-	39.00	11.77	31.07

802.11ac VHT20-BF_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.448G	45.86	54.00	-8.14	36.64	3	Vertical	241	1.00	-	31.60	6.82	29.20
AV	5.583G	110.26	Inf	-Inf	100.73	3	Vertical	241	1.00	-	31.87	6.89	29.23
AV	5.7276G	46.85	Inf	-Inf	37.21	3	Vertical	241	1.00	-	31.96	6.96	29.28
PK	5.4684G	63.06	68.20	-5.14	53.76	3	Vertical	241	1.00	-	31.67	6.83	29.20
PK	5.5836G	118.40	Inf	-Inf	108.87	3	Vertical	241	1.00	-	31.87	6.89	29.23
PK	5.7258G	58.46	68.20	-9.74	48.83	3	Vertical	241	1.00	-	31.95	6.96	29.28

802.11ac VHT20-BF_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	45.42	54.00	-8.58	36.17	3	Horizontal	194	1.04	-	31.62	6.83	29.20
AV	5.586G	105.93	Inf	-Inf	96.40	3	Horizontal	194	1.04	-	31.87	6.89	29.23
PK	5.4696G	58.37	68.20	-9.83	49.06	3	Horizontal	194	1.04	-	31.68	6.83	29.20
PK	5.586G	114.54	Inf	-Inf	105.01	3	Horizontal	194	1.04	-	31.87	6.89	29.23
PK	5.7276G	57.21	68.20	-10.99	47.57	3	Horizontal	194	1.04	-	31.96	6.96	29.28

802.11ac VHT20-BF_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	11.16192G	45.17	54.00	-8.83	26.44	3	Vertical	145	1.98	-	39.84	9.32	30.43
PK	11.16108G	57.39	74.00	-16.61	38.66	3	Vertical	145	1.98	-	39.84	9.32	30.43
PK	16.7664G	60.06	68.20	-8.14	39.07	3	Vertical	350	2.01	-	40.00	11.92	30.93

802.11ac VHT20-BF_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	11.15988G	45.87	54.00	-8.13	27.14	3	Horizontal	312	1.61	-	39.84	9.32	30.43
PK	11.18844G	56.89	74.00	-17.11	38.17	3	Horizontal	312	1.61	-	39.81	9.33	30.42
PK	16.74036G	62.00	68.20	-6.20	41.28	3	Horizontal	355	1.09	-	39.76	11.91	30.95

802.11ac VHT20-BF_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.6944G	103.68	Inf	-Inf	94.12	3	Vertical	42	1.62	-	31.88	6.95	29.27
PK	5.694G	114.75	Inf	-Inf	105.19	3	Vertical	42	1.62	-	31.88	6.95	29.27
PK	5.732G	66.65	68.20	-1.55	57.00	3	Vertical	42	1.62	-	31.96	6.97	29.28

802.11ac VHT20-BF_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.6928G	105.52	Inf	-Inf	95.97	3	Horizontal	295	1.77	-	31.87	6.95	29.27
PK	5.6924G	115.77	Inf	-Inf	106.22	3	Horizontal	295	1.77	-	31.87	6.95	29.27
PK	5.7316G	67.35	68.20	-0.85	57.70	3	Horizontal	295	1.77	-	31.96	6.97	29.28

802.11ac VHT20-BF_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	11.394G	45.49	54.00	-8.51	26.56	3	Vertical	214	1.39	-	39.89	9.43	30.39
PK	11.39634G	57.58	74.00	-16.42	38.64	3	Vertical	214	1.39	-	39.90	9.43	30.39
PK	17.11984G	61.00	68.20	-7.20	39.33	3	Vertical	15	1.50	-	40.32	12.12	30.77

802.11ac VHT20-BF_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	11.39994G	45.40	54.00	-8.60	26.46	3	Horizontal	259	1.30	-	39.90	9.43	30.39
PK	11.39964G	57.47	74.00	-16.53	38.53	3	Horizontal	259	1.30	-	39.90	9.43	30.39
PK	17.10704G	60.79	68.20	-7.41	39.15	3	Horizontal	19	1.44	-	40.31	12.11	30.78

802.11ac VHT40-BF_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.1356G	48.35	54.00	-5.65	38.79	3	Vertical	297	2.05	-	31.97	6.77	29.18
AV	5.267G	110.06	Inf	-Inf	101.08	3	Vertical	297	2.05	-	31.37	6.80	29.19
AV	5.3522G	52.84	54.00	-1.16	44.11	3	Vertical	297	2.05	-	31.12	6.80	29.19
PK	5.1494G	66.00	74.00	-8.00	56.41	3	Vertical	297	2.05	-	32.00	6.77	29.18
PK	5.2622G	118.57	Inf	-Inf	109.58	3	Vertical	297	2.05	-	31.38	6.80	29.19
PK	5.3516G	70.11	74.00	-3.89	61.39	3	Vertical	297	2.05	-	31.11	6.80	29.19

802.11ac VHT40-BF_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.1356G	47.41	54.00	-6.59	37.85	3	Horizontal	270	1.95	-	31.97	6.77	29.18
AV	5.2586G	109.57	Inf	-Inf	100.58	3	Horizontal	270	1.95	-	31.38	6.80	29.19
AV	5.3552G	50.38	54.00	-3.62	41.63	3	Horizontal	270	1.95	-	31.14	6.80	29.19
PK	5.132G	64.62	74.00	-9.38	55.07	3	Horizontal	270	1.95	-	31.96	6.77	29.18
PK	5.2586G	118.70	Inf	-Inf	109.71	3	Horizontal	270	1.95	-	31.38	6.80	29.19
PK	5.3558G	68.08	74.00	-5.92	59.32	3	Horizontal	270	1.95	-	31.15	6.80	29.19

802.11ac VHT40-BF_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	15.78276G	45.35	54.00	-8.65	27.48	3	Vertical	198	1.50	-	37.53	11.40	31.06
PK	10.53628G	56.45	68.20	-11.75	38.06	3	Vertical	146	2.38	-	39.74	9.04	30.39
PK	15.80616G	57.40	74.00	-16.60	39.57	3	Vertical	198	1.50	-	37.48	11.41	31.06

802.11ac VHT40-BF_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	15.78348G	45.35	54.00	-8.65	27.48	3	Horizontal	215	1.50	-	37.53	11.40	31.06
PK	10.54G	56.53	68.20	-11.67	38.14	3	Horizontal	287	2.10	-	39.74	9.04	30.39
PK	15.82272G	57.56	74.00	-16.44	39.77	3	Horizontal	215	1.50	-	37.43	11.42	31.06

802.11ac VHT40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.2964G	104.87	Inf	-Inf	95.95	3	Vertical	312	2.21	-	31.31	6.80	29.19
AV	5.35G	50.21	54.00	-3.79	41.50	3	Vertical	312	2.21	-	31.10	6.80	29.19
PK	5.3064G	113.63	Inf	-Inf	104.75	3	Vertical	312	2.21	-	31.27	6.80	29.19
PK	5.3516G	68.27	74.00	-5.73	59.55	3	Vertical	312	2.21	-	31.11	6.80	29.19

802.11ac VHT40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.2972G	102.40	Inf	-Inf	93.48	3	Horizontal	329	1.50	-	31.31	6.80	29.19
AV	5.35G	49.48	54.00	-4.52	40.77	3	Horizontal	329	1.50	-	31.10	6.80	29.19
PK	5.3036G	110.52	Inf	-Inf	101.62	3	Horizontal	329	1.50	-	31.29	6.80	29.19
PK	5.3592G	64.54	74.00	-9.46	55.76	3	Horizontal	329	1.50	-	31.17	6.80	29.19

802.11ac VHT40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	10.6G	44.60	54.00	-9.40	26.13	3	Vertical	108	1.44	-	39.80	9.07	30.40
AV	15.94712G	44.88	54.00	-9.12	27.36	3	Vertical	195	2.22	-	37.11	11.48	31.07
PK	10.60072G	56.94	74.00	-17.06	38.47	3	Vertical	108	1.44	-	39.80	9.07	30.40
PK	15.93992G	56.25	74.00	-17.75	38.73	3	Vertical	195	2.22	-	37.12	11.47	31.07

802.11ac VHT40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	10.60296G	44.57	54.00	-9.43	26.10	3	Horizontal	177	1.34	-	39.80	9.07	30.40
AV	15.95448G	44.80	54.00	-9.20	27.31	3	Horizontal	0	1.17	-	37.09	11.48	31.08
PK	10.63864G	57.09	74.00	-16.91	38.65	3	Horizontal	177	1.34	-	39.76	9.09	30.41
PK	15.90632G	56.79	74.00	-17.21	39.21	3	Horizontal	0	1.17	-	37.19	11.46	31.07

802.11ac VHT40-BF_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.87	54.00	-6.13	38.60	3	Vertical	12	2.48	-	31.64	6.83	29.20
AV	5.5044G	103.81	Inf	-Inf	94.36	3	Vertical	12	2.48	-	31.80	6.85	29.20
PK	5.47G	66.97	68.20	-1.23	57.66	3	Vertical	12	2.48	-	31.68	6.83	29.20
PK	5.5064G	113.50	Inf	-Inf	104.05	3	Vertical	12	2.48	-	31.80	6.85	29.20

802.11ac VHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	46.40	54.00	-7.60	37.16	3	Horizontal	0	1.50	-	31.61	6.83	29.20
AV	5.4968G	102.55	Inf	-Inf	93.11	3	Horizontal	0	1.50	-	31.79	6.85	29.20
PK	5.466G	60.53	68.20	-7.67	51.24	3	Horizontal	0	1.50	-	31.66	6.83	29.20
PK	5.5056G	111.77	Inf	-Inf	102.32	3	Horizontal	0	1.50	-	31.80	6.85	29.20

802.11ac VHT40-BF_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	11.03936G	45.14	54.00	-8.86	26.23	3	Vertical	14	2.48	-	40.08	9.27	30.44
PK	11.0044G	57.37	74.00	-16.63	38.38	3	Vertical	14	2.48	-	40.19	9.25	30.45
PK	16.55176G	59.31	68.20	-8.89	39.65	3	Vertical	36	1.50	-	38.90	11.80	31.04

802.11ac VHT40-BF_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	11.03384G	45.23	54.00	-8.77	26.31	3	Horizontal	27	1.65	-	40.10	9.27	30.45
PK	11.01448G	57.18	74.00	-16.82	38.21	3	Horizontal	27	1.65	-	40.16	9.26	30.45
PK	16.55032G	58.92	68.20	-9.28	39.26	3	Horizontal	52	1.50	-	38.90	11.80	31.04

802.11ac VHT40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.4498G	45.50	54.00	-8.50	36.28	3	Vertical	341	1.49	-	31.60	6.82	29.20
AV	5.5368G	102.28	Inf	-Inf	92.82	3	Vertical	341	1.49	-	31.80	6.87	29.21
PK	5.4624G	60.14	68.20	-8.06	50.86	3	Vertical	341	1.49	-	31.65	6.83	29.20
PK	5.5428G	112.22	Inf	-Inf	102.76	3	Vertical	341	1.49	-	31.80	6.87	29.21

802.11ac VHT40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	46.02	54.00	-7.98	36.77	3	Horizontal	84	1.01	-	31.62	6.83	29.20
AV	5.5404G	106.14	Inf	-Inf	96.68	3	Horizontal	84	1.01	-	31.80	6.87	29.21
PK	5.4654G	65.84	68.20	-2.36	56.55	3	Horizontal	84	1.01	-	31.66	6.83	29.20
PK	5.5356G	114.52	Inf	-Inf	105.06	3	Horizontal	84	1.01	-	31.80	6.87	29.21

802.11ac VHT40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	11.12556G	44.95	54.00	-9.05	26.20	3	Vertical	212	1.11	-	39.87	9.31	30.43
PK	11.11536G	57.29	74.00	-16.71	38.54	3	Vertical	212	1.11	-	39.88	9.30	30.43
PK	16.67064G	59.57	68.20	-8.63	39.46	3	Vertical	85	1.31	-	39.22	11.87	30.98

802.11ac VHT40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	11.12556G	44.95	54.00	-9.05	26.20	3	Horizontal	12	2.17	-	39.87	9.31	30.43
PK	11.09232G	57.26	74.00	-16.74	38.49	3	Horizontal	12	2.17	-	39.92	9.29	30.44
PK	16.65756G	59.89	68.20	-8.31	39.87	3	Horizontal	162	1.87	-	39.15	11.86	30.99

802.11ac VHT40-BF_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.6676G	104.37	Inf	-Inf	94.93	3	Vertical	23	2.01	-	31.77	6.93	29.26
PK	5.667G	112.40	Inf	-Inf	102.96	3	Vertical	23	2.01	-	31.77	6.93	29.26
PK	5.7276G	66.80	68.20	-1.40	57.16	3	Vertical	23	2.01	-	31.96	6.96	29.28

802.11ac VHT40-BF_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.6676G	105.72	Inf	-Inf	96.28	3	Horizontal	294	1.97	-	31.77	6.93	29.26
PK	5.6814G	114.06	Inf	-Inf	104.55	3	Horizontal	294	1.97	-	31.83	6.94	29.26
PK	5.7276G	66.95	68.20	-1.25	57.31	3	Horizontal	294	1.97	-	31.96	6.96	29.28

802.11ac VHT40-BF_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	11.33992G	45.88	54.00	-8.12	27.04	3	Vertical	8	1.50	-	39.84	9.40	30.40
PK	11.33272G	56.94	74.00	-17.06	38.11	3	Vertical	8	1.50	-	39.83	9.40	30.40
PK	17.01096G	60.56	68.20	-7.64	39.01	3	Vertical	228	1.50	-	40.30	12.06	30.81

802.11ac VHT40-BF_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	11.34G	46.23	54.00	-7.77	27.39	3	Horizontal	0	1.31	-	39.84	9.40	30.40
PK	11.33584G	57.11	74.00	-16.89	38.27	3	Horizontal	0	1.31	-	39.84	9.40	30.40
PK	17.00264G	61.30	68.20	-6.90	39.76	3	Horizontal	235	1.50	-	40.30	12.05	30.81

802.11ac VHT80-BF_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	48.97	54.00	-5.03	39.41	3	Vertical	321	2.15	-	31.97	6.77	29.18
AV	5.257G	105.79	Inf	-Inf	96.79	3	Vertical	321	2.15	-	31.39	6.80	29.19
AV	5.359G	52.74	54.00	-1.26	43.96	3	Vertical	321	2.15	-	31.17	6.80	29.19
PK	5.141G	58.61	74.00	-15.39	49.04	3	Vertical	321	2.15	-	31.98	6.77	29.18
PK	5.257G	113.42	Inf	-Inf	104.42	3	Vertical	321	2.15	-	31.39	6.80	29.19
PK	5.356G	73.71	74.00	-0.29	64.95	3	Vertical	321	2.15	-	31.15	6.80	29.19

802.11ac VHT80-BF_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	47.59	54.00	-6.41	38.03	3	Horizontal	309	2.07	-	31.97	6.77	29.18
AV	5.259G	104.25	Inf	-Inf	95.26	3	Horizontal	309	2.07	-	31.38	6.80	29.19
AV	5.35G	51.70	54.00	-2.30	42.99	3	Horizontal	309	2.07	-	31.10	6.80	29.19
PK	5.122G	60.79	74.00	-13.21	51.27	3	Horizontal	309	2.07	-	31.94	6.76	29.18
PK	5.259G	112.01	Inf	-Inf	103.02	3	Horizontal	309	2.07	-	31.38	6.80	29.19
PK	5.36G	71.22	74.00	-2.78	62.43	3	Horizontal	309	2.07	-	31.18	6.80	29.19

802.11ac VHT80-BF_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	15.83416G	45.00	54.00	-9.00	27.23	3	Vertical	265	1.98	-	37.40	11.43	31.06
PK	10.5816G	56.63	68.20	-11.57	38.19	3	Vertical	0	1.50	-	39.78	9.06	30.40
PK	15.8332G	56.88	74.00	-17.12	39.12	3	Vertical	265	1.98	-	37.40	11.42	31.06

802.11ac VHT80-BF_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	15.84088G	45.02	54.00	-8.98	27.27	3	Horizontal	121	2.58	-	37.38	11.43	31.06
PK	10.58992G	56.98	68.20	-11.22	38.52	3	Horizontal	328	1.50	-	39.79	9.07	30.40
PK	15.86664G	57.60	74.00	-16.40	39.93	3	Horizontal	121	2.58	-	37.30	11.44	31.07

802.11ac VHT80-BF_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	52.03	54.00	-1.97	42.76	3	Vertical	21	1.50	-	31.64	6.83	29.20
AV	5.494G	102.61	Inf	-Inf	93.18	3	Vertical	21	1.50	-	31.78	6.85	29.20
PK	5.469G	67.41	68.20	-0.79	58.10	3	Vertical	21	1.50	-	31.68	6.83	29.20
PK	5.493G	110.94	Inf	-Inf	101.52	3	Vertical	21	1.50	-	31.77	6.85	29.20
PK	5.766G	58.49	68.20	-9.71	48.80	3	Vertical	21	1.50	-	32.00	6.98	29.29

802.11ac VHT80-BF_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	49.74	54.00	-4.26	40.50	3	Horizontal	307	1.50	-	31.61	6.83	29.20
AV	5.495G	102.43	Inf	-Inf	93.00	3	Horizontal	307	1.50	-	31.78	6.85	29.20
PK	5.469G	67.59	68.20	-0.61	58.28	3	Horizontal	307	1.50	-	31.68	6.83	29.20
PK	5.504G	110.83	Inf	-Inf	101.38	3	Horizontal	307	1.50	-	31.80	6.85	29.20
PK	5.759G	58.36	68.20	-9.84	48.67	3	Horizontal	307	1.50	-	32.00	6.98	29.29

802.11ac VHT80-BF_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	11.0928G	45.10	54.00	-8.90	26.33	3	Vertical	227	1.50	-	39.92	9.29	30.44
PK	11.06304G	56.83	74.00	-17.17	37.98	3	Vertical	227	1.50	-	40.01	9.28	30.44
PK	16.57176G	59.82	68.20	-8.38	40.18	3	Vertical	308	1.50	-	38.86	11.81	31.03

802.11ac VHT80-BF_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	11.07216G	44.95	54.00	-9.05	26.13	3	Horizontal	341	2.45	-	39.98	9.28	30.44
PK	11.09152G	56.82	74.00	-17.18	38.04	3	Horizontal	341	2.45	-	39.93	9.29	30.44
PK	16.56472G	59.99	68.20	-8.21	40.35	3	Horizontal	33	2.38	-	38.87	11.81	31.04

802.11ac VHT80-BF_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.726G	65.40	68.20	-2.80	55.77	3	Vertical	167	1.11	-	31.95	6.96	29.28
PK	5.465G	63.08	68.20	-5.12	53.79	3	Vertical	167	1.11	-	31.66	6.83	29.20
AV	5.455G	46.80	54.00	-7.20	37.55	3	Vertical	167	1.11	-	31.62	6.83	29.20
PK	5.615G	110.02	Inf	-Inf	100.51	3	Vertical	167	1.11	-	31.84	6.91	29.24
AV	5.606G	105.60	Inf	-Inf	96.06	3	Vertical	167	1.11	-	31.88	6.90	29.24

802.11ac VHT80-BF_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	46.48	54.00	-7.52	37.23	3	Horizontal	181	1.01	-	31.62	6.83	29.20
AV	5.601G	103.97	Inf	-Inf	94.40	3	Horizontal	181	1.01	-	31.90	6.90	29.23
PK	5.461G	61.59	68.20	-6.61	52.32	3	Horizontal	181	1.01	-	31.64	6.83	29.20
PK	5.607G	112.62	Inf	-Inf	103.09	3	Horizontal	181	1.01	-	31.87	6.90	29.24
PK	5.727G	65.13	68.20	-3.07	55.50	3	Horizontal	181	1.01	-	31.95	6.96	29.28

802.11ac VHT80-BF_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	11.19192G	45.08	54.00	-8.92	26.35	3	Vertical	190	1.65	-	39.81	9.34	30.42
PK	11.20704G	56.81	74.00	-17.19	38.09	3	Vertical	190	1.65	-	39.80	9.34	30.42
PK	16.84032G	61.37	68.20	-6.83	40.00	3	Vertical	150	1.89	-	40.30	11.96	30.89

802.11ac VHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	11.19564G	45.25	54.00	-8.75	26.53	3	Horizontal	73	1.45	-	39.80	9.34	30.42
PK	11.2008G	57.39	74.00	-16.61	38.67	3	Horizontal	73	1.45	-	39.80	9.34	30.42
PK	16.80228G	61.06	68.20	-7.14	39.73	3	Horizontal	336	1.34	-	40.30	11.94	30.91