


802.11ax HEW20\_Nss1,(MCS0)\_4TX

5700MHz\_TnomVnom




EUT X\_4TX  
Setting 17  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6948G	117.34	Inf	-Inf	110.17	3	Vertical	314	1.70	-	33.71	5.60	32.14
AV	5.6942G	103.98	Inf	-Inf	96.81	3	Vertical	314	1.70	-	33.71	5.60	32.14
PK	5.7358G	59.76	68.20	-8.44	52.53	3	Vertical	314	1.70	-	33.77	5.60	32.14

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5700MHz\_TnomVnom




EUT X\_4TX  
Setting 17  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7054G	118.30	Inf	-Inf	111.13	3	Horizontal	288	1.90	-	33.71	5.60	32.14
AV	5.7042G	105.07	Inf	-Inf	97.90	3	Horizontal	288	1.90	-	33.71	5.60	32.14
PK	5.7262G	67.58	68.20	-0.62	60.37	3	Horizontal	288	1.90	-	33.75	5.60	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT X\_4TX  
Setting 17  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3936G	52.62	74.00	-21.38	39.20	3	Vertical	13	1.01	-	38.79	7.86	33.23
AV	11.39992G	39.09	54.00	-14.91	25.66	3	Vertical	13	1.01	-	38.80	7.86	33.23

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5700MHz\_TnomVnom




EUT\_X\_4TX  
Setting 17  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4192G	53.78	74.00	-20.22	40.30	3	Horizontal	132	2.98	-	38.84	7.87	33.23
AV	11.41932G	39.28	54.00	-14.72	25.80	3	Horizontal	132	2.98	-	38.84	7.87	33.23

**802.11ax HEW20\_Nss1,(MCS0)\_4TX**


**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**







EUT\_X\_4TX  
Setting 24  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.728G	120.95	Inf	-Inf	113.73	3	Vertical	331	2.16	-	33.76	5.60	32.14
AV	5.7288G	109.42	Inf	-Inf	102.20	3	Vertical	331	2.16	-	33.76	5.60	32.14
PK	5.9136G	57.29	68.20	-10.91	49.70	3	Vertical	331	2.16	-	34.03	5.71	32.15

**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



Lim.PK   
 PK   
 Lim.AV   
 AV 


08/01/2022

EUT X\_4TX  
 Setting 24  
 02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	122.71	Inf	-Inf	115.51	3	Horizontal	309	1.96	-	33.74	5.60	32.14
AV	5.7176G	110.73	Inf	-Inf	103.53	3	Horizontal	309	1.96	-	33.74	5.60	32.14
PK	5.8968G	57.54	68.20	-10.66	50.00	3	Horizontal	309	1.96	-	33.99	5.70	32.15

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_4TX  
Setting 24  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4412G	55.82	74.00	-18.18	42.29	3	Vertical	330	1.90	-	38.88	7.88	33.23
AV	11.43992G	43.02	54.00	-10.98	29.49	3	Vertical	330	1.90	-	38.88	7.88	33.23
PK	17.1636G	61.08	68.20	-7.12	42.10	3	Vertical	347	1.68	-	41.75	10.58	33.35

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_4TX  
Setting 24  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4328G	56.69	74.00	-17.31	43.18	3	Horizontal	299	2.54	-	38.87	7.87	33.23
AV	11.43264G	43.15	54.00	-10.85	29.64	3	Horizontal	299	2.54	-	38.87	7.87	33.23
PK	17.16304G	62.78	68.20	-5.42	43.81	3	Horizontal	61	2.22	-	41.74	10.58	33.35



802.11ax HEW40\_Nss1,(MCS0)\_4TX

5270MHz\_TnomVnom




EUT\_X\_4TX  
Setting 21  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1296G	57.52	74.00	-16.48	50.94	3	Vertical	340	1.26	-	33.50	5.23	32.15
AV	5.1374G	45.13	54.00	-8.87	38.54	3	Vertical	340	1.26	-	33.50	5.24	32.15
PK	5.2772G	117.23	Inf	-Inf	110.38	3	Vertical	340	1.26	-	33.65	5.34	32.14
AV	5.276G	105.86	Inf	-Inf	99.01	3	Vertical	340	1.26	-	33.65	5.34	32.14
PK	5.3552G	66.48	74.00	-7.52	59.53	3	Vertical	340	1.26	-	33.71	5.38	32.14
AV	5.3558G	51.23	54.00	-2.77	44.28	3	Vertical	340	1.26	-	33.71	5.38	32.14

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5270MHz\_TnomVnom




EUT\_X\_4TX  
Setting 21  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	59.33	74.00	-14.67	52.74	3	Horizontal	47	1.61	-	33.50	5.24	32.15
AV	5.144G	46.50	54.00	-7.50	39.91	3	Horizontal	47	1.61	-	33.50	5.24	32.15
PK	5.2796G	118.96	Inf	-Inf	112.10	3	Horizontal	47	1.61	-	33.66	5.34	32.14
AV	5.2802G	106.34	Inf	-Inf	99.48	3	Horizontal	47	1.61	-	33.66	5.34	32.14
PK	5.3612G	66.78	74.00	-7.22	59.82	3	Horizontal	47	1.61	-	33.72	5.38	32.14
AV	5.35G	53.93	54.00	-0.07	46.99	3	Horizontal	47	1.61	-	33.70	5.38	32.14

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5270MHz\_TnomVnom




EUT X\_4TX  
Setting 21  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5364G	58.91	68.20	-9.29	46.03	3	Vertical	345	1.48	-	38.44	7.51	33.07
PK	15.81132G	53.67	74.00	-20.33	39.86	3	Vertical	228	2.32	-	37.41	9.92	33.52
AV	15.81018G	39.34	54.00	-14.66	25.54	3	Vertical	228	2.32	-	37.41	9.91	33.52

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5270MHz\_TnomVnom




EUT X\_4TX  
Setting 21  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53604G	59.76	68.20	-8.44	46.88	3	Horizontal	4	1.79	-	38.44	7.51	33.07
PK	15.80782G	52.80	74.00	-21.20	38.99	3	Horizontal	9	2.03	-	37.41	9.91	33.51
AV	15.81178G	39.32	54.00	-14.68	25.51	3	Horizontal	9	2.03	-	37.41	9.92	33.52

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5310MHz\_TnomVnom




EUT X\_4TX  
Setting 16.5  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3152G	115.33	Inf	-Inf	108.41	3	Vertical	342	1.26	-	33.70	5.36	32.14
AV	5.3152G	101.56	Inf	-Inf	94.64	3	Vertical	342	1.26	-	33.70	5.36	32.14
PK	5.3552G	64.69	74.00	-9.31	57.74	3	Vertical	342	1.26	-	33.71	5.38	32.14
AV	5.3544G	50.75	54.00	-3.25	43.80	3	Vertical	342	1.26	-	33.71	5.38	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT\_X\_4TX  
Setting 16.5  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3216G	113.97	Inf	-Inf	107.05	3	Horizontal	47	1.59	-	33.70	5.36	32.14
AV	5.3196G	101.88	Inf	-Inf	94.96	3	Horizontal	47	1.59	-	33.70	5.36	32.14
PK	5.35G	65.77	74.00	-8.23	58.83	3	Horizontal	47	1.59	-	33.70	5.38	32.14
AV	5.35G	52.53	54.00	-1.47	45.59	3	Horizontal	47	1.59	-	33.70	5.38	32.14

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5310MHz\_TnomVnom




EUT X\_4TX  
Setting 16.5  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6344G	54.81	74.00	-19.19	41.90	3	Vertical	345	1.72	-	38.47	7.55	33.11
AV	10.61556G	41.42	54.00	-12.58	28.49	3	Vertical	345	1.72	-	38.48	7.55	33.10
PK	15.93054G	53.22	74.00	-20.78	39.44	3	Vertical	341	1.15	-	37.47	9.97	33.66
AV	15.93002G	39.26	54.00	-14.74	25.48	3	Vertical	341	1.15	-	37.47	9.97	33.66

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5310MHz\_TnomVnom




EUT X\_4TX  
Setting 16.5  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61412G	55.86	74.00	-18.14	42.92	3	Horizontal	5	1.80	-	38.49	7.55	33.10
AV	10.61436G	41.73	54.00	-12.27	28.79	3	Horizontal	5	1.80	-	38.49	7.55	33.10
PK	15.93344G	53.54	74.00	-20.46	39.76	3	Horizontal	340	1.76	-	37.47	9.97	33.66
AV	15.93042G	39.25	54.00	-14.75	25.47	3	Horizontal	340	1.76	-	37.47	9.97	33.66



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT\_X\_4TX  
Setting 17  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4452G	58.21	74.00	-15.79	51.00	3	Vertical	313	1.78	-	33.89	5.45	32.13
AV	5.4448G	45.23	54.00	-8.77	38.03	3	Vertical	313	1.78	-	33.89	5.44	32.13
PK	5.4644G	65.80	68.20	-2.40	58.57	3	Vertical	313	1.78	-	33.90	5.46	32.13
PK	5.5048G	112.95	Inf	-Inf	105.68	3	Vertical	313	1.78	-	33.90	5.50	32.13
AV	5.5044G	101.56	Inf	-Inf	94.29	3	Vertical	313	1.78	-	33.90	5.50	32.13

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT\_X\_4TX  
Setting 17  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.31	74.00	-9.69	57.08	3	Horizontal	42	1.16	-	33.90	5.46	32.13
AV	5.4596G	48.80	54.00	-5.20	41.57	3	Horizontal	42	1.16	-	33.90	5.46	32.13
PK	5.4628G	66.59	68.20	-1.61	59.36	3	Horizontal	42	1.16	-	33.90	5.46	32.13
PK	5.522G	116.49	Inf	-Inf	109.20	3	Horizontal	42	1.16	-	33.90	5.52	32.13
AV	5.5012G	103.83	Inf	-Inf	96.56	3	Horizontal	42	1.16	-	33.90	5.50	32.13

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5510MHz\_TnomVnom




EUT X\_4TX  
Setting 17  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0134G	54.84	74.00	-19.16	41.89	3	Vertical	343	1.80	-	38.51	7.71	33.27
AV	11.0154G	41.66	54.00	-12.34	28.70	3	Vertical	343	1.80	-	38.52	7.71	33.27

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5510MHz\_TnomVnom




EUT X\_4TX  
Setting 17  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0136G	56.65	74.00	-17.35	43.70	3	Horizontal	347	1.56	-	38.51	7.71	33.27
AV	11.0135G	43.13	54.00	-10.87	30.18	3	Horizontal	347	1.56	-	38.51	7.71	33.27

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT\_X\_4TX  
Setting 22  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.24	74.00	-10.76	56.01	3	Vertical	318	1.67	-	33.90	5.46	32.13
AV	5.46G	49.61	54.00	-4.39	42.38	3	Vertical	318	1.67	-	33.90	5.46	32.13
PK	5.4636G	67.61	68.20	-0.59	60.38	3	Vertical	318	1.67	-	33.90	5.46	32.13
PK	5.5434G	118.03	Inf	-Inf	110.72	3	Vertical	318	1.67	-	33.90	5.54	32.13
AV	5.5428G	106.04	Inf	-Inf	98.73	3	Vertical	318	1.67	-	33.90	5.54	32.13

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT\_X\_4TX  
Setting 22  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	64.18	74.00	-9.82	56.95	3	Horizontal	309	2.15	-	33.90	5.46	32.13
AV	5.4552G	49.10	54.00	-4.90	41.87	3	Horizontal	309	2.15	-	33.90	5.46	32.13
PK	5.4654G	67.95	68.20	-0.25	60.71	3	Horizontal	309	2.15	-	33.90	5.47	32.13
PK	5.5488G	119.41	Inf	-Inf	112.09	3	Horizontal	309	2.15	-	33.90	5.55	32.13
AV	5.5482G	106.62	Inf	-Inf	99.30	3	Horizontal	309	2.15	-	33.90	5.55	32.13

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5550MHz\_TnomVnom




EUT X\_4TX  
Setting 22  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09604G	55.65	74.00	-18.35	42.57	3	Vertical	350	1.80	-	38.60	7.74	33.26
AV	11.09505G	42.35	54.00	-11.65	29.27	3	Vertical	350	1.80	-	38.60	7.74	33.26

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT X\_4TX  
Setting 22  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.08339G	58.33	74.00	-15.67	45.28	3	Horizontal	-0	1.91	-	38.58	7.73	33.26
AV	11.10473G	44.41	54.00	-9.59	31.33	3	Horizontal	-0	1.91	-	38.60	7.74	33.26



802.11ax HEW40\_Nss1,(MCS0)\_4TX

5670MHz\_TnomVnom




EUT X\_4TX  
Setting 18  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6648G	114.16	Inf	-Inf	106.93	3	Vertical	312	1.70	-	33.77	5.60	32.14
AV	5.6648G	102.35	Inf	-Inf	95.12	3	Vertical	312	1.70	-	33.77	5.60	32.14
PK	5.7256G	64.05	68.20	-4.15	56.84	3	Vertical	312	1.70	-	33.75	5.60	32.14

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5670MHz\_TnomVnom




EUT X\_4TX  
Setting 18  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6672G	116.25	Inf	-Inf	109.02	3	Horizontal	310	1.98	-	33.77	5.60	32.14
AV	5.668G	104.30	Inf	-Inf	97.08	3	Horizontal	310	1.98	-	33.76	5.60	32.14
PK	5.7268G	67.76	68.20	-0.44	60.55	3	Horizontal	310	1.98	-	33.75	5.60	32.14

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5670MHz\_TnomVnom




EUT X\_4TX  
Setting 18  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35859G	51.18	74.00	-22.82	37.81	3	Vertical	141	1.89	-	38.76	7.84	33.23
AV	11.36189G	37.73	54.00	-16.27	24.36	3	Vertical	141	1.89	-	38.76	7.84	33.23

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT X\_4TX  
Setting 18  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34473G	52.61	74.00	-21.39	39.27	3	Horizontal	360	1.80	-	38.74	7.84	33.24
AV	11.34286G	38.99	54.00	-15.01	25.65	3	Horizontal	360	1.80	-	38.74	7.84	33.24

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_4TX  
Setting 24  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7044G	118.66	Inf	-Inf	111.49	3	Vertical	319	1.57	-	33.71	5.60	32.14
AV	5.7028G	106.53	Inf	-Inf	99.36	3	Vertical	319	1.57	-	33.71	5.60	32.14
PK	5.8652G	57.55	68.20	-10.65	50.17	3	Vertical	319	1.57	-	33.86	5.67	32.15

**802.11ax HEW40\_Nss1,(MCS0)\_4TX**

**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT X\_4TX  
Setting 24  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7076G	121.76	Inf	-Inf	114.58	3	Horizontal	311	1.80	-	33.72	5.60	32.14
AV	5.7076G	109.20	Inf	-Inf	102.02	3	Horizontal	311	1.80	-	33.72	5.60	32.14
PK	5.8508G	58.88	68.20	-9.32	51.58	3	Horizontal	311	1.80	-	33.80	5.65	32.15

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_4TX  
Setting 24  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42451G	53.00	74.00	-21.00	39.51	3	Vertical	20	1.04	-	38.85	7.87	33.23
AV	11.42528G	40.14	54.00	-13.86	26.65	3	Vertical	20	1.04	-	38.85	7.87	33.23
PK	17.12857G	57.65	68.20	-10.55	38.98	3	Vertical	331	1.30	-	41.50	10.56	33.39

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_4TX  
Setting 24  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40757G	56.01	74.00	-17.99	42.56	3	Horizontal	336	2.61	-	38.82	7.86	33.23
AV	11.42759G	41.97	54.00	-12.03	28.47	3	Horizontal	336	2.61	-	38.86	7.87	33.23
PK	17.13473G	59.69	68.20	-8.51	40.97	3	Horizontal	123	1.03	-	41.54	10.57	33.39



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT X\_4TX  
Setting 15  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.053G	57.89	74.00	-16.11	51.59	3	Vertical	336	1.68	-	33.31	5.15	32.16
AV	5.098G	44.50	54.00	-9.50	37.96	3	Vertical	336	1.68	-	33.49	5.20	32.15
PK	5.296G	109.89	Inf	-Inf	102.99	3	Vertical	336	1.68	-	33.69	5.35	32.14
AV	5.278G	96.74	Inf	-Inf	89.88	3	Vertical	336	1.68	-	33.66	5.34	32.14
PK	5.356G	64.41	74.00	-9.59	57.46	3	Vertical	336	1.68	-	33.71	5.38	32.14
AV	5.357G	52.18	54.00	-1.82	45.23	3	Vertical	336	1.68	-	33.71	5.38	32.14
PK	5.497G	56.87	68.20	-11.33	49.60	3	Vertical	336	1.68	-	33.90	5.50	32.13

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5290MHz\_TnomVnom




EUT\_X\_4TX  
Setting 15  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.094G	57.19	74.00	-16.81	50.67	3	Horizontal	49	1.58	-	33.48	5.19	32.15
AV	5.108G	44.75	54.00	-9.25	38.19	3	Horizontal	49	1.58	-	33.50	5.21	32.15
PK	5.281G	110.19	Inf	-Inf	103.33	3	Horizontal	49	1.58	-	33.66	5.34	32.14
AV	5.301G	97.25	Inf	-Inf	90.34	3	Horizontal	49	1.58	-	33.70	5.35	32.14
PK	5.361G	67.50	74.00	-6.50	60.54	3	Horizontal	49	1.58	-	33.72	5.38	32.14
AV	5.36G	53.73	54.00	-0.27	46.77	3	Horizontal	49	1.58	-	33.72	5.38	32.14
PK	5.498G	57.71	68.20	-10.49	50.44	3	Horizontal	49	1.58	-	33.90	5.50	32.13

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5290MHz\_TnomVnom




EUT X\_4TX  
Setting 15  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57676G	53.21	68.20	-14.99	40.28	3	Vertical	342	1.80	-	38.48	7.53	33.08
PK	15.8728G	52.85	74.00	-21.15	39.03	3	Vertical	312	2.64	-	37.47	9.94	33.59
AV	15.8683G	39.31	54.00	-14.69	25.48	3	Vertical	312	2.64	-	37.47	9.94	33.58

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5290MHz\_TnomVnom




EUT X\_4TX  
Setting 15  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59656G	52.86	68.20	-15.34	39.91	3	Horizontal	3	1.79	-	38.50	7.54	33.09
PK	15.879G	52.56	74.00	-21.44	38.73	3	Horizontal	324	1.43	-	37.48	9.95	33.60
AV	15.875G	39.37	54.00	-14.63	25.54	3	Horizontal	324	1.43	-	37.48	9.94	33.59

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TnomVnom




EUT\_X\_4TX  
Setting 16.5  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.337G	56.63	68.20	-11.57	49.70	3	Vertical	314	1.80	-	33.70	5.37	32.14
PK	5.445G	61.67	74.00	-12.33	54.46	3	Vertical	314	1.80	-	33.89	5.45	32.13
AV	5.445G	47.57	54.00	-6.43	40.36	3	Vertical	314	1.80	-	33.89	5.45	32.13
PK	5.464G	66.33	68.20	-1.87	59.10	3	Vertical	314	1.80	-	33.90	5.46	32.13
PK	5.544G	109.42	Inf	-Inf	102.11	3	Vertical	314	1.80	-	33.90	5.54	32.13
AV	5.525G	98.23	Inf	-Inf	90.93	3	Vertical	314	1.80	-	33.90	5.53	32.13
PK	5.745G	56.85	68.20	-11.35	49.60	3	Vertical	314	1.80	-	33.79	5.60	32.14

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TnomVnom




EUT\_X\_4TX  
Setting 16.5  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.348G	57.19	68.20	-11.01	50.26	3	Horizontal	44	1.07	-	33.70	5.37	32.14
PK	5.46G	65.26	74.00	-8.74	58.03	3	Horizontal	44	1.07	-	33.90	5.46	32.13
AV	5.46G	50.95	54.00	-3.05	43.72	3	Horizontal	44	1.07	-	33.90	5.46	32.13
PK	5.462G	67.73	68.20	-0.47	60.50	3	Horizontal	44	1.07	-	33.90	5.46	32.13
PK	5.54G	112.92	Inf	-Inf	105.61	3	Horizontal	44	1.07	-	33.90	5.54	32.13
AV	5.541G	100.71	Inf	-Inf	93.40	3	Horizontal	44	1.07	-	33.90	5.54	32.13
PK	5.729G	57.16	68.20	-11.04	49.94	3	Horizontal	44	1.07	-	33.76	5.60	32.14

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TnomVnom




EUT X\_4TX  
Setting 16.5  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0348G	53.05	74.00	-20.95	40.08	3	Vertical	342	1.84	-	38.53	7.71	33.27
AV	11.0354G	39.34	54.00	-14.66	26.36	3	Vertical	342	1.84	-	38.54	7.71	33.27

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TnomVnom




EUT X\_4TX  
Setting 16.5  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05388G	52.58	74.00	-21.42	39.57	3	Horizontal	3	1.80	-	38.55	7.72	33.26
AV	11.0546G	39.15	54.00	-14.85	26.14	3	Horizontal	3	1.80	-	38.55	7.72	33.26



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT\_X\_4TX  
Setting 19  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.445G	58.29	74.00	-15.71	51.08	3	Vertical	316	1.73	-	33.89	5.45	32.13
PK	5.463G	62.09	68.20	-6.11	54.86	3	Vertical	316	1.73	-	33.90	5.46	32.13
AV	5.46G	46.77	54.00	-7.23	39.54	3	Vertical	316	1.73	-	33.90	5.46	32.13
PK	5.603G	113.03	Inf	-Inf	105.68	3	Vertical	316	1.73	-	33.89	5.60	32.14
AV	5.604G	100.90	Inf	-Inf	93.55	3	Vertical	316	1.73	-	33.89	5.60	32.14
PK	5.725G	64.08	68.20	-4.12	56.87	3	Vertical	316	1.73	-	33.75	5.60	32.14

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

#### 5610MHz\_TnomVnom




EUT\_X\_4TX  
Setting 19  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.448G	57.86	74.00	-16.14	50.64	3	Horizontal	308	1.92	-	33.90	5.45	32.13
AV	5.448G	46.14	54.00	-7.86	38.92	3	Horizontal	308	1.92	-	33.90	5.45	32.13
PK	5.469G	61.51	68.20	-6.69	54.27	3	Horizontal	308	1.92	-	33.90	5.47	32.13
PK	5.608G	113.43	Inf	-Inf	106.09	3	Horizontal	308	1.92	-	33.88	5.60	32.14
AV	5.608G	102.23	Inf	-Inf	94.89	3	Horizontal	308	1.92	-	33.88	5.60	32.14
PK	5.727G	67.58	68.20	-0.62	60.37	3	Horizontal	308	1.92	-	33.75	5.60	32.14

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5610MHz\_TnomVnom




EUT X\_4TX  
Setting 19  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22516G	51.67	74.00	-22.33	38.43	3	Vertical	345	1.98	-	38.70	7.79	33.25
AV	11.2236G	38.19	54.00	-15.81	24.95	3	Vertical	345	1.98	-	38.70	7.79	33.25

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

#### 5610MHz\_TnomVnom




EUT X\_4TX  
Setting 19  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.214G	52.97	74.00	-21.03	39.73	3	Horizontal	-0	1.81	-	38.70	7.79	33.25
AV	11.2248G	39.37	54.00	-14.63	26.13	3	Horizontal	-0	1.81	-	38.70	7.79	33.25

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_4TX  
Setting 23.5  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4452G	59.46	74.00	-14.54	52.25	3	Vertical	315	1.61	-	33.89	5.45	32.13
AV	5.444G	47.43	54.00	-6.57	40.23	3	Vertical	315	1.61	-	33.89	5.44	32.13
PK	5.4632G	62.20	68.20	-6.00	54.97	3	Vertical	315	1.61	-	33.90	5.46	32.13
PK	5.7044G	115.52	Inf	-Inf	108.35	3	Vertical	315	1.61	-	33.71	5.60	32.14
AV	5.684G	104.13	Inf	-Inf	96.94	3	Vertical	315	1.61	-	33.73	5.60	32.14
PK	5.864G	66.15	68.20	-2.05	58.78	3	Vertical	315	1.61	-	33.86	5.66	32.15

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_X\_4TX  
Setting 23.5  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	60.38	74.00	-13.62	53.16	3	Horizontal	310	1.90	-	33.90	5.45	32.13
AV	5.456G	47.07	54.00	-6.93	39.84	3	Horizontal	310	1.90	-	33.90	5.46	32.13
PK	5.4668G	61.55	68.20	-6.65	54.31	3	Horizontal	310	1.90	-	33.90	5.47	32.13
PK	5.6864G	117.00	Inf	-Inf	109.81	3	Horizontal	310	1.90	-	33.73	5.60	32.14
AV	5.6876G	106.09	Inf	-Inf	98.91	3	Horizontal	310	1.90	-	33.72	5.60	32.14
PK	5.85G	67.99	68.20	-0.21	60.69	3	Horizontal	310	1.90	-	33.80	5.65	32.15

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT X\_4TX  
Setting 23.5  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39212G	51.01	74.00	-22.99	37.59	3	Vertical	315	2.48	-	38.79	7.86	33.23
AV	11.39222G	37.96	54.00	-16.04	24.54	3	Vertical	315	2.48	-	38.79	7.86	33.23

**802.11ax HEW80\_Nss1,(MCS0)\_4TX**

**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT X\_4TX  
Setting 23.5  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38452G	53.08	74.00	-20.92	39.68	3	Horizontal	335	1.80	-	38.78	7.85	33.23
AV	11.38492G	39.36	54.00	-14.64	25.96	3	Horizontal	335	1.80	-	38.78	7.85	33.23



### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT\_X\_4TX  
Setting 16  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	62.85	74.00	-11.15	56.26	3	Vertical	340	1.21	-	33.50	5.24	32.15
AV	5.1364G	51.14	54.00	-2.86	44.55	3	Vertical	340	1.21	-	33.50	5.24	32.15
PK	5.2548G	108.75	Inf	-Inf	101.95	3	Vertical	340	1.21	-	33.61	5.33	32.14
AV	5.2564G	95.98	Inf	-Inf	89.18	3	Vertical	340	1.21	-	33.61	5.33	32.14
PK	5.3556G	65.54	74.00	-8.46	58.59	3	Vertical	340	1.21	-	33.71	5.38	32.14
AV	5.3556G	53.53	54.00	-0.47	46.58	3	Vertical	340	1.21	-	33.71	5.38	32.14
PK	5.4756G	57.45	68.20	-10.75	50.20	3	Vertical	340	1.21	-	33.90	5.48	32.13

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT\_X\_4TX  
Setting 16  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	65.61	74.00	-8.39	59.02	3	Horizontal	53	1.95	-	33.50	5.24	32.15
AV	5.1428G	52.41	54.00	-1.59	45.82	3	Horizontal	53	1.95	-	33.50	5.24	32.15
PK	5.2804G	108.22	Inf	-Inf	101.36	3	Horizontal	53	1.95	-	33.66	5.34	32.14
AV	5.242G	95.40	Inf	-Inf	88.65	3	Horizontal	53	1.95	-	33.58	5.32	32.15
PK	5.362G	66.26	74.00	-7.74	59.30	3	Horizontal	53	1.95	-	33.72	5.38	32.14
AV	5.35G	53.92	54.00	-0.08	46.98	3	Horizontal	53	1.95	-	33.70	5.38	32.14
PK	5.4612G	57.21	68.20	-10.99	49.98	3	Horizontal	53	1.95	-	33.90	5.46	32.13

**802.11ax HEW160\_Nss1,(MCS0)\_4TX**

**5250MHz Straddle 5.25-5.35GHz\_TnomVnom**




EUT\_X\_4TX  
Setting 16  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49808G	53.32	68.20	-14.88	40.47	3	Vertical	344	1.56	-	38.40	7.50	33.05
PK	15.7531G	53.09	74.00	-20.91	39.25	3	Vertical	115	1.81	-	37.40	9.89	33.45
AV	15.7547G	38.95	54.00	-15.05	25.11	3	Vertical	115	1.81	-	37.40	9.89	33.45

**802.11ax HEW160\_Nss1,(MCS0)\_4TX**

**5250MHz Straddle 5.25-5.35GHz\_TnomVnom**




EUT X\_4TX  
Setting 16  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4959G	53.95	68.20	-14.25	41.10	3	Horizontal	4	1.80	-	38.40	7.50	33.05
PK	15.75134G	52.62	74.00	-21.38	38.78	3	Horizontal	180	2.95	-	37.40	9.89	33.45
AV	15.74992G	39.19	54.00	-14.81	25.34	3	Horizontal	180	2.95	-	37.40	9.89	33.44

802.11ax HEW160\_Nss1,(MCS0)\_4TX

5570MHz\_TnomVnom




EUT\_X\_4TX  
Setting 17.5  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3444G	57.59	68.20	-10.61	50.66	3	Vertical	317	1.70	-	33.70	5.37	32.14
PK	5.4436G	68.48	74.00	-5.52	61.28	3	Vertical	317	1.70	-	33.89	5.44	32.13
AV	5.4436G	52.24	54.00	-1.76	45.04	3	Vertical	317	1.70	-	33.89	5.44	32.13
PK	5.4628G	67.00	68.20	-1.20	59.77	3	Vertical	317	1.70	-	33.90	5.46	32.13
PK	5.5444G	109.49	Inf	-Inf	102.18	3	Vertical	317	1.70	-	33.90	5.54	32.13
AV	5.5444G	96.66	Inf	-Inf	89.35	3	Vertical	317	1.70	-	33.90	5.54	32.13
PK	5.7252G	63.61	68.20	-4.59	56.40	3	Vertical	317	1.70	-	33.75	5.60	32.14

802.11ax HEW160\_Nss1,(MCS0)\_4TX

5570MHz\_TnomVnom




EUT X\_4TX  
Setting 17.5  
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3476G	58.55	68.20	-9.65	51.62	3	Horizontal	307	2.03	-	33.70	5.37	32.14
PK	5.4484G	67.31	74.00	-6.69	60.09	3	Horizontal	307	2.03	-	33.90	5.45	32.13
AV	5.4468G	52.47	54.00	-1.53	45.26	3	Horizontal	307	2.03	-	33.89	5.45	32.13
PK	5.4676G	65.84	68.20	-2.36	58.60	3	Horizontal	307	2.03	-	33.90	5.47	32.13
PK	5.5876G	108.94	Inf	-Inf	101.59	3	Horizontal	307	2.03	-	33.90	5.59	32.14
AV	5.5892G	97.96	Inf	-Inf	90.61	3	Horizontal	307	2.03	-	33.90	5.59	32.14
PK	5.7284G	66.52	68.20	-1.68	59.30	3	Horizontal	307	2.03	-	33.76	5.60	32.14

802.11ax HEW160\_Nss1,(MCS0)\_4TX

5570MHz\_TnomVnom




EUT X\_4TX  
Setting 17.5  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14124G	51.24	74.00	-22.76	38.10	3	Vertical	78	1.05	-	38.64	7.76	33.26
AV	11.14G	38.27	54.00	-15.73	25.13	3	Vertical	78	1.05	-	38.64	7.76	33.26

802.11ax HEW160\_Nss1,(MCS0)\_4TX

5570MHz\_TnomVnom



EUT X\_4TX  
Setting 17.5  
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.116G	51.24	74.00	-22.76	38.13	3	Horizontal	30	2.84	-	38.62	7.75	33.26
AV	11.14G	38.11	54.00	-15.89	24.97	3	Horizontal	30	2.84	-	38.64	7.76	33.26